

THE
REGISTRAR-GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE YEAR
1930

(New Annual Series, No. 10.)

TABLES. PART I. MEDICAL

[Crown Copyright Reserved.]



LONDON:

PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:

Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh;

York Street, Manchester; 1, St. Andrew's Crescent, Cardiff;

15, Donegall Square West, Belfast;

or through any Bookseller.

1931.

Price 7s. 6d. Net.

TABLE OF CONTENTS.

PART I.—Medical.

	Page
Table 1. Deaths, Death-rates and Infant Mortality, England and Wales, 1838–1930	1
Table 2. Deaths and Death-rates in Quarters, England and Wales, 1838–1930	3
Table 3. Standardized Death-rates, Death-rates for Twelve Age-groups, and Infant Mortality, England and Wales, 1838–1930	4
Table 4. Deaths according to Causes, England and Wales, 1920–1930	7
Table 5. Death-rates according to Causes, England and Wales, 1920–1930	23
Table 5a. Standardized Death-rates for certain Causes, England and Wales, 1920–1930	35
Table 6. Death-rates (all Ages Standardized or at Age-group 0–15) from the principal Epidemic Diseases, Tuberculosis, Cancer and Diabetes, England and Wales, 1851–1930	39
Table 7. Mortality from the principal Epidemic Diseases and from certain other causes, Administrative Counties and County Boroughs, 1929 and 1930	40
Table 8. Deaths of Infants by Cause in each Year 1920 to 1930, England and Wales	45
Table 9. Infant Mortality by Cause in each Year 1920 to 1930, England and Wales	46
Table 10. Infant Mortality by Sex, Age, Cause and Legitimacy, England and Wales, 1930	47
Table 11. Infant Mortality by Age, Cause and Legitimacy and by Class of Administrative Area, 1930	52
Table 12. Infant Mortality by Age and Cause in Different Parts of England and Wales and in Different Classes of Administrative Area, 1930.. .. .	58
Table 13. Deaths of Infants by Legitimacy and Age in Administrative Areas, 1930	61
Table 14. Population, Births, Deaths, Total and Infant Mortality and Natural Increase in Administrative Areas, 1930	66
Table 14a. Stillbirths and Stillbirth-rates in Administrative Areas, 1930	117
Table 15. Deaths at each Year of Age, England and Wales, 1930	120

	Page.
Table 16. Deaths at Ages in Sections of the Country and Classes of Area, Greater London, Metropolitan Boroughs, County Boroughs and Administrative Counties, 1930	121
Table 17. Deaths by Cause, Sex and Age, 1930.. ..	138
Table 17a. Deaths by Cause and by Ages under Five Years, England and Wales, 1930	224
Table 18. Deaths by Cause and by Month of Occurrence, England and Wales, October, 1929—September, 1930	228
Table 19. Deaths of Non-Civilians by Cause and by Age, England and Wales, 1930	241
Table 20. Deaths by Condensed List of Causes and by Sex and Age, 1930.. .. .	242
Table 21. Deaths by Cause in certain Administrative Areas, 1930	382
Table 22. Violent Deaths by Sex, Age and Form of Violence, England and Wales, 1930	432
Table 23. Infectious Diseases, Cases Notified per 1,000 Population, England and Wales, in each year 1920-1930 ..	443
Table 24. Infectious Diseases, Seasonal Incidence, England and Wales, 1930	446
Table 25. Tuberculosis, Notifications in each year 1921-1930 ..	447
Table 26. Infectious Diseases, Cases notified in the larger Administrative Areas, 1930	448
Table 27. Infectious Diseases, Cases notified, England and Wales, in each year 1920-1930	455
Table 28. Infectious Diseases, Cases notified in all Administrative Areas in England and Wales, 1930	458
Table 29. Air Temperature, Rainfall and Sunshine, England and Wales, 1930	501
Table 30. Quarterly Meteorological Elements, Greenwich, 1930	503
Table 31. Meteorological Elements, Greenwich, 1881-1930 ..	504
Appendix A1. Infant Mortality by Sex, Age, Cause and Legitimacy, England and Wales, 1926-1930	507
Appendix A2. Infant Mortality by Age, Cause, and Legitimacy, and by Class of Administrative Area, 1926-1930..	512
Appendix B. Deaths by Cause and Place of Occurrence, and by Class of Administrative Area, 1926-1930	518

General Register Office,
Somerset House,
London, W.C.2.

TABLE 1.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838-1930.

Period.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1838-1930	†44,908,299	23,012,783	21,895,516	17·8	18·9	16·7	17·2	18·5	15·9	1,163	134	—	—
1841-1850	3,769,396	1,909,125	1,860,271	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851-1860	4,210,715	2,138,536	2,072,179	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861-1870	4,794,498	2,459,489	2,335,009	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871-1880	5,178,311	2,679,416	2,498,895	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881-1890	5,244,770	2,698,316	2,546,454	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891-1900	5,575,375	2,865,226	2,710,149	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901-1910	5,248,774	2,706,356	2,542,418	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1911-1920	† 5,188,052	2,684,511	2,503,541	14·4	15·9	13·0	13·5	15·0	12·2	1,230	100	96	194
1921-1930	4,722,991	2,407,475	2,315,516	12·1	12·9	11·4	10·6	11·8	9·6	1,232	72	70	130
1841-1845	1,746,110	885,168	860,942	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846-1850	2,023,286	1,023,957	999,329	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851-1855	2,087,236	1,061,271	1,025,965	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856-1860	2,123,479	1,077,265	1,046,214	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861-1865	2,331,957	1,192,943	1,139,014	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866-1870	2,462,541	1,266,546	1,195,995	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871-1875	2,572,749	1,330,063	1,242,686	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876-1880	2,605,562	1,349,353	1,256,209	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881-1885	2,585,164	1,330,461	1,254,703	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886-1890	2,659,606	1,367,855	1,291,751	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891-1895	2,785,391	1,427,164	1,358,227	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896-1900	2,789,984	1,438,062	1,351,922	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901-1905	2,671,566	1,379,931	1,291,635	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906-1910	2,577,208	1,326,425	1,250,783	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911-1915	† 2,598,719	1,344,171	1,254,548	14·3	15·4	13·3	13·7	15·1	12·4	1,218	110	105	210
1916-1920	† 2,589,333	1,340,340	1,248,993	14·4	16·5	12·8	13·4	15·1	11·9	1,269	90	85	179
1921-1925	2,336,270	1,189,865	1,146,405	12·2	13·0	11·4	10·9	12·1	9·9	1,223	76	73	140
1926-1930	2,386,721	1,217,610	1,169,111	12·1	12·9	11·4	10·3	11·5	9·3	1,240	68	65	119
1881	491,935	253,605	238,330	18·9	20·0	17·8	18·2	19·6	17·0	1,154	130	—	—
1882	516,654	265,767	250,887	19·6	20·7	18·5	18·8	20·2	17·6	1,145	141	—	—
1883	522,997	269,262	253,735	19·6	20·8	18·5	19·0	20·4	17·7	1,153	137	—	—
1884	530,828	273,522	257,306	19·7	20·8	18·5	19·0	20·4	17·7	1,152	147	—	—
1885	522,750	268,305	254,445	19·2	20·3	18·2	18·7	20·0	17·4	1,151	138	—	—
1886	537,276	275,874	261,402	19·5	20·6	18·5	19·0	20·4	17·7	1,155	149	—	—
1887	530,758	272,137	258,621	19·1	20·2	18·1	18·6	20·0	17·3	1,152	145	—	—
1888	510,971	263,294	247,677	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	518,353	266,102	252,251	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	562,248	290,448	271,800	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	587,925	302,494	285,431	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	559,684	286,062	273,622	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	569,958	291,889	278,069	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	498,827	256,015	242,812	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	568,997	290,704	278,293	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—

* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915-20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 1.—ENGLAND AND WALES.—DEATHS, DEATH-RATES AND INFANT MORTALITY, 1838-1930—*continued.*

Year.	Deaths.			Crude rates per 1,000 living.			Standardized rates per 1,000 living.*			Ratio of Standardized Male to Female Mortality, the latter taken as 1,000.*	Deaths of Infants under 1 year per 1,000 Live births.		
	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.		Total.	Legitimate.	Illegitimate.
1896	526,727	270,575	256,152	17.1	18.1	16.1	16.9	18.3	15.7	1,163	148	—	—
1897	541,487	280,211	261,276	17.4	18.6	16.2	17.3	18.8	15.9	1,187	156	—	—
1898	552,141	283,981	268,160	17.5	18.6	16.5	17.4	18.9	16.1	1,172	160	—	—
1899	581,799	299,472	282,327	18.2	19.4	17.2	18.2	19.8	16.8	1,176	163	—	—
1900	587,830	303,823	284,007	18.2	19.5	17.1	18.2	19.9	16.7	1,189	154	—	—
1901	551,585	285,618	265,967	16.9	18.1	15.8	16.9	18.5	15.5	1,192	151	—	—
1902	535,538	277,216	258,322	16.3	17.4	15.2	16.2	17.7	14.8	1,195	133	—	—
1903	514,628	266,290	248,338	15.5	16.5	14.4	15.4	16.8	14.1	1,196	132	—	—
1904	549,784	283,206	266,578	16.3	17.4	15.3	16.2	17.6	14.9	1,185	145	—	—
1905	520,031	267,601	252,430	15.3	16.3	14.4	15.2	16.5	13.9	1,188	128	—	—
1906	531,281	274,233	257,048	15.5	16.5	14.5	15.3	16.8	14.0	1,195	132	127	261
1907	524,221	269,259	254,962	15.1	16.0	14.2	14.9	16.2	13.6	1,190	118	113	220
1908	520,456	268,714	251,742	14.8	15.8	13.9	14.5	16.0	13.3	1,204	120	116	233
1909	518,003	265,203	252,800	14.6	15.5	13.8	14.3	15.6	13.1	1,192	109	104	211
1910	483,247	249,016	234,231	13.5	14.4	12.7	13.2	14.5	12.0	1,205	105	102	195
1911	527,810	272,512	255,298	14.6	15.6	13.7	14.2	15.6	13.0	1,202	130	125	245
1912	486,939	250,232	236,707	13.4	14.2	12.6	12.9	14.2	11.8	1,203	95	91	181
1913	504,975	261,687	243,288	13.8	14.8	12.9	13.3	14.7	12.1	1,227	108	104	213
1914	516,742	267,359	249,383	14.0	14.9	13.1	13.5	14.9	12.2	1,216	105	100	207
1915†	562,253	292,381	269,872	15.7	17.7	14.0	14.6	16.3	13.0	1,254	110	105	203
1916†	508,217	265,030	243,187	14.3	16.7	12.5	13.1	14.9	11.5	1,296	91	87	183
1917†	498,922	262,215	236,707	14.2	17.1	12.1	13.0	15.1	11.2	1,348	96	90	201
1918†	611,861	314,704	297,157	17.3	20.1	15.2	16.6	19.0	14.5	1,310	97	91	186
1919†	504,203	258,089	246,114	14.0	15.7	12.6	13.0	14.6	11.6	1,259	89	84	173
1920†	466,130	240,302	225,828	12.4	13.5	11.5	11.9	13.2	10.7	1,234	80	76	156
1921	458,629	234,291	224,338	12.1	13.0	11.3	11.3	12.5	10.2	1,223	83	79	158
1922	486,780	247,221	239,559	12.8	13.6	12.0	11.6	12.9	10.6	1,215	77	74	139
1923	444,785	226,858	217,927	11.6	12.4	10.9	10.3	11.4	9.3	1,229	69	67	132
1924	473,235	240,620	232,615	12.2	12.9	11.5	10.7	11.8	9.7	1,222	75	73	133
1925	472,841	240,875	231,966	12.2	12.9	11.4	10.7	11.9	9.7	1,227	75	72	136
1926	453,804	231,549	222,255	11.6	12.4	10.9	10.1	11.2	9.1	1,235	70	68	130
1927	484,609	246,606	238,003	12.3	13.1	11.6	10.6	11.8	9.6	1,236	70	67	120
1928	460,389	235,542	224,847	11.7	12.5	10.9	9.9	11.1	8.9	1,248	65	63	115
1929	532,492	269,903	262,589	13.4	14.2	12.7	11.5	12.7	10.4	1,226	74	72	126
1930	455,427	234,010	221,417	11.4	12.3	10.7	9.6	10.8	8.5	1,260	60	58	105

* The Standardized death-rates are those which would have been recorded if the sex and age constitution of the population had been the same as in 1901. The rates for Males and Females are standardized for differences of age constitution in each sex, and also between the two sexes.

† For the years 1915-20 the mortality-rates are based upon civilians only, but, as in other years, the numbers of deaths include those of non-civilians registered in England and Wales.

TABLE 2.—ENGLAND AND WALES.—NUMBERS OF DEATHS AND ANNUAL DEATH-RATES IN EACH QUARTER IN GROUPS OF YEARS, 1838-1930, AND IN EACH YEAR 1921-1930.

Period.	Quarter ended.							
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths : Males.				Deaths : Females.			
1838-1930*	6,490,547	5,628,180	5,233,860	5,726,211	6,264,284	5,236,927	4,878,586	5,515,718
1841-50	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-60	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-70	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-80	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-90	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-10	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-20*	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-30	746,920	585,096	484,852	590,608	743,076	551,335	451,409	569,695
1921	65,716	55,782	51,405	61,388	63,557	52,687	47,691	60,403
1922	82,552	61,439	47,323	55,907	82,941	58,863	43,604	54,151
1923	63,362	58,237	47,239	58,020	61,349	55,807	44,011	56,760
1924	79,690	58,954	46,692	55,284	80,584	55,234	43,446	53,351
1925	69,409	58,545	49,285	63,636	68,890	54,673	45,769	62,634
1926	65,742	58,414	46,917	60,476	64,869	55,395	43,788	58,203
1927	83,802	55,711	47,904	59,189	84,958	51,884	44,334	56,827
1928	69,050	59,160	48,120	59,212	67,249	55,582	45,595	56,421
1929	99,944	61,439	50,201	58,319	104,365	57,289	46,548	54,387
1930	67,653	57,415	49,766	59,177	64,314	53,921	46,623	56,558
Period.	Deaths : Persons.				Death-Rates per 1,000 persons living.			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
	Deaths : Persons.				Death-Rates per 1,000 persons living.			
1838-1930*	12,754,831	10,865,107	10,112,446	11,241,929	20·5	17·2	15·9	17·6
1841-50	1,029,485	926,091	892,964	920,856	24·7	22·0	21·0	21·7
1851-60	1,157,916	1,040,596	965,924	1,046,279	24·7	22·1	20·3	21·9
1861-70	1,323,406	1,156,834	1,126,288	1,187,970	25·2	21·8	21·0	22·1
1871-80	1,422,776	1,259,064	1,195,003	1,301,468	23·7	20·9	19·6	21·3
1881-90	1,459,550	1,271,775	1,194,102	1,319,343	21·6	18·7	17·3	19·1
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	20·7	17·6	17·0	17·7
1901-10	1,490,235	1,246,735	1,185,415	1,326,389	17·7	14·6	13·8	15·4
1911-20*	1,532,334	1,220,642	1,074,835	1,360,241	17·2	13·6	11·8	15·0
1921-30	1,489,996	1,136,431	936,261	1,160,303	15·5	11·7	9·5	11·8
1921	129,273	108,469	99,096	121,791	13·8	11·5	10·4	12·8
1922	165,493	120,302	90,927	110,058	17·6	12·6	9·5	11·4
1923	124,711	114,044	91,250	114,780	13·2	11·9	9·4	11·9
1924	160,274	114,188	90,138	108,635	16·6	11·8	9·2	11·1
1925	138,299	113,218	95,054	126,270	14·4	11·7	9·7	12·9
1926	130,611	113,809	90,705	118,679	13·6	11·7	9·2	12·1
1927	168,760	107,595	92,238	116,016	17·4	11·0	9·3	11·7
1928	136,299	114,742	93,715	115,633	13·9	11·7	9·4	11·7
1929	204,309	118,728	96,749	112,706	20·9	12·0	9·7	11·3
1930	131,967	111,336	96,389	115,735	13·4	11·2	9·6	11·5

* See Note † to Table 1.

TABLE 3.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES,
DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY,
1838-1930.*—MALES.

Period.	Deaths of Males per 1,000 living at subjoined Ages.													Deaths of Male Infants under 1 year of age per 1,000 Male Live Births.
	All Ages. (Stand- ard- ized).†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.	
1838-1930‡	18.5	56.9	5.4	3.1	4.4	6.0	7.2	10.5	16.5	30.8	65.7	143.3	294.9	147
1841-50	22.5	71.2	9.2	5.1	7.1	9.5	9.9	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-60	22.1	72.4	8.5	4.9	6.7	8.8	9.6	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-70	22.6	73.5	8.2	4.5	6.2	8.5	9.9	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-80	21.8	68.4	6.7	3.7	5.3	7.4	9.3	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-90	20.0	61.6	5.3	3.0	4.3	5.7	7.8	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900	19.5	62.7	4.3	2.4	3.8	5.1	6.8	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-10	16.6	50.0	3.5	2.1	3.1	4.2	5.6	9.2	16.2	31.8	64.8	137.7	279.2	140
1911-20†	15.0	37.8	3.6	2.2	3.4	4.9	6.5	8.6	14.5	29.0	63.5	139.3	274.5	112
1921-30	11.8	25.3	2.5	1.7	2.6	3.3	3.9	6.4	11.6	24.4	59.2	136.9	283.1	81
1841-45	21.6	68.7	8.8	4.8	6.8	9.0	9.4	12.2	17.2	30.3	65.5	143.7	305.1	162
1846-50	23.4	73.7	9.5	5.4	7.4	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-55	22.7	73.9	8.8	5.2	7.0	9.2	10.0	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-60	21.6	71.5	8.3	4.6	6.4	8.4	9.2	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-65	22.6	74.1	8.5	4.7	6.4	8.6	9.8	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-70	22.6	72.9	7.9	4.3	6.0	8.3	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-75	22.4	69.9	7.1	4.0	5.7	8.1	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-80	21.3	67.1	6.3	3.4	4.8	6.7	8.7	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-85	20.1	61.3	5.8	3.2	4.5	6.0	8.2	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-90	20.0	61.9	4.9	2.8	4.1	5.5	7.4	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-95	20.0	62.9	4.5	2.6	4.0	5.2	7.1	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900	19.1	62.4	4.1	2.3	3.6	4.9	6.5	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-05	17.4	54.7	3.7	2.1	3.2	4.4	5.9	9.7	17.0	32.4	65.3	137.6	274.6	151
1906-10	15.8	45.4	3.3	2.0	3.0	4.0	5.3	8.6	15.5	31.2	64.4	137.7	283.0	129
1911-15†	15.1	40.9	3.4	2.0	3.0	4.0	5.1	8.2	14.9	30.2	64.1	139.2	281.6	121
1916-20†	15.1	34.4	3.8	2.4	3.9	6.6	8.6	9.1	14.0	27.9	63.0	139.4	267.8	101
1921-25	12.1	27.3	2.5	1.7	2.6	3.5	4.1	6.5	11.6	24.8	58.6	136.2	271.6	86
1926-30	11.5	23.2	2.5	1.6	2.6	3.2	3.7	6.2	11.7	24.0	59.7	137.6	293.6	77
1890	21.0	62.9	5.0	2.8	4.3	5.7	8.0	13.2	21.7	38.6	75.3	153.3	316.5	165
1891	21.7	64.6	4.7	2.6	4.2	5.6	7.9	13.4	22.4	41.0	81.3	167.9	327.1	164
1892	20.2	62.4	4.7	2.6	4.0	5.2	7.1	12.1	19.8	36.6	75.7	154.6	305.4	162
1893	20.4	65.6	5.0	2.8	4.3	5.4	7.3	12.5	19.9	35.6	71.4	142.5	272.8	173
1894	17.7	56.1	4.2	2.3	3.8	5.0	6.5	10.8	17.3	31.4	62.8	127.6	243.6	150
1895	19.9	66.0	4.1	2.5	3.8	5.0	6.6	11.0	18.5	34.9	71.3	154.1	306.1	176
1896	18.3	61.2	4.5	2.3	3.5	4.8	6.2	10.6	17.3	31.6	63.0	128.6	251.9	161
1897	18.8	62.5	3.9	2.4	3.6	4.8	6.4	10.8	17.7	32.9	65.8	141.7	272.1	170
1898	18.9	63.4	3.8	2.2	3.5	4.8	6.3	10.7	17.6	33.2	66.4	140.3	282.6	175
1899	19.8	63.4	4.1	2.3	3.6	5.0	6.7	11.6	19.2	35.5	72.0	150.3	302.1	177
1900	19.9	61.6	4.2	2.3	3.7	5.1	6.7	11.7	19.9	37.1	74.2	153.7	304.3	169
1901	18.5	59.0	4.0	2.3	3.5	4.7	6.2	10.6	18.0	33.5	67.8	139.8	276.5	166
1902	17.7	54.1	3.9	2.2	3.3	4.6	6.2	10.4	17.8	33.3	66.7	138.5	270.0	147
1903	16.8	52.5	3.5	2.0	3.0	4.2	5.8	9.4	16.6	31.6	63.3	132.8	260.3	145
1904	17.6	57.4	3.6	2.1	3.1	4.3	5.7	9.4	16.5	32.3	65.5	139.7	287.6	159
1905	16.5	50.3	3.4	2.1	3.1	4.2	5.6	9.0	16.1	31.5	63.3	137.2	278.2	141
1906	16.8	51.2	3.5	2.0	3.2	4.1	5.5	9.1	16.1	32.4	64.3	137.3	298.5	145
1907	16.2	46.8	3.4	2.0	3.0	4.0	5.5	9.0	16.1	32.3	65.2	138.8	291.7	130
1908	16.0	46.9	3.3	2.0	2.9	4.0	5.3	8.6	15.4	31.4	64.3	138.4	277.2	133
1909	15.6	42.8	3.4	2.0	3.0	3.9	5.2	8.5	15.6	31.1	66.4	142.5	289.9	120
1910	14.5	39.7	3.0	1.9	2.7	3.7	4.7	7.9	14.5	29.4	61.8	131.6	259.7	116
1911	15.6	46.7	3.5	2.1	3.1	3.8	5.0	8.1	14.9	29.6	62.4	136.7	268.0	142
1912	14.2	35.9	3.1	1.8	2.9	3.6	4.8	7.9	14.7	29.6	62.7	135.6	266.7	106
1913	14.7	40.3	3.2	1.9	2.8	3.6	4.8	7.9	14.7	29.9	62.9	136.6	269.3	120
1914	14.9	39.4	3.4	2.1	3.1	3.9	5.1	8.3	14.9	30.0	63.4	133.2	281.2	116
1915†	16.3	42.0	3.9	2.3	3.3	5.8	6.5	8.9	15.4	31.9	69.0	153.6	322.7	123
1916†	14.9	32.5	3.3	2.2	3.4	6.9	7.2	8.6	14.4	29.6	66.8	148.1	309.2	102
1917†	15.1	31.8	3.3	2.2	3.6	7.9	8.5	9.1	14.1	29.2	66.2	147.2	286.5	108
1918†	19.0	38.9	5.5	3.5	6.2	13.8	19.6	12.6	16.4	29.3	64.4	132.1	234.4	108
1919†	14.6	32.8	3.5	2.3	3.6	5.5	8.1	8.6	13.3	27.2	62.6	145.5	277.6	100
1920†	13.2	36.2	3.3	1.9	2.9	3.9	4.7	7.0	12.1	24.5	55.6	125.1	235.2	90
1921	12.5	32.3	2.8	1.8	2.8	3.6	4.2	6.5	11.4	24.4	55.8	128.7	262.8	93
1922	12.9	30.2	2.6	1.7	2.7	3.7	4.4	6.9	12.0	26.0	61.2	143.9	271.3	87
1923	11.4	24.3	2.3	1.6	2.6	3.4	4.0	6.3	11.2	24.1	56.0	130.2	262.0	78
1924	11.8	25.1	2.4	1.6	2.5	3.4	3.9	6.5	11.5	24.9	60.0	137.5	271.4	85
1925	11.9	25.3	2.5	1.7	2.6	3.3	3.9	6.3	11.6	24.5	59.6	140.2	290.0	84
1926	11.2	23.3	2.5	1.5	2.5	3.1	3.7	6.1	11.1	23.3	56.8	132.7	282.0	79
1927	11.8	23.7	2.4	1.6	2.5	3.3	3.8	6.6	11.9	24.5	61.1	141.7	309.0	79
1928	11.1	21.9	2.4	1.7	2.6	3.1	3.7	6.0	11.2	23.3	57.8	130.1	287.7	74
1929	12.7	26.3	2.6	1.7	2.7	3.4	3.9	6.8	12.9	25.9	65.7	154.2	335.7	83
1930	10.8	20.5	2.4	1.6	2.5	3.1	3.6	5.7	11.2	23.0	56.7	129.1	257.3	68

* The age rates for intercensal years are based upon estimated populations.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among males at the various dates, but also for differences in age constitution between the two sexes; see the Annual Report for 1911 (pages xxvii-xxxi) and the Annual Report for 1913 (p. xx).

‡ Including civilian mortality only in 1915-20.

TABLE 3 (contd.).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838-1930.*—FEMALES.

Period.	Deaths of Females per 1,000 living at subjoined Ages.													Deaths of Female Infants under 1 year of age per 1,000 Female Live Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838-1930	15.9	48.4	5.3	3.2	4.5	5.4	6.6	8.8	12.9	24.7	54.9	124.8	266.6	120
1841-50	20.7	61.1	8.9	5.4	7.9	9.1	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-60	20.3	62.7	8.4	5.1	7.4	8.5	9.9	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-70	20.2	63.7	7.8	4.5	6.6	8.0	9.7	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-80	19.0	58.3	6.2	3.7	5.5	6.8	8.6	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-90	17.3	51.9	5.3	3.1	4.4	5.5	7.4	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900	16.7	52.8	4.4	2.6	3.7	4.5	6.1	9.6	14.7	28.4	60.7	130.6	261.4	138
1901-10	13.9	41.9	3.6	2.2	2.9	3.5	4.7	7.5	12.5	24.8	53.9	119.8	250.3	114
1911-20	12.2	31.4	3.6	2.3	3.2	3.9	4.8	6.4	10.9	21.5	49.6	116.3	243.6	89
1921-30	9.6	20.4	2.3	1.6	2.5	3.0	3.5	4.8	8.6	18.1	46.0	114.0	261.5	63
1841-45	19.8	58.6	8.6	5.2	7.7	8.6	9.9	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-50	21.6	63.6	9.2	5.7	8.1	9.6	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-55	20.7	63.8	8.5	5.3	7.8	8.9	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-60	19.9	62.3	8.4	4.8	7.1	8.2	9.6	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-65	20.3	64.2	8.3	4.8	6.9	8.2	9.8	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-70	20.0	63.3	7.4	4.3	6.4	7.8	9.6	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-75	19.5	60.0	6.6	4.0	5.9	7.4	9.2	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-80	18.4	56.8	5.9	3.5	5.0	6.2	8.0	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-85	17.5	51.9	5.7	3.3	4.7	5.9	7.9	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-90	17.2	52.0	4.9	2.9	4.2	5.2	6.9	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-95	17.2	52.8	4.6	2.7	4.0	4.8	6.6	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900	16.2	52.7	4.2	2.4	3.4	4.1	5.6	9.1	14.3	27.4	58.5	127.0	258.7	141
1901-05	14.6	45.8	3.8	2.2	3.0	3.7	5.0	8.0	13.1	25.4	54.8	119.9	249.4	124
1906-10	13.2	38.0	3.4	2.1	2.8	3.3	4.5	7.1	12.0	24.3	53.1	119.6	250.9	105
1911-15	12.4	34.0	3.4	2.1	2.8	3.2	4.1	6.5	11.4	22.7	51.7	117.5	245.4	97
1916-20	11.9	28.4	3.8	2.6	3.7	4.5	5.5	6.4	10.4	20.4	47.7	115.1	241.9	79
1921-25	9.9	22.1	2.4	1.7	2.6	3.1	3.6	5.0	8.8	18.6	46.0	114.0	246.9	66
1926-30	9.3	18.5	2.3	1.5	2.4	3.0	3.3	4.7	8.4	17.7	46.0	114.0	275.3	59
1890	17.8	53.3	5.0	2.9	4.2	5.1	7.1	10.9	15.9	30.7	64.2	136.9	276.6	136
1891	18.5	53.7	4.7	2.9	4.3	5.2	7.1	11.1	17.1	33.4	70.6	148.1	300.7	133
1892	17.5	52.5	4.6	2.7	4.0	4.7	6.7	10.3	15.5	30.4	66.0	140.9	274.4	132
1893	17.6	55.2	5.1	3.0	4.3	5.1	7.0	10.7	15.2	29.2	62.4	128.7	250.0	143
1894	15.2	47.4	4.3	2.6	3.7	4.5	6.0	9.2	13.5	25.1	53.7	113.6	219.6	124
1895	17.3	55.2	4.2	2.6	3.7	4.5	6.1	9.5	14.8	29.6	62.6	140.9	276.2	144
1896	15.7	52.3	4.5	2.4	3.4	4.2	5.7	8.9	13.6	25.8	53.4	113.9	233.4	134
1897	15.9	52.4	4.0	2.4	3.4	4.1	5.6	8.9	13.7	26.2	55.7	121.2	252.6	141
1898	16.1	53.5	3.9	2.3	3.3	4.1	5.5	8.9	13.9	26.7	57.5	126.0	259.6	145
1899	16.8	53.6	4.2	2.4	3.3	4.1	5.7	9.4	15.0	28.7	62.3	136.3	273.2	148
1900	16.7	51.8	4.2	2.5	3.3	4.2	5.7	9.3	15.3	29.6	63.2	136.8	273.9	139
1901	15.5	49.5	4.1	2.4	3.2	3.8	5.3	8.7	13.8	26.5	56.5	122.6	247.1	136
1902	14.8	45.0	4.2	2.3	3.1	3.9	5.3	8.4	13.4	25.9	55.7	122.1	252.3	118
1903	14.1	43.7	3.6	2.1	2.9	3.5	4.9	7.9	12.8	24.4	52.9	114.7	233.9	118
1904	14.9	48.5	3.6	2.2	3.0	3.5	4.9	7.7	12.8	25.6	55.1	123.2	256.1	131
1905	13.9	42.1	3.5	2.2	2.9	3.6	4.8	7.5	12.5	24.8	53.8	117.2	256.7	115
1906	14.0	43.1	3.7	2.3	2.9	3.5	4.7	7.5	12.4	24.8	52.5	119.6	258.7	120
1907	13.6	39.1	3.5	2.1	2.9	3.4	4.6	7.4	12.4	25.3	55.1	122.6	259.4	104
1908	13.3	39.0	3.4	2.0	2.7	3.4	4.4	6.9	12.1	24.2	52.7	119.4	248.8	107
1909	13.1	35.7	3.5	2.1	2.8	3.3	4.4	6.9	12.1	24.8	55.5	124.2	256.2	97
1910	12.0	33.1	3.1	2.0	2.6	3.1	4.1	6.5	11.1	22.4	49.8	112.3	232.8	94
1911	13.0	39.5	3.4	2.1	2.7	3.3	4.2	6.6	11.4	22.8	50.5	115.1	229.4	117
1912	11.8	29.9	3.1	2.0	2.7	3.2	4.0	6.4	11.2	22.4	51.2	115.5	239.3	84
1913	12.1	33.3	3.2	2.0	2.6	3.2	4.0	6.4	11.3	22.3	50.2	111.8	236.2	96
1914	12.2	32.9	3.4	2.2	2.7	3.2	4.1	6.5	11.5	22.4	51.0	114.2	244.2	93
1915	13.0	34.4	3.8	2.3	3.0	3.4	4.2	6.5	11.7	23.6	55.7	130.2	275.9	96
1916	11.5	26.5	3.2	2.2	3.0	3.4	4.1	6.1	10.7	21.6	51.8	123.4	268.4	80
1917	11.2	26.3	3.2	2.2	3.2	3.4	3.9	5.8	10.1	20.7	48.8	119.3	252.2	85
1918	14.5	34.1	5.9	4.0	6.0	7.9	9.8	8.5	12.3	21.4	47.8	107.8	221.3	86
1919	11.6	26.4	3.6	2.3	3.4	4.3	5.4	6.1	10.1	20.5	48.3	120.8	257.0	78
1920	10.7	28.9	3.2	2.0	2.7	3.3	4.2	5.4	9.0	18.2	42.3	105.2	213.6	69
1921	10.2	25.8	2.7	1.8	2.7	3.2	3.7	5.2	8.8	18.2	43.6	108.9	232.3	72
1922	10.6	24.5	2.5	1.8	2.6	3.2	3.9	5.3	9.3	19.7	48.6	120.9	251.0	66
1923	9.3	19.6	2.2	1.6	2.5	3.0	3.4	4.8	8.5	18.2	44.1	108.5	231.9	60
1924	9.7	20.2	2.2	1.7	2.5	3.1	3.5	5.0	8.6	18.9	47.3	116.0	249.5	65
1925	9.7	20.7	2.4	1.7	2.5	3.1	3.4	4.8	8.6	18.1	46.2	115.8	269.1	66
1926	9.1	18.8	2.3	1.5	2.4	2.9	3.3	4.6	8.2	17.4	43.9	108.0	254.2	61
1927	9.6	18.9	2.2	1.5	2.4	3.0	3.4	4.9	8.7	18.3	47.4	118.5	285.8	60
1928	8.9	17.4	2.2	1.5	2.4	3.0	3.3	4.6	8.1	17.1	44.3	106.0	262.5	56
1929	10.4	21.6	2.3	1.7	2.5	3.1	3.5	4.9	9.0	19.3	52.0	131.4	327.2	65
1930	8.5	16.0	2.2	1.5	2.3	2.8	3.2	4.3	7.8	16.6	42.6	106.3	249.5	51

* See Note * on first page of Table.

† The death-rates in this column are standardized to the age constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age constitution among females at the various dates, but also for differences in age constitution between the two sexes.

TABLE 3 (contd).—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES AT TWELVE GROUPS OF AGES, AND INFANT MORTALITY, 1838-1930.*—PERSONS.

Period.	Deaths of Persons per 1,000 living at subjoined Ages.														Deaths of Infants under 1 year of age per 1,000 Live Births.
	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.		
1838-1930‡	17.2	52.7	5.4	3.1	4.4	5.7	6.9	9.6	14.6	27.6	59.8	132.6	276.9	134	
1841-50	21.6	66.0	9.0	5.3	7.5	9.3	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153	
1851-60	21.2	67.6	8.5	5.0	7.0	8.7	9.8	12.3	16.5	28.9	61.7	139.9	296.5	154	
1861-70	21.3	68.6	8.0	4.5	6.4	8.2	9.8	12.7	17.4	30.4	62.8	140.4	296.6	154	
1871-80	20.3	63.4	6.5	3.7	5.4	7.1	9.0	12.7	17.8	31.6	65.0	142.2	308.3	149	
1881-90	18.6	56.8	5.3	3.0	4.4	5.6	7.6	11.5	17.1	31.4	65.0	137.6	284.0	142	
1891-1900	18.1	57.7	4.3	2.5	3.7	4.7	6.4	10.5	16.8	31.5	65.0	137.2	270.8	153	
1901-10	15.2	46.0	3.6	2.1	3.0	3.8	5.1	8.3	14.3	28.1	58.8	127.2	260.8	128	
1911-20‡	13.5	34.6	3.6	2.3	3.3	4.3	5.5	7.4	12.6	25.0	55.8	125.5	254.2	100	
1921-30	10.6	22.9	2.4	1.6	2.5	3.2	3.7	5.5	10.0	21.1	51.9	123.1	268.7	72	
1841-45	20.6	63.6	8.7	5.0	7.2	8.8	9.7	12.2	16.1	28.7	62.0	137.2	295.3	148	
1846-50	22.4	68.7	9.4	5.6	7.7	9.8	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157	
1851-55	21.7	68.9	8.6	5.2	7.4	9.1	10.2	12.7	17.2	29.6	62.9	143.2	299.6	156	
1856-60	20.7	66.9	8.3	4.7	6.7	8.3	9.4	12.0	16.1	28.4	61.0	136.7	293.4	152	
1861-65	21.4	69.1	8.4	4.7	6.6	8.4	9.8	12.6	17.2	30.3	62.5	139.1	299.0	151	
1866-70	21.2	68.1	7.6	4.3	6.2	8.0	9.9	12.9	17.6	30.6	63.2	141.7	294.3	157	
1871-75	20.9	64.9	6.9	4.0	5.8	7.7	9.6	13.1	18.0	31.6	65.3	141.7	305.2	153	
1876-80	19.8	61.9	6.1	3.5	4.9	6.5	8.3	12.3	17.5	31.6	64.7	142.9	311.5	145	
1881-85	18.7	56.6	5.8	3.2	4.6	6.0	8.0	11.8	17.2	31.0	63.5	136.2	277.9	139	
1886-90	18.5	56.9	4.9	2.8	4.1	5.3	7.2	11.1	17.1	31.8	66.4	139.0	290.1	145	
1891-95	18.5	57.8	4.6	2.7	4.0	5.0	6.8	11.0	17.3	32.5	67.3	140.7	273.9	151	
1896-1900	17.6	57.6	4.1	2.4	3.5	4.5	6.0	10.1	16.2	30.5	62.9	133.8	267.7	156	
1901-05	16.0	50.2	3.7	2.2	3.1	4.0	5.4	8.9	14.9	28.7	59.4	127.3	258.6	138	
1906-10	14.4	41.7	3.4	2.0	2.9	3.6	4.8	7.8	13.7	27.5	58.1	127.0	262.4	117	
1911-15‡	13.7	37.5	3.4	2.1	2.2	3.6	4.6	7.3	13.1	26.2	57.3	126.2	257.9	110	
1916-20‡	13.4	31.4	3.8	2.5	3.8	5.2	6.5	7.5	12.1	24.0	54.5	124.8	250.7	90	
1921-25	10.9	24.7	2.5	1.7	2.6	3.3	3.8	5.7	10.1	21.5	51.6	122.7	255.0	76	
1926-30	10.3	20.9	2.4	1.6	2.5	3.1	3.5	5.4	9.9	20.7	52.2	123.4	281.4	68	
1890	19.3	58.1	5.0	2.9	4.2	5.4	7.5	12.0	18.7	34.4	69.2	143.9	291.4	151	
1891	20.0	59.1	4.7	2.7	4.2	5.4	7.4	12.2	19.6	36.9	75.4	156.6	310.5	149	
1892	18.8	57.4	4.6	2.6	4.0	4.9	6.9	11.2	17.5	33.3	70.4	146.8	285.9	148	
1893	18.9	60.4	5.1	2.9	4.3	5.3	7.2	11.5	17.5	32.2	66.5	134.6	258.5	159	
1894	16.4	51.7	4.3	2.5	3.7	4.7	6.3	9.9	15.4	28.0	57.8	119.6	228.5	137	
1895	18.5	60.6	4.1	2.5	3.7	4.7	6.3	10.2	16.6	32.1	66.5	146.5	287.3	161	
1896	16.9	56.7	4.5	2.4	3.5	4.4	5.9	9.7	15.4	28.5	57.7	120.1	240.3	148	
1897	17.3	57.4	4.0	2.4	3.5	4.5	6.0	9.8	15.6	29.3	60.2	129.9	259.8	156	
1898	17.4	58.5	3.8	2.2	3.4	4.4	5.9	9.8	15.7	29.7	61.5	132.1	268.1	160	
1899	18.2	58.5	4.1	2.4	3.5	4.5	6.1	10.5	17.0	31.9	66.6	142.2	283.9	163	
1900	18.2	56.7	4.2	2.4	3.5	4.6	6.2	10.5	17.5	33.1	68.1	143.9	285.2	154	
1901	16.9	54.2	4.1	2.3	3.3	4.2	5.8	9.6	15.9	29.8	61.5	129.8	258.0	151	
1902	16.2	49.6	4.1	2.3	3.2	4.2	5.7	9.3	15.5	29.4	60.6	129.0	258.8	133	
1903	15.4	48.1	3.5	2.1	3.0	3.8	5.4	8.6	14.6	27.7	57.5	122.2	243.6	132	
1904	16.2	53.0	3.6	2.1	3.1	3.9	5.3	8.5	14.6	28.7	59.7	130.1	267.6	145	
1905	15.2	46.2	3.5	2.1	3.0	3.9	5.2	8.3	14.2	28.0	58.0	125.5	264.5	128	
1906	15.3	47.2	3.6	2.1	3.0	3.8	5.1	8.2	14.2	28.2	57.7	126.9	273.1	132	
1907	14.9	42.9	3.5	2.1	2.9	3.7	5.0	8.2	14.2	28.6	59.6	129.3	271.0	118	
1908	14.5	43.0	3.4	2.0	2.8	3.7	4.9	7.8	13.7	27.6	57.8	127.2	259.0	120	
1909	14.3	39.2	3.4	2.1	2.9	3.6	4.8	7.7	13.8	27.8	60.4	131.7	268.3	109	
1910	13.2	36.4	3.0	1.9	2.7	3.4	4.4	7.2	12.7	25.7	55.2	120.1	242.4	105	
1911	14.2	43.1	3.4	2.1	2.9	3.5	4.6	7.3	13.1	26.0	55.8	123.7	243.0	130	
1912	12.9	32.9	3.1	1.9	2.8	3.4	4.4	7.1	12.9	25.8	56.4	123.6	248.9	95	
1913	13.3	36.8	3.2	2.0	2.7	3.4	4.3	7.1	12.9	25.9	55.8	121.7	247.7	108	
1914	13.5	36.2	3.4	2.1	2.9	3.5	4.6	7.3	13.2	26.0	56.5	121.8	256.8	105	
1915‡	14.6	38.2	3.8	2.3	3.2	4.3	5.1	7.6	13.5	27.5	61.7	139.5	291.8	110	
1916‡	13.1	29.5	3.3	2.2	3.2	4.3	5.1	7.2	12.5	25.4	58.5	133.3	282.2	91	
1917‡	13.0	29.1	3.3	2.2	3.4	4.5	5.3	7.2	12.0	24.7	56.5	130.5	263.9	96	
1918‡	16.6	36.5	5.7	3.7	6.1	9.3	12.4	10.1	14.2	25.1	55.1	117.5	225.8	97	
1919‡	13.0	29.6	3.5	2.3	3.5	4.7	6.4	7.2	11.6	23.7	54.6	130.6	264.0	89	
1920‡	11.9	32.6	3.3	2.0	2.8	3.6	4.4	6.1	10.4	21.2	48.2	113.1	220.8	80	
1921	11.3	29.1	2.8	1.8	2.8	3.4	3.9	5.8	10.0	21.1	49.0	116.7	242.3	83	
1922	11.6	27.4	2.6	1.8	2.6	3.5	4.1	6.1	10.6	22.7	54.2	129.9	257.7	77	
1923	10.3	22.0	2.3	1.6	2.5	3.2	3.7	5.5	9.8	21.0	49.4	117.0	241.8	69	
1924	10.7	22.6	2.3	1.7	2.5	3.3	3.7	5.7	10.0	21.7	53.0	124.5	256.8	75	
1925	10.7	23.0	2.5	1.7	2.6	3.2	3.6	5.5	10.0	21.1	52.2	125.4	276.0	75	
1926	10.1	21.1	2.4	1.5	2.4	3.0	3.5	5.3	9.5	20.2	49.7	117.7	263.4	70	
1927	10.6	21.3	2.3	1.5	2.5	3.1	3.6	5.6	10.2	21.3	53.6	127.7	293.6	70	
1928	9.9	19.7	2.3	1.6	2.5	3.1	3.5	5.2	9.6	20.0	50.4	115.6	270.9	65	
1929	11.5	24.0	2.5	1.7	2.6	3.2	3.7	5.7	10.8	22.4	58.2	140.5	330.1	74	
1930	9.6	18.3	2.3	1.5	2.4	2.9	3.4	5.0	9.4	19.6	48.9	115.4	252.1	60	

* See Note* on first page of Table.

† The death-rates in this column are standardized to the sex and age constitution of the population enumerated in 1901.

‡ Including civilian mortality only in 1915-20.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES.

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921,
see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
	ALL CAUSES {M. F.	240302 225828	234291 224338	247221 239559	226858 217927	240620 232615	240875 231966	231549 222255	246606 238003	235542 224847	269903 262589	234010 221417
1-42	I.—Epidemic, Endemic and Infectious Diseases .. {M. F.	41319 36828	36875 33622	44970 41606	35656 31381	40670 37117	39148 34754	33960 29511	40176 36531	33122 28232	45223 41829	31251 25913
1	Enteric fever {M. F.	291 246	312 301	245 220	227 223	244 252	188 200	192 175	188 179	215 223	187 195	163 150
	(a) Typhoid fever .. {M. F.	? ?	304 291	230 214	211 208	232 229	174 173	171 155	166 147	161 177	163 164	140 117
	(b) Paratyphoid fever .. {M. F.	? ?	8 10	15 6	16 15	12 23	14 27	21 20	22 32	54 46	24 31	23 33
2	Typhus {M. F.	— —	— —	3 1	1 —	1 4	— —	— 1	— —	1 —	— —	— 1
3	Relapsing fever (Spirillum obermeieri) {M. F.	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
4	Mediterranean fever .. {M. F.	1 —	1 1	1 —	— 1	2 —	— —	— 1	— —	— —	— —	2 1
5	Malaria {M. F.	240 10	139 4	113 10	76 5	91 6	62 4	58 7	33 6	31 5	46 3	38 2
6	Small-pox {M. F.	12 18	5 —	21 6	5 2	5 8	3 6	9 9	23 24	38 15	19 20	15 13
7	Measles {M. F.	3760 3430	1188 1053	2988 2706	2881 2435	2564 2270	2853 2484	1834 1649	1914 1708	2284 2018	1736 1652	2264 1924
8	Scarlet fever.. .. {M. F.	695 735	631 674	654 728	503 490	417 471	478 510	355 322	284 295	263 317	358 359	352 388
9	Whooping cough .. {M. F.	1969 2432	2046 2530	2864 3506	1909 2253	1864 2119	2770 3288	1877 2241	1660 2021	1343 1633	2787 3545	897 1140
10	Diphtheria {M. F.	2699 2949	2298 2474	2048 2027	1317 1405	1212 1289	1348 1426	1421 1573	1339 1393	1580 1611	1632 1814	1725 1772
11	Influenza {M. F.	5635 5030	4511 4484	10353 11145	4305 4156	9142 9844	6308 6413	4540 4396	10804 11459	4084 3670	13867 15217	2742 2277
	(a) { 1. With pneumonic complications .. {M. F.	? ?	2096 1757	5198 5107	2021 1561	4498 4047	2831 2341	2157 1631	5308 4699	2035 1432	7394 6835	1335 848
	{ 2. With other pul- monary complications {M. F.	? ?	776 916	2261 2584	755 907	1911 2555	1302 1571	775 926	2390 3054	707 764	3296 4312	508 453
	(b) { 1. With non-pulmonary complications .. {M. F.	? ?	964 1008	1578 1817	952 963	1586 1758	1271 1417	1013 1130	1752 2056	998 1070	1981 2443	663 740
	{ 2. Without stated com- plication {M. F.	? ?	675 803	1316 1637	577 725	1147 1484	904 1084	595 709	1354 1650	344 404	1196 1627	236 236
12	Miliary fever {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
13	Mumps {M. F.	16 11	11 19	8 6	12 7	7 7	18 10	25 15	11 13	11 14	13 12	20 12
14	Asiatic cholera {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
15	Cholera nostras {M. F.	5 3	6 4	1 —	— —	1 —	2 —	— —	— —	1 —	— —	— —
16	Dysentery {M. F.	155 99	127 134	100 116	91 58	69 61	73 62	74 68	53 42	84 71	68 30	57 40
	(a) Amoebic {M. F.	? ?	10 1	8 2	8 5	8 —	9 2	11 3	12 1	12 1	10 4	6 —
	(b) Bacillary {M. F.	? ?	9 8	9 12	7 5	4 9	6 7	6 5	4 2	17 20	13 7	20 22
	(c) Other or unspecified .. {M. F.	? ?	108 125	83 102	76 48	57 52	58 53	57 60	37 39	55 50	45 19	31 18

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
17	Plague { M. F.	2 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
	(a) Bubonic { M. F.	1 1	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —
	(b) Pneumonic { M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(c) Septicæmic { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(d) Not otherwise defined { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
18	Yellow fever { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
19	Spirochætosis ictero- hæmorrhagica { M. F.	? ?	— —	1 1	— 1	1 —	5 1	2 —	1 1	4 —	3 —	— 1
20	Leprosy { M. F.	3 —	1 —	— —	2 —	2 —	2 —	— 1	2 1	1 —	2 1	2 —
21	Erysipelas { M. F.	416 422	367 362	379 324	306 316	353 323	449 401	428 380	414 406	480 416	540 491	548 486
22	Acute poliomyelitis { M. F.	78 56	90 79	60 76	60 59	88 69	85 71	127 108	107 75	99 68	83 57	86 78
	(1) Poliomyelitis { M. F.	? ?	69 60	45 64	36 43	62 60	65 51	91 85	67 45	68 44	48 37	61 47
	(2) Polioencephalitis { M. F.	? ?	21 19	15 12	24 16	26 9	20 20	36 23	40 30	31 24	35 20	25 31
23	Encephalitis lethargica { M. F.	239 241	351 378	160 179	276 255	732 675	666 706	650 675	592 563	512 560	517 520	437 479
24	Meningococcal meningitis { M. F.	300 233	232 184	202 158	144 140	174 127	202 152	211 154	259 171	246 192	352 236	363 269
25	Other epidemic diseases { M. F.	66 43	53 34	35 25	47 28	42 35	83 58	65 56	53 28	45 35	53 41	55 26
	(1) German measles { M. F.	12 13	9 6	7 8	7 10	5 7	24 18	21 14	15 5	7 5	19 12	14 13
	(2) Varicella { M. F.	41 30	32 25	24 16	36 16	34 25	50 33	27 29	27 22	33 29	26 27	34 13
	(3) Other diseases included under 25 { M. F.	13 —	12 3	4 1	4 2	3 3	9 7	17 13	11 1	5 1	8 2	7 —
26	Glanders { M. F.	— —	1 1	— —	— —	— —	— —	1 —	1 —	— —	— —	— —
27	Anthrax { M. F.	12 2	10 1	9 —	13 —	9 1	10 1	6 2	3 —	9 3	7 —	7 2
28	Rabies { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
29	Tetanus { M. F.	116 33	114 51	111 31	127 47	110 25	120 39	111 40	136 30	107 27	113 50	105 29
30	Mycoses { M. F.	69 51	59 40	71 39	77 51	73 43	59 43	59 36	54 26	66 31	53 42	51 36
	(1) Actinomycosis { M. F.	25 11	21 10	28 14	33 15	31 16	21 15	27 16	30 13	44 19	27 18	29 17
	(2) Other mycoses { M. F.	44 40	38 30	43 25	44 36	42 27	38 28	32 20	24 13	22 12	26 24	22 19

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

International List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
31-37	Tuberculosis (all forms) .. {M. F.	22918 19627	22899 19779	23316 19461	22085 18703	22350 18753	22234 18153	20669 16856	20916 17257	20157 16466	21286 16704	19786 15959
31	Respiratory system .. {M. F.	17872 14919	18121 15384	18656 15263	17571 14526	17970 14720	17995 14387	16773 13335	17184 13882	16608 13191	17786 13639	16468 12946
32	Nervous system .. {M. F.	1885 1700	1781 1584	1780 1563	1677 1579	1606 1489	1608 1427	1468 1366	1534 1334	1333 1218	1344 1220	1273 1199
33	Intestines and perito- neum .. {M. F.	1031 1161	1064 1083	931 955	951 1001	917 936	847 851	763 771	653 698	635 701	608 619	557 592
34	Vertebral column .. {M. F.	396 280	349 318	377 307	332 271	317 295	305 233	298 236	283 216	277 213	262 217	270 216
35	Joints {M. F.	208 138	160 135	185 129	156 118	185 109	154 98	149 91	143 84	136 89	115 85	126 79
36	Other organs {M. F.	336 283	303 313	295 280	305 259	287 292	279 255	246 206	247 236	285 269	265 211	267 209
	(a) Skin and subcutan- eous tissue .. {M. F.	? ?	36 52	33 40	25 48	36 67	20 38	30 34	16 57	19 60	12 43	19 31
	(b) Bones (vertebral column excepted) {M. F.	? ?	70 52	47 49	58 40	45 42	46 47	51 35	47 33	49 29	41 30	47 33
	(c) Lymphatic system (abdominal glands excepted) .. {M. F.	? ?	60 72	61 68	47 60	46 53	49 44	39 45	46 41	49 41	36 23	40 37
	(d) Genito-urinary system .. {M. F.	? ?	126 113	141 109	158 102	138 114	156 118	124 85	132 98	164 127	169 110	156 103
	(e) Others in 36 .. {M. F.	? ?	11 24	13 14	17 9	22 16	8 8	2 7	6 7	4 12	7 5	5 5
37	Disseminated tuberculosis .. {M. F.	1190 1146	1121 962	1092 964	1093 949	1068 912	1046 902	972 851	872 807	883 785	906 713	825 718
	(a) Acute {M. F.	312 366	234 230	284 277	393 404	416 388	344 355	341 341	313 334	339 344	330 294	316 309
	(b) Chronic or unstated {M. F.	878 780	887 732	808 687	700 545	652 524	702 547	631 510	559 473	544 441	576 419	509 409
38	Syphilis {M. F.	1154 869	1038 761	848 624	857 532	781 515	726 459	784 470	865 541	993 539	892 497	918 496
39	Soft chancre {M. F.	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —
40	Gonococcal infection .. {M. F.	41 38	31 40	25 17	21 21	31 17	30 13	31 20	52 22	55 21	56 13	47 18
	(1) Gonococcal infection (ophthalmia excepted) {M. F.	19 14	13 18	9 8	15 11	18 11	23 5	21 13	28 14	42 9	40 4	32 5
	(2) Gonorrhœal or puru- lent ophthalmia .. {M. F.	22 24	18 22	16 9	6 10	13 6	7 8	10 7	24 8	13 12	16 9	15 13
41	Purulent infection, septi- cæmia {M. F.	421 244	353 232	350 198	311 188	304 203	371 253	429 254	412 267	405 287	544 324	559 304
42	Other infectious diseases .. {M. F.	4 5	1 2	2 2	3 5	1 —	3 1	1 2	— 3	8 10	9 6	11 10
	(1) Vaccinia . . . {M. F.	4 5	1 2	2 2	3 5	1 —	2 1	— 1	— 1	8 10	8 6	2 2
	(2) Other diseases included under 42 {M. F.	— —	— —	— —	— —	— —	1 —	1 1	— 2	— —	1 —	9 8

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I.)

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
43-69	II.—General Diseases not included in I. 1-42†	M. 26060 F. 31911	M. 27218 F. 33850	M. 28230 F. 34546	M. 28664 F. 35270	M. 29799 F. 36075	M. 30681 F. 37513	M. 31482 F. 38476	M. 32191 F. 39163	M. 33129 F. 40508	M. 33619 F. 41450	M. 34143 F. 41766
43-49	Cancer, Malignant disease..	M. 19659 F. 24028	M. 20649 F. 25373	M. 21266 F. 25637	M. 22065 F. 26603	M. 23099 F. 27290	M. 24002 F. 27937	M. 24437 F. 28783	M. 25048 F. 29030	M. 26013 F. 30240	M. 26284 F. 30612	M. 26916 F. 30967
43	Buccal cavity	M. 2449 F. 369	M. 2482 F. 358	M. 2415 F. 361	M. 2548 F. 414	M. 2507 F. 423	M. 2649 F. 428	M. 2570 F. 433	M. 2713 F. 430	M. 2790 F. 422	M. 2569 F. 446	M. 2601 F. 425
44	Pharynx, œsophagus, stomach, liver and annexa	M. 7477 F. 6576	M. 7926 F. 6818	M. 8179 F. 7007	M. 8335 F. 7070	M. 8552 F. 7153	M. 9003 F. 7428	M. 9065 F. 7740	M. 9143 F. 7499	M. 9317 F. 7856	M. 9691 F. 7996	M. 9634 F. 7958
45	Peritoneum, intestines and rectum	M. 4439 F. 4780	M. 4683 F. 5059	M. 4790 F. 4964	M. 5010 F. 5338	M. 5437 F. 5528	M. 5544 F. 5601	M. 5888 F. 6032	M. 5968 F. 6025	M. 6156 F. 6324	M. 6284 F. 6411	M. 6618 F. 6595
46	Female genital organs ..	F. 5005	F. 5436	F. 5354	F. 5572	F. 5626	F. 5705	F. 5791	F. 5872	F. 6008	F. 6022	F. 5999
47	Breast	M. 35 F. 4488	M. 33 F. 4684	M. 42 F. 4826	M. 34 F. 4996	M. 38 F. 5153	M. 39 F. 5372	M. 43 F. 5296	M. 41 F. 5678	M. 51 F. 5878	M. 46 F. 5944	M. 60 F. 6052
48	Skin	M. 702 F. 385	M. 719 F. 401	M. 727 F. 439	M. 756 F. 427	M. 824 F. 460	M. 787 F. 432	M. 817 F. 427	M. 821 F. 475	M. 883 F. 502	M. 876 F. 494	M. 849 F. 447
49	Other or unspecified organs	M. 4557 F. 2425	M. 4806 F. 2617	M. 5113 F. 2686	M. 5382 F. 2786	M. 5741 F. 2947	M. 5980 F. 2971	M. 6054 F. 3064	M. 6362 F. 3051	M. 6816 F. 3550	M. 6818 F. 3299	M. 7154 F. 3491
50	Tumours not returned as malignant (brain and fe- male genital organs ex- cepted)	M. 324 F. 287	M. 357 F. 302	M. 361 F. 296	M. 397 F. 325	M. 401 F. 335	M. 383 F. 356	M. 462 F. 362	M. 436 F. 397	M. 436 F. 386	M. 431 F. 351	M. 452 F. 401
51	Rheumatic fever	M. 975 F. 1149	M. 868 F. 947	M. 821 F. 956	M. 770 F. 857	M. 757 F. 906	M. 833 F. 1052	M. 818 F. 954	M. 694 F. 868	M. 638 F. 862	M. 638 F. 779	M. 693 F. 812
52	Chronic rheumatism, osteo- arthritis, gout*	M. 727 F. 1379	M. 749 F. 1526	M. 899 F. 1590	M. 829 F. 1595	M. 895 F. 1580	M. 845 F. 1718	M. 857 F. 1742	M. 1056 F. 1879	M. 1176 F. 2142	M. 1228 F. 2456	M. 1115 F. 2170
	(1) Chronic rheumatism* ..	M. 165 F. 241	M. 185 F. 273	M. 199 F. 251	M. 179 F. 233	M. 190 F. 221	M. 154 F. 207	M. 140 F. 174	M. 97 F. 117	M. 94 F. 120	M. 90 F. 122	M. 65 F. 112
	(2) Rheumatoid and osteo- arthritis*	M. 386 F. 1113	M. 406 F. 1219	M. 509 F. 1302	M. 502 F. 1331	M. 546 F. 1329	M. 523 F. 1478	M. 564 F. 1529	M. 735 F. 1721	M. 805 F. 1969	M. 885 F. 2285	M. 812 F. 2003
	(3) Gout	M. 176 F. 25	M. 158 F. 34	M. 191 F. 37	M. 148 F. 31	M. 159 F. 30	M. 168 F. 33	M. 153 F. 39	M. 224 F. 41	M. 277 F. 53	M. 253 F. 49	M. 238 F. 55
53	Scurvy	M. 16 F. 15	M. 30 F. 23	M. 13 F. 13	M. 11 F. 11	M. 19 F. 14	M. 16 F. 5	M. 7 F. 3	M. 17 F. 9	M. 18 F. 3	M. 11 F. 8	M. 9 F. 10
54	Pellagra	M. — F. 2	M. — F. 4	M. 2 F. 12	M. 4 F. 9	M. 2 F. 7	M. — F. 9	M. — F. 6	M. 1 F. 7	M. 1 F. 4	M. — F. 1	M. 1 F. 5
55	Beri-beri	M. 4 F. —	M. 3 F. —	M. 2 F. —	M. 1 F. —	M. 1 F. —	M. 3 F. —	M. 1 F. —	M. 1 F. —	M. — F. —	M. 1 F. —	M. — F. —
56	Rickets	M. 313 F. 199	M. 278 F. 214	M. 240 F. 179	M. 280 F. 193	M. 301 F. 187	M. 281 F. 197	M. 248 F. 172	M. 232 F. 146	M. 290 F. 203	M. 252 F. 164	M. 184 F. 132
57	Diabetes	M. 1762 F. 1987	M. 1901 F. 2191	M. 2106 F. 2439	M. 1927 F. 2439	M. 1896 F. 2358	M. 1814 F. 2543	M. 1973 F. 2533	M. 2045 F. 2905	M. 2198 F. 2982	M. 2306 F. 3322	M. 2317 F. 3342
58	Anæmia, chlorosis	M. 1097 F. 1400	M. 1124 F. 1656	M. 1243 F. 1692	M. 1110 F. 1556	M. 1161 F. 1642	M. 1207 F. 1693	M. 1266 F. 1856	M. 1217 F. 1700	M. 855 F. 1284	M. 936 F. 1307	M. 1014 F. 1412
	(a) Pernicious anæmia ..	M. 986 F. 1231	M. 997 F. 1460	M. 1109 F. 1485	M. 998 F. 1366	M. 1036 F. 1486	M. 1078 F. 1507	M. 1122 F. 1658	M. 1100 F. 1555	M. 739 F. 1115	M. 807 F. 1148	M. 902 F. 1248
	(b) Other anæmias and chlorosis	M. 111 F. 169	M. 127 F. 196	M. 134 F. 207	M. 112 F. 190	M. 125 F. 156	M. 129 F. 186	M. 144 F. 198	M. 117 F. 145	M. 116 F. 169	M. 129 F. 159	M. 112 F. 164
59	Diseases of the pituitary gland‡	M. ? F. ?	M. 4 F. 1	M. 5 F. 17	M. 9 F. 6	M. 8 F. 5	M. 9 F. 8	M. 11 F. 13	M. 17 F. 17	M. 14 F. 22	M. 14 F. 25	M. 13 F. 20

* Previous to 1921 deaths from Chronic arthritis were included under the heading Diseases of the joints (156), and from 1921 to 1926 inclusive under the heading Chronic Rheumatism (52: 1). They are now included under Rheumatoid and osteo-arthritis (52: 2).

† Previous to 1924 deaths from Tetany (61: 1) were chiefly included under the heading Other diseases of the nervous system (84: 5).

‡ Previous to 1921 deaths from Diseases of the pituitary gland were included under the heading Other general diseases (69).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
60	Diseases of the thyroid gland† {M. F.	88 665	118 822	126 877	134 834	116 883	134 1012	163 1080	165 1169	182 1,275	179 1256	170 1424
	(a) Exophthalmic goitre .. {M. F.	46 464	54 533	63 591	56 569	46 574	64 680	84 743	91 852	119 933	128 936	112 1114
	2. Cretinism .. {M. F.	21 25	27 34	23 36	26 27	20 31	25 44	25 33	35 28	23 23	22 22	17 36
	(b) 1. Myxœdema .. {M. F.	21 176	15 130	18 147	19 138	20 169	21 174	19 185	18 191	24 195	15 210	23 165
	3. Other diseases of the thyroid gland† {M. F.	22 125	22 103	33 100	30 109	24 114	35 119	21 98	16 124	14 88	18 109	18 109
61	Diseases of the parathyroid glands*† {M. F.	? ?	— —	2 —	1 1	21 20	22 24	19 23	23 19	18 17	17 14	12 11
	(1) Tetany* .. {M. F.	? ?	? ?	? ?	? ?	21 20	21 24	19 23	23 19	18 17	16 13	12 11
	(2) Other diseases of the parathyroid glands† {M. F.	? ?	— —	2 —	1 1	— —	1 —	— —	— —	— —	1 1	— —
62	Diseases of the thymus .. {M. F.	85 58	106 69	106 70	106 52	95 61	102 67	110 56	90 63	108 65	116 86	84 54
63	Diseases of the adrenals .. {M. F.	93 133	88 127	90 131	101 126	97 122	104 149	96 164	76 156	99 144	101 149	93 139
64	Diseases of the spleen .. {M. F.	17 20	23 12	20 13	17 15	11 16	10 18	20 17	18 16	20 22	11 16	15 24
65	Leukæmia, lymphadenoma {M. F.	448 320	488 311	521 334	494 383	544 387	541 423	605 426	631 464	601 457	670 497	672 493
	(a) Leukæmia .. {M. F.	237 195	248 198	269 206	270 236	276 235	296 273	325 278	341 301	342 275	357 335	354 302
	(b) Lymphadenoma (Hodg-kin's disease) {M. F.	211 125	240 113	252 128	224 147	268 152	245 150	280 148	290 163	259 182	313 162	318 191
66	Alcoholism (acute or chronic) {M. F.	166 50	127 55	117 47	104 47	94 33	95 55	76 39	84 24	74 34	85 49	49 45
67	Chronic poisoning by mineral substances .. {M. F.	? ?	57 2	50 6	55 6	49 2	31 4	49 6	48 1	56 7	42 1	42 1
	(1) Occupational lead poisoning .. {M. F.	56 5	56 2	43 5	51 4	47 2	28 3	44 3	44 —	53 6	40 1	39 1
	(2) Other chronic poisoning by mineral substances. {M. F.	4 4	1 —	7 1	4 2	2 —	3 1	5 3	4 1	3 1	2 —	3 —
68	Chronic poisoning by organic substances .. {M. F.	3 2	8 6	1 5	9 4	3 3	3 3	5 2	5 2	10 3	2 4	2 4
69	Other general diseases† {M. F.	226 210	243 213	232 231	248 207	223 223	246 240	261 238	287 291	327 354	287 354	290 300
	(1) Purpura .. {M. F.	111 139	123 128	137 143	110 135	114 128	129 140	125 137	123 137	141 153	136 159	131 148
	(2) Hæmophilia .. {M. F.	70 21	63 37	66 33	81 29	70 36	73 36	71 40	68 22	88 39	67 33	86 38
	(3) Other diseases included under 69† {M. F.	45 50	57 48	29 55	57 43	39 59	44 64	65 61	96 132	98 162	84 162	73 114

* Previous to 1924 deaths from Tetany (61 : 1) were chiefly included under Other diseases of the Nervous system (84 : 5).

† Previous to 1921 deaths from Other diseases of the parathyroid glands (61 : 2) were included under Diseases of the thyroid gland (60).

‡ Previous to 1921 deaths from Diseases of the pituitary gland (59) were included under this heading.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
70-86	III.—Diseases of the Nervous System and Sense Organs†	M. 24136 F. 24642	M. 23685 F. 24472	M. 24131 F. 24969	M. 23195 F. 24444	M. 23212 F. 24066	M. 23116 F. 23814	M. 22669 F. 23900	M. 21250 F. 22648	M. 20105 F. 21698	M. 21266 F. 22474	M. 19689 F. 21464
70	Encephalitis ..	M. 226 F. 155	M. 178 F. 130	M. 179 F. 132	M. 176 F. 130	M. 149 F. 120	M. 196 F. 119	M. 212 F. 141	M. 154 F. 109	M. 151 F. 130	M. 170 F. 136	M. 160 F. 116
	(1) Cerebral abscess ..	M. 116 F. 70	M. 115 F. 74	M. 127 F. 69	M. 113 F. 74	M. 111 F. 63	M. 126 F. 70	M. 140 F. 88	M. 103 F. 49	M. 92 F. 74	M. 110 F. 64	M. 91 F. 63
	(2) Other diseases included under 70 ..	M. 110 F. 85	M. 63 F. 56	M. 52 F. 63	M. 63 F. 56	M. 38 F. 57	M. 70 F. 49	M. 72 F. 53	M. 51 F. 60	M. 59 F. 56	M. 60 F. 72	M. 69 F. 53
71	Meningitis ..	M. 1304 F. 1098	M. 1306 F. 1129	M. 1211 F. 1001	M. 1097 F. 971	M. 1069 F. 856	M. 1016 F. 798	M. 863 F. 761	M. 813 F. 650	M. 669 F. 541	M. 735 F. 596	M. 590 F. 487
72	Tabes dorsalis (locomotor ataxy) ..	M. 522 F. 87	M. 576 F. 116	M. 665 F. 136	M. 597 F. 131	M. 627 F. 118	M. 602 F. 129	M. 630 F. 117	M. 642 F. 138	M. 651 F. 126	M. 744 F. 138	M. 579 F. 122
73	Other diseases of the spinal cord *	M. 1350 F. 1131	M. 716 F. 582	M. 774 F. 603	M. 823 F. 614	M. 862 F. 613	M. 792 F. 601	M. 767 F. 622	M. 768 F. 651	M. 836 F. 619	M. 764 F. 634	M. 729 F. 598
74	Cerebral hæmorrhage, apoplexy, etc... ..	M. 11316 F. 14325	M. 11339 F. 14324	M. 11884 F. 15063	M. 11641 F. 14905	M. 11864 F. 14921	M. 12007 F. 15024	M. 11939 F. 15269	M. 11018 F. 14220	M. 10194 F. 13560	M. 11101 F. 14114	M. 10405 F. 13737
	(a) { 1. Cerebral hæmorrhage, so returned ..	M. 8490 F. 10626	M. 8600 F. 10686	M. 9105 F. 11416	M. 9012 F. 11430	M. 9274 F. 11450	M. 9435 F. 11642	M. 9369 F. 11730	M. 8648 F. 10977	M. 8051 F. 10548	M. 8712 F. 10917	M. 7977 F. 10472
	2. Apoplexy, lesion un- stated ..	M. 1669 F. 2033	M. 1550 F. 1832	M. 1434 F. 1780	M. 1271 F. 1610	M. 1181 F. 1438	M. 1065 F. 1260	M. 952 F. 1207	M. 790 F. 1048	M. 709 F. 852	M. 671 F. 812	M. 583 F. 709
	(b) { 1. Cerebral embolism ..	M. 1157 F. 1666	M. 294 F. 491	M. 342 F. 486	M. 303 F. 440	M. 327 F. 465	M. 321 F. 497	M. 277 F. 480	M. 302 F. 358	M. 202 F. 330	M. 214 F. 299	M. 225 F. 313
	2. Cerebral thrombosis ..	M. 895 F. 1315	M. 1003 F. 1381	M. 1055 F. 1425	M. 1082 F. 1568	M. 1186 F. 1625	M. 1341 F. 1852	M. 1278 F. 1837	M. 1232 F. 1830	M. 1504 F. 2086	M. 1620 F. 2243	M. 1620 F. 2243
75	Paralysis of unstated origin ..	M. 1009 F. 1283	M. 1045 F. 1231	M. 1082 F. 1280	M. 981 F. 1282	M. 984 F. 1218	M. 982 F. 1116	M. 875 F. 1063	M. 709 F. 945	M. 640 F. 853	M. 687 F. 886	M. 601 F. 769
	(a) Hemiplegia ..	M. 852 F. 1096	M. 880 F. 1060	M. 931 F. 1136	M. 860 F. 1143	M. 854 F. 1068	M. 859 F. 1004	M. 777 F. 959	M. 629 F. 848	M. 553 F. 778	M. 610 F. 793	M. 535 F. 702
	(b) Other forms of paralysis ..	M. 157 F. 187	M. 165 F. 171	M. 151 F. 144	M. 121 F. 139	M. 130 F. 150	M. 123 F. 112	M. 98 F. 104	M. 80 F. 97	M. 87 F. 75	M. 77 F. 93	M. 66 F. 67
76	General paralysis of the insane ..	M. 1270 F. 234	M. 1254 F. 283	M. 1398 F. 300	M. 1402 F. 305	M. 1257 F. 287	M. 1254 F. 285	M. 1161 F. 277	M. 1229 F. 284	M. 1150 F. 263	M. 988 F. 264	M. 943 F. 218
77	Other forms of insanity ..	M. 316 F. 540	M. 292 F. 548	M. 348 F. 560	M. 284 F. 528	M. 286 F. 516	M. 358 F. 557	M. 438 F. 638	M. 461 F. 720	M. 491 F. 770	M. 530 F. 766	M. 450 F. 673
78	Epilepsy ..	M. 1152 F. 1048	M. 1114 F. 1097	M. 1150 F. 1123	M. 1096 F. 1041	M. 1136 F. 1065	M. 1097 F. 1026	M. 1099 F. 944	M. 1152 F. 994	M. 1133 F. 1121	M. 1128 F. 1068	M. 1154 F. 1038
79, 80	Convulsions (non-puerperal) ..	M. 3509 F. 2594	M. 3058 F. 2140	M. 2497 F. 1819	M. 2226 F. 1613	M. 2032 F. 1494	M. 2002 F. 1393	M. 1745 F. 1245	M. 1333 F. 952	M. 1141 F. 768	M. 1177 F. 848	M. 1032 F. 673
81	Chorea ..	M. 46 F. 93	M. 25 F. 68	M. 21 F. 64	M. 15 F. 55	M. 30 F. 83	M. 24 F. 80	M. 22 F. 72	M. 23 F. 70	M. 18 F. 66	M. 22 F. 79	M. 21 F. 79
82	Hysteria and neuritis ..	M. 98 F. 131	M. 107 F. 164	M. 118 F. 173	M. 93 F. 155	M. 98 F. 148	M. 100 F. 133	M. 87 F. 133	M. 74 F. 144	M. 90 F. 139	M. 69 F. 131	M. 67 F. 119
83	Cerebral softening ..	M. 386 F. 443	M. 396 F. 483	M. 376 F. 506	M. 379 F. 423	M. 410 F. 439	M. 193 F. 208	M. 251 F. 324	M. 204 F. 266	M. 157 F. 211	M. 178 F. 206	M. 158 F. 217
84	Other diseases of the nervous system*† ..	M. 928 F. 914	M. 1567 F. 1605	M. 1710 F. 1680	M. 1689 F. 1755	M. 1758 F. 1690	M. 1799 F. 1801	M. 1827 F. 1777	M. 1902 F. 1914	M. 2003 F. 1902	M. 2081 F. 1969	M. 1976 F. 1965
	(1) Idiocy, imbecility ..	M. 106 F. 106	M. 124 F. 119	M. 121 F. 152	M. 126 F. 155	M. 131 F. 160	M. 154 F. 162	M. 128 F. 153	M. 152 F. 161	M. 174 F. 168	M. 215 F. 195	M. 185 F. 197

* Previous to 1921 deaths from Disseminated sclerosis (84 : 3) and Paralysis agitans (84 : 4) were included under the heading Other diseases of the spinal cord (73).

† Including certain deaths from Tetany (61 : 1) previous to 1924.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
	Other diseases of the nervous system— <i>cont.</i>											
	(2) Cerebral tumour .. {M. F.	478 475	521 509	516 512	541 524	553 498	518 517	575 559	582 576	642 588	626 613	666 607
	(3) Disseminated sclerosis* {M. F.	? ?	283 349	368 348	326 370	366 351	359 374	393 416	368 420	378 421	376 448	380 418
	(4) Paralysis agitans* .. {M. F.	? ?	339 314	381 340	389 399	432 381	533 492	521 450	577 520	620 524	699 547	594 588
	(5) Other diseases included {M. under 84† {F.	344 333	300 314	324 328	307 307	276 300	235 256	210 199	223 237	189 201	165 166	151 155
85	Diseases of the eye and {M. annexa {F.	28 26	27 28	32 23	39 31	34 37	22 33	35 45	38 45	41 38	52 49	43 47
86	Diseases of the ear and of {M. the mastoid sinus .. {F.	676 540	685 544	686 506	657 505	616 461	672 511	718 472	730 546	740 591	840 590	781 606
	(1) Diseases of the mastoid {M. sinus {F.	186 154	188 152	191 173	200 136	188 141	205 154	235 151	258 182	242 215	265 214	282 230
	(2) Diseases of the ear .. {M. F.	490 386	497 392	495 333	457 369	428 320	467 357	483 321	472 364	498 376	575 376	499 376
87-96	IV.—Diseases of the Circula- {M. tory System‡ .. {F.	32541 33104	33389 34789	37196 39206	36078 37850	38803 40625	41144 42846	41869 43335	47771 50007	51543 53852	57790 62225	54616 57018
87-90	Heart diseases§ .. {M. F.	25111 27804	24956 28754	27565 32272	26223 30663	28009 32641	29691 34368	30023 34442	33365 38744	35777 41251	45018 51449	42961 47142
87	Pericarditis‡ .. {M. F.	204 156	194 157	215 166	205 118	192 157	188 144	159 119	169 117	153 129	180 111	167 133
88	Acute endocarditis and {M. myocarditis§ .. {F.	1215 1097	1152 943	1031 959	956 931	964 980	968 1029	948 1105	960 1041	884 956	918 1037	854 932
	(1) Infective endocarditis.. {M. F.	573 422	724 479	651 509	553 479	510 507	508 473	484 527	528 510	456 488	477 528	496 526
	(2) Other acute endocar- {M. ditis§ {F.	380 428	314 345	252 310	274 286	263 290	261 322	228 303	200 289	192 248	180 259	166 212
	(3) Acute myocarditis§ .. {M. F.	262 247	114 119	128 140	129 166	191 183	199 234	236 275	232 242	236 220	261 250	192 194
89	Angina pectoris .. {M. F.	687 342	743 343	986 460	1058 505	1226 537	1285 551	1280 600	1982 820	2586 1108	3376 1431	4118 1766
90	Other diseases of the heart§ {M. F.	23005 26209	22867 27311	25333 30687	24004 29109	25627 30967	27250 32644	27636 32618	30254 36766	32154 39058	40544 48870	37822 44311
	(1) Aortic valve disease .. {M. F.		1917 850	2064 920	1965 971	1972 888	2054 1025	2076 956	2181 1005	2252 1074	2390 1075	2276 1146
	(2) Mitral valve disease .. {M. F.		3219 5372	3514 5879	3321 5528	3244 5623	3270 5558	3145 5291	3635 6233	3855 6640	4212 7145	3723 6366
	(3) Aortic and mitral valve {M. disease {F.		489 364	480 381	451 403	450 372	444 425	458 335	543 486	633 662	723 612	648 574
	(4) Other or unspecified {M. valve disease§ .. {F.		5681 6742	5762 7400	5356 6643	5573 7041	5529 6626	5345 6476	5294 6804	5250 6625	5551 7089	4978 6447

* Previous to 1921 deaths from Disseminated sclerosis and Paralysis agitans were included under the heading Other diseases of the spinal cord (73).

† Including certain deaths from Tetany (61 : 1) previous to 1924.

‡ Previous to 1921 certain deaths from Diseases of the mediastinum (107 (b)) were included under this heading.

|| From mid 1927 deaths from Atheroma and sclerosis of coronary arteries, which had hitherto been included under Arterio-sclerosis (91b (2)), have been included under Angina pectoris (89).

§ Previous to 1921 deaths of persons aged 45-60 from Endocarditis (unqualified) were included under the heading Other acute endocarditis (88 : 2), and from Myocarditis (unqualified) aged 45-60, under the heading Acute myocarditis (88 : 3). From 1921 these deaths are included under the headings Other or unspecified valve disease (90 : 4) and Other or unspecified myocardial disease (90 : 7), respectively.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
	Other diseases of the heart — <i>cont.</i>											
	(5) Fatty heart {M. F.	1052 1221	1092 1325	1251 1541	1230 1540	1205 1513	1202 1562	1237 1381	1218 1618	1225 1671	1343 1837	1263 1714
	(6) Cardiac dilatation, cause unspecified {M. F.		487 525	486 568	418 446	379 353	389 411	316 378	342 347	258 245	195 175	173 151
	(7) Other or unspecified myocardial disease* {M. F.	10204 11897	4366 5258	5718 6919	6098 7347	7520 8817	9177 10784	10353 11995	12479 14536	14743 17120	22029 25539	21244 23522
	(9) Heart disease (unde- fined) {M. F.		5389 6584	5787 6734	4833 5756	4853 5710	4648 5418	4080 4841	3786 4505	3236 3762	3327 4006	2723 3089
	(8) Disordered action of the heart {M. F.	163 200	227 291	271 345	332 475	431 650	537 835	626 965	776 1232	702 1259	774 1392	794 1302
91	Diseases of the arteries** .. {M. F.	7091 4823	8087 5572	9265 6462	9510 6711	10399 7464	10998 7947	11341 8284	13918 10615	15227 11971	12317 10114	11180 9220
	(a) Aneurysm {M. F.	782 183	787 205	825 217	774 218	824 204	829 236	777 245	885 270	946 280	947 305	1006 313
	(b) Arterio-sclerosis .. {M. F.	6222 4582	7202 5281	8340 6163	8622 6397	9499 7183	10074 7617	10464 7959	12907 10241	14176 11577	11265 9722	10088 8837
	1. With record of cerebral vascular lesion .. {M. F.	? ?	2139 1857	2532 2198	2685 2292	2775 2555	3107 2698	3082 2751	4579 4279	5475 5214	5448 5099	5422 5129
	2. Without record of cere- bral vascular lesion {M. F.	? ?	5063 3424	5808 3965	5937 4105	6724 4628	6967 4919	7382 5208	8328 5962	8701 6363	5817 4623	4666 3708
	(c) Other diseases of the arteries** {M. F.	87 58	98 86	100 82	114 96	76 77	95 94	100 80	126 104	105 114	105 87	86 70
92	Embolism and thrombosis {M. (not cerebral) {F.	138 169	137 179	166 168	149 173	176 181	185 192	231 211	177 208	183 180	146 184	144 150
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.) {M. F.	118 221	112 225	129 251	134 254	123 242	159 252	154 285	150 314	211 337	183 341	180 365
94	Diseases of the lymphatic system (lymphangitis, etc.) {M. F.	45 46	62 41	47 43	44 33	47 45	55 43	44 34	50 47	37 36	44 55	53 51
95	Hæmorrhage without stated cause** {M. F.	38 41	35 18	24 10	18 16	28 26	20 19	13 10	15 9	14 12	15 12	9 8
96	Other diseases of the circu- latory system** {M. F.	? ?	? ?	? ?	? ?	21 26	36 25	63 69	96 70	94 65	67 70	89 82
97-107	V.—Diseases of the Respira- tory System†‡§ .. {M. F.	44317 36817	39975 34124	46881 41163	38551 33160	43739 38874	41548 36281	36660 31169	40699 35242	32947 26544	44732 38619	29362 22555
97	Diseases of the nasal fossæ and annexa†‡ {M. F.	42 24	69 60	79 50	79 63	93 51	85 65	102 64	100 102	141 86	128 99	156 107
	(1) Diseases of the nose† .. {M. F.	42 24	28 22	27 15	24 20	31 19	23 15	28 15	24 20	38 29	22 25	25 23
	(2) Diseases of the accessory nasal sinuses† .. {M. F.	? ?	41 38	52 35	55 43	62 32	62 50	74 49	76 82	103 57	106 74	131 84

* Previous to 1921 deaths of persons aged 45-60 from Myocarditis (unqualified) were included under the heading Acute myocarditis (88: 3.)

** Previous to 1921 deaths from Hyperpiesis were included under the heading Hæmorrhage without stated cause (95) and for the years 1921-23 under Other diseases of the arteries (91c). They are now included under Other diseases of the circulatory system (96).

† Including deaths from Adenoids (109: 1 pt.) previous to 1921.

‡ Previous to 1921 deaths from Diseases of the accessory nasal sinuses were included under the heading Diseases of the bones (155).

§ Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87), or Cellulitis, acute abscess (153).

|| From mid 1927 deaths from Atheroma and sclerosis of coronary arteries, which had hitherto been included under Arterio-sclerosis (91 b (2)), have been included under Angina pectoris (89).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
98	Diseases of the larynx .. { M. 500 367 332 249 260 247 204 200 185 188 171 F. 427 286 228 183 153 177 157 148 171 138 110											
	(1) Laryngismus stridulus { M. 93 88 74 64 63 66 40 45 41 29 31 F. 86 49 52 43 23 33 33 29 29 18 21											
	(2) Laryngitis .. { M. 393 267 255 174 189 173 161 150 136 159 133 F. 336 228 171 137 125 141 122 119 141 116 86											
	(3) Other diseases of the { larynx .. { M. 14 12 3 5 8 8 3 5 8 — 7 F. 5 9 5 3 5 3 2 — 1 4 3											
99	Bronchitis* .. { M. 19312 16791 20079 16106 18346 17323 15291 16211 11942 16223 10179 F. 18688 16893 20833 16601 19440 17929 14896 16810 11489 17155 9344											
	(a) Acute .. { M. ? 3960 4832 3640 4429 4103 3567 3815 2329 3570 2001 F. ? 4765 5922 4605 5654 5253 4253 4911 2783 4713 2380											
	(b) Chronic .. { M. ? 5562 6657 5888 6500 6348 6038 6145 4614 5954 4229 F. ? 4428 5543 4735 5314 5091 4481 4824 3467 4618 2829											
	(c and d) Not stated whether { acute or chronic { M. ? 7269 8590 6578 7417 6872 5686 6251 4999 6699 3949 F. ? 7700 9368 7261 8472 7585 6162 7075 5239 7824 4135											
100, 101	Pneumonia (all forms)* .. { M. 21608 19955 23322 19283 22099 21090 18430 21336 18212 25081 16468 F. 15541 14753 17608 14130 16871 15900 13909 15906 12802 18765 11256											
100	Broncho-pneumonia* .. { M. 10312 9349 12096 8941 11498 10535 9457 11063 8413 12961 7481 F. 8435 8096 10488 7676 10072 9249 8178 9297 7072 11419 6141											
101	Pneumonia (lobar or not { otherwise defined) { M. 11296 10606 11226 10342 10601 10555 8973 10273 9799 12120 8987 F. 7106 6657 7120 6454 6799 6651 5731 6609 5730 7346 5115											
	(a) Lobar .. { M. 5360 5106 5769 5807 5859 6378 5549 6633 6983 8421 6480 F. 3105 3049 3412 3382 3580 3718 3366 4006 3871 4869 3589											
	(b) Not otherwise defined { M. 5936 5500 5457 4535 4742 4177 3424 3640 2816 3699 2507 F. 4001 3608 3708 3072 3219 2933 2365 2603 1859 2477 1526											
102	Pleurisy .. { M. 785 786 769 797 738 710 699 647 686 806 674 F. 548 506 519 503 509 433 412 467 440 494 358											
	(1) Empyema .. { M. 309 320 335 308 314 305 259 267 273 354 289 F. 146 143 173 140 148 138 113 135 119 159 103											
	(2) Other pleurisy .. { M. 476 466 434 489 424 405 440 380 413 452 385 F. 402 363 346 363 361 295 299 332 321 335 255											
103	Congestion and hæmorrhagic { infarct of lung. .. { M. 542 569 576 531 535 533 525 493 434 511 435 F. 632 716 724 674 720 771 773 687 608 734 576											
104	Gangrene of the lung .. { M. 38 35 30 48 31 20 32 16 16 20 16 F. 19 24 22 14 15 13 11 7 8 9 2											
105	Asthma .. { M. 1028 964 1219 1016 1171 1137 969 1324 997 1429 956 F. 757 707 998 834 918 846 802 989 827 1128 694											
106	Pulmonary emphysema .. { M. 158 125 177 160 192 138 141 85 51 54 45 F. 64 45 66 42 70 54 46 28 14 10 13											
107	Other diseases of the respira- { tory system† .. { M. 304 314 298 288 274 265 267 287 283 292 262 F. 117 134 115 116 127 93 99 98 99 87 95											
	(a) Chronic interstitial { pneumonia .. { M. 178 177 184 175 189 191 199 221 220 222 201 F. 46 54 55 53 63 46 64 61 74 60 64											
	(b) Diseases of the medias- { tinum† .. { M. ? 7 3 2 4 7 3 5 6 5 3 F. ? 3 2 5 3 2 5 2 1 4 2											
	(c) Other diseases included { under 107 .. { M. 126 130 111 111 81 67 65 61 57 65 58 F. 71 77 58 58 61 45 30 35 24 23 29											

* Previous to 1921 deaths from Capillary bronchitis were included under the heading Bronchitis (99). They are now included under Broncho-pneumonia (100).

† Previous to 1921 deaths from Diseases of the mediastinum were included under the headings Pericarditis (87) or Cellulitis, acute abscess (153).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921,
see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
108-127	VI.—Diseases of the Digestive System* {M. {F.	15803 13373	19198 16156	13601 11878	14380 12431	13916 11822	14930 12581	15050 12599	14178 11849	14442 12213	15200 12486	14333 11708
108	Diseases of the buccal cavity {M. and annexe {F.	230 185	231 221	236 218	260 210	254 230	289 196	292 222	337 265	399 316	359 282	341 289
	(1) Diseases of the teeth and {M. gums {F.	159 135	150 147	156 149	173 149	157 150	211 129	197 142	252 180	297 227	262 194	261 190
	(2) Ludwig's angina .. {M. {F.	55 28	56 43	55 40	64 35	55 44	53 39	63 44	57 38	52 37	61 51	54 48
	(3) Other diseases included {M. under 108 {F.	16 22	25 31	25 29	23 26	42 36	25 28	32 36	28 47	50 52	36 37	26 51
109	Diseases of the pharynx and {M. tonsils* {F.	337 281	336 298	287 272	241 245	251 232	351 278	326 329	406 428	464 545	552 616	540 569
	(1) Tonsillitis, etc., adenoid {M. vegetations* .. {F.	258 239	244 231	220 227	198 199	204 178	279 239	263 270	339 368	373 451	436 511	441 467
	(2) Other diseases included {M. under 109 {F.	79 42	92 67	67 45	43 46	47 54	72 39	63 59	67 60	91 94	116 105	99 102
110	Diseases of the œsophagus {M. {F.	27 26	35 21	34 24	38 23	27 19	30 13	29 14	33 14	18 21	27 19	23 26
111	Ulcer of the stomach or {M. duodenum.. .. {F.	1693 963	1587 839	1720 863	2106 906	2131 887	2454 998	2661 980	2973 997	2830 997	3053 1028	3211 1036
	(a) Ulcer of the stomach .. {M. {F.	1141 834	1020 729	1134 739	1353 752	1370 729	1561 812	1735 805	1914 854	1824 815	1974 867	2071 876
	(b) Ulcer of the duodenum {M. {F.	552 129	567 110	586 124	753 154	761 158	893 186	926 175	1059 143	1006 182	1079 161	1140 160
112	Other diseases of the {M. stomach {F.	1653 1551	1490 1451	1250 1307	1137 1130	1095 1105	980 1062	982 946	791 847	741 846	661 746	624 673
	(1) Inflammation of the {M. stomach {F.	1406 1350	1275 1269	1046 1118	935 988	910 970	812 906	802 822	627 739	625 761	551 655	505 578
	(2) Other diseases included {M. under 112. {F.	247 201	215 182	204 189	202 142	185 135	168 156	180 124	164 108	116 85	110 91	119 95
113, 114	Diarrhoea and enteritis .. {M. {F.	6088 4918	9512 7574	3992 3293	4515 3867	4075 3385	4550 3778	4592 3823	3313 2884	3527 2937	3841 3228	2988 2503
	(1) Ulceration of the intes- {M. tines {F.	86 151	114 139	108 118	116 155	104 174	122 166	122 172	126 169	119 181	127 193	122 185
	(2) Colitis {M. {F.	6002 4767	246 296	195 229	194 271	181 217	168 218	214 259	179 213	163 187	184 198	146 203
	(3) Other diseases includ- {M. ed under 113, 114 .. {F.	9152 7139	3689 2946	4205 3441	3790 2994	4260 3394	4256 3392	3008 2502	3245 2569	3530 2837	2720 2115	
115	Ankylostomiasis {M. {F.	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —
116	Diseases due to other intes- {M. tinal parasites {F.	5 8	5 11	8 10	6 8	11 10	6 7	9 11	9 18	12 13	14 9	9 12
	(a) Cestodes (hydatids of {M. the liver excepted) .. {F.	? ?	3 1	4 6	1 5	7 4	3 4	5 6	1 6	6 4	6 4	4 6
	(b) Trematodes {M. {F.	? ?	— —	1 1	— —	— —	— —	— —	— —	1 —	— —	1 —
	(c) Nematodes (other than {M. ankylostoma {F.	? ?	2 6	1 1	3 1	3 5	1 1	3 5	6 8	5 4	6 2	4 4

* Previous to 1921 deaths from Adenoids were included under the heading Diseases of the nose (97: 1).

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921
see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
	Diseases due to other intestinal parasites— <i>cont.</i>											
	(d) Coccidia {M. F.	? ?	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(e) Other parasites .. {M. F.	? ?	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(f) Undefined parasites .. {M. F.	? ?	— 4	2 2	2 2	1 1	2 2	1 —	2 4	— 5	2 3	— 2
117	Appendicitis and typhlitis.. {M. F.	1389 1142	1474 1237	1524 1211	1608 1218	1545 1211	1624 1238	1535 1175	1524 1236	1623 1245	1657 1169	1693 1248
118	Hernia, intestinal obstruc- {M. tion F.	2092 2084	2100 2087	2127 2102	2106 2172	2167 2098	2148 2134	2147 2156	2281 2231	2267 2126	2506 2262	2352 2192
	(a) Hernia {M. F.	795 875	752 900	830 885	822 916	867 947	830 931	842 923	957 1008	993 974	1090 1039	950 1002
	(b) Intestinal obstruction.. {M. F.	1297 1209	1348 1187	1297 1217	1284 1256	1300 1151	1318 1203	1305 1233	1324 1223	1274 1152	1416 1223	1402 1190
119	Other diseases of the intes- {M. tines F.	227 214	225 234	230 218	234 238	221 233	241 255	233 246	266 244	268 272	300 284	304 328
	(1) Intestinal stasis .. {M. F.	? ?	? ?	? ?	? ?	74 97	70 112	79 109	76 101	67 93	69 96	52 99
	(2) Other diseases included {M. under 119 F.	? ?	? ?	? ?	? ?	147 136	171 143	154 137	190 143	201 179	231 188	252 229
120	Acute yellow atrophy of the {M. liver F.	25 51	32 38	19 55	22 51	20 80	15 58	20 63	19 62	22 54	12 62	22 69
121	Hydatid tumour of the liver {M. F.	8 11	11 13	6 6	13 10	5 12	12 9	14 13	17 13	11 12	7 10	13 15
122	Cirrhosis of the liver .. {M. F.	1180 583	1288 639	1271 635	1169 605	1126 630	1201 646	1214 651	1214 646	1206 684	1174 604	1100 556
	(a) Returned as alcoholic .. {M. F.	95 33	100 54	103 47	98 54	90 57	87 49	82 50	162 101	210 110	175 83	144 71
	(b) Not returned as alco- {M. holic F.	1085 550	1188 585	1168 588	1071 551	1036 573	1114 597	1132 601	1052 545	996 574	999 521	956 485
123	Biliary calculi {M. F.	212 569	259 670	281 706	261 769	298 737	323 763	288 802	325 835	335 903	321 889	333 880
124	Other diseases of the liver .. {M. F.	348 438	341 501	369 571	390 576	409 579	432 689	454 737	369 667	427 756	390 785	455 802
125	Diseases of the pancreas .. {M. F.	103 86	105 92	101 109	122 138	136 143	147 187	144 167	186 216	192 226	196 262	189 260
126	Peritonitis of unstated origin {M. F.	185 263	167 230	146 278	152 265	145 231	127 270	109 264	115 246	100 260	129 231	136 250
127	Other diseases of the diges- {M. tive system .. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
128-142	VII.—Non-venereal Diseases {M. of the Genito-urinary System F.	10217 7384	19438 7477	10500 7760	10511 7780	10875 7637	10792 7915	10977 8106	11997 8713	12629 9412	13363 9753	13311 9886
128	Acute nephritis (including {M. unspecified under 10 years of age) F.	836 757	787 677	763 647	711 633	725 674	756 651	721 683	696 610	600 583	563 602	600 574
129	Chronic nephritis (including {M. unspecified over 10 years of age) F.	5771 4920	5686 5034	5870 5400	5755 5401	5931 5233	5763 5445	5848 5500	6455 6091	6925 6753	7311 7036	7302 7155
130	Chyluria {M. F.	1 —	— —	1 —	— —	— —	3 —	— —	1 1	1 1	2 —	— —

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
131	Other diseases of the kidneys { M. and annexa F.	273 260	288 279	303 288	284 297	367 354	341 352	370 394	335 436	342 452	339 451	377 472
132	Calculi of the urinary pass- { M. ages F.	178 91	183 113	198 95	213 99	200 88	204 102	188 94	201 122	241 133	308 149	249 168
133	Diseases of the bladder .. { M. F.	873 207	908 229	803 226	791 255	722 224	654 256	722 278	682 304	599 355	541 368	510 329
	(1) Cystitis { M. F.	? ?	809 212	731 216	732 235	684 204	621 247	685 256	638 292	575 345	514 356	486 316
	(2) Other diseases of the { M. bladder F.	? ?	99 17	72 10	59 20	38 20	33 9	37 22	44 12	24 10	27 12	24 13
134	Diseases of the urethra, { M. urinary abscess, etc. .. F.	372 3	386 4	383 8	411 10	386 10	341 5	366 8	390 11	435 10	461 14	407 11
	(a) Stricture of the urethra { M. F.	? ?	308 —	309 —	336 —	315 —	296 —	327 —	364 2	407 —	433 1	389 —
	(b) Other diseases of the { M. urethra, etc. F.	? ?	78 4	74 8	75 10	71 10	45 5	39 8	26 9	28 10	28 13	18 11
135	Diseases of the prostate .. M.	1835	2124	2121	2288	2479	2665	2705	3172	3407	3760	3803
136	Non-venereal diseases of the } M. male genital organs .. .	77	71	55	54	64	58	55	64	75	76	60
137	Cysts and other tumours of } F. the ovary not returned as } malignant	309	297	284	272	279	282	309	274	290	312	318
138	Salpingitis and pelvic } F. abscess in females* .. .	? ?	255 214	250 195	247 195	228 183	260 229	235 194	236 210	205 185	233 204	221 187
	(1) Salpingitis* F.	? ?	214 41	195 55	195 52	183 45	229 31	194 41	210 26	185 20	204 29	187 34
	(2) Pelvic abscess in females* F.	? ?	41 —	55 —	52 —	45 —	31 —	41 —	26 —	20 —	29 —	34 —
139	Tumours of the uterus not } F. returned as malignant .. .	348	365	357	358	368	387	416	420	424	379	421
140	Non-puerperal uterine hæmor- rhage F.	37	40	39	33	29	21	25	24	13	14	21
141	Other diseases of the female } F. genital organs*	422	167	149	154	135	140	146	171	183	182	190
	(1) Other diseases of the } F. uterus*	207	132	116	121	103	105	113	133	132	154	149
	(2) Diseases of the other fe- male genital organs } F. not included in other } headings*	215	35	33	33	32	35	33	38	51	28	41
142	Non-puerperal diseases of } M. the breast F.	1 30	5 17	3 17	4 21	1 15	7 14	2 18	1 13	4 10	2 13	3 6
143-150	VIII.—The Puerperal State F.	4144	3322	2971	2892	2847	2900	2860	2690	2920	2787	2854
143	Accidents of pregnancy .. F.	329	334	310	352	326	318	328	322	269	286	279
	(a) Abortion† F.	111	107	92	100	112	89	86	82	77	67	65
	(b) Ectopic gestation .. F.	79	83	86	97	73	87	94	98	86	86	73
	(c) Other accidents .. F.	139	144	132	155	141	142	148	142	106	133	141
144	Puerperal hæmorrhage .. F.	521	469	390	429	390	373	339	327	331	313	348
145	Other accidents of childbirth F.	418	382	304	304	321	331	339	282	331	299	294
146	Puerperal sepsis F.	1730	1171	1079	985	1018	1110	1109	1026	1184	1157	1243

* Previous to 1921 deaths from Salpingitis were included under the heading Diseases of the other female genital organs (141 : 2), and those from Pelvic abscess in females under Other diseases of the uterus (141 : 1).

† Excluding "Post-abortion sepsis" and "Criminal Abortion."

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
147	Puerperal phlegmasia alba } dolens, embolism, sudden } F. death }	347	326	296	277	244	240	202	175	219	180	190
	(1) Puerperal phlegmasia } alba dolens not re- } F. turned as septic .. . }	54	64	54	61	58	35	25	32	31	17	23
	(2) Puerperal embolism and } sudden death .. . } F.	293	262	242	216	186	205	177	143	188	163	167
148	Puerperal albuminuria and } convulsions .. . } F.	749	604	556	518	524	499	524	537	557	524	467
149	Childbirth not assignable to } other headings (puerperal } F. insanity) .. . }	40	29	30	23	20	23	13	14	21	22	25
150	Puerperal diseases of the } breast .. . } F.	10	7	6	4	4	6	6	7	8	6	8
51-154	IX.—Diseases of the Skin and Cellular Tissue* .. { M. F.	1853 1590	1753 1456	1651 1453	1581 1410	1645 1411	1736 1534	1678 1439	1544 1399	1689 1337	1669 1398	1481 1282
151	Gangrene .. . { M. F.	690 657	724 574	677 620	555 586	687 575	645 602	641 546	556 559	528 423	549 506	430 417
	(1) Senile gangrene .. { M. F.	613 586	654 508	616 541	520 534	633 517	598 552	593 512	521 523	480 385	504 469	396 375
	(2) Other gangrene .. { M. F.	77 71	70 66	61 79	35 52	54 58	47 50	48 34	35 36	48 38	45 37	34 42
152	Carbuncle, boil .. . { M. F.	204 90	216 104	205 101	234 109	203 97	244 122	258 133	256 138	307 152	303 166	340 171
153	Cellulitis, acute abscess* .. { M. F.	485 353	382 324	396 274	367 297	362 273	411 327	386 315	334 275	423 311	454 313	369 305
	(1) Cellulitis* .. . { M. F.	333 231	252 213	277 183	263 199	265 198	313 238	310 242	250 205	339 238	355 252	296 240
	(2) Acute abscess* .. { M. F.	152 122	130 111	119 91	104 98	97 75	98 89	76 73	84 70	84 73	99 61	73 65
154	Other diseases of the skin { M. and its annexa .. . } F.	474 490	431 454	373 458	425 418	393 466	436 483	393 445	398 427	431 451	363 413	342 389
	(1) Ulcer, bed sore .. { M. F.	124 225	108 212	100 219	126 156	81 201	96 198	70 192	69 165	88 170	75 138	55 117
	(2) Eczema .. . { M. F.	121 63	88 63	82 48	93 45	70 33	67 44	53 33	71 36	70 30	59 32	56 33
	(3) Pemphigus .. . { M. F.	72 55	88 52	71 58	72 77	96 87	132 91	106 75	111 67	105 77	82 94	74 77
	(4) Other diseases included { M. under 154 .. . } F.	157 147	147 127	120 133	134 140	146 145	141 150	164 145	147 159	168 174	147 149	157 162
55-158	X.—Diseases of the Bones and Organs of Locomotion†‡ { M. F.	479 362	481 291	493 323	518 285	539 333	527 337	509 325	558 340	596 336	592 386	570 360
155	Diseases of the bones† .. { M. F.	379 240	373 224	392 240	399 214	412 244	405 244	402 257	433 261	477 239	454 290	441 261
	(1) Acute infective osteomy- { M. elitis and periostitis .. } F.	? ?	277 126	313 148	301 123	319 151	291 146	271 146	315 164	362 144	318 191	326 164
	(2) Other diseases of the { M. bones .. . } F.	? ?	96 98	79 92	98 91	93 93	114 98	131 111	118 97	115 95	136 99	115 97

* Previous to 1921 certain deaths from Diseases of the mediastinum (107 (b)) were included under these headings.

† Including deaths from Diseases of the accessory nasal sinuses (97 : 2) previous to 1921.

‡ Including deaths from Chronic arthritis (52 : 2 pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
156	Diseases of the joints* .. {M. F.	87 101	86 52	81 63	89 54	101 77	82 57	72 43	100 62	96 64	109 78	103 80
157	Amputation {M. F.	— 1	— —	1 —	— —	— —	2 —	1 —	— —	— —	— —	— —
158	Other diseases of the organs of locomotion {M. F.	13 20	22 15	19 20	30 17	26 12	38 36	34 25	25 17	23 33	29 18	26 19
159	XI.—Congenital Malforma- tions {M. F.	2317 1913	2149 1681	2050 1687	2033 1565	1976 1507	2053 1628	2030 1598	1986 1618	2078 1652	2101 1763	2216 1681
	(1) Congenital hydro- cephalus {M. F.	175 139	191 110	152 133	195 116	148 116	164 114	159 119	160 113	135 92	144 112	138 108
	(2) Congenital malforma- tion of heart {M. F.	952 715	822 620	829 616	803 580	806 544	801 618	773 621	791 599	780 630	823 659	888 639
	(3) Other congenital mal- formations {M. F.	1190 1059	1136 951	1069 938	1035 869	1022 847	1088 896	1098 858	1035 906	1163 930	1134 992	1190 934
160-163	XII.—Diseases of Early Infancy {M. F.	16769 12325	15150 11292	13205 9619	12047 8939	12129 9106	11293 8538	10955 8057	10446 7653	10114 7391	10292 7569	9772 7133
160	Congenital debility, sclerema and icterus {M. F.	5057 3375	4062 2802	3224 2204	2933 1951	2810 1855	2741 1812	2391 1671	1910 1260	1833 1113	1779 1114	1592 982
	(1) Congenital debility and sclerema {M. F.	4630 3121	3681 2569	2879 2025	2570 1761	2498 1684	2506 1659	2166 1524	1653 1115	1578 977	1522 982	1357 841
	(2) Icterus neonatorum .. {M. F.	427 254	381 233	345 179	363 190	312 171	235 162	225 147	257 145	255 136	257 132	235 141
161	Premature birth, injury at birth {M. F.	10451 8013	9982 7608	8952 6654	8190 6245	8356 6401	7688 5904	7579 5620	7630 5716	7381 5546	7646 5700	7281 5440
	(1) Premature birth .. {M. F.	9714 7586	9265 7146	8285 6286	7564 5815	7712 6026	7025 5509	6932 5214	6898 5234	6630 5041	6784 5208	6447 4913
	(2) Injury at birth .. {M. F.	737 427	717 462	667 368	626 430	644 375	663 395	647 406	732 482	751 505	862 492	834 527
162	Other diseases peculiar to early infancy {M. F.	1077 802	958 753	898 644	810 624	820 702	743 706	838 611	763 554	768 614	762 637	794 599
	(2) Atelectasis {M. F.	879 622	783 586	730 483	671 457	641 530	581 518	641 440	613 405	594 455	581 440	601 411
	(1) Diseases of the umbili- cus {M. F.	198 180	69 74	72 55	62 57	69 59	72 67	80 41	39 36	41 38	52 46	61 52
	(3) Other diseases included under 162 {M. F.	106 93	96 106	77 110	110 113	90 121	117 130	111 113	133 121	129 151	132 136	132 136
163	Lack of care {M. F.	184 135	148 129	131 117	114 119	143 148	121 116	147 155	143 123	132 118	105 118	105 112
164	XIII.—Old Age {M. F.	10917 15471	11268 16138	11806 16659	10549 14795	10434 15301	10202 15112	10036 14528	9150 13603	7976 11774	8495 12685	7345 10772
	(1) Senile dementia .. {M. F.	535 733	572 839	655 897	645 796	653 858	760 957	710 1061	782 1037	852 1141	877 1271	776 1112
	(2) Other forms of senile decay {M. F.	10382 14738	10696 15299	11151 15762	9904 13999	9781 14443	9442 14155	9326 13467	8368 12566	7124 10633	7618 11414	6569 9660

* Including deaths from Chronic arthritis (52 : 2pt.) previous to 1921.

TABLE 4.—ENGLAND AND WALES. DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
165-203	XIV.—External Causes .. {M. F.	12464 5117	11626 4874	11473 4922	12113 4994	11953 5230	12782 5532	12846 5774	14018 6104	14678 6635	15077 6818	15480 6719
165-174	Suicide {M. F.	2427 998	2763 996	2817 1059	2887 1062	2635 1085	2852 1232	3099 1350	3458 1449	3409 1473	3480 1504	3527 1524
165, 166	By solid or liquid poisons and corrosive substances {M. F.	185 129	203 172	237 196	240 177	214 197	254 212	323 283	399 338	380 285	354 314	406 309
167	By poisonous gas {M. F.	160 110	233 132	330 173	449 239	373 212	465 297	588 355	658 340	667 421	824 461	842 509
168	By hanging or strangulation {M. F.	567 155	676 166	666 150	619 130	579 148	608 172	676 151	671 157	697 166	690 136	629 124
169	By drowning {M. F.	490 397	585 323	522 331	537 315	504 320	508 327	558 349	580 363	609 350	546 329	554 333
170	By firearms {M. F.	238 15	248 10	249 7	231 16	190 9	197 14	210 8	225 18	226 11	221 11	254 8
171	By cutting or piercing instruments {M. F.	583 108	598 112	581 114	568 101	532 99	549 95	531 96	634 125	567 111	581 118	535 88
172	By jumping from high places {M. F.	57 42	69 38	75 51	72 54	69 43	83 57	70 54	93 53	83 59	87 65	110 67
173	By crushing {M. F.	138 22	146 23	148 19	163 18	170 35	182 35	130 33	185 27	173 36	170 20	190 30
174	By other means {M. F.	9 20	5 20	9 18	8 12	4 22	6 23	13 21	13 28	7 34	7 50	7 56
175-196 201-203	Violent deaths excluding suicide and homicide .. {M. F.	9895 3973	8746 3748	8571 3746	9096 3822	9199 4040	9812 4156	9620 4275	10461 4546	11169 5054	11500 5207	11841 5113
175	Food poisoning {M. F.	32 26	29 31	21 20	21 17	20 14	23 14	12 8	10 12	21 15	10 8	10 6
176	Poisoning by venomous animals {M. F.	4 7	5 10	4 3	5 12	4 8	18 16	11 12	6 9	18 15	5 18	18 14
177	Other acute accidental poisonings {M. F.	69 47	84 52	78 43	67 44	66 40	93 68	58 53	67 53	75 64	59 47	79 66
178	Conflagration {M. F.	43 45	22 28	20 21	20 12	29 14	27 23	21 25	28 32	32 25	45 33	31 30
179	Accidental burns (conflagration excepted) .. {M. F.	747 1038	696 892	738 984	752 856	660 905	724 863	580 779	678 775	642 824	685 946	601 751
180	Accidental mechanical suffocation {M. F.	428 336	415 305	346 255	321 225	322 251	300 262	327 228	309 252	302 242	284 221	292 210
181	Accidental absorption of irrespirable or poisonous gas {M. F.	100 36	94 56	114 62	92 60	88 45	103 60	121 92	107 88	100 84	134 111	118 56
182	Accidental drowning {M. F.	1520 358	1564 333	1244 271	1385 310	1250 305	1302 315	1257 254	1261 307	1304 313	1253 267	1175 273
	Accidental injury :—											
183	By firearms {M. F.	90 12	80 7	82 4	76 6	71 8	78 7	75 9	79 5	74 7	65 10	82 4
184	By cutting or piercing instruments {M. F.	16 6	15 4	14 3	13 1	14 —	6 1	8 1	12 —	19 12	16 7	10 2
185	By fall {M. F.	1694 1206	1503 1105	1444 1271	1361 1302	1439 1327	1577 1385	1545 1499	1599 1596	1734 1788	1773 1752	1790 1788
186	In mining and quarrying {M. F.	964 1	671 —	928 1	1106 1	1116 —	1015 —	668 —	1054 —	958 —	1011 —	961 —

TABLE 4.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES,
1920-1930.—MALES AND FEMALES—*cont.*

List of Causes as in use for 1921. For Table of Changes in the List of Causes of Death in 1921, see Appendix to Statistical Review, 1921 (Part I).

Inter- national List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
	Accidental injury— <i>cont.</i>											
187	By machinery {M. F.	317 22	183 6	185 7	202 11	222 7	213 5	168 7	231 9	218 4	189 9	178 3
188	By other forms of crushing {M. (vehicles, railways, etc.) F.	3126 700	2785 711	2835 650	3009 742	3459 977	3797 965	4224 1168	4526 1273	5100 1521	5430 1625	5846 1722
189	Injury by animals (poisoning {M. excepted) F.	61 8	74 10	57 6	57 6	59 7	56 6	63 4	56 5	48 3	48 7	41 10
190	Wounds of war {M. F.	229 —	101 —	72 —	75 —	61 —	63 —	73 —	68 1	76 —	72 —	74 —
191	Execution of civilians by {M. belligerent armies .. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
192	Hunger or thirst {M. F.	14 2	11 8	8 6	9 3	10 5	7 6	13 6	16 10	14 9	20 7	9 5
193	Excessive cold {M. F.	29 10	29 4	38 21	23 11	31 9	40 16	43 11	50 12	40 9	68 27	28 6
194	Excessive heat {M. F.	13 13	132 115	54 29	217 107	18 12	76 45	60 32	7 8	52 22	50 19	155 72
195	Lightning {M. F.	11 —	3 —	4 1	8 —	12 3	17 —	10 1	5 —	4 —	14 —	9 1
196	Electricity (lightning excep- {M. ted) F.	26 —	19 —	21 1	25 —	37 1	41 1	42 2	47 1	47 4	50 1	54 7
197-199	Homicide {M. F.	142 146	117 130	85 117	130 110	119 105	118 144	127 149	99 109	100 108	97 107	112 82
197	By firearms {M. F.	6 12	11 14	5 11	12 13	7 3	10 10	9 25	10 11	7 10	9 16	9 9
198	By cutting or piercing in- {M. struments F.	23 34	14 31	11 31	15 25	12 27	21 39	14 25	11 24	13 25	18 22	7 9
199	By other means {M. F.	113 100	92 85	69 75	103 72	100 75	87 95	104 99	78 74	80 73	70 69	96 64
201	Fracture (cause not specified) {M. F.	34 17	32 11	39 10	26 5	27 4	25 6	25 8	26 7	36 4	21 7	26 5
202	Other and unstated forms of {M. accidental violence, execu- F. tion	310 75	186 56	210 66	216 87	165 87	207 88	199 72	211 87	239 84	192 83	244 79
203	Violent deaths of unknown {M. causation F.	18 8	13 4	15 11	10 4	19 11	4 4	17 4	8 4	16 5	6 2	10 3
204, 205	XV.—Ill-defined Diseases .. {M. F.	1110 847	1088 794	1034 797	982 731	930 664	923 681	828 578	642 443	494 343	484 347	441 306
204	Sudden death {M. F.	122 87	191 114	200 118	200 125	162 96	162 98	171 74	154 88	138 74	133 82	117 75
205	Cause of death unstated or {M. ill-defined F.	988 760	897 680	834 679	782 606	768 568	761 583	657 504	488 355	356 269	351 265	324 231
	(1) Heart failure (1-70 {M. years) F.	621 462	540 374	557 389	504 373	489 352	514 353	467 344	359 234	246 169	250 171	214 153
	(2) Other ill-defined causes {M. F.	304 259	314 273	236 261	234 210	233 177	197 183	136 119	99 104	85 84	70 79	80 55
	(3) Cause not specified .. {M. F.	63 39	43 33	41 29	44 23	46 39	50 47	54 41	30 17	25 16	31 15	30 23

* 200 Infanticide. Deaths from this cause are included under headings 197-199—Homicide.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES
AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS.

List of Causes as in use for 1921, but restricted in this table to headings showing a mortality of 5 or more per million in 1921. Other headings showing a mortality of 5 or more per million in any subsequent year are dealt with in footnotes. Where the incidence of mortality falls particularly on one sex, the rate in that sex has been taken as the criterion. For titles omitted see Table 4. The figures for "Other Diseases" in any particular class (e.g., 84, "Other Diseases of the Nervous System") relate to that heading of the International List, and do not include the diseases omitted from the table under the above rule.

List No.	Causes of Death.	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
	ALL CAUSES	{ M. 13,548 F. 11,452 P. 12,442	{ M. 12,962 F. 11,324 P. 12,105	{ M. 13,565 F. 12,018 P. 12,757	{ M. 12,368 F. 10,863 P. 11,582	{ M. 12,939 F. 11,484 P. 12,180	{ M. 12,949 F. 11,434 P. 12,158	{ M. 12,384 F. 10,911 P. 11,616	{ M. 13,115 F. 11,618 P. 12,334	{ M. 12,465 F. 10,922 P. 11,661	{ M. 14,229 F. 12,724 P. 13,444	{ M. 12,268 F. 10,680 P. 11,441
1-42	I. Epidemic, Endemic and Infectious Diseases.	{ M. 2,318 F. 1,867 P. 2,080	{ M. 2,040 F. 1,697 P. 1,861	{ M. 2,467 F. 2,087 P. 2,269	{ M. 1,944 F. 1,564 P. 1,746	{ M. 2,187 F. 1,832 P. 2,002	{ M. 2,105 F. 1,713 P. 1,900	{ M. 1,816 F. 1,449 P. 1,625	{ M. 2,137 F. 1,783 P. 1,952	{ M. 1,753 F. 1,371 P. 1,554	{ M. 2,384 F. 2,027 P. 2,198	{ M. 1,638 F. 1,250 P. 1,436
1	Enteric fever	{ M. 16 F. 12 P. 14	{ M. 17 F. 15 P. 16	{ M. 13 F. 11 P. 12	{ M. 12 F. 11 P. 12	{ M. 13 F. 12 P. 13	{ M. 10 F. 10 P. 10	{ M. 10 F. 9 P. 9	{ M. 10 F. 9 P. 9	{ M. 11 F. 11 P. 11	{ M. 10 F. 9 P. 10	{ M. 9 F. 7 P. 8
	(a) Typhoid fever	{ M. ? F. ? P. ?	{ M. 17 F. 15 P. 16	{ M. 13 F. 11 P. 12	{ M. 12 F. 10 P. 11	{ M. 12 F. 11 P. 12	{ M. 9 F. 9 P. 9	{ M. 9 F. 8 P. 8	{ M. 9 F. 7 P. 8	{ M. 9 F. 9 P. 9	{ M. 9 F. 8 P. 8	{ M. 7 F. 6 P. 6
5	Malaria	{ M. 13 F. 1 P. 6	{ M. 8 F. 0 P. 4	{ M. 6 F. 1 P. 3	{ M. 4 F. 0 P. 2	{ M. 5 F. 0 P. 2	{ M. 3 F. 0 P. 2	{ M. 3 F. 0 P. 2	{ M. 2 F. 0 P. 1	{ M. 2 F. 0 P. 1	{ M. 2 F. 0 P. 1	{ M. 2 F. 0 P. 1
7	Measles	{ M. 213 F. 174 P. 192	{ M. 66 F. 53 P. 59	{ M. 164 F. 136 P. 149	{ M. 157 F. 121 P. 138	{ M. 138 F. 112 P. 124	{ M. 153 F. 122 P. 137	{ M. 98 F. 81 P. 89	{ M. 102 F. 83 P. 92	{ M. 121 F. 98 P. 109	{ M. 92 F. 80 P. 86	{ M. 119 F. 93 P. 105
8	Scarlet fever	{ M. 39 F. 37 P. 38	{ M. 35 F. 34 P. 34	{ M. 36 F. 37 P. 36	{ M. 27 F. 24 P. 26	{ M. 22 F. 23 P. 23	{ M. 26 F. 25 P. 25	{ M. 19 F. 16 P. 17	{ M. 15 F. 14 P. 15	{ M. 14 F. 15 P. 15	{ M. 19 F. 17 P. 18	{ M. 18 F. 19 P. 19
9	Whooping cough	{ M. 112 F. 123 P. 118	{ M. 113 F. 128 P. 121	{ M. 157 F. 176 P. 167	{ M. 104 F. 112 P. 108	{ M. 100 F. 105 P. 103	{ M. 149 F. 162 P. 156	{ M. 100 F. 110 P. 105	{ M. 88 F. 99 P. 94	{ M. 71 F. 79 P. 75	{ M. 147 F. 172 P. 160	{ M. 47 F. 55 P. 51
10	Diphtheria	{ M. 153 F. 149 P. 151	{ M. 127 F. 125 P. 126	{ M. 112 F. 102 P. 107	{ M. 72 F. 70 P. 71	{ M. 65 F. 64 P. 64	{ M. 72 F. 70 P. 71	{ M. 76 F. 77 P. 77	{ M. 71 F. 68 P. 70	{ M. 84 F. 78 P. 81	{ M. 86 F. 88 P. 87	{ M. 90 F. 85 P. 88
11	Influenza	{ M. 311 F. 255 P. 282	{ M. 250 F. 226 P. 237	{ M. 568 F. 559 P. 563	{ M. 234 F. 207 P. 220	{ M. 492 F. 486 P. 489	{ M. 339 F. 316 P. 327	{ M. 243 F. 216 P. 229	{ M. 575 F. 559 P. 567	{ M. 216 F. 178 P. 196	{ M. 731 F. 737 P. 734	{ M. 144 F. 110 P. 126
	(a) { 1. With pneumonic complications.	{ M. ? F. ? P. ?	{ M. 116 F. 89 P. 101	{ M. 285 F. 256 P. 270	{ M. 110 F. 78 P. 93	{ M. 242 F. 200 P. 220	{ M. 152 F. 115 P. 133	{ M. 115 F. 80 P. 97	{ M. 282 F. 229 P. 255	{ M. 108 F. 70 P. 88	{ M. 390 F. 331 P. 359	{ M. 70 F. 41 P. 55
	{ 2. With other pulmonary complications.	{ M. ? F. ? P. ?	{ M. 43 F. 46 P. 45	{ M. 124 F. 130 P. 127	{ M. 41 F. 45 P. 43	{ M. 103 F. 126 P. 115	{ M. 70 F. 77 P. 74	{ M. 41 F. 45 P. 44	{ M. 127 F. 149 P. 139	{ M. 37 F. 37 P. 37	{ M. 174 F. 209 P. 192	{ M. 27 F. 22 P. 24
	(b) { 1. With non-pulmonary complications.	{ M. ? F. ? P. ?	{ M. 53 F. 51 P. 52	{ M. 87 F. 91 P. 89	{ M. 52 F. 48 P. 50	{ M. 85 F. 87 P. 86	{ M. 68 F. 70 P. 69	{ M. 54 F. 55 P. 55	{ M. 93 F. 100 P. 97	{ M. 53 F. 52 P. 52	{ M. 104 F. 118 P. 112	{ M. 35 F. 36 P. 35
	{ 2. Without stated complication.	{ M. ? F. ? P. ?	{ M. 37 F. 41 P. 39	{ M. 72 F. 82 P. 77	{ M. 31 F. 36 P. 34	{ M. 62 F. 73 P. 68	{ M. 49 F. 53 P. 51	{ M. 32 F. 35 P. 33	{ M. 72 F. 81 P. 76	{ M. 18 F. 20 P. 19	{ M. 63 F. 79 P. 71	{ M. 12 F. 11 P. 12
16	Dysentery	{ M. 8 F. 5 P. 7	{ M. 7 F. 7 P. 7	{ M. 5 F. 6 P. 6	{ M. 5 F. 3 P. 4	{ M. 4 F. 3 P. 3	{ M. 4 F. 3 P. 3	{ M. 4 F. 3 P. 4	{ M. 3 F. 2 P. 2	{ M. 4 F. 3 P. 4	{ M. 4 F. 1 P. 2	{ M. 3 F. 2 P. 2
	(c) Unspecified, or other than Amoebic or Bacillary.	{ M. ? F. ? P. ?	{ M. 6 F. 6 P. 6	{ M. 5 F. 5 P. 5	{ M. 4 F. 2 P. 3	{ M. 3 F. 3 P. 3	{ M. 3 F. 3 P. 3	{ M. 3 F. 3 P. 3	{ M. 2 F. 2 P. 2	{ M. 3 F. 2 P. 3	{ M. 2 F. 1 P. 2	{ M. 2 F. 1 P. 1
21	Erysipelas	{ M. 24 F. 21 P. 22	{ M. 20 F. 18 P. 19	{ M. 21 F. 16 P. 18	{ M. 17 F. 16 P. 16	{ M. 19 F. 16 P. 17	{ M. 24 F. 20 P. 22	{ M. 23 F. 19 P. 21	{ M. 22 F. 20 P. 21	{ M. 25 F. 20 P. 23	{ M. 28 F. 24 P. 26	{ M. 29 F. 23 P. 26
22	(See Footnote †.)											
23	Encephalitis lethargica	{ M. 13 F. 12 P. 13	{ M. 19 F. 19 P. 19	{ M. 9 F. 9 P. 9	{ M. 15 F. 13 P. 14	{ M. 39 F. 33 P. 36	{ M. 36 F. 35 P. 35	{ M. 35 F. 33 P. 34	{ M. 31 F. 27 P. 29	{ M. 27 F. 27 P. 27	{ M. 27 F. 25 P. 26	{ M. 23 F. 23 P. 23
24	Meningococcal meningitis	{ M. 17 F. 12 P. 14	{ M. 13 F. 9 P. 11	{ M. 11 F. 8 P. 9	{ M. 8 F. 7 P. 7	{ M. 9 F. 6 P. 8	{ M. 11 F. 7 P. 9	{ M. 11 F. 8 P. 9	{ M. 14 F. 8 P. 11	{ M. 13 F. 9 P. 11	{ M. 19 F. 11 P. 15	{ M. 19 F. 13 P. 16
29	Tetanus	{ M. 7 F. 2 P. 4	{ M. 6 F. 3 P. 4	{ M. 6 F. 2 P. 4	{ M. 7 F. 2 P. 5	{ M. 6 F. 1 P. 3	{ M. 6 F. 2 P. 4	{ M. 6 F. 2 P. 4	{ M. 7 F. 1 P. 4	{ M. 6 F. 1 P. 3	{ M. 6 F. 2 P. 4	{ M. 6 F. 1 P. 3

* Based on civilian deaths and civilian population.

† 22. Acute poliomyelitis. Mortality (1926)—Males 7, Females 5, Persons 6. (1927)—Males 6, Females 4, Persons 5. (1928)—Males 5, Females 3, Persons 4. (1929)—Males 4, Females 3, Persons 4. (1930)—Males 5, Females 4, Persons 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
31-37	Tuberculosis (all forms) .. { M. F. P.	1,287 997 1,133	1,267 998 1,126	1,279 976 1,121	1,204 932 1,062	1,202 926 1,058	1,195 895 1,038	1,105 827 961	1,112 842 972	1,067 800 928	1,122 809 959	1,037 770 898
31	Respiratory system .. { M. F. P.	1,003 757 873	1,003 777 884	1,024 766 889	958 724 836	966 727 841	967 709 833	897 655 771	914 678 791	879 641 755	938 661 793	863 624 739
32	Nervous system .. { M. F. P.	107 86 96	99 80 89	98 78 88	91 79 85	86 74 80	86 70 78	79 67 73	82 65 73	71 59 65	71 59 65	67 58 62
33	Intestines and peritoneum { M. F. P.	58 59 59	59 55 57	51 48 49	52 50 51	49 46 48	46 42 44	41 38 39	35 34 34	34 34 34	32 30 31	29 29 29
34	Vertebral column .. { M. F. P.	22 14 18	19 16 18	21 15 18	18 14 16	17 15 16	16 11 14	16 12 14	15 11 13	15 10 12	14 11 12	14 10 12
35	Joints { M. F. P.	12 7 9	9 7 8	10 6 8	9 6 7	10 5 8	8 5 6	8 4 6	8 4 6	7 4 6	6 4 5	7 4 5
36	Other organs { M. F. P.	19 15 16	17 16 16	16 14 15	17 13 15	15 14 15	15 13 14	13 10 12	13 12 12	15 13 14	14 10 12	14 10 12
	(d) Genito-urinary system { M. F. P.	? ? ?	7 6 6	8 5 7	9 5 7	7 6 6	8 6 7	7 4 5	7 5 6	9 6 7	9 5 7	8 5 7
37	Disseminated tuberculosis .. { M. F. P.	66 59 62	62 49 55	59 49 54	59 46 52	57 45 51	56 44 50	52 42 47	46 39 43	47 38 42	48 35 41	43 35 39
	(a) Acute { M. F. P.	17 19 18	13 12 12	16 14 15	21 20 21	22 19 21	18 17 18	18 17 17	17 16 16	18 17 17	17 14 16	17 15 16
	(b) Chronic or unstated .. { M. F. P.	49 40 44	49 37 43	43 35 39	38 26 31	35 26 30	38 27 32	34 25 29	30 23 26	29 21 25	30 20 25	27 20 23
38	Syphilis { M. F. P.	65 44 54	57 38 47	47 31 39	47 27 36	42 25 33	39 23 30	42 23 32	46 26 36	53 26 39	47 24 35	48 24 36
41	Purulent infection, septicæmia { M. F. P.	23 12 18	20 12 15	19 10 14	17 9 13	16 10 13	20 12 16	23 12 17	22 13 17	21 14 18	29 16 22	29 15 22
43-69	II. General Diseases not included in I. 1-42.† { M. F. P.	1,472 1,618 1,549	1,506 1,709 1,612	1,549 1,733 1,645	1,563 1,758 1,665	1,602 1,781 1,696	1,649 1,849 1,754	1,684 1,889 1,791	1,712 1,912 1,816	1,753 1,968 1,865	1,772 2,008 1,895	1,790 2,015 1,907
43-49	Cancer, malignant disease.. { M. F. P.	1,110 1,219 1,166	1,142 1,281 1,215	1,167 1,286 1,229	1,203 1,326 1,267	1,242 1,347 1,297	1,290 1,377 1,336	1,307 1,413 1,362	1,332 1,417 1,376	1,377 1,469 1,425	1,386 1,483 1,437	1,411 1,494 1,454
43	Buccal cavity { M. F. P.	138 19 75	137 18 75	133 18 73	139 21 77	135 21 75	142 21 79	137 21 77	144 21 80	148 20 81	135 22 76	136 21 76
44	Pharynx, œsophagus, stomach, liver and annæa { M. F. P.	422 333 375	439 344 389	449 352 398	454 352 401	460 353 404	484 366 422	485 380 430	486 366 424	493 382 435	511 387 447	505 384 442
45	Peritoneum, intestines and rectum. { M. F. P.	251 242 246	259 255 257	263 249 256	273 266 269	292 273 282	298 276 287	315 296 305	317 294 305	326 307 316	331 311 321	347 318 332
46	Female genital organs .. F.	254	274	269	278	278	281	284	287	292	292	289
47	Breast { M. F. P.	2 228 121	2 236 125	2 242 128	2 249 131	2 254 134	2 265 139	2 260 137	2 277 146	3 286 150	2 288 151	3 292 154
48	Skin.. .. { M. F. P.	40 20 29	40 20 30	40 22 31	41 21 31	44 23 33	42 21 31	44 21 32	44 23 33	47 24 35	46 24 35	45 22 33

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
49	Cancer, malignant disease— <i>cont.</i>											
	Other or unspecified organs {											
	M. 257 266 280 294 309 321 324 338 361 359 375											
50	Tumours not returned as {											
	malignant (brain and female {											
	genital organs excepted). {											
51	Rheumatic fever {											
	M. 55 48 45 42 41 45 44 37 34 34 36											
	F. 58 48 48 43 45 52 47 42 42 38 39											
52	Chronic rheumatism, osteo- {											
	arthritis, gout.† {											
	M. 41 41 49 45 48 45 46 56 62 65 58											
53	1. Chronic rheumatism.† {											
	M. 9 10 11 10 10 8 7 5 5 5 3											
	F. 12 14 13 12 11 10 9 6 6 6 5											
54	2. Rheumatoid and osteo- {											
	arthritis.† {											
	M. 22 22 28 27 29 28 30 39 43 47 43											
55	3. Gout {											
	M. 10 9 10 8 9 9 8 12 15 13 12											
	F. 1 2 2 2 1 2 2 2 3 2 3											
56	Rickets {											
	M. 18 15 13 15 16 15 13 12 15 13 10											
	F. 10 11 9 10 9 10 8 7 10 8 6											
57	Diabetes {											
	M. 100 105 116 105 102 98 106 109 116 122 121											
	F. 101 111 122 122 116 125 124 142 145 161 161											
58	Anæmia, chlorosis {											
	M. 62 62 68 60 62 65 68 65 45 49 53											
	F. 71 84 84 77 81 83 91 83 62 63 68											
59	(a) Pernicious anæmia .. {											
	M. 56 55 61 54 56 58 60 58 39 43 47											
	F. 62 74 74 68 73 74 81 76 54 56 60											
60	(b) Other anæmias and {											
	chlorosis. {											
	M. 6 7 7 6 7 7 8 6 6 7 6											
61	Diseases of the thyroid gland† {											
	M. ? 7 6 7 6 7 9 9 10 9 9											
	F. ? 41 44 41 44 50 53 57 62 61 69											
62	(a) Exophthalmic goitre .. {											
	M. 3 3 3 3 2 3 4 5 6 7 6											
	F. 24 27 30 28 28 34 36 42 45 45 54											
63	1. Myxædema .. {											
	M. ? 1 1 1 1 1 1 1 1 1 1											
	F. ? 7 7 7 8 9 9 9 9 10 8											
64	(b) 2. and 3. Cretinism and {											
	other diseases of the {											
	thyroid gland.† {											
65	Diseases of the thymus .. {											
	M. 5 6 6 6 5 5 6 5 6 6 4											
	F. 3 3 4 3 3 3 3 3 3 4 3											
66	Diseases of the adrenals .. {											
	M. 5 5 5 6 5 6 5 4 5 5 5											
	F. 7 6 7 6 6 7 8 8 7 7 7											
67	Leukæmia, lymphadenoma. . {											
	M. 25 27 29 27 29 29 32 34 32 35 35											
	F. 16 16 16 19 19 21 21 23 22 24 24											
68	(a) Leukæmia {											
	M. 13 14 15 15 15 16 17 18 18 19 19											
	F. 10 10 10 12 12 13 14 15 13 16 15											
69	(b) Lymphadenoma (Hodg- {											
	kin's disease). {											
	M. 12 13 14 12 14 13 15 15 14 17 17											
70	Alcoholism (acute or chronic) {											
	M. 9 7 6 6 5 5 4 4 4 4 3											
	F. 3 3 2 2 2 3 2 1 2 2 2											

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
69	Other general diseases† .. { M. F. P.	13 11 12	13 11 12	13 12 12	14 10 12	12 11 11	13 12 12	14 12 13	15 14 15	17 17 17	15 17 16	15 14 15
	1. Purpura { M. F. P.	6 7 7	7 6 7	8 7 7	6 7 6	6 6 6	7 7 7	7 7 7	7 7 7	7 7 7	7 8 7	7 7 7
	3. (See Footnote †.)											
70-86	III. Diseases of the Nervous System and Sense Organs.† { M. F. P.	1,360 1,250 1,302	1,310 1,235 1,271	1,324 1,253 1,287	1,265 1,218 1,241	1,248 1,188 1,217	1,243 1,174 1,207	1,212 1,173 1,192	1,130 1,106 1,117	1,064 1,054 1,059	1,121 1,089 1,104	1,032 1,035 1,034
70	Encephalitis { M. F. P.	13 8 10	10 7 8	10 7 8	10 6 8	8 6 7	11 6 8	11 7 9	8 5 7	8 6 7	9 7 8	8 6 7
	1. Cerebral abscess .. { M. F. P.	7 4 5	6 4 5	7 3 5	6 4 5	6 3 4	7 3 5	7 4 6	5 2 4	5 4 4	6 3 4	5 3 4
71	Meningitis { M. F. P.	74 56 64	72 57 64	66 50 58	60 48 54	57 42 50	55 39 47	46 37 42	43 32 37	35 26 31	39 29 34	31 23 27
72	Tabes dorsalis (locomotor ataxy). { M. F. P.	29 4 16	32 6 18	36 7 21	33 7 19	34 6 19	32 6 19	34 6 19	34 7 20	34 6 20	39 7 22	30 6 18
73	Other diseases of the spinal cord.† { M. F. P.	76 57 66	40 29 34	42 30 36	45 31 37	46 30 38	43 30 36	41 31 36	41 32 36	44 30 37	40 31 35	38 29 33
74	Cerebral hæmorrhage, apoplexy, etc. { M. F. P.	641 728 686	627 723 677	653 755 706	635 743 691	638 737 689	645 741 695	639 750 696	586 694 642	539 659 602	585 684 637	545 663 607
	(a) { 1. Cerebral hæmorrhage so returned. { M. F. P.	481 539 511	476 539 509	500 573 538	491 570 532	499 565 533	507 574 542	501 576 540	460 536 499	426 512 471	459 529 496	418 505 463
	{ 2. Apoplexy, lesion un- { M. F. P.	94 104 99	86 92 89	79 89 84	69 80 75	64 71 67	57 62 60	51 59 55	42 51 47	38 41 40	35 39 37	31 34 32
	(b) { 1. Cerebral embolism { M. F. P.	66 85 76	16 25 21	19 24 22	17 22 19	18 23 20	17 24 21	15 24 19	16 17 17	11 16 13	11 14 13	12 15 14
	{ 2. Cerebral thrombosis { M. F. P.	50 66 58	55 69 62	58 71 65	58 77 68	64 80 72	72 91 82	68 90 79	65 89 78	79 101 91	85 108 97	85 108 97
75	Paralysis of unstated origin .. { M. F. P.	57 66 61	58 62 60	59 64 62	54 64 59	53 60 57	53 55 54	47 52 50	38 46 42	34 41 38	36 43 40	32 37 34
	(a) Hemiplegia { M. F. P.	48 56 52	49 54 51	51 57 54	47 57 52	46 53 49	46 49 48	42 47 44	33 41 38	29 38 34	32 38 35	28 34 31
	(b) Other forms of paralysis { M. F. P.	9 10 9	9 9 9	8 7 8	7 7 7	7 7 7	7 6 6	5 5 5	4 5 5	5 4 4	4 5 4	3 3 3
76	General paralysis of the insane. { M. F. P.	66 12 38	69 14 41	77 15 44	76 15 44	68 14 40	67 14 40	62 14 37	65 14 39	61 13 36	52 13 32	49 11 29
77	Other forms of insanity .. { M. F. P.	18 27 23	16 28 22	19 28 24	15 26 21	15 25 21	19 27 24	23 31 28	25 35 30	26 37 32	28 37 33	22 33 28
78	Epilepsy { M. F. P.	65 53 59	62 55 58	63 56 60	60 52 56	61 53 57	59 51 55	59 46 52	61 49 55	60 54 57	59 52 55	60 50 50
79, 80	Convulsions (non-puerperal) .. { M. F. P.	199 131 163	169 108 137	137 91 113	121 80 100	109 74 91	108 69 87	93 61 77	71 46 58	60 37 48	62 41 51	50 30 40
82	Hysteria and neuritis .. { M. F. P.	6 6 6	6 8 7	6 9 8	5 8 6	5 7 6	5 7 6	5 7 6	4 7 6	5 7 6	4 6 5	4 6 5

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

‡ 69 (3) Other diseases included under 69.† Mortality (1927)—Males 5, Females 6, Persons 6; (1928)—Males 5, Females 6, Persons 7. (1929)—Males 4, Females 8, Persons 6. (1930)—Males 4, Females 5, Persons 5.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS—*cont.*

st No.	Causes of Death.	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
83	Cerebral softening { M. 22 22 21 21 22 10 13 11 8 9 8 F. 22 24 25 21 22 10 16 13 10 10 10 P. 22 23 23 21 22 10 15 12 9 10 9											
84	Other diseases of the nervous system.† { M. ? 87 94 92 95 97 98 101 106 110 104 F. ? 81 84 87 83 89 87 93 92 95 95 P. ? 84 89 90 89 93 92 97 99 102 99											
	1. Idiocy, imbecility { M. 6 7 7 7 7 8 7 8 9 11 10 F. 5 6 8 8 8 8 8 8 8 9 10 P. 6 6 7 7 7 8 7 8 9 10 10											
	2. Cerebral tumour { M. 27 29 28 29 30 28 31 31 34 33 35 F. 24 26 26 26 25 25 27 28 29 30 29 P. 25 27 27 28 27 27 29 29 31 31 32											
	3. Disseminated sclerosis† .. { M. ? 16 20 18 20 19 21 20 20 20 20 F. ? 18 17 18 17 18 20 21 20 22 20 P. ? 17 19 18 18 19 21 20 20 21 20											
	4. Paralysis agitans† .. { M. ? 19 21 21 23 29 28 31 33 37 31 F. ? 16 17 20 19 24 22 25 25 27 28 P. ? 17 19 21 21 26 25 28 29 31 30											
	5. Other diseases included under 84.† { M. 19 17 18 17 15 13 11 12 10 9 8 F. 17 16 16 15 15 13 10 12 10 8 7 P. 18 16 17 16 15 13 10 12 10 8 8											
86	Diseases of the ear and of the mastoid sinus. { M. 37 38 37 36 33 36 38 39 39 44 41 F. 28 27 26 25 23 25 23 27 29 29 29 P. 32 32 32 31 28 30 30 32 34 36 35											
	1. Diseases of the mastoid sinus. { M. 10 10 10 11 10 11 13 14 13 14 15 F. 8 8 9 7 7 8 7 9 10 10 11 P. 9 9 10 9 8 9 10 11 12 12 13											
	2. Diseases of the ear .. { M. 27 27 27 25 23 25 26 25 26 30 26 F. 20 20 17 18 16 18 16 18 18 18 18 P. 23 23 22 22 19 21 21 21 22 24 22											
-96	IV. Diseases of the Circulatory System.† { M. 1,839 1,847 2,041 1,966 2,087 2,212 2,239 2,540 2,728 3,047 2,863 F. 1,678 1,756 1,967 1,888 2,006 2,112 2,127 2,441 2,616 3,015 2,750 P. 1,754 1,800 2,002 1,926 2,044 2,160 2,181 2,489 2,669 3,030 2,804											
-90	Heart diseases† { M. 1,417 1,381 1,514 1,429 1,506 1,596 1,606 1,774 1,893 2,373 2,252 F. 1,411 1,451 1,618 1,528 1,611 1,694 1,691 1,891 2,004 2,493 2,274 P. 1,416 1,418 1,568 1,480 1,561 1,647 1,650 1,835 1,951 2,436 2,264											
87	Pericarditis† { M. 11 11 12 11 10 10 9 9 8 9 9 F. 8 8 8 6 8 7 6 6 6 5 6 P. 10 9 10 8 9 9 7 7 7 7 8											
88	Acute endocarditis and myo- carditis.† { M. 67 64 57 52 52 52 51 51 47 48 45 F. 56 48 49 46 48 51 54 51 46 50 45 P. 62 55 52 50 50 51 53 51 47 49 45											
	1. Infective endocarditis .. { M. 31 40 36 30 27 27 26 28 24 25 26 F. 21 24 26 24 25 23 26 25 24 26 25 P. 26 32 30 27 26 25 26 26 24 25 26											
	2. Other acute endocarditis† { M. 21 17 14 15 14 14 12 11 10 9 9 F. 22 17 16 14 14 16 15 14 12 13 10 P. 22 17 15 15 14 15 14 12 11 11 9											
	3. Acute myocarditis† .. { M. 15 6 7 7 10 11 13 12 12 14 10 F. 13 6 7 8 9 12 14 12 11 12 9 P. 14 6 7 8 10 11 13 12 12 13 10											
89	Angina pectoris † { M. 39 41 54 58 66 69 68 105 137 178 216 F. 17 17 23 25 27 27 29 40 54 69 85 P. 27 29 38 41 45 47 48 71 94 121 148											
90	Other diseases of the heart†.. { M. 1,300 1,265 1,391 1,308 1,378 1,465 1,478 1,609 1,702 2,137 1,983 F. 1,330 1,379 1,538 1,451 1,529 1,609 1,601 1,795 1,897 2,368 2,137 P. 1,317 1,324 1,468 1,381 1,457 1,540 1,542 1,706 1,804 2,258 2,063											

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930
	Other diseases of the heart— <i>cont.</i>											
	1. Aortic valve disease .. { M. F. P.		106 43 73	113 46 78	107 48 76	106 44 74	110 51 79	111 47 78	116 49 81	119 52 84	126 52 87	119 55 86
	2. Mitral valve disease .. { M. F. P.	654	178 271 227	193 295 246	181 276 230	174 278 228	176 274 227	168 260 216	193 304 251	204 323 266	222 346 287	195 307 253
	3. Aortic and mitral valve disease. { M. F. P.	654	27 18 23	26 19 23	25 20 22	24 18 21	24 21 22	24 16 20	29 24 26	33 32 33	38 30 34	34 28 31
	4. Other or unspecified valve disease.† { M. F. P.		314 340 328	316 371 345	292 331 312	300 348 325	297 327 313	286 318 303	282 332 308	278 322 301	293 343 319	261 311 287
	5. Fatty heart .. { M. F. P.	59 62 61	60 67 64	69 77 73	67 77 72	65 75 70	65 77 71	66 68 67	65 79 72	65 81 73	71 89 80	66 83 75
	6. Cardiac dilatation, cause unspecified. { M. F. P.		27 27 27	27 28 22	23 22 22	20 17 19	21 20 21	17 19 18	18 17 18	14 12 13	10 8 9	9 7 8
	7. Other or unspecified myocardial disease.† { M. F. P.	578 604 592	242 265 254	314 347 331	332 366 350	404 435 420	493 532 513	554 589 572	664 710 688	780 832 807	1,161 1,237 1,201	1,114 1,135 1,125
	9. Heart disease(undefined) { M. F. P.		298 332 316	318 338 328	263 287 276	261 282 272	250 267 259	218 238 228	201 220 211	171 183 177	175 194 185	143 149 146
	8. Disordered action of the heart. { M. F. P.	9 10 10	13 15 14	15 17 16	18 24 21	23 32 28	29 41 35	33 47 41	41 60 51	37 61 50	41 67 55	42 63 53
91	Diseases of the arteries† { M. F. P.	401 245 318	447 281 361	508 324 412	518 335 422	559 368 460	591 392 487	607 407 502	740 518 624	806 582 689	649 490 566	586 445 512
	(a) Aneurysm .. { M. F. P.	44 9 25	44 10 26	45 11 27	42 11 26	44 10 26	45 12 27	42 12 26	47 13 29	50 14 31	50 15 32	53 15 33
	(b) Arterio-sclerosis† { M. F. P.	352 233 289	398 267 329	458 309 380	470 319 391	511 355 429	542 375 455	560 391 472	686 500 589	750 562 652	594 471 530	529 426 475
	1. With record of cerebral vascular lesion. { M. F. P.	? ? ?	118 94 105	139 110 124	146 114 130	149 126 137	167 133 149	165 135 149	244 209 225	290 253 271	287 247 266	284 247 265
	2. Without record of cerebral vascular lesion.† { M. F. P.	? ? ?	280 173 224	319 199 256	324 205 261	362 228 292	375 242 306	395 256 322	443 291 364	460 309 382	307 224 264	245 179 210
	(c) Other diseases of the arteries.† { M. F. P.	5 3 4	5 4 5	5 4 5	6 5 5	4 4 4	5 5 5	5 4 5	7 5 6	6 6 6	6 4 5	5 3 4
92	Embolism and thrombosis (not cerebral). { M. F. P.	8 9 8	8 9 8	9 8 9	8 9 8	9 9 9	10 9 10	12 10 11	9 10 10	10 9 9	8 9 8	8 7 7
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.) { M. F. P.	7 11 9	6 11 9	7 13 10	7 13 10	7 12 9	9 12 11	8 14 11	8 15 12	11 16 14	10 17 13	9 18 14
97-107	V. Diseases of the Respiratory System.† { M. F. P.	2,504 1,867 2,168	2,212 1,722 1,956	2,572 2,064 2,308	2,102 1,653 1,868	2,352 1,919 2,126	2,234 1,788 2,001	1,961 1,530 1,736	2,164 1,720 1,933	1,744 1,289 1,507	2,358 1,871 2,104	1,539 1,088 1,304
97	(See Footnote †) 2 (See Footnote §)											
98	Diseases of the larynx .. { M. F. P.	28 21 26	20 14 17	18 11 15	13 9 11	14 8 11	13 9 11	11 8 9	11 7 9	10 8 9	10 7 8	9 5 7
	2. Laryngitis .. { M. F. P.	22 17 20	15 12 13	14 9 11	9 7 8	10 6 8	9 7 8	9 6 7	8 6 7	7 7 7	8 6 7	7 4 6
99	Bronchitis† .. { M. F. P.	1,094 948 1,017	929 853 889	1,101 1,045 1,073	878 828 852	987 960 973	931 884 906	818 731 773	862 821 840	632 558 593	855 831 843	534 451 490
	(a) Acute .. { M. F. P.	? ? ?	219 241 230	265 297 282	198 230 215	238 279 260	221 259 241	191 209 200	203 240 222	123 135 129	188 228 209	105 115 110

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

‡ 97. Diseases of the nasal fossæ and annexa.† Mortality (1927)—Males 5, Females 5, Persons 5; (1928)—Males 7, Females 4, Persons 6; (1929)—Males 7, Females 5; Persons 6; (1930)—Males 8, Females 5, Persons 7.

§ 97 (2) Diseases of the accessory nasal sinuses.† Mortality (1930)—Males 7, Females 4; Persons 5.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1920*.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
	Bronchitis— <i>cont.</i>											
	(b) Chronic	{ M. ? F. ? P. ?	308 224 264	365 278 320	321 236 277	350 262 304	341 251 294	323 220 269	327 235 279	244 168 205	314 224 267	222 136 177
	(c and d) Not stated whether acute or chronic.	{ M. ? F. ? P. ?	402 389 395	471 470 471	359 362 360	399 418 409	369 374 372	304 303 303	332 345 339	265 254 259	353 379 367	207 199 203
100, 101	Pneumonia (all forms)† ..	{ M. 1,218 F. 788 P. 991	1,104 745 916	1,280 883 1,073	1,051 705 870	1,188 833 1,003	1,134 784 951	986 683 828	1,135 776 948	964 622 786	1,322 909 1,107	863 543 696
100	Broncho-pneumonia† ..	{ M. 583 F. 427 P. 501	517 409 460	664 526 592	487 383 433	618 497 555	566 456 509	506 401 451	588 454 518	445 344 392	683 553 616	392 296 342
101	Pneumonia (lobar or not otherwise defined).	{ M. 635 F. 361 P. 490	587 336 456	616 357 481	564 322 437	570 336 448	567 328 442	480 281 376	546 323 430	519 278 393	639 356 491	471 247 354
	(a) Lobar	{ M. 301 F. 158 P. 225	282 154 215	317 171 241	317 169 239	315 177 243	343 183 260	297 165 228	353 196 271	370 188 275	444 236 336	340 173 253
	(b) Not otherwise defined..	{ M. 334 F. 203 P. 265	304 182 240	299 186 240	247 153 198	255 159 205	225 145 183	183 116 148	194 127 159	149 90 118	195 120 156	131 74 101
102	Pleurisy	{ M. 44 F. 27 P. 36	43 25 34	42 26 33	44 25 34	40 25 32	38 21 29	37 20 28	34 23 28	36 21 29	42 24 33	35 17 26
	1. Empyema	{ M. 17 F. 7 P. 12	18 7 12	18 9 13	17 7 12	17 7 12	16 7 11	14 6 10	14 7 10	14 6 10	19 8 13	15 5 10
	2. Other pleurisy	{ M. 27 F. 20 P. 24	26 18 22	24 17 20	27 18 22	23 18 20	22 15 18	24 15 19	20 16 18	22 16 19	24 16 20	20 12 16
103	Congestion and hæmorrhagic infarct of lung.	{ M. 31 F. 31 P. 31	31 36 34	32 36 34	29 34 31	29 36 32	29 38 34	28 38 33	26 34 30	23 30 26	27 36 31	23 28 25
105	Asthma	{ M. 58 F. 38 P. 48	53 36 44	67 50 58	55 42 48	63 45 54	61 42 51	52 39 45	70 48 59	53 40 46	75 55 65	50 33 41
106	Pulmonary emphysema ..	{ M. 9 F. 3 P. 6	7 2 4	10 3 6	9 2 5	10 3 7	7 3 5	8 2 5	5 1 3	3 1 2	3 0 2	2 1 1
107	Other diseases of the respiratory system.†	{ M. ? F. ? P. ?	17 7 12	16 6 11	16 6 11	15 6 10	14 5 9	14 5 9	15 5 10	15 5 10	15 4 10	14 5 9
	(a) Chronic interstitial pneumonia.	{ M. 10 F. 2 P. 6	10 3 6	10 3 6	10 3 6	10 3 6	10 2 6	11 3 7	12 3 7	12 4 7	12 3 7	11 3 7
	b and c) Other diseases included under 107, including disease of the mediastinum.†	{ M. ? F. ? P. ?	8 4 6	6 3 5	6 3 5	5 3 4	4 2 3	4 2 3	4 2 3	3 1 2	4 1 2	3 1 2
108-127	VI. Diseases of the Digestive System.†	{ M. 892 F. 678 P. 779	1,062 815 933	746 596 668	784 620 698	748 584 662	803 620 707	805 619 708	754 578 662	764 593 675	801 605 699	751 565 654
108	Diseases of the buccal cavity and annexa.	{ M. 13 F. 9 P. 11	13 11 12	13 11 12	14 10 12	14 11 12	16 10 12	16 11 13	18 13 15	21 15 18	19 14 16	18 14 16
	1. Diseases of the teeth and gums.	{ M. 9 F. 7 P. 8	8 7 8	9 7 8	9 7 8	8 7 8	11 6 9	11 7 9	13 9 11	16 11 13	14 9 12	14 9 11
109	Diseases of the pharynx and tonsils.†	{ M. 18 F. 14 P. 16	19 15 17	16 14 15	13 12 13	13 11 12	19 14 16	17 16 17	22 21 21	25 26 26	29 30 29	28 27 28
	1. Tonsillitis, etc., adenoid vegetations.†	{ M. 14 F. 12 P. 13	13 12 13	12 11 12	11 10 10	11 9 10	15 12 13	14 13 14	18 18 18	20 22 21	23 25 24	23 23 23
	2. (See footnote †.)											

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

‡ 109 (2). Other diseases included under 109. Mortality (1929)—Males 6, Females 5, Persons 6; (1930)—Males 5, Females 5, Persons 5.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
111	Ulcer of the stomach or duodenum. {	M. 95	88	94	115	115	132	142	158	150	161	168
		F. 49	42	43	45	44	49	48	49	48	50	50
		P. 70	64	68	79	78	89	93	101	97	103	107
	(a) Ulcer of the stomach .. {	M. 64	56	62	74	74	84	93	102	97	104	109
		F. 42	37	37	37	36	40	40	42	40	42	42
		P. 52	46	49	55	54	61	65	70	67	72	74
	(b) Ulcer of the duodenum {	M. 31	31	32	41	41	48	50	56	53	57	60
		F. 7	6	6	8	8	9	9	7	9	8	8
		P. 18	18	19	24	24	28	28	31	30	31	33
112	Other diseases of the stomach {	M. 94	82	68	62	59	53	53	42	39	35	33
		F. 78	73	65	56	55	52	46	41	41	36	32
		P. 86	78	67	59	57	53	49	42	40	36	33
	1. Inflammation of the stomach. {	M. 80	71	57	51	49	44	43	33	33	29	26
		F. 68	64	56	49	48	45	40	36	37	32	28
		P. 74	67	57	50	48	44	42	35	35	30	27
	2. Other diseases included under 112. {	M. 14	12	11	11	10	9	10	9	6	6	6
		F. 10	9	9	7	7	8	6	5	4	4	5
		P. 12	10	10	9	8	8	8	7	5	5	5
113, 114	Diarrhoea and enteritis .. {	M. 345	526	219	246	219	245	246	176	187	202	157
		F. 249	382	165	194	167	186	188	141	143	156	121
		P. 294	451	191	218	192	214	215	158	164	178	138
	1. Ulceration of the intestines. {	M. 5	6	6	6	6	7	7	7	6	7	6
		F. 8	7	6	8	9	8	8	8	9	9	9
		P. 6	7	6	7	7	7	8	8	8	8	8
	2. Colitis {	M. 14	14	11	11	10	9	11	10	9	10	8
		F. 10	9	9	7	7	8	6	5	4	4	5
		P. 12	10	10	9	8	8	8	7	5	5	5
	3. Other diseases included under 113, 114. {	M. 340	506	202	229	204	229	228	160	172	186	143
		F. 241	360	148	172	148	167	167	122	125	137	102
		P. 288	430	174	199	175	197	196	140	147	161	121
117	Appendicitis and typhlitis .. {	M. 78	82	84	88	83	87	82	81	86	87	89
		F. 58	62	61	61	60	61	58	60	60	57	60
		P. 67	72	72	74	71	74	69	70	73	71	74
118	Hernia, intestinal obstruction {	M. 118	116	117	115	117	115	115	121	120	132	123
		F. 105	105	105	109	104	105	106	109	103	110	106
		P. 112	111	111	111	110	110	110	115	111	120	114
	(a) Hernia {	M. 45	42	46	45	47	45	45	51	53	57	50
		F. 44	45	44	46	47	46	45	49	47	50	48
		P. 45	44	45	45	47	45	45	50	50	54	49
	(b) Intestinal obstruction .. {	M. 73	75	71	70	70	71	70	70	67	75	74
		F. 61	60	61	63	57	59	61	60	56	59	57
		P. 67	67	66	66	63	65	65	65	61	67	65
119	Other diseases of the intestines {	M. 13	12	13	13	12	13	12	14	14	16	16
		F. 11	12	11	12	12	13	12	12	13	14	16
		P. 12	12	12	12	12	13	12	13	14	15	16
	1. Intestinal stasis .. {	M. ?	?	?	?	4	4	4	4	4	4	3
		F. ?	?	?	?	5	6	5	5	5	5	5
		P. ?	?	?	?	4	5	5	5	4	4	4
	2. Other diseases included under 119. {	M. ?	?	?	?	8	9	8	10	11	12	13
		F. ?	?	?	?	7	7	7	7	9	9	11
		P. ?	?	?	?	7	8	7	8	10	11	12
122	Cirrhosis of the liver .. {	M. 66	71	70	63	61	65	65	65	64	62	58
		F. 30	33	31	30	31	32	32	32	33	29	27
		P. 47	51	50	46	45	47	48	47	48	45	42
	(a) Returned as alcoholic .. {	M. 5	6	6	5	5	5	4	9	11	9	8
		F. 2	3	2	3	3	2	2	5	5	4	3
		P. 3	4	4	4	4	3	3	7	8	7	5
	(b) Not returned as alcoholic. {	M. 61	66	64	58	56	60	61	56	53	53	50
		F. 28	30	29	27	28	29	30	27	28	25	23
		P. 44	47	46	42	41	44	44	41	40	38	36
123	Biliary calculi {	M. 12	14	15	14	16	17	15	17	18	17	17
		F. 29	34	35	38	36	38	39	41	44	43	42
		P. 21	25	26	27	27	28	28	30	31	31	30

* Based on civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
124	Other diseases of the liver .. { M. F. P.	19 22 21	19 25 22	20 29 25	21 29 25	22 29 25	23 34 29	24 36 30	20 33 26	23 37 30	21 38 30	24 39 32
125	Diseases of the pancreas .. { M. F. P.	6 4 5	6 5 5	6 5 6	7 7 7	7 7 7	8 9 9	8 8 8	10 11 10	10 11 11	10 13 12	10 13 11
126	Peritonitis of unstated origin { M. F. P.	10 13 12	9 12 10	8 14 11	8 13 11	8 11 10	7 13 10	6 13 10	6 12 9	5 13 9	7 11 9	7 12 10
128-142	VII. Non-venereal Diseases of the Genito-urinary System { M. F. P.	577 375 470	577 377 473	576 389 479	573 388 476	585 377 476	580 390 481	587 398 488	638 425 527	668 457 558	704 473 584	698 477 583
128	Acute nephritis (including unspecified under 10 years of age). { M. F. P.	47 38 42	44 34 39	42 32 37	39 32 35	39 33 36	41 32 36	39 34 36	37 30 33	32 28 30	30 29 29	31 28 29
129	Chronic nephritis (including unspecified over 10 years of age). { M. F. P.	326 250 286	315 254 283	322 271 295	314 269 290	319 258 287	310 268 288	313 270 290	343 297 319	366 328 346	385 341 362	383 345 363
131	Other diseases of the kidneys and annexa. { M. F. P.	15 13 14	16 14 15	17 14 16	15 15 15	20 17 19	18 17 18	20 19 20	18 21 20	18 22 20	18 22 20	20 23 21
132	Calculi of the urinary passages. { M. F. P.	10 5 7	10 6 8	11 5 8	12 5 8	11 4 7	11 5 8	10 5 7	11 6 8	13 6 9	16 7 12	13 8 10
133	Diseases of the bladder .. { M. F. P.	49 11 29	50 12 30	44 11 27	43 13 27	39 11 24	35 13 23	39 14 26	36 15 25	32 17 24	29 18 23	27 16 21
	1. Cystitis { M. F. P.	? ? ?	45 11 27	40 11 25	40 12 25	37 10 23	33 12 22	37 13 24	34 14 24	30 17 23	27 17 22	25 15 20
134	Diseases of the urethra, urinary abscess, etc. { M. F. P.	21 0 10	21 0 10	21 0 10	22 0 11	21 0 10	18 0 9	20 0 10	21 1 10	23 0 11	24 1 12	21 1 11
	(a) Stricture of the urethra { M. F. P.	? ? ?	17 — 8	17 — 8	18 — 9	17 — 8	16 — 8	17 — 8	19 0 9	22 — 10	23 0 11	20 — 10
135	Diseases of the prostate ... M.	104	118	116	125	133	143	145	169	180	198	199
137	Cysts and other tumours of the ovary not returned as malignant { F.	16	15	14	14	14	14	15	13	14	15	15
138	Salpingitis and pelvic abscess in females.† { F.	?	13	13	12	11	13	12	12	10	11	11
	1. Salpingitis† F.	?	11	10	10	9	11	10	10	9	10	9
139	Tumours of the uterus not returned as malignant { F.	18	18	18	18	18	19	20	21	21	18	20
141	Other diseases of the female genital organs.† { F.	22	8	7	8	7	7	7	8	9	9	9
	1. Other diseases of the uterus.† { F.	11	7	6	6	5	5	6	6	6	7	7
143-150	VIII. The Puerperal State .. F.	210	168	149	144	141	143	140	131	142	135	138
143	Accidents of pregnancy .. F.	18	17	16	18	16	16	16	16	13	14	13
	(a) Abortion† F.	6	5	5	5	6	4	4	4	4	3	3
	(b and c) Other accidents including ectopic gestation. { F.	12	11	11	13	11	11	12	12	9	11	10
144	Puerperal hæmorrhage .. F.	26	24	20	21	19	18	17	16	16	15	17
145	Other accidents of childbirth F.	21	19	15	15	16	16	17	14	16	14	14

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
146	Puerperal sepsis F.	88	59	54	49	50	55	54	50	58	56	60
147	Puerperal phlegmasia alba dolens, embolism, sudden death. } F.	18	16	15	14	12	12	10	9	11	9	9
	2. Puerperal embolism and sudden death. } F.	15	13	12	11	9	10	9	7	9	8	8
148	Puerperal albuminuria and convulsions. } F.	38	30	28	26	26	25	26	26	27	25	23
151-154	IX. Diseases of the Skin and Cellular Tissue.†	M. 105 F. 81 P. 92	M. 97 F. 73 P. 85	M. 90 F. 73 P. 81	M. 86 F. 70 P. 78	M. 88 F. 70 P. 79	M. 93 F. 76 P. 84	M. 90 F. 71 P. 80	M. 82 F. 68 P. 75	M. 89 F. 65 P. 77	M. 88 F. 68 P. 77	M. 78 F. 62 P. 69
151	Gangrene { M. F. P.	39 34 36	40 29 34	37 31 34	30 29 30	37 28 32	35 30 32	34 27 30	30 27 28	28 21 24	29 25 27	23 20 21
	1. Senile gangrene.. .. { M. F. P.	35 30 32	36 26 31	34 27 30	28 27 27	34 26 30	32 27 30	32 25 28	28 26 27	25 19 22	27 23 25	21 18 19
152	Carbuncle, boil { M. F. P.	12 5 8	12 5 8	11 5 8	13 5 9	11 5 8	13 6 9	14 7 10	14 7 10	16 7 12	16 8 12	18 8 13
153	Cellulitis, acute abscess† .. { M. F. P.	28 18 22	21 16 19	22 14 18	20 15 17	19 13 16	22 16 19	21 15 18	18 13 16	22 15 19	24 15 19	19 15 17
	1. Cellulitis† { M. F. P.	19 12 15	14 11 12	15 9 12	14 10 12	14 10 12	17 12 14	17 12 14	13 10 12	18 12 15	19 12 15	16 12 13
	2. Acute abscess† { M. F. P.	9 6 7	7 6 6	7 5 6	6 5 5	5 4 4	5 4 5	4 4 4	4 3 4	4 4 4	5 3 4	4 3 3
154	Other diseases of the skin and its annexa. { M. F. P.	27 24 25	24 23 23	20 23 21	23 21 22	21 23 22	23 24 24	21 22 21	21 21 21	23 22 22	19 20 20	18 19 18
	1. Ulcer, bed sore { M. F. P.	7 11 9	6 11 8	5 11 8	7 8 7	4 10 7	5 10 8	4 9 7	4 8 6	5 8 7	4 7 5	3 6 4
	2-4. Other diseases under 154, including eczema and pemphigus. { M. F. P.	20 13 16	18 12 15	15 12 13	16 13 15	17 13 15	18 14 16	17 12 15	17 13 15	18 14 16	15 13 14	15 13 14
155-158	X. Diseases of the Bones and Organs of Locomotion.†	M. 27 F. 18 P. 22	M. 27 F. 15 P. 20	M. 27 F. 16 P. 21	M. 28 F. 14 P. 21	M. 29 F. 16 P. 22	M. 28 F. 17 P. 22	M. 27 F. 16 P. 21	M. 30 F. 17 P. 23	M. 32 F. 16 P. 24	M. 31 F. 19 P. 25	M. 30 F. 17 P. 23
155	Diseases of the bones† .. { M. F. P.	21 12 16	21 11 16	21 12 16	21 11 16	22 12 17	22 12 17	21 13 17	23 13 18	25 12 18	24 14 19	23 13 18
	1. Acute infective osteomyelitis and periostitis. { M. F. P.	? ? ?	15 6 11	17 7 12	16 6 11	17 7 12	16 7 11	14 7 11	17 8 12	19 7 13	17 9 13	17 8 12
	2. Other diseases of the bones. { M. F. P.	? ? ?	5 5 5	4 5 4	5 5 5	5 5 5	6 5 5	7 5 6	6 5 5	6 5 5	7 5 6	6 5 5
156	(See Footnote †).											
159	XI. Congenital malformations. { M. F. P.	131 97 113	119 85 101	112 85 98	111 78 94	106 74 90	110 80 95	109 78 93	106 79 92	110 80 94	111 85 98	116 81 98
	1. Congenital hydrocephalus. { M. F. P.	10 7 8	11 6 8	8 7 7	11 6 8	8 6 7	9 6 7	9 6 7	9 6 7	7 4 6	8 5 6	7 5 6
	2. Congenital malformation of heart. { M. F. P.	54 36 45	45 31 38	45 31 38	44 29 36	43 27 35	43 30 36	41 30 36	42 29 35	41 31 36	43 32 37	47 31 38
	3. Other congenital malformations. { M. F. P.	67 54 60	63 48 55	59 47 53	56 43 50	55 42 48	58 44 51	59 42 50	55 44 49	62 45 53	60 48 54	62 45 53

* Based on civilian deaths and civilian population.

† See Note to this heading in Table 4.

‡ 156. Diseases of the joints. Mortality (1930)—Males 5, Females 4, Persons 5.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
160-163	XII. Diseases of Early Infancy { M. F. P.	951 625 779	838 570 698	725 482 599	657 445 545	652 450 547	607 421 510	586 396 487	556 374 461	535 359 443	543 367 451	512 344 425
160	Congenital debility, sclerema and icterus. { M. F. P.	287 171 226	225 141 181	177 111 143	160 97 127	151 92 120	147 89 117	128 82 104	102 62 81	97 54 75	94 54 73	83 47 65
	1. Congenital debility and sclerema. { M. F. P.	263 158 208	204 130 165	158 102 129	140 88 113	134 83 108	135 81 107	116 75 94	88 54 70	84 47 65	80 48 63	71 41 55
	2. Icterus neonatorum .. { M. F. P.	24 13 18	21 12 16	19 9 14	20 9 14	17 8 12	13 8 10	12 7 10	14 7 10	13 7 10	14 6 10	12 7 9
161	Premature birth, injury at birth. { M. F. P.	593 407 494	552 384 464	492 333 409	446 311 375	449 316 380	413 291 349	405 276 338	406 279 340	391 269 327	403 276 337	382 262 320
	1. Premature birth .. { M. F. P.	551 385 463	513 361 433	455 315 382	412 290 348	415 297 354	378 272 322	371 256 311	367 255 309	351 245 296	358 252 303	338 237 285
	2. Injury at birth .. { M. F. P.	42 22 31	40 23 31	37 18 27	34 21 27	35 19 26	36 19 27	35 20 27	39 24 31	40 25 32	45 24 34	44 25 34
162	Other diseases peculiar to early infancy. { M. F. P.	61 42 50	53 38 45	49 32 41	45 31 37	44 35 39	40 35 37	45 30 37	41 27 34	41 30 35	40 31 35	42 29 35
	2. Atelectasis .. { M. F. P.	50 32 40	43 30 36	40 24 32	37 23 29	34 26 30	31 26 28	34 22 28	33 20 26	31 22 27	31 21 26	32 20 25
	1. and 3. Other diseases under 162, including diseases of umbilicus. { M. F. P.	11 10 10	10 9 9	9 8 9	8 8 8	10 8 9	9 9 9	11 8 9	8 7 8	9 8 8	10 10 10	10 9 10
163	Lack of care .. { M. F. P.	10 7 9	8 7 7	7 6 6	6 6 6	8 7 7	7 6 6	8 8 8	8 6 7	7 6 6	6 6 6	6 5 5
164	XIII. Old Age .. { M. F. P.	619 785 706	623 815 723	648 836 746	575 738 660	561 755 662	548 745 651	537 713 629	487 664 579	422 572 500	448 615 535	385 520 455
	1. Senile dementia .. { M. F. P.	30 37 34	32 42 37	36 45 41	35 40 38	35 42 39	41 47 44	38 52 45	42 51 46	45 55 50	46 62 54	41 54 47
	2. Other forms of senile decay. { M. F. P.	589 748 673	592 772 686	612 791 705	540 698 622	526 713 623	508 698 607	499 661 583	445 613 533	377 517 450	402 553 481	344 466 408
165-203	XIV. External Causes .. { M. F. P.	691 260 463	643 246 436	631 248 428	660 249 445	643 258 442	687 273 471	687 283 477	745 298 512	777 322 540	795 330 553	812 324 558
165-174	Suicide .. { M. F. P.	134 51 90	153 50 99	156 54 100	157 53 103	142 54 96	153 61 105	166 66 114	184 71 125	180 72 124	183 73 126	185 74 127
165, 166	By solid or liquid poisons and corrosive substances. { M. F. P.	10 7 8	11 9 10	13 10 11	13 9 11	12 10 11	14 10 12	17 14 16	21 16 19	20 14 17	19 15 17	21 15 18
167	By poisonous gas.. { M. F. P.	9 6 7	13 7 10	18 9 13	24 12 18	20 10 15	25 15 20	31 17 24	35 17 25	35 20 28	43 22 32	44 25 34
168	By hanging or strangulation. { M. F. P.	32 8 19	37 8 22	37 8 21	34 6 20	31 7 19	33 8 20	36 7 21	36 8 21	37 8 22	36 7 21	33 6 19
169	By drowning .. { M. F. P.	27 20 24	32 16 24	29 17 22	29 16 22	27 16 21	27 16 21	30 17 23	31 18 24	32 17 24	29 16 22	29 16 22

* Based on civilian deaths and civilian population.

TABLE 5.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES, FEMALES, AND PERSONS—*cont.*

List No.	Causes of Death.	1920.*	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
	Suicide— <i>contd.</i>											
170	By firearms { M. F. P.	12 1 6	14 1 7	14 0 7	13 1 6	10 0 5	11 1 5	11 0 6	12 1 6	12 1 6	12 1 6	13 0 7
171	By cutting or piercing instruments. { M. F. P.	32 5 18	33 6 19	32 6 18	31 5 17	29 5 16	30 5 17	28 5 16	34 6 19	30 5 17	31 6 18	28 4 16
172-174	By other means { M. F. P.	12 4 8	12 4 8	13 4 8	13 4 9	13 5 9	15 6 10	11 5 8	15 5 10	14 6 10	14 7 10	16 7 12
175-196, 201-203	Violent deaths, excluding suicide and homicide. { M. F. P.	549 201 365	484 189 330	470 188 323	496 191 336	495 199 341	528 205 359	514 210 356	556 222 382	591 246 411	606 252 422	621 247 426
175-177	Accidental poisoning .. { M. F. P.	6 3 5	7 5 6	6 3 4	5 4 4	5 3 4	7 5 6	4 4 4	4 4 4	6 5 5	4 4 4	6 4 5
179	Accidental burns (conflagration excepted). { M. F. P.	42 53 48	39 45 42	40 49 45	41 43 42	35 45 40	39 43 41	31 38 35	36 38 37	34 40 37	36 46 41	32 36 34
180	Accidental mechanical suffocation. { M. F. P.	24 17 20	23 15 19	19 13 16	18 11 14	17 12 15	16 13 14	17 11 14	16 12 14	16 12 14	15 11 13	15 10 13
181	(See Footnote †)											
182	Accidental drowning .. { M. F. P.	83 18 49	87 17 50	68 14 40	76 15 44	67 15 40	70 16 42	67 12 39	67 15 40	69 15 41	66 13 38	62 13 36
185	Accidental injury by fall .. { M. F. P.	95 61 77	83 56 69	79 64 71	74 65 69	77 66 71	85 68 76	83 74 78	85 78 81	92 87 89	93 85 89	94 86 90
186	Accidental injury in mining and quarrying. { M. F. P.	55 0 26	37 — 18	51 0 24	60 0 29	60 — 29	55 — 26	36 — 17	56 — 27	51 — 24	53 — 26	50 — 24
187	Accidental injury by machinery. { M. F. P.	18 1 9	10 0 5	10 0 5	11 1 6	12 0 6	11 0 6	9 0 4	12 0 6	12 0 6	10 0 5	9 0 5
188	Accidental injury by other forms of crushing (vehicles, railways, &c.). { M. F. P.	174 36 101	154 36 92	156 33 91	164 37 98	186 48 114	204 48 122	226 57 138	241 62 148	270 74 168	286 79 178	306 83 190
190	Wounds of war { M. F. P.	9 — 4	6 — 3	4 — 2	4 — 2	3 — 2	3 — 2	4 — 2	4 0 2	4 — 2	4 — 2	4 — 2
194	Excessive heat { M. F. P.	1 1 1	7 6 7	3 1 2	12 5 8	1 1 1	4 2 3	3 2 2	0 0 0	3 1 2	3 1 2	8 3 6
197-199	Homicide { M. F. P.	7 8 8	6 7 7	5 6 5	7 5 6	6 5 6	6 7 7	7 7 7	5 5 5	5 5 5	5 5 5	6 4 5
202	Other and unstated forms of accidental violence, execution. { M. F. P.	17 4 10	10 3 6	12 3 7	12 4 8	9 4 6	11 4 8	11 4 7	11 4 8	13 4 8	10 4 7	13 4 8
204-205	XV. Ill-defined Diseases .. { M. F. P.	63 43 52	60 40 50	57 40 48	54 36 44	50 33 41	50 34 41	44 28 36	34 22 28	26 17 21	26 17 21	23 15 19
204	Sudden death { M. F. P.	7 4 6	11 6 8	11 6 8	11 6 8	9 5 7	9 5 7	9 4 6	8 4 6	7 4 5	7 4 5	6 4 5
205	Cause of death unstated or ill-defined. { M. F. P.	56 38 47	50 34 42	46 34 40	43 30 36	41 28 34	41 29 35	35 25 30	26 17 21	19 13 16	19 13 16	17 11 14
	1. Heart failure (1-70 yrs.) { M. F. P.	35 23 29	30 19 24	31 20 25	27 19 23	26 17 22	28 17 22	25 17 21	19 11 15	13 8 11	13 8 11	11 7 9
	2. Other ill-defined causes { M. F. P.	17 13 15	17 14 15	13 13 13	13 10 12	13 9 11	11 9 10	7 6 7	5 5 5	4 4 4	4 4 4	4 3 3

* Based on civilian deaths and civilian population.

† 181. Accidental absorption of irrespirable or poisonous gas. Mortality (1922)—Males 6, Females 3, Persons 5; (1926)—Males 6, Females 5, Persons 5; (1927)—Males 6, Females 4, Persons 5; (1928)—Males 5, Females 4, Persons 5; (1929)—Males 7, Females 5, Persons 6; (1930)—Males 6, Females 3, Persons 4.

TABLE 5A.—ENGLAND AND WALES.—STANDARDIZED† ANNUAL DEATH RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES AND FEMALES.

List No.	Causes of Death.			1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
	ALL CAUSES {M. F.	13,201 10,681	12,523 10,241	12,852 10,577	11,436 9,303	11,842 9,693	11,878 9,683	11,236 9,099	11,810 9,552	11,104 8,900	12,714 10,372	10,767 8,546
1	Enteric fever {M. F.	16 12	17 15	13 11	12 11	13 13	10 10	10 8	10 8	11 10	9 9	8 7
7	Measles {M. F.	257 238	80 72	195 181	181 157	157 143	182 162	121 111	131 119	159 143	125 121	165 142
8	Scarlet fever {M. F.	44 46	40 41	41 45	31 30	25 29	30 32	22 20	18 19	17 20	23 23	23 26
9	Whooping cough {M. F.	136 172	139 175	188 236	120 146	114 133	177 216	124 152	114 142	95 117	202 261	66 85
10	Diphtheria {M. F.	172 187	144 156	129 128	82 88	75 81	85 91	91 101	87 91	104 106	109 121	117 120
11	Influenza {M. F.	301 236	232 195	526 481	209 169	440 393	297 253	212 171	504 438	185 139	623 550	119 83
21	Erysipelas {M. F.	22 20	19 17	19 14	15 14	17 14	21 17	20 15	19 16	22 16	24 19	25 20
22	Acute poliomyelitis {M. F.	5 3	6 5	4 5	4 4	5 4	5 4	8 7	7 5	6 4	5 4	5 5
23	Encephalitis lethargica {M. F.	? ?	19 19	8 9	14 12	38 33	34 34	33 32	30 26	25 26	25 23	21 21
24	Meningococcal meningitis {M. F.	19 15	15 11	13 10	9 9	10 8	12 9	13 10	17 11	16 12	23 16	24 18
1-37	Tuberculosis (all forms) {M. F.	1,248 1,010	1,233 1,011	1,241 985	1,164 942	1,156 934	1,143 904	1,058 839	1,061 854	1,015 812	1,057 820	974 781
31	Respiratory system {M. F.	940 737	944 757	963 745	900 707	904 708	895 691	829 638	838 660	803 625	846 641	775 606
32	Nervous system {M. F.	121 108	113 100	112 98	103 98	97 91	100 90	93 87	99 87	87 80	89 82	85 80
33	Intestines and peritoneum {M. F.	65 67	66 63	56 54	56 56	54 52	50 48	45 43	40 39	39 39	37 35	34 32
38	Syphilis {M. F.	74 56	64 48	50 37	48 30	42 28	39 25	43 26	45 29	50 28	45 26	45 25
3-49	Cancer, malignant disease {M. F.	921 939	947 970	958 965	972 979	999 985	1,023 991	1,011 995	1,018 984	1,032 1,000	1,031 999	1,031 987
50	Tumours not returned as malignant.† {M. F.	16 11	17 12	17 12	18 13	18 12	17 13	20 13	19 14	18 14	18 12	18 14
51	Rheumatic fever {M. F.	54 59	48 48	45 49	43 45	41 47	45 54	44 49	37 45	35 45	35 41	38 42
2 (2)	Rheumatoid and osteo-arthritides.* {M. F.	19 42	19 45	24 48	23 47	24 46	23 51	24 51	31 56	32 62	35 72	32 61
57	Diabetes {M. F.	87 82	92 89	101 97	90 94	86 88	81 94	86 91	88 101	91 101	95 111	93 108
8 (a)	Pernicious anæmia {M. F.	? ?	46 60	50 59	44 54	45 57	46 57	47 61	45 56	30 39	32 39	35 42
63	Diseases of the adrenals {M. F.	5 6	4 5	4 5	5 5	5 5	5 6	4 6	4 6	4 6	4 6	4 5
5 (a)	Leukæmia {M. F.	13 9	13 9	14 9	14 11	14 11	15 12	17 12	17 14	18 12	17 15	18 13
5 (b)	Lymphadenoma (Hodgkin's disease). {M. F.	11 6	13 5	13 6	11 6	14 7	12 6	14 6	14 7	13 8	15 6	15 8
71	Meningitis {M. F.	82 68	81 69	74 61	66 57	63 49	61 47	52 45	50 40	42 34	46 37	37 31
72	Tabes dorsalis (locomotor ataxy). {M. F.	24 4	26 5	29 5	26 5	26 4	25 5	26 4	26 5	25 4	29 5	22 4

* See Note to this heading in Table 4.

† See Note re Standardized death rates at foot of Table 3.

‡ Excluding brain and female genital organs.

TABLE 5A.—ENGLAND AND WALES.—STANDARDIZED† ANNUAL DEATH RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920–1930.—MALES AND FEMALES—*cont.*

List No.	Causes of Death.		1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
74	Cerebral hæmorrhage, apoplexy, etc.	{M. F.	550 538	539 525	555 542	531 524	530 515	528 509	509 502	459 457	412 424	446 438	405 415
76	General paralysis of the insane	{M. F.	61 10	59 12	65 13	64 12	55 12	56 11	51 11	54 11	49 10	42 10	40 8
77	Other forms of insanity	.. {M. F.	15 22	14 22	16 22	13 21	13 20	16 21	19 24	19 27	20 28	21 27	18 23
78	Epilepsy {M. F.	62 49	60 51	60 51	57 47	58 48	56 45	56 42	57 43	55 47	55 45	56 42
79, 80	Convulsions (non-puerperal) ..	{M. F.	244 184	208 148	164 122	140 104	124 94	128 91	115 84	92 67	81 55	85 63	76 51
84 (2)	Cerebral tumour {M. F.	25 22	26 23	26 23	27 23	27 22	25 22	28 24	28 25	30 25	29 25	30 25
84 (3)	Disseminated sclerosis*	.. {M. F.	? ?	13 14	17 14	15 15	16 14	16 14	17 16	16 16	16 15	16 16	15 15
84 (4)	Paralysis agitans* {M. F.	? ?	16 11	18 12	18 14	19 13	23 17	22 15	24 17	25 16	28 17	23 18
86	Diseases of the ear and mastoid sinus.	{M. F.	41 31	40 31	40 29	38 28	35 26	38 29	41 27	42 31	43 33	49 34	45 35
87–90	Heart diseases* {M. F.	1,235 1,099	1,203 1,107	1,301 1,218	1,210 1,129	1,267 1,181	1,322 1,220	1,298 1,188	1,412 1,303	1,474 1,349	1,835 1,658	1,706 1,486
88 (1)	Infective endocarditis	.. {M. F.	32 21	40 24	35 24	29 23	27 24	26 22	25 25	26 24	23 23	23 24	24 25
88 (2)	Other acute endocarditis*	.. {M. F.	21 21	18 18	14 16	15 14	14 14	14 16	12 15	11 14	10 12	10 13	9 10
88 (3)	Acute myocarditis* {M. F.	12 11	6 5	6 6	7 7	9 8	10 10	11 11	11 10	12 10	13 11	9 8
89	Angina pectoris* {M. F.	32 13	34 13	44 17	46 18	53 19	55 19	52 20	79 27	101 35	131 45	156 53
90 (1)	Aortic valve disease {M. F.	570 519	90 32	95 34	88 35	87 32	89 36	87 33	90 34	91 35	96 35	88 36
90 (2)	Mitral valve disease {M. F.		156 212	169 229	155 211	148 211	147 206	139 193	157 222	165 232	177 249	154 219
90 (3)	Aortic and mitral valve disease.	{M. F.		24 15	23 15	21 16	21 14	20 16	20 12	23 18	27 24	30 22	27 21
90 (4)	Other or unspecified valve disease.*	{M. F.		273 263	271 283	246 248	251 260	245 240	231 229	224 236	217 224	227 238	200 213
90 (5)	Fatty heart {M. F.		49 47	50 50	56 57	54 56	52 53	51 54	51 47	50 54	48 54	53 54
90 (7)	Other or unspecified myocardial disease.*	{M. F.	? ?	209 189	269 245	281 254	341 300	409 361	446 388	526 460	601 525	894 781	838 699
90 (8)	Disordered action of the heart	{M. F.	8 8	11 11	13 13	15 17	19 23	24 29	27 33	33 41	28 40	31 45	31 40
90 (9)	Heart disease (undefined) {M. F.	? ?	257 248	271 250	222 208	218 203	206 189	176 164	160 148	132 120	134 127	107 96
91 (a)	Aneurysm {M. F.	36 7	35 8	36 8	34 8	35 7	34 9	32 9	36 9	37 9	37 10	38 10
91 (b)	Arterio-sclerosis* {M. F.	308 168	349 188	396 216	399 219	432 241	451 252	454 255	545 321	581 352	458 295	398 261
91(b)1	With record of cerebral vascular lesion.	{M. F.	? ?	101 67	118 78	122 79	123 87	136 91	131 89	190 136	221 161	217 156	210 153
93	Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.)	{M. F.	6 9	5 9	6 10	6 9	5 9	7 9	7 10	6 11	8 11	7 11	7 12
97–107	Diseases of the respiratory system.*	{M. F.	2,499 1,822	2,176 1,609	2,510 1,896	1,973 1,451	2,217 1,682	2,108 1,572	1,851 1,349	2,060 1,513	1,649 1,151	2,258 1,670	1,438 958
97 (2)	Diseases of the accessory nasal sinuses.*	{M. F.	? ?	2 2	3 2	3 2	3 1	3 2	4 2	4 4	5 3	5 4	7 4

* See Note to this heading in Table 4.

† See Note re Standardized death rates at foot of Table 3.

TABLE 5A.—ENGLAND AND WALES.—STANDARDIZED† ANNUAL DEATH RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920–1930.—MALES AND FEMALES—*cont.*

List No.	Causes of Death.				1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
98	Diseases of the larynx .. {M. F.				32 28	23 18	20 14	14 11	15 9	15 11	13 10	13 9	12 11	12 9	12 7
99	Bronchitis* {M. F.				1,057 830	876 703	1,023 837	790 641	884 733	832 674	719 546	749 600	548 412	735 601	452 328
99 (a)	Acute {M. F.				? ?	223 215	264 254	190 190	227 227	212 212	183 170	193 188	120 113	178 179	101 94
99 (b)	Chronic {M. F.				? ?	265 162	313 200	270 166	293 184	281 173	261 149	260 156	190 109	243 145	169 87
100	Broncho-pneumonia* .. {M. F.				661 523	584 483	738 612	516 420	656 545	615 506	559 457	671 528	510 404	795 653	446 343
101 (a)	Lobar pneumonia {M. F.				280 147	260 140	291 154	285 150	285 158	307 161	264 146	313 169	325 162	390 202	295 145
101 (b)	Pneumonia (not otherwise defined). {M. F.				323 201	292 174	286 179	229 141	236 145	208 134	173 107	183 120	139 86	185 113	123 68
102 (1)	Empyema {M. F.				17 8	18 8	18 9	16 7	17 8	16 8	14 6	14 7	14 7	18 8	15 6
102 (2)	Other pleurisy {M. F.				23 17	22 15	21 14	23 14	19 14	18 11	20 12	17 12	18 12	19 13	16 9
103	Congestion and hæmorrhagic infarct of lung. {M. F.				30 27	30 29	30 29	27 25	26 26	26 27	25 27	23 23	20 21	23 24	19 18
105	Asthma {M. F.				49 31	45 28	56 38	45 31	52 34	49 31	41 29	55 35	41 29	58 38	38 24
107 (a)	Chronic interstitial pneumonia. {M. F.				8 2	8 2	8 2	8 2	8 2	8 2	8 2	9 2	9 3	9 2	8 2
108– 127	Diseases of the digestive system.* {M. F.				925 703	1,125 867	735 566	760 586	715 542	778 586	783 587	718 528	734 544	780 565	713 510
111 (a)	Ulcer of the stomach .. {M. F.				56 36	48 31	53 30	62 30	62 29	70 31	76 30	83 31	77 29	82 30	85 30
111 (b)	Ulcer of the duodenum .. {M. F.				27 6	27 5	28 5	35 6	35 6	40 7	41 7	47 5	43 6	46 6	47 6
112	Other diseases of the stomach {M. F.				100 84	86 74	69 61	61 51	57 48	52 46	51 41	41 36	38 35	34 30	32 27
112 (1)	Inflammation of the stomach {M. F.				86 72	75 66	59 53	51 46	48 43	44 40	43 36	33 32	32 32	29 27	26 23
117	Appendicitis and typhlitis .. {M. F.				77 58	81 62	82 59	86 59	82 59	85 60	80 56	78 51	82 57	84 53	84 55
118 (a)	Hernia.. .. {M. F.				41 34	38 35	41 33	39 34	40 34	39 33	38 32	43 34	44 32	48 34	40 32
118 (b)	Intestinal obstruction .. {M. F.				73 55	73 53	70 53	67 54	65 48	67 50	66 51	67 49	64 47	71 50	69 48
122	Cirrhosis of the liver .. {M. F.				54 23	58 25	56 25	51 23	47 23	49 23	49 23	48 22	47 23	45 20	41 18
123	Biliary calculi {M. F.				10 22	12 25	13 26	12 28	13 26	14 27	12 27	13 28	13 29	13 29	13 28
124	Other diseases of the liver .. {M. F.				18 18	17 20	18 22	18 22	19 22	20 25	20 26	16 23	18 25	16 26	19 26
125	Diseases of the pancreas .. {M. F.				5 4	5 4	5 5	5 5	6 5	6 7	6 6	8 8	8 8	8 9	7 9
126	Peritonitis of unstated origin {M. F.				10 13	9 12	8 14	8 14	7 12	7 15	6 14	6 13	5 14	7 13	7 14
128	Acute nephritis (including unspecified under 10 years of age). {M. F.				45 38	42 33	40 31	37 30	37 31	38 30	36 32	35 28	31 27	28 28	30 25
129	Chronic nephritis (including unspecified over 10 years of age). {M. F.				278 198	267 197	272 208	262 205	265 195	254 200	250 195	271 213	284 230	297 237	289 234

* See Note to this heading in Table 4.

† See Note re Standardized death rates at foot of Table 3.

TABLE 5A.—ENGLAND AND WALES.—STANDARDIZED† ANNUAL DEATH RATES FROM CERTAIN CAUSES AT ALL AGES TO A MILLION LIVING, 1920-1930.—MALES AND FEMALES—*cont.*

List No.	Causes of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930
132	Calculi of the urinary passages {M. F.	9 4	9 5	9 4	10 4	9 3	9 4	8 3	9 4	10 5	13 5	10 6
133 (1)	Cystitis {M. F.	? ?	40 8	35 8	35 9	32 7	28 9	30 9	27 10	24 11	21 11	20 10
134 (a)	Stricture of the urethra ... M.	?	14	14	15	13	12	13	15	16	17	15
135	Diseases of the prostate .. M.	92	104	102	107	114	121	117	135	140	154	150
139	Tumours of the uterus not F. returned as malignant.	14	15	14	14	14	15	16	16	16	14	15
151	Gangrene {M. F.	36 25	37 21	34 23	27 20	33 20	31 20	29 18	25 18	23 13	24 16	18 13
151 (1)	Senile gangrene {M. F.	32 21	33 18	31 19	25 18	30 17	28 18	27 16	23 16	20 11	22 14	16 11
152	Carbuncle, boil {M. F.	10 4	10 5	10 4	11 5	10 4	11 5	12 6	12 6	14 7	13 7	15 7
153 (1)	Cellulitis* {M. F.	17 11	13 10	14 8	13 9	13 9	15 10	15 11	12 9	16 10	16 10	14 9
154 (1)	Ulcer, bed sore {M. F.	6 9	5 8	5 8	6 5	4 7	4 7	3 6	3 6	4 5	3 4	2 4
155 (1)	Acute infective osteomyelitis and periostitis. {M. F.	? ?	16 7	18 8	18 7	19 9	17 9	16 9	19 10	22 9	19 12	20 10
164	Old age {M. F.	586 550	588 557	608 568	530 492	515 500	499 488	472 453	418 415	349 348	373 377	313 312
165- 203	External causes {M. F.	665 251	609 232	594 228	619 226	601 233	642 244	639 252	690 264	719 283	735 290	746 281
165- 174	Suicide {M. F.	118 44	130 43	132 45	134 45	120 45	128 50	136 55	151 57	147 57	148 58	149 58
175- 196 201- 203	Violent deaths excluding suicide and homicide. {M. F.	539 198	472 182	457 177	478 175	475 183	508 186	495 190	534 201	567 220	582 226	591 218
79	Accidental burns (conflagra- tion excepted). {M. F.	48 59	44 49	46 53	45 46	38 47	43 45	35 41	42 42	40 44	43 49	38 39
185	Accidental injury by fall .. {M. F.	86 46	76 41	72 47	66 47	69 47	74 48	72 50	73 53	78 57	79 56	79 56
204- 205	Ill-defined diseases {M. F.	56 40	54 37	49 35	46 32	43 28	42 29	37 24	28 18	22 14	21 14	19 12
204	Sudden death.. .. {M. F.	6 4	9 5	9 5	9 5	7 4	7 4	7 3	6 3	6 2	5 3	4 3
205 (1)	Heart failure (1-70 years) .. {M. F.	29 19	25 15	25 15	22 14	21 13	22 13	20 13	14 8	10 6	10 6	8 5

* See Note to this heading in Table 4.

† See Note re Standardized death rates at foot of Table 3.

TABLE 6.—ENGLAND AND WALES.—ANNUAL DEATH-RATES FROM THE PRINCIPAL EPIDEMIC OR GENERAL DISEASES, 1851-1930.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages (Standardized).								At Ages under 15 Years.					
	Enteric Fever.	Small-pox.	Influenza.	Encephalitis Lethargica.	Tuberculosis (All forms).	Tuberculosis of Respira- tory System.	Cancer.	Diabetes.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Acute Polio-myelitis.	Meningococcal Meningitis.
1851-60					3,478	2,772	326		1,151			1,418		
1861-70		149			3,263	2,590	396		1,221	2,617	1,148	1,475		
1871-80	321	228			2,882	2,231	484		1,038	1,908	765	1,415		
1881-90	199	45			2,444	1,810	610		1,227	903	823	1,259		
1891-1900	175	14	363		2,021	1,418	767		1,217	439	894	1,115		
1901-10	91	13	208		1,646	1,143	867	93	973	311	584	876		
1911-20	34	0	566		1,375	1,007	928	98	891	141	447	596	13	45
1921-30	11	1	310	25	993	768	991	95	416	74	306	437	11	31
1851-55					3,638	2,890	320		1,114			1,439		
1856-60		180			3,328	2,663	341		1,185	2,201	1,379	1,398		
1861-65		205			3,316	2,625	381		1,265	2,646	1,422	1,437		
1866-70		97			3,217	2,558	416		1,180	2,589	891	1,511		
1871-75	371	392			2,956	2,327	460		1,023	2,018	807	1,378		
1876-80	275	76			2,818	2,141	515		1,051	1,806	726	1,450		
1881-85	218	78			2,558	1,922	567		1,138	1,160	848	1,269		
1886-90	181	13			2,342	1,704	650		1,313	656	799	1,250		
1891-95	175	20	418		2,138	1,504	725		1,174	498	896	1,151		
1896-1900	176	7	311		1,912	1,337	805		1,260	380	893	1,079		
1901-05	113	25	189		1,739	1,208	849	88	1,016	366	668	940		
1906-10	70	0	224		1,556	1,082	882	97	930	257	503	813		
1911-15	47	0	164		1,389	1,005	932	107	1,110	185	444	681	14	41
1916-20	22	0	965		1,359	1,009	924	91	665	96	449	509	12	48
1921-25	13	0	319	22	1,065	816	976	91	449	92	310	484	11	25
1926-30	9	1	301	26	922	721	1,004	97	381	55	302	387	12	37
1889	177	1			2,279	1,637	674		1,457	646	825	1,216		
1890	180	0	160		2,403	1,748	693		1,240	665	785	1,358		
1891	169	2	582		2,325	1,659	708		1,237	465	719	1,335		
1892	138	15	540		2,156	1,517	704		1,317	519	821	1,307		
1893	230	49	329		2,158	1,509	723		1,075	629	1,074	991		
1894	160	27	222		1,987	1,419	723		1,136	461	978	1,198		
1895	176	7	426		2,072	1,426	764		1,106	418	889	927		
1896	167	17	122		1,899	1,327	770		1,685	495	981	1,274		
1897	157	1	196		1,933	1,356	791		1,214	414	805	1,097		
1898	182	8	331		1,915	1,325	804		1,256	320	788	973		
1899	198	6	390		1,908	1,339	829		948	334	953	965		
1900	174	3	504		1,904	1,337	830		1,199	340	936	1,090		
1901	155	11	173		1,807	1,263	841	91	850	380	888	965		
1902	126	75	222		1,739	1,229	836	83	1,211	427	768	924		
1903	101	23	187		1,741	1,196	856	84	854	364	592	893		
1904	93	15	166		1,780	1,228	854	91	1,141	330	564	1,109		
1905	90	3	199		1,634	1,130	856	91	1,025	333	532	809		
1906	92	1	178		1,647	1,138	880	94	871	301	587	768		
1907	68	0	256		1,606	1,125	866	93	1,157	275	541	944		
1908	75	0	275		1,585	1,099	874	98	729	236	521	899		
1909	60	1	241		1,524	1,063	895	99	1,145	273	484	654		
1910	53	1	172		1,422	988	893	103	750	200	384	798		
1911	67	1	113		1,456	1,035	909	99	1,173	158	433	705	16	31
1912	44	0	137		1,361	995	925	103	1,150	168	376	756	13	25
1913	41	0	161		1,340	958	948	108	951	175	392	492	15	25
1914	46	0	148		1,345	988	943	111	816	233	510	722	13	29
1915	37	0	257		1,440	1,053	933	113	1,458	189	510	730	13	97
1916	29	0	210		1,423	1,046	935	109	478	112	468	546	13	59
1917	26	0	174		1,479	1,085	930	90	941	62	393	411	11	62
1918	25	0	3,024		1,539	1,165	913	84	892	82	430	918	14	41
1919	15	1	1,169		1,229	918	915	89	334	104	447	248	12	40
1920	14	1	267		1,123	833	928	85	675	119	510	417	9	37
1921	16	0	213	19	1,117	845	957	90	212	106	432	435	12	30
1922	12	1	503	9	1,107	848	959	99	542	109	373	607	10	27
1923	12	0	189	13	1,049	798	973	92	508	83	250	399	9	21
1924	13	0	416	36	1,039	801	988	87	464	74	231	384	11	22
1925	10	0	274	34	1,017	788	1,002	88	520	86	262	594	11	27
1926	9	0	191	32	942	730	999	89	340	57	283	408	16	28
1927	9	1	470	28	952	744	996	95	359	49	257	367	12	33
1928	11	1	161	26	909	709	1,011	97	430	49	303	300	12	33
1929	9	1	587	24	932	738	1,010	104	346	57	328	649	10	45
1930	7	1	101	21	872	685	1,003	101	431	64	340	211	11	48

Note.—The rates throughout the table are based on total deaths and population (including non-civilians). Those for 1915-1920 may therefore differ from those published elsewhere based on civilian deaths and population.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHs: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES AND FROM CERTAIN OTHER CAUSES, 1929 AND 1930.

(Note.—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at All Ages.*										Mortality per 1,000 Live Births.													
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping Cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		The Puerperal State.			
																					Puerperal Sepsis.		Others.	
	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.
England and Wales ..	1	1	10	8	959	898	793	739	86	105	160	51	18	19	87	88	74	60	8.26	6.15	1.80	1.92	2.53	2.48
<i>Administrative Counties (including London).</i>	1	1	10	8	862	808	710	661	49	95	150	44	17	18	81	83	68	56	6.46	5.19	1.77	1.87	2.51	2.54
Bedfordshire ..	—	—	—	14	763	872	609	720	—	18	47	37	23	23	51	65	51	46	3.80	2.24	1.58	0.96	3.80	1.60
Berkshire ..	—	—	—	9	680	700	522	550	33	23	116	23	14	14	79	75	64	41	3.49	2.45	0.95	2.15	1.90	0.61
Buckinghamshire ..	—	—	4	8	660	668	547	539	23	53	85	30	23	11	89	103	61	41	4.10	1.99	1.79	2.24	2.05	2.73
Cambridgeshire ..	—	—	8	15	788	540	668	445	15	7	8	37	8	22	150	88	46	42	1.13	1.08	2.27	1.62	1.13	3.78
Cheshire ..	1	—	6	9	695	647	535	513	30	108	109	49	33	9	96	96	65	57	4.80	4.21	2.14	1.80	2.65	2.81
Cornwall ..	—	—	6	16	901	951	693	754	19	64	110	16	6	19	25	60	63	51	3.15	3.01	2.03	0.86	3.38	3.87
Cumberland ..	—	—	10	24	877	832	661	653	43	34	139	68	—	5	29	68	74	59	7.83	8.03	1.08	1.11	2.70	3.05
Derbyshire ..	—	—	10	8	708	593	545	427	32	90	90	52	14	11	72	97	68	61	5.96	5.02	1.73	1.70	2.02	2.46
Devonshire ..	—	—	9	7	815	831	689	698	2	34	63	56	11	9	59	90	54	48	3.32	1.97	1.49	1.64	3.49	2.30
Dorsetshire ..	—	—	4	4	691	851	564	666	—	50	51	63	21	17	212	101	48	47	4.01	2.43	1.87	2.16	2.67	3.51
Durham ..	1	—	9	14	1,065	1,067	812	769	232	92	192	103	13	18	79	65	95	74	11.75	6.06	2.27	2.24	2.95	2.60
Ely, Isle of ..	—	—	—	64	767	630	614	476	38	51	128	13	13	26	128	116	83	52	9.80	5.57	0.70	0.70	0.70	3.48
Essex ..	—	1	11	6	765	721	645	609	20	125	135	22	19	21	110	126	53	45	5.98	3.85	1.48	1.76	1.70	3.05
Gloucestershire ..	—	—	3	3	843	696	689	593	9	30	53	41	9	—	124	62	57	50	2.56	2.82	1.38	1.61	1.77	2.22
Herefordshire..	—	—	—	—	768	876	633	696	27	117	136	54	27	18	136	54	69	48	2.25	5.17	—	2.87	3.94	1.72
Hertfordshire..	—	—	5	5	734	630	591	546	10	69	96	10	29	8	52	58	48	42	4.27	4.06	1.78	2.20	2.49	2.37
Huntingdonshire ..	—	—	—	—	652	781	635	656	18	—	88	142	18	18	71	106	62	48	2.11	1.05	4.23	—	6.34	1.05
Kent ..	5	—	16	3	821	834	688	696	50	39	128	24	15	17	129	63	61	45	6.84	3.53	1.46	1.62	2.02	2.24
Lancashire ..	2	—	9	9	762	719	608	579	45	112	155	34	19	21	66	69	85	64	5.83	5.88	1.60	1.97	3.29	4.22
Leicestershire..	—	—	10	13	996	740	809	610	30	20	122	53	17	13	115	47	57	55	3.39	2.39	1.80	1.39	2.99	1.99
Lincolnshire, Holland	—	—	45	11	671	803	548	682	56	22	56	77	11	22	168	154	63	58	5.19	6.78	0.58	—	2.89	1.69
" Kesteven	—	—	—	9	666	720	545	570	9	9	74	93	—	19	46	84	60	63	3.81	3.24	—	—	2.72	2.70
" Lindsey	—	—	19	4	815	872	652	668	62	15	93	96	23	15	35	15	66	52	2.45	3.56	1.78	2.00	1.11	3.56
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
London ..	1	3	10	6	1,090	992	957	872	47	234	258	29	17	26	79	103	71	59	10.96	9.89	1.88	1.93	1.73	1.40
Middlesex ..	2	3	5	6	833	746	725	629	4	87	144	28	14	21	97	97	56	48	6.30	5.27	1.16	2.21	2.10	1.93
Norfolk ..	—	—	6	—	759	729	610	573	3	37	99	41	9	—	65	50	60	47	3.02	3.45	1.61	1.63	2.82	2.03
Northamptonshire ..	—	—	23	9	827	832	734	689	60	41	55	18	23	23	60	83	55	42	3.54	2.67	2.58	0.33	2.26	1.00
Northumberland ..	—	—	46	15	998	1,004	735	786	107	29	288	34	12	22	41	37	81	63	9.44	5.69	1.60	2.42	3.20	3.13
Nottinghamshire ..	—	2	2	20	799	785	610	649	28	75	107	61	33	25	75	46	76	62	5.45	4.78	2.39	2.07	2.13	2.07
Oxfordshire ..	—	—	8	8	834	742	710	577	23	8	117	8	16	8	55	24	52	38	3.44	1.52	0.98	1.52	1.96	0.51
Peterborough, Soke of ..	—	—	—	—	625	389	527	369	—	—	20	78	59	—	137	78	57	70	—	6.10	1.22	—	2.44	1.22
Rutlandshire ..	—	—	—	—	718	666	552	555	—	55	55	—	—	—	55	—	84	45	—	7.43	—	—	3.83	3.72
Shropshire ..	—	—	8	16	740	575	604	436	29	49	82	25	—	4	74	66	66	57	3.64	4.15	0.49	1.71	2.91	3.66
Somersetshire ..	—	—	10	—	714	625	593	534	10	7	94	35	12	10	74	69	48	46	2.28	1.89	1.41	2.07	2.28	2.24
Southampton ..	—	—	7	2	772	687	620	543	21	132	104	53	14	21	83	50	56	44	4.33	2.48	2.23	1.44	1.44	2.35
Staffordshire ..	—	—	4	4	834	818	693	671	96	113	220	66	11	8	69	65	79	64	6.93	6.72	1.30	1.66	3.20	1.74
Suffolk, East ..	—	—	5	—	819	774	614	648	—	19	81	68	5	5	100	73	48	44	1.51	1.45	1.82	1.74	3.33	0.58
„ West ..	—	—	18	19	838	610	746	460	—	9	101	19	18	19	83	28	51	32	0.64	1.32	1.28	1.32	2.56	4.62
Surrey ..	1	—	11	9	686	584	568	492	19	56	85	26	20	8	75	61	50	42	3.30	2.60	1.69	1.22	1.45	2.14
Sussex, East ..	—	—	4	15	731	725	595	592	4	55	30	26	11	22	33	15	50	39	2.61	2.00	0.29	2.00	2.61	2.57
„ West ..	—	—	19	—	629	708	535	569	5	28	38	23	—	23	33	42	49	38	2.76	3.71	1.38	1.35	2.07	2.36
Warwickshire ..	—	3	11	8	874	629	703	510	45	83	160	28	11	6	48	74	60	50	3.78	3.20	2.58	1.68	1.72	2.86
Westmorland ..	—	—	16	—	475	674	364	502	32	—	95	31	16	16	32	31	54	63	6.27	4.19	1.04	2.10	3.13	6.29
Wight, Isle of ..	—	—	—	12	941	809	767	633	12	59	35	70	—	—	—	47	45	30	7.94	—	3.53	1.82	3.53	1.82
Wiltshire ..	—	—	—	3	593	614	500	492	30	40	60	44	13	10	73	145	55	51	2.61	1.91	2.39	1.91	3.48	1.27
Worcestershire ..	—	—	10	—	810	833	645	679	75	16	94	29	6	23	52	48	71	50	5.86	4.43	2.62	3.42	2.42	2.22
Yorkshire, East Riding ..	—	—	11	12	737	673	579	574	51	18	45	35	6	18	79	35	58	53	6.71	5.23	1.77	0.75	3.89	2.61
„ North ..	—	—	9	9	748	841	553	672	110	88	132	116	16	13	35	50	76	58	5.34	3.63	1.29	1.99	2.39	3.08
„ West ..	1	1	22	18	871	772	661	571	103	58	177	55	45	28	77	88	89	65	6.96	4.59	2.27	2.43	2.97	3.82
Anglesey ..	—	—	19	—	1,286	1,290	1,052	1,108	39	20	117	161	—	—	39	40	88	68	7.76	7.98	3.88	1.33	—	3.99
Brecknockshire ..	—	—	17	34	1,029	999	793	741	17	86	169	103	—	—	101	103	74	65	3.11	4.29	3.11	1.07	2.07	4.29
Caernarvonshire ..	—	—	8	8	1,294	1,269	1,156	1,095	16	100	218	75	8	—	73	41	83	63	2.92	4.00	1.17	—	4.08	4.57
Cardiganshire ..	—	—	18	18	1,605	1,193	1,338	885	—	—	125	36	—	—	36	18	59	67	5.63	8.88	—	1.48	5.63	2.96
Carmarthenshire ..	—	—	17	6	1,103	897	960	736	6	33	121	61	6	17	121	138	81	73	6.91	1.46	1.73	—	3.80	5.11
Denbighshire ..	—	—	—	—	741	754	621	595	13	38	56	120	38	108	94	285	71	64	4.01	3.95	0.40	2.37	5.21	3.56
Flintshire ..	—	—	9	—	894	716	733	608	36	63	188	27	9	—	45	107	71	49	7.38	3.68	3.69	3.16	3.16	3.16
Glamorganshire ..	9	—	2	4	927	934	754	734	99	92	163	74	12	14	119	137	80	69	6.28	5.53	2.02	2.36	3.90	3.98
Merionethshire ..	1	—	—	—	1,117	1,444	1,003	1,257	—	93	205	47	—	—	23	93	67	74	5.98	4.72	2.99	—	5.98	4.72
Monmouthshire ..	3	6	17	6	801	870	645	680	108	34	209	71	8	14	75	82	68	65	5.61	5.68	3.27	2.21	4.21	3.15
Montgomeryshire ..	—	—	—	20	1,197	838	957	654	40	—	120	123	—	—	80	61	61	68	—	2.50	—	1.25	5.16	2.50
Pembrokeshire ..	—	—	11	—	999	963	850	812	—	12	69	35	—	—	172	186	69	56	4.24	3.58	2.82	3.58	2.82	2.86
Radnorshire ..	—	—	—	—	974	993	603	662	46	—	46	47	—	—	—	—	46	60	2.87	11.90	5.73	2.98	5.73	—

* Rates for England and Wales are based upon total deaths registered and total population in England and Wales.

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC DISEASES, &c., 1929 AND 1930—*continued.*
(*Note.*—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.		Mortality per Million Civilian Population at All Ages.										Mortality per 1,000 Live Births.												
		Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping Cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two years.		The Puerperal State.		
																						Puerperal Sepsis.		Others.
		1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	
<i>County Boroughs</i>																								
Barnsley	1	0	9	7	1,158	1,084	964	900	160	126	182	67	20	20	100	99	86	68	11.58	7.95	1.84	2.01	2.57	2.37
Barrow-in-Furness	—	—	28	14	1,088	820	781	640	84	70	404	70	56	56	28	14	121	70	4.61	5.41	1.32	1.35	4.61	2.03
Bath	—	—	15	—	833	1,077	678	804	108	—	77	46	46	46	15	46	82	70	7.02	2.90	2.63	2.90	1.75	1.93
Birkenhead	—	—	14	15	809	423	722	364	29	—	72	—	—	—	15	14	48	48	2.47	3.66	1.24	1.22	6.18	—
Birmingham	—	—	25	—	1,288	1,136	1,047	932	216	20	152	125	25	25	19	171	86	86	11.49	15.32	0.68	1.78	1.35	2.49
Blackburn	—	—	4	9	1,098	1,004	948	885	203	58	127	114	8	16	87	88	78	61	13.72	7.55	1.59	1.68	2.06	1.45
Blackpool	—	—	—	16	1,006	996	886	827	—	193	64	40	16	—	152	80	81	85	7.72	8.15	2.57	0.63	4.50	5.02
Bolton	6	—	10	—	812	659	661	557	—	91	30	30	—	—	70	71	57	67	3.72	7.62	0.93	0.95	2.79	2.86
Bootle	—	—	6	6	815	832	683	627	61	28	474	44	22	22	44	17	103	68	7.28	10.01	3.06	2.80	4.98	4.80
Bournemouth..	—	—	25	13	1,343	1,363	1,144	1,146	336	140	62	217	75	102	100	153	83	79	13.86	9.48	0.60	1.12	1.20	2.23
Bradford	—	—	10	—	976	789	873	645	—	41	10	10	31	10	134	51	47	46	2.91	4.62	2.91	0.92	0.97	0.92
Brighton	—	—	3	3	1,027	873	851	751	135	40	66	168	52	57	169	64	78	75	4.60	5.71	2.53	3.43	2.76	1.83
Bristol	7	—	—	7	967	901	763	791	20	144	34	48	—	14	136	76	54	51	8.07	7.66	1.51	1.02	0.50	2.55
Burnley	—	—	10	3	1,210	1,137	1,043	993	3	121	95	56	20	8	164	99	60	57	4.43	4.22	1.97	1.30	2.46	2.27
Burton-upon-Trent	—	—	20	10	938	923	739	692	30	100	429	80	20	10	70	70	105	75	14.26	11.93	2.14	3.73	2.85	—
Bury	—	—	20	—	899	808	776	626	—	—	20	20	41	—	143	202	47	52	1.21	1.23	1.21	—	8.47	6.13
Canterbury	—	—	—	18	845	848	669	654	35	35	158	53	18	—	88	—	79	69	5.15	6.80	6.44	4.08	—	1.36
Carlisle	—	—	—	42	875	846	788	677	—	—	88	42	44	42	44	338	49	53	10.26	5.28	2.56	2.64	—	5.28
Chester	—	—	—	—	712	933	623	739	267	18	410	88	—	18	178	18	74	68	4.95	7.92	2.97	5.94	1.98	3.96
Coventry	—	—	—	24	1,104	1,144	883	925	—	462	319	24	25	24	147	292	78	72	2.83	6.00	1.41	—	4.24	6.00
Croydon	—	—	6	—	1,104	1,019	993	905	204	66	241	12	6	12	234	247	73	55	4.11	8.50	1.64	3.24	2.47	2.43
Darlington	—	—	4	—	904	783	765	678	4	96	108	13	18	9	103	66	64	49	9.71	5.69	1.77	1.14	1.77	0.85
Derby	7	—	14	—	1,100	1,077	905	881	56	378	153	—	—	14	111	70	81	76	4.98	1.64	3.32	5.75	3.32	7.40
Dewsbury	—	—	7	—	868	872	726	739	43	127	142	21	14	70	121	148	71	70	4.95	7.06	2.06	0.83	2.06	1.66
Doncaster	—	—	—	—	943	966	641	799	75	93	226	—	—	—	37	37	95	64	11.25	4.59	1.25	—	5.00	3.44
Dudley	—	—	33	16	852	760	668	695	100	—	117	162	—	—	50	97	66	60	4.97	8.15	3.98	1.02	0.99	2.04
Eastbourne	—	—	—	17	1,054	1,025	935	907	374	302	187	17	—	—	85	—	109	66	13.73	16.41	1.72	—	0.86	1.64
East Ham	—	—	7	7	649	650	512	598	—	53	51	53	—	—	171	105	53	40	3.11	1.50	—	3.00	—	3.00
	—	—	—	—	874	967	840	849	14	97	136	55	20	14	285	138	57	49	8.30	5.30	2.31	2.21	3.23	1.33
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Exeter..	..	—	—	—	930	899	734	757	—	47	131	47	—	—	82	142	53	50	9.21	3.18	1.02	—	2.05	5.30
Gateshead	..	—	8	8	1,721	1,403	1,281	1,062	302	178	98	130	—	24	65	41	107	92	17.96	8.76	2.40	3.05	2.40	3.05
Gloucester	..	—	38	—	1,288	895	1,115	762	—	95	96	—	19	57	135	19	47	49	5.49	2.33	1.10	1.17	1.10	1.17
Great Yarmouth	..	—	—	—	981	1,187	826	943	—	122	86	105	—	—	52	52	59	57	2.31	5.61	3.47	1.12	1.16	1.12
Grimsby	..	—	22	22	1,269	1,230	1,061	947	142	109	87	65	—	33	77	22	88	74	11.95	9.74	—	1.15	2.39	—
Halifax	..	10	10	10	852	806	698	642	31	61	144	20	31	10	92	71	76	66	6.85	4.62	2.28	3.08	4.57	6.15
Hastings	..	—	16	16	910	885	687	708	16	177	32	16	—	16	64	64	35	57	3.94	5.22	1.31	—	1.31	1.30
Huddersfield	..	—	9	9	973	764	743	606	62	18	80	18	35	26	53	97	81	55	4.14	2.00	1.38	2.66	2.07	2.66
Ipswich	..	—	—	—	956	760	793	656	—	150	82	23	—	23	128	92	53	42	1.38	3.39	2.08	2.71	0.69	2.03
Kingston-upon-Hull	..	—	7	10	1,267	1,277	1,047	1,041	203	327	253	52	7	16	123	152	104	69	20.53	5.37	2.30	1.75	2.13	2.07
Leeds	—	6	4	1,306	1,110	1,072	903	213	4	230	66	61	46	52	112	97	68	10.90	4.23	1.48	1.72	2.96	2.38
Leicester	..	—	—	4	1,350	1,136	1,105	951	82	29	232	37	8	8	53	25	80	56	8.81	7.75	1.07	3.10	2.14	2.07
Lincoln	..	—	—	—	953	961	691	701	184	15	—	76	31	—	61	76	73	59	7.03	3.17	1.00	3.17	3.01	6.34
Liverpool	..	—	9	1	1,487	1,434	1,240	1,223	497	200	231	89	46	40	154	270	97	82	19.85	14.04	1.38	0.95	1.91	2.81
Manchester	..	—	8	11	1,444	1,400	1,247	1,185	86	194	297	47	12	13	75	75	97	77	18.38	12.92	1.84	2.65	2.83	2.33
Middlesbrough	..	—	—	—	1,746	1,613	1,370	1,364	346	315	181	279	23	15	23	59	100	81	19.58	9.68	1.61	2.72	2.89	1.21
Newcastle-on-Tyne	..	—	14	18	1,355	1,294	1,094	1,054	261	49	102	102	18	14	46	14	85	73	11.90	8.62	2.34	3.06	3.71	2.11
Northampton..	..	—	11	32	809	836	724	729	117	21	43	75	—	—	117	75	52	56	4.80	4.08	1.60	2.45	1.60	3.27
Norwich	..	—	—	—	945	717	801	621	—	143	184	72	—	16	40	56	75	45	5.03	2.53	1.01	2.53	2.01	2.03
Nottingham	..	—	—	4	1,263	1,133	1,068	981	142	26	120	89	7	26	214	126	97	75	15.61	12.79	0.88	1.54	2.42	2.21
Oldham	..	—	14	—	1,193	970	1,011	731	161	155	526	14	35	49	105	105	118	70	7.95	4.21	2.65	3.15	3.18	3.68
Oxford..	..	—	14	13	850	761	765	671	14	129	99	—	—	13	14	52	64	41	5.90	2.59	0.98	3.45	1.97	—
Plymouth	..	—	10	5	1,000	1,044	844	853	20	144	116	15	25	36	126	118	61	61	4.40	5.26	2.05	2.92	2.93	3.51
Portsmouth	..	—	8	4	938	1,062	793	891	4	433	79	26	29	39	103	69	67	59	15.25	9.39	1.59	1.64	1.82	0.94
Preston	..	—	8	8	864	1,020	690	816	151	16	230	8	16	8	32	57	105	73	12.20	5.57	2.03	4.56	4.07	2.03
Reading	..	—	21	21	1,229	1,061	1,074	948	72	—	72	31	—	—	52	62	51	53	6.22	1.42	1.38	—	2.07	1.42
Rochdale	..	—	11	—	880	692	737	538	11	165	209	11	—	—	143	66	77	66	5.41	5.62	4.63	3.21	4.63	6.43
Rotherham	..	—	—	—	819	810	664	696	14	256	113	28	—	57	14	142	87	76	7.34	7.59	3.67	0.76	3.67	3.04
St. Helens	..	—	9	—	1,053	912	833	672	449	64	119	74	55	18	101	37	114	80	8.41	4.27	3.10	2.13	2.66	2.99
Salford	..	—	8	13	1,379	1,482	1,201	1,256	140	300	450	87	17	13	161	130	124	83	33.87	16.98	1.77	3.09	2.28	2.32
Sheffield	..	—	10	10	958	860	790	688	27	129	102	64	42	17	66	39	87	67	6.52	5.87	3.13	2.17	3.13	2.43
Smethwick	..	—	23	—	1,081	786	952	668	294	23	200	12	—	23	23	246	80	66	9.23	5.86	1.98	4.56	3.30	—
Southampton..	..	—	17	11	1,387	1,252	1,143	1,109	6	235	168	34	23	23	145	161	64	58	6.41	6.29	2.24	2.52	2.24	1.57
Southend-on-Sea	..	—	—	—	855	944	759	858	17	52	26	17	9	9	26	26	65	41	7.19	5.42	1.44	—	3.59	2.71
Southport	..	—	12	26	675	880	575	715	37	26	12	38	12	38	37	77	74	74	4.46	4.49	1.12	4.49	3.35	7.87
South Shields..	..	—	—	—	1,915	1,665	1,413	1,245	192	26	201	26	8	9	25	129	122	93	13.59	10.85	3.40	2.09	1.70	3.76
Stockport	..	—	—	—	947	708	829	590	8	79	149	55	8	16	47	94	91	57	4.12	8.50	1.77	1.13	4.71	0.57
Stoke-on-Trent	..	—	4	11	1,222	1,248	1,043	1,009	201	43	93	72	4	7	39	36	105	70	10.79	8.87	1.14	1.63	2.46	1.99
Sunderland	..	—	16	43	1,543	1,349	1,033	666	821	70	239	91	5	—	49	70	109	78	21.16	7.54	2.68	1.41	1.95	2.36
Tynemouth	..	—	46	15	1,290	1,349	1,032	1,119	288	—	30	169	30	15	213	169	93	66	9.67	12.33	0.81	4.11	2.42	4.11

TABLE 7.—ADMINISTRATIVE COUNTIES AND COUNTY BOROUGH: MORTALITY AMONG THE CIVILIAN POPULATION FROM THE PRINCIPAL EPIDEMIC

DISEASES, &c., 1929 AND 1930—*continued*.

(Note.—The figures relate to the areas as constituted at the various dates.)

Administrative Counties and County Boroughs.	Mortality per Million Civilian Population at all Ages.												Mortality per 1,000 Live Births.											
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Tuberculosis of Respiratory System.		Measles.		Whooping Cough.		Scarlet Fever.		Diphtheria.		Total Deaths under One Year.		Diarrhoea and Enteritis under Two Years.		The Puerperal State.			
																			Puerperal Sepsis.		Others.			
	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.	1929.	1930.		
Wakefield ..	—	—	—	34	1,112	825	847	481	194	120	141	86	18	17	53	52	98	59	15.37	1.01	3.07	3.03	4.10	4.04
Wallasey ..	—	10	—	—	918	991	731	839	89	30	59	20	—	—	20	71	50	54	2.14	7.08	2.86	0.71	2.14	1.42
Walsall ..	—	—	—	—	1,209	1,088	1,049	961	270	157	440	59	—	10	150	118	100	69	14.65	6.80	1.01	1.94	4.04	3.40
Warrington ..	—	—	—	—	1,360	1,329	1,209	1,153	—	389	793	—	13	63	76	138	100	65	6.46	8.37	1.29	0.64	2.59	2.57
West Bromwich ..	—	—	12	—	878	834	693	699	544	110	396	12	12	49	37	37	106	66	15.46	8.38	2.38	1.20	1.78	1.20
West Ham ..	10	—	7	3	1,125	1,182	979	1,029	72	259	371	63	20	13	127	113	74	63	9.89	7.31	1.39	1.61	1.21	1.25
West Hartlepool ..	—	—	115	58	1,283	1,348	923	1,029	375	87	577	87	14	14	187	116	114	54	11.68	5.24	1.37	1.31	2.06	2.62
Wigan.. ..	—	—	11	23	1,005	1,071	776	864	457	541	205	12	23	23	46	46	129	107	9.04	7.60	2.58	2.53	7.75	5.07
Wolverhampton ..	—	—	7	7	916	909	782	723	52	164	112	104	—	15	45	97	60	65	7.12	6.17	1.58	2.88	1.98	1.65
Worcester ..	—	—	—	—	841	936	631	858	—	195	—	39	19	—	76	39	59	52	8.92	2.48	5.10	—	—	3.71
York ..	—	—	—	12	1,102	777	868	613	12	259	141	118	12	24	12	24	79	62	10.67	5.03	4.00	1.44	0.67	3.59
Cardiff.. ..	—	—	18	—	1,339	1,153	1,138	952	504	36	107	98	9	—	134	130	84	72	11.20	7.93	0.76	2.64	2.80	2.64
Merthyr Tydfil ..	—	—	13	—	1,080	1,024	900	808	193	256	193	121	13	—	527	310	107	92	7.53	7.63	—	1.70	5.02	2.54
Newport (Mon.) ..	—	—	—	11	1,292	1,206	1,156	1,075	177	—	229	87	10	—	83	11	70	56	4.10	2.41	0.59	1.81	4.10	1.81
Swansea ..	—	—	6	—	1,254	1,041	1,014	864	12	164	258	79	6	6	104	67	78	64	4.59	5.74	1.06	2.70	5.65	3.38

TABLE 8.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES UNDER ONE YEAR OF AGE, 1920-1930.

Cause of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
All Causes	76,552	70,250	60,121	52,582	54,813	53,316	48,757	45,610	42,960	47,868	38,908
I—Common Infectious Diseases (6-10, 25 : 2)	4,027	3,084	4,097	3,216	2,876	3,998	2,882	2,537	2,498	3,415	2,028
II—Tuberculous Diseases (31-37) ..	1,405	1,311	1,091	1,036	990	896	862	718	710	660	585
III—Diarrhœa and Enteritis (113) ..	7,641	11,705	4,347	5,169	4,616	5,307	5,394	3,740	4,099	4,597	3,522
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)	31,088	28,021	24,504	22,547	22,637	21,439	20,470	19,440	18,915	19,256	18,366
V—Miscellaneous Diseases— (Remainder)	32,391	26,129	26,082	20,614	23,694	21,676	19,149	19,175	16,738	19,940	14,407
Measles (7)	1,532	526	1,220	1,134	990	1,099	789	791	914	657	902
Whooping cough (9)	2,152	2,287	2,620	1,907	1,720	2,708	1,920	1,584	1,397	2,554	965
Diphtheria (10)	249	199	193	119	104	121	124	105	135	143	126
Influenza (11)	530	439	973	291	814	412	312	808	222	777	130
Tuberculosis of nervous system (32)	639	595	526	496	464	435	444	399	357	325	306
Tuberculosis of intestines and peritoneum (33)	367	386	274	229	224	192	173	114	128	128	86
Other tuberculous diseases (31, 34-37)	399	330	291	311	302	269	245	205	225	207	193
Syphilis (38)	1,443	1,214	874	797	666	585	586	505	471	413	360
Meningitis (71)	678	591	562	511	461	434	388	310	298	291	231
Convulsions (80)	5,347	4,322	3,538	3,171	2,916	2,824	2,524	1,911	1,624	1,702	1,456
Bronchitis (99)	7,208	4,538	4,821	3,446	4,045	3,655	2,939	2,762	2,309	2,725	1,718
Pneumonia (100, 101)	9,422	8,001	9,275	6,732	9,156	8,101	6,980	7,659	6,385	8,477	5,160
Other respiratory diseases (97, 98, 102-107)*	443	332	314	273	275	235	208	158	199	188	189
Inflammation of the stomach (112 : 1)	1,216	1,033	701	610	544	508	444	335	302	253	219
Diarrhœa and enteritis (113)	7,641	11,705	4,347	5,169	4,616	5,307	5,394	3,740	4,099	4,597	3,522
Hernia, intestinal obstruction (118)	617	536	514	468	405	442	412	384	408	432	399
Congenital malformations (159)	3,855	3,377	3,292	3,156	3,063	3,253	3,181	3,120	3,249	3,350	3,420
Congenital debility and sclerema (160 : 1)	7,751	6,250	4,904	4,331	4,182	4,156	3,690	2,768	2,555	2,504	2,198
Icterus (160 : 2)	681	614	524	553	483	397	372	402	391	389	376
Premature birth (161 : 1) ..	17,300	16,411	14,571	13,379	13,738	12,534	12,146	12,132	11,671	11,992	11,360
Injury at birth (161 : 2) ..	1,164	1,179	1,035	1,056	1,019	1,057	1,049	1,211	1,253	1,354	1,360
Disease of umbilicus (162 : 1)†	348	143	127	119	128	139	121	75	79	98	113
Atelectasis (162 : 2)	1,501	1,369	1,213	1,128	1,171	1,099	1,081	1,018	1,049	1,021	1,012
Suffocation—in bed or not stated how (180 pt.) ..	593	502	443	415	430	403	396	392	390	364	359
Other causes	3,476	3,371	2,969	2,781	2,897	2,951	2,839	2,722	2,850	2,927	2,748

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.

† Including other hæmorrhages of the newborn previous to 1921.

TABLE 9.—ENGLAND AND WALES.—INFANT MORTALITY (DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS) FROM VARIOUS CAUSES 1920-1930.

Cause of Death.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
All Causes	79·93	82·76	77·07	69·36	75·09	75·03	70·20	69·72	65·06	74·37	59·97
I—Common Infectious Diseases (6-10, 25 : 2)	4·20	3·63	5·25	4·24	3·94	5·63	4·15	3·88	3·78	5·31	3·13
II—Tuberculous Diseases (31-37)	1·47	1·54	1·39	1·36	1·36	1·26	1·24	1·10	1·08	1·03	0·90
III—Diarrhoea and Enteritis (113)	7·98	13·79	5·57	6·82	6·32	7·47	7·77	5·72	6·21	7·14	5·43
IV—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)	32·45	33·00	31·41	29·74	31·01	30·17	29·47	29·72	28·65	29·92	28·31
V—Miscellaneous Diseases (Remainder)	33·83	30·80	33·45	27·20	32·46	30·50	27·57	29·31	25·35	30·98	22·21
Measles (7)	1·60	0·62	1·56	1·50	1·36	1·55	1·14	1·21	1·38	1·02	1·39
Whooping cough (9)	2·25	2·69	3·36	2·52	2·36	3·81	2·76	2·42	2·12	3·97	1·49
Diphtheria (10)	0·26	0·23	0·25	0·16	0·14	0·17	0·18	0·16	0·20	0·22	0·19
Influenza (11)	0·55	0·52	1·25	0·38	1·12	0·58	0·45	1·24	0·34	1·21	0·20
Tuberculosis of nervous system (32)	0·67	0·70	0·67	0·65	0·64	0·61	0·64	0·61	0·54	0·50	0·47
Tuberculosis of intestines and peritoneum (33)	0·38	0·45	0·35	0·30	0·31	0·27	0·25	0·17	0·19	0·20	0·13
Other tuberculous diseases (31, 34-37)	0·42	0·39	0·37	0·41	0·41	0·38	0·35	0·31	0·34	0·32	0·30
Syphilis (38)	1·51	1·43	1·12	1·05	0·91	0·82	0·84	0·77	0·71	0·64	0·55
Meningitis (71)	0·71	0·70	0·72	0·67	0·63	0·61	0·56	0·47	0·45	0·45	0·36
Convulsions (80)	5·58	5·09	4·54	4·18	3·99	3·97	3·63	2·92	2·46	2·64	2·24
Bronchitis (99)	7·53	5·35	6·18	4·55	5·54	5·14	4·23	4·22	3·50	4·23	2·65
Pneumonia (100, 101)	9·84	9·43	11·89	8·88	12·54	11·40	10·05	11·71	9·67	13·17	7·95
Other respiratory diseases (97, 98, 102-107) *	0·46	0·39	0·40	0·36	0·38	0·33	0·30	0·24	0·30	0·29	0·29
Inflammation of the stomach (112 : 1)	1·27	1·22	0·90	0·80	0·75	0·71	0·64	0·51	0·46	0·39	0·34
Diarrhoea and enteritis (113)	7·98	13·79	5·57	6·82	6·32	7·47	7·77	5·72	6·21	7·14	5·43
Hernia, intestinal obstruction (118)	0·64	0·63	0·66	0·62	0·55	0·62	0·59	0·59	0·62	0·67	0·61
Congenital malformations (159)	4·02	3·98	4·22	4·16	4·20	4·58	4·58	4·77	4·92	5·20	5·27
Congenital debility and sclerema (160 : 1)	8·09	7·36	6·29	5·71	5·73	5·85	5·31	4·23	3·87	3·89	3·39
Icterus (160 : 2)	0·71	0·72	0·67	0·73	0·66	0·56	0·54	0·61	0·59	0·60	0·58
Premature birth (161 : 1)	18·06	19·33	18·68	17·65	18·82	17·64	17·49	18·55	17·68	18·63	17·51
Injury at birth (161 : 2)	1·22	1·39	1·33	1·39	1·40	1·49	1·51	1·85	1·90	2·10	2·10
Disease of umbilicus (162 : 1)†	0·36	0·17	0·16	0·16	0·18	0·20	0·17	0·11	0·12	0·15	0·17
Atelectasis (162 : 2)	1·57	1·61	1·55	1·49	1·60	1·55	1·56	1·56	1·59	1·59	1·56
Suffocation—in bed or not stated how (180 pt.)	0·62	0·59	0·57	0·55	0·59	0·57	0·57	0·60	0·59	0·57	0·55
Other causes	3·63	3·98	3·81	3·67	3·98	4·15	4·09	4·16	4·32	4·55	4·24

* Excluding Diseases of the accessory nasal sinuses and Diseases of the mediastinum previous to 1921.

† Including other hæmorrhages of the newborn previous to 1921.

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1930.

Cause of Death.		Sex.	Proportion of Deaths to 1,000 Live Births.																		
			All Infants.						Legitimate Infants.						Illegitimate Infants.						
			Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	
All Causes	..	{}	M	35.18	11.38	8.89	6.65	6.06	68.16	33.98	10.81	8.46	6.52	5.96	65.73	60.02	23.36	17.70	9.34	8.29	118.72
			F	26.47	7.83	6.68	5.45	5.00	51.42	25.37	7.46	6.42	5.33	4.99	49.57	49.50	15.46	12.08	7.80	5.11	89.95
			P	30.92	9.64	7.81	6.06	5.54	59.97	29.77	9.17	7.46	5.94	5.48	57.82	54.88	19.51	14.96	8.59	6.74	104.68
I. Common Infectious Diseases (6-10, 25:2)	{}	{}	M	0.07	0.41	0.52	0.82	1.43	3.26	0.07	0.41	0.51	0.82	1.40	3.21	0.07	0.33	0.86	0.99	2.11	4.34
			F	0.07	0.42	0.37	0.84	1.29	2.99	0.08	0.43	0.35	0.84	1.29	2.99	—	0.21	0.69	0.90	1.17	2.97
			P	0.07	0.41	0.45	0.83	1.36	3.13	0.07	0.42	0.43	0.83	1.35	3.10	0.03	0.27	0.77	0.94	1.65	3.67
II. Tuberculous Diseases (31-37)	{}	{}	M	0.01	0.08	0.23	0.31	0.37	0.99	0.01	0.07	0.22	0.31	0.36	0.98	—	0.13	0.33	0.26	0.53	1.25
			F	0.00	0.08	0.20	0.26	0.26	0.81	0.00	0.08	0.20	0.26	0.26	0.81	—	0.14	0.21	0.28	0.28	0.90
			P	0.01	0.08	0.21	0.29	0.32	0.90	0.01	0.08	0.21	0.29	0.31	0.89	—	0.13	0.27	0.27	0.40	1.08
III. Diarrhoea and Enteritis (113)	{}	{}	M	0.78	1.94	2.04	1.00	0.63	6.39	0.74	1.80	1.87	0.95	0.61	5.98	1.65	4.74	5.59	1.91	1.05	14.94
			F	0.45	1.21	1.45	0.86	0.46	4.43	0.42	1.09	1.36	0.82	0.44	4.13	1.17	3.59	3.38	1.73	0.76	10.63
			P	0.62	1.58	1.75	0.93	0.55	5.43	0.58	1.46	1.62	0.89	0.53	5.07	1.41	4.18	4.51	1.82	0.91	12.84
IV. Developmental and Wasting Diseases (159, 160, 161:1, 162:2)	{}	{}	M	26.27	4.17	1.03	0.31	0.21	31.98	25.64	3.93	0.96	0.29	0.19	31.03	39.29	9.08	2.37	0.59	0.59	51.92
			F	20.28	2.71	0.98	0.32	0.19	24.47	19.68	2.53	0.94	0.28	0.18	23.61	32.86	6.49	1.79	1.04	0.28	42.45
			P	23.34	3.46	1.00	0.31	0.20	28.31	22.72	3.25	0.95	0.29	0.19	27.40	36.15	7.82	2.09	0.81	0.44	47.30
V. Miscellaneous Diseases (Remainder)	{}	{}	M	8.05	4.79	5.07	4.21	3.42	25.54	7.52	4.59	4.90	4.15	3.39	24.54	19.02	9.08	8.55	5.59	4.01	46.26
			F	5.67	3.40	3.68	3.17	2.80	18.73	5.20	3.32	3.57	3.13	2.81	18.04	15.46	5.04	6.01	3.87	2.62	33.00
			P	6.88	4.11	4.39	3.70	3.12	22.21	6.39	3.97	4.25	3.65	3.11	21.36	17.28	7.11	7.31	4.75	3.34	39.79

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1930—*continued*.

		Proportion of Deaths to 1,000 Live Births.																	
Cause of Death.	Sex.	All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Measles (7)	M	0.02	0.03	0.11	0.45	0.97	1.58	0.02	0.03	0.11	0.45	0.94	1.54	—	0.07	0.20	0.53	1.71	2.50
	F	0.01	0.03	0.07	0.37	0.71	1.19	0.01	0.03	0.07	0.37	0.72	1.19	—	0.07	0.14	0.35	0.62	1.17
	P	0.01	0.03	0.09	0.41	0.84	1.39	0.01	0.03	0.09	0.41	0.83	1.37	—	0.07	0.17	0.44	1.18	1.85
Whooping cough (9)	M	0.05	0.33	0.35	0.31	0.33	1.37	0.05	0.34	0.34	0.31	0.33	1.36	—	0.13	0.59	0.39	0.33	1.45
	F	0.05	0.37	0.28	0.41	0.50	1.61	0.05	0.38	0.26	0.41	0.50	1.61	—	0.14	0.55	0.41	0.55	1.66
	P	0.05	0.35	0.31	0.36	0.42	1.49	0.05	0.36	0.30	0.36	0.42	1.48	—	0.13	0.57	0.40	0.44	1.55
Diphtheria (10)	M	0.00	0.03	0.05	0.05	0.10	0.24	—	0.03	0.04	0.05	0.10	0.23	0.07	0.13	0.07	0.07	0.07	0.39
	F	0.01	0.01	0.02	0.04	0.07	0.15	0.01	0.01	0.02	0.04	0.07	0.15	—	—	—	0.14	—	0.14
	P	0.01	0.02	0.03	0.05	0.08	0.19	0.01	0.02	0.03	0.05	0.09	0.19	0.03	0.07	0.03	0.10	0.03	0.27
Influenza (11)	M	0.01	0.04	0.07	0.04	0.05	0.21	0.01	0.03	0.07	0.04	0.05	0.21	—	0.13	0.07	0.07	0.07	0.33
	F	0.03	0.04	0.04	0.04	0.04	0.19	0.03	0.04	0.04	0.04	0.04	0.19	—	—	0.07	0.07	—	0.14
	P	0.02	0.04	0.05	0.04	0.05	0.20	0.02	0.04	0.05	0.04	0.05	0.20	—	0.07	0.07	0.07	0.03	0.24
Tuberculosis of system (32)	M	0.00	0.04	0.13	0.18	0.18	0.53	0.00	0.03	0.13	0.18	0.18	0.53	—	0.07	0.20	0.13	0.26	0.66
	F	0.00	0.03	0.09	0.15	0.14	0.41	0.00	0.03	0.09	0.15	0.14	0.40	—	0.07	0.07	0.21	0.21	0.55
	P	0.00	0.04	0.11	0.16	0.16	0.47	0.00	0.03	0.11	0.16	0.16	0.47	—	0.07	0.13	0.17	0.24	0.61
Tuberculosis of intestines and peritoneum (33)	M	—	0.03	0.02	0.04	0.05	0.14	—	0.03	0.02	0.04	0.05	0.14	—	0.07	0.07	0.07	—	0.20
	F	—	0.02	0.04	0.03	0.03	0.12	—	0.02	0.04	0.03	0.04	0.13	—	—	—	—	—	—
	P	—	0.03	0.03	0.03	0.04	0.13	—	0.03	0.03	0.03	0.05	0.13	—	0.03	0.03	0.03	—	0.10
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Other tuberculous diseases (31, 34-37)	M	0.01	0.01	0.08	0.09	0.13	0.32	0.01	0.01	0.08	0.09	0.13	0.31	—	0.07	0.07	0.26	0.39
	F	—	0.03	0.08	0.09	0.09	0.28	—	0.02	0.07	0.09	0.09	0.27	—	0.07	0.14	0.07	0.35
	P	0.00	0.02	0.08	0.09	0.11	0.30	0.00	0.02	0.07	0.09	0.11	0.29	—	0.03	0.10	0.07	0.37
Syphilis (38)	M	0.25	0.22	0.11	0.03	0.02	0.64	0.22	0.19	0.09	0.03	0.03	0.55	0.86	0.79	0.59	0.20	2.43
	F	0.18	0.16	0.07	0.03	0.03	0.47	0.16	0.13	0.05	0.02	0.02	0.38	0.62	0.97	0.48	0.14	2.28
	P	0.22	0.19	0.09	0.03	0.03	0.55	0.19	0.16	0.07	0.02	0.02	0.47	0.74	0.88	0.54	0.13	2.36
Meningitis (71)	M	0.04	0.08	0.11	0.11	0.10	0.43	0.03	0.08	0.10	0.10	0.10	0.42	0.07	0.07	0.20	0.07	0.59
	F	0.05	0.04	0.08	0.06	0.05	0.28	0.05	0.04	0.08	0.06	0.06	0.29	—	—	0.14	—	0.14
	P	0.04	0.06	0.09	0.09	0.08	0.36	0.04	0.06	0.09	0.08	0.08	0.36	0.03	0.03	0.10	0.17	0.37
Convulsions (80)	M	1.54	0.51	0.34	0.20	0.12	2.71	1.53	0.47	0.33	0.20	0.12	2.65	1.78	1.32	0.59	0.13	3.95
	F	0.90	0.33	0.22	0.16	0.13	1.75	0.90	0.32	0.21	0.17	0.13	1.73	0.90	0.62	0.55	0.14	2.35
	P	1.23	0.42	0.28	0.18	0.13	2.24	1.22	0.40	0.27	0.18	0.13	2.20	1.35	0.98	0.57	0.13	3.17
Bronchitis (99)	M	0.51	0.88	0.74	0.53	0.32	2.97	0.51	0.87	0.71	0.53	0.32	2.94	0.59	1.05	1.18	0.53	3.69
	F	0.35	0.64	0.66	0.37	0.30	2.31	0.34	0.64	0.63	0.36	0.30	2.27	0.55	0.48	1.17	0.55	3.11
	P	0.43	0.76	0.70	0.45	0.31	2.65	0.43	0.76	0.67	0.44	0.31	2.61	0.57	0.77	1.18	0.54	3.40
Pneumonia (100, 101)	M	0.76	1.82	2.26	2.26	1.96	9.07	0.73	1.76	2.23	2.22	1.94	8.87	1.45	3.22	2.76	3.22	13.10
	F	0.54	1.30	1.69	1.75	1.52	6.79	0.54	1.30	1.66	1.71	1.53	6.74	0.48	1.24	2.21	2.55	7.94
	P	0.65	1.57	1.98	2.01	1.75	7.95	0.64	1.53	1.95	1.97	1.74	7.83	0.98	2.26	2.49	2.90	10.58
Other respiratory diseases (97, 98, 102-107)	M	0.11	0.06	0.08	0.05	0.05	0.36	0.10	0.06	0.08	0.05	0.05	0.34	0.20	0.13	0.13	0.07	0.66
	F	0.07	0.03	0.05	0.04	0.03	0.22	0.06	0.03	0.05	0.04	0.03	0.21	0.21	0.14	0.07	—	0.48
	P	0.09	0.05	0.07	0.05	0.04	0.29	0.08	0.04	0.06	0.05	0.04	0.28	0.20	0.13	0.10	0.07	0.57
Inflammation of the stomach (112:1)	M	0.09	0.15	0.12	0.04	0.02	0.42	0.10	0.15	0.11	0.04	0.02	0.42	—	0.33	0.20	—	0.53
	F	0.05	0.07	0.06	0.03	0.03	0.25	0.05	0.07	0.06	0.04	0.03	0.24	0.07	0.14	0.14	0.07	0.41
	P	0.07	0.11	0.09	0.04	0.02	0.34	0.07	0.11	0.09	0.04	0.02	0.33	0.03	0.24	0.17	0.03	0.47
Diarrhoea and enteritis (113)	M	0.78	1.94	2.04	1.00	0.63	6.39	0.74	1.80	1.87	0.95	0.61	5.98	1.65	4.74	5.59	1.91	14.94
	F	0.45	1.21	1.45	0.86	0.46	4.43	0.42	1.09	1.36	0.82	0.44	4.13	1.17	3.59	3.38	1.73	10.63
	P	0.62	1.58	1.75	0.93	0.55	5.43	0.58	1.46	1.62	0.89	0.53	5.07	1.41	4.18	4.51	1.82	12.84
Hernia, intestinal obstruction (118)	M	0.14	0.10	0.28	0.22	0.09	0.83	0.14	0.10	0.28	0.22	0.09	0.84	—	0.07	0.26	0.20	0.53
	F	0.08	0.03	0.15	0.08	0.05	0.39	0.07	0.03	0.14	0.08	0.05	0.38	0.21	—	0.41	0.07	0.69
	P	0.11	0.07	0.22	0.15	0.07	0.61	0.11	0.07	0.21	0.15	0.07	0.62	0.10	0.03	0.34	0.13	0.61

TABLE 10.—ENGLAND AND WALES.—INFANT MORTALITY BY SEX, AGE, CAUSE, AND LEGITIMACY, 1930—*continued*.

		Proportion of Deaths to 1,000 Live Births.																	
Cause of Death.	Sex.	All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Congenital malformations (159)	M	3.71	1.45	0.44	0.18	0.13	5.91	3.72	1.42	0.44	0.18	0.13	5.90	3.49	1.97	0.39	0.13	0.26	6.25
	F	2.99	0.83	0.48	0.19	0.11	4.60	2.99	0.81	0.48	0.19	0.11	4.58	2.97	1.45	0.48	0.14	0.07	5.11
	P	3.36	1.15	0.46	0.18	0.12	5.27	3.36	1.12	0.46	0.19	0.12	5.25	3.23	1.72	0.44	0.13	0.17	5.69
Congenital debility and sclerema (160 : 1) ..	M	2.41	1.04	0.45	0.11	0.08	4.09	2.30	0.92	0.40	0.10	0.06	3.78	4.74	3.62	1.51	0.46	0.33	10.66
	F	1.54	0.57	0.35	0.12	0.07	2.65	1.49	0.51	0.32	0.08	0.07	2.46	2.49	1.93	1.04	0.90	0.21	6.56
	P	1.99	0.81	0.40	0.12	0.07	3.39	1.91	0.72	0.36	0.09	0.06	3.14	3.64	2.80	1.28	0.67	0.27	8.66
Icterus (160 : 2) ..	M	0.63	0.07	0.01	0.00	—	0.71	0.62	0.07	0.01	0.00	—	0.71	0.72	—	—	—	—	0.72
	F	0.36	0.08	0.01	—	—	0.44	0.35	0.08	0.01	—	—	0.44	0.41	0.07	—	—	—	0.48
	P	0.49	0.07	0.01	0.00	—	0.58	0.49	0.07	0.01	0.00	—	0.58	0.57	0.03	—	—	—	0.61
Premature birth (161 : 1) ..	M	17.76	1.55	0.13	0.01	0.00	19.46	17.25	1.47	0.11	0.01	0.00	18.85	28.36	3.22	0.46	—	—	32.05
	F	14.13	1.20	0.14	0.01	0.00	15.48	13.58	1.12	0.13	0.01	0.00	14.85	25.47	2.90	0.28	—	—	28.65
	P	15.98	1.38	0.13	0.01	0.00	17.51	15.46	1.30	0.12	0.01	0.00	16.89	26.95	3.07	0.37	—	—	30.39
Injury at birth (161 : 2) ..	M	2.47	0.03	0.01	—	0.00	2.51	2.42	0.03	0.01	—	0.00	2.46	3.49	0.07	—	—	—	3.55
	F	1.64	0.01	0.00	0.00	—	1.66	1.62	0.01	0.00	0.00	—	1.63	2.14	0.07	—	—	—	2.21
	P	2.06	0.02	0.01	0.00	0.00	2.10	2.03	0.02	0.01	0.00	0.00	2.06	2.83	0.07	—	—	—	2.90
Disease of umbilicus (162 : 1) ..	M	0.15	0.04	—	—	—	0.18	0.15	0.04	—	—	—	0.18	0.20	—	—	—	—	0.20
	F	0.14	0.03	—	—	—	0.16	0.13	0.03	—	—	—	0.16	0.21	—	—	—	—	0.21
	P	0.14	0.03	—	—	—	0.17	0.14	0.03	—	—	—	0.17	0.20	—	—	—	—	0.20

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Atelectasis (162:2) ..	M	1.75	0.06	—	—	1.81	1.74	0.05	—	—	—	1.79	1.97	0.26	—	—	—	2.24
	F	1.27	0.03	—	—	1.29	1.25	0.02	—	—	—	1.28	1.52	0.14	—	—	—	1.66
	P	1.52	0.04	—	—	1.56	1.50	0.04	—	—	—	1.54	1.75	0.20	—	—	—	1.95
Suffocation—in bed or stated how (180 pt.)	M	0.28	0.15	0.13	0.02	0.03	0.26	0.14	0.10	0.02	0.03	0.55	0.72	0.33	0.79	0.07	—	1.91
	F	0.20	0.15	0.11	0.02	0.01	0.17	0.16	0.11	0.02	0.00	0.45	0.90	0.14	0.21	—	0.07	1.31
	P	0.24	0.15	0.12	0.02	0.02	0.21	0.15	0.10	0.02	0.02	0.50	0.81	0.24	0.51	0.03	0.03	1.62
Other causes ..	M	1.71	0.73	0.84	0.72	0.67	1.33	0.69	0.79	0.71	0.65	4.17	9.67	1.58	1.78	0.86	0.92	14.81
	F	1.46	0.57	0.56	0.60	0.61	1.09	0.53	0.55	0.61	0.63	3.41	9.18	1.24	0.69	0.28	0.35	11.74
	P	1.59	0.65	0.70	0.66	0.64	1.21	0.61	0.67	0.66	0.64	3.80	9.43	1.41	1.25	0.57	0.64	13.31

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1930.

Proportion of Deaths to 1,000 Live Births.																								
Cause of Death.	All Infants.							Legitimate Infants.						Illegitimate Infants.										
	3-6 Months.					6-9 Months.		9-12 Months.		Total under 1 Year.		4 Weeks.		3 Months.		6-9 Months.		9-12 Months.		Total under 1 Year.				
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	4 Weeks.	3 Months.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Causes—																								
London	24.18	9.52	10.43	8.05	7.00	59.17	22.82	8.57	9.83	7.90	6.99	56.12	48.61	26.64	21.15	10.71	7.14	114.25						
County Boroughs ..	32.61	11.76	9.77	7.12	6.67	67.94	31.43	11.20	9.39	7.00	6.57	65.60	57.54	23.66	17.72	9.64	8.67	117.22						
Other Urban Districts ..	30.95	8.60	6.27	5.38	4.82	56.03	29.93	8.28	5.97	5.26	4.77	54.22	54.36	15.91	12.92	8.22	6.09	97.51						
Rural Districts ..	31.50	7.78	5.61	4.31	4.02	53.22	30.28	7.45	5.38	4.21	4.00	51.32	54.94	14.05	9.99	6.24	4.37	89.59						
All Urban Districts ..	30.77	10.11	8.35	6.50	5.92	61.65	29.64	9.59	7.98	6.37	5.85	59.44	54.87	21.01	16.33	9.24	7.39	108.83						
I.—Common Infectious Diseases (6-10, 25 : 2)—																								
London	0.07	0.29	0.33	1.41	2.48	4.58	0.08	0.26	0.30	1.47	2.54	4.65	—	0.82	0.82	0.27	1.37	3.30						
County Boroughs ..	0.05	0.47	0.55	0.97	1.71	3.76	0.06	0.49	0.54	0.97	1.69	3.75	—	0.10	0.88	0.97	2.04	3.99						
Other Urban Districts ..	0.09	0.34	0.34	0.71	1.05	2.53	0.09	0.35	0.33	0.68	1.02	2.47	—	0.32	0.53	1.28	1.60	3.74						
Rural Districts ..	0.09	0.50	0.50	0.49	0.70	2.27	0.08	0.52	0.48	0.47	0.67	2.22	0.16	0.16	0.94	0.78	1.25	3.28						
All Urban Districts ..	0.07	0.39	0.43	0.92	1.53	3.34	0.07	0.40	0.42	0.91	1.52	3.32	—	0.30	0.73	0.99	1.76	3.78						
II.—Tuberculous Diseases (31-37)—																								
London	—	0.09	0.19	0.29	0.23	0.79	—	0.09	0.18	0.29	0.24	0.81	—	—	0.27	0.27	—	0.55						
County Boroughs ..	0.01	0.09	0.28	0.36	0.40	1.15	0.01	0.08	0.27	0.36	0.39	1.11	—	0.39	0.58	0.49	0.58	2.04						
Other Urban Districts ..	0.00	0.09	0.20	0.26	0.29	0.85	0.00	0.09	0.21	0.27	0.28	0.85	—	—	0.11	0.21	0.53	0.85						
Rural Districts ..	—	0.03	0.12	0.19	0.27	0.62	—	0.03	0.13	0.20	0.28	0.64	—	—	—	—	0.16	0.16						
All Urban Districts ..	0.01	0.09	0.23	0.31	0.33	0.97	0.01	0.09	0.23	0.31	0.32	0.96	—	0.17	0.34	0.34	0.47	1.33						
III.—Diarrhoea and Enteritis (113)																								
London	0.30	2.04	3.80	1.84	1.08	9.07	0.27	1.81	3.51	1.78	1.09	8.46	0.82	6.32	9.06	3.02	0.82	20.05						
County Boroughs ..	0.71	2.12	2.35	1.13	0.71	7.03	0.68	1.97	2.16	1.09	0.67	6.56	1.36	5.35	6.52	1.95	1.66	16.84						
Other Urban Districts ..	0.66	1.28	1.10	0.69	0.36	4.08	0.62	1.17	1.04	0.64	0.35	3.81	1.60	3.63	2.46	1.82	0.53	10.04						
Rural Districts ..	0.56	0.90	0.73	0.51	0.29	3.00	0.50	0.85	0.68	0.49	0.29	2.82	1.56	1.87	1.72	0.94	0.31	6.40						
All Urban Districts ..	0.63	1.75	2.01	1.03	0.61	6.03	0.60	1.60	1.85	0.99	0.59	5.63	1.37	4.81	5.28	2.06	1.07	14.61						
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)						

IV—Developmental and Wasting
Diseases (159, 160, 161 : 1,
162 : 2)—

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
London	17.86	3.21	0.86	0.22	0.22	22.36	17.25	2.83	0.84	0.21	0.23	21.35	28.84	10.16	1.37	0.27	—	40.65
County Boroughs ..	24.35	4.19	1.22	0.39	0.18	30.34	23.62	3.93	1.14	0.36	0.16	29.21	39.92	9.74	2.92	0.97	0.58	54.13
Other Urban Districts ..	23.49	3.11	0.84	0.31	0.22	27.98	23.00	3.00	0.80	0.29	0.20	27.28	34.60	5.77	1.82	0.96	0.64	43.79
Rural Districts ..	24.23	2.89	0.97	0.22	0.19	28.51	23.59	2.71	0.94	0.20	0.19	27.64	36.52	6.40	1.56	0.62	0.16	45.26
All Urban Districts ..	23.11	3.60	1.01	0.33	0.20	28.26	22.51	3.38	0.95	0.31	0.19	27.34	36.05	8.21	2.23	0.86	0.52	47.86

V—Miscellaneous Diseases (Re-
mainder)—

London	5.95	3.89	5.24	4.29	3.00	22.36	5.23	3.59	5.00	4.15	2.89	20.85	18.95	9.34	9.61	6.87	4.94	49.71
County Boroughs ..	7.48	4.89	5.37	4.26	3.66	25.66	7.07	4.73	5.30	4.22	3.66	24.97	16.26	8.08	6.82	5.26	3.80	40.21
Other Urban Districts ..	6.72	3.78	3.78	3.41	2.91	20.61	6.22	3.67	3.60	3.39	2.92	19.80	18.16	6.19	8.01	3.95	2.78	39.09
Rural Districts ..	6.63	3.45	3.27	2.89	2.57	18.81	6.10	3.34	3.14	2.84	2.58	18.00	16.70	5.62	5.77	3.90	2.50	34.49
All Urban Districts ..	6.95	4.28	4.67	3.90	3.25	23.05	6.46	4.13	4.53	3.85	3.24	22.20	17.44	7.52	7.73	4.98	3.57	41.25

Measles (7)—

London	0.01	0.04	0.12	0.94	2.02	3.12	0.02	0.03	0.11	0.99	2.05	3.19	—	0.27	0.27	—	1.37	1.92
County Boroughs ..	0.01	0.03	0.11	0.51	1.01	1.67	0.01	0.03	0.11	0.50	0.99	1.64	—	—	0.19	0.78	1.27	2.24
Other Urban Districts ..	0.02	0.03	0.07	0.33	0.63	1.07	0.02	0.02	0.07	0.33	0.61	1.05	—	0.11	0.11	0.43	1.07	1.71
Rural Districts ..	—	0.03	0.08	0.09	0.31	0.51	—	0.03	0.07	0.09	0.27	0.46	—	—	0.16	0.16	1.09	1.40
All Urban Districts ..	0.02	0.03	0.09	0.49	0.98	1.61	0.02	0.03	0.09	0.49	0.97	1.59	—	0.09	0.17	0.52	1.20	1.98

Whooping cough (9)—

London	0.03	0.16	0.16	0.29	0.26	0.89	0.03	0.15	0.14	0.29	0.27	0.88	—	0.27	0.55	0.27	—	1.10
County Boroughs ..	0.03	0.41	0.40	0.40	0.59	1.82	0.03	0.42	0.38	0.42	0.58	1.83	—	0.10	0.68	0.10	0.68	1.56
Other Urban Districts ..	0.05	0.29	0.23	0.33	0.32	1.23	0.06	0.29	0.23	0.32	0.31	1.21	—	0.11	0.32	0.64	0.53	1.60
Rural Districts ..	0.07	0.46	0.39	0.38	0.36	1.67	0.07	0.48	0.37	0.37	0.37	1.67	—	0.16	0.78	0.62	0.16	1.72
All Urban Districts ..	0.04	0.32	0.29	0.36	0.43	1.44	0.04	0.33	0.28	0.36	0.43	1.44	—	0.13	0.52	0.34	0.52	1.50

Diphtheria (10)—

London	0.01	0.06	0.04	0.14	0.16	0.42	0.02	0.05	0.05	0.15	0.17	0.43	—	0.27	—	—	—	0.27
County Boroughs ..	—	0.02	0.04	0.04	0.09	0.19	—	0.02	0.04	0.04	0.09	0.19	—	—	—	0.10	0.10	0.19
Other Urban Districts ..	0.01	0.02	0.04	0.04	0.09	0.20	0.01	0.01	0.03	0.04	0.09	0.19	—	0.11	0.11	0.21	—	0.43
Rural Districts ..	0.02	0.01	0.02	0.02	0.02	0.07	0.01	0.01	0.02	0.02	0.02	0.07	0.16	—	—	—	—	0.16
All Urban Districts ..	0.01	0.03	0.04	0.06	0.10	0.23	0.01	0.02	0.04	0.05	0.10	0.22	—	0.09	0.04	0.13	0.04	0.30

Influenza (11)—

London	—	0.03	0.09	0.06	0.09	0.26	—	0.03	0.09	0.06	0.09	0.27	—	—	—	—	—	—
County Boroughs ..	0.02	0.04	0.03	0.06	0.03	0.19	0.02	0.04	0.03	0.06	0.03	0.18	—	0.10	—	0.10	0.10	0.29
Other Urban Districts ..	0.03	0.03	0.06	0.01	0.06	0.19	0.03	0.02	0.06	0.01	0.07	0.19	—	0.11	0.11	—	—	0.21
Rural Districts ..	—	0.07	0.07	0.04	0.03	0.21	—	0.07	0.07	0.03	0.03	0.20	—	—	0.16	0.16	—	0.31
All Urban Districts ..	0.02	0.03	0.05	0.04	0.05	0.20	0.02	0.03	0.05	0.04	0.05	0.20	—	0.09	0.04	0.04	0.04	0.21

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Meningitis (71)—																		
London ..	0.06	0.10	0.09	0.06	0.03	0.33	0.06	0.11	0.08	0.06	0.03	0.33	—	—	0.27	—	—	0.27
County Boroughs ..	0.05	0.07	0.11	0.11	0.09	0.42	0.06	0.07	0.11	0.11	0.09	0.42	—	0.10	0.10	0.10	—	0.39
Other Urban Districts ..	0.03	0.04	0.09	0.08	0.07	0.31	0.03	0.05	0.09	0.07	0.07	0.31	—	—	0.11	0.11	—	0.21
Rural Districts ..	0.03	0.04	0.09	0.09	0.09	0.33	0.02	0.04	0.09	0.07	0.10	0.32	0.16	—	—	0.47	—	0.62
All Urban Districts ..	0.04	0.06	0.10	0.09	0.07	0.36	0.05	0.06	0.09	0.09	0.07	0.36	—	0.04	0.13	0.09	0.04	0.30
Convulsions (80)—																		
London ..	0.46	0.09	0.07	0.04	0.03	0.69	0.46	0.08	0.06	0.05	0.02	0.65	0.55	0.27	0.27	—	0.27	1.37
County Boroughs ..	1.31	0.40	0.29	0.16	0.11	2.25	1.31	0.35	0.28	0.16	0.11	2.20	1.27	1.46	0.39	0.19	—	3.31
Other Urban Districts ..	1.26	0.49	0.33	0.24	0.12	2.44	1.26	0.49	0.29	0.24	0.13	2.40	1.39	0.64	1.17	0.21	—	3.42
Rural Districts ..	1.45	0.53	0.32	0.20	0.22	2.72	1.42	0.50	0.33	0.21	0.21	2.68	1.87	1.09	0.16	—	0.47	3.59
All Urban Districts ..	1.17	0.40	0.28	0.18	0.10	2.13	1.17	0.37	0.26	0.18	0.10	2.08	1.20	0.95	0.69	0.17	0.04	3.05
Bronchitis (99)—																		
London ..	0.22	0.60	0.50	0.22	0.12	1.66	0.21	0.58	0.43	0.21	0.11	1.53	0.27	1.10	1.92	0.27	0.27	3.85
County Boroughs ..	0.53	0.92	0.90	0.51	0.36	3.23	0.54	0.94	0.90	0.51	0.36	3.24	0.39	0.58	0.97	0.49	0.49	2.92
Other Urban Districts ..	0.43	0.74	0.62	0.47	0.33	2.58	0.42	0.72	0.59	0.47	0.32	2.52	0.64	1.17	1.17	0.53	0.43	3.95
Rural Districts ..	0.39	0.59	0.58	0.41	0.31	2.27	0.36	0.60	0.55	0.39	0.33	2.23	0.94	0.31	1.09	0.78	—	3.12
All Urban Districts ..	0.44	0.80	0.73	0.46	0.31	2.74	0.44	0.80	0.70	0.46	0.31	2.71	0.47	0.90	1.20	0.47	0.43	3.48
Pneumonia (100, 101)—																		
London ..	1.02	1.86	2.81	2.56	1.60	9.85	1.02	1.70	2.77	2.43	1.52	9.44	1.10	4.67	3.57	4.94	3.02	17.30
County Boroughs ..	0.78	1.94	2.49	2.43	2.19	9.82	0.76	1.95	2.50	2.38	2.19	9.78	1.07	1.66	2.24	3.51	2.24	10.71
Other Urban Districts ..	0.53	1.30	1.59	1.76	1.65	6.84	0.51	1.27	1.54	1.75	1.65	6.73	1.07	2.03	2.56	2.03	1.60	9.29
Rural Districts ..	0.44	1.21	1.31	1.39	1.21	5.58	0.43	1.16	1.27	1.36	1.20	5.43	0.62	2.19	2.19	2.03	1.40	8.43
All Urban Districts ..	0.70	1.65	2.14	2.16	1.88	8.54	0.69	1.62	2.12	2.12	1.87	8.42	1.07	2.28	2.58	3.14	2.11	11.17
Other respiratory diseases (97, 98, 102-107)—																		
London ..	0.03	0.06	0.10	0.06	0.04	0.29	0.03	0.05	0.11	0.05	0.05	0.27	—	0.27	—	0.27	—	0.55
County Boroughs ..	0.07	0.06	0.07	0.04	0.02	0.27	0.07	0.06	0.07	0.05	0.02	0.26	0.10	0.19	0.10	—	0.10	0.49
Other Urban Districts ..	0.11	0.03	0.05	0.05	0.04	0.29	0.10	0.03	0.05	0.05	0.04	0.28	0.21	—	0.11	0.11	0.11	0.53
Rural Districts ..	0.12	0.05	0.05	0.04	0.07	0.32	0.10	0.04	0.05	0.04	0.07	0.30	0.47	0.16	0.16	—	—	0.78
All Urban Districts ..	0.08	0.05	0.07	0.05	0.03	0.28	0.08	0.04	0.07	0.05	0.03	0.27	0.13	0.13	0.09	0.09	0.09	0.52
Inflammation of the stomach (112:1)—																		
London ..	0.01	0.03	0.09	—	0.03	0.16	0.02	0.02	0.08	—	0.03	0.14	—	0.27	0.27	—	—	0.55
County Boroughs ..	0.11	0.15	0.11	0.04	0.04	0.45	0.12	0.14	0.11	0.04	0.04	0.43	—	0.39	0.29	—	—	0.68
Other Urban Districts ..	0.07	0.12	0.09	0.03	0.02	0.33	0.07	0.12	0.08	0.03	0.01	0.32	0.11	0.21	0.11	—	0.11	0.53
Rural Districts ..	0.03	0.09	0.06	0.07	0.02	0.26	0.03	0.09	0.07	0.07	0.02	0.28	—	—	—	—	—	—
All Urban Districts ..	0.08	0.12	0.10	0.03	0.03	0.36	0.08	0.11	0.09	0.03	0.03	0.34	0.04	0.30	0.21	—	0.04	0.60

TABLE 11.—CLASSES OF ADMINISTRATIVE AREAS.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1930—continued.

Proportion of Deaths to 1,000 Live Births.																			
Cause of Death.	All Infants.						Legitimate Infants.						Illegitimate Infants.						
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	
Diarrhoea and enteritis (113)—																			
London	0.30	2.04	3.80	1.84	1.08	9.07	0.27	1.81	3.51	1.78	1.09	8.46	0.82	6.32	9.06	3.02	0.82	20.05	
County Boroughs ..	0.71	2.12	2.35	1.13	0.71	7.03	0.68	1.97	2.16	1.09	0.67	6.56	1.36	5.35	6.52	1.95	1.66	16.84	
Other Urban Districts ..	0.66	1.28	1.10	0.69	0.36	4.08	0.62	1.17	1.04	0.64	0.35	3.81	1.60	3.63	2.46	1.82	0.53	10.04	
Rural Districts ..	0.56	0.90	0.73	0.51	0.29	3.00	0.50	0.85	0.68	0.49	0.29	2.82	1.56	1.87	1.72	0.94	0.31	6.40	
All Urban Districts ..	0.63	1.75	2.01	1.03	0.61	6.03	0.60	1.60	1.85	0.99	0.59	5.63	1.37	4.81	5.28	2.06	1.07	14.61	
Hernia, intestinal obstruction (118)—																			
London	0.10	0.03	0.19	0.16	0.09	0.56	0.11	0.03	0.17	0.17	0.09	0.56	—	—	0.55	—	—	0.55	
County Boroughs ..	0.09	0.09	0.28	0.17	0.04	0.67	0.08	0.09	0.27	0.16	0.05	0.65	0.19	0.10	0.49	0.29	—	1.07	
Other Urban Districts ..	0.12	0.05	0.23	0.17	0.09	0.65	0.12	0.05	0.23	0.17	0.09	0.66	—	—	0.21	0.11	—	0.32	
Rural Districts ..	0.13	0.08	0.12	0.10	0.07	0.49	0.13	0.08	0.11	0.11	0.07	0.50	0.16	—	0.16	—	—	0.31	
All Urban Districts ..	0.10	0.06	0.24	0.17	0.07	0.64	0.10	0.06	0.24	0.17	0.07	0.64	0.09	0.04	0.39	0.17	—	0.69	
Congenital malformations (159)																			
London	2.61	1.30	0.32	0.13	0.14	4.49	2.61	1.15	0.32	0.14	0.15	4.38	2.47	3.85	0.27	—	—	6.59	
County Boroughs ..	3.21	1.34	0.43	0.21	0.08	5.28	3.21	1.31	0.43	0.21	0.08	5.24	3.31	2.04	0.39	0.19	0.10	6.04	
Other Urban Districts ..	3.49	1.11	0.47	0.19	0.14	5.40	3.49	1.10	0.46	0.20	0.14	5.39	3.63	1.17	0.53	0.11	0.32	5.77	
Rural Districts ..	3.78	0.80	0.56	0.16	0.14	5.45	3.82	0.81	0.57	0.16	0.14	5.50	2.97	0.78	0.47	0.16	0.16	4.53	
All Urban Districts ..	3.25	1.23	0.43	0.19	0.12	5.23	3.25	1.20	0.43	0.19	0.11	5.19	3.31	1.98	0.43	0.13	0.17	6.02	
Congenital debility and sclerema (160 : 1)—																			
London	0.81	0.72	0.48	0.09	0.06	2.15	0.74	0.62	0.44	0.08	0.06	1.95	1.92	2.47	1.10	0.27	—	5.77	
County Boroughs ..	2.05	0.96	0.56	0.17	0.10	3.84	1.97	0.86	0.49	0.14	0.08	3.55	3.70	3.02	1.85	0.78	0.49	9.83	
Other Urban Districts ..	2.19	0.70	0.30	0.11	0.07	3.37	2.11	0.62	0.27	0.07	0.06	3.14	3.95	2.56	1.07	0.85	0.32	8.76	
Rural Districts ..	2.16	0.78	0.26	0.05	0.05	3.29	2.06	0.67	0.24	0.02	0.05	3.03	4.06	2.97	0.78	0.47	—	8.27	
All Urban Districts ..	1.94	0.82	0.44	0.13	0.08	3.41	1.87	0.73	0.39	0.10	0.07	3.16	3.52	2.75	1.42	0.73	0.34	8.76	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Icterus (160 : 2)—																			
London	0.35	0.10	0.03	—	—	0.48	0.33	0.11	0.03	—	—	0.47	0.55	—	—	—	—	0.55
County Boroughs	0.52	0.08	0.01	—	—	0.61	0.53	0.08	0.01	—	—	0.62	0.29	0.10	—	—	—	0.39
Other Urban Districts	0.47	0.07	0.01	0.00	—	0.55	0.46	0.07	0.01	0.00	—	0.55	0.64	—	—	—	—	0.64
Rural Districts	0.58	0.05	—	—	—	0.63	0.56	0.05	—	—	—	0.61	0.94	—	—	—	—	0.94
All Urban Districts	0.47	0.08	0.01	0.00	—	0.57	0.47	0.08	0.01	0.00	—	0.57	0.47	0.04	—	—	—	0.52
Premature birth (161 : 1)—																			
London	12.57	1.08	0.04	—	0.01	13.71	12.05	0.93	0.05	—	0.02	13.04	21.97	3.85	—	—	—	25.82
County Boroughs	17.01	1.75	0.22	0.01	—	18.99	16.35	1.64	0.19	0.01	—	18.19	31.06	4.09	0.68	—	—	35.83
Other Urban Districts	15.76	1.20	0.06	0.01	0.00	17.04	15.38	1.16	0.06	0.01	0.00	16.61	24.56	2.03	0.21	—	—	26.81
Rural Districts	16.39	1.21	0.15	0.02	—	17.77	15.86	1.15	0.14	0.02	—	17.16	26.69	2.50	0.31	—	—	29.50
All Urban Districts	15.88	1.42	0.13	0.01	0.00	17.44	15.36	1.34	0.11	0.01	0.00	16.83	27.02	3.22	0.39	—	—	30.63
Injury at birth (161 : 2)—																			
London	2.09	0.03	—	—	—	2.12	1.99	0.03	—	—	—	2.02	3.85	—	—	—	—	3.85
County Boroughs	2.17	0.02	0.00	—	0.00	2.20	2.13	0.02	0.00	—	0.00	2.17	2.92	—	—	—	—	2.92
Other Urban Districts	1.98	0.02	0.01	—	—	2.01	1.94	0.02	0.01	—	—	1.97	2.78	0.11	—	—	—	2.88
Rural Districts	2.02	0.02	0.01	0.01	—	2.06	2.01	0.02	0.01	0.01	—	2.04	2.19	0.16	—	—	—	2.34
All Urban Districts	2.08	0.02	0.01	—	0.00	2.11	2.03	0.02	0.01	—	0.00	2.06	3.01	0.04	—	—	—	3.05
Disease of umbilicus (162 : 1)—																			
London	0.17	0.06	—	—	—	0.23	0.18	0.06	—	—	—	0.24	—	—	—	—	—	—
County Boroughs	0.16	0.04	—	—	—	0.20	0.16	0.04	—	—	—	0.19	0.29	—	—	—	—	0.29
Other Urban Districts	0.13	0.03	—	—	—	0.15	0.12	0.03	—	—	—	0.15	0.21	—	—	—	—	0.21
Rural Districts	0.12	0.02	—	—	—	0.14	0.11	0.02	—	—	—	0.14	0.16	—	—	—	—	0.16
All Urban Districts	0.15	0.03	—	—	—	0.18	0.15	0.04	—	—	—	0.18	0.21	—	—	—	—	0.21
Atelectasis (162 : 2)—																			
London	1.53	0.01	—	—	—	1.54	1.50	0.02	—	—	—	1.52	1.92	—	—	—	—	1.92
County Boroughs	1.56	0.06	—	—	—	1.62	1.56	0.04	—	—	—	1.60	1.56	0.49	—	—	—	2.04
Other Urban Districts	1.58	0.04	—	—	—	1.61	1.57	0.04	—	—	—	1.60	1.82	—	—	—	—	1.82
Rural Districts	1.32	0.05	—	—	—	1.37	1.29	0.04	—	—	—	1.33	1.87	0.16	—	—	—	2.03
All Urban Districts	1.56	0.04	—	—	—	1.61	1.56	0.04	—	—	—	1.59	1.72	0.21	—	—	—	1.93
Suffocation—in bed or not stated how (180 pt.)—																			
London	0.12	0.14	0.22	0.03	0.01	0.52	0.11	0.15	0.18	0.03	0.02	0.49	0.27	—	0.82	—	—	1.10
County Boroughs	0.28	0.13	0.12	0.04	0.02	0.59	0.23	0.12	0.11	0.03	0.02	0.51	1.36	0.49	0.29	0.10	—	2.24
Other Urban Districts	0.25	0.20	0.08	0.01	0.02	0.56	0.24	0.21	0.06	0.01	0.02	0.54	0.43	0.11	0.53	—	—	1.07
Rural Districts	0.22	0.11	0.14	0.01	0.01	0.49	0.20	0.11	0.11	0.01	—	0.42	0.78	0.16	0.62	—	0.16	1.72
All Urban Districts	0.24	0.16	0.12	0.03	0.02	0.57	0.22	0.16	0.10	0.02	0.02	0.52	0.82	0.26	0.47	0.04	—	1.59
Other causes—																			
London	1.48	0.71	1.02	1.14	0.96	5.31	0.87	0.67	1.00	1.12	0.94	4.60	12.63	1.37	1.37	1.37	1.37	18.13
County Boroughs	1.63	0.76	0.86	0.69	0.74	4.67	1.34	0.71	0.83	0.70	0.74	4.32	7.79	1.75	1.36	0.39	0.68	11.98
Other Urban Districts	1.58	0.60	0.56	0.55	0.51	3.80	1.19	0.57	0.52	0.55	0.51	3.34	10.47	1.28	1.39	0.64	0.43	14.20
Rural Districts	1.58	0.52	0.49	0.53	0.53	3.65	1.20	0.49	0.48	0.54	0.54	3.25	8.74	1.09	0.78	0.31	0.47	11.39
All Urban Districts	1.59	0.68	0.75	0.69	0.67	4.38	1.21	0.64	0.72	0.69	0.67	3.94	9.62	1.50	1.37	0.64	0.69	13.83

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1930.

(For list of Counties in the several Geographical Divisions, see Footnote to Table 14, page 66.)

Area.	Proportion of Deaths to 1,000 Live Births.																	
	All Causes.						I.—Common Infectious Diseases (6-10, 25 : 2).						II.—Tuberculous Diseases (31-37).					
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Areas :																		
North	35·64	11·30	9·35	7·16	6·63	70·08	0·06	0·51	0·61	0·93	1·55	3·65	0·01	0·09	0·26	0·32	0·41	1·09
Midlands	29·40	8·47	6·45	5·22	4·81	54·35	0·07	0·34	0·37	0·66	1·05	2·50	—	0·09	0·22	0·27	0·28	0·86
South	25·28	8·60	7·50	5·64	4·93	51·94	0·08	0·31	0·31	0·93	1·53	3·16	—	0·05	0·17	0·29	0·25	0·78
Wales	35·73	10·95	7·76	6·21	5·89	66·54	0·07	0·68	0·55	0·82	1·25	3·37	0·02	0·07	0·11	0·14	0·27	0·61
England and Wales	30·92	9·64	7·81	6·06	5·54	59·97	0·07	0·41	0·45	0·83	1·36	3·13	0·01	0·08	0·21	0·29	0·32	0·90
London	24·18	9·52	10·43	8·05	7·00	59·17	0·07	0·29	0·33	1·41	2·48	4·58	—	0·09	0·19	0·29	0·23	0·79
County Boroughs :																		
North	35·06	13·07	11·15	7·95	7·41	74·63	0·04	0·55	0·65	1·04	1·97	4·24	0·02	0·09	0·26	0·36	0·42	1·16
Midlands	30·22	9·98	8·34	6·35	5·83	60·72	0·07	0·37	0·48	0·88	1·26	3·07	—	0·11	0·32	0·43	0·39	1·24
South	26·39	10·09	7·14	5·31	5·27	54·21	0·04	0·31	0·18	0·98	1·65	3·17	—	0·09	0·27	0·27	0·40	1·03
Wales	34·01	12·52	9·08	6·68	6·68	68·95	0·10	0·63	0·73	0·83	1·88	4·17	—	—	0·31	0·10	0·21	0·63
England and Wales	32·61	11·76	9·77	7·12	6·67	67·94	0·05	0·47	0·55	0·97	1·71	3·76	0·01	0·09	0·28	0·36	0·40	1·15
Other Urban Districts :																		
North	36·01	9·43	7·31	6·54	5·94	65·23	0·10	0·35	0·60	0·75	1·09	2·89	—	0·10	0·26	0·30	0·43	1·09
Midlands	28·63	7·92	5·81	4·97	4·52	51·85	0·06	0·29	0·24	0·67	1·08	2·33	—	0·11	0·22	0·24	0·21	0·79
South	25·39	7·58	5·11	3·72	3·08	44·88	0·12	0·30	0·16	0·53	0·76	1·87	—	0·02	0·16	0·30	0·21	0·69
Wales	35·48	10·81	7·12	6·69	5·99	66·10	0·09	0·66	0·28	1·08	1·36	3·46	0·05	0·09	—	0·19	0·28	0·61
England and Wales	30·95	8·60	6·27	5·38	4·82	56·03	0·09	0·34	0·34	0·71	1·05	2·53	0·00	0·09	0·20	0·26	0·29	0·85
Rural Districts :																		
North	37·14	8·51	6·81	5·43	5·11	63·00	0·06	0·71	0·45	0·90	0·93	3·05	—	0·06	0·22	0·22	0·29	0·80
Midlands	29·56	7·34	4·98	4·14	3·90	49·93	0·11	0·39	0·43	0·35	0·74	2·02	—	0·02	0·07	0·13	0·26	0·48
South	26·78	6·87	4·56	3·15	2·66	44·02	0·10	0·39	0·55	0·35	0·42	1·80	—	—	0·10	0·32	0·26	0·67
Wales	37·40	10·01	7·85	5·08	5·16	65·50	—	0·77	0·85	0·38	0·62	2·62	—	0·08	0·15	0·08	0·31	0·62
England and Wales	31·50	7·78	5·61	4·31	4·02	53·22	0·09	0·50	0·50	0·49	0·70	2·27	—	0·03	0·12	0·19	0·27	0·62
III.—Diarrhoea and Enteritis (113).						IV.—Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2).						V.—Miscellaneous Diseases (Remainder).						
All Areas :																		
North	0·86	1·88	1·99	0·97	0·68	6·37	26·72	3·96	1·17	0·39	0·22	32·46	7·99	4·87	5·33	4·54	3·78	26·51
Midlands	0·57	1·39	1·33	0·85	0·46	4·60	22·60	3·21	0·88	0·25	0·15	27·08	6·16	3·44	3·66	3·19	2·86	19·30
South	0·30	1·46	2·16	1·03	0·53	5·48	18·88	3·07	0·90	0·23	0·21	23·29	6·01	3·70	3·96	3·15	2·41	19·23
Wales	0·86	1·43	1·12	0·75	0·34	4·51	26·60	3·62	1·16	0·52	0·32	32·23	8·17	5·14	4·82	3·98	3·71	25·83
England and Wales	0·62	1·58	1·75	0·93	0·55	5·43	23·34	3·46	1·00	0·31	0·20	28·31	6·88	4·11	4·39	3·70	3·12	22·21
London	0·30	2·04	3·80	1·84	1·08	9·07	17·86	3·21	0·86	0·22	0·22	22·36	5·95	3·89	5·24	4·29	3·00	22·36
County Boroughs :																		
North	0·87	2·29	2·74	1·17	0·86	7·92	25·83	4·47	1·39	0·45	0·17	32·31	8·29	5·67	6·12	4·93	3·99	29·00
Midlands	0·51	1·99	1·98	1·16	0·68	6·32	23·13	3·69	0·95	0·30	0·12	28·20	6·51	3·82	4·60	3·57	3·39	21·88
South	0·27	1·70	2·10	0·85	0·18	5·09	19·78	3·93	1·03	0·27	0·22	25·23	6·30	4·06	3·57	2·95	2·81	19·69
Wales	1·15	1·98	0·94	1·04	0·42	5·53	25·45	5·01	1·46	0·63	0·63	33·17	7·30	4·90	5·63	4·07	3·55	25·45
England and Wales	0·71	2·12	2·35	1·13	0·71	7·03	24·35	4·19	1·22	0·39	0·18	30·34	7·48	4·89	5·37	4·26	3·66	25·66
Other Urban Districts :																		
North	0·79	1·50	1·14	0·72	0·45	4·59	27·21	3·48	0·82	0·42	0·29	32·21	7·91	4·01	4·49	4·36	3·68	24·45
Midlands	0·64	1·29	1·13	0·79	0·44	4·29	21·90	2·87	0·81	0·18	0·17	25·93	6·03	3·36	3·41	3·10	2·63	18·52
South	0·39	0·88	0·92	0·37	0·07	2·64	19·03	2·75	0·81	0·28	0·21	23·08	5·85	3·63	3·05	2·24	1·83	16·60
Wales	0·84	1·31	1·17	0·80	0·33	4·45	27·01	3·65	1·12	0·61	0·23	32·63	7·49	5·10	4·54	4·03	3·79	24·95
England and Wales	0·66	1·28	1·10	0·69	0·36	4·08	23·49	3·11	0·84	0·31	0·22	27·98	6·72	3·78	3·78	3·41	2·91	20·61
Rural Districts :																		
North	0·93	1·12	0·96	0·74	0·51	4·27	29·17	2·99	1·06	0·13	0·22	33·57	6·97	3·63	4·11	3·44	3·15	21·30
Midlands	0·52	0·76	0·78	0·54	0·22	2·81	23·03	3·11	0·91	0·28	0·15	27·47	5·90	3·07	2·79	2·85	2·53	17·15
South	0·19	0·80	0·26	0·26	0·19	1·70	20·32	2·57	1·00	0·19	0·19	24·27	6·16	3·11	2·66	2·02	1·61	15·57
Wales	0·69	1·23	1·15	0·46	0·31	3·85	26·78	2·54	1·00	0·31	0·23	30·86	9·93	5·39	4·69	3·85	3·69	27·55
England and Wales	0·56	0·90	0·73	0·51	0·29	3·00	24·23	2·89	0·97	0·22	0·19	28·51	6·63	3·45	3·27	2·89	2·57	18·81

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1930—*continued*.

Area.	Proportion of Deaths to 1,000 Live Births.																	
	Measles (7).						Whooping cough (9).					Syphilis (38).						
	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Areas :																		
North	0·01	0·02	0·15	0·44	0·91	1·55	0·04	0·45	0·41	0·44	0·51	1·85	0·30	0·23	0·11	0·05	0·04	0·72
Midlands	0·01	0·04	0·03	0·30	0·58	0·96	0·05	0·27	0·29	0·32	0·42	1·35	0·19	0·15	0·09	0·01	0·01	0·45
South	0·01	0·04	0·09	0·57	1·19	1·89	0·05	0·23	0·18	0·26	0·22	0·93	0·16	0·19	0·07	0·02	0·04	0·47
Wales	—	—	0·07	0·23	0·50	0·80	0·07	0·66	0·43	0·57	0·68	2·41	0·18	0·20	0·09	0·05	—	0·52
England and Wales	0·01	0·03	0·09	0·41	0·84	1·39	0·05	0·35	0·31	0·36	0·42	1·49	0·22	0·19	0·09	0·03	0·03	0·55
London	0·01	0·04	0·12	0·94	2·02	3·12	0·03	0·16	0·16	0·29	0·26	0·89	0·20	0·19	0·09	0·01	0·04	0·53
County Boroughs :																		
North	0·01	0·02	0·16	0·56	1·19	1·94	0·02	0·49	0·44	0·40	0·63	1·98	0·33	0·33	0·13	0·05	0·05	0·89
Midlands	0·03	0·04	0·06	0·41	0·62	1·16	0·03	0·28	0·39	0·44	0·59	1·73	0·28	0·26	0·11	0·01	0·01	0·68
South	—	0·04	0·09	0·58	1·21	1·92	0·04	0·27	0·09	0·31	0·27	0·98	0·09	0·18	0·09	0·04	0·13	0·54
Wales	—	—	—	0·42	1·04	1·46	0·10	0·63	0·63	0·31	0·73	2·40	0·21	0·21	0·10	0·10	—	0·63
England and Wales	0·01	0·03	0·11	0·51	1·01	1·67	0·03	0·41	0·40	0·40	0·59	1·82	0·29	0·29	0·12	0·04	0·04	0·78
Other Urban Districts :																		
North	0·03	—	0·14	0·37	0·63	1·18	0·06	0·32	0·42	0·36	0·35	1·50	0·35	0·14	0·10	0·06	0·01	0·66
Midlands	0·01	0·04	0·02	0·35	0·71	1·13	0·03	0·22	0·17	0·25	0·27	0·94	0·13	0·08	0·09	0·02	—	0·33
South	0·02	0·05	0·07	0·25	0·55	0·95	0·07	0·21	0·07	0·23	0·14	0·72	0·14	0·21	0·05	0·02	0·02	0·44
Wales	—	—	0·05	0·28	0·42	0·75	0·09	0·61	0·23	0·80	0·84	2·57	0·28	0·19	0·14	—	—	0·61
England and Wales	0·02	0·03	0·07	0·33	0·63	1·07	0·05	0·29	0·23	0·33	0·32	1·23	0·21	0·13	0·09	0·03	0·01	0·48
Rural Districts :																		
North	—	0·06	0·16	0·13	0·45	0·80	0·03	0·61	0·29	0·77	0·42	2·12	0·03	0·06	0·03	0·03	0·03	0·19
Midlands	—	0·04	0·02	0·06	0·30	0·41	0·11	0·35	0·37	0·26	0·43	1·52	0·17	0·11	0·07	—	0·02	0·37
South	—	—	0·06	0·16	0·22	0·45	0·06	0·39	0·45	0·19	0·19	1·28	0·13	0·16	0·03	—	—	0·32
Wales	—	—	0·15	—	0·23	0·38	—	0·77	0·62	0·38	0·38	2·16	—	0·23	—	0·08	—	0·31
England and Wales	—	0·03	0·08	0·09	0·31	0·51	0·07	0·46	0·39	0·38	0·36	1·67	0·11	0·12	0·05	0·02	0·02	0·31
	Meningitis (71).						Convulsions (80).					Bronchitis (99).						
All Areas :																		
North	0·03	0·07	0·09	0·10	0·09	0·38	1·78	0·58	0·36	0·26	0·17	3·15	0·59	0·97	0·99	0·63	0·46	3·64
Midlands	0·04	0·04	0·11	0·08	0·08	0·35	0·84	0·28	0·22	0·17	0·11	1·62	0·38	0·64	0·56	0·32	0·24	2·14
South	0·07	0·07	0·08	0·05	0·06	0·34	0·58	0·15	0·12	0·07	0·08	0·99	0·28	0·57	0·50	0·29	0·19	1·83
Wales	—	0·05	0·09	0·16	0·02	0·32	2·80	1·37	0·80	0·30	0·16	5·42	0·50	1·00	0·61	0·68	0·41	3·21
England and Wales	0·04	0·06	0·09	0·09	0·08	0·36	1·23	0·42	0·28	0·18	0·13	2·24	0·43	0·76	0·70	0·45	0·31	2·65
London	0·06	0·10	0·09	0·06	0·03	0·33	0·46	0·09	0·07	0·04	0·03	0·69	0·22	0·60	0·50	0·22	0·12	1·66
County Boroughs :																		
North	0·03	0·08	0·07	0·11	0·11	0·40	1·79	0·52	0·37	0·20	0·13	3·00	0·59	1·09	1·05	0·65	0·41	3·78
Midlands	0·07	0·06	0·15	0·08	0·07	0·43	0·69	0·18	0·19	0·12	0·07	1·26	0·47	0·64	0·64	0·24	0·28	2·25
South	0·13	0·04	0·13	0·13	0·04	0·49	0·40	0·13	0·13	0·04	0·13	0·85	0·36	0·76	0·80	0·45	0·36	2·72
Wales	—	0·10	0·21	0·21	—	0·52	1·88	1·04	0·31	0·21	—	3·44	0·73	1·36	1·15	1·04	0·42	4·69
England and Wales	0·05	0·07	0·11	0·11	0·09	0·42	1·31	0·40	0·29	0·16	0·11	2·25	0·53	0·92	0·90	0·51	0·36	3·23
Other Urban Districts :																		
North	0·03	0·07	0·12	0·12	0·06	0·39	1·68	0·65	0·33	0·39	0·19	3·24	0·63	0·86	0·95	0·60	0·49	3·54
Midlands	0·03	0·02	0·10	0·08	0·06	0·29	0·84	0·33	0·25	0·13	0·09	1·64	0·34	0·63	0·54	0·39	0·24	2·13
South	0·05	0·05	0·07	0·02	0·14	0·32	0·60	0·21	0·23	0·12	0·07	1·23	0·28	0·58	0·25	0·32	0·21	1·64
Wales	—	0·05	—	0·05	—	0·09	3·00	1·26	0·84	0·42	0·14	5·66	0·42	1·12	0·61	0·70	0·42	3·28
England and Wales	0·03	0·04	0·09	0·08	0·07	0·31	1·26	0·49	0·33	0·24	0·12	2·44	0·43	0·74	0·62	0·47	0·33	2·58
Rural Districts :																		
North	0·03	0·03	0·10	0·03	0·10	0·29	1·96	0·67	0·42	0·19	0·29	3·53	0·48	0·77	0·84	0·64	0·58	3·31
Midlands	—	0·06	0·07	0·09	0·13	0·35	1·04	0·33	0·22	0·30	0·20	2·09	0·33	0·65	0·50	0·33	0·19	2·00
South	0·10	0·03	0·06	0·03	0·03	0·26	0·93	0·22	0·06	0·06	0·16	1·44	0·35	0·32	0·61	0·32	0·22	1·83
Wales	—	—	0·15	0·31	0·08	0·54	3·16	1·77	1·08	0·15	0·31	6·47	0·46	0·54	0·23	0·38	0·38	2·00
England and Wales	0·03	0·04	0·09	0·09	0·09	0·33	1·45	0·53	0·32	0·20	0·22	2·72	0·39	0·59	0·58	0·41	0·31	2·27

TABLE 12.—INFANT MORTALITY IN DIFFERENT PARTS OF ENGLAND AND WALES, 1930—*continued*.

Area.	Proportion of Deaths to 1,000 Live Births.																
	Pneumonia (100, 101).						Congenital malformations (159).					Congenital debility and sclerema (160 : 1).					
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.
																	Total under 1 Year.
All Areas :																	
North	0·64	1·73	2·48	2·55	2·16	9·57	3·61	1·21	0·49	0·20	0·12	5·63	2·55	0·92	0·47	0·19	0·09
Midlands	0·63	1·44	1·56	1·69	1·55	6·87	3·29	1·16	0·50	0·16	0·09	5·20	1·78	0·72	0·26	0·07	0·06
South	0·75	1·56	1·83	1·69	1·30	7·13	3·00	1·11	0·35	0·16	0·14	4·77	1·31	0·76	0·45	0·05	0·05
Wales	0·48	1·34	2·00	2·00	2·30	8·12	3·78	0·91	0·48	0·32	0·20	5·69	2·73	0·86	0·57	0·16	0·11
England and Wales	0·65	1·57	1·98	2·01	1·75	7·95	3·36	1·15	0·46	0·18	0·12	5·27	1·99	0·81	0·40	0·12	0·07
London	1·02	1·86	2·81	2·56	1·60	9·85	2·61	1·30	0·32	0·13	0·14	4·49	0·81	0·72	0·48	0·09	0·06
County Boroughs :																	
North	0·79	2·16	2·94	2·93	2·33	11·20	3·26	1·33	0·49	0·23	0·06	5·36	2·34	1·11	0·61	0·22	0·11
Midlands	0·75	1·76	2·09	1·98	2·02	8·59	3·26	1·40	0·39	0·17	0·07	5·28	1·76	0·65	0·41	0·12	0·06
South	0·80	1·43	1·38	1·34	1·56	6·52	2·77	1·38	0·22	0·18	0·18	4·73	1·47	1·03	0·67	—	0·04
Wales	0·73	1·56	2·30	2·09	2·61	9·28	3·34	0·94	0·52	0·31	0·31	5·43	1·98	1·25	0·63	0·31	0·31
England and Wales	0·78	1·94	2·49	2·43	2·19	9·82	3·21	1·34	0·43	0·21	0·08	5·28	2·05	0·96	0·56	0·17	0·10
Other Urban Districts :																	
North	0·49	1·21	1·87	2·23	2·09	7·88	3·94	1·27	0·50	0·20	0·22	6·13	2·65	0·66	0·24	0·20	0·07
Midlands	0·62	1·36	1·44	1·63	1·45	6·49	3·32	1·08	0·49	0·11	0·11	5·12	1·76	0·71	0·24	0·07	0·06
South	0·51	1·29	1·27	1·13	0·95	5·16	3·08	0·95	0·39	0·25	0·09	4·76	1·76	0·69	0·37	0·02	0·09
Wales	0·37	1·40	1·92	2·11	2·53	8·33	3·60	1·03	0·37	0·37	0·14	5·52	3·32	0·84	0·36	0·14	0·09
England and Wales	0·53	1·30	1·59	1·76	1·65	6·84	3·49	1·11	0·47	0·19	0·14	5·40	2·19	0·70	0·30	0·11	0·07
Rural Districts :																	
North	0·39	1·19	2·06	1·80	1·51	6·94	4·24	0·64	0·48	0·06	0·16	5·59	3·15	0·77	0·39	0·06	0·06
Midlands	0·48	1·17	1·05	1·42	1·09	5·22	3·29	0·96	0·65	0·24	0·07	5·22	1·83	0·83	0·11	0·02	0·07
South	0·42	1·38	0·77	0·77	0·93	4·27	3·92	0·74	0·48	0·10	0·19	5·43	1·67	0·77	0·35	0·06	—
Wales	0·46	1·08	1·92	1·77	1·69	6·93	4·39	0·69	0·62	0·23	0·23	6·16	2·31	0·62	0·38	0·08	—
England and Wales	0·44	1·21	1·31	1·39	1·21	5·58	3·78	0·80	0·56	0·16	0·14	5·45	2·16	0·78	0·26	0·05	0·05
	Premature birth (161 : 1).						Injury at birth (161 : 2).					Suffocation—in bed or not stated how (180 pt.).					
All Areas :																	
North	18·35	1·71	0·20	0·00	—	20·27	2·17	0·01	0·00	—	0·00	2·19	0·26	0·18	0·09	0·03	0·01
Midlands	15·61	1·21	0·11	0·01	—	16·94	2·00	0·02	0·01	—	—	2·03	0·20	0·13	0·14	0·01	0·03
South	12·75	1·08	0·07	0·02	0·01	13·93	2·05	0·04	—	0·01	—	2·09	0·25	0·15	0·16	0·02	0·01
Wales	18·05	1·71	0·09	0·02	—	19·87	1·91	0·02	—	—	—	1·93	0·27	0·16	—	0·02	0·02
England and Wales	15·98	1·38	0·13	0·01	0·00	17·51	2·06	0·02	0·01	0·00	0·00	2·10	0·24	0·15	0·12	0·02	0·02
London	12·57	1·08	0·04	—	0·01	13·71	2·09	0·03	—	—	—	2·12	0·12	0·14	0·22	0·03	0·01
County Boroughs :																	
North	18·07	1·91	0·28	—	—	20·26	2·11	0·01	—	—	0·01	2·13	0·33	0·17	0·11	0·04	0·02
Midlands	16·05	1·45	0·14	0·01	—	17·65	2·32	0·04	0·01	—	—	2·38	0·21	0·10	0·15	0·03	0·04
South	13·66	1·34	0·09	0·09	—	15·18	2·46	0·04	—	—	—	2·50	0·31	0·09	0·13	0·04	—
Wales	18·57	2·82	0·31	—	—	21·70	1·04	—	—	—	—	1·04	0·21	—	—	—	—
England and Wales	17·01	1·75	0·22	0·01	—	18·99	2·17	0·02	0·00	—	0·00	2·20	0·28	0·13	0·12	0·04	0·02
Other Urban Districts:																	
North	18·39	1·44	0·07	0·01	—	19·92	2·40	0·01	0·01	—	—	2·43	0·20	0·20	0·06	0·01	0·01
Midlands	14·98	1·00	0·07	—	—	16·05	1·82	0·01	0·01	—	—	1·84	0·19	0·15	0·10	0·01	0·03
South	12·19	1·02	0·05	—	0·02	13·27	1·85	0·07	—	—	—	1·92	0·42	0·25	0·12	—	0·02
Wales	17·69	1·64	0·05	0·05	—	19·43	1·50	—	—	—	—	1·50	0·28	0·33	—	0·05	—
England and Wales	15·76	1·20	0·06	0·01	0·00	17·04	1·98	0·02	0·01	—	—	2·01	0·25	0·20	0·08	0·01	0·02
Rural Districts :																	
North	19·37	1·51	0·19	—	—	21·07	1·86	0·03	—	—	—	1·90	0·16	0·16	0·13	—	—
Midlands	16·04	1·24	0·15	0·02	—	17·45	1·87	—	0·02	—	—	1·89	0·20	0·13	0·20	—	—
South	13·26	0·96	0·16	0·03	—	14·42	1·93	0·03	—	0·03	—	1·99	0·29	0·06	0·10	0·03	—
Wales	18·24	1·00	—	—	—	19·24	3·23	0·08	—	—	—	3·31	0·31	—	—	—	0·08
England and Wales	16·39	1·21	0·15	0·02	—	17·77	2·02	0·02	0·01	0·01	—	2·06	0·22	0·11	0·14	0·01	0·01

TABLE 13.—INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1930.

ALL INFANTS.										Area.		ILLEGITIMATE INFANTS.									
DEATHS.								Deaths per 1,000 Live Births.				Deaths per 1,000 Live Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.	Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.		
SUMMARY*.																					
6744	7523	5793	6256	5064	3933	3595	38908	31	60	All Areas. England and Wales		55	105	678	516	435	579	444	255	200	3107
2496	3062	2395	2521	2086	1597	1480	15637	36	70	North		61	118	231	198	179	210	170	96	93	1177
2213	2326	1796	1825	1390	1126	1036	11712	29	54	Midlands		52	95	206	154	115	155	117	76	43	866
1524	1568	1110	1429	1247	937	820	8635	25	52	South†		49	99	193	122	101	180	134	71	49	850
511	567	492	481	341	273	259	2924	36	67	Wales		65	107	48	42	40	34	23	12	15	214
619	604	456	661	724	559	486	4109	24	59	London		49	114	80	60	37	97	77	39	26	416
2409	2738	2249	2668	2216	1615	1512	15407	33	68	County Boroughs. England and Wales		58	117	240	176	175	243	182	99	89	1204
1323	1627	1343	1600	1366	973	908	9140	35	75	North		60	127	129	111	100	152	110	53	59	714
755	800	631	722	603	459	422	4392	30	61	Midlands		52	102	72	43	40	55	46	30	20	306
235	196	160	226	160	119	118	1214	26	54	South		55	108	32	16	23	27	20	15	6	139
96	115	115	120	87	64	64	661	34	69	Wales		69	124	7	6	12	9	6	1	4	45
2297	2609	2005	1921	1399	1202	1077	12510	31	56	Other Urban Districts. England and Wales		54	98	231	154	124	149	121	77	57	913
770	1003	731	656	508	455	413	4536	36	65	North		61	111	69	54	49	43	43	32	25	315
901	906	744	706	518	443	403	4621	29	52	Midlands		51	93	89	55	38	59	48	30	14	333
366	439	293	328	221	161	133	1941	25	45	South		47	84	47	29	20	34	23	9	11	173
260	261	237	231	152	143	128	1412	35	66	Wales		65	102	26	16	17	13	7	6	7	92
1419	1572	1083	1006	725	557	520	6882	32	53	Rural Districts. England and Wales		55	90	127	126	99	90	64	40	28	574
403	432	321	265	212	169	159	1961	37	63	North		63	98	33	33	30	15	17	11	9	148
557	620	421	397	269	224	211	2699	30	50	Midlands		53	87	45	56	37	41	23	16	9	227
304	329	201	214	142	98	83	1371	27	44	South		46	78	34	17	21	22	14	8	6	122
155	191	140	130	102	66	67	851	37	65	Wales		62	104	15	20	11	12	10	5	4	77

* The Counties in the four sections North, Midlands, South and Wales, are shewn in footnote || to Table 14.

† Including London.

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1930.

ALL INFANTS.										Area.	ILLEGITIMATE INFANTS.										
DEATHS.									Deaths per 1,000 Live Births.		DEATHS.										
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	
GREATER LONDON AND METROPOLITAN BOROUGHES.																					
1122	1127	868	1137	1082	864	739	6939	24	54	Greater London* ..	51	116	142	97	51	148	122	60	38	658	
619	604	456	661	724	559	486	4109	24	59	London	49	114	80	60	37	97	77	39	26	416	
2	2	—	—	—	—	—	4	45	45	City of London ..	250	250	1	—	—	—	—	—	—	1	
—	—	—	—	—	—	—	—	—	—	The Inner & Middle Temples.	—	—	—	—	—	—	—	—	—	—	
24	35	15	17	17	23	14	145	28	55	Battersea	81	161	4	4	2	2	3	5	—	20	
18	12	22	18	17	24	20	131	25	64	Bermondsey	70	186	2	—	1	4	—	—	1	8	
10	20	13	21	20	18	16	118	22	60	Bethnal Green ..	95	167	—	2	2	2	1	—	—	7	
37	26	21	31	36	24	22	197	22	52	Camberwell	81	121	3	4	1	1	2	—	1	12	
2	2	4	5	9	7	3	32	10	40	Chelsea	14	57	—	—	1	—	2	—	1	4	
19	7	19	20	15	12	15	107	26	61	Deptford	34	85	—	—	2	3	—	—	—	5	
11	12	11	15	11	7	15	82	26	64	Finsbury	50	133	—	3	—	4	—	—	1	8	
24	13	11	20	28	22	17	135	20	57	Fulham	35	125	3	1	1	3	4	2	4	18	
14	8	4	9	20	11	10	76	16	48	Greenwich	64	128	3	—	—	—	2	1	—	6	
21	39	14	32	26	19	23	174	21	50	Hackney	33	112	2	3	—	3	3	2	4	17	
22	24	23	23	21	13	14	140	32	64	Hammersmith ..	62	124	3	5	2	5	2	2	1	20	
14	8	6	18	8	4	—	58	28	58	Hampstead.. ..	29	78	2	—	1	4	1	—	—	8	
8	5	3	4	5	6	5	36	40	89	Holborn	59	118	2	1	—	—	3	—	—	6	
52	52	39	61	69	62	57	392	25	69	Islington	47	127	5	2	6	11	4	4	3	35	
18	22	17	34	40	26	20	177	22	69	Kensington.. ..	39	118	2	5	2	8	6	4	—	27	
48	47	32	47	47	28	24	273	27	57	Lambeth	27	96	7	1	—	8	10	2	—	28	
19	30	18	18	18	15	16	134	21	43	Lewisham	67	106	4	2	1	4	—	—	—	11	
23	18	20	17	43	25	23	169	28	78	Paddington	47	128	7	2	2	4	10	2	3	30	
30	26	16	20	26	30	19	167	24	55	Poplar	15	30	1	—	—	—	1	—	—	2	
14	12	4	11	17	10	9	77	24	62	St. Marylebone ..	47	82	5	2	1	2	2	2	—	14	
28	33	13	29	48	23	20	194	23	61	St. Pancras.. ..	43	105	6	4	2	3	12	—	2	29	
14	16	16	18	26	21	18	129	23	65	Shoreditch	41	108	1	2	—	1	2	2	—	8	
32	19	13	29	30	21	28	172	21	57	Southwark	37	74	4	—	—	2	—	—	2	8	
38	32	24	63	75	52	38	322	22	76	Stepney	80	152	5	4	2	5	3	2	—	21	
10	10	5	3	5	3	4	40	34	55	Stoke Newington ..	111	148	1	2	—	1	—	—	—	4	
41	45	43	44	31	28	22	254	28	54	Wandsworth	52	112	3	7	3	6	2	5	2	28	
14	16	11	18	7	10	7	83	30	61	Westminster	73	168	4	4	5	10	2	4	1	30	
12	13	19	16	9	15	7	91	20	42	Woolwich	—	16	—	—	—	1	—	—	—	1	

* Greater London consists of the Administrative County of London and the Outer Ring. For the detailed constitution see Census of England and Wales, 1931, Preliminary Report, pp. 63-65.

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS)
IN ADMINISTRATIVE AREAS, 1930.

ALL INFANTS.										Area.		ILLEGITIMATE INFANTS.									
DEATHS.								Deaths per 1,000 Live Births.				DEATHS.									
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 Year.	Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.		
COUNTY BOROUGHES.																					
ENGLAND.																					
12	25	14	14	13	16	10	104	34	70	Barnsley	75	104	3	2	—	—	—	2	—	3	
12	16	9	13	8	9	5	72	36	70	Barrow-in-Furness ..	36	55	2	—	—	1	—	—	—	3	
8	6	8	6	5	5	1	39	27	48	Bath	111	178	1	—	4	—	2	1	—	8	
34	39	20	55	40	22	30	240	33	86	Birkenhead	44	88	2	2	1	2	3	—	—	10	
186	175	139	168	162	107	111	1048	29	61	Birmingham	59	117	21	10	6	13	11	8	4	73	
18	33	24	13	22	14	12	136	47	85	Blackburn	13	114	1	—	—	1	3	1	3	9	
11	19	14	13	7	1	5	70	42	67	Blackpool	71	101	2	2	3	3	—	—	—	10	
28	34	23	41	20	15	8	169	34	68	Bolton	103	155	3	4	3	1	1	1	2	15	
16	17	14	38	27	12	17	141	26	79	Bootle	38	113	2	—	—	2	1	1	—	6	
13	11	7	11	5	—	3	50	29	46	Bournemouth	63	88	2	2	1	1	1	—	—	7	
51	66	50	55	40	40	25	327	38	75	Bradford	50	116	5	3	5	4	6	5	2	30	
16	11	12	22	17	10	11	99	20	51	Brighton	44	89	3	1	3	3	2	2	—	14	
58	74	59	59	40	33	31	354	31	57	Bristol	50	105	5	3	3	4	4	2	2	23	
20	17	10	18	14	11	11	101	35	75	Burnley	24	83	2	—	—	3	1	—	1	7	
12	8	4	8	4	2	4	42	29	52	Burton-upon-Trent ..	86	200	2	1	—	3	1	—	—	7	
3	16	6	11	8	6	1	51	34	69	Bury	—	77	—	—	—	1	—	1	1	3	
4	6	3	2	1	2	2	20	34	53	Canterbury	74	74	1	—	1	—	—	—	—	2	
11	17	9	13	12	4	3	69	37	68	Carlisle	66	115	1	2	1	2	—	—	1	7	
10	2	7	9	6	5	9	48	28	72	Chester	69	172	1	—	1	1	1	—	—	5	
23	34	16	22	15	8	18	136	30	55	Coventry	109	152	5	3	2	2	—	1	1	14	
31	30	23	36	28	16	8	172	24	49	Croydon	45	106	3	3	2	7	3	1	—	19	
17	19	15	11	13	6	11	92	42	76	Darlington	77	123	2	3	—	2	1	—	—	8	
23	31	23	32	26	18	16	169	32	70	Derby	65	103	1	2	4	1	1	2	—	11	
11	13	8	7	5	6	6	56	37	64	Dewsbury	74	74	—	2	2	—	—	—	—	4	
10	14	10	11	6	3	5	59	35	60	Doncaster	41	61	—	2	—	—	1	—	—	3	
8	13	15	15	12	9	8	80	30	66	Dudley	20	80	—	—	1	2	1	—	—	4	
9	5	2	6	—	2	3	27	24	40	Eastbourne	17	34	1	—	—	1	—	—	—	2	
23	16	16	18	12	14	12	111	24	49	East Ham	38	96	1	1	—	1	1	—	1	5	
10	7	3	11	4	4	8	47	21	50	Exeter	38	75	1	—	1	1	—	—	1	4	
29	39	42	42	43	16	31	242	42	92	Gateshead	50	99	2	2	1	3	—	—	2	10	
8	6	12	6	5	2	3	42	30	49	Gloucester	79	79	1	—	2	—	—	—	—	3	
7	9	8	10	8	4	5	51	27	57	Gt. Yarmouth	15	45	—	—	1	—	2	—	—	3	
13	17	27	19	23	19	11	129	33	74	Grimsby	58	91	1	2	4	1	2	1	—	11	
15	21	17	14	8	5	6	86	41	66	Halifax	68	82	3	2	—	—	1	—	—	6	
7	6	8	9	7	3	4	44	27	57	Hastings	—	57	—	—	—	2	1	—	—	3	
15	20	17	10	8	10	3	83	35	55	Huddersfield	97	129	3	1	2	1	—	1	—	8	
11	17	7	10	6	3	8	62	24	42	Ipswich	52	69	1	1	1	1	—	—	—	4	
51	73	74	96	58	44	38	434	31	69	Kingston-upon-Hull ..	63	108	6	10	4	8	4	1	1	34	
94	112	85	74	57	49	41	512	38	68	Leeds	74	132	12	8	8	7	7	4	4	50	
51	36	25	29	26	39	11	217	29	56	Leicester	32	64	4	1	2	3	2	—	2	14	
12	16	10	9	5	2	2	56	40	59	Lincoln	57	94	2	1	—	1	1	—	—	5	
211	198	205	289	268	193	183	1547	33	82	Liverpool	48	138	22	9	11	28	30	10	11	121	
135	143	135	198	183	103	98	995	32	77	Manchester	68	169	13	18	15	31	21	9	7	114	
45	56	40	32	28	30	35	266	43	81	Middlesbrough	73	120	5	4	2	1	2	1	3	18	
55	58	60	67	72	37	30	379	33	73	Newcastle-on-Tyne ..	58	106	5	1	5	5	2	—	2	20	
12	15	16	10	5	3	7	68	35	56	Northampton	71	95	1	—	2	—	—	—	1	4	
23	9	12	13	14	8	9	88	22	45	Norwich	28	75	2	1	—	3	2	—	—	8	
58	60	54	64	48	30	25	339	38	75	Nottingham	66	145	8	9	3	6	7	7	4	44	
24	26	19	16	17	16	15	133	36	70	Oldham	79	150	3	4	3	2	3	2	2	19	
12	10	7	10	4	3	1	47	25	41	Oxford	21	63	1	—	—	1	1	—	—	3	
40	31	26	38	30	23	21	209	28	61	Plymouth	71	143	6	3	4	6	4	2	1	26	
42	33	23	50	39	29	34	250	23	59	Portsmouth	34	110	4	2	2	5	5	7	1	26	
25	33	25	15	21	17	8	144	42	73	Preston	88	142	4	4	2	4	1	1	—	16	
23	16	18	2	6	4	5	74	41	53	Reading	104	119	6	—	1	—	—	1	—	8	
14	16	12	10	12	11	7	82	34	66	Rochdale	32	113	1	1	—	1	2	2	—	7	
15	16	26	11	12	11	9	100	43	76	Rotherham	88	88	1	1	3	—	—	—	—	5	
30	33	31	25	31	20	17	187	40	80	St. Helens	56	111	1	2	1	1	1	2	—	8	
46	34	33	62	59	41	46	321	29	83	Salford	77	205	4	3	5	11	2	2	5	32	
74	127	90	89	45	49	48	522	37	67	Sheffield	61	126	4	6	6	7	4	2	4	33	
24	29	11	10	13	9	6	102	42	66	Smethwick	152	196	5	2	—	1	—	—	1	9	
32	34	27	33	18	21	18	183	29	58	Southampton	89	137	4	5	4	1	2	1	3	20	
18	15	8	9	3	4	3	60	28	41	Southend-on-Sea	46	74	3	2	—	2	—	1	—	8	
14	16	8	10	12	3	3	66	43	74	Southport	143	222	3	3	3	3	2	—	—	14	
31	45	32	43	35	22	14	222	45	93	South Shields	33	88	3	—	—	4	1	—	—	8	
9	31	18	18	9	6	9	100	33	57	Stockport	49	86	1	2	1	1	—	—	2	7	
63	67	56	65	50	37	48	386	34	70	Stoke-on-Trent	51	81	4	2	6	2	1	3	1	19	

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1930.

ALL INFANTS.										ILLEGITIMATE INFANTS.										
DEATHS.								Deaths per 1,000 Live Births.		Area.	Deaths per 1,000 Live Births.		DEATHS.							
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.		Under 4 weeks.	Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.
37	52	52	60	53	40	36	330	33	78	Sunderland.. ..	52	118	2	1	5	3	3	2	2	18
11	10	11	16	18	7	7	80	26	66	Tynemouth.. ..	15	46	—	—	1	—	2	—	—	3
10	17	3	3	12	7	6	58	30	59	Wakefield	24	49	—	1	—	1	—	—	—	2
10	18	11	12	14	6	5	76	28	54	Wallasey	56	130	—	2	1	1	1	1	1	7
21	27	26	22	19	14	13	142	36	69	Walsall	56	185	—	1	2	2	3	1	1	10
13	19	11	19	14	11	14	101	28	65	Warrington.. ..	24	119	—	—	1	1	1	—	2	5
16	24	18	21	16	8	8	111	35	66	West Bromwich ..	26	77	1	—	—	1	—	1	—	3
46	50	32	68	55	63	39	353	23	63	West Ham	15	97	2	—	—	3	4	2	2	13
10	23	12	14	8	10	6	83	29	54	West Hartlepool ..	59	118	1	2	—	2	1	—	—	6
27	27	26	19	19	26	25	169	51	107	Wigan	152	217	3	1	3	—	1	1	1	10
23	31	23	19	27	16	18	157	32	65	Wolverhampton ..	21	63	1	—	1	2	1	1	—	6
4	11	7	6	5	4	5	42	27	52	Worcester	18	36	—	1	—	—	1	—	—	2
9	17	15	14	9	13	10	87	29	62	York	46	92	1	1	1	3	—	—	—	6
WALES.																				
41	42	55	52	38	19	25	272	36	72	Cardiff	87	168	6	1	7	7	2	—	4	27
9	17	14	22	15	16	15	108	34	92	Merthyr Tydfil ..	103	190	—	3	3	2	3	—	—	11
14	25	18	14	10	6	6	93	34	56	Newport, Mon. ..	34	34	—	—	2	—	—	—	—	2
32	31	28	32	24	23	18	188	31	64	Swansea	35	59	1	2	—	—	1	1	—	5

COUNTY BOROUGH—*continued.*

ADMINISTRATIVE COUNTIES.

NOTE :—The following figures relate to the aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.

ENGLAND.																				
20	16	12	14	9	3	10	84	24	43	Bedford .. U.D.	22	44	1	1	—	1	1	—	—	4
11	15	17	6	6	2	4	61	37	53	.. R.D.	131	148	2	5	1	1	—	—	—	9
6	12	6	10	6	7	5	52	22	48	Berks .. U.D.	37	62	1	2	—	—	1	—	1	5
17	21	12	9	12	7	5	83	23	38	.. R.D.	42	75	2	2	1	2	1	—	—	9
22	15	11	12	3	8	8	79	27	45	Bucks .. U.D.	31	47	1	1	—	—	—	—	1	3
18	17	10	12	13	10	7	87	20	39	.. R.D.	83	110	7	—	2	1	1	1	—	12
12	5	3	4	4	3	—	31	26	41	Cambs .. U.D.	77	77	3	—	—	—	—	—	—	3
7	11	9	4	5	6	4	46	25	42	.. R.D.	17	67	—	—	1	1	1	1	—	4
62	91	66	59	43	37	29	387	32	56	Cheshire .. U.D.	71	124	7	5	5	5	5	2	1	30
41	42	28	22	22	9	13	177	36	57	.. R.D.	68	102	1	2	5	2	1	1	—	12
14	33	17	19	10	7	6	106	31	51	Cornwall .. U.D.	43	94	1	1	3	3	—	1	2	11
35	27	24	19	10	8	9	132	34	52	.. R.D.	47	70	4	—	2	1	1	1	—	9
17	26	21	29	14	17	17	141	30	67	Cumberland U.D.	49	114	2	1	3	2	3	1	2	14
12	15	7	16	11	5	7	73	23	48	.. R.D.	68	102	4	2	2	3	1	—	—	12
68	80	61	43	37	39	23	351	39	65	Derby .. U.D.	23	56	1	2	2	2	3	1	1	12
54	52	44	55	28	28	37	298	29	57	.. R.D.	83	155	5	5	7	5	4	2	4	32
22	37	17	22	12	10	11	131	28	48	Devon .. U.D.	49	79	4	2	2	2	1	2	—	13
44	32	21	24	20	11	7	159	29	47	.. R.D.	51	76	5	1	2	2	—	1	1	12
21	19	15	13	9	5	5	87	28	45	Dorset .. U.D.	65	83	3	4	—	1	1	—	—	9
16	22	10	13	12	8	6	87	27	49	.. R.D.	46	80	—	3	1	1	—	1	1	7
142	167	142	120	110	79	93	853	40	77	Durham .. U.D.	69	100	9	10	12	4	4	3	3	45
131	125	89	68	71	62	48	594	41	70	.. R.D.	59	99	8	8	6	2	6	2	5	37
10	8	6	7	5	6	4	46	29	55	Ely, I. of .. U.D.	60	80	1	1	1	—	—	1	—	4
5	9	4	1	4	6	—	29	30	48	.. R.D.	—	—	—	—	—	—	—	—	—	—
134	119	97	117	83	45	66	661	24	46	Essex .. U.D.	50	90	15	3	3	7	7	1	2	38
36	42	42	29	18	11	11	189	28	44	.. R.D.	73	123	2	6	5	4	2	2	1	22
22	18	17	13	7	9	7	93	37	60	Gloucester .. U.D.	73	122	—	4	2	—	3	—	—	10
33	28	32	22	11	15	13	154	27	45	.. R.D.	34	40	3	1	1	1	—	—	—	6
10	3	5	2	6	4	2	32	30	54	Hereford .. U.D.	75	100	2	1	—	—	1	—	—	4
14	16	6	4	8	4	—	52	31	45	.. R.D.	24	49	—	2	—	—	1	1	—	4
46	41	20	31	16	19	9	182	26	44	Hertford .. U.D.	49	61	4	4	—	2	—	—	—	10
11	16	8	10	11	5	5	66	20	38	.. R.D.	14	28	—	1	—	—	1	—	—	2
3	4	4	6	4	—	1	22	25	51	Huntingdon U.D.	—	—	—	—	—	—	—	—	—	—
5	4	1	5	3	2	4	24	19	47	.. R.D.	74	185	1	—	1	2	1	—	—	5
105	104	100	113	75	45	30	572	24	45	Kent .. U.D.	28	74	7	5	3	13	6	2	3	39
58	50	34	38	19	18	13	230	28	45	.. R.D.	19	59	4	1	—	6	3	1	1	16
244	320	217	210	147	153	120	1411	36	65	Lancs .. U.D.	57	117	24	15	8	15	13	14	7	96
38	49	45	29	19	17	14	211	36	58	.. R.D.	77	108	6	2	2	1	2	—	1	14
22	22	18	15	16	10	5	108	31	53	Leicester .. U.D.	26	26	—	—	2	—	—	—	—	2
39	42	24	20	17	13	15	170	35	57	.. R.D.	41	113	3	1	—	2	1	3	1	11
9	14	2	8	6	4	3	46	34	62	Lincs, Holland U.D.	27	54	—	1	—	—	—	1	—	2
7	10	9	12	9	8	1	56	25	54	.. R.D.	40	100	1	—	1	1	1	—	—	5
8	6	6	10	7	1	4	42	29	62	Lincs, Kesteven U.D.	67	67	—	2	1	—	—	—	—	3
17	14	4	17	7	7	9	75	30	64	.. R.D.	64	128	1	3	1	3	1	—	1	10
19	27	20	25	13	8	6	118	30	54	Lincs, Lindsey U.D.	34	75	1	1	3	4	—	2	—	11
22	24	12	25	15	11	8	117	25	51	.. R.D.	45	76	—	3	4	5	—	—	—	12
206	219	193	183	132	114	100	1147	26	48	Middlesex .. U.D.	54	127	26	18	7	27	23	14	5	120
6	8	9	5	5	6	4	43	25	48	.. R.D.	143	190	1	1	1	—	1	—	—	4
4	9	7	2	2	3	3	30	23	34	Norfolk .. U.D.	36	36	—	2	—	—	—	—	—	2
45	57	29	17	19	14	20	201	32	50	.. R.D.	54	70	3	8	2	1	—	2	1	17

TABLE 13.—*continued.* INFANT MORTALITY: DEATHS AND DEATH-RATES (PER 1,000 LIVE BIRTHS) IN ADMINISTRATIVE AREAS, 1930.

ALL INFANTS.										ILLEGITIMATE INFANTS.												
DEATHS.									Deaths per 1,000 Live Births.		Area.	Deaths per 1,000 Live Births.		DEATHS.								
Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.	Under 4 weeks.	Total under 1 year.	Under 4 weeks.		Total under 1 year.	Under 1 day.	1-7 days.	1-4 weeks.	4 weeks to 3 months.	3-6 months.	6-9 months.	9-12 months.	Total under 1 year.		
ADMINISTRATIVE COUNTIES—continued.																						
16	13	15	6	8	2	2	62	32	45	Northants ..	U.D.	58	96	2	—	1	2	—	—	5		
11	14	12	12	11	1	3	64	23	40		R.D.	—	53	—	—	—	—	—	—	4		
60	92	55	56	35	35	25	358	37	64	North'berland ..	U.D.	58	92	4	5	5	3	1	1	22		
18	22	11	10	9	5	8	83	35	57		R.D.	68	78	3	3	1	1	—	—	8		
59	63	53	28	37	29	35	304	38	65	Notts ..	U.D.	74	99	8	2	5	2	1	2	20		
36	44	28	30	13	13	14	178	35	58		R.D.	71	88	1	6	1	1	1	—	10		
4	5	7	4	—	1	3	24	30	45	Oxford ..	U.D.	57	114	—	1	1	2	—	—	4		
19	8	4	9	2	7	3	52	21	36		R.D.	13	13	—	—	—	—	—	—	1		
7	12	5	6	7	6	4	47	35	69	Peterborough, ..	U.D.	55	91	2	1	—	1	—	—	5		
1	2	2	4	—	1	—	10	36	73	Soke of ..	R.D.	—	—	—	—	—	—	—	—	—		
2	1	—	1	—	—	—	4	56	74	Rutland ..	U.D.	—	—	—	—	—	—	—	—	—		
1	3	2	2	—	—	—	8	28	37		R.D.	111	111	—	1	—	—	—	—	1		
21	26	18	17	12	13	10	117	35	62	Salop ..	U.D.	84	109	4	—	6	—	1	1	13		
29	34	29	8	7	7	4	118	42	53		R.D.	63	98	3	4	2	1	4	—	14		
25	20	13	18	14	10	4	104	25	44	Somerset ..	U.D.	37	65	3	—	1	2	1	—	7		
38	49	25	19	11	8	12	162	32	47		R.D.	64	99	6	—	3	2	1	1	14		
26	38	18	27	19	14	14	156	23	44	Southants. ..	U.D.	20	54	2	—	1	2	1	1	8		
36	46	25	25	18	14	16	180	26	44		R.D.	59	100	4	4	5	4	3	1	22		
96	101	107	94	67	76	68	609	32	64	Staffs ..	U.D.	44	104	6	4	2	6	3	5	28		
43	56	33	40	24	21	22	239	36	64		R.D.	67	96	4	2	3	2	1	—	13		
17	15	8	8	8	6	3	65	29	46	Suffolk, East ..	U.D.	70	81	3	3	—	—	1	—	7		
27	17	13	15	6	5	3	86	28	42		R.D.	23	38	2	1	—	2	—	—	5		
2	1	3	4	1	3	1	15	11	26	Suffolk, West ..	U.D.	—	29	—	—	—	1	—	—	1		
9	8	5	5	2	4	1	34	23	36		R.D.	56	74	1	1	1	1	—	—	4		
82	103	66	66	57	43	38	455	24	43	Surrey ..	U.D.	69	115	18	9	5	7	9	2	53		
12	28	10	16	12	7	4	89	20	36		R.D.	17	58	—	1	1	1	2	1	7		
13	19	13	10	6	2	4	67	26	39	Sussex, East ..	U.D.	59	109	4	1	1	2	2	1	11		
9	15	12	22	6	5	2	71	20	40		R.D.	33	65	1	—	2	3	—	—	6		
18	16	6	9	5	5	4	63	27	43	Sussex, West ..	U.D.	33	43	1	1	1	—	—	1	4		
10	8	8	10	8	4	3	51	17	34		R.D.	70	70	3	2	1	—	—	—	6		
26	35	18	16	14	14	12	135	29	49	Warwick ..	U.D.	103	144	7	2	1	1	1	1	14		
34	48	22	18	18	10	11	161	32	50		R.D.	69	115	4	4	1	3	1	2	15		
4	3	8	2	5	—	2	24	40	64	Westmorland ..	U.D.	87	87	—	—	2	—	—	—	2		
7	15	9	4	—	—	1	36	53	62		R.D.	105	132	2	1	1	1	—	—	5		
4	3	7	3	1	4	3	25	19	34	Wight, I. of ..	U.D.	36	36	—	—	2	—	—	—	2		
1	4	—	—	3	—	—	8	14	23		R.D.	71	214	—	1	—	2	—	—	3		
30	35	15	18	7	9	9	123	37	57	Wilts ..	U.D.	82	113	3	4	1	2	1	—	11		
28	27	20	19	11	8	6	119	30	47		R.D.	81	89	5	2	3	1	—	—	11		
36	28	28	30	14	17	14	167	27	50	Worcester ..	U.D.	34	67	2	1	1	1	3	—	8		
17	21	11	10	7	7	8	81	31	51		R.D.	34	56	1	1	1	1	—	—	5		
11	9	6	10	3	6	3	48	24	44	Yorks, E.R. ..	U.D.	27	81	2	—	—	1	—	2	6		
29	15	12	15	10	8	4	93	35	59		R.D.	50	90	3	2	—	1	2	1	9		
26	41	28	27	29	29	25	205	30	64	Yorks, N.R. ..	U.D.	46	86	2	3	3	3	2	1	15		
20	29	23	20	8	6	8	114	31	49		R.D.	63	77	—	6	3	1	—	1	11		
204	254	188	143	122	99	99	1109	37	64	Yorks, W.R. ..	U.D.	65	123	19	15	11	10	13	8	85		
107	120	97	81	62	57	56	580	38	68		R.D.	59	102	6	7	10	4	4	7	40		
WALES.																						
6	2	4	3	5	2	2	24	47	95	Anglesey ..	U.D.	167	333	2	—	1	2	—	—	6		
4	7	5	5	4	2	—	27	32	54		R.D.	82	98	1	2	2	—	1	—	6		
3	4	4	2	—	2	2	17	41	63	Brecon ..	U.D.	200	200	2	2	—	—	—	—	4		
5	14	3	6	8	6	2	44	33	66		R.D.	59	88	—	2	—	1	—	—	3		
8	12	7	5	2	4	7	45	32	53	Caernarvon. ..	U.D.	19	38	—	—	1	—	—	1	2		
16	7	12	11	10	6	4	66	39	73		R.D.	88	132	2	3	1	2	—	—	9		
4	—	—	2	1	—	1	8	24	48	Cardigan ..	U.D.	—	—	—	—	—	—	—	—	—		
8	9	4	4	8	2	2	37	41	73		R.D.	54	54	—	1	1	—	—	—	2		
10	11	10	5	8	12	5	61	28	55	Carmarthen ..	U.D.	70	123	2	—	2	1	—	1	7		
37	32	14	19	16	7	13	138	51	84		R.D.	67	133	4	1	1	1	3	1	12		
8	8	11	11	5	4	3	50	35	65	Denbigh ..	U.D.	45	68	—	1	1	1	—	—	3		
17	25	18	22	12	7	10	111	34	63		R.D.	20	41	1	—	1	—	—	1	4		
7	6	3	7	6	2	2	33	20	42	Flint ..	U.D.	—	32	—	—	—	—	—	—	1		
9	13	9	10	10	5	5	61	28	55		R.D.	29	88	—	2	—	1	2	1	6		
139	136	118	119	79	70	61	722	38	70	Glamorgan ..	U.D.	80	121	16	9	8	6	5	2	50		
38	39	42	30	19	21	19	208	37	65		R.D.	53	132	3	3	—	3	1	2	15		
1	5	—	4	1	3	5	19	21	66	Merioneth ..	U.D.	48	48	—	1	—	—	—	—	1		
2	7	5	7	2	3	2	28	40	80		R.D.	31	63	—	1	—	1	—	—	2		
63	66	70	65	38	39	34	375	36	68	Monmouth ..	U.D.	51	82	3	3	4	2	2	—	16		
5	12	6	4	4	3	3	37	28	45		R.D.	130	130	3	—	—	—	—	—	3		
1	5	3	3	3	1	1	17	37	70	Montgomery ..	U.D.	—	—	—	—	—	—	—	—	—		
8	10	9	3	4	—	3	37	48	66		R.D.	78	118	—	3	1	2	—	—	6		
10	6	7	3	4	4	5	39	35	59	Pembroke ..	U.D.	32	65	1	—	—	1	—	—	2		
6	10	8	7	2	3	3	39	33	53		R.D.	71	71	1	—	2	—	—	—	3		
—	—	—	2	—	—	—	2	—	29	Radnor ..	U.D.	—	—	—	—	—	—	—	—	—		
—	6	5	2	3	1	1	18	41	68		R.D.	182	273	—	2	2	1	—	—	6		

TABLE 14.—Population, Births, Deaths, Infant Mortality, Natural Increase, 1930.—
Counties, County Boroughs, Municipal Boroughs and Urban Districts,
Rural Districts.

NOTE.—The estimates of population shown in the following table have been based primarily on the 1921 Census returns (See Section "Population" in Text). In the case of districts marked with an *, changes in boundaries have occurred during the year, and the populations have been adjusted in order to make them comparable with the records of births and deaths. Particulars of the changes of boundary will be found in Table AA., Part II. The births and deaths exclude stillbirths. Deaths are transferred to the area of residence of the deceased person; births occurring away from home have been transferred to the area of residence of the parents. Deaths of non-civilians have been excluded from local areas throughout this table, the districts in which this exclusion appreciably affects the rates being referred to in footnotes.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ALL AREAS:														
England & Wales.	39,806,000	316,184	302,945	15,196	14,486	648,811	16.3	234,010	221,417	455,427§	11.4	38,908	60	4.9
North ..	13,151,250	108,756	104,399	5,104	4,872	223,131	17.0	82,252	76,838	159,090	12.1†	15,637	70	4.9
Midlands..	13,091,680*	105,431	100,916	4,713	4,443	215,503	16.5	72,059	68,140	140,199	10.7†	11,712	54	5.8
South† ..	10,934,200*	80,564	77,125	4,364	4,183	166,236	15.2	63,018	61,827	124,845	11.5†	8,635	52	3.7
Wales ..	2,628,870	21,433	20,505	1,015	988	43,941	16.7	16,219	14,612	30,831	11.7†	2,924	67	5.0
London ..	4,399,000	33,654	32,152	1,819	1,822	69,447	15.8	26,524	24,468	50,992	11.6†	4,109	59	4.2
COUNTY BORO'S:														
England & Wales.	13,317,690*	110,575	105,932	5,248	5,023	226,778	17.0	82,414	77,189	159,603	12.0†	15,407	68	5.0
North ..	7,017,120*	59,483	57,355	2,881	2,744	122,463	17.5	45,836	42,445	88,281	12.6†	9,140	75	4.9
Midlands..	4,264,710*	35,544	33,791	1,556	1,443	72,334	17.0	24,591	22,713	47,304	11.1†	4,392	61	5.9
South ..	1,481,140	10,850	10,260	645	640	22,395	15.1	8,519	9,041	17,560	12.1†	1,214	54	3.0
Wales ..	554,720	4,698	4,526	166	196	9,586	17.3	3,468	2,990	6,458	11.7†	661	69	5.6
OTHER URBAN DISTRICTS:														
England & Wales.	14,086,840*	109,020	104,880	4,858	4,505	223,263	15.8	78,969	76,529	155,498	11.1†	12,510	56	4.7
North ..	4,333,180*	34,088	32,614	1,468	1,369	69,539	16.0	26,292	25,006	51,298	11.8†	4,536	65	4.2
Midlands..	5,508,010*	43,643	41,910	1,838	1,724	89,115	16.2	28,697	27,696	56,393	10.3†	4,621	52	5.9
South ..	2,974,060*	20,864	20,320	1,093	970	43,247	14.5	16,226	16,973	33,199	11.4†	1,941	45	3.1
Wales ..	1,271,590*	10,425	10,036	459	442	21,362	16.8	7,754	6,854	14,608	11.5†	1,412	66	5.3
RURAL DISTS.:														
England & Wales.	8,002,470*	62,935	59,981	3,271	3,136	129,323	16.2	45,641	43,231	88,872	11.2†	6,882	53	5.0
North ..	1,800,950*	15,185	14,430	755	759	31,129	17.3	10,124	9,387	19,511	10.9†	1,961	63	6.4
Midlands..	3,318,960*	26,244	25,215	1,319	1,276	54,054	16.3	18,771	17,731	36,502	11.0†	2,699	50	5.3
South ..	2,080,000*	15,196	14,393	807	751	31,147	15.0	11,749	11,345	23,094	11.2†	1,371	44	3.8
Wales ..	802,560*	6,310	5,943	390	350	12,993	16.2	4,997	4,768	9,765	12.2†	851	65	4.0

† Death-rates based upon estimated civilian populations as follows:—All Areas—North, 13,137,360; Midlands, 13,064,570*; South, 10,810,340*; Wales, 2,626,730. London, 4,388,000. County Boroughs—England and Wales, 13,276,990*; North, 7,014,200*; Midlands, 4,263,010*; South, 1,445,490; Wales, 554,290. Other Urban Districts—England and Wales, 14,021,330*; North, 4,331,330*; Midlands, 5,497,430*; South, 2,922,040*; Wales, 1,270,530*. Rural Districts—England and Wales, 7,952,680*; North, 1,791,830*; Midlands, 3,304,130*; South, 2,054,810*; Wales, 801,910.*

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—All Areas—Midlands, 13,091,950 (Total), 13,064,840 (Civilian); South, 10,933,930 (Total), 10,810,070 (Civilian); County Boroughs—England and Wales, 13,323,640 (Total), 13,282,940 (Civilian); North, 7,022,870 (Total), 7,019,950 (Civilian); Midlands, 4,264,910 (Total), 4,253,210 (Civilian). Other Urban Districts—England and Wales, 14,105,310 (Total), 14,039,600 (Civilian); North, 4,330,520 (Total), 4,328,670 (Civilian); Midlands, 5,519,780 (Total), 5,509,200 (Civilian); South, 2,976,520 (Total), 2,924,300 (Civilian); Wales, 1,278,490 (Total), 1,277,430 (Civilian). Rural Districts—England and Wales, 7,978,050 (Total), 7,928,460 (Civilian); North, 1,797,860 (Total), 1,788,740 (Civilian); Midlands, 3,307,260 (Total), 3,292,430 (Civilian); South, 2,077,270 (Total), 2,052,280 (Civilian); Wales, 795,660 (Total), 795,010 (Civilian).

† Including London.

§ Including 462 deaths of non-civilians.

|| The counties in the four areas: North, Midlands, South and Wales, are as follows:—

North.	Midlands.		South.	Wales.
Cheshire.	Middlesex.	Gloucestershire.	London.	Monmouthshire.
Lancashire.	Hertfordshire.	Herefordshire.	Surrey.	Glamorganshire.
Yorks, West Riding.	Buckinghamshire.	Shropshire.	Kent.	Carmarthenshire.
" East Riding.	Oxfordshire.	Staffordshire.	Sussex, East.	Montgomeryshire.
" North Riding.	Northamptonshire.	Worcestershire.	West.	Cardiganshire.
Durham.	Soke of Peterborough.	Warwickshire.	Southampton.	Brecknockshire.
Northumberland.	Huntingdonshire.	Leicestershire.	Isle of Wight.	Radnorshire.
Cumberland.	Bedfordshire.	Rutlandshire.	Berkshire.	Pembrokehire.
Westmorland.	Cambridgeshire.	Lincolnshire.	Wiltshire.	Flintshire.
	Isle of Ely.	Parts of Holland.	Dorsetshire.	Denbighshire.
	Essex.	" Kesteven.	Devonshire.	Merionethshire.
	Suffolk, East.	" Lindsey.	Cornwall.	Caernarvonshire.
	West.	Nottinghamshire.	Somersetshire.	Anglesey.
	Norfolk.	Derbyshire.		

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ENGLAND (excluding Monmouth.)														
BEDFORDSHIRE : ADMINISTRATIVE COUNTY.	218,300	1,517	1,458	82	70	3,127	14.3	1,183	1,166	2,349	10.8†	145	46	3.5
URBAN DISTRICTS	140,470	950	931	46	45	1,972	14.0	725	737	1,462	10.4†	84	43	3.6
Ampthill ..	2,183	15	15	1	—	31	14.2	14	13	27	12.4	3	97	1.8
Bedford M.B. . .	40,640	266	244	13	18	541	13.3	211	223	434	10.7	20	37	2.6
Biggleswade ..	5,964	48	46	4	—	98	16.4	37	36	73	12.2	5	51	4.2
Dunstable M.B.	8,934	66	59	1	—	126	14.1	53	39	92	10.3	4	32	3.8
Kempston ..	5,351	36	27	4	2	69	12.9	32	19	51	9.8†	5	72	3.1
Leighton Buzzard.	6,788	32	47	4	5	88	13.0	38	45	83	12.2	5	57	0.8
Luton M.B. ..	67,430	470	469	18	18	975	14.5	320	344	664	9.8	41	42	4.7
Sandy	3,180	17	24	1	2	44	13.8	20	18	38	11.9	1	23	1.9
RURAL DISTRICTS	77,830	567	527	36	25	1,155	14.8	458	429	887	11.6†	61	53	3.2
Ampthill ..	19,600	132	142	10	11	295	15.1	114	124	238	12.1	10	34	3.0
Bedford	20,790	162	137	8	5	312	15.0	134	116	250	12.0	22	71	3.0
Biggleswade ..	20,760	148	134	8	5	295	14.2	100	101	201	10.4†	15	51	3.8
Eaton Bray ..	3,871	30	31	2	2	65	16.8	29	25	54	13.9	3	46	2.9
Eaton Socon ..	3,227	20	20	—	—	40	12.4	27	13	40	12.4	2	50	—
Luton	9,582	75	63	8	2	148	15.4	54	50	104	10.9	9	61	4.5
BERKSHIRE :														
COUNTY BORO' :														
Reading	97,280	663	674	40	27	1,404	14.4	541	584	1,125	11.6†	74	53	2.8
ADMINISTRATIVE COUNTY.	214,800	1,577	1,485	117	84	3,263	15.2	1,209	1,118	2,327	10.9†	135	41	4.3
URBAN DISTRICTS	72,080	513	489	47	34	1,083	15.0	446	444	890	12.5†	52	48	2.5
Abingdon M.B.	7,361	66	53	2	—	121	16.4	59	50	109	14.8	7	58	1.6
Maidenhead M.B.	17,470	138	125	15	12	290	16.6	115	96	211	12.1	14	48	4.5
Newbury M.B.	13,390	94	79	8	4	185	13.8	78	88	166	12.4	6	32	1.4
New Windsor M. B.	19,980	131	150	13	14	308	15.4	115	112	227	12.0†	18	58	3.4
Wallingford M.B.	2,812	18	13	4	—	35	12.4	16	22	38	13.5	1	29	—1.1
Wantage ..	3,817	25	23	3	1	52	13.6	24	31	55	14.4	3	58	—0.8
Wokingham M.B.	7,250	41	46	2	3	92	12.7	39	45	84	11.6	3	33	1.1
RURAL DISTRICTS	142,720	1,064	996	70	50	2,180	15.3	763	674	1,437	10.1†	83	38	5.2
Abingdon ..	12,260	100	104	6	7	217	17.7	51	47	98	8.0	8	37	9.7
Bradfield	14,650	99	89	9	5	202	13.8	75	71	146	10.0	10	50	3.8
Cookham ..	14,980	117	98	12	5	232	15.5	92	73	165	11.0	10	43	4.5
Easthampstead	18,670	142	110	5	4	261	14.0	77	86	163	9.1†	6	23	4.9
Faringdon (part of)†	9,788	65	70	2	8	145	14.8	63	52	115	11.7	7	48	3.1
Hungerford ..	8,777	84	67	6	4	161	18.3	44	38	82	9.3	5	31	9.0
Newbury	11,980	93	88	10	—	191	15.9	83	59	142	11.9	6	31	4.0
Wallingford ..	9,629	82	83	3	2	170	17.7	54	46	100	10.6†	7	41	7.1
Wantage	12,150	79	79	5	5	168	13.8	60	66	126	10.4	10	60	3.4
Windsor	9,926	55	67	7	3	132	13.3	59	44	103	10.4	5	38	2.9
Wokingham ..	19,910	148	141	5	7	301	15.1	105	92	197	9.9	9	30	5.2

† Death-rates based upon estimated civilian populations as follows :—Bedfordshire—Administrative County, 216,700; Urban Districts, 140,300; Kempston U.D., 5,181; Rural Districts, 76,400; Biggleswade R.D., 19,330. Berkshire—Reading C.B., 97,080; Administrative County, 212,770; Urban Districts, 71,060; New Windsor M.B., 18,960; Rural Districts, 141,710; Easthampstead R.D., 17,870; Wallingford R.D., 9,419.

‡ The remainder of Faringdon Rural District is in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BUCKINGHAMSHIRE ADMINISTRATIVE COUNTY.	267,000	1,984	1,866	93	80	4,023	15.1	1,407	1,369	2,776	10.5†	166	41	4.6
URBAN DISTRICTS.	118,820*	880	826	36	28	1,770	14.9	612	619	1,231	10.4	79	45	4.5
Aylesbury M.B.	13,110	89	90	4	5	188	14.3	62	74	136	10.4	5	27	3.9
Beaconsfield ..	4,561	39	31	—	—	70	15.3	23	25	48	10.5	5	71	4.8
Bletchley ..	6,163	37	36	1	1	75	12.2	40	40	80	13.0	5	67	—0.8
Buckingham M.B.	3,011	17	17	1	—	35	11.6	15	14	29	9.6	1	29	2.0
Chepping Wy- combe M.B.	27,720	229	209	5	7	450	16.2	131	142	273	9.8	29	64	6.4
Chesham	8,896	67	68	3	1	139	15.6	49	46	95	10.7	4	29	4.9
Eton	3,325	11	13	—	—	24	7.2	8	9	17	5.1	1	42	2.1
Linslade	2,375	16	12	1	—	29	12.2	19	10	29	12.2	1	34	—
Marlow	5,079	52	52	6	3	113	22.2	43	30	73	14.4	2	18	7.8
Newport Pag- nell.	3,920	26	25	—	1	52	13.3	22	21	43	11.0	1	19	2.3
Slough	27,530*	232	204	11	7	454	16.5	123	130	253	9.2	19	42	7.3
Wolverton ..	13,130	65	69	4	3	141	10.7	77	78	155	11.8	6	43	—1.1
RURAL DISTRICTS.	148,180*	1,104	1,040	57	52	2,253	15.2	795	750	1,545	10.7†	87	39	4.5
Amersham ..	28,060	236	219	11	8	474	16.9	124	129	253	9.0	21	44	7.9
Aylesbury ..	22,250	143	133	12	8	296	13.3	110	93	203	10.9†	12	41	2.4
Buckingham ..	7,562	58	48	3	1	110	14.5	44	40	84	11.1	1	9	3.4
Eton	32,020*	263	288	15	14	580	18.1	177	151	328	10.2	27	47	7.9
Hambleton ..	1,935	14	8	—	—	22	11.4	5	7	12	6.2	1	45	5.2
Long Crendon..	3,786	28	27	3	—	58	15.3	24	26	50	13.2	1	17	2.1
Newport Pag- nell.	13,880	95	77	4	5	181	13.0	87	83	170	12.2	6	33	0.8
Wing	5,434	29	24	1	1	55	10.1	33	39	72	13.2	3	55	—3.1
Winslow	6,143	32	35	1	3	71	11.6	43	40	83	13.5	4	56	—1.9
Wycombe ..	27,110	206	181	7	12	406	15.0	148	142	290	10.7	11	27	4.3
CAMBRIDGESHIRE : ADMINISTRATIVE COUNTY.	137,200	918	837	45	54	1,854	13.5	736	771	1,507	11.0†	77	42	2.5
URBAN DISTRICT : Cambridge M.B.	64,310	393	332	22	17	764	11.9	321	358	679	10.6	31	41	1.3
RURAL DISTRICTS.	72,890	525	505	23	37	1,090	15.0	415	413	828	11.4†	46	42	3.6
Caxton and Arrington.	7,388	50	44	3	2	99	13.4	40	51	91	12.3	6	61	1.1
Chesterton ..	26,360	172	194	8	17	391	14.8	133	137	270	10.2	16	41	4.6
Linton	9,857	74	73	2	3	152	15.4	52	58	110	11.4†	6	39	4.0
Melbourn ..	7,878	46	35	1	4	86	10.9	52	45	97	12.3	3	35	—1.4
Newmarket ..	18,950	160	146	8	10	324	17.1	123	110	233	12.3	13	40	4.8
Swavesey ..	2,457	23	13	1	1	38	15.5	15	12	27	11.0	2	53	4.5
CHESHIRE :														
COUNTY BORO's	419,400	3,294	3,080	136	141	6,651	15.9	2,658	2,372	5,030	12.0	464	70	3.9
Birkenhead ..	152,300	1,405	1,289	52	61	2,807	18.4	983	866	1,849	12.1	240	86	6.3
Chester	41,100	323	315	14	15	667	16.2	321	264	585	14.2	48	72	2.0
Stockport ..	127,100	866	818	43	38	1,765	13.9	797	740	1,537	12.1	100	57	1.8
Wallasey	98,900	700	658	27	27	1,412	14.3	557	502	1,059	10.7	76	54	3.6

† Death-rates based upon estimated civilian populations as follows :—Buckinghamshire—Administrative County, 263,310; Rural Districts, 144,490*; Aylesbury R.D., 18,560. Cambridgeshire—Administrative County, 136,970; Rural Districts, 72,660; Linton R.D., 9,627.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows :—Buckinghamshire—Urban Districts, 121,480; Slough U.D., 30,190; Rural Districts, 145,520 (Total), 141,830 (Civilian); Eton R.D., 29,360.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—cont.														
ADMINISTRATIVE COUNTY.	677,100	4,970	4,647	191	168	9,976	14.7	3,841	3,678	7,519	11.1†	564	57	3.6
URBAN DISTRICTS	466,470	3,444	3,207	137	104	6,892	14.8	2,715	2,630	5,345	11.5	387	56	3.3
Alderley Edge	3,102	20	17	—	2	39	12.6	18	17	35	11.3	—	—	1.3
Alsager	2,849	21	20	2	—	43	15.1	11	17	28	9.8	2	47	5.3
Altrincham ..	21,410	151	157	12	8	328	15.3	127	111	238	11.1	14	43	4.2
Bebington and Bromborough	26,020	244	221	6	4	475	18.3	112	118	230	8.8	35	74	9.5
Bollington ..	5,154	38	24	1	1	64	12.4	28	40	68	13.2	6	94	—0.8
Bowdon	3,170	12	21	3	—	36	11.4	18	25	43	13.6	3	83	—1.2
Bredbury and Romiley.	10,670	65	69	1	—	135	12.7	57	63	120	11.2	8	59	1.5
Buglawton ..	1,716	12	15	2	—	29	16.9	11	8	19	11.1	2	69	5.8
Cheadle and Gatley.	17,510	142	132	3	2	279	15.9	75	84	159	9.1	12	43	6.8
Compstall ..	877	7	6	—	—	13	14.8	4	5	9	10.3	1	77	4.5
Congleton M.B.	12,630	92	86	2	3	183	14.5	67	77	144	11.4	12	66	3.1
Crewe M.B. ..	46,940	324	336	14	9	683	14.6	295	262	557	11.9	38	56	2.7
Dukinfield M.B.	19,520	174	129	7	7	317	16.2	136	128	264	13.5	23	73	2.7
Ellesmere Port and Whitby.	18,300	217	206	6	6	435	23.8	96	82	178	9.7	19	44	14.1
Hale	10,370	57	68	3	—	128	12.3	44	53	97	9.4	2	16	2.9
Handforth ..	1,059	3	11	—	—	14	13.2	8	5	13	12.3	—	—	0.9
Hazel Grove and Bramhall.	12,880	79	73	2	3	157	12.2	78	56	134	10.4	7	45	1.8
Hollingworth ..	2,339	10	13	—	1	24	10.3	19	18	37	15.8	—	—	—5.5
Hoole	5,789	34	33	—	1	68	11.7	35	24	59	10.2	3	44	1.5
Hoylake and West Kirby.	16,730	88	67	5	3	163	9.7	92	104	196	11.7	8	49	—2.0
Hyde M.B. ..	32,450	201	198	9	9	417	12.9	232	215	447	13.8	16	38	—0.9
Knutsford ..	5,582	45	43	2	—	90	16.1	29	22	51	9.1	4	44	7.0
Lymm	5,703	48	37	1	1	87	15.3	39	31	70	12.3	3	34	3.0
Macclesfield M.B.	34,990	241	194	14	7	456	13.0	206	237	443	12.7	33	72	0.3
Marple	7,152	37	33	1	—	71	9.9	31	46	77	10.8	6	85	—0.9
Middlewich ..	5,580	48	47	2	1	98	17.6	38	26	64	11.5	5	51	6.1
Mottram-in- Longdendale.	2,702	13	10	2	—	25	9.3	18	18	36	13.3	1	40	—4.0
Nantwich ..	7,105	53	58	3	1	115	16.2	48	52	100	14.1	5	43	2.1
Neston and Parkgate	5,753	39	50	3	—	92	16.0	30	28	58	10.1	4	43	5.9
Northwich ..	18,830	159	148	5	7	319	16.9	138	111	249	13.2	31	97	3.7
Runcorn	18,420	192	133	6	7	338	18.3	83	93	176	9.6	15	44	8.7
Sale*	26,930	202	166	7	7	382	14.2	154	151	305	11.3	22	58	2.9
Sandbach ..	6,342	44	52	2	2	100	15.8	37	43	80	12.6	3	30	3.2
Stalybridge M.B.	25,000	157	175	6	8	346	13.8	149	147	296	11.8	26	75	2.0
Tarporley ..	2,443	18	16	—	—	34	13.9	14	15	29	11.9	3	88	2.0
Wilmslow ..	9,592	59	52	2	—	113	11.8	43	39	82	8.5	3	27	3.3
Winsford ..	11,150	88	83	3	3	177	15.9	83	49	132	11.8	12	68	4.1
Yeardsley-cum- Whaley	1,711	10	8	—	1	19	11.1	12	10	22	12.9	—	—	—1.8

* The Urban Districts of Ashton-upon-Mersey and Sale were united on the 1st April 1930. The figures relate to the combined districts for the whole year.

† Death-rate based upon estimated civilian population of 676,840.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CHESHIRE—cont.														
RURAL DISTRICTS	210,630	1,526	1,440	54	64	3,084	14.6	1,126	1,048	2,174	10.3†	177	57	4.3
Bucklow.. ..	26,350	183	171	6	6	366	13.9	124	126	250	9.5	28	71	4.4
Chester	15,930	111	111	5	2	229	14.4	63	90	153	9.8†	10	44	4.6
Congleton .. .	13,170	97	94	5	5	201	15.3	77	71	148	11.2	15	75	4.1
Disley	3,166	11	13	2	—	26	8.2	12	17	29	9.2	—	—	—1.0
Macclesfield ..	19,300	125	129	2	6	262	13.6	106	97	203	10.5	15	57	3.1
Malpas	4,363	41	30	3	3	77	17.6	31	28	59	13.5	6	78	4.1
Nantwich .. .	26,610	191	206	6	12	415	15.6	156	145	301	11.3	31	75	4.3
Northwich .. .	26,470	226	188	8	6	428	16.2	154	114	268	10.1	14	33	6.1
Runcorn .. .	31,860	210	207	4	8	429	13.5	192	145	337	10.6	29	68	2.9
Tarvin	13,270	96	98	7	5	206	15.5	66	73	139	10.5	9	44	5.0
Tintwistle .. .	2,051	5	9	—	1	15	7.3	9	17	26	12.7	1	67	—5.4
Wirral	28,090	230	184	6	10	430	15.3	136	125	261	9.3	21	49	6.0
CORNWALL :														
ADMINISTRATIVE COUNTY.	314,700	2,297	2,105	123	123	4,648	14.8	1,997	2,295	4,292	13.6†	238	51	1.2
URBAN DISTRICTS	141,530	991	987	63	54	2,095	14.8	938	1,094	2,032	14.4†	106	51	0.4
Bodmin M.B. ..	5,367	39	31	5	1	76	14.2	19	27	46	8.9†	2	26	5.3
Callington .. .	1,796	13	12	3	—	28	15.6	14	21	35	19.5	3	107	—3.9
Camborne .. .	14,290	101	102	14	14	231	16.2	81	105	186	13.0	18	78	3.2
Falmouth M.B.	13,050	87	105	5	9	206	15.8	90	97	187	14.3	11	53	1.5
Fowey M.B. ..	2,133	18	20	—	—	38	17.8	9	14	23	10.8	—	—	7.0
Hayle	896	3	14	1	4	22	24.6	11	21	32	35.7	2	91	—11.1
Helston M.B. ..	2,559	17	25	—	1	43	16.8	21	18	39	15.2	3	70	1.6
Launceston M.B.	4,015	22	28	—	—	50	12.5	33	29	62	15.4	1	20	—2.9
Liskeard M.B.	4,160	34	23	2	1	60	14.4	34	46	80	19.2	—	—	—4.8
Looe	2,782	16	12	—	—	28	10.1	29	21	50	18.0	—	—	—7.9
Lostwithiel M.B.	1,302	8	9	—	1	18	13.8	10	12	22	16.9	1	56	—3.1
Ludgvan.. ..	1,866	18	13	—	—	31	16.6	18	18	36	19.3	1	32	—2.7
Madron	3,301	30	17	3	2	52	15.8	20	27	47	14.2	3	58	1.6
Newquay .. .	5,677	27	34	5	1	67	11.8	29	38	67	11.8	3	45	—
Padstow	1,652	18	9	—	—	27	16.3	16	10	26	15.7	1	37	0.6
Paul	5,475	35	34	—	2	71	13.0	23	46	69	12.6	1	14	0.4
Penryn M.B. ..	3,306	34	31	1	1	67	20.3	26	30	56	16.9	—	—	3.4
Penzance M.B.	11,200	66	79	4	7	156	13.9	81	112	193	17.2	6	38	—3.3
Phillack	3,217	24	24	1	2	51	15.9	24	23	47	14.6	7	137	1.3
Redruth	9,526	89	65	3	2	159	16.7	76	85	161	16.9	10	63	—0.2
St. Austell .. .	8,240	65	64	1	1	131	15.9	38	57	95	11.5	6	46	4.4
St. Ives M.B. ..	6,490	32	40	4	—	76	11.7	45	44	89	13.7	6	79	—2.0
St. Just	4,606	34	37	—	2	73	15.8	37	38	75	16.3	6	82	—0.5
Saltash M.B. ..	3,529	32	20	—	1	53	15.0	22	20	42	11.9	1	19	3.1
Stratton and Bude.	3,627	25	21	1	—	47	13.0	30	28	58	16.0	1	21	—3.0
Torpoint.. ..	4,065	19	22	2	—	43	10.6	16	17	33	8.1	1	23	2.5
Truro M.B. ..	10,990	65	85	7	2	159	14.5	73	74	147	13.4	12	75	1.1
Wadebridge ..	2,413	20	11	1	—	32	13.3	13	16	29	12.0	—	—	1.3
RURAL DISTRICTS	173,170	1,306	1,118	60	69	2,553	14.7	1,059	1,201	2,260	13.1	132	52	1.6
Bodmin	10,270	82	74	5	3	164	16.0	72	62	134	13.0	13	79	3.0
Calstock	4,471	20	22	3	2	47	10.5	24	40	64	14.3	1	21	—3.8
Camelford .. .	7,587	60	58	4	—	122	16.1	50	50	100	13.2	9	74	2.9

† Death-rates based upon estimated civilian populations as follows:—Cheshire—Rural Districts, 210,370; Chester R.D., 15,670. Cornwall—Administrative County, 314,480; Urban Districts, 141,310; Bodmin M.B., 5,147.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CORNWALL—cont.														
RURAL DISTRICTS —cont.														
East Kerrier ..	9,246	83	50	3	4	140	15.1	53	47	100	10.8	7	50	4.3
Helston	16,110	123	94	3	5	225	14.0	84	115	199	12.4	6	27	1.6
Holsworthy (part of)†	335	2	5	—	—	7	20.9	—	2	2	6.0	—	—	14.9
Launceston ..	6,972	53	50	—	1	104	14.9	37	48	85	12.2	—	—	2.7
Liskeard	14,470	91	100	3	8	202	14.0	100	97	197	13.6	8	40	0.4
Redruth	16,700	144	121	9	9	283	16.9	121	133	254	15.2	19	67	1.7
St. Austell ..	26,930	201	193	11	13	418	15.5	165	179	344	12.8	26	62	2.7
St. Columb Major.	12,170	101	95	2	1	199	16.4	70	72	142	11.7	10	50	4.7
St. Germans ..	11,600	89	62	6	3	160	13.8	65	66	131	11.3	8	50	2.5
Scilly, Isles of..	1,672	17	9	—	—	26	15.6	12	11	23	13.8	1	38	1.8
Stratton	5,007	45	36	3	7	91	18.2	29	24	53	10.6	5	55	7.6
Truro	19,280	123	91	6	11	231	12.0	110	155	265	13.7	9	39	—1.7
West Penwith	10,350	72	58	2	2	134	12.9	67	100	167	16.1	10	75	—3.2
CUMBERLAND :														
COUNTY BORO' :														
Carlisle	56,990	489	460	32	29	1,010	17.7	327	402	729	12.8†	69	68	4.9
ADMINISTRATIVE COUNTY	206,800	1,723	1,646	120	121	3,610	17.5	1,287	1,264	2,551	12.3	214	59	5.2
URBAN DISTRICTS	115,080	1,030	949	63	60	2,102	18.3	727	709	1,436	12.5	141	67	5.8
Arlecdon and Frizington.	4,501	41	34	—	3	78	17.3	35	32	67	14.9	7	90	2.4
Aspatria	3,346	26	16	2	—	44	13.2	18	19	37	11.1	1	23	2.1
Cleator Moor ..	6,890	56	59	3	4	122	17.7	36	37	73	10.6	5	41	7.1
Cockermouth ..	4,734	27	27	1	4	59	12.5	36	25	61	12.9	8	136	—0.4
Egremont	6,117	53	55	3	2	113	18.5	26	30	56	9.2	6	53	9.3
Harrington ..	4,205	40	37	3	2	82	19.5	20	18	38	9.0	6	73	10.5
Holme Cultram	4,742	40	40	5	3	88	18.6	28	27	55	11.6	2	23	7.0
Keswick	4,272	25	17	6	1	49	11.5	34	44	78	18.3	2	41	—6.8
Maryport	10,420	102	88	8	5	203	19.5	63	76	139	13.3	16	79	6.2
Millom	7,390	68	61	5	4	138	18.7	46	47	93	12.6	5	36	6.1
Penrith	8,610	70	62	6	5	143	16.6	53	49	102	11.8	9	63	4.8
Whitehaven M.B.	21,140	232	205	8	15	460	21.8	126	131	257	12.2	36	78	9.6
Wigton	3,533	35	26	3	2	66	18.7	26	23	49	13.9	5	76	4.8
Workington M.B.	25,180	215	222	10	10	457	18.1	180	151	331	13.1	33	72	5.0
RURAL DISTRICTS	91,720	693	697	57	61	1,508	16.4	560	555	1,115	12.2	73	48	4.2
Alston with Garrigill.	2,662	16	7	4	4	31	11.6	25	24	49	18.4	3	97	—6.8
Bootle	5,381	27	38	1	5	71	13.2	34	24	58	10.8	3	42	2.4
Brampton	7,782	42	59	5	10	116	14.9	70	52	122	15.7	7	60	—0.8
Carlisle	11,910	88	81	3	8	180	15.1	63	83	146	12.3	10	56	2.8
Cockermouth ..	21,520	175	152	19	9	355	16.5	138	127	265	12.3	18	51	4.2
Longtown	5,985	36	50	7	7	100	16.7	35	33	68	11.4	1	10	5.3
Penrith	12,020	96	106	4	5	211	17.6	64	62	126	10.5	6	28	7.1
Whitehaven ..	13,830	125	101	7	7	240	17.4	63	74	137	9.9	11	46	7.5
Wigton	10,630	88	103	7	6	204	19.2	68	76	144	13.5	14	69	5.7

† Death-rate based upon estimated civilian population of 56,810.

‡ The remainder of Holsworthy Rural District is in Devonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DERBYSHIRE :														
COUNTY BORO' :														
Derby	142,300	1,222	1,078	65	42	2,407	16·9	834	749	1,583	11·1†	169	70	5·8
ADMINISTRATIVE COUNTY.	620,600	5,244	4,898	228	192	10,562	17·0	3,371	2,968	6,339	10·2	649	61	6·8
URBAN DISTRICTS	319,760	2,639	2,515	120	94	5,368	16·8	1,781	1,579	3,360	10·5	351	65	6·3
Alfreton	21,470	171	178	7	6	362	16·9	113	106	219	10·2	24	66	6·7
Alvaston and Boulton.	2,883	21	20	3	2	46	16·0	15	13	28	9·7	1	22	6·3
Ashbourne ..	4,484	37	36	—	1	74	16·5	29	17	46	10·3	3	41	6·2
Bakewell ..	3,048	17	15	—	1	33	10·8	14	15	29	9·5	2	61	1·3
Baslow and Bubnell.	840	6	2	—	—	8	9·5	3	6	9	10·7	—	—	—1·2
Belper	13,100	110	106	1	2	219	16·7	66	56	122	9·3	15	68	7·4
Bolsover ..	12,250	117	125	4	5	251	20·5	55	51	106	8·7	17	68	11·8
Bonsall	1,182	5	9	—	—	14	11·8	3	1	4	3·4	1	71	8·4
Brampton and Walton.	2,296	18	16	—	2	36	15·7	15	12	27	11·8	—	—	3·9
Buxton M.B. ..	15,800	121	96	7	5	229	14·5	90	82	172	10·9	15	66	3·6
Chesterfield M.B.	64,790	596	513	28	19	1,156	17·8	385	306	691	10·7	80	69	7·1
Clay Cross ..	8,649	67	87	5	3	162	18·7	60	47	107	12·4	9	56	6·3
Dronfield ..	4,522	31	37	1	1	70	15·5	35	31	66	14·6	2	29	0·9
Glossop M.B. ..	19,730	114	123	5	3	245	12·4	125	128	253	12·8	19	78	—0·4
Heage	4,213	43	37	1	4	85	20·2	27	13	40	9·5	9	106	10·7
Heanor	22,780	204	202	7	5	418	18·3	119	103	222	9·7	25	60	8·6
Ilkeston M.B.	33,220	328	321	12	13	674	20·3	189	151	340	10·2	42	62	10·1
Long Eaton ..	22,510	154	145	9	6	314	13·9	103	109	212	9·4	19	61	4·5
New Mills ..	8,765	57	59	2	3	121	13·8	48	59	107	12·2	7	58	1·6
North Darley	4,259	32	29	4	—	65	15·3	20	19	39	9·2	2	31	6·1
Ripley	13,700	103	82	5	2	192	14·0	59	56	115	8·4	17	89	5·6
South Darley	710	4	7	1	1	13	18·3	2	5	7	9·9	—	—	8·4
Swadlincote District.	20,760	179	166	11	6	362	17·4	108	97	205	9·9	28	77	7·5
The Matlocks	9,889	69	72	3	3	147	14·9	69	62	131	13·2	9	61	1·7
Wirksworth ..	3,910	35	32	4	1	72	18·4	29	34	63	16·1	5	69	2·3
RURAL DISTRICTS	300,840	2,605	2,383	108	98	5,194	17·3	1,590	1,389	2,979	9·9	298	57	7·4
Ashbourne ..	10,400	83	62	4	7	156	15·0	62	54	116	11·2	14	90	3·8
Bakewell ..	18,490	121	122	4	4	251	13·6	121	98	219	11·8	9	36	1·8
Belper	25,170	226	170	5	8	409	16·2	128	127	255	10·1	15	37	6·1
Blackwell ..	43,740	402	373	21	16	812	18·6	215	168	383	8·8	55	68	9·8
Chapel-en-le- Frith.	17,380	131	125	8	5	269	15·5	94	82	176	10·1	11	41	5·4
Chesterfield ..	83,800	812	722	39	36	1,609	19·2	455	387	842	10·0	105	65	9·2
Clowne	18,200	187	157	5	7	356	19·6	76	69	145	8·0	21	59	11·6
Glossop Dale ..	3,913	24	14	1	1	40	10·2	19	26	45	11·5	1	25	—1·3
Hartshorn and Seals.	8,811	80	62	1	2	145	16·5	41	43	84	9·5	7	48	7·0
Hayfield	4,314	20	27	1	1	49	11·4	36	25	61	14·1	5	102	—2·7
Norton	6,157	24	37	1	—	62	10·1	26	32	58	9·4	2	32	0·7
Repton	18,440	148	155	7	2	312	16·9	91	94	185	10·0	16	51	6·9
Shardlow ..	37,680	314	322	9	8	653	17·3	211	158	369	9·8	36	55	7·5
Sudbury	2,531	17	26	1	1	45	17·8	9	15	24	9·5	—	—	8·3

† Death-rate based upon estimated civilian population of 142,130.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DERBYSHIRE—cont.														
RURAL DISTRICTS —cont.														
Civil Parishes of Codnor Park & Shipley. Ad- ministered by R.D. Council of Basford (Notts).	1,814	16	9	1	—	26	14.3	6	11	17	9.4	1	38	4.9
DEVONSHIRE :														
COUNTY BORO'S	272,870	2,123	2,007	124	111	4,365	16.0	1,629	1,669	3,298	12.8†	256	59	3.2
Exeter	63,870	466	425	28	25	944	14.8	385	374	759	12.0†	47	50	2.8
Plymouth ..	209,000	1,657	1,582	96	86	3,421	16.4	1,244	1,295	2,539	13.1†	209	61	3.3
ADMINISTRATIVE COUNTY.	447,000	2,965	2,810	185	137	6,097	13.6	2,731	2,937	5,668	12.7†	290	48	0.9
URBAN DISTRICTS	221,760	1,335	1,230	96	68	2,729	12.3	1,380	1,657	3,037	13.7†	131	48	—1.4
Ashburton ..	2,481	19	14	2	1	36	14.5	20	21	41	16.5	1	28	—2.0
Axminster ..	2,324	20	19	2	1	42	18.1	13	10	23	9.9	—	—	8.2
Bampton ..	1,408	8	11	2	—	21	14.9	8	6	14	9.9	—	—	5.0
Barnstaple M.B.	14,390	79	90	5	4	178	12.4	71	97	168	11.7	9	51	0.7
Bideford M.B.	8,953	52	39	3	3	97	10.8	55	54	109	12.2	4	41	—1.4
Brixham ..	8,088	64	54	5	2	125	15.5	50	66	116	14.3	7	56	1.2
Buckfastleigh	2,391	12	15	1	1	29	12.1	13	11	24	10.0	1	34	2.1
Budleigh	2,927	9	12	—	1	22	7.5	16	23	39	13.3	—	—	—5.8
Salterton.														
Crediton	3,517	19	15	—	2	36	10.2	32	32	64	18.2	2	56	—8.0
Dartmouth M.B.	6,980	37	36	2	2	77	11.0	30	31	61	9.7†	3	39	1.3
Dawlish	4,413	26	22	2	4	54	12.2	38	30	68	15.4	1	19	—3.2
Exmouth	14,420	78	70	5	4	157	10.9	69	115	184	12.8	2	13	—1.9
Great Torrington M.B.	2,927	19	15	—	—	34	11.6	23	25	48	16.4	3	88	—4.8
Holsworthy ..	1,380	10	5	2	—	17	12.3	6	13	19	13.8	1	59	—1.5
Honiton M.B. ..	3,107	23	18	1	—	42	13.5	16	23	39	12.6	1	24	0.9
Ilfracombe ..	8,778	54	30	3	2	89	10.1	59	63	122	13.9	3	34	—3.8
Ivybridge ..	1,638	15	8	—	—	23	14.0	9	11	20	12.2	2	87	1.8
Kingsbridge ..	2,929	9	15	1	—	25	8.5	11	23	34	11.6	—	—	—3.1
Lynton	1,758	15	6	1	—	22	12.5	9	9	18	10.2	1	45	2.3
Newton Abbot	14,910	113	74	2	5	194	13.0	112	108	220	14.8	12	62	—1.8
Northam ..	5,651	41	34	2	—	77	13.6	31	47	78	13.8	4	52	—0.2
Okehampton M.B.	3,350	29	25	1	1	56	16.7	21	14	35	10.4	2	36	6.3
Ottery St. Mary	3,630	20	18	3	1	42	11.6	20	21	41	11.3	—	—	0.3
Paignton ..	17,340	101	102	7	4	214	12.3	116	135	251	14.5	11	51	—2.2
Salcombe ..	2,219	13	7	—	1	21	9.5	20	15	35	15.8	—	—	—6.3
Seaton ..	2,176	10	7	1	—	18	8.3	7	23	30	13.8	1	56	—5.5
Sidmouth ..	5,534	26	32	1	1	60	10.8	28	51	79	14.3	6	100	—3.5
South Molton.. M.B.	2,742	15	16	4	1	36	13.1	20	18	38	13.9	—	—	—0.8

† Death-rates based upon estimated civilian populations as follows :—Devonshire—County Boroughs, 257,880 ; Exeter C.B., 63,380 ; Plymouth C.B., 194,500 ; Administrative County, 445,360 ; Urban Districts, 221,100 ; Dartmouth M.B., 6,320.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930.)	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DEVONSHIRE—cont.														
URBAN DISTRICTS —cont.														
Tavistock ..	4,447	23	24	2	2	51	11.5	26	34	60	13.5	1	20	-2.0
Teignmouth ..	9,787	56	46	5	3	110	11.2	62	70	132	13.5	8	73	-2.3
Tiverton M.B.	9,609	60	64	6	2	132	13.7	67	87	154	16.0	6	45	-2.3
Torquay M.B...	41,260	239	257	25	18	539	13.1	265	349	614	14.9	37	69	-1.8
Totnes M.B. ..	4,296	21	30	—	2	53	12.3	37	22	59	13.7	2	38	-1.4
RURAL DISTRICTS :	225,240	1,630	1,580	89	69	3,368	15.0	1,351	1,280	2,631	11.7†	159	47	3.3
Axminster ..	10,390	55	78	—	2	135	13.0	54	57	111	10.7	2	15	2.3
Barnstaple ..	18,270	116	132	2	9	259	14.2	106	120	226	12.4	12	46	1.8
Bideford ..	5,607	41	28	2	—	71	12.7	25	33	58	10.3	3	42	2.4
Broadwood	2,156	15	16	—	2	33	15.3	10	8	18	8.3	6	182	7.0
Widger.														
Crediton ..	10,040	70	82	2	3	157	15.6	65	49	114	11.4	9	57	4.2
Culmstock ..	3,170	32	28	2	—	62	19.6	17	8	25	7.9	2	32	11.7
Holsworthy	6,678	50	46	4	6	106	15.9	43	32	75	11.2	5	47	4.7
(part of)†														
Honiton ..	9,441	69	76	—	2	147	15.6	56	64	120	12.7	7	48	2.9
Kingsbridge ..	11,060	78	75	8	2	163	14.7	90	64	154	13.9	7	43	0.8
Newton Abbot	21,200	178	141	9	7	335	15.8	146	128	274	12.9	11	33	2.9
Okehampton ..	12,860	108	88	3	5	204	15.9	86	87	173	13.6†	11	54	2.3
Plympton St.	26,570	186	167	13	6	372	14.0	152	152	304	11.8†	20	54	2.2
Mary.														
St. Thomas ..	27,690	168	176	15	6	365	13.2	146	132	278	10.0	15	41	3.2
South Molton..	9,786	70	79	5	3	157	16.0	60	51	111	11.3	7	45	4.7
Tavistock ..	15,420	112	104	8	7	231	15.0	89	93	182	11.8	12	52	3.2
Tiverton ..	14,620	121	117	10	5	253	17.3	82	93	175	12.0	10	40	5.3
Torrington ..	8,152	71	57	4	—	132	16.2	50	47	97	11.9	12	91	4.3
Totnes ..	12,130	90	90	2	4	186	15.3	74	62	136	11.2	8	43	4.1
DORSETSHIRE :														
ADMINISTRATIVE COUNTY.	245,340	1,797	1,713	108	87	3,705	15.1	1,513	1,462	2,975	12.5†	174	47	2.6
URBAN DISTRICTS														
132,970*	918	906	62	46	1,932	14.5	826	784	1,610	12.6†	87	45	1.9	
BlandfordForum	3,004*	20	23	—	3	46	15.3	21	25	46	15.3	2	43	—
M.B.														
Bridport M.B.	5,814	32	44	2	1	79	13.6	39	42	81	13.9	4	51	-0.3
Dorchester M.B.	9,833	57	75	4	6	142	14.4	69	55	124	12.8†	3	21	1.6
Lyme RegisM.B.	2,410	13	14	—	—	27	11.2	13	11	24	10.0	1	37	1.2
Poole M.B. ..	55,440	447	413	36	26	922	16.6	361	339	700	12.6	50	54	4.0
Portland ..	14,150	82	80	3	2	167	11.8	64	48	112	12.7†	5	30	-0.9
Shaftesbury M.B.	2,405	14	11	1	2	28	14.6	25	18	43	17.9	1	36	-3.3
Sherborne ..	6,853	35	33	1	—	69	10.1	28	37	65	9.5	2	29	0.6
Swanage ..	5,897	40	48	1	3	92	15.6	35	27	62	10.5	2	22	5.1
Wareham M.B.	2,045	18	19	—	—	37	18.1	8	11	19	9.3	1	27	8.8
Weymouth and														
Melcombe														
Regis M.B.	21,330	133	123	12	3	271	12.7	140	145	285	13.4	16	59	-0.7
Wimborne Min- ster.	3,789	27	23	2	—	52	13.7	23	26	49	12.9	—	—	0.8
RURAL DISTRICTS :														
112,370*	879	807	46	41	1,773	15.8	687	678	1,365	12.3†	87	49	3.5	
Beaminster ..	8,094	66	44	3	2	115	14.2	53	50	103	12.7	6	52	1.5
Blandford ..	7,902*	62	62	3	8	135	17.1	39	54	93	11.8	5	37	5.3

† Death-rates based upon estimated civilian populations as follows:—Devonshire—Rural Districts, 224,260 ; Okehampton R.D., 12,740; Plympton St. Mary R.D., 25,710. Dorsetshire—Administrative County, 238,630; Urban Districts, 127,460*; Dorchester M.B., 9,663; Portland U.D., 8,810; Rural Districts, 111,170.*

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Dorsetshire—Urban Districts, 133,380 (Total), 127,870 (Civilian); Blandford Forum M.B., 3,414; Rural Districts, 111,960 (Total), 110,760 (Civilian); Blandford R.D., 7,492.

† The remainder of Holsworthy Rural District is in Cornwall.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DORSETSHIRE —cont.														
RURAL DISTRICTS —cont.														
Bridport	6,849	29	43	3	2	77	11.2	49	50	99	14.5	3	39	-3.3
Cerne	4,208	37	30	—	2	69	16.4	41	21	62	14.7	5	72	1.7
Dorchester	8,799	59	57	2	4	122	13.9	44	35	79	9.0	1	8	4.9
Poole	12,980*	160	115	4	3	282	21.7	67	61	128	9.9	12	43	11.8
Shaftesbury	9,206	62	64	5	4	135	14.7	70	72	142	15.4	4	30	-0.7
Sherborne	5,107	36	37	3	2	78	15.3	27	46	73	14.3	5	64	1.0
Sturminster	7,875	57	45	2	—	104	13.2	53	49	102	13.0	9	87	0.2
Wareham and Purbeck.	14,310	98	101	8	—	207	14.5	71	74	145	11.1†	8	39	3.4
Weymouth	10,690	88	85	5	6	184	17.2	71	62	133	12.4	11	60	4.8
Wimborne and Cranborne.	16,350*	125	124	8	8	265	16.2	102	104	206	12.6	18	68	3.6
DURHAM :														
COUNTY BORO'S	566,410*	5,934	5,615	229	232	12,010	21.2	3,832	3,405	7,237	12.8	969	81	8.4
Darlington	71,510*	590	562	31	34	1,217	17.0	424	409	833	11.6	92	76	5.4
Gateshead	123,300	1,324	1,202	58	43	2,627	21.3	810	738	1,548	12.6	242	92	8.7
South Shields	116,500	1,182	1,123	37	54	2,396	20.6	841	706	1,547	13.3	222	93	7.3
Sunderland	186,100	2,081	2,008	78	75	4,242	22.8	1,302	1,183	2,485	13.4	330	78	9.4
West Hartlepool	69,000	757	720	25	26	1,528	22.1	455	369	824	11.9	83	54	10.2
ADMINISTRATIVE COUNTY.	935,550*	9,687	9,121	417	405	19,630	21.0	5,714	4,809	10,523	11.2	1,447	74	9.8
URBAN DISTRICTS	524,230	5,554	5,140	220	230	11,144	21.3	3,269	2,776	6,045	11.5	853	77	9.8
Annfield Plain	15,920	180	150	8	12	350	22.0	86	93	179	11.2	25	71	10.8
Barnard Castle	4,300	23	28	3	2	56	13.0	22	28	50	11.6	1	18	1.4
Benfieldside	9,037	90	84	4	3	181	20.0	54	43	97	10.7	13	72	9.3
Billingham	15,480	255	245	9	5	514	33.2	90	55	145	9.4	36	70	23.8
Bishop Auckland	12,470	121	91	7	5	224	18.0	78	91	169	13.6	16	71	4.4
Blaydon	32,770	304	302	10	9	625	19.1	169	155	324	9.9	53	85	9.2
Brandon and Byshottles.	17,400	180	170	2	8	360	20.7	127	83	210	12.1	34	94	8.6
Chester-le-Street	16,500	145	106	3	13	267	16.2	96	84	180	10.9	22	82	5.3
Consett	12,480	113	127	1	6	247	19.8	78	72	150	12.0	23	93	7.8
Crook	12,020	96	91	6	6	199	16.6	87	57	144	12.0	12	60	4.6
Durham M.B.	16,740	153	154	11	13	331	19.8	105	110	215	12.8	31	94	7.0
Felling	27,600	315	254	8	8	585	21.2	171	139	310	11.2	41	70	10.0
Hartlepool M.B.	20,520	276	247	9	8	540	26.3	145	131	276	13.5	47	87	12.8
Hebburn	24,360	273	241	3	8	525	21.6	178	128	306	12.6	56	107	9.0
Hetton	17,930	197	191	6	6	400	22.3	104	67	171	9.5	24	60	12.8
Houghton-le- Spring.	10,680	119	129	4	7	259	24.3	68	64	132	12.4	25	97	11.9
Jarrow M.B.	32,570	385	363	14	16	778	23.9	244	192	436	13.4	67	86	10.5
Leadgate. . . .	6,401	74	75	2	4	155	24.2	38	30	68	10.6	8	52	13.6
Ryton	14,620	137	106	9	4	256	17.5	73	69	142	9.7	13	51	7.8
Seaham Harbour	19,250	253	214	8	8	483	25.1	119	98	217	11.3	39	81	13.8
Shildon	13,080	106	99	4	5	214	16.4	80	68	148	11.3	16	75	5.1
Spennymoor	16,810	175	159	9	3	346	20.6	113	88	201	12.0	26	75	8.6
Stanhope	1,806	8	8	1	1	18	10.0	15	10	25	13.8	3	167	-3.8
Stanley	25,140	239	208	11	12	470	18.7	145	129	274	10.9	41	87	7.8
Stockton-on- Tees, M.B.	67,830	744	745	40	31	1,560	23.0	469	369	838	12.4	102	65	10.6

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Dorsetshire—Poole R.D., 13,010; Wimborne & Cranborne R.D., 16,320. Durham—County Boroughs, 568,160; Darlington C.B., 73,260; Administrative County, 933,800.

† Death-rate based upon estimated civilian population of 13,110.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DURHAM—cont.														
URBAN DISTRICTS —cont.														
Tanfield	9,455	90	94	1	3	188	19.9	44	51	95	10.0	11	59	9.9
Tow Law	3,657	37	36	2	2	77	21.1	27	22	49	13.4	2	26	7.7
Washington ..	17,080	194	180	13	12	399	23.4	82	97	179	10.5	26	65	12.9
Whickham .. .	20,910	196	164	9	6	375	17.9	116	118	234	11.2	29	77	6.7
Willington .. .	9,414	76	79	3	4	162	17.2	46	35	81	8.6	11	68	8.6
RURAL DISTRICTS	411,320*	4,133	3,981	197	175	8,486	20.6	2,445	2,033	4,478	10.9	594	70	9.7
Auckland	54,800	517	496	36	24	1,073	19.6	337	294	631	11.5	80	75	8.1
Barnard Castle	10,630	74	80	9	8	171	16.1	82	69	151	14.2	10	58	1.9
Chester-le-Street	53,570	548	514	28	36	1,126	21.0	345	255	600	11.2	80	71	9.8
Darlington .. .	10,560*	96	80	3	3	182	17.2	53	50	103	9.8	11	60	7.4
Durham	32,030	346	290	17	9	662	20.7	202	162	364	11.4	51	77	9.3
Easington .. .	88,240	1,036	1,030	34	35	2,135	24.2	497	406	903	10.2	147	69	14.0
Hartlepool .. .	4,074	38	29	2	—	69	16.9	14	12	26	6.4	4	58	10.5
Houghton-le- Spring.	28,170	315	289	5	9	618	21.9	171	134	305	10.8	52	84	11.1
Lanchester .. .	34,440	325	313	18	21	677	19.7	181	163	344	10.0	37	55	9.7
Sedgefield .. .	36,530	305	349	13	10	677	18.5	217	180	397	10.9	47	69	7.6
South Shields	20,620	187	168	10	3	368	17.8	111	96	207	10.0	18	49	7.8
Stockton	6,469	56	50	3	—	109	16.8	36	39	75	11.6	8	73	5.2
Sunderland .. .	22,260	224	248	13	9	494	22.2	131	118	249	11.2	37	75	11.0
Weardale .. .	8,927	66	45	6	8	125	14.0	68	55	123	13.8	12	6	0.2
ELY, ISLE OF:														
ADMINISTRATIVE COUNTY.	77,790	687	658	52	40	1,437	18.5	447	388	835	10.7	75	52	7.8
URBAN DISTRICTS	44,350	414	365	29	21	829	18.7	259	234	493	11.1	46	55	7.6
Chatteris	5,080	41	40	6	3	90	17.7	26	22	48	9.4	6	67	8.3
Ely	8,132	66	62	3	3	134	16.5	45	40	85	10.5	2	15	6.0
March	11,030	110	94	7	5	216	19.6	54	51	105	9.5	9	42	10.1
Whittlesey .. .	8,198	82	84	5	6	177	21.6	55	35	90	11.0	15	85	10.6
Wisbech M.B.	11,910	115	85	8	4	212	17.8	79	86	165	13.9	14	66	3.9
RURAL DISTRICTS	33,440	273	293	23	19	608	18.2	188	154	342	10.2	29	48	8.0
Ely	13,510	112	120	10	6	248	18.4	80	74	154	11.4	10	40	7.0
North Witchford	5,141	38	44	2	2	86	16.7	25	24	49	9.5	3	35	7.2
Thorney	2,319	26	22	2	—	50	21.6	11	7	18	7.8	3	60	13.8
Wisbech	12,470	97	107	9	11	224	18.0	72	49	121	9.7	13	58	8.3
ESSEX:														
COUNTY BORO'S..	562,600	4,656	4,397	142	152	9,347	16.6	3,124	2,808	5,932	10.5	524	56	6.1
East Ham	144,800	1,133	1,079	26	26	2,264	15.6	772	680	1,452	10.0	111	49	5.6
Southend-on-Sea	116,500	689	680	53	55	1,477	12.7	607	610	1,217	10.4	60	41	2.3
West Ham	301,300	2,834	2,638	63	71	5,606	18.6	1,745	1,518	3,263	10.8	353	63	7.8
ADMINISTRATIVE COUNTY.	1,162,000	9,178	8,922	311	289	18,700	16.1	5,766	5,273	11,039	9.6†	850	45	6.5
URBAN DISTRICTS	888,500	7,102	6,911	212	209	14,434	16.2	4,168	3,864	8,032	9.1†	661	46	7.1
Barking Town	47,620	399	378	15	7	799	16.8	218	217	435	9.1	49	61	7.7
Benfleet	11,930	77	86	6	4	173	14.5	65	63	128	10.7	6	35	3.8
Braintree	8,769	83	63	3	5	154	17.6	50	41	91	10.4	12	78	7.2

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Durham—Rural Districts, 409,570; Darlington R.D., 8,810.

† Death-rates based upon estimated civilian populations as follows:—Essex—Administrative County, 1,155,860; Urban Districts, 883,490.

TABLE E—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
ESSEX—cont.														
URBAN DISTRICTS —cont.														
Brentwood ..	7,181	39	38	4	4	85	11.8	31	23	54	7.5	1	12	4.3
Brightlingsea ..	4,181	16	26	1	—	43	10.3	28	21	49	11.7	2	47	—1.4
Buckhurst Hill ..	5,471	27	35	4	3	69	12.6	26	23	49	9.0	—	—	3.6
Burnham-on- Crouch.	3,502	17	22	—	—	39	11.1	25	22	47	13.4	1	26	—2.3
Canvey Island	4,546	37	26	—	—	63	13.9	22	14	36	7.9	3	48	6.0
Chelmsford M.B.	25,490	216	201	10	4	431	16.9	146	104	250	9.8	18	42	7.1
Chingford ..	19,500	179	163	4	4	350	17.9	71	68	139	7.1	6	17	10.8
Clacton ..	15,170	87	65	4	5	161	10.6	86	87	173	11.4	6	37	—0.8
Colchester M.B.	48,530	336	382	18	17	753	15.5	227	215	442	9.9†	26	35	5.6
Dagenham ..	84,170	1,077	1,034	23	18	2,152	25.6	334	261	595	7.1	145	67	18.5
Epping ..	5,053	20	37	1	3	61	12.1	33	24	57	11.3	2	33	0.8
Frinton-on-Sea	2,065	6	1	—	—	7	3.4	10	10	20	9.7	—	—	—6.3
Grays Thurrock	18,360	146	161	1	6	314	17.1	90	74	164	8.9	7	22	8.2
Halstead ..	5,874	45	38	1	—	84	14.3	39	34	73	12.4	5	60	1.9
Harwich M.B.	12,130	100	98	2	6	206	17.0	63	60	123	10.4†	10	49	6.6
Hornchurch ..	23,840	228	217	5	4	454	19.0	127	107	234	9.9†	33	73	9.1
Ilford M.B. ..	125,000	915	894	13	23	1,845	14.8	457	523	980	7.8	61	33	7.0
Leyton M.B. ..	128,500	873	831	24	29	1,757	13.7	618	604	1,222	9.5	81	46	4.2
Loughton ..	7,235	45	59	3	2	109	15.1	29	44	73	10.1	2	18	5.0
Maldon M.B. ..	6,571	49	46	1	3	99	15.1	44	44	88	13.4	1	10	1.7
Purfleet ..	8,761	62	87	4	2	155	17.7	44	30	74	8.4	7	45	9.3
Rayleigh ..	6,054	54	63	4	2	123	20.3	26	36	62	10.2	9	73	10.1
Romford ..	32,590	301	277	9	13	600	18.4	159	135	294	9.0	26	43	9.4
Saffron Walden M.B.	5,920	29	19	3	1	52	8.8	38	40	78	13.2	1	19	—4.4
Shoeburyness..	6,565	64	69	3	2	138	21.0	32	24	56	9.6†	4	29	11.4
Tilbury ..	16,810	195	190	10	7	402	23.9	79	56	135	8.0	21	52	15.9
Waltham Holy Cross.	6,969	54	64	2	3	123	17.6	44	33	77	11.0	6	49	6.6
Walthamstow M.B.	130,400	978	936	23	22	1,959	15.0	623	537	1,160	8.9	78	40	6.1
Walton on the Naze.	2,961	18	20	—	—	38	12.8	17	14	31	10.5	—	—	2.3
Wanstead ..	18,670	93	104	4	2	203	10.9	103	98	201	10.8	6	30	0.1
West Mersea	2,090	12	11	—	—	23	11.0	10	15	25	12.0	2	87	—1.0
Witham ..	4,346	35	30	1	—	66	15.2	24	26	50	11.5	3	45	3.7
Wivenhoe ..	2,236	24	7	2	—	33	14.8	16	13	29	13.0	1	30	1.8
Woodford ..	23,440	166	133	4	8	311	13.3	114	124	238	10.2	20	64	3.1
RURAL DISTRICTS														
Belchamp ..	4,010	24	29	1	2	56	14.0	23	33	56	14.0	3	54	—
Billericay ..	38,230	299	284	16	12	611	16.0	201	167	368	9.8†	21	34	6.2
Braintree ..	21,230	161	166	5	9	341	16.1	118	119	237	11.2	25	73	4.9
Bumpstead ..	2,303	19	10	—	—	29	12.6	25	19	44	19.1	—	—	—6.5
Chelmsford ..	28,520	192	209	9	4	414	14.5	174	149	323	11.3	19	46	3.2
Dunmow ..	15,620	94	97	4	6	201	12.9	110	91	201	12.9	6	30	—
Epping ..	17,320	124	114	3	6	247	14.3	100	94	194	11.4†	15	61	2.9
Halstead ..	9,873	72	59	2	2	135	13.7	71	64	135	13.7	10	74	—
Lexden and Winstree.	18,730	157	122	8	2	289	15.4	113	91	204	10.9	7	24	4.5
Maldon ..	16,360	98	106	5	2	211	12.9	101	88	189	11.6	13	62	1.3
Ongar ..	11,060	98	101	12	4	214	19.4	67	67	134	12.1	10	47	7.3
Orsett ..	19,340	171	173	8	5	357	18.5	97	94	191	9.9	17	48	8.6
Rochford..	15,950	141	149	9	7	306	19.2	103	82	185	11.6	11	36	7.6
Romford ..	14,640	125	130	2	5	262	17.9	66	52	118	8.1	8	31	9.8
Saffron Walden	9,638	78	61	4	1	144	14.9	56	53	109	11.3	2	14	3.6
Stansted ..	6,906	42	40	1	1	84	12.2	48	28	76	11.0	3	36	1.2
Tendring ..	23,770	181	161	10	12	364	15.3	125	118	243	10.2	19	52	5.1

† Death-rates based upon estimated civilian populations as follows:—Essex—Colchester M.B., 44,760; Harwich M.B., 11,880; Hornchurch U.D., 23,590; Shoeburyness U.D., 5,825; Rural Districts, 272,370; Billericay R.D., 37,370; Epping R.D., 17,050.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLOUCESTERSHIRE:														
COUNTY BORO'S:	448,450*	3,484	3,274	140	117	7,015	15·6	2,514	2,590	5,104	11·4†	396	56	4·2
Bristol	395,930*	3,076	2,862	122	97	6,157	15·6	2,210	2,260	4,470	11·3†	354	57	4·3
Gloucester ..	52,520	408	412	18	20	858	16·3	304	330	634	12·1	42	49	4·2
ADMINISTRATIVE COUNTY.	338,600*	2,368	2,364	118	113	4,963	14·7	1,969	2,042	4,011	11·9†	247	50	2·8
URBAN DISTRICTS	113,630	732	735	41	41	1,549	13·6	649	769	1,418	12·5	93	60	1·1
Awre	1,081	8	3	—	—	11	10·2	7	4	11	10·2	1	91	—
Charlton Kings	4,702	32	28	—	2	62	13·2	23	31	54	11·5	4	65	1·7
Cheltenham M.B.	50,620	285	311	28	25	649	12·8	299	374	673	13·3	38	59	—0·5
Cirencester ..	7,261	43	43	5	2	93	12·8	41	51	92	12·7	3	32	0·1
Coleford	2,770	32	22	—	2	56	20·2	27	23	50	18·1	4	71	2·1
Kingswood ..	13,630	104	87	2	1	194	14·2	67	78	145	10·6	18	93	3·6
Mangotsfield ..	11,340	78	82	—	2	162	14·3	58	57	115	10·1	8	49	4·2
Nailsworth ..	3,268	23	23	—	2	48	14·7	20	22	42	12·9	2	42	1·8
Newnham ..	1,122	10	3	—	1	14	12·5	4	11	15	13·4	1	71	—0·9
Stow-on-the- Wold	1,223	5	11	—	—	16	13·1	8	9	17	13·9	1	63	—0·8
Stroud	8,222	55	55	3	3	116	14·1	36	61	97	11·8	4	34	2·3
Tetbury	2,212	14	14	1	—	29	13·1	18	13	31	14·0	2	69	—0·9
Tewkesbury M.B.	4,420	32	38	2	1	73	16·5	29	24	53	12·0	4	55	4·5
Westbury-on- Severn	1,759	11	15	—	—	26	14·8	12	11	23	13·1	3	115	1·7
RURAL DISTRICTS.	224,970*	1,636	1,629	77	72	3,414	15·2	1,320	1,273	2,593	11·6†	154	45	3·6
Campden ..	5,420	43	33	2	1	79	14·6	40	36	76	14·0	7	89	0·6
Cheltenham ..	5,707	31	39	3	1	74	13·0	32	35	67	11·7	2	27	1·3
Chipping Sodbury	24,230	153	170	10	9	342	14·1	128	120	248	10·2	14	41	3·9
Cirencester ..	12,070	100	98	3	5	206	17·1	78	77	155	12·8	9	44	4·3
Dursley	13,060	104	94	5	3	206	15·8	72	79	151	11·6	12	58	4·2
East Dean and United Parishes	20,260	197	179	13	8	397	19·6	121	129	250	12·3	17	43	7·3
Faringdon (part of)†	1,007	5	4	—	2	11	10·9	6	4	10	9·9	—	—	1·0
Gloucester ..	14,560	88	90	4	4	186	12·8	87	74	161	11·1	10	54	1·7
Lydney	10,850	66	84	2	2	154	14·2	61	51	112	11·5†	9	58	2·7
Marston Sicca..	1,683	14	15	—	1	30	17·8	14	11	25	14·9	2	67	2·9
Newent	6,384	53	41	3	2	99	15·5	38	40	78	12·2	3	30	3·3
Northleach ..	7,147	51	60	3	5	119	16·7	44	40	84	11·8	6	50	4·9
Pebworth ..	3,210	19	29	1	—	49	15·3	19	16	35	10·9	3	61	4·4
Stow-on-the- Wold (pt. of)†	5,913	42	39	1	1	83	14·0	50	33	83	14·0	2	24	—
Stroud	27,690	163	169	4	5	341	12·3	146	178	324	11·7	16	47	0·6
Tetbury (pt. of)†	3,483*	28	23	1	—	52	14·9	21	9	30	8·6	3	58	6·3
Tewkesbury (part of)†	4,506	26	33	1	—	60	13·3	31	21	52	11·5	1	17	1·8
Thornbury ..	19,280§	151	148	7	8	314	16·3	110	101	211	10·9	9	29	5·4
Warmley.. ..	9,045	69	78	2	4	153	16·9	49	51	100	11·1	7	46	5·8
West Dean ..	14,660	112	99	6	6	223	15·2	79	62	141	9·6	6	27	5·6
Wheatenhurst	6,301	64	60	3	3	130	20·6	40	42	82	13·0	7	54	7·6
Winchcomb (part of)†	8,504	57	44	3	2	106	12·5	54	64	118	13·9	9	85	—1·4

† Death-rates based upon estimated civilian populations as follows:—Gloucestershire—County Boroughs, 448,150;* Bristol C.B., 395,630;* Administrative County, 337,450;* Rural Districts, 223,820;* Lydney R.D., 9,700.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Gloucestershire—County Boroughs 448,620 (Total), 448,320 (Civilian), Bristol C.B., 396,100 (Total) 395,800 (Civilian) Administrative County 338,700 (Total), 337,550 (Civilian); Rural Districts 225,070 (Total) 223,920 (Civilian); Tetbury R.D., 3,583.

† The remainder of Faringdon Rural District is in Berkshire. The remaining parts of Stow-on-the-Wold, Tewkesbury and Winchcomb Rural Districts are in Worcestershire. Prior to 31st March, 1930, part of Tetbury Rural District was in Wiltshire.

§ Mid-year population after the change in boundary on 1st October, 1930. The population involved in the change was too small to necessitate adjustment for calculation of rates.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HEREFORDSHIRE ADMINISTRATIVE COUNTY	110,700	799	819	69	53	1,740	15.7	768	723	1,491	13.5	84	48	2.2
URBAN DISTRICTS	40,490	275	277	20	20	592	14.6	265	267	532	13.1	32	54	1.5
Bromyard ..	1,550	10	7	—	1	18	11.6	4	12	16	10.3	—	—	1.3
Hereford M.B.	23,760	175	172	11	9	367	15.4	138	143	281	11.8	17	46	3.6
Kington	1,713	8	10	—	1	19	11.1	16	14	30	17.5	1	53	—6.4
Ledbury	3,327	21	15	4	2	42	12.6	24	18	42	12.6	2	48	—
LeominsterM.B.	5,562	33	43	3	3	82	14.7	38	42	80	14.4	3	37	0.3
Ross	4,578	28	30	2	4	64	14.0	45	38	83	18.1	9	141	—4.1
RURAL DISTRICTS.	70,210	524	542	49	33	1,148	16.4	503	456	959	13.7	52	45	2.7
Bredwardine ..	1,885	16	17	1	2	36	19.1	19	13	32	17.0	2	56	2.1
Bromyard ..	7,433	56	65	8	6	135	18.2	55	56	111	14.9	11	81	3.3
Dore	5,965	55	57	5	4	121	20.3	41	38	79	13.2	5	41	7.1
Hereford	13,240	105	108	9	9	231	17.4	83	76	159	12.0	9	39	5.4
Kington	4,667	29	35	—	2	66	14.1	39	30	69	14.8	2	30	—0.7
Ledbury	8,790	63	62	6	2	133	15.1	52	62	114	13.0	4	30	2.1
Leominster and Wigmore*	10,650	75	75	10	6	166	15.6	77	69	146	13.7	11	66	1.9
Ross	9,793	80	65	4	—	149	15.2	72	68	140	14.3	6	40	0.9
Weobley	6,040	37	49	5	2	93	15.4	53	31	84	13.9	2	22	1.5
Whitchurch ..	1,747	8	9	1	—	18	10.3	12	13	25	14.3	—	—	—4.0
HERTFORDSHIRE: ADMINISTRATIVE COUNTY	393,700	2,841	2,836	122	113	5,912	15.0	1,940	1,982	3,922	10.0	248	42	5.0
URBAN DISTRICTS	275,300	1,981	2,009	82	82	4,154	15.1	1,354	1,417	2,771	10.1	182	44	5.0
Baldock	3,094	19	20	—	1	40	12.9	14	17	31	10.0	1	25	2.9
Barnet	14,360	104	91	9	7	211	14.7	66	105	171	11.9	12	57	2.8
Bishop's Stort- ford	9,722	67	58	1	4	130	13.4	64	58	122	12.5	8	62	0.9
Bushey	10,920	86	63	3	1	153	14.0	46	45	91	8.3	—	—	5.7
Cheshunt	14,630	111	103	2	6	222	15.2	93	77	170	11.6	7	32	3.6
Chorleywood ..	3,183	26	23	—	—	49	15.4	8	15	23	7.2	2	41	8.2
East Barnet Valley.	17,490	120	144	4	3	271	15.5	72	91	163	9.3	14	52	6.2
GreatBerkhamp- stead.	8,132	60	63	1	2	126	15.5	35	40	75	9.2	12	95	6.3
Harpenden ..	8,186	48	47	2	1	98	12.0	35	26	61	7.5	3	31	4.5
Hemel Hemp- stead M.B.	15,090	101	118	3	4	226	15.0	85	84	169	11.2	6	27	3.8
Hertford M.B.	11,670	90	74	1	3	168	14.4	45	68	113	9.7	6	36	4.7
Hitchin	14,080	104	119	5	4	232	16.5	83	84	167	11.9	9	39	4.6
Hoddesdon ..	6,274	55	49	3	3	110	17.5	34	32	66	10.5	7	64	7.0
Letchworth ..	13,870	94	98	4	3	199	14.3	39	55	94	6.8	4	20	7.5
Rickmansworth	10,270	69	78	5	3	155	15.1	50	42	92	9.0	6	39	6.1
Royston	3,808	19	19	1	—	39	10.2	26	23	49	12.9	—	—	—2.7
St. Albans M.B.	28,060	181	199	6	7	393	14.0	158	151	309	11.0	21	53	3.0
Sawbridgeworth	2,568	15	24	1	2	42	16.4	14	13	27	10.5	3	71	5.9
Stevenage ..	5,569	36	39	3	2	80	14.4	21	33	54	9.7	4	50	4.7
Tring	4,283	36	36	1	2	75	17.5	24	35	59	13.8	—	—	3.7
Ware	6,135	64	41	3	2	110	17.9	43	38	81	13.2	10	91	4.7
Watford M.B.	55,610	404	420	21	19	864	15.5	273	262	535	9.6	40	46	5.9
Welwyn Garden City.	8,296	72	83	3	3	161	19.4	26	23	49	5.9	7	43	13.5

* The Rural Districts of Leominster and Wigmore were united on 1st April 1930. The figures relate to the combined districts for the whole year.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
HERTFORDSHIRE: —cont.														
RURAL DISTRICTS :	118,400	860	827	40	31	1,758	14.8	586	565	1,151	9.7	66	38	5.1
Ashwell	3,506	17	33	2	1	53	15.1	24	22	46	13.1	2	38	2.0
Barnet	5,953	38	53	2	3	96	16.1	28	33	61	10.2	6	63	5.9
Berkhampstead	5,177	42	35	7	1	85	16.4	27	24	51	9.9	3	35	6.5
Buntingford ..	4,669	36	25	1	2	64	13.7	32	25	57	12.2	5	78	1.5
Hadham	5,423	36	36	3	—	75	13.8	30	31	61	11.2	4	53	2.6
Hatfield	10,830	88	98	4	1	191	17.6	54	38	92	8.5	9	47	9.1
Hemel Hemp- stead.	8,130	60	55	1	1	117	14.4	37	56	93	11.4	3	26	3.0
Hertford	7,550	61	55	1	1	118	15.6	42	31	73	9.7	5	42	5.9
Hitchin	14,460	112	112	3	6	233	16.1	75	83	158	10.9	7	30	5.2
St. Albans ..	19,010	128	133	6	8	275	14.5	80	68	148	7.8	7	25	6.7
Ware	12,040	89	66	3	2	160	13.3	73	59	132	11.0	5	31	2.3
Watford	18,060	120	96	5	5	226	12.5	63	74	137	7.6	8	35	4.9
Welwyn	3,592	33	30	2	—	65	18.1	21	21	42	11.7	2	31	6.4
HUNTINGDON- SHIRE :														
ADMINISTRATIVE COUNTY.	56,360	472	428	23	27	950	16.9	340	336	676	12.0	46	48	4.9
URBAN DISTRICTS	25,660	220	192	12	11	435	17.0	124	134	258	10.1	22	51	6.9
Godmanchester M.B.	2,020	15	14	2	1	32	15.8	9	9	18	8.9	—	—	6.9
Huntingdon M.B.	4,028	39	18	4	—	61	15.1	23	27	50	12.4	4	66	2.7
Old Fletton ..	7,375	82	74	3	4	163	22.1	30	33	63	8.5	9	55	13.6
Ramsey	5,203	43	42	2	1	88	16.9	24	26	50	9.6	5	57	7.3
St. Ives M.B.	2,711	15	17	—	1	33	12.2	13	18	31	11.4	1	30	0.8
St. Neots ..	4,323	26	27	1	4	58	13.4	25	21	46	10.6	3	52	2.8
RURAL DISTRICTS	30,700	252	236	11	16	515	16.8	216	202	418	13.6	24	47	3.2
Huntingdon ..	6,475	58	54	5	5	122	18.8	38	37	75	11.6	8	66	7.2
Norman Cross	5,877	71	55	1	1	128	21.8	42	35	77	13.1	4	31	8.7
Oundle (part of)†	981	7	5	—	2	14	14.3	10	5	15	15.3	1	71	—1.0
St. Ives ..	9,504	65	68	3	6	142	14.9	71	68	139	14.6	10	70	0.3
St. Neots ..	6,643	38	46	2	2	88	13.2	48	46	94	14.2	1	11	—1.0
Thrapston (part of)†	753	9	3	—	—	12	15.9	6	4	10	13.3	—	—	2.6
C.P. of Sibson cum Stibbing- ton, adminis- tered by R.D. C. of Barnack (Soke of Peter- borough).	467	4	5	—	—	9	19.3	1	7	8	17.1	—	—	2.2
KENT :														
COUNTY BORO :														
Canterbury ..	24,300	181	171	13	14	379	15.6	143	150	293	12.4†	20	53	3.2
ADMINISTRATIVE COUNTY.	1,176,100	8,617	8,444	418	380	17,859	15.2	6,369	6,179	12,548	10.9†	802	45	4.3

† Death-rates based upon estimated civilian populations as follows:—Kent—Canterbury C.B., 23,640; Administrative County, 1,154,010.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—cont.														
URBAN DISTRICTS	839,500*	6,149	6,072	271	258	12,750	15.2	4,547	4,456	9,003	11.0†	572	45	4.2
Ashford	14,600	99	105	3	6	213	14.6	98	79	177	12.1	8	38	2.5
Beckenham .. .	41,310	277	222	8	11	518	12.5	164	209	373	9.0	18	35	3.5
Bexley	30,930	248	263	3	2	516	16.7	146	150	296	9.6	26	50	7.1
Broadstairs and St. Peter's.	12,560	62	67	3	4	136	10.8	67	76	143	11.4	3	22	-0.6
Bromley M.B...	43,830	299	308	9	13	629	14.4	200	229	429	9.8	26	41	4.6
Chatham M.B.	43,230	392	379	16	19	806	18.6	270	183	453	11.0†	36	45	7.6
Cheriton	8,312	87	77	5	2	171	20.6	32	26	58	9.6†	4	23	11.0
Chislehurst .. .	9,423	52	53	2	1	108	11.5	43	28	71	7.5	2	19	4.0
Crayford	15,090	127	125	5	6	263	17.4	65	58	123	8.2	20	76	9.2
Dartford	28,580	185	225	5	8	423	14.8	105	122	227	7.9	15	35	6.9
Deal M.B. .. .	12,910	115	87	3	8	213	16.5	89	75	164	12.7	8	38	3.8
Dover M.B. .. .	41,350	310	314	16	23	663	16.0	215	211	426	10.8†	27	41	5.2
Erith	33,120	236	239	11	2	488	14.7	205	143	348	10.5	29	59	4.2
Faversham M.B.	10,180	78	62	4	3	147	14.4	62	58	120	11.8	5	34	2.6
Folkestone M.B.	34,720	228	217	13	13	471	13.6	168	208	376	10.8	19	40	2.8
Gillingham M.B.	62,120	497	446	20	13	976	15.7	348	286	634	12.0†	40	41	3.7
Gravesend M.B.	34,970	350	327	10	5	692	19.8	193	182	375	10.9†	27	39	8.9
Herne Bay .. .	11,150	60	52	3	5	120	10.8	70	71	141	12.6	3	25	-1.8
Hythe M.B. .. .	8,154	43	56	5	3	107	13.1	44	39	83	10.3†	6	56	2.8
Lydd M.B. .. .	2,841	21	30	1	1	53	18.7	8	15	23	10.0†	3	57	8.7
Maidstone M.B.	41,620	313	316	11	17	657	15.8	234	242	476	11.5†	38	58	4.3
Margate M.B...	30,220	165	159	13	10	347	11.5	145	180	325	10.8	12	35	0.7
Milton Regis ..	2,055*	22	21	—	—	43	20.9	19	18	37	18.0	2	47	2.9
New Romney M.B.	1,616	11	12	—	3	26	16.1	10	9	19	11.8	2	77	4.3
Northfleet .. .	16,710	127	145	—	6	278	16.6	86	85	171	10.2	12	43	6.4
Penge	27,570	219	228	16	8	471	17.1	145	163	308	11.2	22	47	5.9
Queenborough M.B.	3,055	25	26	—	2	53	17.3	18	13	31	10.1	6	113	7.2
Ramsgate M.B.	32,580	248	248	16	9	521	16.0	171	198	369	11.3	22	42	4.7
Rochester M.B.	31,340	252	203	13	14	482	15.4	184	147	331	10.7†	26	54	4.7
Royal Tunbridge Wells M.B.	34,820	179	203	12	12	406	11.7	217	279	496	14.2	24	59	-2.5
Sandgate .. .	2,810	12	17	—	—	29	10.3	13	12	25	11.0†	1	34	-0.7
Sandwich M.B.	3,353	27	26	2	1	56	16.7	20	14	34	10.1	1	18	6.6
Sevenoaks .. .	10,220	49	77	3	2	131	12.8	55	54	109	10.7	5	38	2.1
Sheerness .. .	16,780	135	134	3	6	278	16.6	101	84	185	11.2†	12	43	5.4
Sidcup	11,470	62	72	8	3	145	12.6	66	65	131	11.4	13	90	1.2
Sittingbourne..	2,265*	19	21	2	1	43	19.0	15	21	36	15.9	1	23	3.1
Sittingbourne and Milton.	14,990*	119	130	8	9	266	17.7	102	82	184	12.3	12	45	5.4
Southborough..	7,234	34	47	3	3	87	12.0	43	52	95	13.1	3	34	-1.1
Swanscombe .. .	8,927	77	84	1	—	162	18.1	54	39	93	10.4	5	31	7.7
Tenterden M.B.	3,404	24	15	2	—	41	12.0	25	21	46	13.5	2	49	-1.5
Tonbridge .. .	16,600	117	103	7	3	230	13.9	107	84	191	11.5	11	48	2.4
Walmer	5,181	24	25	2	1	52	10.0	30	35	65	14.7†	2	38	-4.7
Whitstable .. .	10,820	96	60	3	—	159	14.7	74	81	155	14.3	7	44	0.4
Wrotham .. .	4,480	27	46	1	—	74	16.5	21	30	51	11.4	6	81	5.1
RURAL DISTRICTS :	336,600*	2,468	2,372	147	122	5,109	15.2	1,822	1,723	3,545	10.6†	230	45	4.6
Blean	10,610	96	73	1	5	175	16.5	48	56	104	9.8	7	40	6.7
Bridge	12,170	84	69	4	3	160	13.1	72	50	122	10.0	7	44	3.1
Bromley	36,260	288	269	12	11	580	16.0	142	147	289	8.0†	23	40	8.0
Cranbrook .. .	13,270	91	73	8	5	177	13.3	81	88	169	12.7	11	62	0.6
Dartford	31,930	236	217	9	9	471	14.8	148	141	289	9.1	32	68	5.7

† Death-rates based upon estimated civilian populations as follows:—Kent—Urban Districts, 820,560*; Chatham M.B., 41,230; Cheriton U.D., 6,062; Dover M.B., 39,400; Gillingham M.B., 52,820; Gravesend M.B., 34,370; Hythe M.B., 8,084; Lydd M.B., 2,301; Maidstone M.B., 41,370; Rochester M.B., 30,840; Sandgate U.D., 2,280; Sheerness U.D., 16,580; Walmer U.D., 4,431; Rural Districts, 333,450*; Bromley R.D., 36,160.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Kent—Urban Districts, 840,170 (Total), 821,230 (Civilian); Milton Regis U.D., Nil; Sittingbourne U.D., Nil; Sittingbourne and Milton U.D., 19,980; Rural Districts, 335,930 (Total), 332,780 (Civilian).

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Deaths per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000 Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000 Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
KENT—cont.														
RURAL DISTRICTS —cont														
Dover	8,707	61	59	1	1	122	14.0	42	41	83	9.7†	5	41	4.3
East Ashford ..	15,630	103	107	6	7	223	14.3	93	85	178	11.4	10	45	2.9
Eastry	17,220	160	156	11	8	335	19.5	97	103	200	11.6	16	48	7.9
Elham	8,790	51	63	5	3	122	13.9	51	52	103	12.0†	7	57	1.9
Faversham	13,660*	103	107	9	5	224	16.4	85	75	160	11.7	12	54	4.7
Hollingbourne	14,150	101	111	10	1	223	15.8	103	88	191	13.5	15	67	2.3
Hoo	4,584	31	36	4	2	73	15.9	25	19	44	9.6	4	55	6.3
Isle of Thanet..	13,980	90	75	9	3	177	12.7	72	59	131	10.3†	4	23	2.4
Maidstone	17,270	113	126	7	10	256	14.8	97	113	210	12.2	13	51	2.6
Malling	25,560	213	172	20	13	418	16.4	140	150	290	11.3	19	45	5.1
Milton	7,737*	52	75	1	1	129	16.7	49	49	98	12.7	6	47	4.0
Romney Marsh	3,059	29	17	1	1	48	15.7	10	12	22	7.2	1	21	8.5
Sevenoaks	26,340	186	202	7	10	405	15.4	146	119	265	10.1	11	27	5.3
Sheppey	5,892	35	46	—	2	83	14.1	26	38	64	11.9†	2	24	2.2
Strood	16,730	120	100	3	5	228	13.6	82	58	140	8.9†	8	35	4.7
Tenterden	6,172	40	37	1	4	82	13.3	34	43	77	12.5	4	49	0.8
Tonbridge	18,740	134	127	11	8	280	14.9	130	103	233	12.4	9	32	2.5
West Ashford..	8,139	51	55	7	5	118	14.5	49	34	83	10.2	4	34	4.3
LANCASHIRE :														
COUNTY BORO'S.	3,267,190	27,685	26,730	1,421	1,318	57,154	17.5	21,652	20,677	42,329	13.0	4,485	78	4.5
Barrow-in-Furness	65,920	529	451	27	28	1,035	15.7	444	354	798	12.1	72	70	3.6
Blackburn	124,500	771	745	45	34	1,595	12.8	786	834	1,620	13.0	136	85	—0.2
Blackpool	98,700	466	485	52	47	1,050	10.6	648	695	1,343	13.6	70	67	—3.0
Bolton	180,200	1,207	1,194	56	41	2,498	13.9	1,098	1,133	2,231	12.4	169	68	1.5
Bootle	78,500	878	862	23	30	1,793	22.8	490	451	941	12.0	141	79	10.8
Burnley	99,700	645	612	43	41	1,341	13.5	620	655	1,275	12.8	101	75	0.7
Bury	56,790	357	339	17	22	735	12.9	370	396	766	13.5†	51	69	—0.6
Liverpool	865,200	9,189	8,813	466	413	18,881	21.8	5,925	5,380	11,305	13.1	1,547	82	8.7
Manchester	757,900	6,228	5,950	359	314	12,851	17.0	5,089	4,702	9,791	12.9	995	77	4.1
Oldham	142,200	899	876	62	65	1,902	13.4	950	1,008	1,958	13.8	133	70	—0.4
Preston	122,600	934	928	58	55	1,975	16.1	760	786	1,546	12.6	144	73	3.5
Rochdale	91,070	575	608	28	34	1,245	13.7	605	649	1,254	13.8	82	66	—0.1
St. Helens	108,600	1,156	1,115	32	40	2,343	21.6	682	564	1,246	11.5	187	80	10.1
Salford	230,100	1,894	1,837	74	82	3,887	16.9	1,619	1,434	3,053	13.3	321	83	3.6
Southport	78,370	426	401	38	25	890	11.4	470	631	1,101	14.0	66	74	—2.6
Warrington	80,040	741	771	24	18	1,554	19.4	506	436	942	11.8†	101	65	7.6
Wigan	86,800	790	743	17	29	1,579	18.2	590	569	1,159	13.4	169	107	4.8
ADMINISTRATIVE COUNTY.	1,808,100	12,458	11,934	474	476	25,342	14.0	10,776	10,673	21,449	11.9†	1,622	64	2.1
URBAN DISTRICTS	1,543,220	10,631	10,272	419	401	21,723	14.1	9,360	9,294	18,654	12.1†	1,411	65	2.0
Abram	6,843	53	59	4	1	117	17.1	40	33	73	10.7	7	60	6.4
Accrington M.B.	43,750	260	264	12	10	546	12.5	270	292	562	12.8	29	53	—0.3
Adlington	4,285	33	33	—	—	66	15.4	23	19	42	9.8	3	45	5.6
Ashton-in-Makerfield.	21,580	181	169	2	1	353	16.4	119	130	249	11.5	25	71	4.9
Ashton-under-Lyne M.B.	51,810	342	356	25	16	739	14.3	313	329	642	12.4	43	58	1.9
Aspull	7,393	73	59	4	3	139	18.8	50	36	86	11.6	6	43	7.2
Atherton	20,190	144	152	5	9	310	15.4	100	115	215	10.6	19	61	4.8

† Death-rates based upon estimated civilian populations as follows :—Dover R.D., 8,587; Elham R.D., 8,610; Isle of Thanet R.D., 12,740; Sheppey R.D., 5,362; Strood, R.D., 15,750. Lancashire—County Boroughs, 3,266,720; Bury C.B., 56,580; Warrington C.B., 79,780; Administrative County 1,806,960; Urban Districts, 1,542,320.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows :—Faversham R.D. 13,670; Milton R.D., 7,057.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Deaths under 1 year.	Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.		
		M.	F.	M.	F.										
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
LANCASHIRE—cont.															
URBAN DISTRICTS —cont.															
Audenshaw ..	8,554	53	60	1	2	116	13.6	43	63	106	12.4	12	103	1.2	
Bacup M.B. ..	20,770	156	149	7	7	319	15.4	125	158	283	13.6	23	72	1.8	
Barrowford ..	5,383	30	26	—	1	57	10.6	35	33	68	12.6	3	53	—2.0	
Billinge and Winstanley	5,188	39	30	1	4	74	14.3	21	35	56	10.8	2	27	3.5	
Blackrod ..	3,715	23	20	—	1	44	11.8	21	26	47	12.7	1	23	—0.9	
Brierfield ..	7,934	37	39	—	6	82	10.3	43	38	81	10.2	6	73	0.1	
Carnforth ..	3,161	24	24	5	1	54	17.1	17	20	37	11.7	5	93	5.4	
Chadderton ..	28,040	158	166	6	5	335	11.9	163	189	352	12.6	27	81	—0.7	
Chorley M.B.	31,360	221	213	11	7	452	14.4	216	194	410	13.1	35	77	1.3	
Church ..	6,377	37	33	2	1	73	11.4	42	38	80	12.5	8	110	—1.1	
Clayton-le-Moors	8,215	53	50	1	—	104	12.7	55	57	112	13.6	7	67	—0.9	
Clitheroe M.B.	12,110	80	66	2	2	150	12.4	58	62	120	9.9	7	47	2.5	
Colne M.B. ..	24,370	149	146	8	9	312	12.8	163	169	332	13.6	16	51	—0.8	
Crompton ..	15,040	87	69	8	4	168	11.2	98	104	202	13.4	6	36	—2.2	
Croston ..	1,979	8	10	—	1	19	9.6	14	8	22	11.1	1	53	—1.5	
Dalton-in- Furness	10,440	82	86	7	5	180	17.2	69	63	132	12.6	16	89	4.6	
Darwen M.B. ..	37,000	240	180	10	8	438	11.8	238	236	474	12.8	31	71	—1.0	
Denton ..	17,660	111	93	3	5	212	12.0	110	110	220	12.5	11	52	—0.5	
Droylsden ..	13,550	96	91	3	2	192	14.2	59	76	135	10.0	10	52	4.2	
Eccles M.B. ..	44,880	314	300	10	15	639	14.2	261	279	540	12.0	41	64	2.2	
Failsworth ..	16,330	103	105	2	2	212	13.0	92	95	187	11.5	15	71	1.5	
Farnworth ..	28,990	195	201	5	11	412	14.2	174	163	337	11.6	29	70	2.6	
Fleetwood ..	22,780	224	230	7	10	471	20.7	121	117	238	10.4	33	70	10.3	
Formby ..	7,769	47	45	—	4	96	12.4	42	32	74	9.5	3	31	2.9	
Fulwood ..	7,315	31	41	1	—	73	10.0	46	34	80†	11.6†	5	68	—1.6	
Golborne ..	7,424	71	49	2	—	122	16.4	39	62	101	13.6	12	98	2.8	
Grange ..	2,262	7	6	—	—	13	5.7	11	19	30	13.3	—	—	—7.6	
Great Crosby ..	17,700	114	101	7	4	226	12.8	85	94	179	10.1	16	71	2.7	
Great Harwood	13,310	75	95	—	3	173	13.0	76	81	157	11.8	9	52	1.2	
Haslingden M.B.	16,960	84	81	3	4	172	10.1	108	109	217	12.8	12	70	—2.7	
Haydock ..	10,510	92	89	2	2	185	17.6	58	53	111	10.6	17	92	7.0	
Heywood M.B.	26,250	171	181	8	13	373	14.2	156	180	336	12.8	24	64	1.4	
Hindley ..	22,600	172	160	8	6	346	15.3	133	138	271	12.0	24	69	3.3	
Horwich ..	16,140	116	99	2	2	219	13.6	89	74	163	10.1	11	50	3.5	
Huyton with Roby.	5,285	28	29	1	1	59	11.2	37	24	61	11.5	2	34	—0.3	
Ince in Maker- field.	22,700	189	230	4	5	428	18.9	145	134	279	12.3	52	121	6.6	
Irlam ..	12,640	103	102	1	1	207	16.4	52	49	101	8.0	15	72	8.4	
Kearsley ..	9,960	56	78	1	1	136	13.7	54	46	100	10.0	12	88	3.7	
Kirkham ..	4,134	32	22	2	—	56	13.5	29	27	56	13.5	6	107	—	
Lancaster M.B.	42,850	334	310	16	17	677	15.8	267	258	525†	12.3†	37	55	3.5	
Lathom and Burscough.	7,887	61	51	3	1	116	14.7	54	48	102†	13.1†	10	86	1.6	
Lees ..	4,882	29	20	1	1	51	10.4	30	40	70	14.3	2	39	—3.9	
Leigh M.B. ..	46,230	337	322	15	8	682	14.8	259	236	495	10.7	39	57	4.1	
Leyland ..	10,550	78	71	1	—	150	14.2	65	56	121	11.5	8	53	2.7	
Litherland ..	16,300	122	123	7	4	256	15.7	98	95	193	11.8	21	82	3.9	
Littleborough ..	11,930	100	75	6	6	187	15.7	99	80	179	15.0	9	48	0.7	
Little Crosby ..	1,123	5	7	1	—	13	11.6	2	3	5	4.5	—	—	7.1	
Little Hulton ..	8,050	54	60	1	1	116	14.4	40	33	73	9.1	10	86	5.3	
Little Lever ..	5,112	47	41	—	1	89	17.4	33	29	62	12.1	3	34	5.3	

† Death-rates based upon estimated civilian populations as follows:—Fulwood U.D., 6,915; Lancaster M.B., 42,660
Lathom and Burscough U.D., 7,777.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE—cont.														
URBAN DISTRICTS —cont.														
Longridge ..	4,191	25	25	—	—	50	11.9	29	23	52	12.4	5	100	—0.5
Lytham ..	25,320	110	115	6	6	237	9.4	135	196	331	13.1	5	21	—3.7
St. Anne's M.B.														
Middleton M.B.	29,490	209	205	10	10	434	14.7	171	166	337	11.4	20	46	3.3
Milnrow	8,709	35	52	—	2	89	10.2	52	58	110	12.6	1	11	—2.4
Morecambe and Heysham M.B.	23,250	134	111	8	7	260	11.2	152	179	331	14.2	18	69	—3.0
Mossley M.B. . .	12,210	69	88	2	5	164	13.4	80	86	166	13.6	8	49	—0.2
Nelson M.B. . .	39,120	237	216	10	6	469	12.0	230	253	483	12.3	37	79	—0.3
Newton-in- Makerfield.	20,200	181	163	5	4	353	17.5	132	94	226	11.2	23	65	6.3
Norden	4,336	28	22	1	—	51	11.8	27	23	50	11.5	2	39	0.3
Ormskirk .. .	7,513	67	57	3	4	131	17.4	56	44	100	13.3	8	61	4.1
Orrell	7,109	47	47	3	—	97	13.6	44	41	85	12.0	6	62	1.6
Oswaldtwistle	14,590	81	85	7	3	176	12.1	86	97	183	12.5	14	80	—0.4
Padiham .. .	11,820	63	77	5	5	150	12.7	59	77	136	11.5	9	60	1.2
Poulton le Fylde	3,218	15	10	—	2	27	8.4	24	23	47	14.6	2	74	—6.2
Preesall .. .	2,015	17	12	—	—	29	14.4	9	4	13	6.5	—	—	7.9
Prescot	9,684	75	73	3	1	152	15.7	76	46	122	12.6	7	46	3.1
Prestwich .. .	22,930	140	124	3	5	272	11.9	109	106	215	9.4	21	77	2.5
Radcliffe .. .	25,170	161	153	4	9	327	13.0	168	170	338	13.4	16	49	—0.4
Rainford .. .	3,600	25	26	1	4	56	15.6	19	15	34	9.4	2	36	6.2
Ramsbottom ..	14,890	97	83	3	3	186	12.5	97	118	215	14.4	12	65	—1.9
Rawtenstall ..	28,800	159	171	4	9	343	11.9	220	189	409	14.2	29	85	—2.3
M.B.														
Rishton	6,808	44	39	—	2	85	12.5	45	40	85	12.5	12	141	—
Royton	17,110	101	109	2	4	216	12.6	129	105	234	13.7	19	88	—1.1
Skelmersdale ..	6,467	47	43	1	4	95	14.7	55	28	83	12.8	7	74	1.9
Standish with Langtree.	7,416	51	49	2	—	102	13.8	48	40	88	11.9	6	59	1.9
Stretford .. .	54,850	391	375	19	17	802	14.6	310	295	605	11.0	44	55	3.6
Swinton and Pendlebury	33,370	218	237	7	8	470	14.1	195	201	396	11.9	32	68	2.2
Thornton Cleveleys.	9,832	79	66	7	—	152	15.5	60	55	115	11.7	6	39	3.8
Tottington .. .	6,612	35	49	2	1	87	13.2	36	34	70	10.6	4	46	2.6
Trawden .. .	2,635	12	12	—	—	24	9.1	16	8	24	9.1	1	42	—
Turton	12,090	78	67	1	1	147	12.2	87	92	179	14.8	10	68	—2.6
Tyldesley with Shakerley.	15,210	138	112	6	4	260	17.1	92	98	190	12.5	29	112	4.6
Ulverston .. .	9,099	69	59	3	2	133	14.6	70	71	141	15.5	9	68	—0.9
Upholland .. .	5,653	42	43	1	3	89	15.7	34	35	69	12.2	2	22	3.5
Urmston .. .	8,872	64	79	2	3	148	16.7	55	52	107	12.1	5	34	4.6
Walton-le-Dale	12,720	99	83	2	4	188	14.8	95	71	166	13.1	13	69	1.7
Wardle	4,520	24	26	4	2	56	12.4	30	32	62	13.7	3	54	—1.3
Waterloo with Seaforth.	31,500	253	238	7	4	502	15.9	179	190	369	11.8†	37	74	4.1
Westhoughton	16,650	107	108	1	3	219	13.2	89	98	187	11.2	14	64	2.0
Whitefield .. .	8,806	69	61	4	3	137	15.6	44	55	99	11.2	2	15	4.4
Whitworth .. .	8,504	58	56	6	3	123	14.5	87	61	148	17.4	20	163	—2.9
Wilnes M.B. . .	40,930	426	386	18	13	843	20.6	249	210	459	11.2	47	56	9.4
Withnell .. .	3,171	15	10	—	—	25	7.9	21	17	38	12.0	2	80	—4.1
Worsley .. .	14,680	75	83	2	1	161	11.0	99	77	176	12.0	6	37	—1.0

† Death-rate based upon estimated civilian population of 31,300.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LANCASHIRE— <i>cont.</i>														
RURAL DISTRICTS.	264,880	1,827	1,662	55	75	3,619	13.7	1,416	1,379	2,795	10.6†	211	58	3.1
Barton-upon- Irwell	14,670	112	103	2	2	219	14.9	63	64	127	8.7	16	73	6.2
Blackburn ..	11,270	57	69	—	3	129	11.4	54	61	115	10.2	4	31	1.2
Burnley	17,810	99	104	4	4	211	11.8	88	125	213	12.0	15	71	—0.2
Bury	9,121	54	43	1	3	101	11.1	55	64	119	13.0	8	79	—1.9
Chorley	22,340	170	163	4	7	344	15.4	123	124	247	11.1	24	70	4.3
Clitheroe.. ..	8,981	42	44	3	3	92	10.2	45	47	92	10.2	9	98	—
Fylde	15,820	120	91	6	4	221	14.0	90	88	178	11.3	14	63	2.7
Garstang	11,500	100	74	4	6	184	16.0	58	50	108	9.4	9	49	6.6
Lancaster	9,461	58	75	2	5	140	14.8	55	51	106	11.2	8	57	3.6
Leigh	11,720	74	75	3	2	154	13.1	67	48	115	9.8	6	39	3.3
Limehurst ..	9,081	51	57	2	3	113	12.4	52	33	85	9.6†	5	44	2.8
Lunesdale ..	6,469	43	38	2	2	85	13.1	43	38	81	12.5	4	47	0.6
Preston	29,070	195	170	6	6	377	13.0	146	149	295	10.1	29	77	2.9
Sefton	2,450	15	14	1	1	31	12.7	15	22	37	15.1	3	97	—2.4
Ulverston ..	16,500	138	105	2	7	252	15.3	112	114	226	13.7	12	48	1.6
Warrington ..	16,090	110	108	3	—	221	13.7	69	55	124	7.7	9	41	6.0
West Lancashire	23,610	173	137	5	6	321	13.6	133	120	253	10.7	16	50	2.9
Whiston	22,610	170	152	4	9	335	14.8	112	91	203	9.0	17	51	5.8
Wigan	6,307	46	40	1	2	89	14.1	36	35	71	11.3	3	34	2.8
LEICESTERSHIRE :														
COUNTY BORO' :														
Leicester ..	242,900	1,834	1,820	108	110	3,872	15.9	1,398	1,346	2,744	11.3	217	56	4.6
ADMINISTRATIVE COUNTY.	300,100	2,473	2,375	89	85	5,022	16.7	1,586	1,489	3,075	10.3†	278	55	6.4
URBAN DISTRICTS	121,460*	951	997	45	32	2,025	16.7	641	615	1,256	10.4†	108	53	6.3
Ashby de la Zouch.	5,176	28	43	1	1	73	14.1	24	25	49	9.5	2	27	4.6
Ashby Woulds	3,461	26	27	1	—	54	15.6	19	15	34	9.8	3	56	5.8
Coalville	22,390	204	190	10	6	410	18.3	107	113	220	9.8	28	68	8.5
Hinckley	15,950	145	141	7	4	297	18.6	97	83	180	11.3	10	34	7.3
Loughborough M.B.	26,720	197	203	8	12	420	15.7	149	122	271	10.1	24	57	5.6
Market Harboro'	9,213	51	61	3	2	117	12.7	56	51	107	11.6	5	43	1.1
Melton Mowbray	10,350*	67	105	8	3	183	17.7	61	60	121	11.7	12	66	6.0
Oadby	4,574	31	33	—	1	65	14.2	19	18	37	8.1	1	15	6.1
Quorndon	2,614	20	14	—	1	35	13.4	17	10	27	10.3	4	114	3.1
Shepshed	5,842	47	43	2	1	93	15.9	32	23	55	9.4	6	65	6.5
Thurmaston ..	3,770	44	25	—	—	69	18.3	16	19	35	9.3	3	43	9.0
Wigston Magna	11,400	91	112	5	1	209	18.3	44	76	120	10.7†	10	48	7.6
RURAL DISTRICTS.	178,640*	1,522	1,378	44	53	2,997	16.8	945	874	1,819	10.2	170	57	6.6
Ashby de la Zouch.	17,570	158	142	6	10	316	18.0	107	105	212	12.1	26	82	5.9
Barrow upon Soar.	30,270	261	237	8	6	512	16.9	160	148	308	10.2	35	68	6.7
Belvoir	3,084	15	14	—	—	29	9.4	16	22	38	12.3	1	34	—2.9
Billesdon.. ..	10,600	89	74	3	3	169	15.9	52	50	102	9.6	13	77	6.3
Blaby	30,370	305	287	6	8	606	20.0	132	124	256	8.4	29	48	11.6
Castle Donington	6,537	68	41	1	1	111	17.0	42	35	77	11.8	6	54	5.2
Hallaton	1,655	11	8	—	—	19	11.5	17	10	27	16.3	1	53	—4.8
Hinckley	16,980	134	126	3	7	270	15.9	78	71	149	8.8	10	37	7.1

† Death-rates based upon estimated civilian populations as follows:—Lancashire—Rural Districts, 264,640; Limehurst R.D. 8,841. Leicestershire—Administrative County, 299,930; Urban Districts, 121,290*; Wigston Magna U.D., 11,230.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Leicestershire—Urban Districts, 121,630 (Total), 121,460 (Civilian); Melton Mowbray U.D., 10,520; Rural Districts, 178,470.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LEICESTERSHIRE — <i>cont.</i>														
RURAL DISTRICTS — <i>cont.</i>														
Loughborough	4,833	24	38	—	—	62	12·8	23	16	39	8·1	2	32	4·7
Lutterworth ..	10,550	94	58	4	3	159	15·1	66	58	124	11·8	9	57	3·3
Market Bosworth	23,950	194	188	5	5	392	16·4	108	111	219	9·1	23	59	7·3
Market Harboro'	7,491	50	49	4	5	108	14·4	50	51	101	13·5	5	46	0·9
Melton Mowbray	14,750*	119	116	4	5	244	16·5	94	73	167	11·3	10	41	5·2
LINCOLNSHIRE : PARTS OF HOLLAND.														
ADMINISTRATIVE COUNTY.	90,950*	850	834	48	39	1,771	19·5	528	495	1,023	11·2	102	58	8·3
URBAN DISTRICTS	40,000	361	345	20	17	743	18·6	264	231	495	12·4	46	62	6·2
Boston M.B. ..	16,280	151	149	8	7	315	19·3	108	99	207	12·7	22	70	6·6
Holbeach ..	5,966	58	49	4	3	114	19·1	29	28	57	9·6	5	44	9·5
Long Sutton ..	3,004	22	13	2	3	40	13·3	18	13	31	10·3	1	25	3·0
Spalding ..	12,250	102	114	5	4	225	18·4	88	72	160	13·1	16	71	5·3
Sutton Bridge	2,500	28	20	1	—	49	19·6	21	19	40	16·0	2	41	3·6
RURAL DISTRICTS.	50,950*	489	489	28	22	1,028	20·2	264	264	528	10·4	56	54	9·8
Boston	23,580	224	233	10	14	481	20·4	132	136	268	11·4	39	81	9·0
Crowland ..	2,790	21	21	2	1	45	16·1	19	10	29	10·4	5	111	5·7
East Elloe ..	10,210	113	80	4	4	201	19·7	44	39	83	8·1	5	25	11·6
Spalding (pt.) †	14,370*	131	155	12	3	301	20·9	69	79	148	10·3	7	23	10·6
LINCOLNSHIRE : PARTS OF KESTEVEN.														
ADMINISTRATIVE COUNTY.	109,670*	837	889	56	67	1,849	16·9	631	628	1,259	11·8†	117	63	5·1
URBAN DISTRICTS	42,000*	300	336	18	27	681	16·2	235	246	481	11·5	42	62	4·7
Bourne	4,708	35	44	4	3	86	18·3	23	27	50	10·6	8	93	7·7
Grantham M.B.	19,030*	144	161	7	10	322	16·9	103	128	231	12·1	11	34	4·8
Ruskington ..	1,210	6	5	—	2	13	10·7	6	7	13	10·7	2	154	—
Sleaford	7,066	47	56	3	3	109	15·4	47	28	75	10·6	6	55	4·8
Stamford M.B.	9,986	68	70	4	9	151	15·1	56	56	112	11·2	15	99	3·9
RURAL DISTRICTS.	67,670*	537	553	38	40	1,168	17·3	396	382	778	12·0†	75	64	5·3
Bourne	12,700	104	115	7	7	233	18·3	87	66	153	12·0	15	64	6·3
Branston	14,840	107	105	6	7	225	15·2	83	85	168	11·4†	21	93	3·8
Claypole	7,720	46	60	2	3	111	14·4	65	54	119	15·4	10	90	—1·0
Grantham	11,930*	99	85	13	16	213	17·9	71	72	143	12·6†	10	47	5·3
Sleaford	18,950	170	173	10	7	360	19·0	84	94	178	10·5†	17	47	8·5
Spalding (pt.) †	170*	1	1	—	—	2	11·8	—	1	1	5·9	—	—	5·9
Uffington ..	1,360	10	14	—	—	24	17·6	6	10	16	11·8	2	83	5·8
LINCOLNSHIRE : PARTS OF LINDSEY.														
COUNTY BORO'S.	157,620	1,297	1,221	103	71	2,692	17·1	977	906	1,883	12·0†	185	69	5·1
Grimsby	91,870	837	787	73	48	1,745	19·0	580	522	1,102	12·0	129	74	7·0
Lincoln	65,750	460	434	30	23	947	14·4	397	384	781	11·9†	56	59	2·5
ADMINISTRATIVE COUNTY.	260,400	2,189	2,003	146	157	4,495	17·3	1,560	1,491	3,051	11·7	235	52	5·6

† Death-rates based upon estimated civilian populations as follows:—Lincolnshire (Kesteven)—Administrative County, 106,970*; Rural Districts, 64,970*; Branston R.D., 14,720; Grantham R.D., 11,390*; Sleaford R.D., 16,910. Lincolnshire: Lindsey—County Boroughs, 157,450; Lincoln C.B., 65,580.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Leicestershire—Melton Mowbray R.D., 14,580; Lincolnshire (Holland)—Administrative County, 91,120; Rural Districts, 51,120, Spalding R.D., 14,540. Lincolnshire (Kesteven)—Administrative County, 109,500 (Total), 106,800 (Civilian); Urban Districts, 42,630; Grantham M.B., 19,660; Rural Districts, 66,870 (Total), 64,170 (Civilian); Grantham R.D., 11,300 (Total), 10,760 (Civilian); Spalding R.D. Nil.

† Prior to 31st March, 1930, Spalding Rural District was partly in Lincolnshire, Kesteven and partly in Lincolnshire, Holland. Since that date the whole is in Lincolnshire, Holland.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LINCOLNSHIRE :														
PTS. OF LINDSEY —cont.														
URBAN DISTRICTS	126,380	1,049	990	71	75	2,185	17.3	737	708	1,445	11.4	118	54	5.9
Alford	2,205	18	8	—	—	26	11.8	18	16	34	15.4	3	115	—3.6
Barton-upon- Humber.	6,342	45	45	1	5	96	15.1	45	39	84	13.2	3	31	1.9
Brigg	3,867	38	35	5	5	83	21.5	21	24	45	11.6	3	36	9.9
Cleethorpes ..	28,700	245	242	11	22	520	18.1	130	135	265	9.2	24	46	8.9
Crowle	2,809	27	29	1	2	59	21.0	24	23	47	16.7	3	51	4.3
Gainsborough..	18,730	142	126	8	7	283	15.1	118	107	225	12.0	16	57	3.1
Horncastle ..	3,411	32	24	—	1	57	16.7	23	21	44	12.9	1	18	3.8
Louth M.B. ..	9,544	44	45	5	1	95	10.0	69	74	143	15.0	6	63	—5.0
Mablethorpe and Sutton	4,142	16	21	1	—	38	9.2	22	26	48	11.6	2	53	—2.4
Market Rasen	2,058	19	10	2	1	32	15.5	18	17	35	17.0	1	31	—1.5
Roxby-cum- Risby.	559	5	11	—	—	16	28.6	4	2	6	10.7	—	—	17.9
Scunthorpe and Frodingham.	33,060	351	332	24	25	732	22.1	181	146	327	9.9	44	60	12.2
Skegness	7,634	49	33	13	6	101	13.2	40	43	83	10.9	6	59	2.3
Winterton ..	1,935	13	20	—	—	33	17.1	9	19	28	14.5	4	121	2.6
Woodhall Spa	1,384	5	9	—	—	14	10.1	15	16	31	22.4	2	143	—12.3
RURAL DISTRICTS.														
Caistor	12,700	111	109	6	9	235	18.5	81	64	145	11.4	12	51	7.1
Gainsborough..	13,980	122	97	5	7	231	16.5	91	85	176	12.6	12	52	3.9
Glanford Brigg	28,260	265	252	16	20	553	19.6	158	147	305	10.8	28	51	8.8
Grimsby	10,380	95	73	4	2	174	16.8	55	51	106	10.2	12	69	6.6
Horncastle ..	11,740	95	81	8	12	196	16.7	68	93	161	13.7	13	66	3.0
Isle of Axholme	6,486	64	54	4	4	126	19.4	27	33	60	9.3	6	48	10.1
Louth	16,600	122	116	13	11	262	15.8	118	106	224	13.5	8	31	2.3
Sibsey	3,034	36	34	2	4	76	25.0	14	12	26	8.6	2	26	16.4
Spilsby	19,560	154	124	11	9	298	15.2	133	111	244	12.5	11	37	2.7
Welton	11,280	76	73	6	4	159	14.1	78	81	159	14.1	13	82	—
GREATER LONDON†	8,070,100	62,267	59,615	2,871	2,824	127,577	15.8	44,108	41,683	85,791	10.7†	6,939	54	5.1
LONDON :	4,399,000	33,654	32,152	1,819	1,822	69,447	15.8	26,524	24,468	50,992	11.6†	4,109	59	4.2
CITY OF LONDON.	9,970	46	39	3	1	89	8.9	79	54	133	13.3	4	45	—4.4
INNER AND MIDDLE TEMPLES.	300	1	—	—	—	1	3.3	5	1	6	20.0	—	—	—16.7
METROPOLITAN BOROUGHs:														
Battersea ..	160,700	1,332	1,196	61	63	2,652	16.5	955	891	1,846	11.5	145	55	5.0
Bermondsey ..	113,100	1,050	966	25	18	2,059	18.2	825	659	1,484	13.1	131	64	5.1
Bethnal Green	109,800	1,010	903	21	21	1,955	17.8	656	567	1,223	11.1	118	60	6.7
Camberwell ..	254,300	1,908	1,802	50	49	3,809	15.0	1,423	1,375	2,798	11.0	197	52	4.0
Chelsea	59,560	356	373	35	35	799	13.4	400	383	783	13.1	32	40	0.3

† Death-rates based upon estimated civilian populations as follows :—Greater London, 8,054,970 ; London, 4,388,000.

‡ Greater London consists of the Administrative County of London and the Outer Ring. For the detailed constitution see Census of England and Wales, 1931, Preliminary Report pp. 63-65.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Deaths per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LONDON—cont.														
METROPOLITAN BORO'S—cont.														
Deptford ..	108,800	902	800	29	30	1,761	16·2	705	545	1,250	11·5	107	61	4·7
Finsbury ..	70,540	614	617	34	26	1,291	18·3	497	432	929	13·2	82	64	5·1
Fulham ..	152,300	1,130	1,092	69	75	2,366	15·5	833	840	1,673	11·0	135	57	4·5
Greenwich ..	100,800	805	748	27	20	1,600	15·9	560	478	1,038	10·4†	76	48	5·5
Hackney ..	216,000	1,767	1,596	73	79	3,515	16·3	1,185	1,196	2,381	11·0	174	50	5·3
Hammersmith	135,800	1,028	984	83	78	2,173	16·0	870	734	1,604	11·8	140	64	4·2
Hampstead ..	86,530	482	418	53	50	1,003	11·6	453	522	975	11·3	58	58	0·3
Holborn ..	36,200	183	171	15	36	405	11·2	280	208	488	13·5	36	89	—2·3
Islington ..	322,700	2,761	2,659	136	139	5,695	17·6	2,061	1,809	3,870	12·0	392	69	5·6
Kensington ..	175,400	1,180	1,171	115	114	2,580	14·7	1,002	1,240	2,242	12·8†	177	69	1·9
Lambeth ..	295,400	2,347	2,113	140	151	4,751	16·1	1,806	1,743	3,549	12·0	273	57	4·1
Lewisham ..	215,000	1,544	1,499	46	58	3,147	14·6	1,031	1,010	2,041	9·5	134	43	5·1
Paddington ..	141,400	963	958	119	116	2,156	15·2	872	936	1,808	12·8	169	78	2·4
Poplar ..	157,900	1,498	1,492	37	29	3,056	19·4	927	756	1,683	10·7	167	55	8·7
St. Marylebone	97,310	556	521	82	88	1,247	12·8	588	583	1,171	12·0	77	62	0·8
St. Pancras ..	199,400	1,466	1,426	145	131	3,168	15·9	1,353	1,075	2,428	12·2†	194	61	3·7
Shoreditch ..	98,960	951	963	37	37	1,988	20·1	645	563	1,208	12·2	129	65	7·9
Southwark ..	175,300	1,451	1,438	53	55	2,997	17·1	1,254	978	2,232	12·7	172	57	4·4
Stepney ..	233,400	2,010	2,064	62	76	4,212	18·0	1,479	1,250	2,729	11·7†	322	76	6·3
Stoke Newington	50,830	383	322	10	17	732	14·4	312	301	613	12·1	40	55	2·3
Wandsworth ..	350,400	2,263	2,174	119	130	4,686	13·4	1,820	1,939	3,759	10·7	254	54	2·7
Westminster ..	123,800	591	596	100	79	1,366	11·0	812	689	1,501	12·5†	83	61	—1·5
Woolwich ..	147,100	1,076	1,051	40	21	2,188	14·9	836	711	1,547	10·9†	91	42	4·0
MIDDLESEX.														
ADMINISTRATIVE COUNTY	1,564,100	12,205	11,670	495	470	24,840	15·9	7,389	7,269	14,658	9·4†	1,190	48	6·5
URBAN DISTRICTS	1,509,690*	11,770	11,224	484	460	23,938	15·9	7,165	7,062	14,227	9·4†	1,147	48	6·5
Acton M.B. ..	68,230	523	513	32	37	1,105	16·2	357	336	693	10·2	56	51	6·0
Brentford and Chiswick ..	61,130	470	474	23	17	984	16·1	342	326	668	10·9	48	49	5·2
Ealing M.B. ..	111,800	823	735	46	28	1,632	14·6	559	580	1,139	10·2	71	44	4·4
Edmonton ..	76,470	711	647	18	27	1,403	18·3	388	330	718	9·4	75	53	8·9
Enfield ..	66,840	503	499	12	21	1,035	15·5	329	310	639	9·6	54	52	5·9
Feltham ..	13,670*	129	132	10	6	277	20·3	55	41	96	7·2†	12	43	13·1
Finchley ..	57,030	364	349	18	17	748	13·1	261	296	557	9·8	38	51	3·3
Friern Barnet	22,440	159	148	4	3	314	14·0	93	79	172	7·7	15	48	6·7
Hampton ..	12,610	94	88	4	2	188	14·9	66	55	121	9·6	5	27	5·3
Hampton Wick	2,970	17	11	2	—	30	10·1	15	13	28	9·4	2	67	0·7
Harrow-on-the-Hill.	25,890	195	195	14	4	408	15·8	98	99	197	7·6	8	20	8·2
Hayes and Harlington§	20,260*	252	256	7	12	527	26·0	82	69	151	7·5	34	65	18·5
Hendon ..	98,540	738	714	29	39	1,520	15·4	441	405	846	8·6†	77	51	6·8
Heston and Isleworth.	70,420	625	542	25	14	1,206	17·1	328	319	647	9·3†	60	50	7·8
Hornsey M.B.	92,520	601	555	22	31	1,209	13·1	494	556	1,050	11·3	50	41	1·8
Kingsbury ..	13,060	131	142	2	2	277	21·2	41	36	77	5·9	10	36	15·3
Ruislip Northwood.	15,080	111	106	3	3	223	14·8	66	57	123	8·4†	13	58	6·4
Southall	37,560	297	280	6	13	596	15·9	136	139	275	7·3	23	39	8·6
Norwood.														
Southgate ..	52,850	290	301	7	9	607	11·5	232	266	498	9·4	22	36	2·1
Staines ..	17,130*	139	127	4	7	277	16·2	91	71	162	9·5	11	40	6·7

† Death-rates based upon estimated civilian populations as follows:—Metropolitan Boroughs—Greenwich, 99,700; Kensington, 175,200; St. Pancras, 199,000; Stepney, 232,700; Westminster, 120,500; Woolwich, 141,800. Middlesex—Administrative County, 1,560,120. Urban Districts, 1,505,710*; Feltham U.D., 13,330*; Hendon U.D., 98,230; Heston and Isleworth U.D., 69,610; Ruislip Northwood U.D., 14,420.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Middlesex—Urban Districts, 1,517,460 (Total), 1,513,480 (Civilian); Feltham U.D., 15,130 (Total), 14,790 (Civilian); Hayes and Harlington U.D., 21,320; Staines U.D. 20,160.

§ Hayes U.D. was extended and renamed Hayes and Harlington U.D. on 1st April, 1930.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MIDDLESEX—cont.														
URBAN DISTRICTS —cont.														
Sunbury-on- Thames.	11,660*	102	111	5	5	223	19.1	42	52	94	8.1	7	31	11.0
Teddington ..	22,950	140	169	10	6	325	14.2	115	149	264	11.5	14	43	2.7
Tottenham ..	157,400	1,246	1,189	41	34	2,510	15.9	823	744	1,567	10.0	137	55	5.9
Twickenham M.B.	38,290	286	285	14	11	596	15.6	181	175	356	9.3	24	40	6.3
Uxbridge ..	30,110	268	270	8	8	554	18.4	121	107	228	8.0†	20	36	10.4
Wealdstone ..	24,330	272	213	5	5	495	20.3	88	93	181	7.4	16	32	12.9
Wembley ..	42,790	353	321	17	9	700	16.4	152	163	315	7.4	28	40	9.0
Willesden ..	180,000	1,461	1,408	73	69	3,011	16.7	863	867	1,730	9.6	173	57	7.1
Wood Green ..	54,020	343	346	13	17	719	13.3	254	280	534	9.9	26	36	3.4
Yiewsley & West Drayton.	11,640*	127	98	10	4	239	20.5	52	49	101	8.8†	18	75	11.7
RURAL DISTRICTS.	54,410*	435	446	11	10	902	16.6	224	207	431	7.9	43	48	8.7
Hendon	41,540	322	340	6	6	674	16.2	160	126	286	6.9	25	37	9.3
South Mimms	5,100	44	48	2	2	96	18.8	24	28	52	10.2	6	63	8.6
Staines	7,770*	69	58	3	2	132	17.0	40	53	93	12.0	12	91	5.0
NORFOLK:														
COUNTY BORO'S:	183,490	1,379	1,312	78	95	2,864	15.6	1,012	1,068	2,080	11.4†	139	49	4.2
Great Yarmouth	57,290	436	388	26	41	891	15.6	334	378	712	12.4	51	57	3.2
Norwich	126,200	943	924	52	54	1,973	15.6	678	690	1,368	10.9†	88	45	4.7
ADMINISTRATIVE COUNTY.	321,300	2,289	2,336	147	150	4,922	15.3	1,814	1,903	3,717	11.6†	231	47	3.7
URBAN DISTRICTS	60,950	409	409	28	27	873	14.3	325	343	668	11.0	30	34	3.3
Cromer	4,096	23	26	1	—	50	12.2	18	25	43	10.5	—	—	1.7
Diss	3,416	17	22	—	3	42	12.3	18	16	34	10.0	1	24	2.3
Downham Market	2,452	21	23	2	—	46	18.8	9	17	26	10.6	1	22	8.2
East Dereham	5,573	40	40	3	4	87	15.6	42	36	78	14.0	3	34	1.6
King's Lynn M.B.	20,320	153	153	14	5	325	16.0	110	102	212	10.4	12	37	5.6
New Hunstanton	3,354	11	10	—	1	22	6.6	12	16	28	8.3	1	45	—1.7
North Walsham	4,202	21	22	1	1	45	10.7	18	22	40	9.5	1	22	1.2
Sheringham ..	4,022	23	23	1	1	48	11.9	22	23	45	11.2	2	42	0.7
Swaffham ..	2,739	15	21	1	—	37	13.5	15	25	40	14.6	3	81	—1.1
Thetford M.B.	4,223	36	18	1	3	58	13.7	31	31	62	14.7	1	17	—1.0
Walsoken ..	3,976	33	33	4	7	77	19.4	17	16	33	8.3	5	65	11.1
Wells	2,577	16	18	—	2	36	14.0	13	14	27	10.5	—	—	3.5
RURAL DISTRICTS	260,350	1,880	1,927	119	123	4,049	15.6	1,489	1,560	3,049	11.7†	201	50	3.9
Aylsham ..	16,270	133	122	7	6	268	16.5	101	104	205	12.6	13	49	3.9
Blofield ..	14,260	90	82	4	3	179	12.6	59	75	134	9.4	7	39	3.2
Depwade ..	17,900	138	124	11	8	281	15.7	124	107	231	12.9	11	39	2.8
Docking ..	16,350	123	110	4	7	244	14.9	102	95	197	12.3†	15	61	2.6
Downham ..	15,110*	118	123	10	5	256	16.9	91	99	190	12.6	17	66	4.3
East and West Flegg.	10,240	80	79	2	4	165	16.1	68	67	135	13.2	11	67	2.9
Erpingham ..	17,160	108	132	10	10	260	15.2	105	102	207	12.1	14	54	3.1
Forehoe ..	12,770	104	94	6	8	212	16.6	69	80	149	11.7	9	42	4.9
Freebridge Lynn	12,210	82	89	4	2	177	14.5	70	73	143	11.7	12	68	2.8
Henstead ..	10,660	79	61	4	3	147	13.8	73	66	139	13.0	7	48	0.8

† Death-rate based upon estimated civilian populations as follows:—Middlesex—Uxbridge U.D., 28,390; Yiewsley and West Drayton U.D., 11,500*; Norfolk—County Boroughs, 182,890; Norwich C.B., 125,600; Administrative County, 320,940; Rural Districts, 259,990; Docking R.D., 15,990.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Middlesex—Sunbury U.D., 13,150; Yiewsley and West Drayton U.D., 12,370 (Total), 12,230 (Civilian); Rural Districts, 46,640; Staines R.D., Nil; Norfolk—Downham R.D., 15,500.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA,	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORFOLK—cont.														
RURAL DISTRICTS —cont.														
King's Lynn ..	927	2	10	1	1	14	15.1	3	8	11	11.9	—	—	3.2
Loddon and Clavering	11,960	91	95	6	6	198	16.6	63	69	132	11.0	11	56	5.6
Marshland ..	14,600*	137	125	10	12	284	19.5	53	75	128	8.8	17	60	10.7
Mitford and Launditch.	17,180	112	140	9	8	269	15.7	99	109	208	12.1	16	59	3.6
St. Faith's ..	13,820	93	118	7	6	224	16.2	53	78	131	9.5	9	40	6.7
Smallburgh ..	13,910	87	92	10	8	197	14.2	72	58	130	9.3	8	41	4.9
Swaffham ..	6,837	43	62	1	4	110	16.1	50	44	94	13.7	6	55	2.4
Thetford ..	9,276	67	71	—	5	143	15.4	59	70	129	13.9	3	21	1.5
Walsingham ..	15,860	112	108	9	9	238	15.0	103	97	200	12.6	7	29	2.4
Wayland ..	13,050	81	90	4	8	183	14.0	72	84	156	12.0	8	44	2.0
NORTHAMPTON- SHIRE :														
COUNTY BORO' :														
Northampton	93,460	599	583	20	22	1,224	13.1	529	524	1,053	11.3†	68	56	1.8
ADMINISTRATIVE COUNTY.	217,600	1,472	1,392	69	58	2,991	13.7	1,241	1,249	2,490	11.4†	126	42	2.3
URBAN DISTRICTS	103,370	708	631	34	18	1,391	13.5	573	572	1,145	11.1	62	45	2.4
Brackley M.B.	2,246	11	12	—	—	23	10.2	15	18	33	14.7	—	—	—4.5
Burton Latimer	3,554	19	24	1	—	44	12.4	15	26	41	11.5	2	45	0.9
Daventry M.B.	3,562	32	29	1	1	63	17.7	18	23	41	11.5	2	32	6.2
Desborough ..	4,486	30	23	—	1	54	12.0	35	21	56	12.5	2	37	—0.5
Finedon	4,106	23	31	2	3	59	14.4	10	28	38	9.3	4	68	5.1
Higham Ferrers M.B.	2,993	20	20	—	1	41	13.7	12	19	31	10.4	2	49	3.3
Irthlingborough	4,839	28	27	1	1	57	11.8	40	28	68	14.1	3	53	—2.3
Kettering ..	31,240	232	183	13	3	431	13.8	178	168	346	11.1	19	44	2.7
Oundle	2,597	17	13	1	—	31	11.9	19	9	28	10.8	—	—	1.1
Raunds	3,715	24	17	—	—	41	11.0	16	18	34	9.2	—	—	1.8
Rothwell ..	4,592	32	24	1	1	58	12.6	30	27	57	12.4	3	52	0.2
Rushden ..	14,170	93	88	7	3	191	13.5	63	58	121	8.5	7	37	5.0
Wellingborough	21,270	147	140	7	4	298	14.0	122	129	251	11.8	18	60	2.2
RURAL DISTRICTS :	114,230	764	761	35	40	1,600	14.0	668	677	1,345	11.8†	64	40	2.2
Brackley ..	6,218	48	38	1	3	90	14.5	44	58	102	16.4	4	44	—1.9
Brixworth ..	11,800	74	60	4	4	142	12.0	67	74	141	11.9	7	49	0.1
Crick	2,416	14	29	1	2	46	19.0	16	12	28	11.6	—	—	7.4
Daventry ..	13,630	83	92	3	3	181	13.3	94	85	179	13.2†	5	28	0.1
Easton-on-the- Hill.	1,441	14	9	—	1	24	16.7	9	11	20	13.9	2	83	2.8
Gretton	1,384	9	4	—	2	15	10.8	8	8	16	11.6	—	—	—0.8
Hardingstone	7,347	44	41	3	4	92	12.5	38	47	85	11.6	5	54	0.9
Kettering ..	9,578	66	69	2	4	141	14.7	57	50	107	11.2	9	64	3.5
MiddletonCheney	2,368	11	22	1	3	37	15.6	19	7	26	11.0	1	27	4.6
Northampton	11,040	73	75	3	1	152	13.8	37	46	83	7.5	4	26	6.3
Oundle (part of)	6,197	42	31	4	2	79	12.7	32	35	67	10.8	2	25	1.9
Oxendon ..	4,025	31	26	1	—	58	14.4	25	20	45	11.2	3	52	3.2
Potterspury ..	4,662	40	38	2	—	80	17.2	25	30	55	11.8	1	13	5.4
Thrapston (part of)†.	10,040	78	75	3	6	162	16.1	66	56	122	12.2	4	25	3.9
Towcester ..	9,364	51	58	4	2	115	12.3	60	69	129	13.8	8	70	—1.5
Wellingborough	12,720	86	94	3	3	186	14.6	71	69	140	11.0	9	48	3.6

* Population adjusted to allow for change in boundary during the year. The mid-year population after the change is as follows:—Norfolk—Marshland R.D., 14,210.

† Death rates based upon estimated civilian populations as follows:—Northamptonshire—Northampton C.B., 93,300; Administrative County, 217,550; Rural Districts, 114,180; Daventry R.D., 13,580.

‡ The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NORTHUMBERLAND:														
COUNTY BORO'S.	349,420	3,138	3,048	114	140	6,440	18·4	2,302	2,003	4,305	12·3†	459	71	6·1
Newcastle-upon- Tyne.	284,200	2,556	2,478	92	97	5,223	18·4	1,865	1,649	3,514†	12·4†	379	73	6·0
Tynemouth ..	65,220	582	570	22	43	1,217	18·7	437	354	791	12·1	80	66	6·6
ADMINISTRATIVE COUNTY.	408,700	3,375	3,307	184	159	7,025	17·2	2,340	2,176	4,516†	11·1†	441	63	6·1
URBAN DISTRICTS	305,250	2,705	2,616	133	107	5,561	18·2	1,788	1,602	3,390†	11·1†	358	64	7·1
Alnwick	6,895	57	55	3	2	117	17·0	69	48	117	17·0	5	43	—
Amble	4,178	35	39	1	1	76	18·2	31	24	55	13·2	7	92	5·0
Ashington ..	29,370	337	300	21	10	668	22·7	162	147	309	10·5	55	82	12·2
Bedlingtonshire	27,710	268	279	17	8	572	20·6	187	140	327	11·8	40	70	8·8
Berwick-upon- Tweed M.B.	12,170	112	80	8	8	208	17·1	85	76	161†	13·4†	15	72	3·7
Blyth M.B. ..	31,650	324	314	13	11	662	20·9	189	154	343	10·8	51	77	10·1
Cramlington ..	8,473	79	71	8	3	161	19·0	44	42	86	10·1	9	56	8·9
Earsdon	13,150	142	134	3	7	286	21·7	74	63	137	10·4	20	70	11·3
Gosforth	17,470	93	87	3	4	187	10·7	87	70	157	9·0	6	32	1·7
Hexham	8,660	67	73	4	4	148	17·1	53	46	99	11·4	10	68	5·7
Longbenton ..	14,120	96	95	7	11	209	14·8	68	85	153	10·8	11	53	4·0
Morpeth M.B.	7,405	58	61	3	2	124	16·7	52	48	100	13·5	6	48	3·2
Newbiggin by the Sea	6,986	72	55	2	3	132	18·9	35	36	71	10·2	2	15	8·7
Newburn	19,970	166	171	6	2	345	17·3	117	98	215	10·8	20	58	6·5
Prudhoe	9,381	78	79	8	3	168	17·9	59	50	109	11·6	7	42	6·3
Rothbury	1,226	6	5	—	—	11	9·0	6	12	18	14·7	—	—	—5·7
Seaton Delaval	7,499	67	61	1	2	131	17·5	39	39	78	10·4	9	69	7·1
Seghill	2,539	31	19	2	2	54	21·3	16	20	36	14·2	4	74	7·1
Wallsend M.B.	44,840	429	418	19	16	882	19·7	264	227	491	11·0	64	73	8·7
Weetslade ..	7,768	78	84	2	2	166	21·4	34	35	69	8·9	10	60	12·5
Whitley and Monkseaton	23,790	110	136	2	6	254	10·7	117	142	259	10·9	7	28	—0·2
RURAL DISTRICTS	103,450	670	691	51	52	1,464	14·2	552	574	1,126	10·9	83	57	3·3
Alnwick	12,580	97	91	5	4	197	15·7	94	71	165	13·1	10	51	2·6
Belford	4,597	22	28	2	1	53	11·5	15	31	46	10·0	3	57	1·5
Bellingham ..	5,270	29	34	5	4	72	13·7	32	31	63	12·0	2	28	1·7
Castle Ward ..	14,090	87	90	3	6	186	13·2	62	66	128	9·1	8	43	4·1
Glendale	7,970	45	48	4	5	102	12·8	55	54	109	13·7	9	88	—0·9
Haltwhistle ..	8,941	63	52	3	6	124	13·9	43	51	94	10·5	5	40	3·4
Hexham	21,090	132	144	13	11	300	14·2	110	144	254	12·0	19	63	2·2
Morpeth	19,360	132	154	12	6	304	15·7	91	78	169	8·7	20	66	7·0
Newcastle-upon- Tyne (Moot Hall and precincts)	5	—	—	—	—	—	—	—	—	—	—	—	—	—
Norham and Islandshires	5,041	36	28	2	6	72	14·3	20	28	48	9·5	4	56	4·8
Rothbury	4,506	27	22	2	3	54	12·0	30	20	50	11·1	3	56	0·9
NOTTINGHAMSHIRE														
COUNTY BORO':														
Nottingham ..	269,200	2,163	2,068	157	146	4,534	16·8	1,764	1,647	3,411	12·7	339	75	4·1
ADMINISTRATIVE COUNTY.	439,400	3,822	3,608	161	155	7,746	17·6	2,295	2,190	4,485	10·2	482	62	7·4

† Death-rates based upon estimated civilian populations as follows:—Northumberland—County Boroughs, 348,820; Newcastle-upon-Tyne C.B., 283,600; Administrative County, 408,530; Urban Districts, 305,080; Berwick-upon-Tweed M.B., 12,000.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
NOTTINGHAM-SHIRE—cont.														
URBAN DISTRICTS	270,450	2,307	2,152	107	96	4,662	17·2	1,446	1,349	2,795	10·3	304	65	6·9
Arnold	14,120	115	121	5	6	247	17·5	81	71	152	10·8	12	49	6·7
Beeston	16,020	157	128	7	7	299	18·7	90	92	182	11·4	20	67	7·3
Carlton	22,060	192	179	7	7	385	17·5	110	109	219	9·9	18	47	7·6
East Retford M.B.	13,980	137	108	8	7	260	18·6	93	94	187	13·4	17	65	5·2
Eastwood ..	5,407	45	45	1	3	94	17·4	26	26	52	9·6	6	64	7·8
Hucknall.. ..	17,470	149	157	3	8	317	18·1	127	90	217	12·4	14	44	5·7
Huthwaite ..	5,313	50	41	1	3	95	17·9	27	20	47	8·8	5	53	9·1
Kirkby-in- Ashfield.	18,280	161	154	7	5	327	17·9	103	80	183	10·0	34	104	7·9
Mansfield M.B.	46,620	396	341	22	15	774	16·6	235	209	444	9·5	52	67	7·1
Mansfield Woodhouse.	14,160	126	120	6	5	257	18·1	62	71	133	9·4	25	97	8·7
Newark M.B.	17,760	132	131	8	9	280	15·8	115	92	207	11·7	24	86	4·1
Sutton-in- Ashfield.	25,070	216	213	9	4	442	17·6	138	105	243	9·7	23	52	7·9
Warsop	10,840	117	98	3	6	224	20·7	42	44	86	7·9	15	67	12·8
West Bridgford	17,050	87	79	7	3	176	10·3	74	110	184	10·8	10	57	—0·5
Worksop ..	26,300	227	237	13	8	485	18·4	123	136	259	9·8	29	60	8·6
RURAL DISTRICTS:	168,950	1,515	1,456	54	59	3,084	18·3	849	841	1,690	10·0	178	58	8·3
Basford	50,580	408	369	13	8	798	15·8	252	239	491	9·7	48	60	6·1
Bingham	15,150	96	104	2	6	208	13·7	85	73	158	10·4	6	29	3·3
East Retford ..	15,390	122	121	5	5	253	16·4	86	75	161	10·5	20	79	5·9
Leake	4,454	29	38	—	2	69	15·5	19	29	48	10·8	1	14	4·7
Misterton ..	4,006	24	29	4	1	58	14·5	20	27	47	11·7	3	52	2·8
Newark	9,335	66	75	1	3	145	15·5	46	48	94	10·1	1	7	5·4
Nottingham (Shire Hall)	5	—	—	—	—	—	—	—	—	—	—	—	—	—
Skegby	13,320	148	136	6	7	297	22·3	62	65	127	9·5	22	74	12·8
Southwell ..	30,500	307	289	15	17	628	20·6	153	160	313	10·3	36	57	10·3
Stapleford ..	12,900	126	109	4	5	244	18·9	60	57	117	9·1	13	53	9·8
Worksop ..	13,310	189	186	4	5	384	28·9	66	68	134	10·1	28	73	18·8
OXFORDSHIRE :														
COUNTY BORO' :														
Oxford	77,800	559	552	32	16	1,159	14·9	370	433	803	10·4†	47	41	4·5
ADMINISTRATIVE COUNTY.	127,200	945	924	54	56	1,979	15·6	805	758	1,563	12·3†	76	38	3·3
URBAN DISTRICTS	35,900	237	262	19	16	534	14·9	221	219	440	12·3	24	45	2·6
Banbury M.B.	13,670	92	88	5	4	189	13·8	84	80	164	12·0	4	21	1·8
Bicester	3,032	24	28	3	2	57	18·8	23	21	44	14·5	4	70	4·3
Chipping Norton M.B.	3,451	20	28	1	—	49	14·2	20	20	40	11·6	1	20	2·6

† Death-rates based upon estimated civilian populations as follows:—Oxfordshire—Oxford C.B., 77,500 · Administrative County, 126,610.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Deaths under 1 year. Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
OXFORDSHIRE —cont.														
URBAN DISTRICTS —cont.														
Henley-on- Thames M.B.	6,526	35	44	4	6	89	13·6	36	38	74	11·3	4	45	2·3
Thame	3,089	27	26	1	2	56	18·1	25	17	42	13·6	1	18	4·5
Wheatley ..	1,192	13	14	—	—	27	22·7	4	10	14	11·7	3	111	11·0
Witney	3,421	20	24	—	—	44	12·9	15	27	42	12·3	4	91	0·6
Woodstock M.B.	1,519	6	10	5	2	23	15·1	14	6	20	13·2	3	130	1·9
RURAL DISTRICTS.	91,300	708	662	35	40	1,445	15·8	584	539	1,123	12·4†	52	36	3·4
Banbury ..	10,820	65	71	2	8	146	13·5	79	72	151	14·0	5	34	—0·5
Bicester ..	9,403	92	81	—	2	175	18·6	59	47	106	12·0†	5	29	6·6
Chipping Norton	10,210	74	68	5	5	152	14·9	56	72	128	12·5	6	39	2·4
Crowmarsh ..	5,216	36	37	2	2	77	14·8	31	24	55	10·5	6	78	4·3
Culham	2,662	21	21	2	1	45	16·9	16	19	35	13·1	1	22	3·8
Goring	3,366	23	10	1	—	34	10·1	19	17	36	10·7	—	—	—0·6
Headington ..	6,153	57	55	2	2	116	18·9	30	25	55	8·9	1	9	10·0
Henley	11,850	72	86	6	2	166	14·0	70	55	125	10·5	5	30	3·5
Thame	5,380	35	49	2	2	88	16·4	35	40	75	13·9	3	34	2·5
Witney	16,650	159	107	9	9	284	17·1	118	101	219	13·2	11	39	3·9
Woodstock ..	9,590	74	77	4	7	162	16·9	71	67	138	14·4	9	56	2·5
PETERBOROUGH, SOKE OF: ADMINISTRATIVE COUNTY.	51,750	398	357	34	31	820	15·8	300	281	581	11·3†	57	70	4·5
URBAN DISTRICT: Peterborough M.B.	43,400	326	302	28	27	683	15·7	250	242	492	11·3	47	69	4·4
RURAL DISTRICTS.	8,350	72	55	6	4	137	16·4	50	39	89	11·0†	10	73	5·4
Barnack	2,355	22	15	1	2	40	17·0	12	9	21	10·1†	1	25	6·9
Peterborough	5,995	50	40	5	2	97	16·2	38	30	68	11·3	9	93	4·9
RUTLANDSHIRE: ADMINISTRATIVE COUNTY.	18,020	130	130	5	4	269	14·9	99	101	200	11·1	12	45	3·8
URBAN DISTRICT: Oakham	3,330	35	19	—	—	54	16·2	22	19	41	12·3	4	74	3·9
RURAL DISTRICTS.	14,690	95	111	5	4	215	14·6	77	82	159	10·8	8	37	3·8
Ketton	2,769	17	30	1	2	50	18·1	13	16	29	10·5	2	40	7·6
Oakham	6,035	50	47	3	1	101	16·7	35	28	63	10·4	4	40	6·3
Uppingham ..	5,886	28	34	1	1	64	10·9	29	38	67	11·4	2	31	—0·5
SHROPSHIRE: ADMINISTRATIVE COUNTY.	243,900	2,041	1,792	140	122	4,095	16·8	1,536	1,413	2,949	12·1†	235	57	4·7
URBAN DISTRICTS: Bishop's Castle M.B.	114,950	951	813	68	51	1,883	16·4	738	716	1,454	12·7†	117	62	3·7
Bridgnorth M.B.	1,325	6	10	1	—	17	12·8	2	5	7	5·3	—	—	7·5
Church Stretton	5,003	39	27	2	2	70	14·0	35	39	74	14·8	2	29	—0·8
Dawley	1,675	12	9	—	1	22	13·1	11	13	24	14·3	—	—	—1·2
Ellesmere ..	7,385	70	51	5	3	129	17·5	30	41	71	9·6	5	39	7·9
	1,863	15	9	—	1	25	13·4	13	15	28	15·0	1	40	—1·6

† Death-rates based upon estimated civilian populations as follows—Oxfordshire—Rural Districts, 90,710; Bicester R.D., 8,813; Peterborough, Soke of—Administrative County, 51,470. Rural Districts, 8,070; Barnack R.D., 2,075; Shropshire—Administrative County 243,350; Urban Districts, 114,400.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SHROPSHIRE—cont														
URBAN DISTRICTS —cont.														
Ludlow M.B. . .	5,525	49	43	2	4	98	17.7	48	34	82	14.8	2	20	2.9
Market Drayton	4,682	42	35	5	7	89	19.0	29	39	68	14.5	6	67	4.5
Newport . .	3,279	30	25	2	2	59	18.0	14	22	36	11.0	3	51	7.0
Oakengates . .	11,270	96	90	1	4	191	16.9	89	56	145	12.9	16	84	4.0
Oswestry M.B.	9,763	80	64	5	1	150	15.4	73	80	153	15.7	10	67	—0.3
Shrewsbury M.B.	32,630	265	238	25	10	538	16.5	187	181	368	11.5†	42	78	5.0
Wellington . .	8,666	50	70	6	6	132	15.2	53	38	91	10.5	8	61	4.7
Wem	2,146	14	12	—	2	28	13.0	13	11	24	11.2	3	107	1.8
Wenlock M.B.	13,930	133	89	12	6	240	17.2	102	102	204	14.6	12	50	2.6
Whitchurch . .	5,808	50	41	2	2	95	16.4	39	40	79	13.6	7	74	2.8
RURAL DISTRICTS.														
Atcham	22,560	177	168	9	13	367	16.3	131	113	244	10.8	18	49	5.5
Bridgnorth . .	8,290	64	52	7	9	132	15.9	65	40	105	12.7	11	83	3.2
Burford	1,203	7	9	—	—	16	13.3	8	5	13	10.8	—	—	2.5
Chirbury . . .	3,038	26	24	3	4	57	18.8	25	18	43	14.2	5	88	4.6
Church Stretton	4,425	41	26	4	1	72	16.3	24	27	51	11.5	6	83	4.8
Cleobury Mortimer	7,061	56	61	6	4	127	18.0	58	37	95	13.5	6	47	4.5
Clun	6,066	43	49	5	8	105	17.3	34	41	75	12.4	6	57	4.9
Drayton	7,364	73	50	5	2	130	17.7	40	46	86	11.7	10	77	6.0
Ellesmere . . .	7,610	65	56	6	4	131	17.2	37	42	79	10.4	7	53	6.8
Ludlow	8,588	80	65	2	—	147	17.1	45	47	92	10.7	9	61	6.4
Newport	5,495	47	48	5	2	102	18.6	36	26	62	11.3	3	29	7.3
Oswestry	16,270	139	116	9	7	271	16.7	115	98	213	13.1	18	66	3.6
Shifnal	7,635	73	57	4	7	141	18.5	49	37	86	11.3	2	14	7.2
Teme	1,586	15	17	1	1	34	21.4	9	10	19	12.0	1	29	9.4
Wellington . . .	11,160	98	97	4	5	204	18.3	62	62	124	11.1	8	39	7.2
Wem	8,533	65	70	2	1	138	16.2	50	39	89	10.4	6	43	5.8
Whitchurch . . .	2,066	21	14	—	3	38	18.4	10	9	19	9.2	2	53	9.2
SOMERSETSHIRE :														
COUNTY BORO' :														
Bath	68,590	409	366	20	25	820	12.0	390	516	906	13.2	39	48	—1.2
ADMINISTRATIVE COUNTY.	404,870*	2,829	2,727	125	124	5,805	14.3	2,351	2,382	4,733	11.7†	266	46	2.6
URBAN DISTRICTS.	172,830*	1,154	1,078	53	55	2,340	13.5	965	1,021	1,986	11.5†	104	44	2.0
Bridgwater M.B.	16,960	126	137	4	10	277	16.3	111	100	211	12.4	13	47	3.9
Burnham-on-Sea	5,338	31	26	3	1	61	11.4	29	35	64	12.0	1	16	—0.6
Chard M.B. . .	4,105	27	19	2	1	49	11.9	25	21	46	11.2	—	—	0.7
Clevedon . . .	6,866	31	34	—	—	65	9.5	47	67	114	16.6	6	92	—7.1
Crewkerne . . .	3,540	20	15	3	2	40	11.3	21	18	39	11.0	2	50	0.3
Frome	10,600	56	64	3	4	127	12.0	63	62	125	11.8	5	39	0.2
Glastonbury M.B.	4,460	40	35	—	1	76	17.0	22	30	52	11.7	2	26	5.3
Highbridge . . .	2,604	26	19	1	—	46	17.7	19	17	36	13.8	3	65	3.9
Ilminster	2,280	20	16	—	1	37	16.2	18	18	36	15.8	1	27	0.4
Midsomer Norton	7,865	63	54	1	—	118	15.0	40	30	70	8.9	5	42	6.1
Minehead	6,031	37	26	2	2	67	11.1	26	30	56	9.3	1	15	1.8
Portishead . . .	3,889§	32	25	—	—	57	14.7	21	22	43	11.1	6	105	3.6

† Death-rates based upon estimated civilian populations as follows:—Shropshire—Shrewsbury M.B., 32,080, Somersetshire—Administrative County, 404,680*; Urban Districts, 172,640*.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Somersetshire—Administrative County, 404,700 (Total) 404,510 (Civilian); Urban Districts, 173,530 (Total), 173,340 (Civilian).

§ Change in boundary 1st August, 1930. No population was involved in the change.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOMERSETSHIRE —cont.														
URBAN DISTRICTS —cont.														
Radstock ..	3,705	27	31	2	1	61	16.5	23	17	40	10.8	3	49	5.7
Shepton Mallet	4,176	30	22	1	1	54	12.9	24	24	48	11.5	1	19	1.4
Street ..	4,506	24	24	1	2	51	11.3	26	25	51	11.3	2	39	—
Taunton M.B.	25,450	177	164	13	10	364	14.3	147	148	295	11.7†	16	44	2.6
Watchet ..	1,929	20	13	—	1	34	17.6	12	12	24	12.4	—	—	5.2
Wellington ..	7,310	39	50	2	1	92	12.6	36	44	80	10.9	1	11	1.7
Wells M.B. ..	4,634	37	46	2	2	87	18.8	30	36	66	14.2	9	103	4.6
Weston-super- Mare.	27,410	146	118	6	8	278	10.1	136	165	301	11.0	15	54	—0.9
Wiveliscombe..	1,262	8	7	1	—	16	12.7	4	8	12	9.5	1	63	3.2
Yeovil M.B. ..	17,910*	137	133	6	7	283	15.8	85	92	177	9.9	11	39	5.9
RURAL DISTRICTS.	232,040*	1,675	1,649	72	69	3,465	14.9	1,386	1,361	2,747	11.8	162	47	3.1
Axbridge..	24,840	183	178	10	11	382	15.4	142	148	290	11.7	19	50	3.7
Bath ..	14,350	101	87	6	5	199	13.9	92	80	172	12.0	3	15	1.9
Bridgwater ..	17,020	118	119	5	3	245	14.4	97	85	182	10.7	11	45	3.7
Chard ..	12,110	76	97	1	5	179	14.8	65	83	148	12.2	8	45	2.6
Clutton ..	15,670	116	130	3	3	252	16.1	82	85	167	10.7	12	48	5.4
Dulverton ..	4,649	28	26	2	3	59	12.7	31	29	60	12.9	4	68	—0.2
Frome ..	10,590	83	78	5	1	167	15.8	75	63	138	13.0	7	42	2.8
Keynsham ..	12,530*	77	84	4	5	170	13.6	62	61	123	9.8	7	41	3.8
Langport ..	12,680	94	92	8	3	197	15.5	95	86	181	14.3	9	46	1.2
Long Ashton ..	20,290§	137	155	5	4	301	14.8	80	111	191	9.4	14	47	5.4
Shepton Mallet	9,399	80	76	2	2	160	17.0	49	59	108	11.5	9	56	5.5
Taunton ..	16,860	107	117	7	8	239	14.2	112	101	213	12.6	15	63	1.6
Wellington ..	5,782	41	36	1	1	79	13.7	36	44	80	13.8	2	25	—0.1
Wells ..	10,140	97	73	2	4	176	17.4	64	48	112	11.0	11	63	6.4
Williton ..	12,140	94	62	4	2	162	13.3	85	52	137	11.3	6	37	2.0
Wincanton ..	16,200	110	111	4	4	229	14.1	123	112	235	14.5	15	66	—0.4
Yeovil ..	16,790*	133	128	3	5	269	16.0	96	114	210	12.5	10	37	3.5
SOUTHAMPTON :														
COUNTY BORO'S.	524,540	4,177	3,882	234	229	8,522	16.2	3,089	3,093	6,182	12.2†	483	57	4.0
Bournemouth..	97,640	542	460	40	40	1,082	11.1	553	704	1,257	12.9	50	46	—1.8
Portsmouth ..	252,800	2,108	1,916	115	122	4,261	16.9	1,441	1,415	2,856	12.2†	250	59	4.7
Southampton ..	174,100	1,527	1,506	79	67	3,179	18.3	1,095	974	2,069	11.9	183	58	6.4
ADMINISTRATIVE COUNTY.	466,320	3,656	3,624	181	186	7,647	16.4	2,496	2,376	4,872	11.1†	336	44	5.3
URBAN DISTRICTS.	210,660*	1,685	1,733	82	66	3,566	16.9	1,059	1,032	2,091	11.0†	156	44	5.9
Aldershot M.B.	34,500	332	318	12	16	678	19.7	124	133	257	10.9†	30	44	8.8
Alton ..	5,850	45	45	2	—	92	15.7	41	39	80	13.7	7	76	2.0
Andover M.B.	9,269	84	94	5	5	188	20.3	44	61	105	11.3	5	27	9.0
Basingstoke M.B.	13,600	98	125	10	2	235	17.3	71	53	124	9.1	5	21	8.2
Christchurch M.B.	8,939	81	70	6	3	160	17.9	45	61	106	12.0†	7	44	5.9
Eastleigh and Bishopstoke.	17,800	154	175	4	4	337	18.9	85	80	165	9.3	20	59	9.6
Fareham ..	11,330	92	85	3	1	181	16.0	51	55	106	9.4	3	17	6.6
Farnborough ..	16,280	149	140	3	6	298	18.3	56	55	111	9.3†	14	47	9.0

† Death-rates based upon estimated civilian populations as follows:—Somersetshire—Taunton M.B., 25,260; Southampton—County Boroughs, 505,240; Portsmouth C.B., 233,500; Administrative County, 438,050; Urban Districts, 190,590*; Aldershot M.B., 23,500; Christchurch M.B., 8,859; Farnborough U.D., 11,880.

§ Change in boundary 1st August, 1930. No population was involved in the change.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Somersetshire—Yeovil M.B. 18,610; Rural Districts, 231,170; Keynsham R.D. 12,360; Yeovil R.D. 16,090; Southampton—Urban Districts, 211,340 (Total), 191,070 (Civilian).

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SOUTHAMPTON —cont.														
URBAN DISTRICTS —cont.														
Fleet	4,417	30	35	1	1	67	15.2	36	27	63	14.3	1	15	0.9
Gosport M.B. . .	36,980*	292	327	19	13	651	17.6	190	163	353	10.7†	29	45	6.9
Havant	4,290	18	22	1	1	42	9.8	22	27	49	11.4	3	71	-1.6
Lymington M.B.	4,913	27	29	3	1	60	12.2	22	31	53	10.8	1	17	1.4
Milton	5,104	27	30	—	2	59	11.6	32	33	65	12.7	1	17	-1.1
Petersfield ..	4,403	22	25	—	1	48	10.9	30	32	62	14.1	5	104	-3.2
Romsey M.B.	4,743	44	36	1	2	83	17.5	29	24	53	11.2	3	36	6.3
Warblington ..	4,192	29	34	2	1	66	15.7	30	28	58	13.8	1	15	1.9
Winchester M.B.	24,050	161	143	10	7	321	13.3	151	130	281	11.9†	21	65	1.4
RURAL DISTRICTS.	255,660*	1,971	1,891	99	120	4,081	16.0	1,437	1,344	2,781	11.2†	180	44	4.8
Alresford.. ..	7,250	55	60	5	6	126	17.4	45	42	87	12.0	5	40	5.4
Alton	19,590	151	177	7	18	353	18.0	84	88	172	11.0†	16	45	7.0
Andover	13,800	99	132	3	4	238	17.2	69	48	117	10.0†	10	42	7.2
Basingstoke ..	14,990	103	103	2	7	215	14.3	76	67	143	9.7†	10	47	4.6
Catherington ..	6,353	45	46	—	1	92	14.5	32	43	75	11.8	4	43	2.7
Christchurch ..	7,431	40	54	4	1	99	13.3	47	36	83	11.2	1	10	2.1
Droxford.. ..	13,590	121	108	5	10	244	18.0	98	82	180	13.2	15	61	4.8
Fareham.. ..	16,740*	124	145	6	10	285	17.0	85	80	165	10.0†	21	74	7.0
Fordingbridge	6,462	43	30	2	6	81	12.5	42	35	77	11.9	2	25	0.6
Hartley Wintney	21,620	176	150	11	14	351	16.2	107	131	238	11.2†	13	37	5.0
Havant	11,050	97	71	5	2	175	15.8	73	57	130	11.8	4	23	4.0
Hursley	6,156	47	53	6	—	106	17.2	32	21	53	8.6	3	28	8.6
Kingsclere ..	8,451	68	45	4	2	119	14.1	63	54	117	13.8	3	25	0.3
Lymington ..	11,290	67	78	6	4	155	13.7	56	65	121	10.7	1	6	3.0
New Forest ..	22,710	222	186	3	10	421	18.5	129	109	238	10.7†	24	57	7.8
Petersfield ..	11,370	101	67	7	2	177	15.6	58	73	131	11.5	6	34	4.1
Ringwood ..	8,243	58	64	5	5	132	16.0	55	68	123	14.9	10	76	1.1
Romsey	7,656	35	48	2	3	88	11.5	53	48	101	13.2	6	68	-1.7
South Stoneham	14,780	128	117	5	3	253	17.1	78	59	137	9.4†	6	24	7.7
Stockbridge ..	6,098	49	30	2	5	86	14.1	40	40	80	13.1	6	70	1.0
Whitchurch ..	6,340	45	38	2	1	86	13.6	44	40	84	13.2	3	35	0.4
Winchester ..	13,690	97	89	7	6	199	14.5	71	58	129	9.7†	11	55	4.8
STAFFORDSHIRE :														
COUNTY BORO'S.														
Burton-upon- Trent.	49,520	377	403	17	18	815	16.5	311	267	578	11.7	42	52	4.8
Smethwick ..	85,270	749	741	27	19	1,536	18.0	486	403	889	10.4	102	66	7.6
Stoke-on-Trent	279,570*	2,693	2,599	108	126	5,526	19.8	1,769	1,456	3,225	11.5	386	70	8.3
Walsall	102,000	1,003	1,001	28	26	2,058	20.2	601	516	1,117	11.0	142	69	9.2
West Bromwich	81,510	832	800	14	25	1,671	20.5	519	404	923	11.3	111	66	9.2
Wolverhampton	134,250	1,195	1,139	48	48	2,430	18.1	765	700	1,465	10.9	157	65	7.2
ADMINISTRATIVE COUNTY.	710,830*	6,528	6,310	202	203	13,243	18.6	4,100	3,672	7,772	11.0†	848	64	7.6

† Death-rates based upon estimated civilian populations as follows:—Southampton—Gosport M.B., 32,880*; Winchester M.B., 23,560; Rural Districts, 247,460*; Alton R.D., 15,620; Andover R.D., 11,690; Basingstoke R.D., 14,770; Fareham R.D., 16,450*; Hartley Wintney R.D., 21,220; New Forest R.D., 22,160; South Stoneham R.D., 14,520; Winchester R.D., 13,290. Staffordshire—Administrative County, 709,380*.

* Populations adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Southampton—Gosport M.B., 37,660 (Total), 33,360 (Civilian); Rural Districts, 254,980 (Total), 246,980 (Civilian); Fareham R.D., 16,060 (Total), 15,970 (Civilian); Staffordshire—County Boroughs, 732,150; Stoke-on-Trent, C.B., 279,600; Administrative County, 710,800 (Total), 709,350 (Civilian).

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —cont.														
URBAN DISTRICTS	497,170	4,701	4,563	135	135	9,534	19.2	2,932	2,555	5,487	11.0	609	64	8.2
Amblecote ..	3,210	25	25	3	—	53	16.5	18	17	35	10.9	3	57	5.6
Audley	14,270	110	98	5	3	216	15.1	86	89	175	12.3	14	65	2.8
Biddulph ..	8,521	76	78	1	4	159	18.7	48	34	82	9.6	4	25	9.1
Bilston	31,470	407	330	16	7	760	24.1	200	176	376	11.9	64	84	12.2
Brierley Hill ..	14,240	137	133	1	2	273	19.2	71	62	133	9.3	16	59	9.9
Brownhills ..	19,540	178	167	6	6	357	18.3	108	86	194	9.9	35	98	8.4
Cannock	35,020	364	317	14	21	716	20.4	201	139	340	9.7	42	59	10.7
Coseley	25,270	269	248	5	3	525	20.8	161	134	295	11.7	31	59	9.1
Darlaston ..	19,860	199	203	5	7	414	20.8	106	115	221	11.1	33	80	9.7
Kidsgrove ..	10,190	105	92	—	4	201	19.7	71	40	111	10.9	8	40	8.8
Leek	18,450	143	150	1	5	299	16.2	111	107	218	11.8	15	50	4.4
Lichfield M.B.	8,492	70	68	4	5	147	17.3	54	54	108	12.7	8	54	4.6
Newcastle-under-Lyme M.B.	23,070	194	240	7	8	449	19.5	147	116	263	11.4	15	33	8.1
Quarry Bank..	8,324	65	76	1	2	144	17.3	47	41	88	10.6	7	49	6.7
Rowley Regis..	42,500	383	351	10	8	752	17.7	242	221	463	10.9	46	61	6.8
Rugeley	5,306	47	55	1	3	106	20.0	26	23	49	9.2	4	38	10.8
Sedgley	19,750	181	182	4	—	367	18.6	108	80	188	9.5	30	82	9.1
Short Heath ..	5,081	39	59	2	2	102	20.1	33	24	57	11.2	6	59	8.9
Stafford M.B.	29,100	197	205	6	3	411	14.1	175	158	333	11.4	22	54	2.7
Stone	5,969	52	34	2	3	91	15.2	30	30	60	10.1	3	33	5.1
Tamworth M.B.	7,706	59	55	5	1	120	15.6	47	35	82	10.6	8	67	5.0
Tettenhall ..	5,791	35	42	3	3	83	14.3	40	40	80	13.8	6	72	0.5
Tipton	36,310	379	428	9	7	823	22.7	250	207	457	12.6	72	87	10.1
Uttoxeter ..	5,691	59	37	4	3	103	18.1	33	31	64	11.2	4	39	6.9
Wednesbury M.B.	32,510	343	310	6	13	672	20.7	184	171	355	10.9	45	67	9.8
Wednesfield ..	9,299	81	92	2	2	177	19.0	50	38	88	9.5	8	45	9.5
Willenhall ..	21,680	233	214	5	7	459	21.2	131	119	250	11.5	30	65	9.7
Wolstanton United.	30,550	271	274	7	3	555	18.2	154	168	322	10.5	30	54	7.7
RURAL DISTRICTS.	213,660*	1,827	1,747	67	68	3,709	17.4	1,168	1,117	2,285	10.8†	239	64	6.6
Blore Heath ..	2,806	27	16	2	6	51	18.2	13	12	25	8.9	1	20	9.3
Cannock	20,980	212	201	8	3	424	20.2	116	102	218	10.4	29	68	9.8
Cheadle	27,330	199	221	6	8	434	15.9	144	126	270	9.9	27	62	6.0
Gnosall	4,661	37	36	5	1	79	16.9	29	24	53	11.4	4	51	5.5
Kingswinford	22,840	196	187	9	4	396	17.3	131	124	255	11.2	22	56	6.1
Leek	15,130	115	119	5	5	244	16.1	96	96	192	12.7	14	57	3.4
Lichfield	30,520	292	256	8	9	565	18.5	145	156	301	10.4†	46	81	8.1
Mayfield	3,784	34	21	2	—	57	15.1	21	20	41	10.8	3	53	4.3
Newcastle-under-Lyme.	6,126	49	41	1	1	92	15.0	37	34	71	11.6	3	33	3.4
Seisdon	17,220	135	123	7	9	274	15.9	90	80	170	9.9	13	47	6.0
Stafford	9,569	77	83	3	4	167	17.5	45	48	93	9.7	11	66	7.8
Stone	12,550*	114	88	3	4	209	16.7	75	74	149	11.9	17	81	4.8
Tamworth (part of).§	6,862	70	76	1	1	148	21.6	34	46	80	11.7	11	74	9.9

† Death-rates based upon estimated civilian populations as follows :—Staffordshire—Rural Districts, 212,210*; Lichfield R.D., 29,070.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows :—Staffordshire—Rural Districts, 213,630; (Total), 212,180 (Civilian); Stone R.D., 12,520.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
STAFFORDSHIRE —cont.														
RURAL DISTRICTS —cont.														
Tutbury	9,228	65	76	3	3	147	15.9	61	48	109	11.8	9	61	4.1
Uttoxeter	7,852	61	62	3	2	128	16.3	43	35	78	9.9	8	63	6.4
Walsall	15,530	142	138	1	8	289	18.6	84	89	173	11.1	21	73	7.5
Civil Parishes of Blymhill and Weston under Lizard, admin- istered by R.D.C. of Shif- nal (Shrop- shire).	672	2	3	—	—	5	7.4	4	3	7	10.4	—	—	—3.0
SUFFOLK EAST: COUNTY BORO':														
Ipswich	86,860	747	671	33	25	1,476	17.0	462	451	913	10.5	62	42	6.5
ADMINISTRATIVE COUNTY.	208,600	1,612	1,612	107	110	3,441	16.5	1,153	1,172	2,325	11.2†	151	44	5.3
URBAN DISTRICTS.	88,000	634	680	43	43	1,400	15.9	482	517	999	11.4†	65	46	4.5
Aldeburgh M.B.	2,558	17	15	2	—	34	13.3	21	11	32	12.5	3	88	0.8
Beccles M.B. ..	6,652	43	51	4	3	101	15.2	33	53	86	12.9	5	50	2.3
Bungay	3,058	23	26	3	—	52	17.0	16	25	41	13.4	3	58	3.6
Eye M.B.	1,758	11	15	1	4	31	17.6	14	9	23	13.1	1	32	4.5
Felixstowe	11,700	63	72	4	5	144	12.3	65	50	115	10.2†	8	56	2.1
Halesworth ..	2,014	14	15	—	1	30	14.9	16	6	22	10.9	1	33	4.0
Leiston cum Sizewell.	4,304	37	40	1	2	80	18.6	21	22	43	10.0	2	25	8.6
Lowestoft M.B.	42,840	344	383	19	19	765	17.9	209	256	465	10.9	34	44	7.0
Saxmundham..	1,290	8	4	1	1	14	10.9	9	9	18	14.0	1	71	—3.1
Southwold M.B.	2,769	15	12	1	—	28	10.1	13	19	32	11.6	1	36	—1.5
Stowmarket ..	4,357	32	28	5	4	69	15.8	30	22	52	11.9	3	43	3.9
Woodbridge ..	4,700	27	19	2	4	52	11.1	35	35	70	14.9	3	58	—3.8
RURAL DISTRICTS.	120,600	978	932	64	67	2,041	16.9	671	655	1,326	11.1†	86	42	5.8
Blything	16,780	147	119	10	7	283	16.9	116	98	214	12.8	15	53	4.1
Bosmere and Claydon.	14,540	137	120	6	5	268	18.4	62	74	136	9.4	12	45	9.0
East Stow	7,044	71	51	8	7	137	19.4	34	30	64	9.1	6	44	10.3
Hartismere ..	10,520	75	80	6	7	168	16.0	69	72	141	13.4	6	36	2.6
Hoxne	9,056	77	62	8	9	156	17.2	55	57	112	12.4	7	45	4.8
Mutford and Lothingland.	12,060	91	123	5	5	224	18.6	67	55	122	10.1	10	45	8.5
Plomesgate ..	14,380	112	102	9	11	234	16.3	91	87	178	12.4	9	38	3.9
Samford	13,770	101	97	3	2	203	14.7	66	74	140	10.9†	7	34	3.8
Wangford	4,370	37	45	—	7	89	20.4	23	19	42	9.6	3	34	10.8
Woodbridge ..	18,080	130	133	9	7	279	15.4	88	89	177	10.0†	11	39	5.4
SUFFOLK WEST: ADMINISTRATIVE COUNTY.	106,800	742	684	40	48	1,514	14.2	650	639	1,289	12.1†	49	32	2.1

† Death-rates based upon estimated civilian populations as follows:—Suffolk East—Administrative County, 206,810; Urban Districts, 87,540; Felixstowe U.D., 11,240; Rural Districts, 119,270; Samford R.D., 12,870. Woodbridge R.D., 17,650. Suffolk West—Administrative County, 106,560.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUFFOLK WEST — <i>cont.</i>														
URBAN DISTRICTS.	41,440	277	260	14	20	571	13·8	249	254	503	12·2†	15	26	1·6
Bury St. Edmunds M.B.	16,480	123	120	7	6	256	15·5	94	97	191	11·8†	6	23	3·7
Glemsford ..	1,297	8	13	—	1	22	17·0	7	14	21	16·2	1	45	0·8
Hadleigh ..	2,969	19	19	1	2	41	13·8	20	17	37	12·5	—	—	1·3
Haverhill ..	3,902	19	17	2	3	41	10·5	22	25	47	12·0	1	24	—1·5
Newmarket ..	9,800	56	58	1	5	120	12·2	56	45	101	10·3	5	42	1·9
Sudbury M.B.	6,992	52	33	3	3	91	13·0	50	56	106	15·2	2	22	—2·2
RURAL DISTRICTS.	65,360	465	424	26	28	943	14·4	401	385	786	12·0	34	36	2·4
Brandon	5,679	46	46	2	5	99	17·4	36	36	72	12·7	2	20	4·7
Clare	6,993	36	49	2	1	88	12·6	33	53	86	12·3	5	57	0·3
Cosford	9,786	83	61	2	5	151	15·4	63	56	119	12·2	9	60	3·2
Melford	11,610	71	71	5	3	150	12·9	79	77	156	13·4	1	7	—0·5
Mildenhall ..	8,002	69	36	6	7	118	14·7	50	40	90	11·2	7	59	3·5
Moulton	2,053	11	14	2	2	29	14·1	12	9	21	10·2	1	34	3·9
Thedwastre ..	8,187	51	52	1	—	104	12·7	55	40	95	11·6	3	29	1·1
Thingoe	13,050	98	95	6	5	204	15·6	73	74	147	11·3	6	29	4·3
SURREY :														
COUNTY BORO'														
Croydon	228,600	1,689	1,646	85	94	3,514	15·4	1,138	1,203	2,341	10·2	172	49	5·2
ADMINISTRATIVE COUNTY.	906,900	6,353	6,165	320	262	13,100	14·4	4,311	4,285	8,596	9·5†	544	42	4·9
URBAN DISTRICTS.	731,060	5,189	5,007	245	217	10,658	14·6	3,474	3,517	6,991	9·6†	455	43	5·0
Barnes	41,160	261	231	11	5	508	12·3	197	229	426	10·3	19	37	2·0
Beddington and Wallington.	24,270	198	176	6	6	386	15·9	105	144	249	10·3	22	57	5·6
Carshalton ..	26,320	194	223	8	9	434	16·5	97	97	194	7·4	20	46	9·1
Caterham and Warlingham	18,820	122	132	8	7	269	14·3	88	79	167	9·7†	9	33	4·6
Chertsey	16,900	106	130	7	6	249	14·7	105	68	173	10·2	12	48	4·5
Coulsdon and Purley.	35,120	211	205	9	8	433	12·3	126	133	259	7·4	19	44	4·9
Dorking	9,790	73	61	3	5	142	14·5	47	53	100	10·2	4	28	4·3
East and West Molesey.	8,240	65	78	1	1	145	17·6	41	42	83	10·1	9	62	7·5
Egham	15,680	111	108	6	6	231	14·7	84	72	156	9·9	10	43	4·8
Epsom †	26,850	151	144	3	8	306	11·4	99	68	167	6·2	9	29	5·2
Esher and the Dittons.	16,330	111	95	8	1	215	13·2	65	73	138	8·5	3	14	4·7
Farnham	17,770	129	142	10	10	291	16·4	95	96	191	10·7	7	24	5·7
Frimley and Camberley ..	16,260	124	111	8	1	244	15·0	70	81	151	11·3†	9	37	3·7
Godalming M.B.	10,630	82	77	3	2	164	15·4	57	61	118	11·1	9	55	4·3
Guildford M.B.	29,880	241	196	12	14	463	15·5	144	146	290	9·8†	22	48	5·7
Ham	2,208	11	14	—	1	26	11·8	16	9	25	11·3	—	—	0·5
Haslemere ..	4,230	26	27	4	2	59	13·9	20	34	54	12·8	2	34	1·1
Kingston-on- Thames M.B.	38,770	263	257	15	18	553	14·3	220	203	423	11·0†	24	43	3·3
Leatherhead ..	6,963	49	42	—	2	93	13·4	30	32	62	8·9	5	54	4·5
Merton and Morden.	35,450	232	210	6	4	452	12·8	128	113	241	6·8	21	46	6·0

† Death rates based upon estimated civilian populations as follows :—Suffolk West—Urban Districts, 41,200; Bury St. Edmunds M.B., 16,240. Surrey—Administrative County, 900,510; Urban Districts, 725,940; Caterham and Waringham U.D. 17,290; Frimley and Camberley, 13,410; Guildford M.B., 29,720; Kingston-on-Thames, M.B., 38,620.

‡ A considerable proportion of the population of this area was enumerated in County Lunatic Asylums, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SURREY—cont.														
URBAN DISTRICTS —cont.														
Mitcham ..	53,960	548	550	21	10	1,129	20.9	265	215	480	8.9	56	50	12.0
Reigate M.B. ..	30,150	171	168	7	5	351	11.6	155	178	333	11.0	12	34	0.6
Richmond M.B.	36,880	242	214	16	17	489	13.3	209	237	446	12.1	23	47	1.2
Surbiton ..	26,730	219	187	13	7	426	15.9	134	154	288	10.8	24	56	5.1
Sutton and Cheam.	42,190	290	302	18	13	623	14.8	176	197	373	8.8	21	34	6.0
The Maldens and Coombe.	21,860	157	174	2	7	340	15.6	102	101	203	9.3	15	44	6.3
Walton - upon - Thames.	16,910	132	139	5	3	279	16.5	85	74	159	9.4	4	14	7.1
Weybridge ..	6,935	48	41	1	4	94	13.6	33	56	89	12.8	6	64	0.8
Wimbledon M.B.	59,040	386	336	23	21	766	13.0	317	331	648	11.0	38	50	2.0
Windlesham ..	5,114	36	31	1	1	69	13.5	35	20	55	10.8	5	72	2.7
Woking	29,650	200	206	10	13	429	14.5	129	121	250	8.6†	16	37	5.9
RURAL DISTRICTS:	175,840	1,164	1,158	75	45	2,442	13.9	837	768	1,605	9.2†	89	36	4.7
Chertsey	13,090	88	103	5	4	200	15.3	67	49	116	8.9	6	30	6.4
Dorking	10,950	67	74	6	3	150	13.7	55	57	112	10.2	2	13	3.5
Epsom	38,480	243	246	12	8	509	13.2	161	142	303	7.9	18	35	5.3
Farnham	15,580	118	109	9	2	238	15.3	61	68	129	8.5†	8	34	6.8
Godstone	22,840	170	155	8	5	338	14.8	108	105	213	9.3	11	33	5.5
Guildford	23,090	152	134	9	6	301	13.0	110	111	221	9.9†	11	37	3.1
Hambleton	24,190	152	135	9	10	306	12.6	146	122	268	11.1	13	42	1.5
Reigate	27,620	174	202	17	7	400	14.5	129	114	243	8.8	20	50	5.7
SUSSEX EAST:														
COUNTY BORO'S.	264,960	1,608	1,514	129	140	3,391	12.8	1,589	1,826	3,415	12.9	170	50	-0.1
Brighton	145,900	923	876	80	78	1,957	13.4	887	982	1,869	12.9†	99	51	0.5
Eastbourne	56,880	294	315	25	33	667	11.7	306	350	656	11.5	27	40	0.2
Hastings	62,180	391	323	24	29	767	12.3	396	494	890	14.3	44	57	-2.0
ADMINISTRATIVE COUNTY.	271,800	1,716	1,592	90	103	3,501	12.9	1,544	1,740	3,284	12.1	138	39	0.8
URBAN DISTRICTS.	139,580	838	767	44	57	1,706	12.2	793	968	1,761	12.6	67	39	-0.4
Battle	3,395	31	9	1	3	44	13.0	13	19	32	9.4	1	23	3.6
Bexhill M.B. ..	20,670	100	118	3	6	227	11.0	110	139	249	12.0	4	18	-1.0
Burgess Hill ..	6,056	41	46	3	2	92	15.2	36	29	65	10.7	3	33	4.5
Cuckfield	2,027	9	5	2	—	16	7.9	19	8	27	13.3	1	63	-5.4
East Grinstead	8,062	45	47	—	5	97	12.0	43	57	100	12.4	4	41	-0.4
Haywards Heath	5,308	27	34	2	2	65	12.2	31	36	67	12.6	3	46	-0.4
Hove M.B. ..	52,690	243	238	21	24	526	10.0	320	438	758	14.4	23	44	-4.4
Lewes M.B. ..	10,940	85	59	3	6	153	14.0	61	58	119	10.9	5	33	3.1
Newhaven ..	6,385	61	47	—	—	108	16.9	45	39	84	13.2	6	56	3.7
Portslade-by-Sea	9,357	89	78	4	5	176	18.8	38	57	95	10.2	5	28	8.6
Rye M.B. ..	3,843	22	23	1	2	48	12.5	26	25	51	13.3	1	21	-0.8
Seaford	7,306	46	41	2	1	90	12.3	37	37	74	10.1	8	89	2.2
Uckfield	3,541	39	22	2	1	64	18.1	14	26	40	11.3	3	47	6.8
RURAL DISTRICTS.	132,220	878	825	46	46	1,795	13.6	751	772	1,523	11.5	71	40	2.1
Battle	6,642	54	48	3	2	107	16.1	47	46	93	14.0	4	37	2.1
Chailey	13,590	98	104	2	6	210	15.5	61	70	131	9.6	8	38	5.9
Cuckfield	17,910	120	107	5	2	234	13.1	89	113	202	11.3	7	30	1.8

† Death-rates based upon estimated civilian populations as follows: Surrey—Woking U.D., 29,220; Rural Districts, 174,570; Farnham R.D., 15,180; Guildford R.D., 22,220. Sussex East—County Boroughs, 264,460; Brighton C.B., 145,400.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
SUSSEX EAST —cont.														
RURAL DISTRICTS —cont.														
Eastbourne ..	6,517	46	34	—	3	83	12.7	38	31	69	10.6	3	36	2.1
East Grinstead	15,130	110	103	5	1	219	14.5	98	81	179	11.8	7	32	2.7
Hailsham ..	19,450	121	118	8	11	258	13.3	106	122	228	11.7	12	47	1.6
Hastings ..	2,517	18	13	1	—	32	12.7	18	12	30	11.9	2	63	0.8
Newhaven ..	5,312	39	37	2	2	80	15.1	37	33	70	13.2	5	63	1.9
Rye	7,212	49	44	3	1	97	13.4	43	50	93	12.9	4	41	0.5
Ticehurst ..	12,880	86	81	5	5	177	13.7	68	71	139	10.8	9	51	2.9
Uckfield ..	25,060	137	136	12	13	298	11.9	146	143	289	11.5	10	34	0.4
SUSSEX WEST: ADMINISTRATIVE COUNTY	215,000	1,444	1,343	94	84	2,965	13.8	1,240	1,333	2,573	12.0†	114	38	1.8
URBAN DISTRICTS	109,970	719	663	50	42	1,474	13.4	628	773	1,401	12.8†	63	43	0.6
Arundel M.B.	2,470	15	17	4	2	38	15.4	11	9	20	8.1	—	—	7.3
Bognor Regis	13,320	77	72	7	6	162	12.2	68	78	146	11.0	11	68	1.2
Chichester M.B.	13,840	119	96	8	6	229	16.5	72	81	153	11.2†	10	44	5.3
Horsham ..	13,060	96	86	6	5	193	14.8	67	86	153	11.7	9	47	3.1
Littlehampton	9,704	54	60	5	4	123	12.7	72	55	127	13.1	5	41	—0.4
Shoreham-by- Sea.	8,386	67	55	6	2	130	15.5	43	58	101	12.0	7	54	3.5
Southwick	5,830	38	49	1	2	90	15.4	26	35	61	10.5	3	33	4.9
Worthing M.B.	43,360	253	228	13	15	509	11.7	269	371	640	14.8	18	35	—3.1
RURAL DISTRICTS.	105,030	725	680	44	42	1,491	14.2	612	560	1,172	11.2†	51	34	3.0
East Preston ..	7,774	47	51	3	3	104	13.4	42	42	84	10.8	3	29	2.6
Horsham ..	21,090	132	129	12	10	283	13.4	112	115	227	10.8	9	32	2.6
Midhurst ..	14,780	93	114	7	6	220	14.9	94	76	170	11.5	11	50	3.4
Petworth ..	8,165	57	45	5	3	110	13.5	59	48	107	13.1	2	18	0.4
Steyning West	12,090	81	58	3	6	148	12.2	65	54	119	9.8	6	41	2.4
Thakeham ..	9,323	80	70	5	1	156	16.7	56	47	103	11.0	5	32	5.7
Westbourne ..	9,528	78	77	2	3	160	16.8	66	57	123	12.9	5	31	3.9
Westhampnett	22,280	157	136	7	10	310	13.9	118	121	239	10.8†	10	32	3.1
WARWICKSHIRE :														
COUNTY BORO'S.	1,157,100	9,783	9,183	386	329	19,681	17.0	6,436	5,861	12,297	10.6	1,184	60	6.4
Birmingham ..	991,300	8,569	8,019	331	292	17,211	17.4	5,533	5,092	10,625	10.7	1,048	61	6.7
Coventry	165,800	1,214	1,164	55	37	2,470	14.9	903	769	1,672	10.1	136	55	4.8
ADMINISTRATIVE COUNTY.	363,000	2,870	2,843	114	113	5,940	16.4	1,999	1,866	3,865	10.7†	296	50	5.7
URBAN DISTRICTS	175,450	1,334	1,299	42	55	2,730	15.6	983	947	1,930	11.0	135	49	4.6
Bedworth ..	12,530	115	100	3	4	222	17.7	63	49	112	8.9	13	59	8.8
Bulkington ..	2,697	29	39	—	1	69	25.6	12	17	29	10.8	4	58	14.8
Kenilworth ..	7,653	43	58	1	1	103	13.5	55	51	106	13.9	10	97	—0.4
Nuneaton M.B.	45,850	452	397	9	18	876	19.1	245	212	457	10.0	47	54	9.1
Royal Leaming- ton Spa M.B.	29,450	189	203	5	17	414	14.1	191	203	394	13.4	15	36	0.7
Rugby	24,330	132	168	6	5	311	12.8	108	131	239	9.8	13	42	3.0
Stratford-on- Avon M.B.	11,050	92	74	5	4	175	15.8	80	75	155	14.0	5	29	1.8

† Death-rates based upon estimated civilian populations as follows:—Sussex West—Administrative County, 214,570; Urban Districts, 109,790; Chichester M.B., 13,660; Rural Districts, 104,780; Westhampnett R.D., 22,030. Warwickshire—Administrative County, 362,760.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WARWICKSHIRE —cont.														
URBAN DISTRICTS —cont.														
Sutton Coldfield M.B.	28,160	170	162	3	3	338	12.0	133	147	280	9.9	18	53	2.1
Warwick M.B.	13,730	112	98	10	2	222	16.2	96	62	158	11.5	10	45	4.7
RURAL DISTRICTS	187,550	1,536	1,544	72	58	3,210	17.1	1,016	919	1,935	10.3†	161	50	6.8
Alcester ..	12,600	93	82	8	—	183	14.5	86	81	167	13.3	10	55	1.2
Atherstone ..	22,100	202	211	10	11	434	19.6	107	99	206	9.3	32	74	10.3
Brailes... ..	5,531	30	38	6	2	76	13.7	39	34	73	13.2	4	53	0.5
Farnborough ..	1,380	10	11	—	1	22	15.9	8	15	23	16.7	—	—	—0.8
Foleshill ..	16,400	180	190	2	4	376	22.9	85	71	156	9.5	27	72	13.4
Meriden ..	21,440	167	147	6	3	323	15.1	99	86	185	8.6	12	37	6.5
Monks Kirby ..	1,452	9	14	—	2	25	17.2	14	8	22	15.2	—	—	2.0
Nuneaton ..	6,018	89	85	2	9	185	30.7	25	30	55	9.1	11	59	21.6
Rugby ..	21,600	166	164	6	5	341	15.8	104	96	200	9.3	13	38	6.5
Solihull ..	29,370	205	226	9	3	443	15.1	156	146	302	10.3	25	56	4.8
Southam ..	9,799	91	84	3	3	181	18.5	53	67	120	12.2	7	39	6.3
Stratford-on- Avon.	10,320	80	88	4	2	174	16.9	89	44	133	12.9	7	40	4.0
Tamworth (part of).	17,150	132	120	4	11	267	15.6	77	68	145	8.5	11	41	7.1
Warwick ..	12,390	82	84	12	2	180	14.5	74	74	148	12.2†	2	11	2.3
WESTMORLAND : ADMINISTRATIVE COUNTY	63,780	443	450	28	33	954	15.0	400	400	800	12.5	60	63	2.5
URBAN DISTRICTS	27,690	165	186	9	14	374	13.5	179	186	365	13.2	24	64	0.3
Ambleside ..	2,270	8	18	—	1	27	11.9	11	22	33	14.5	4	148	—2.6
Appleby M.B. ...	1,600	10	10	1	—	21	13.1	12	13	25	15.6	3	143	—2.5
Grasmere ..	825	2	9	1	—	12	14.5	4	6	10	12.1	—	—	2.4
Kendal M.B.	15,180	100	114	6	7	227	15.0	102	101	203	13.4	14	62	1.6
Kirkby Lonsdale	1,294	6	8	—	—	14	10.8	7	5	12	9.3	—	—	1.5
Shap	1,138	12	5	1	4	22	19.3	11	6	17	14.9	3	136	4.4
Windermere ..	5,383	27	22	—	2	51	9.5	32	33	65	12.1	—	—	—2.6
RURAL DISTRICTS.	36,090	278	264	19	19	580	16.1	221	214	435	12.1	36	62	4.0
East Westmor- land.	10,710	96	109	9	10	224	20.9	93	69	162	15.1	18	80	5.8
South Westmor- land.	18,820	128	113	5	2	248	13.2	89	115	204	10.8	12	48	2.4
West Ward ..	6,560	54	42	5	7	108	16.5	39	30	69	10.5	6	56	6.0
WIGHT, ISLE OF : ADMINISTRATIVE COUNTY	85,930	532	496	39	31	1,098	12.8	504	532	1,036	12.1†	33	30	0.7
URBAN DISTRICTS	56,680	364	325	31	25	745	13.1	346	406	752	13.3	25	34	—0.2
Cowes	10,100	63	51	6	2	122	12.1	61	53	114	11.3	4	33	0.8
East Cowes ..	4,572	34	41	—	2	77	16.8	21	27	48	10.5	5	65	6.3
Newport M.B.	11,280	94	68	7	5	174	15.4	69	83	152	13.5	8	46	1.9

† Death-rates based upon estimated civilian populations as follows:—Warwickshire—Rural Districts, 187,310; Warwick R.D., 12,150; Isle of Wight—Administrative County, 85,340.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WIGHT, ISLE OF —cont.														
URBAN DISTRICTS —cont.														
Ryde M.B. ..	10,410	60	57	7	5	129	12.4	76	92	168	16.1	3	23	-3.7
St. Helens ..	5,313	36	36	2	3	77	14.5	38	29	67	12.6	1	13	1.9
Sandown ..	5,715	29	22	4	5	60	10.5	24	45	69	12.1	4	67	-1.6
Shanklin ..	4,480	22	19	3	1	45	10.0	24	36	60	13.4	—	—	-3.4
Ventnor ..	4,810	26	31	2	2	61	12.7	33	41	74	15.4	—	—	-2.7
RURAL DISTRICT.														
Isle of Wight	29,250	168	171	8	6	353	12.1	158	126	284	9.9†	8	23	2.2
WILTSHIRE : ADMINISTRATIVE COUNTY														
305,300*	2,277	2,209	100	120	4,706	15.4	1,710	1,679	3,389	11.4†	242	51	4.0	
URBAN DISTRICTS														
145,440	1,009	1,063	49	48	2,169	14.9	824	821	1,645	11.3†	123	57	3.6	
Bradford-on- Avon.	4,794	30	26	—	2	58	12.1	32	29	61	12.7	3	52	-0.6
Calne M.B. ..	3,524	20	20	1	3	44	12.5	18	21	39	11.1	1	23	1.4
Chippenham M.B.	8,493	60	56	2	5	123	14.5	26	52	78	9.2	4	33	5.3
Devizes M.B.	5,910	40	47	4	6	97	16.4	35	34	69	11.7	7	72	4.7
Malmesbury M.B.	2,303	19	19	—	—	38	16.5	15	16	31	13.5	4	105	3.0
Marlborough M.B.	4,213	21	28	1	1	51	12.1	24	28	52	12.3	2	39	-0.2
Melksham ..	3,888	36	33	—	1	70	18.0	18	20	38	9.8	1	14	8.2
Salisbury M.B.	26,340	190	200	12	6	408	15.5	166	152	318	12.1	25	61	3.4
Swindon M.B.	62,360	449	484	24	14	971	15.6	350	318	668	10.7	61	63	4.9
Trowbridge ..	12,180	67	78	3	4	152	12.5	89	74	163	13.5†	6	39	-1.0
Warminster ..	5,303	35	37	2	3	77	14.5	22	39	61	11.5	6	78	3.0
Westbury ..	4,014	23	22	—	2	47	11.7	15	26	41	10.2	2	43	1.5
Wilton M.B. ..	2,118	19	13	—	1	33	15.6	14	12	26	12.3	1	30	3.3
RURAL DISTRICTS.														
159,860*	1,268	1,146	51	72	2,537	15.9	886	858	1,744	11.5†	119	47	4.4	
Amesbury ..	17,520	171	165	4	8	348	19.9	65	58	123	9.3†	20	57	10.6
Bradford-on- Avon.	5,479	40	35	—	2	77	14.1	34	33	67	12.2	3	39	1.9
Calne ..	4,786	32	33	1	3	69	14.4	27	34	61	12.7	6	87	1.7
Chippenham ..	14,430	94	97	9	3	203	14.1	89	95	184	12.8	8	39	1.3
Cricklade and Wootton Bas- sett.	11,330	118	89	4	3	214	18.9	73	57	130	11.5	8	37	7.4
Devizes ..	12,730	96	86	4	6	192	15.1	72	65	137	10.9†	5	26	4.2
Highworth ..	15,070	122	110	2	2	236	15.7	81	83	164	10.9	14	59	4.8
Malmesbury ..	8,340	61	54	2	6	123	14.7	57	45	102	12.2	7	57	2.5
Marlborough	4,233	40	28	1	—	69	16.3	18	27	45	10.6	2	29	5.7
Melksham ..	5,099	31	31	1	3	66	12.9	26	19	45	8.8	3	45	4.1
Mere ..	4,461	39	33	1	—	73	16.4	26	28	54	12.1	4	55	4.3
Pewsey ..	15,210	133	118	4	10	265	17.4	78	61	139	12.0†	12	45	5.4
Ramsbury ..	6,336	40	47	2	5	94	14.8	46	46	92	14.5	4	43	0.3
Salisbury ..	10,190	77	74	4	8	163	16.0	63	59	122	12.5†	7	43	3.5
Tetbury (pt. of)†	100*	—	1	—	—	1	10.0	—	1	1	10.0	—	—	—

† Death-rates based upon estimated civilian populations as follows:—Isle of Wight, R.D., 28,660; Wiltshire—Administrative County, 296,650*; Urban Districts, 145,330; Trowbridge U.D., 12,070; Rural Districts, 151,320*; Amesbury R.D., 13,230; Devizes R.D., 12,540; Pewsey R.D., 11,610; Salisbury R.D., 9,730.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Wiltshire—Administrative County, 305,200 (Total), 296,550 (Civilian); Rural Districts, 159,760 (Total), 151,220 (Civilian); Tetbury R.D. (pt. of), Nil.

† Prior to 31st March, 1930, Tetbury R.D. was partly in Wiltshire and partly in Gloucestershire. Since that date the whole is in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
WILTSHIRE—cont.														
RURAL DISTRICTS														
—cont.														
Tisbury	6,665	50	46	3	3	102	15.3	32	41	73	11.0	4	39	4.3
Warminster ..	5,453	38	30	3	2	73	13.4	29	35	64	11.7	4	55	1.7
Westbury and Whorwells- down.	6,571	49	39	3	3	94	14.3	43	46	89	13.5	5	53	0.8
Wilton	5,857	37	30	3	5	75	12.8	27	25	52	8.9	3	40	3.9
WORCESTERSHIRE :														
COUNTY BORO'S.	110,810	972	949	50	56	2,027	18.3	720	584	1,304	11.8	122	60	6.5
Dudley	59,530	581	588	22	28	1,219	20.5	402	286	688	11.6	80	66	8.9
Worcester ..	51,280	391	361	28	28	808	15.8	318	298	616	12.0	42	52	3.8
ADMINISTRATIVE COUNTY.	311,100	2,476	2,280	107	101	4,964	16.0	1,855	1,793	3,648	11.7†	248	50	4.3
URBAN DISTRICTS.	202,780*	1,707	1,535	62	57	3,361	16.6	1,176	1,123	2,299	11.3	167	50	5.3
Bewdley M.B...	2,708	33	21	4	2	60	22.2	12	27	39	14.4	2	33	7.8
Bromsgrove ..	9,652	83	99	5	5	192	19.9	65	50	115	11.9	6	31	8.0
Droitwich M.B.	4,053	28	18	1	2	49	12.1	34	33	67	16.5	5	102	-4.4
Evesham M.B.	8,724	75	61	2	3	141	16.2	54	48	102	11.7	3	21	4.5
Halesowen ..	30,820	257	249	4	5	515	16.7	154	146	300	9.7	33	64	7.0
Kidderminster M.B.	28,510	217	190	11	11	429	15.0	187	168	355	12.5	24	56	2.5
Lye and Wolles- cote.	12,350	112	90	4	2	208	16.8	81	73	154	12.5	14	67	4.3
Malvern	16,830	85	80	4	9	178	10.6	86	126	212	12.6	10	56	-2.0
North Broms- grove.	10,580	84	79	3	5	171	16.2	48	47	95	9.0	10	58	7.2
Oldbury	35,420	406	332	8	6	752	21.2	202	176	378	10.7	33	44	10.5
Redditch.. ..	17,730*	120	127	4	1	252	14.2	92	99	191	10.8	10	40	3.4
Stourbridge M.B.	19,720	163	150	8	4	325	16.5	125	99	224	11.4	11	34	5.1
Stourport ..	5,683	44	39	4	2	89	15.7	36	31	67	11.8	6	67	3.9
RURAL DISTRICTS.	108,320*	769	745	45	44	1,603	14.8	679	670	1,349	12.5†	81	51	2.3
Bromsgrove ..	19,790*	141	132	4	5	282	14.2	91	86	177	8.9	16	57	5.3
Droitwich ..	12,100	88	79	6	1	174	14.4	92	86	178	14.7	8	46	-0.3
Evesham ..	10,960	78	87	5	4	174	15.9	80	57	137	12.5	5	29	3.4
Feckenham ..	4,213*	25	23	—	1	49	11.6	37	35	72	17.1	3	61	-5.5
Kidderminster	7,754	55	42	2	9	108	13.9	46	58	104	13.4	3	28	0.5
Martley	12,650	96	103	11	4	214	16.9	84	93	177	14.0	11	51	2.9
Pershore ..	13,040	98	101	1	10	210	16.1	78	79	157	12.2†	8	38	3.9
Rock	2,218	21	13	2	1	37	16.7	12	12	24	10.8	2	54	5.9
Shipston-on- Stour.	4,363	21	37	3	—	61	14.0	30	42	72	16.5	2	33	-2.5
Stow on the Wold (part of)†	285	1	3	—	—	4	14.0	1	1	2	7.0	—	—	7.0
Tenbury ..	4,266	36	27	5	1	69	16.2	32	21	53	12.4	6	87	3.8
Tewkesbury (part of)†	2,033	7	14	—	1	22	10.8	8	15	23	11.3	2	91	-0.5
Upton on Severn	13,490	89	82	4	6	181	13.4	78	81	159	11.8	14	77	1.6
Winchcomb (part of)†	104	—	—	—	—	—	—	1	—	1	9.6	—	—	-9.6
Civil Parishes of Redmarley d'Abitôt and Staunton, ad- ministered by R.D.C. of Newent(Glos)	1,054	13	2	2	1	18	17.1	9	4	13	12.3	1	56	4.8

† Death-rates based upon estimated civilian populations as follows:—Worcestershire—Administrative County, 310,900; Rural Districts, 108,120*; Pershore R.D., 12,840.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Worcestershire—Urban Districts, 203,320; Redditch U.D., 18,270; Rural Districts, 107,780 (Total), 107,580 (Civilian); Bromsgrove R.D., 19,590; Feckenham R.D., 3,873.

† The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE :														
EAST RIDING :														
COUNTY BORO': Kingston-upon- Hull.	309,200*	3,011	2,961	185	131	6,288	20·3	1,989	1,852	3,841	12·4	434	69	7·9
ADMINISTRATIVE COUNTY.	171,000*	1,290	1,215	83	91	2,679	15·7	979	1,025	2,004	11·7†	141	53	4·0
URBAN DISTRICTS.														
Beverley M.B.	13,870	127	120	10	7	264	19·0	96	79	175	12·6	13	49	6·4
Bridlington M.B.	18,860	124	131	11	4	270	14·3	129	136	265	14·1	11	41	0·2
Cottingham ..	6,775*	46	40	1	2	89	13·1	38	41	79	11·7	4	45	1·4
Filey	3,681	23	22	2	4	51	13·9	19	26	45	12·2	1	20	1·7
Great Driffield	5,983	47	60	1	5	113	18·9	35	38	73	12·2	6	53	6·7
Hedon M.B. ..	1,503	12	11	1	1	25	16·6	9	17	26	17·3	1	40	—0·7
Hessle	6,642*	42	34	5	2	83	12·5	27	32	59	8·9	1	12	3·6
Hornsea	4,390	30	27	4	1	62	14·1	22	26	48	10·9	3	48	3·2
Norton	3,831	36	21	5	2	64	16·7	30	23	53	13·8	4	63	2·9
Pocklington ..	2,742	11	15	2	1	29	10·6	14	20	34	12·4	1	34	—1·8
Withernsea ..	4,423	21	18	1	2	42	9·5	25	26	51	11·5	3	71	—2·0
RURAL DISTRICTS.														
Beverley ..	12,230	76	91	7	8	182	14·9	69	58	127	10·5†	10	55	4·4
Bridlington ..	7,832	68	53	4	4	129	16·5	40	35	75	9·6	7	54	6·9
Driffield	11,250	101	85	3	9	198	17·6	60	64	124	11·0	7	35	6·6
Escrick	5,894	36	38	4	5	83	14·1	35	32	67	11·4	7	84	2·7
Howden	12,580	101	95	4	10	210	16·7	54	82	136	10·8	16	76	5·9
Norton	5,449	34	36	1	3	74	13·6	38	28	66	12·1	4	54	1·5
Patrington ..	7,354	53	49	2	7	111	15·1	49	47	96	13·1	11	99	2·0
Pocklington ..	10,670	104	82	8	6	200	18·7	69	68	137	12·8	12	60	5·9
Riccall	5,289	40	48	2	2	92	17·4	20	34	54	10·2	3	33	7·2
Sculcoates ..	10,350*	74	65	2	3	144	13·9	43	62	105	10·1	8	56	3·8
Sherburn	2,221	18	17	—	1	36	16·2	12	7	19	8·6	2	56	7·6
Skirlaugh ..	7,181*	66	57	3	2	128	17·8	46	44	90	12·5	6	47	5·3
YORKSHIRE :														
NORTH RIDING :														
COUNTY BORO': Middlesbrough	136,400	1,642	1,512	74	76	3,304	24·2	984	785	1,769	13·0	266	81	11·2
ADMINISTRATIVE COUNTY.	328,700	2,614	2,586	159	158	5,517	16·8	2,092	1,875	3,967	12·4†	319	58	4·4
URBAN DISTRICTS.														
Eston	31,870	304	334	10	16	664	20·8	231	195	426	13·4	51	77	7·4
Guisborough ..	6,193	57	53	5	2	117	18·9	36	31	67	10·8	5	43	8·1
Hinderwell ..	2,234	17	10	1	1	29	13·0	24	13	37	16·6	2	69	—3·6
Kirklington cum Upsland	250	4	1	—	1	6	24·0	1	3	4	16·0	2	333	8·0
Loftus	7,851	74	69	4	4	151	19·2	47	29	76	9·7	12	79	9·5
Malton	4,376	41	24	1	3	69	15·8	29	29	58	13·3	1	14	2·5
Masham	2,030	10	6	—	—	16	7·9	5	9	14	6·9	—	—	1·0
Northallerton	4,772	29	26	4	4	63	13·2	14	20	34	7·1	5	79	6·1
Pickering ..	3,578	24	37	—	3	64	17·9	35	21	56	15·7	7	109	2·2
Redcar M.B. ..	19,360	153	147	5	7	312	16·1	103	94	197	10·2	17	54	5·9

† Death-rates based upon estimated civilian populations as follows: Yorkshire—East Riding—Administrative County, 170,820*; Rural Districts, 98,120*; Beverley R.D., 12,050; North Riding—Administrative County, 319,830; Urban Districts, 180,260.

* Population* adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows: Yorkshire, East Riding—Kingston-upon-Hull C.B., 311,800; Administrative County, 168,400 (Total), 168,220 (Civilian); Urban Districts, 71,440; Cottingham U.D., 5,931; Hessle U.D., 6,226; Rural Districts, 96,960 (Total), 96,780 (Civilian); Sculcoates R.D., 9,015; Skirlaugh R.D., 7,176.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1929).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE :														
NORTH RIDING														
—cont.														
URBAN DISTRICTS														
—cont.														
Richmond M.B.	4,686	61	45	2	5	113	24.1	19	15	34	7.6†	5	44	16.5
Saltburn by the Sea.	3,949	20	17	—	1	38	9.6	28	22	50	12.7	2	53	—3.1
Scalby	2,621	17	18	—	—	35	13.4	12	14	26	10.7†	2	57	2.7
Scarborough M.B.	40,120	257	267	26	29	579	14.4	276	281	557	13.9	28	48	0.5
Skelton and Brotton.	13,670	126	99	7	9	241	17.6	101	79	180	13.2	14	58	4.4
Thornaby-on- Tees M.B.	21,530	247	260	7	9	523	24.3	173	135	308	14.3	47	90	10.0
Whitby	11,600	78	98	5	4	185	15.9	86	76	162	14.0	5	27	1.9
RURAL DISTRICTS.	148,010	1,095	1,075	82	60	2,312	15.6	872	809	1,681	12.0†	114	49	3.6
Aysgarth.. ..	4,232	28	37	2	—	67	15.8	26	34	60	14.2	2	30	1.6
Bedale	6,571	41	54	2	4	101	15.4	39	34	73	11.1	2	20	4.3
Croft	2,206	25	11	2	2	40	18.1	12	14	26	11.8	2	50	6.3
Easingwold ..	9,583	61	76	7	5	149	15.5	62	67	129	13.5	8	54	2.0
Flaxton	13,330	90	95	8	3	196	14.7	60	60	120	9.4†	6	31	5.3
Guisborough..	7,401	65	63	5	3	136	18.4	52	35	87	11.8	10	74	6.6
Helmsley ..	4,994	31	31	1	2	65	13.0	24	20	44	8.8	2	31	4.2
Kirkby Moorside	4,781	50	28	5	—	83	17.4	34	32	66	13.8	1	12	3.6
Leyburn	6,719	42	37	—	4	83	12.4	33	38	71	10.6	4	48	1.8
Malton	5,802	42	35	3	2	82	14.1	30	42	72	12.4	6	73	1.7
Middlesbrough	2,902	13	14	—	2	29	10.0	12	9	21	7.2	2	69	2.8
Northallerton..	7,653	60	59	5	3	127	16.6	56	39	95	12.4	13	102	4.2
Pickering ..	5,759	33	40	6	7	86	14.9	37	30	67	11.6	6	70	3.3
Reeth	2,329	15	16	3	—	34	14.6	16	15	31	13.3	—	—	1.3
Richmond ..	17,680	149	132	8	4	293	16.6	76	59	135	13.8†	11	38	2.8
Scarborough ..	6,664	48	42	3	1	94	14.1	37	34	71	10.7	5	53	3.4
Startforth ..	4,452	23	29	—	1	53	11.9	32	32	64	14.4	2	38	—2.5
Stokesley ..	12,180	100	90	9	10	209	17.2	81	72	153	12.6	9	43	4.6
Thirsk	12,190	92	99	9	2	202	16.6	78	77	155	12.7	11	54	3.9
Wath	2,015	23	21	1	—	45	22.3	11	13	24	11.9	2	44	10.4
Whitby	8,567	64	66	3	5	138	16.1	64	53	117	13.7	10	72	2.4
YORKSHIRE :														
WEST RIDING :														
COUNTY BORO'S :	1,825,760*	13,631	13,280	655	647	28,213	15.5	11,600	10,473	22,073	12.1†	1,907	68	3.4
Barnsley ..	71,930	706	706	27	40	1,479	20.6	442	369	811	11.3	104	70	9.3
Bradford ..	296,806*	2,099	2,018	137	122	4,376	14.7	1,993	1,950	3,943	13.3	327	75	1.4
Dewsbury ..	53,840	413	405	29	25	872	16.2	364	331	695	12.9	56	64	3.3
Doncaster ..	61,850	478	455	24	25	982	15.9	368	299	667	10.8	59	60	5.1
Halifax ..	98,270	586	641	35	38	1,300	13.2	683	712	1,395	14.2†	86	66	—1.0
Huddersfield ..	113,800	758	683	33	29	1,503	13.2	762	745	1,507	13.2	83	55	—
Leeds	483,000	3,644	3,543	192	186	7,565	15.7	3,091	2,839	5,930	12.3	512	68	3.4
Rotherham ..	70,390	630	630	28	29	1,317	18.7	403	336	739	10.5	100	76	8.2
Sheffield ..	517,700	3,838	3,730	133	129	7,830	15.1	3,088	2,588	5,676	11.0	522	67	4.1
Wakefield ..	58,180	479	469	17	24	989	17.0	406	304	710	12.2	58	59	4.8
ADMINISTRATIVE COUNTY.	1,534,400*	12,713	12,138	567	517	25,935	16.9	8,987	8,493	17,480	11.4†	1,689	65	5.5

† Death-rates based upon estimated civilian populations as follows:—Yorkshire, North Riding—Richmond M.B., 4,456; Scalby U.D., 2,421; Rural Districts, 139,570; Flaxton R.D., 12,800; Richmond R.D., 9,770, Yorkshire, West Riding—County Boroughs, 1,825,550*; Halifax C.B., 98,060; Administrative County, 1,534,050*.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Yorkshire, West Riding—County Boroughs, 1,827,160 (Total), 1,826,950 (Civilian); Bradford C.B., 298,200; Administrative County, 1,533,000 (Total), 1,532,650 (Civilian).

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING —cont.														
URBAN DISTRICTS	1,097,850*	8,521	8,234	367	324	17,446	15.9	6,590	6,279	12,869	11.7†	1,109	64	4.2
Adwick le Street	19,950	245	232	9	10	496	24.9	101	72	173	8.7	30	60	16.2
Altofts	5,100	44	43	2	—	89	17.5	28	25	53	10.4	1	11	7.1
Ardley East and West.	9,297	80	64	5	2	151	16.2	49	45	94	10.1	8	53	6.1
Baildon	7,666	53	34	2	1	90	11.7	55	46	101	13.2	4	44	—1.5
Barkisland ..	1,575	12	6	1	—	19	12.1	15	7	22	14.0	3	158	—1.9
Barnoldswick ..	12,320	58	66	3	1	128	10.4	74	65	139	11.3	4	31	—0.9
Batley M.B. ..	34,770	253	226	10	10	499	14.4	201	232	433	12.5	30	60	1.9
Bentley with Arksey.	16,500	146	154	5	8	313	19.0	74	57	131	7.9	27	86	11.1
Bingley	20,580	143	121	3	6	273	13.3	102	129	231	11.2	17	62	2.1
Birkenshaw ..	2,866	18	26	3	—	47	16.4	19	20	39	13.6	3	64	2.8
Birstal	7,254	46	56	3	1	106	14.6	38	43	81	11.2	10	94	3.4
Bolton-upon- Dearne	14,700	128	131	9	8	276	18.8	85	58	143	9.7	29	105	9.1
Brighouse M.B.	19,820	107	119	1	—	227	11.5	128	138	266	13.4	16	70	—1.9
Burley in Wharfedale.	4,089	26	25	1	3	55	13.5	19	21	40	9.8	2	36	3.7
Calverley ..	3,651	28	22	—	—	50	13.7	19	20	39	10.7	3	60	3.0
Castleford ..	22,520	201	201	7	11	420	18.7	149	120	269	11.9	17	40	6.8
Clayton	1,400*	6	13	1	1	21	15.0	15	12	27	19.3	3	143	—4.3
Clayton West..	1,932	5	14	1	2	22	11.4	13	6	19	9.8	2	91	1.6
Conisbrough ..	18,350	245	211	8	8	472	25.7	107	73	180	9.8	41	87	15.9
Cudworth ..	9,497	102	103	8	4	217	22.8	38	47	85	9.0	15	69	13.8
Darfield	5,380	51	49	—	1	101	18.8	28	28	56	10.4	6	59	8.4
Darton	12,500	126	156	2	5	289	23.1	60	57	117	9.4	12	42	13.7
Denby and Cumberworth.	3,490	14	22	1	—	37	10.6	19	15	34	9.7	2	54	0.9
Denholme ..	2,772	14	13	2	—	29	10.5	25	24	49	17.7	2	69	—7.2
Dodworth ..	4,247	43	63	3	2	111	26.1	22	13	35	8.2	5	45	17.9
Drighlington ..	4,102	43	32	2	2	79	19.3	29	26	55	13.4	5	63	5.9
Earby	5,753	31	39	2	1	73	12.7	32	36	68	11.8	4	55	0.9
Elland	10,530	53	60	3	3	119	11.3	66	68	134	12.7	13	109	—1.4
Emley	1,712	9	11	—	—	20	11.7	7	7	14	8.2	1	50	3.5
Farsley	6,303	31	39	1	—	71	11.3	46	38	84	13.3	6	85	—2.0
Featherstone ..	15,200	149	145	10	10	314	20.7	95	84	179	11.8	22	70	8.9
Flockton ..	1,451	15	7	1	—	23	15.9	7	3	10	6.9	3	130	9.0
Garforth ..	3,897	29	21	—	2	52	13.3	26	20	46	11.8	4	77	1.5
Gildersome ..	2,996	23	21	2	1	47	15.7	31	8	39	13.0	4	85	2.7
Golcar	10,070	61	42	3	3	109	10.8	61	80	141	14.0	9	83	—3.2
Goole	19,960	201	215	7	5	428	21.4	139	94	233	11.7	22	51	9.7
Greasbrough ..	3,631	41	16	3	—	60	16.5	24	13	37	10.2	4	67	6.3
Greetland ..	4,305	18	24	—	1	43	10.0	31	35	66	15.3	1	23	—5.3
Guiseley	5,601	42	32	1	—	75	13.4	25	35	60	10.7	3	40	2.7
Gunthwaite and Ingbirchworth	335	3	1	—	—	4	11.9	1	3	4	11.9	—	—	—
Harrogate M.B.	38,150	214	210	19	21	464	12.2	230	283	513	13.4	21	45	—1.2
Haworth ..	6,121	37	31	—	1	69	11.3	44	60	104	17.0	4	58	—5.7
Hebden Bridge	6,227	35	28	3	—	66	10.6	44	57	101	16.2	3	45	—5.6

† Death-rate based upon an estimated civilian population of 1,097,500.*

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows:—Yorkshire, West Riding—Urban Districts, 1,096,450 (total), 1,096,100 (Civilians); Clayton U.D. nil.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING														
—cont.														
URBAN DISTRICTS														
—cont.														
Heckmondwike	8,971	68	52	7	2	129	14.4	55	60	115	12.8	7	54	1.6
Hemsworth ..	13,290	139	141	9	5	294	22.1	69	50	119	9.0	11	37	13.1
Hipperholme ..	5,253	32	30	1	1	64	12.2	31	29	60	11.4	5	78	0.8
Holme	394	2	2	—	—	4	10.2	1	3	4	10.2	—	—	—
Holmfirth ..	10,430	49	67	1	1	118	11.3	54	71	125	12.0	8	68	-0.7
Honley	4,545	24	27	1	1	53	11.7	35	30	65	14.3	7	132	-2.6
Horbury	7,831	60	37	1	2	100	12.8	53	37	90	11.5	11	110	1.3
Horsforth ..	11,560	93	71	3	3	170	14.7	68	74	142	12.3	6	35	2.4
Hoyland Nether	15,580	150	129	7	6	292	18.7	85	70	155	9.9	24	82	8.8
Hoyland Swaine	824	8	10	—	—	18	21.8	8	3	11	13.3	3	167	8.5
Hunsworth ..	1,331	5	5	1	—	11	8.3	11	9	20	15.0	1	91	-6.7
Ilkley	9,634	53	48	1	2	104	10.8	60	66	126	13.1	5	48	-2.3
Keighley M.B.	40,740	301	207	9	9	526	12.9	260	238	498	12.2	33	63	0.7
Kirkburton ..	3,321	14	26	2	2	44	13.2	20	19	39	11.7	3	68	1.5
Kirkheaton ..	2,679	21	19	—	1	41	15.3	23	20	43	16.1	3	73	-0.8
Knaresborough	5,880	40	48	—	4	92	15.6	37	39	76	12.9	4	43	2.7
Knottingley ..	6,885	77	68	4	2	151	21.9	43	35	78	11.3	9	60	10.6
Lepton	3,298	20	16	4	—	40	12.1	23	18	41	12.4	4	100	-0.3
Linthwaite ..	9,758	69	64	1	—	134	13.7	79	69	148	15.2	8	60	-1.5
Luddenden Foot	2,901	25	17	1	—	43	14.8	25	36	61	21.0	—	—	-6.2
Maltby	9,928	123	136	8	10	277	27.9	58	30	88	8.9	27	97	19.0
Marsden	5,717	24	36	2	2	64	11.2	29	40	69	12.1	4	63	-0.9
Meltham	5,202	23	25	3	—	51	9.8	22	41	63	12.1	2	39	-2.3
Methley	4,619	33	34	2	1	70	15.2	33	15	48	10.4	6	86	4.8
Mexborough ..	16,080	141	140	9	5	295	18.3	90	78	168	10.4	20	68	7.9
Midgley	1,873	16	9	2	—	27	14.4	14	11	25	13.3	1	37	1.1
Mirfield	12,330	86	74	—	3	163	13.2	71	78	149	12.1	3	18	1.1
Morley M.B. ..	23,600	168	162	5	3	338	14.3	121	132	253	10.7	13	38	3.6
Mytholmroyd ..	4,414	20	25	3	—	48	10.9	27	22	49	11.1	4	83	-0.2
New Mill	4,608	35	14	—	2	51	11.1	33	28	61	13.2	7	137	-2.1
Normanton ..	16,080	145	128	4	6	283	17.6	102	81	183	11.4	15	53	6.2
Oakworth ..	4,063	28	17	—	—	45	11.1	29	23	52	12.8	3	67	-1.7
Ossett M.B. ..	14,950	103	111	5	2	221	14.8	99	104	203	13.6	14	63	1.2
Otley	10,810	82	75	3	6	166	15.4	71	66	137	12.7	15	90	2.7
Oxenhope ..	2,318	10	14	1	—	25	10.8	12	29	41	17.7	2	80	-6.9
Penistone ..	3,468	20	27	2	1	50	14.4	27	10	37	10.7	3	60	3.7
Pontefract M.B.	18,670	200	182	10	7	399	21.4	130	104	234	12.8†	26	65	8.6
Pudsey M.B. ..	14,840	133	114	4	—	251	16.9	97	109	206	13.9	15	60	3.0
Queensbury ..	5,799	42	33	3	1	79	13.6	36	47	83	14.3	4	51	-0.7
Rawdon	4,556	28	23	1	—	52	11.4	16	28	44	9.7	2	38	1.7
Rawmarsh ..	18,680	178	165	8	6	357	19.1	117	85	202	10.8	26	73	8.3
Ripon M.B. ..	8,457	58	64	2	3	127	15.0	46	56	102	12.1	9	71	2.9
Rishworth ..	920	3	11	—	—	14	15.2	6	5	11	12.0	1	71	3.2
Rothwell ..	15,780	118	130	2	3	253	16.0	80	70	150	9.5	8	32	6.5
Royston	7,325	78	80	2	—	160	21.8	41	33	74	10.1	9	56	11.7
Saddleworth ..	12,630	56	83	2	—	141	11.2	76	90	166	13.1	10	71	-1.9
Scammonden ..	390	3	3	—	1	7	17.9	3	4	7	17.9	—	—	—
Selby	9,916	78	88	2	7	175	17.6	63	64	127	12.8	14	80	4.8

† Death-rate based upon an estimated civilian population of 18,320.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE :														
WEST RIDING														
—cont.														
URBAN DISTRICTS														
—cont.														
Shelf	2,580	20	22	—	—	42	16.3	21	19	40	15.5	2	48	0.8
Shelley	1,618	11	9	—	—	20	12.4	12	14	26	16.1	1	50	-3.7
Shepley	1,656	12	7	—	—	19	11.5	17	7	24	14.5	—	—	-3.0
Shipley	30,050	193	190	10	8	401	13.3	180	197	377	12.5	31	77	0.8
Silsden	4,933	28	34	—	—	62	12.6	26	30	56	11.4	6	97	1.2
Skelmanthorpe	3,797	8	22	2	—	32	8.4	15	22	37	9.7	3	94	-1.3
Skipton	12,380	101	73	5	4	183	14.8	77	74	151	12.2	11	60	2.6
Slaithwaite ..	5,245	27	43	1	2	73	13.9	35	45	80	15.3	2	27	-1.4
South Crosland	3,004	32	17	—	—	49	16.3	21	18	39	13.0	3	61	3.3
Southowram ..	2,683	12	21	1	1	35	13.0	18	13	31	11.6	3	86	1.4
Sowerby	14,670	96	95	5	4	200	13.6	101	101	202	13.8	13	65	-0.2
Soyland	3,021	17	12	—	2	31	10.3	22	23	45	14.9	—	—	-4.6
Spenborough ..	31,060	190	216	5	2	413	13.3	160	153	313	10.1	19	46	3.2
Springhead ..	4,954	47	30	1	—	78	15.7	33	34	67	13.5	5	64	2.2
Stainland	4,314	27	26	2	2	57	13.2	25	32	57	13.2	2	35	—
Stanley	14,780	106	127	5	5	243	16.4	90	69	159	10.8	16	66	5.6
Stocksbridge ..	9,466	103	92	4	2	201	21.2	42	43	85	9.0	12	60	12.2
Swinton	13,970	133	146	6	2	287	20.5	75	77	152	10.9	20	70	9.6
Thurlstone ..	2,615	19	15	1	1	36	13.8	15	14	29	11.1	—	—	2.7
Thurnscoe ..	10,380	139	116	8	9	272	26.2	56	41	97	9.3	20	74	16.9
Thurstonland & Farnley Tyas†	3,933	12	5	—	—	17	4.3	9	10	19	4.8	4	235	-0.5
Tickhill	2,251	18	21	—	1	40	17.8	13	7	20	8.9	2	50	8.9
Todmorden M.B.	22,570	130	115	4	7	256	11.3	159	171	330	14.6	18	70	-3.3
Wath-upon- Dearne.	13,820	127	133	4	5	269	19.5	90	58	148	10.7	16	59	8.8
Whitley Upper	931	5	6	—	—	11	11.8	6	4	10	10.7	—	—	1.1
Whitwood	6,275	58	57	4	6	125	19.9	41	33	74	11.8	8	64	8.1
Wombwell	19,150	167	175	7	13	362	18.9	116	88	204	10.7	29	80	8.2
Worsborough ..	12,490	112	125	5	2	244	19.5	54	56	110	8.8	17	70	10.7
Yeadon	7,556	60	53	2	2	117	15.5	51	44	95	12.6	10	85	2.9
RURAL DISTRICTS.	436,550	4,192	3,904	200	193	8,489	19.4	2,397	2,214	4,611	10.6	580	68	8.8
Barnsley	4,579	38	35	1	1	75	16.4	36	22	58	12.7	6	80	3.7
Bishopthorpe ..	2,798	20	24	1	1	46	16.4	15	13	28	10.0	4	87	6.4
Bowland	5,419	42	34	—	—	76	14.0	22	31	53	9.8	5	66	4.2
Doncaster	47,340	562	592	34	22	1,210	25.6	238	198	436	9.2	80	66	16.4
Goole	8,767	82	76	6	9	173	19.7	57	54	111	12.7	20	116	7.0
Great Ouseburn	12,940	106	87	6	6	205	15.8	67	93	160	12.4	8	39	3.4
Halifax	6,069	39	31	2	1	73	12.0	29	33	62	10.2	4	55	1.8
Hemsworth	46,730	522	477	19	25	1,043	22.3	259	188	447	9.6	64	61	12.7
Hunslet	4,291	41	38	1	4	84	19.6	29	31	60	14.0	6	71	5.6
Keighley	8,425	59	56	3	4	122	14.5	51	43	94	11.2	7	57	3.3
Kiveton Park ..	17,380	156	145	6	7	314	18.1	78	64	142	8.2	23	73	9.9
Knaresborough	9,560	57	54	4	7	122	12.8	61	51	112	11.7	10	82	1.1
Pateley Bridge	7,411	61	49	1	2	113	15.2	49	50	99	13.4	3	27	1.8
Penistone	5,525	43	36	2	3	84	15.2	20	20	40	7.2	4	48	8.0
Pontefract	23,960	272	232	17	14	535	22.3	116	118	234	9.8	33	62	12.5
Ripon	5,056	39	17	1	—	57	11.3	30	34	64	12.7	3	53	-1.4
Rotherham	39,020	424	362	16	16	818	21.0	202	162	364	9.3	55	67	11.7
Sedbergh	4,044	25	27	1	1	54	13.4	16	20	36	8.9	2	37	4.5

† A considerable proportion of the population of this area was enumerated in a County Lunatic Asylum, the deaths in which are allocated to the areas in which the deceased patients had resided before admission.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Deaths per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
YORKSHIRE:														
WEST RIDING														
—cont.														
RURAL DISTRICTS														
—cont.														
Selby	5,958	48	54	6	4	112	18.8	40	30	70	11.7	4	36	7.1
Settle	14,890	112	119	3	2	236	15.8	85	91	176	11.8	17	72	4.0
Skipton	18,780	123	107	3	9	242	12.9	140	141	281	15.0	7	29	2.1
Tadcaster ..	30,590	268	290	16	8	582	19.0	157	180	337	11.0	31	53	8.0
Thorne	28,600	445	430	22	16	913	31.9	178	165	343	12.0	83	91	19.9
Todmorden ..	4,690	36	23	1	2	62	13.2	29	35	64	13.6	3	48	0.4
Wakefield ..	18,470	187	183	9	7	386	20.9	118	96	214	11.6	39	101	9.3
Wetherby ..	15,970	126	94	7	9	236	14.8	88	91	179	11.2	15	64	3.6
Wharfedale:—														
North	3,739	35	29	1	1	66	17.7	20	24	44	11.8	5	76	5.9
South	6,059	24	21	1	3	49	8.1	25	17	42	6.9	3	61	1.2
Wortley	29,490	200	182	10	9	401	13.6	142	119	261	8.9	36	90	4.7
COUNTY BORO ¹ :														
York	86,350	659	669	35	30	1,393	16.1	492	476	968	11.4†	87	62	4.7
WALES AND MONMOUTH.														
ANGLESEY:														
ADMINISTRATIVE	49,620	353	320	39	40	752	15.2	347	360	707	14.2	51	68	1.0
COUNTY.														
URBAN DISTRICTS.	18,580	126	109	9	9	253	13.6	133	129	262	14.1	24	95	0.5
Amlwch	2,585	18	13	2	3	36	13.9	17	18	35	13.5	3	83	0.4
Beaumaris M.B.	1,677	17	10	—	2	29	17.3	12	16	28	16.7	6	207	0.6
Holyhead ..	10,920	71	62	5	3	141	12.9	82	72	154	14.1	11	78	1.2
Llangefni ..	1,739	10	15	—	1	26	15.0	11	14	25	14.4	1	38	0.6
Menai Bridge	1,659	10	9	2	—	21	12.7	11	9	20	12.1	3	143	0.6
RURAL DISTRICTS.	31,040	227	211	30	31	499	16.1	214	231	445	14.3	27	54	1.8
Aethwy	8,128	68	52	7	6	133	16.4	62	60	122	15.0	9	68	1.4
Dwyran	2,788	24	23	2	1	50	17.9	17	19	36	12.9	5	100	5.0
Twrcelyn ..	8,814	66	47	12	8	133	15.1	68	83	151	17.1	10	75	2.0
Valley	11,310	69	89	9	16	183	16.2	67	69	136	12.0	3	16	4.2
BRECKNOCKSHIRE														
ADMINISTRATIVE	58,220	464	414	32	22	932	16.0	366	351	717	12.4†	61	65	3.6
COUNTY.														
URBAN DISTRICTS.	16,730	142	108	14	6	270	16.1	107	99	206	12.4†	17	63	3.7
Brecknock, M.B.	5,438	35	23	1	1	60	11.0	33	35	68	12.9†	2	33	1.9
Brynmawr ..	7,466	73	62	4	4	143	19.2	40	34	74	9.9	12	84	9.3
Builth Wells ..	1,605	16	12	4	—	32	19.9	14	13	27	16.8	1	31	3.1
Hay	1,492	15	10	5	1	31	20.8	14	11	25	16.8	2	65	4.0
Llanwrtyd ..	729	3	1	—	—	4	5.5	6	6	12	16.5	—	—	11.0
RURAL DISTRICTS.	41,490	322	306	18	16	662	16.0	259	252	511	12.3	44	66	3.7
Brecknock:—														
Defynnock &	6,229	53	37	—	2	92	14.8	41	40	81	13.0	6	65	1.8
Llangorse Div.														
Merthyr														
Cynog. Div.	2,062	10	20	2	2	34	16.5	9	11	20	9.7	1	29	6.8
Builth	3,845	31	30	2	5	68	17.7	24	25	49	12.7	5	74	5.8
Crickhowell ..	7,338	50	49	4	2	105	14.3	45	41	86	11.7	3	29	2.2
Hay	3,893	23	25	1	—	49	12.6	21	14	35	9.0	—	—	3.8
Vaynor and	5,164	35	28	4	1	68	13.2	40	46	86	16.7	9	132	3.8
Penderyn														

† Death-rates based upon estimated civilian populations as follows:—York C.B., 84,890; Brecknockshire—Administrative County, 58,040; Urban Districts, 16,550; Brecknock M.B., 5,258.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BRECKNOCKSHIRE —cont.														
RURAL DISTRICTS —cont.														
Ystradgynlais..	11,970	109	112	5	4	230	19.2	67	69	136	11.4	19	83	7.8
C.P. of Llan- wrthwl ad- ministered by R.D.C. of Rhayader (Radnor).	342	3	2	—	—	5	14.6	3	2	5	14.6	—	—	—
C.P. of Ystrad- fellte admin- istered by R.D.C. of Neath (Glam.)	647	8	3	—	—	11	17.0	9	4	13	20.1	1	91	-3.1
CAERNARVONSHIRE: ADMINISTRATIVE COUNTY														
URBAN DISTRICTS.	63,040	398	400	32	20	850	13.5	400	455	855	13.6	45	53	-0.1
Bangor M.B. ..	10,950	72	65	2	1	140	12.8	69	87	156	14.2	5	36	-1.4
Bethesda. . .	4,430	37	34	7	3	81	18.3	31	41	72	16.3	6	74	2.0
Bettws y Coed	833	2	5	—	1	8	9.6	4	4	8	9.6	—	—	—
Caernarvon M.B.	8,320	56	52	2	3	113	13.6	63	65	128	15.4	9	80	-1.8
Conway M.B.	8,482	57	59	3	4	123	14.5	45	60	105	12.4	4	33	2.1
Criccieth ..	1,526	7	7	1	1	16	10.5	9	11	20	13.1	1	63	-2.6
Llandudno ..	13,680	76	78	4	3	161	11.8	69	81	150	11.0	7	43	0.8
Llanfairfechan	3,139	29	18	1	2	50	15.9	21	21	42	13.4	1	20	2.5
Penmaenmawr	3,996	20	34	2	—	56	14.0	26	25	51	12.8	2	36	1.2
Portmadoc ..	4,088	25	23	5	1	54	13.2	27	31	58	14.2	5	93	-1.0
Pwllheli M.B.	3,596	17	25	5	1	48	13.3	36	29	65	18.1	5	104	-4.8
RURAL DISTRICTS.	57,560	413	418	38	30	899	15.6	429	420	849	14.7	66	73	0.9
Conway	4,653	28	39	1	—	68	14.6	25	22	47	10.1	8	118	4.5
Geirionydd ..	4,074	26	34	1	—	61	15.0	29	24	53	13.0	4	66	2.0
Glaslyn	2,724	22	14	2	1	39	14.3	23	17	40	14.7	3	77	-0.4
Gwyrfaï	23,880	174	174	21	15	384	16.1	182	206	388	16.2	26	68	-0.1
Lleyn	16,540	116	117	9	10	252	15.2	123	106	229	13.8	18	71	1.4
Ogwen	5,689	47	40	4	4	95	16.7	47	45	92	16.2	7	74	0.5
CARDIGANSHIRE: ADMINISTRATIVE COUNTY.														
URBAN DISTRICTS.	16,290	86	75	3	3	167	10.3	125	152	277	17.0	8	48	-6.7
Aberayron ..	1,197	7	4	1	—	12	10.0	8	18	26	21.7	1	83	-11.7
Aberystwyth M.B.	8,940	41	39	2	1	83	9.3	60	70	130	14.5	2	24	-5.2
Cardigan M.B.	3,230	16	18	—	1	35	10.8	27	34	61	18.9	3	86	-8.1
Lampeter M.B.	1,848	12	8	—	1	21	11.4	19	16	35	18.9	1	48	-7.5
New Quay ..	1,075	10	6	—	—	16	14.9	11	14	25	23.3	1	63	-8.4
RURAL DISTRICTS.	39,050	246	226	18	19	509	13.0	262	330	592	15.2	37	73	-2.2
Aberayron ..	7,070	61	35	3	4	103	14.6	55	72	127	18.0	9	87	-3.4
Aberystwyth:—														
North ..	6,584	36	33	6	2	77	11.7	52	60	112	17.0	8	104	-5.3
South ..	4,746	28	34	1	1	64	13.5	29	34	63	13.3	1	16	0.2
Cardigan ..	3,011	12	15	1	—	28	9.3	15	25	40	13.3	6	21	-4.0
Lampeter ..	3,303	24	18	3	4	49	14.8	30	20	50	15.1	5	102	-0.3

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000, Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000, Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CARDIGANSHIRE— <i>cont.</i>														
RURAL DISTRICTS — <i>cont.</i>														
Llandyssil ..	7,567	49	50	4	4	107	14.1	45	62	107	14.1	5	47	—
Tregaron ..	6,415	33	40	—	4	77	12.0	33	54	87	13.6	3	39	— 1.6
Civil Parish of YsguboryCoed administered by R.D.C. of Machynlleth (Montgomery- shire).	354	3	1	—	—	4	11.3	3	3	6	16.9	—	—	— 5.6
CARMARTHENSHIRE: ADMINISTRATIVE COUNTY.	180,600	1,331	1,264	71	76	2,742	15.2	1,171	1,018	2,189	12.1	199	73	3.1
URBAN DISTRICTS	75,070	547	503	25	32	1,107	14.7	474	405	879	11.7	61	55	3.0
Ammanford ..	7,370	58	44	3	3	108	14.7	44	35	79	10.7	2	19	4.0
Burry Port ..	5,843	33	44	5	5	87	14.9	41	25	66	11.3	9	103	3.6
Carmarthen .. M.B.	10,100	71	49	4	9	133	13.2	71	56	127	12.6	11	83	0.6
Cwmmamman ..	5,455	40	35	—	1	76	13.9	32	26	58	10.6	6	79	3.3
Kidwelly M.B.	3,190	18	31	3	—	52	16.3	16	22	38	11.9	2	38	4.4
Llandilo ..	1,908	8	9	—	—	17	8.9	9	10	19	10.0	1	59	— 1.1
Llandovery M.B.	2,059	15	13	1	1	30	14.6	20	16	36	17.5	1	33	— 2.9
Llanelly M.B.	38,350	303	274	9	13	599	15.6	230	210	440	11.5	28	47	4.1
Newcastle Emlyn	795	1	4	—	—	5	6.3	11	5	16	20.1	1	200	— 13.8
RURAL DISTRICTS	105,530	784	761	46	44	1,635	15.5	697	613	1,310	12.4	138	84	3.1
Carmarthen ..	24,270	172	175	17	10	374	15.4	172	161	333	13.7	29	78	1.7
Llandilo Fawr	22,630	174	170	9	8	361	16.0	129	132	261	11.5	32	89	4.5
Llandovery ..	6,469	45	53	3	2	103	15.9	66	47	113	17.5	12	117	— 1.6
Llanelly ..	37,860	307	283	13	12	615	16.2	231	168	399	10.5	53	86	5.7
Llanybyther ..	3,362	23	17	2	3	45	13.4	26	27	53	15.8	3	67	— 2.4
Newcastle-in- Emlyn.	5,947	35	23	2	7	67	11.3	45	40	85	14.3	5	75	— 3.0
Whitland ..	4,992	28	40	—	2	70	14.0	28	38	66	13.2	4	57	0.8
DENBIGHSHIRE: ADMINISTRATIVE COUNTY.	158,100	1,188	1,201	71	71	2,531	16.0	965	978	1,943	12.3†	161	64	3.7
URBAN DISTRICTS	57,340	361	368	17	27	773	13.5	334	395	729	12.8†	50	65	0.7
Abergele and Pensarn.	2,606	17	12	—	3	32	12.3	13	26	39	15.0	3	94	— 2.7
Colwyn Bay ..	20,830	112	122	2	5	241	11.6	96	140	236	11.3	11	46	0.3
Denbigh M.B. ...	7,352	49	44	1	5	99	13.5	43	38	81	11.0	7	71	2.2
Llangollen ..	2,914	21	22	2	3	48	16.5	23	25	48	16.5	2	42	—
Llanrwst ..	2,372	15	19	3	1	38	16.0	27	19	46	19.4	6	158	— 3.0
Ruthin M.B. ...	2,826	18	22	3	3	46	16.3	21	26	47	16.6	1	22	— 0.1
Wrexham M.B.	18,440	129	127	6	7	269	14.6	111	121	232	12.7†	20	74	1.1
RURAL DISTRICTS.	100,760	827	833	54	44	1,758	17.4	631	583	1,214	12.0	111	63	5.1
Chirk ..	4,865	43	39	2	2	86	17.7	27	24	51	10.5	3	35	7.1
Llangollen ..	3,547	23	28	2	—	53	14.9	23	22	45	12.7	4	75	2.2
Llanrwst ..	4,056	30	36	—	—	66	16.3	27	26	53	13.1	6	91	3.1
Llansilin ..	2,757	16	20	3	—	39	14.1	22	19	41	14.9	4	103	— 0.1

† Death-rates based upon estimated civilian populations as follows:—Denbighshire—Administrative County, 157,860 ; Urban Districts, 57,100 ; Wrexham M.B., 18,200.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
DENBIGHSHIRE —cont.														
RURAL DISTRICTS —cont.														
Ruthin	9,091	72	69	7	6	154	16·9	56	57	113	12·4	2	13	4·5
St. Asaph (Denbigh).	7,142	59	43	3	3	108	15·1	45	38	83	11·6	7	65	3·5
Uwchale	1,967	16	9	2	2	29	14·7	12	16	28	14·2	—	—	0·5
Wrexham	65,480	556	579	34	30	1,199	18·3	408	371	779	11·9	83	69	6·4
C.P. of Llanellian- yn Rhôs and Llansantffraid Glan Conway administered by R.D.C. of Conway (Caer- narvonshire).	1,855	12	10	1	1	24	12·9	11	10	21	11·3	2	83	1·6
FLINTSHIRE : ADMINISTRATIVE COUNTY.														
URBAN DISTRICTS	46,450	353	403	14	17	787	16·9	255	244	499	10·7	33	42	6·2
Buckley	6,940	50	61	2	2	115	16·6	43	33	76	11·0	6	52	5·6
Connah's Quay	6,022	55	60	4	—	119	19·8	27	24	51	8·5	7	59	11·3
Flint M.B. ..	7,572	71	82	1	2	156	20·6	45	29	74	9·8	4	26	10·8
Holywell	3,318	36	35	1	3	75	22·6	23	12	35	10·5	1	13	12·1
Mold	5,121	39	47	1	2	89	17·4	28	26	54	10·5	5	56	6·9
Prestatyn	4,537	22	30	—	1	53	11·7	19	24	43	9·5	1	19	2·2
Rhyl	12,940	80	88	5	7	180	13·9	70	96	166	12·8	9	50	1·1
RURAL DISTRICTS.	65,850	552	494	38	30	1,114	16·9	383	364	747	11·4†	61	55	5·5
Hawarden	26,620	232	201	10	14	457	17·2	132	131	263	10·1†	28	61	7·1
Holywell	26,490	233	215	16	7	471	17·8	163	158	321	12·1	23	49	5·7
Overton	4,823	38	27	6	3	74	15·3	33	20	53	11·0	3	41	4·3
St. Asaph (Flint)	7,917	49	51	6	6	112	14·1	55	55	110	13·9	7	63	0·2
GLAMORGANSHIRE :														
COUNTY BORO'S..	462,420	3,910	3,710	141	163	7,924	17·1	2,909	2,533	5,442	11·8†	568	72	5·3
Cardiff	223,900	1,861	1,763	82	79	3,785	16·9	1,366	1,178	2,544	11·4†	272	72	5·5
Merthyr Tydfil	74,220	568	553	24	34	1,179	15·9	529	444	973	13·1	108	92	2·8
Swansea	164,300	1,481	1,394	35	50	2,960	18·0	1,014	911	1,925	11·7	188	64	6·3
ADMINISTRATIVE COUNTY.	786,600	6,667	6,366	268	260	13,561	17·2	4,678	3,962	8,640	11·0	930	69	6·2
URBAN DISTRICTS	596,100*	5,064	4,899	206	208	10,377	17·4	3,647	2,999	6,646	11·1	722	70	6·3
Aberdare.. ..	50,690	371	343	16	13	743	14·7	317	303	620	12·2	51	69	2·5
Barry	38,880	320	333	19	15	687	17·7	255	169	424	10·9	35	51	6·8
Bridgend.. ..	9,834	62	78	3	2	145	14·7	55	45	100	10·2	3	21	4·5
Caerphilly ..	37,500	355	324	13	11	703	18·7	220	174	394	10·5	51	73	8·2
Cowbridge M.B.	1,079	6	3	1	—	10	9·3	9	5	14	13·0	—	—	—3·7
Gelligaer	42,550	429	416	23	23	891	20·9	227	219	446	10·5	56	63	10·4
Glyncorwg	10,430	108	104	6	5	223	21·4	51	41	92	8·8	13	58	12·6
Llchwyr	20,600*	184	161	6	7	358	17·4	110	85	195	9·5	31	87	7·9
Maesteg	26,310	251	226	8	7	492	18·7	160	130	290	11·0	32	65	7·7

† Death-rates based upon estimated civilian populations as follows: Flintshire—Administrative County, 111,790; Rural Districts, 65,340; Hawarden R.D., 26,110. Glamorganshire—County Boroughs, 462,220; Cardiff C.B., 223,700.
* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are as follows: Glamorganshire—Urban Districts, 603,000, Llchwyr, 27,500.

TABLE 14—*cont.*

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
GLAMORGANSHIRE —cont.														
URBAN DISTRICTS —cont.														
Mountain Ash	39,870	350	341	20	19	730	18.3	249	208	457	11.5	51	70	6.8
Neath M.B. ..	33,920	277	290	8	6	581	17.1	229	182	411	12.1	31	53	5.0
Ogmore and Garw.	28,000	224	255	5	11	495	17.7	176	101	277	9.9	43	87	7.8
Penarth	17,940	122	117	2	5	246	13.7	96	85	181	10.1	10	41	3.6
Pontypridd ..	44,020	393	352	17	15	777	17.7	255	216	471	10.7	52	67	7.0
Porthcawl ..	6,347	36	46	—	3	85	13.4	35	42	77	12.1	3	35	1.3
Port Talbot M.B.	41,130	357	362	14	14	747	18.2	265	216	481	11.7	51	68	6.5
Rhondda	147,000	1,219	1,148	45	52	2,464	16.8	938	778	1,716	11.7	209	85	5.1
RURAL DISTRICTS.	190,500*	1,603	1,467	62	52	3,184	16.7	1,031	963	1,994	10.5	208	65	6.2
Cardiff	28,890	200	199	6	5	410	14.2	141	142	283	9.8	24	59	4.4
Cowbridge ..	10,820	103	78	5	3	189	17.5	47	61	108	10.0	12	63	7.5
Gower	9,850	71	67	5	3	146	14.8	74	46	120	12.2	8	55	2.6
Llantrisant and Llantwitfardre	25,740	273	235	13	6	527	20.5	122	128	250	9.7	33	63	10.8
Neath	40,930	357	317	7	6	687	16.8	232	204	436	10.7	46	67	6.1
Penybont ..	30,070	263	219	6	15	503	16.7	155	155	310	10.3	34	68	6.4
Pontardawe ..	37,300	278	288	16	13	595	16.0	213	193	406	10.9	38	64	5.1
Swansea	6,900*	58	64	4	1	127	18.4	47	34	81	11.7	13	102	6.7
MERIONETHSHIRE ADMINISTRATIVE COUNTY.	43,090	301	282	21	32	636	14.8	336	326	662	15.4†	47	74	—0.6
URBAN DISTRICTS.	19,520	132	134	7	14	287	14.7	165	166	331	17.0	19	66	—2.3
Bala	1,439	7	10	—	1	18	12.5	9	16	25	17.4	1	56	—4.9
Barmouth ..	2,196	15	9	—	1	25	11.4	14	18	32	14.6	—	—	—3.2
Dolgelley ..	2,361	10	22	—	2	34	14.4	21	15	36	15.2	1	29	—0.8
Ffestiniog ..	9,060	79	68	3	6	156	17.2	84	74	158	17.4	14	90	—0.3
Mallwyd	684	1	6	1	—	8	11.7	6	8	14	20.5	2	250	—8.8
Towyn	3,780	20	19	3	4	46	12.2	31	35	66	17.5	1	22	—5.3
RURAL DISTRICTS.	23,570	169	148	14	18	349	14.8	171	160	331	14.1†	28	80	0.0
Deudraeth ..	7,440	53	53	6	3	115	15.5	59	49	108	14.8†	5	43	0.0
Dolgelley ..	7,398	54	42	2	10	108	14.6	52	56	108	14.6	12	111	—
Edeirnion ..	4,696	37	22	3	4	66	14.1	35	28	63	13.4	7	106	0.0
Penllyn	3,641	25	29	3	1	58	15.9	23	24	47	12.9	4	69	3.0
C.P. of Pennal administered by R.D.C. of Machynlleth (Montgomery- shire).	395	—	2	—	—	2	5.1	2	3	5	12.7	—	—	—7.0
MONMOUTHSHIRE :														
COUNTY BORO' :														
Newport ..	92,300	788	816	25	33	1,662	18.0	559	457	1,016	11.0†	93	56	7.0
ADMINISTRATIVE COUNTY.	352,800	3,165	2,959	120	98	6,342	18.0	2,031	1,657	3,688	10.5	412	65	7.0

† Death-rates based upon estimated civilian populations as follows:—Merionethshire—Administrative County, 42,950
Rural Districts, 23,430; Deudraeth R.D., 7,300; Monmouthshire—Newport, C.B., 92,070.

* Population adjusted to allow for change in boundary during the year. The mid-year populations after the change are
as follows:—Glamorganshire—Rural Districts, 183,600; Swansea, R.D. Nil.

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
MONMOUTHSHIRE —cont.														
URBAN DISTRICTS	299,080	2,769	2,554	109	86	5,518	18.4	1,717	1,410	3,127	10.5	375	68	7.9
Abercarn. . .	20,800	196	165	10	6	377	18.1	110	88	198	9.5	26	69	8.6
Abergavenny M.B.	8,562	58	75	2	4	139	16.2	47	48	95	11.1	6	43	5.1
Abersychan . .	26,950	232	205	8	5	450	16.7	127	121	248	9.2	31	69	7.5
Abertillery . .	32,410	302	270	16	12	600	18.5	160	136	296	9.1	34	57	9.4
Bedwas and Machen.	9,426	107	94	3	3	207	22.0	73	42	115	12.2	14	68	9.8
Bedwellty . .	30,940	359	338	15	14	726	23.5	168	150	318	10.3	57	79	13.2
Blaenavon . .	11,510	102	88	1	3	194	16.9	69	80	149	12.9	13	67	4.0
Caerleon . . .	2,500	15	16	—	1	32	12.8	17	10	27	10.8	2	63	2.0
Chepstow . . .	4,262	33	28	3	3	67	15.7	27	26	53	12.4	4	60	3.3
Ebbw Vale . .	32,710	337	318	7	9	671	20.5	223	158	381	11.6	54	80	8.9
Llanfrechfa Upper.	4,586	33	40	1	1	75	16.4	22	17	39	8.5	3	40	7.9
Llantarnam . .	7,576	82	58	6	2	148	19.5	42	34	76	10.0	9	61	9.5
Monmouth M.B.	4,884	37	37	5	1	80	16.4	32	31	63	12.9	3	38	3.5
Mynyddislwyn	16,480	168	140	6	5	319	19.4	92	58	150	9.1	31	97	10.3
Nantyglo and Blaina.	13,910	88	102	3	1	194	13.9	78	59	137	9.8	11	57	4.1
Panteg	11,640	79	69	2	1	151	13.0	77	55	132	11.3	13	86	1.7
Pontypool . . .	6,982	73	58	3	1	135	19.3	45	34	79	11.3	10	74	8.0
Rhymney . . .	10,890	93	94	4	5	196	18.0	73	59	132	12.1	13	66	5.9
Risca	16,960	147	142	6	4	299	17.6	92	78	170	10.0	11	37	7.6
Tredegar . . .	23,770	219	205	8	5	437	18.4	134	118	252	10.6	28	64	7.8
Usk	1,332	9	12	—	—	21	15.8	9	8	17	12.8	2	95	3.0
RURAL DISTRICTS.	53,720	396	405	11	12	824	15.3	314	247	561	10.4	37	45	4.9
Abergavenny	8,933	61	50	2	1	114	12.8	47	41	88	9.9	7	61	2.9
Chepstow . . .	8,741	58	70	3	3	134	15.3	48	47	95	10.9	6	45	4.4
Magor	6,626	44	57	—	3	104	15.7	39	33	72	10.9	5	48	4.8
Monmouth . . .	6,465	30	52	1	2	85	13.1	47	41	88	13.6	2	24	—0.5
Pontypool . . .	5,135	31	26	1	1	59	11.5	31	30	61	11.9	3	51	—0.4
St. Mellons . .	17,820	172	150	4	2	328	18.4	102	55	157	8.8	14	43	9.6
MONTGOMERYSHIRE ADMINISTRATIVE COUNTY.														
URBAN DISTRICTS	17,610	112	122	2	6	242	13.7	121	116	237	13.5	17	70	0.2
Llanfyllin M.B.	1,500	14	9	—	1	24	16.0	11	9	20	13.3	2	83	2.7
Llanidloes M.B.	2,395	11	16	—	—	27	11.3	14	15	29	12.1	2	74	—0.8
Machynlleth . .	1,852	8	15	—	1	24	13.0	12	15	27	14.6	1	42	—1.6
Montgomery M.B.	931	8	8	—	1	17	18.3	8	8	16	17.2	2	118	1.1
Newtown and Llanllwchaiarn.	5,223	25	29	2	1	57	10.9	37	30	67	12.8	4	70	—1.9
Welshpool M.B.	5,709	46	45	—	2	93	16.3	39	39	78	13.7	6	65	2.6
RURAL DISTRICTS.	31,310	266	240	21	30	557	17.8	209	198	407	13.0	37	66	4.8
Forden	5,355	46	39	2	1	88	16.4	32	35	67	12.5	4	45	3.9
Llanfyllin	11,750	101	100	10	13	224	19.1	69	68	137	11.7	14	63	7.4
Machynlleth	3,615	26	16	1	3	46	12.7	34	28	62	17.2	3	65	—4.5
Newtown and Llanidloes.	10,590	93	85	8	13	199	18.8	74	67	141	13.3	16	80	5.5

TABLE 14—cont.

POPULATION, BIRTHS, DEATHS, INFANT MORTALITY, NATURAL INCREASE, 1930.—COUNTIES,
COUNTY BOROUGH, MUNICIPAL BOROUGH AND URBAN DISTRICTS, RURAL DISTRICTS.

AREA.	Esti- mated Popula- tion (Middle 1930).	BIRTHS.						DEATHS.				Deaths under 1 year.		Natural Increase per 1,000 Population.
		Legitimate.		Illegitimate.		TOTAL.	Crude Rate per 1,000. Total Population.	M.	F.	TOTAL.	Crude Rate per 1,000. Total Population.	Number.	Rate per 1,000 births.	
		M.	F.	M.	F.									
Col. 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
PEMBROKESHIRE : ADMINISTRATIVE COUNTY.	86,820	683	642	43	30	1,398	16.1	516	575	1,091	12.7†	78	56	3.4
URBAN DISTRICTS.	40,140	303	327	17	14	661	16.5	238	258	496	12.6†	39	59	3.9
Fishguard ..	2,926	16	16	2	—	34	11.6	13	14	27	9.2	2	59	2.4
Goodwick ..	2,278	11	10	—	1	22	9.7	18	16	34	14.9	1	45	-5.2
Haverfordwest M.B.	5,975	34	46	6	3	89	14.9	36	39	75	12.6	11	124	2.3
Milford Haven	9,079	88	109	1	3	201	22.1	35	43	78	8.6	8	40	13.5
Narberth.. ..	1,077	6	10	—	—	16	14.9	7	6	13	12.1	—	—	2.8
Neyland	2,193	27	24	—	3	54	24.6	16	19	35	16.0	3	56	8.6
Pembroke M.B.	12,590	91	89	6	4	190	15.1	93	86	179	15.0†	14	74	0.1
Tenby M.B. ..	4,022	30	23	2	—	55	13.7	20	35	55	13.7	—	—	—
RURAL DISTRICTS.	46,680	380	315	26	16	737	15.8	278	317	595	12.7	39	53	3.1
Haverfordwest	18,600	153	140	13	8	314	16.9	127	114	241	13.0	16	51	3.9
Llanfyrnach ..	2,153	15	11	—	—	26	12.1	6	18	24	11.1	1	38	1.0
Narberth.. ..	10,620	94	61	5	3	163	15.3	57	77	134	12.6	8	49	2.7
Pembroke	7,875	66	51	3	—	120	15.2	37	52	89	11.3	6	50	3.9
St. Dogmells ..	7,432	52	52	5	5	114	15.3	51	56	107	14.4	8	70	0.9
RADNORSHIRE : ADMINISTRATIVE COUNTY.	21,140	157	153	18	8	336	15.9	157	116	273	12.9	20	60	3.0
URBAN DISTRICTS.	5,640	32	34	4	—	70	12.4	38	26	64	11.3	2	29	1.1
Knighton	1,765	15	15	3	—	33	18.7	17	9	26	14.7	—	—	4.0
Llandrindod Wells.	2,784	12	14	—	—	26	9.3	14	7	21	7.5	2	77	1.8
Presteigne	1,091	5	5	1	—	11	10.1	7	10	17	15.6	—	—	-5.5
RURAL DISTRICTS.	15,500	125	119	14	8	266	17.2	119	90	209	13.5	18	68	3.7
Colwyn	2,002	12	19	—	2	33	16.5	8	12	20	10.0	—	—	6.3
Knighton	3,967	28	24	7	2	61	15.4	23	17	40	10.1	8	131	5.3
New Radnor ..	2,550	30	22	1	—	53	20.8	24	15	39	15.3	—	—	5.3
Paincastle	2,191	16	18	1	1	36	16.4	19	9	28	12.8	4	111	3.6
Rhayader	4,790	39	36	5	3	83	17.3	45	37	82	17.1	6	72	0.3

† Death-rates based upon estimated civilian populations as follows :—Pembrokeshire—Administrative County, 86,180 ;
Urban Districts, 39,500 ; Pembroke M.B., 11,950.

TABLE 14A.—STILLBIRTHS AND RATES (PER 1,000 TOTAL BIRTHS) IN ADMINISTRATIVE AREAS, 1930.

Note.—Cases occurring away from home have been transferred to the area of residence of the parents.

Area.					Legitimate.		Illegitimate.		Total.	Stillbirths per 1,000 Total Births.
					M.	F.	M.	F.		
SUMMARY.*										
ALL AREAS—										
England and Wales	14,311	11,582	930	754	27,577	41
North	5,406	4,420	370	279	10,475	45
Midlands	4,484	3,637	246	219	8,586	38
South †	3,110	2,492	246	188	6,036	35
Wales	1,311	1,033	68	68	2,480	53
LONDON	1,263	991	112	82	2,448	34
COUNTY BOROUGH—										
England and Wales	5,169	4,201	336	289	9,995	42
North	2,931	2,391	205	164	5,691	44
Midlands	1,575	1,243	79	72	2,969	39
South	403	360	43	38	844	36
Wales	260	207	9	15	491	49
OTHER URBAN DISTRICTS—										
England and Wales	5,038	4,050	308	233	9,629	41
North	1,762	1,432	120	82	3,396	47
Midlands	1,800	1,466	99	76	3,441	37
South	809	638	57	45	1,549	35
Wales	667	514	32	30	1,243	55
RURAL DISTRICTS—										
England and Wales	2,841	2,340	174	150	5,505	41
North	713	597	45	33	1,388	43
Midlands	1,109	928	68	71	2,176	39
South	635	503	34	23	1,195	37
Wales	384	312	27	23	746	54

* The counties in the four areas : North, Midlands, South and Wales are shewn in footnote || to Table 14.

† Including London.

TABLE 14A—cont.

STILLBIRTHS AND RATES (PER 1,000 TOTAL BIRTHS) IN ADMINISTRATIVE AREAS, 1930.

Area.	Legitimate		Illegitimate.		Total.	Still-births per 1,000 Total Births.	Area.	Legitimate.		Illegitimate.		Total.	Still-births per 1,000 Total Births.
	M.	F.	M.	F.				M.	F.	M.	F.		
GREATER LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES.													
Greater London ..	2,300	1,848	162	126	4,436	34							
London	1,263	991	112	82	2,448	34	County Boroughs						
City of London ..	2	1	1	—	4	43	—contd.						
Inner and Middle Temples.	—	—	—	—	—	—	Dudley	28	24	2	—	54	42
Metropolitan Boroughs							Eastbourne ..	10	9	2	3	24	35
Battersea	51	43	5	4	103	37	East Ham ..	43	36	1	—	80	34
Bermondsey ..	38	23	3	4	68	32	Exeter	20	13	1	2	36	37
Bethnal Green ..	35	23	—	2	60	30	Gateshead ..	63	47	3	2	115	42
Camberwell ..	67	60	3	2	132	33	Gloucester ..	15	14	1	2	32	36
Chelsea	14	4	3	2	23	28	Great Yarmouth	21	11	—	—	32	35
Deptford	31	25	2	1	59	32	Grimsby	41	32	1	3	77	42
Finsbury	19	21	1	3	44	33	Halifax	34	23	3	6	66	48
Fulham	40	26	5	1	72	30	Hastings	12	13	—	3	28	35
Greenwich	18	17	1	—	36	22	Huddersfield ..	22	31	—	1	54	35
Hackney	62	51	8	6	127	35	Ipswich	41	25	—	3	69	45
Hammersmith ..	40	31	4	4	79	35	Kingston-upon-Hull	132	111	5	8	256	39
Hampstead ..	26	10	2	2	40	38	Leeds	151	158	10	13	332	42
Holborn	9	7	2	—	18	43	Leicester	82	55	9	6	152	38
Islington	119	106	6	5	236	40	Lincoln	31	12	1	2	46	46
Kensington ..	36	43	5	3	87	33	Liverpool ..	397	333	28	16	774	39
Lambeth	86	70	5	4	165	34	Manchester ..	325	260	35	19	639	47
Lewisham ..	62	46	5	4	117	36	Middlesbrough ..	72	60	7	3	142	41
Paddington ..	35	28	6	3	72	32	Newcastle-upon-Tyne.	121	84	8	11	224	41
Poplar	57	45	3	—	105	33	Northampton ..	18	19	2	1	40	32
St. Marylebone ..	19	20	2	2	43	33	Norwich	43	36	2	2	83	40
St. Pancras ..	59	28	8	8	103	31	Nottingham ..	101	76	8	5	190	40
Shoreditch ..	15	18	5	3	41	20	Oldham	61	48	7	4	120	59
Southwark ..	48	45	6	3	102	33	Oxford	16	11	1	—	28	24
Stepney	97	59	4	3	163	37	Plymouth	75	72	9	7	163	45
Stoke Newington	10	11	1	4	26	34	Portsmouth ..	81	71	11	6	169	38
Wandsworth ..	95	82	8	7	192	39	Preston	60	43	8	1	112	54
Westminster ..	28	17	7	2	54	38	Reading	22	22	1	2	47	32
Woolwich	45	31	1	—	77	34	Rochdale	22	23	4	2	51	39
County Boroughs :							Rotherham ..	19	25	—	2	46	34
Barnsley	46	44	4	1	95	60	St. Helens ..	54	51	2	1	108	44
Barrow-in-Furness	29	16	1	2	48	44	Salford	90	89	4	2	185	45
Bath	15	14	1	—	30	35	Sheffield	201	159	10	10	380	46
Birkenhead ..	65	57	2	4	128	44	Smethwick ..	48	24	—	—	72	45
Birmingham ..	359	315	17	30	721	40	Southampton ..	59	41	5	4	109	33
Blackburn ..	60	38	5	5	108	63	Southend-on-Sea..	33	22	1	1	57	37
Blackpool ..	32	25	3	2	62	56	Southport ..	25	16	3	1	45	48
Bolton	74	73	6	6	159	60	South Shields ..	56	40	2	3	101	40
Bootle	50	29	1	4	84	45	Stockport ..	71	36	4	3	114	61
Bournemouth ..	16	23	5	1	45	40	Stoke-on-Trent	154	138	11	3	306	52
Bradford	111	89	6	9	215	47	Sunderland ..	99	74	4	2	179	40
Brighton	34	35	3	4	76	37	Tynemouth ..	26	21	5	1	53	42
Bristol	121	108	4	3	236	37	Wakefield ..	18	13	3	2	36	35
Burnley	27	22	2	2	53	38	Wallasey	36	28	1	4	69	47
Burton-upon-Trent	18	10	—	—	28	33	Walsall	38	31	—	—	69	32
Bury	24	15	2	2	43	55	Warrington ..	33	37	—	1	71	44
Canterbury ..	8	3	—	2	13	33	West Bromwich ..	37	29	1	1	68	39
Carlisle	19	14	2	1	36	34	West Ham ..	107	71	8	4	190	33
Chester	15	20	2	2	39	55	West Hartlepool	37	19	2	1	59	37
Coventry	57	52	1	1	111	43	Wigan	57	39	7	—	103	61
Croydon	51	44	5	4	104	29	Wolverhampton ..	58	39	3	3	103	41
Darlington ..	20	24	—	2	46	36	Worcester ..	10	20	2	2	34	40
Derby	55	33	3	—	91	36	York	24	21	1	3	49	34
Dewsbury ..	29	20	1	—	50	54	Cardiff	94	80	3	8	185	47
Doncaster ..	24	16	2	—	42	41	Merthyr Tydfil ..	39	36	2	2	79	63
							Newport, Mon. ..	41	18	1	1	61	35
							Swansea	86	73	3	4	166	53

TABLE 14A—cont.

STILLBIRTHS AND RATES (PER 1,000 TOTAL BIRTHS) IN ADMINISTRATIVE AREAS, 1930.

Area.	Legiti- mate.		Illegiti- mate.		Total.	Still- births per 1,000 Total Births.	Area.	Legiti- mate.		Illegiti- mate.		Total.	Still- births per 1,000 Total Births.
	M.	F.	M.	F.				M.	F.	M.	F.		
ADMINISTRATIVE COUNTIES.													
Note.—The following figures relate to Aggregates of Urban Districts (including Municipal Boroughs but excluding County Boroughs) and of Rural Districts in each Administrative County.													
Bedford .. U.D.	36	36	4	1	77	38	Salop .. U.D.	38	31	5	1	75	38
.. R.D.	14	23	3	2	42	35	.. R.D.	49	44	3	4	100	43
Berks .. U.D.	34	10	1	2	47	42	Somerset .. U.D.	68	35	4	1	108	44
.. R.D.	34	19	1	4	58	26	.. R.D.	94	62	6	4	166	46
Bucks .. U.D.	30	36	1	1	68	37	Southants .. U.D.	52	52	3	1	108	29
.. R.D.	45	22	1	2	70	30	.. R.D.	65	75	4	1	145	34
Cambs .. U.D.	18	12	—	—	30	38	Staffs .. U.D.	216	172	9	9	406	41
.. R.D.	17	18	1	2	38	34	.. R.D.	76	82	8	8	174	45
Cheshire .. U.D.	172	131	10	7	320	44	Suffolk, East U.D.	24	18	2	2	46	32
.. R.D.	75	72	6	4	157	48	.. R.D.	34	33	3	—	70	33
Cornwall .. U.D.	62	32	1	6	101	46	Suffolk, West U.D.	7	8	2	1	18	31
.. R.D.	66	53	5	1	125	47	.. R.D.	19	14	1	1	35	36
Cumberland U.D.	42	32	4	4	82	38	Surrey .. U.D.	174	151	14	8	347	32
.. R.D.	36	16	3	1	56	36	.. R.D.	47	33	2	2	84	33
Derby .. U.D.	135	93	6	6	240	43	Sussex, East U.D.	33	30	4	3	70	39
.. R.D.	135	101	4	6	246	45	.. R.D.	31	29	2	—	62	33
Devon .. U.D.	50	62	7	5	124	43	Sussex, West U.D.	20	23	4	4	51	33
.. R.D.	66	66	3	4	139	40	.. R.D.	30	21	1	2	54	35
Dorset .. U.D.	35	31	—	2	68	34	Warwick .. U.D.	61	54	1	5	121	42
.. R.D.	47	36	2	2	87	47	.. R.D.	65	57	3	2	127	38
Durham .. U.D.	269	232	18	11	530	45	Westmorland U.D.	8	7	—	1	16	41
.. R.D.	180	158	12	5	355	40	.. R.D.	13	9	3	2	27	44
Ely, I. of .. U.D.	14	17	—	2	33	38	Wight, I. of U.D.	12	7	4	—	23	30
.. R.D.	14	10	—	1	25	39	.. R.D.	7	4	—	1	12	33
Essex .. U.D.	278	225	9	8	520	35	Wilts. U.D.	56	34	3	—	93	41
.. R.D.	76	75	5	5	161	36	.. R.D.	44	30	2	1	77	29
Gloucester .. U.D.	40	31	3	3	77	47	Worcester .. U.D.	68	45	5	5	123	35
.. R.D.	75	61	4	6	146	41	.. R.D.	40	29	1	3	73	44
Hereford .. U.D.	6	9	3	1	19	31	Yorks, E.R. U.D.	25	15	2	1	43	38
.. R.D.	21	14	1	2	38	32	.. R.D.	38	29	4	7	78	47
Hertford .. U.D.	79	59	1	3	142	33	Yorks, N.R... U.D.	75	70	6	6	157	47
.. R.D.	35	32	1	2	70	38	.. R.D.	49	39	1	4	93	39
Huntingdon U.D.	8	9	1	—	18	40	Yorks, W.R. U.D.	430	368	40	18	856	47
.. R.D.	12	4	—	—	16	30	.. R.D.	187	165	11	3	366	41
Kent .. U.D.	213	171	12	13	409	31	Anglesey .. U.D.	12	5	—	—	17	63
.. R.D.	104	75	6	1	186	35	.. R.D.	17	9	1	2	29	55
Lancs .. U.D.	623	485	32	25	1,165	51	Brecon .. U.D.	10	4	1	—	15	53
.. R.D.	111	84	4	3	202	53	.. R.D.	21	13	1	2	37	53
Leicester .. U.D.	52	24	—	—	76	36	Caernarvon .. U.D.	23	22	1	3	49	55
.. R.D.	45	52	3	3	103	33	.. R.D.	32	23	4	3	62	65
Lincs, Holland U.D.	18	10	3	2	33	43	Cardigan .. U.D.	6	2	—	—	8	46
.. R.D.	29	15	1	—	45	42	.. R.D.	12	13	1	—	26	49
Lincs, Kesteven U.D.	15	11	5	1	32	45	Carmarthen .. U.D.	33	35	—	2	70	59
.. R.D.	29	13	1	4	47	39	.. R.D.	53	46	4	2	105	60
Lincs, Lindsey U.D.	46	36	3	2	87	38	Denbigh .. U.D.	18	14	4	2	38	47
.. R.D.	50	34	3	3	90	38	.. R.D.	46	35	3	2	86	47
Middlesex .. U.D.	448	374	27	20	869	35	Flint .. U.D.	10	10	1	1	22	27
.. R.D.	11	13	—	1	25	27	.. R.D.	33	18	2	3	56	48
Norfolk .. U.D.	17	20	1	1	39	43	Glamorgan .. U.D.	324	265	17	13	619	56
.. R.D.	83	82	10	9	184	43	.. R.D.	95	92	3	5	195	58
Northants .. U.D.	19	24	1	—	44	31	Merioneth .. U.D.	11	9	1	—	21	68
.. R.D.	32	30	3	1	66	40	.. R.D.	8	10	4	1	23	62
Northumberland U.D.	118	92	8	9	227	39	Monmouth .. U.D.	192	139	4	7	342	58
.. R.D.	24	25	1	4	54	36	.. R.D.	23	14	—	1	38	44
Notts .. U.D.	109	92	4	2	207	43	Montgomery U.D.	6	—	—	—	6	24
.. R.D.	77	53	6	2	138	43	.. R.D.	15	13	1	—	29	49
Oxford .. U.D.	9	8	2	—	19	34	Pembroke .. U.D.	20	7	3	2	32	46
.. R.D.	20	13	2	2	37	25	.. R.D.	22	21	—	—	43	55
Peterborough, U.D.	9	11	1	—	21	30	Radnor .. U.D.	2	2	—	—	4	54
Soke of .. R.D.	5	2	—	—	7	49	.. R.D.	7	5	3	2	17	60
Rutland .. U.D.	—	1	—	—	1	18							
.. R.D.	1	2	—	—	3	14							

TABLE 15.—ENGLAND AND WALES.—DEATHS at EACH YEAR of AGE REGISTERED in the YEAR 1930. (Total deaths registered.)

Age last birth-day.	Persons.	Males.	Females.				Age last birth-day.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.				Total.	Single.	Married.	Widowed.
All Ages	455,427	234,010	221,417	66,850	76,788	77,779	50-54	26,190	14,522	11,668	1,926	7,916	1,826
							50	4,788	2,664	2,124	372	1,452	300
							51	4,538	2,492	2,046	348	1,390	308
0-4	55,664	31,522	24,142	24,142	—	—	52	5,318	2,934	2,384	390	1,624	370
0	38,908	22,587	16,321	16,321	—	—	53	5,559	3,130	2,429	391	1,651	387
1	8,234	4,403	3,831	3,831	—	—	54	5,987	3,302	2,685	425	1,799	461
2	3,698	1,981	1,717	1,717	—	—	55-59	32,814	18,319	14,495	2,253	9,267	2,975
3	2,556	1,351	1,205	1,205	—	—	55	5,774	3,280	2,494	397	1,638	459
4	2,268	1,200	1,068	1,068	—	—	56	6,324	3,559	2,765	434	1,792	539
5-9	7,871	4,171	3,700	3,700	—	—	57	6,402	3,509	2,893	407	1,911	575
5	2,137	1,141	996	996	—	—	58	6,984	3,848	3,136	500	1,972	664
6	1,753	917	836	836	—	—	59	7,330	4,123	3,207	515	1,954	738
7	1,414	741	673	673	—	—	60-64	39,715	21,929	17,786	2,549	9,945	5,292
8	1,291	686	605	605	—	—	60	7,438	4,173	3,265	481	1,890	894
9	1,276	686	590	590	—	—	61	7,038	3,888	3,150	478	1,821	851
10-14	4,800	2,472	2,328	2,328	—	—	62	8,051	4,451	3,600	485	2,023	1,092
10	1,174	634	540	540	—	—	63	8,435	4,586	3,849	526	2,160	1,163
11	814	413	401	401	—	—	64	8,753	4,831	3,922	579	2,051	1,292
12	797	411	386	386	—	—	65-69	47,356	25,439	21,917	3,135	9,661	9,121
13	910	433	477	477	—	—	65	9,509	5,141	4,368	603	2,113	1,652
14	1,105	581	524	524	—	—	66	9,004	4,942	4,062	586	1,874	1,602
15-19	8,534	4,451	4,083	3,979	104	—	67	9,468	5,077	4,391	633	1,970	1,788
15	1,348	695	653	653	—	—	68	9,581	5,086	4,495	638	1,900	1,957
16	1,615	811	804	803	1	—	69	9,794	5,193	4,601	675	1,804	2,122
17	1,760	932	828	822	6	—	70-74	51,838	26,386	25,452	3,484	8,191	13,777
18	1,864	972	892	862	30	—	70	10,326	5,372	4,954	671	1,889	2,394
19	1,947	1,041	906	839	67	—	71	9,491	4,863	4,628	653	1,659	2,316
20-24	10,487	5,559	4,928	3,603	1,314	11	72	10,564	5,416	5,148	730	1,679	2,739
20	2,021	1,101	920	814	106	—	73	10,714	5,410	5,304	703	1,502	3,099
21	2,107	1,145	962	797	164	1	74	10,743	5,325	5,418	727	1,462	3,229
22	2,130	1,136	994	739	254	1	75-79	47,252	22,049	25,203	3,287	5,057	16,859
23	2,094	1,109	985	650	333	2	75	10,240	4,924	5,316	709	1,245	3,362
24	2,135	1,068	1,067	603	457	7	76	9,993	4,723	5,270	689	1,178	3,403
25-29	10,641	5,399	5,242	2,175	3,026	41	77	9,124	4,327	4,797	645	944	3,208
25	2,096	1,043	1,053	528	517	8	78	9,149	4,182	4,967	633	887	3,447
26	2,126	1,078	1,048	469	573	6	79	8,746	3,893	4,853	611	803	3,439
27	2,155	1,097	1,058	442	609	7	80-84	32,385	13,607	18,778	2,539	2,244	13,995
28	2,099	1,072	1,027	375	638	14	80	8,013	3,483	4,530	615	695	3,220
29	2,165	1,109	1,056	361	689	6	81	6,831	2,970	3,861	499	465	2,897
30-34	10,588	5,156	5,432	1,455	3,843	134	82	6,382	2,738	3,644	500	460	2,684
30	2,201	1,090	1,111	324	761	26	83	5,795	2,326	3,469	462	361	2,646
31	2,057	987	1,070	293	753	24	84	5,364	2,090	3,274	463	263	2,548
32	2,124	1,064	1,060	291	744	25	85-89	16,388	5,983	10,405	1,481	547	8,377
33	2,079	985	1,094	278	790	26	85	4,702	1,795	2,907	425	180	2,302
34	2,127	1,030	1,097	269	795	33	86	3,955	1,456	2,499	363	153	1,983
35-39	12,015	6,217	5,798	1,229	4,297	272	87	3,229	1,169	2,060	286	101	1,673
35	2,212	1,134	1,078	254	780	44	88	2,437	848	1,589	231	71	1,287
36	2,324	1,187	1,137	238	852	47	89	2,065	715	1,350	176	42	1,132
37	2,272	1,158	1,114	240	815	59	90-94	4,909	1,481	3,428	493	89	2,846
38	2,567	1,374	1,193	253	891	49	90	1,680	520	1,160	161	42	957
39	2,640	1,364	1,276	244	959	73	91	1,170	367	803	125	18	660
40-44	14,935	7,955	6,980	1,392	5,047	541	92	905	261	644	82	16	546
40	2,768	1,441	1,327	261	977	89	93	686	186	500	79	9	412
41	2,633	1,411	1,222	252	884	86	94	468	147	321	46	4	271
42	3,289	1,776	1,513	303	1,090	120	95-99	905	237	668	87	9	572
43	3,092	1,629	1,463	291	1,052	120	95	339	95	244	33	4	207
44	3,153	1,698	1,455	285	1,044	126	96	227	56	171	15	3	153
45-49	20,079	11,138	8,941	1,604	6,231	1,106	97	152	39	113	15	1	97
45	3,556	2,027	1,529	279	1,066	184	98	122	31	91	16	1	74
46	3,663	2,062	1,601	319	1,081	201	99	65	16	49	8	—	41
47	3,990	2,165	1,825	337	1,300	188	100-	61	18	43	9	—	34
48	4,213	2,312	1,901	337	1,323	241	100	25	8	17	5	—	12
49	4,657	2,572	2,085	332	1,461	292	101-	36	10	26	4	—	22

NOTE.—The 455,427 deaths at all ages include 511 cases (313 males and 198 females) in which only approximate ages were stated; these have been included under the stated age (e.g., age "about 40" under age 40). In 26 cases (22 males and 4 females) the ages were stated to be within certain limits (e.g., age 20 to 25 years); these have been distributed over the age group in proportion to the numbers of precisely stated ages in the individual years of age. In 14 cases (13 males and 1 female) the ages were stated to be unknown; these have been distributed to the particular ages, with regard as far as possible to the cause of death.

Of the 221,417 deaths of females, 169 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 77 divorced women are included with the deaths of widows.

DEATHS AT DIFFERENT AGES IN SECTIONS OF THE COUNTRY AND CLASSES OF AREA, 1930.
(Civilian population only.)

Age.	Sex.	All Areas.*					London.	County Boroughs.				
		England and Wales.	North.	Midlands.	South.†	Wales.		England and Wales.	North.	Midlands.	South.	Wales.
All Ages	M	233548	82252	72059	63018	16219	26524	82414	45836	24591	8519	3468
	F	221417	76838	68140	61827	14612	24468	77189	42445	22713	9041	2990
Under 4 weeks	M	11657	4597	3698	2456	906	983	4267	2475	1267	338	187
4 weeks-3 months	F	8403	3356	2637	1746	664	696	3129	1818	919	253	139
3-6 months	M	3772	1519	1105	866	282	376	1600	960	442	137	61
	F	2484	1002	720	563	199	285	1068	640	280	89	59
6-12 months	M	2945	1240	813	701	191	413	1297	813	357	80	47
	F	2119	846	577	546	150	311	919	553	246	80	40
	M	4213	1750	1207	967	289	583	1780	1086	503	123	68
	F	3315	1327	955	790	243	462	1347	795	378	114	60
Total under 1 year	M	22587	9106	6823	4990	1668	2355	8944	5334	2569	678	363
	F	16321	6531	4889	3645	1256	1754	6463	3806	1823	536	298
1—	M	4403	1863	1164	1062	314	633	1858	1150	479	153	76
	F	3831	1604	1006	973	248	572	1613	1008	404	128	73
2—	M	1981	851	571	428	131	213	795	484	217	62	32
	F	1717	672	500	419	126	215	708	406	205	70	27
3—	M	1351	547	411	294	99	145	511	295	142	48	26
	F	1205	484	363	261	97	127	456	267	127	45	17
4—	M	1200	487	315	285	113	134	455	260	112	52	31
	F	1068	423	329	240	76	129	413	252	120	27	14
Total under 5 years	M	31522	12854	9284	7059	2325	3480	12563	7523	3519	993	528
	F	24142	9714	7087	5538	1803	2797	9653	5739	2679	806	429
5—	M	4171	1600	1248	1005	318	441	1513	843	460	150	60
	F	3700	1433	1160	833	274	338	1359	772	408	129	50
10—	M	2471	921	780	588	182	238	915	534	257	90	34
	F	2328	891	735	498	204	209	890	515	252	82	41
15—	M	4403	1664	1335	1012	392	497	1614	939	491	106	78
	F	4083	1585	1226	961	311	459	1559	925	447	122	65
20—	M	5416	1924	1727	1340	425	617	1936	1090	574	176	96
	F	4928	1730	1529	1270	399	620	1872	1049	545	194	84
25—	M	5316	1843	1697	1402	374	619	1900	1040	581	201	78
	F	5242	1861	1651	1299	431	577	1900	1044	597	164	95
30—	M	5099	1921	1549	1271	358	568	1899	1071	568	170	90
	F	5432	2000	1671	1362	399	583	1997	1135	590	187	85
35—	M	6169	2293	1919	1514	443	683	2337	1359	665	211	102
	F	5798	2181	1774	1414	429	582	2113	1216	611	191	95
40—	M	7919	2961	2372	2049	537	968	3052	1721	912	286	133
	F	6980	2603	2106	1786	485	782	2652	1477	813	261	101
45—	M	11116	4169	3276	2906	765	1367	4405	2508	1309	422	166
	F	8941	3210	2630	2457	644	1031	3317	1851	978	355	133
50—	M	14507	5477	4169	3888	973	1862	5675	3322	1604	512	237
	F	11668	4324	3439	3093	812	1311	4333	2509	1197	447	180
55—	M	18314	6617	5412	4998	1287	2298	6897	3905	2037	666	289
	F	14495	5398	4217	3890	990	1655	5262	2999	1503	542	218
60—	M	21927	7903	6468	6027	1529	2638	7864	4427	2306	784	347
	F	17786	6604	5183	4842	1157	1938	6307	3618	1761	666	262
65—	M	25438	8884	7736	7031	1787	2897	8645	4791	2543	944	367
	F	21917	7976	6481	6130	1330	2332	7671	4292	2199	948	232
70—	M	26386	9000	8204	7344	1838	2843	8791	4779	2664	976	372
	F	25452	8836	7776	7222	1618	2691	8605	4803	2479	1017	306
75—	M	22049	6842	7283	6518	1406	2322	6801	3481	2144	895	281
	F	25203	8127	7925	7612	1539	2767	8086	4223	2420	1151	292
80—	M	13606	3680	4755	4329	842	1412	3734	1754	1283	550	147
	F	18778	5180	6361	6207	1030	2073	5719	2678	1898	961	182
85—	M	7719	1699	2845	2737	438	774	1873	749	674	387	63
	F	14544	3185	5189	5413	757	1723	3894	1600	1336	818	140

* The counties in the four sections, North, Midlands, South and Wales, are shown in footnote || to Table 14.

† Including London.

DEATHS AT DIFFERENT AGES IN SECTIONS OF THE COUNTRY AND CLASSES OF AREA, 1930.
(Civilian population only.)

Age.	Sex.	Other Urban Districts.					Rural Districts.				
		England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.
All Ages ..	M	78969	26292	28697	16226	7754	45641	10124	18771	11749	4997
	F	76529	25006	27696	16973	6854	43231	9387	17731	11345	4768
Under 4 weeks	M	4054	1453	1515	643	443	2353	669	916	492	276
	F	2857	1051	1036	455	315	1721	487	682	342	210
4 weeks—3 months	M	1189	391	437	221	140	607	168	226	132	81
	F	732	265	269	107	91	399	97	171	82	49
3—6 months	M	820	309	306	121	84	415	118	150	87	60
	F	579	199	212	100	68	310	94	119	55	42
6—12 months	M	1268	483	483	156	146	582	181	221	105	75
	F	1011	385	363	138	125	495	147	214	76	58
Total under 1 year	M	7331	2636	2741	1141	813	3957	1136	1513	816	492
	F	5179	1900	1880	800	599	2925	825	1186	555	359
1—	M	1309	509	485	151	164	603	204	200	125	74
	F	1088	429	395	157	107	558	167	207	116	68
2—	M	661	253	242	95	71	312	114	112	58	28
	F	532	184	200	81	67	262	82	95	53	32
3—	M	480	187	171	70	52	215	65	98	31	21
	F	433	164	161	56	52	189	53	75	33	28
4—	M	407	165	129	60	53	204	62	74	39	29
	F	363	130	148	49	36	163	41	61	35	26
Total under 5 years	M	10188	3750	3768	1517	1153	5291	1581	1997	1069	644
	F	7595	2807	2784	1143	861	4097	1168	1624	792	513
5—	M	1483	541	538	244	160	734	216	250	170	98
	F	1386	481	527	245	133	617	180	225	121	91
10—	M	839	279	329	137	94	479	108	194	123	54
	F	799	257	313	122	107	430	119	170	85	56
15—	M	1529	521	554	243	211	763	204	290	166	103
	F	1338	474	494	223	147	727	186	285	157	99
20—	M	1805	583	708	320	194	1058	251	445	227	135
	F	1647	489	656	289	213	789	192	328	167	102
25—	M	1808	553	713	354	188	989	250	403	228	108
	F	1859	587	697	348	227	906	230	357	210	109
30—	M	1708	616	603	321	168	924	234	378	212	100
	F	1895	627	708	365	195	957	238	373	227	119
35—	M	2133	723	849	346	215	1016	211	405	274	126
	F	1965	699	703	360	203	1138	266	460	281	131
40—	M	2618	926	965	473	254	1281	314	495	322	150
	F	2364	809	835	483	237	1182	317	458	260	147
45—	M	3636	1268	1294	680	394	1708	393	673	437	205
	F	3035	1032	1019	664	320	1558	327	633	407	191
50—	M	4833	1660	1722	974	477	2137	495	843	540	259
	F	4045	1389	1420	841	395	1979	426	822	494	237
55—	M	6168	2101	2185	1253	629	2951	611	1190	781	369
	F	4987	1795	1697	1017	478	2591	604	1017	676	294
60—	M	7429	2583	2583	1553	710	3996	893	1579	1052	472
	F	6217	2236	2104	1329	548	3324	750	1318	909	347
65—	M	8765	2980	3102	1833	850	5131	1113	2091	1357	570
	F	7648	2743	2584	1705	616	4266	941	1698	1145	482
70—	M	9246	3054	3209	2083	900	5506	1167	2331	1442	566
	F	9045	2946	3248	2097	754	5111	1087	2049	1417	558
75—	M	7486	2302	2733	1827	624	5440	1059	2406	1474	501
	F	8887	2847	3222	2136	682	5463	1057	2283	1558	565
80—	M	4714	1268	1808	1286	352	3746	658	1664	1081	343
	F	6606	1720	2595	1857	434	4380	782	1868	1316	414
85—	M	2581	584	1034	782	181	2491	366	1137	794	194
	F	5211	1068	2090	1749	304	3716	517	1763	1123	313

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGH, 1930.
(Civilian population only.)

Age.	Sex.	Greater London.*	City of London.	Inner and Middle Temples.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.
All Ages ..	M	44108	79	5	955	825	656	1423	400	705	497	833	560	1185	870	453
	F	41683	54	1	891	659	567	1375	383	545	432	840	478	1196	734	522
Under 4 weeks	M	1829	2	—	45	28	23	56	4	21	24	27	16	44	37	16
	F	1288	2	—	29	24	20	28	4	24	10	21	10	30	32	12
	M	668	—	—	9	10	12	18	4	9	8	11	7	17	14	10
	F	469	—	—	8	8	9	13	1	11	7	9	2	15	9	8
	M	620	—	—	10	9	14	16	6	10	6	16	12	17	13	4
	F	462	—	—	7	8	6	20	3	5	5	12	8	9	8	4
	M	894	—	—	23	24	17	23	6	19	12	23	15	19	13	2
	F	709	—	—	14	20	17	23	4	8	10	16	6	23	14	2
Total under 1 year	M	4011	2	—	87	71	66	113	20	59	50	77	50	97	77	32
	F	2928	2	—	58	60	52	84	12	48	32	58	26	77	63	26
1—	M	934	—	—	16	48	22	32	3	14	23	31	10	18	23	4
	F	834	—	—	18	34	13	28	7	9	18	14	8	27	18	1
2—	M	358	—	—	11	9	7	7	1	8	5	13	1	18	5	1
	F	342	—	—	7	5	18	9	—	7	6	8	3	10	5	1
3—	M	256	—	—	8	6	7	3	1	6	4	7	3	9	4	2
	F	209	—	—	1	7	4	7	1	6	—	4	3	4	5	1
4—	M	219	—	—	7	8	5	4	1	1	1	4	6	13	4	3
	F	224	—	—	6	6	7	4	1	3	3	8	2	5	4	—
Total under 5 years	M	5778	2	—	129	142	107	159	26	88	83	132	70	155	113	42
	F	4537	2	—	90	112	94	132	21	73	59	92	42	123	95	29
5—	M	788	1	—	13	15	17	23	3	8	12	12	7	17	13	3
	F	684	—	—	12	11	10	23	6	3	4	11	6	18	9	4
10—	M	423	—	—	8	13	7	14	3	8	2	5	2	12	5	7
	F	382	1	—	10	11	10	11	2	10	4	8	4	8	6	3
15—	M	884	—	—	17	23	16	37	7	15	13	13	17	26	22	5
	F	763	—	—	14	16	11	37	6	14	5	15	11	31	13	7
20—	M	1037	1	—	21	17	18	33	5	21	12	17	21	24	26	7
	F	1057	1	—	29	20	11	28	9	19	12	23	26	29	23	12
25—	M	1070	1	—	36	22	10	30	8	24	8	17	9	32	28	12
	F	1006	1	—	23	19	17	32	5	8	9	20	9	31	12	12
30—	M	976	2	—	20	26	10	26	8	12	15	11	16	24	15	11
	F	1049	2	—	13	17	11	37	10	12	14	17	7	37	17	11
35—	M	1203	1	1	24	22	18	42	6	20	11	27	10	23	19	7
	F	1059	2	—	26	21	11	30	6	14	13	21	14	26	14	12
40—	M	1579	5	—	27	37	26	48	16	23	11	35	26	36	29	19
	F	1339	2	1	30	14	14	45	13	26	10	26	13	36	22	12
45—	M	2224	7	—	37	41	37	84	17	30	30	38	29	63	43	30
	F	1730	1	—	25	32	20	61	14	18	17	37	16	38	26	23
50—	M	2934	7	1	67	56	65	92	26	45	33	59	40	75	67	31
	F	2237	4	—	48	33	36	63	24	33	24	55	31	68	32	24
55—	M	3726	20	—	79	64	56	104	32	65	47	60	44	124	76	37
	F	2734	8	—	68	44	37	94	23	27	26	72	36	76	42	33
60—	M	4289	10	—	97	74	58	136	48	67	47	103	52	101	87	51
	F	3189	5	—	64	50	44	111	44	40	40	63	40	107	57	34
65—	M	4785	6	1	110	90	54	169	46	91	54	86	62	138	101	55
	F	3894	5	—	67	58	51	130	33	51	38	80	48	112	73	70
70—	M	4653	6	2	96	75	62	175	58	66	49	98	59	114	84	50
	F	4606	7	—	116	65	67	159	59	46	45	96	51	143	91	63
75—	M	3889	6	—	84	59	49	132	42	54	38	63	47	116	73	37
	F	4710	6	—	117	67	54	140	45	67	53	94	47	127	87	72
80—	M	2502	3	—	57	29	32	78	32	38	20	38	30	73	44	28
	F	3640	5	—	78	40	42	130	34	46	37	63	47	94	58	49
85—	M	1368	1	—	33	20	14	41	17	30	12	19	19	32	25	21
	F	3067	2	—	61	29	27	112	29	38	22	47	30	92	57	52

* See footnote on page 62.

DEATHS AT DIFFERENT AGES IN GREATER LONDON AND METROPOLITAN BOROUGH, 1930.
(Civilian population only.)

Age.	Sex.	Holborn.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages	M	280	2061	1002	1806	1031	872	927	588	1353	645	1254	1479	312	1820	812	836
	F	208	1809	1240	1743	1010	936	756	583	1075	563	978	1250	301	1939	689	711
Under 4 weeks	M	8	79	29	77	40	33	40	21	50	22	33	60	19	72	28	29
	F	8	64	28	50	27	28	32	9	24	24	31	34	6	57	13	15
	4 weeks—3 months	M	2	32	19	30	10	8	11	7	17	6	17	38	1	27	12
		F	2	29	15	17	8	9	4	12	12	12	25	2	17	6	6
	3—6 months	M	—	41	21	28	12	26	14	8	26	18	21	39	2	15	5
		F	5	28	19	19	6	17	12	9	22	8	9	36	3	16	2
	6—12 months	M	9	70	26	24	16	32	26	12	21	19	26	53	3	37	4
		F	2	49	20	28	15	16	23	7	22	20	23	37	4	13	13
Total under 1 year	M	19	222	95	159	78	99	91	48	114	65	97	190	25	151	49	52
	F	17	170	82	114	56	70	76	29	80	64	75	132	15	103	34	39
1—	M	6	65	26	26	9	14	24	13	22	28	48	51	9	25	9	14
	F	4	63	21	37	13	9	24	12	25	24	39	51	7	28	5	15
2—	M	1	26	6	17	6	6	7	6	8	6	13	11	—	5	3	6
	F	2	22	10	12	6	7	9	3	10	6	14	14	2	11	3	5
3—	M	1	17	2	4	6	2	7	2	7	4	6	8	2	10	1	6
	F	—	16	1	13	5	3	9	1	6	6	8	4	—	9	1	2
4—	M	1	9	3	8	8	6	5	2	7	3	4	8	2	7	2	2
	F	3	10	1	7	2	4	6	3	9	4	7	9	4	7	2	2
Total under 5 years	M	28	339	132	214	107	127	134	71	158	106	168	268	38	198	64	80
	F	26	281	115	183	82	93	124	48	130	104	143	210	28	158	45	63
5—	M	2	39	18	37	22	9	15	10	21	15	25	38	5	27	7	7
	F	2	26	11	28	18	8	10	4	23	15	15	18	—	28	5	10
10—	M	—	13	6	21	7	9	14	5	6	6	9	22	1	22	3	8
	F	3	12	5	19	5	7	11	5	8	2	5	10	2	12	6	9
15—	M	3	31	9	26	22	17	23	7	22	5	30	29	5	34	5	18
	F	1	28	14	33	15	14	19	12	18	16	20	25	4	31	8	21
20—	M	7	38	14	42	30	22	28	9	36	14	29	31	7	51	15	21
	F	4	35	20	51	23	16	23	10	27	13	31	48	6	41	11	19
25—	M	8	49	31	44	16	17	15	9	26	15	30	41	1	40	13	27
	F	4	36	31	52	24	14	18	15	21	13	23	32	6	52	16	22
30—	M	8	34	23	47	37	17	19	19	33	15	23	22	6	40	10	19
	F	7	32	29	40	26	27	26	11	23	17	14	31	8	46	22	19
35—	M	3	38	33	55	31	21	19	17	36	14	37	31	10	50	33	24
	F	4	37	27	44	30	17	12	17	30	14	24	34	1	46	19	16
40—	M	11	75	38	73	39	23	39	22	54	32	48	48	9	59	37	23
	F	6	54	52	57	36	33	17	23	33	9	36	40	6	70	25	21
45—	M	13	106	50	98	49	51	39	33	66	30	65	74	24	90	49	44
	F	13	80	55	63	40	42	27	24	63	27	42	54	14	92	40	27
50—	M	21	130	78	123	63	64	49	42	81	52	101	126	20	137	58	53
	F	17	85	78	77	49	51	40	26	59	30	47	71	16	113	43	34
55—	M	32	176	71	139	92	62	84	42	147	50	105	133	14	169	89	85
	F	11	123	82	109	56	67	40	57	73	43	85	82	23	121	60	37
60—	M	32	214	83	201	88	92	89	57	133	81	136	148	28	147	90	88
	F	19	131	85	139	76	72	70	50	100	48	72	98	16	157	54	52
65—	M	37	216	111	178	101	93	111	78	146	54	130	157	33	195	103	91
	F	21	175	109	176	94	92	70	64	97	44	88	120	35	189	73	69
70—	M	32	185	121	195	112	102	100	69	150	57	144	132	36	223	96	95
	F	24	194	139	196	115	107	72	57	101	55	90	139	39	199	76	80
75—	M	23	194	91	165	111	80	72	54	135	53	98	96	30	170	74	76
	F	23	191	155	192	122	126	85	67	121	44	110	120	43	210	85	97
80—	M	16	127	66	94	51	43	51	32	73	34	50	59	23	103	38	50
	F	14	160	120	154	94	88	52	55	91	39	77	66	24	199	49	68
85—	M	4	57	27	54	53	23	26	12	30	12	26	24	22	65	28	27
	F	9	129	113	130	105	62	40	38	57	30	56	52	30	175	52	47

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1930.
(Civilian population only.)

Age.	Sex.	Barnsley.	Barrow-in-Furness.	Bath.	Birkenhead.	Birmingham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bournemouth.	Bradford.	Brighton.	Bristol.	Burnley.
All Ages ..	M	442	444	390	983	5533	786	648	1098	490	553	1993	887	2210	620
	F	369	354	516	866	5092	834	695	1133	451	704	1950	982	2260	655
Under 4 weeks	M	25	24	9	59	288	47	27	43	29	23	96	17	125	29
	F	26	13	13	34	212	28	17	42	18	8	71	22	66	18
	M	7	9	5	36	101	9	8	26	17	6	35	12	36	11
	F	7	4	1	19	67	4	5	15	21	5	20	10	23	7
	M	10	5	1	25	87	15	6	8	15	3	17	9	23	10
	F	3	3	4	15	75	7	1	12	12	2	23	8	17	4
	M	14	10	5	29	125	16	4	12	21	1	36	14	29	9
	F	12	4	1	23	93	10	2	11	8	2	29	7	35	13
Total under 1 year	M	56	48	20	149	601	87	45	89	82	33	184	52	213	59
	F	48	24	19	91	447	49	25	80	59	17	143	47	141	42
1—	M	10	7	2	22	83	12	6	13	21	3	39	13	43	9
	F	6	4	—	24	86	19	5	14	15	2	28	12	34	7
2—	M	8	—	1	14	31	9	1	8	7	1	8	6	26	7
	F	3	4	—	6	36	5	3	6	4	3	15	8	18	8
3—	M	4	1	—	4	29	5	2	8	4	3	13	5	12	6
	F	2	1	—	8	36	6	3	1	7	—	11	7	9	3
4—	M	—	1	—	1	26	2	1	9	1	2	7	1	8	5
	F	1	1	—	5	21	4	1	6	5	1	7	—	12	—
Total under 5 years	M	78	57	23	190	770	115	55	127	115	42	251	77	302	86
	F	60	34	19	134	626	83	37	107	90	23	204	74	214	60
5—	M	10	5	3	12	92	8	4	17	13	6	27	12	44	5
	F	9	6	2	18	81	10	6	12	9	8	27	11	36	7
10—	M	7	8	2	11	59	9	2	11	7	6	17	11	15	6
	F	7	1	1	13	58	7	4	8	8	4	11	8	20	7
15—	M	10	11	3	17	104	12	12	20	11	2	22	7	47	11
	F	8	7	5	24	90	17	5	13	8	3	25	10	49	10
20—	M	12	10	7	22	138	24	12	19	18	9	39	17	56	10
	F	12	9	8	26	127	16	11	33	16	8	32	14	53	10
25—	M	10	12	14	22	129	8	14	23	12	6	26	24	52	13
	F	9	12	6	21	138	19	8	22	18	5	31	16	63	14
30—	M	5	8	7	25	127	15	16	28	16	6	38	19	35	12
	F	14	7	6	27	115	28	11	35	13	12	53	11	60	14
35—	M	12	13	6	44	138	34	15	30	10	14	56	20	69	15
	F	18	6	10	15	166	24	20	45	9	8	62	17	50	12
40—	M	17	17	11	42	213	43	22	37	18	11	68	30	76	28
	F	15	11	17	33	203	27	26	35	16	14	58	27	81	25
45—	M	21	24	9	76	317	39	32	45	26	22	100	36	109	31
	F	15	22	12	44	214	36	35	41	19	28	85	24	98	45
50—	M	29	29	22	67	422	45	43	87	20	31	169	54	140	44
	F	28	24	20	40	273	42	51	72	26	36	100	46	133	49
55—	M	40	40	24	97	492	61	62	103	29	28	159	72	176	60
	F	14	27	31	54	334	51	52	92	22	50	130	62	147	61
60—	M	41	36	47	82	535	84	75	119	33	45	247	69	182	59
	F	29	30	46	68	397	76	73	122	42	48	184	85	180	61
65—	M	44	36	49	82	592	90	106	140	47	75	229	113	253	76
	F	33	33	52	78	514	108	91	115	39	86	227	123	195	83
70—	M	44	40	49	91	568	106	89	136	62	76	237	104	231	74
	F	39	48	66	91	561	109	98	152	46	82	248	121	223	75
75—	M	40	60	44	58	453	51	48	93	33	76	198	108	201	56
	F	24	40	78	78	547	97	94	121	35	112	242	148	235	67
80—	M	16	27	35	25	254	29	30	45	15	52	79	74	134	27
	F	23	22	62	55	389	66	43	68	21	82	151	111	219	39
85—	M	6	11	35	20	130	13	11	18	5	46	31	40	88	7
	F	12	15	75	47	259	18	30	40	14	95	80	74	204	16

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1930.
(Civilian population only.)

Age.	Sex.	Burton-on-Trent.	Bury.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Doncaster.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.
All Ages ..	M	311	370	143	327	321	903	1138	424	834	364	368	402	306	772	385	810	304
	F	267	396	150	402	264	769	1203	409	749	331	299	286	350	680	374	738	330
Under 4 weeks	M	13	15	7	19	10	37	44	28	49	22	19	18	9	33	10	64	14
	F	11	10	6	18	9	36	40	23	28	10	15	18	7	22	10	46	12
	M	5	5	1	6	6	16	24	9	19	5	8	11	3	11	9	27	2
	F	3	6	1	7	3	6	12	2	13	2	3	4	3	7	2	15	4
	M	—	5	—	8	4	9	13	9	20	2	4	6	—	6	2	29	2
	F	4	3	1	4	2	6	15	4	6	3	2	6	—	6	2	14	3
	M	5	4	—	3	12	15	12	9	23	6	2	14	3	14	6	29	2
	F	1	3	4	4	2	11	12	8	11	6	6	3	2	12	6	18	3
Total under 1 year	M	23	29	8	36	32	77	93	55	111	35	33	49	15	64	27	149	20
	F	19	22	12	33	16	59	79	37	58	21	26	31	12	47	20	93	22
1—	M	2	2	2	4	12	18	15	10	18	5	8	14	2	12	4	28	5
	F	3	5	1	4	8	6	7	10	13	5	3	14	1	8	4	24	4
2—	M	1	1	1	—	5	2	5	4	6	3	4	7	—	6	4	8	2
	F	4	3	1	2	1	5	6	5	6	3	2	5	1	7	4	9	1
3—	M	1	—	4	4	5	3	3	—	9	1	5	4	1	6	2	7	1
	F	—	2	1	2	2	5	2	4	4	1	2	3	1	3	2	4	1
4—	M	1	2	2	4	5	8	8	3	9	1	1	1	1	3	2	6	1
	F	3	—	—	2	3	4	3	2	2	1	1	5	—	5	—	5	—
Total under 5 years	M	28	34	17	48	59	108	124	72	153	45	51	75	19	91	39	198	29
	F	29	32	15	43	30	79	97	58	83	31	34	58	15	70	30	135	28
5—	M	8	3	3	9	6	28	23	8	28	6	4	11	5	18	8	12	3
	F	7	3	4	9	6	22	17	7	14	2	5	5	4	18	7	11	4
10—	M	3	4	—	4	—	9	16	6	6	3	1	1	6	8	1	11	5
	F	5	3	1	3	4	16	10	9	10	3	4	9	2	7	3	8	5
15—	M	6	4	1	5	5	25	19	6	22	5	8	10	3	15	6	21	11
	F	4	5	—	6	2	13	24	9	16	4	5	13	2	10	3	20	6
20—	M	3	7	1	4	4	23	31	8	16	7	5	6	6	19	4	23	6
	F	7	4	5	7	8	17	30	13	18	8	7	10	4	19	8	27	6
25—	M	10	9	2	8	8	28	28	7	13	8	10	15	9	23	8	19	6
	F	4	6	1	11	3	23	11	13	13	4	3	7	5	14	7	20	3
30—	M	8	7	4	10	3	27	34	10	23	4	8	13	5	18	5	27	11
	F	5	10	3	15	8	28	26	19	22	7	10	12	8	22	8	18	7
35—	M	4	11	3	6	6	31	26	18	18	5	18	10	8	28	13	21	9
	F	6	11	8	12	4	23	28	12	23	10	10	5	6	27	13	26	5
40—	M	10	24	5	13	12	47	44	12	37	9	11	15	5	23	9	34	5
	F	3	11	2	17	6	33	32	13	36	13	9	8	14	25	13	33	9
45—	M	14	24	5	15	9	56	74	17	46	15	17	23	18	38	21	37	10
	F	15	24	5	12	12	33	55	17	31	19	14	9	19	26	12	25	11
50—	M	16	31	5	23	18	66	74	20	49	21	32	27	17	46	23	55	14
	F	13	22	6	23	15	41	60	21	44	26	16	7	16	42	15	40	12
55—	M	30	27	5	22	23	83	96	25	54	43	37	29	23	63	26	46	17
	F	20	33	11	17	19	51	82	19	59	24	15	19	16	48	14	49	24
60—	M	36	43	13	26	35	92	106	43	67	51	30	38	31	72	28	63	25
	F	20	30	10	32	22	50	83	35	51	25	24	15	25	55	26	59	32
65—	M	43	43	18	24	38	78	118	54	86	54	35	31	35	78	50	77	42
	F	32	48	11	51	25	80	122	22	78	42	28	15	34	68	39	73	38
70—	M	31	39	20	33	44	90	110	52	84	48	40	39	36	83	54	65	49
	F	33	54	17	56	46	97	138	55	59	41	48	33	58	72	45	66	39
75—	M	28	32	19	40	25	61	105	35	87	26	29	25	54	84	48	52	33
	F	28	58	23	36	25	79	136	40	93	41	24	28	47	73	44	64	40
80—	M	20	20	17	28	17	34	69	21	32	9	24	26	15	44	24	39	21
	F	22	30	14	35	18	46	131	26	58	18	29	23	44	52	46	35	36
85—	M	13	8	5	9	9	17	41	10	13	5	8	8	11	21	18	10	8
	F	14	12	14	17	11	38	121	21	41	13	14	10	31	32	41	29	25

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1930.
(Civilian population only.)

Age.	Sex.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.	Huddersfield.	Ipswich.	Kingston-upon-Hull	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle-upon-Tyne.	Northampton.	Norwich.	Nottingham.
All Ages ..	M	334	580	683	396	762	462	1989	3091	1398	397	5925	5089	984	1865	529	678	1764
	F	378	522	712	494	745	451	1852	2839	1346	384	5380	4702	785	1649	524	690	1647
Under 4 weeks 4 weeks-3 months 3-6 months 6-12 months	M	10	34	28	16	29	25	110	175	61	25	350	242	84	90	22	26	100
	F	14	23	25	5	23	10	88	116	51	13	264	171	57	83	21	18	72
	M	7	10	9	4	8	4	56	51	18	6	170	111	20	38	7	8	40
	F	3	9	5	5	2	6	40	23	11	3	119	87	12	29	3	5	24
	M	6	13	4	3	3	3	38	29	16	4	158	98	12	40	3	8	36
	F	2	10	4	4	5	3	20	28	10	1	110	85	16	32	2	6	12
	M	2	17	7	3	8	3	46	42	27	2	206	123	40	38	6	11	34
	F	7	13	4	4	5	8	36	48	23	2	170	78	25	29	4	6	21
Total under 1 year 1— 2— 3— 4—	M	25	74	48	26	48	35	250	297	122	37	884	574	156	206	38	53	210
	F	26	55	38	18	35	27	184	215	95	19	663	421	110	173	30	35	129
	M	6	16	7	7	6	10	74	45	19	4	226	115	52	44	3	12	42
	F	4	11	4	4	7	3	42	39	17	4	192	118	49	45	8	6	43
	M	3	9	2	2	4	4	28	30	12	3	85	57	20	18	1	6	15
	F	—	6	6	3	7	2	27	25	3	7	74	30	18	15	4	8	14
	M	2	4	4	1	4	—	21	14	8	3	48	32	8	12	4	4	6
	F	1	6	4	7	4	2	19	15	7	2	42	33	8	10	—	2	6
Total under 5 years 5— 10— 15— 20— 25— 30— 35— 40— 45— 50— 55— 60— 65— 70— 75— 80— 85—	M	2	4	4	4	1	2	23	19	1	3	41	21	9	7	1	2	9
	F	1	1	2	—	4	2	16	14	1	2	46	29	7	7	2	5	9
	M	38	107	65	40	63	51	396	405	162	50	1284	799	245	287	47	77	282
	F	32	79	54	32	57	36	288	308	123	34	1017	631	192	250	44	56	201
	M	6	13	13	6	14	11	41	46	13	9	165	68	19	28	11	11	27
	F	3	17	6	6	9	11	32	50	17	4	163	65	17	27	7	7	30
	M	4	6	8	1	4	5	21	26	15	6	94	40	14	24	3	3	21
	F	3	6	4	2	3	1	26	34	16	3	84	48	12	22	4	4	17
	M	7	12	9	6	16	8	42	57	25	8	144	110	22	34	6	10	32
	F	2	12	9	3	6	6	54	58	26	5	140	120	15	38	4	8	45
	M	7	16	18	3	14	5	45	82	32	7	140	121	24	55	22	13	33
	F	10	11	9	6	13	8	40	56	39	10	157	125	24	52	9	18	33
	M	9	10	17	8	10	9	46	70	28	11	145	123	29	66	13	20	35
	F	7	17	22	4	13	14	49	74	32	7	139	127	20	43	11	12	47
	M	6	13	8	5	16	9	35	67	32	11	119	139	29	44	13	12	32
	F	2	11	18	6	17	10	45	49	42	7	162	132	21	38	12	15	42
	M	7	20	24	5	15	13	58	99	42	7	172	143	27	50	20	13	49
	F	8	10	12	6	18	12	48	86	28	11	150	138	30	51	14	10	37
	M	11	28	21	6	29	17	79	120	53	12	246	198	39	73	18	14	68
	F	5	22	21	14	28	12	76	102	55	13	170	179	30	48	17	17	44
	M	17	41	26	13	43	19	107	189	63	17	342	299	63	113	16	37	89
	F	15	27	40	17	37	16	85	107	59	16	222	209	39	82	18	22	82
	M	21	30	39	23	63	29	148	213	81	30	394	444	71	132	22	37	105
	F	14	24	37	15	41	13	104	195	68	16	306	309	46	76	27	33	90
	M	24	42	50	30	78	31	167	271	120	28	457	486	61	153	41	43	152
	F	28	31	63	26	52	31	112	223	88	21	361	364	41	122	39	39	128
	M	21	51	77	31	77	48	182	351	115	35	475	494	85	169	65	57	159
	F	34	47	62	41	75	41	146	265	125	23	391	411	58	136	39	55	119
	M	34	47	97	50	115	41	153	338	164	42	547	553	83	189	55	75	202
	F	38	41	90	50	100	39	178	290	134	46	450	464	59	171	60	72	173
	M	51	55	81	65	100	54	169	339	191	35	557	507	68	199	62	84	189
	F	39	55	88	57	101	49	184	336	143	51	506	511	72	169	69	78	190
	M	31	47	76	49	58	55	160	264	135	34	375	338	67	136	58	82	162
	F	53	51	90	75	94	65	172	308	139	34	473	419	47	153	62	86	175
	M	29	25	40	33	31	31	97	100	84	34	193	165	24	78	36	54	82
	F	47	29	51	73	54	47	129	194	133	50	290	279	37	108	50	98	119
	M	11	17	14	22	16	26	43	54	43	21	76	62	14	35	21	36	45
	F	38	32	36	61	27	40	84	104	79	33	199	171	25	63	38	60	75

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGH, 1930.
(Civilian population only.)

Age.	Sex.	Oldham.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend-on-Sea.	Southport.	South Shields.	Stockport.
All Ages ..	M	950	370	1244	1441	760	541	605	403	682	1619	3088	486	1095	607	470	841	797
	F	1008	433	1295	1415	786	584	649	336	564	1434	2588	403	974	610	631	706	740
Under 4 weeks 4 weeks—3 months 3—6 months 6—12 months	M	38	15	56	62	45	35	18	30	59	63	172	42	50	21	21	63	40
	F	31	14	41	36	38	22	24	27	35	50	119	22	43	20	17	45	18
	M	11	5	21	31	11	1	6	8	14	42	55	6	20	3	4	22	11
	F	5	5	17	19	4	1	4	3	11	20	34	4	13	6	6	21	7
	M	9	1	18	21	15	2	8	6	20	43	30	8	8	3	8	23	8
	F	8	3	12	18	6	4	4	6	11	16	15	5	10	—	4	12	1
	M	16	2	24	35	17	3	8	6	22	60	52	8	17	5	3	28	9
	F	15	2	20	28	8	6	10	14	15	27	45	7	22	2	3	8	6
Total under 1 year 1— 2— 3— 4—	M	74	23	119	149	88	41	40	50	115	208	309	64	95	32	36	136	68
	F	59	24	90	101	56	33	42	50	72	113	213	38	88	28	30	86	32
	M	12	6	29	41	13	7	4	14	28	50	62	5	28	8	4	23	14
	F	18	5	32	43	11	3	7	14	18	42	57	7	19	3	1	13	10
	M	10	2	9	18	4	2	7	3	8	14	33	4	13	4	2	10	2
	F	3	3	14	17	4	1	9	3	4	12	18	4	12	1	1	6	9
	M	8	3	12	8	5	—	1	2	3	3	13	2	9	5	3	4	3
	F	4	2	8	10	3	—	3	3	3	10	9	1	7	1	1	3	3
4—	M	7	—	8	16	—	2	—	1	6	10	14	2	6	—	—	7	3
	F	6	3	6	12	3	3	1	3	4	11	12	5	2	1	—	7	5
Total under 5 years 5— 10— 15— 20— 25— 30— 35— 40— 45— 50— 55— 60— 65— 70— 75— 80— 85—	M	111	34	177	232	110	52	52	70	160	285	431	77	151	49	45	180	90
	F	90	37	150	183	77	40	62	73	101	188	309	55	128	34	33	115	59
	M	17	5	23	30	8	8	15	7	15	35	47	6	23	3	5	24	16
	F	25	5	19	24	8	5	4	9	19	21	38	11	22	5	14	19	10
	M	10	3	15	15	4	4	3	6	18	19	39	5	13	7	3	11	9
	F	17	3	14	20	8	8	7	5	13	12	35	3	9	3	2	23	4
	M	11	4	16	17	17	8	9	6	21	35	64	8	18	7	8	23	17
	F	15	2	23	30	12	4	7	15	13	44	63	2	15	5	10	25	9
	M	9	12	23	42	23	8	15	10	16	48	75	8	25	11	7	27	13
	F	18	7	34	36	19	14	9	8	13	39	64	4	27	7	12	17	11
	M	22	9	26	33	12	13	11	6	22	42	65	9	30	16	7	20	16
	F	19	14	44	29	20	11	11	9	18	34	50	8	25	11	12	26	12
	M	20	7	21	24	19	11	18	9	23	38	70	12	29	16	15	35	19
	F	33	10	21	39	16	21	16	15	22	32	69	16	26	22	12	26	15
	M	29	10	30	33	20	18	22	11	22	56	89	11	35	23	11	26	18
	F	35	9	31	38	20	7	17	10	16	51	71	14	19	13	13	21	16
	M	32	12	50	44	28	21	13	15	14	57	112	21	50	16	24	29	25
	F	43	9	44	43	26	15	19	8	25	69	76	20	26	19	21	26	25
	M	58	20	72	78	48	30	36	23	29	79	184	28	44	25	17	38	37
	F	52	11	65	60	26	24	32	13	20	76	90	10	34	32	17	31	25
	M	93	15	64	88	62	31	44	26	46	133	244	32	80	43	30	44	57
	F	77	17	75	58	32	33	29	17	33	91	166	30	67	27	39	30	42
	M	96	30	108	126	57	42	60	36	53	163	269	58	86	52	49	63	84
	F	80	23	72	84	64	39	48	25	40	114	170	26	55	46	37	51	62
	M	97	29	129	127	67	45	90	37	54	167	319	36	113	69	43	61	82
	F	112	26	75	92	71	51	63	15	40	123	246	25	84	41	41	48	66
	M	121	29	137	128	85	56	84	39	62	151	322	40	115	70	46	74	90
	F	119	41	136	139	87	71	86	30	42	123	288	36	85	74	78	67	94
	M	107	56	127	150	95	79	69	40	68	145	332	57	106	63	65	82	97
	F	107	53	138	147	99	52	89	31	64	181	319	43	96	69	94	69	99
	M	65	43	107	138	62	58	43	39	38	98	241	43	89	74	38	54	78
	F	94	73	148	169	111	68	86	28	46	120	249	53	103	88	85	54	98
	M	34	25	63	79	30	35	14	14	17	46	127	24	54	40	34	41	39
	F	48	48	108	130	58	70	40	13	20	79	176	35	90	69	63	39	67
	M	18	27	56	57	13	22	7	9	4	22	58	11	34	23	23	9	10
	F	24	45	98	94	32	51	24	12	19	37	109	12	63	45	48	19	26

DEATHS AT DIFFERENT AGES IN COUNTY BOROUGHES, 1930.
(Civilian population only.)

Age.	Sex.	Stoke-on-Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Newport (Mon.)	Swansea.
All Ages ..	M	1769	1302	437	406	557	601	506	519	1745	455	590	765	318	492	1366	529	559	1014
	F	1456	1183	354	304	502	516	436	404	1518	369	569	700	298	476	1178	444	457	911
Under 4 weeks 4 weeks—3 months 3—6 months 6—12 months	M	108	84	15	15	26	40	17	35	69	29	45	44	13	31	76	22	35	54
	F	78	57	17	15	13	34	26	23	59	16	35	33	9	10	62	18	22	37
	M	42	37	8	1	5	17	12	14	41	11	9	10	3	6	28	11	8	14
	F	23	23	8	2	7	5	7	7	27	3	10	9	3	8	24	11	6	18
	M	29	31	11	6	9	12	8	9	33	5	12	16	4	7	19	8	6	14
	F	21	22	7	6	5	7	6	7	22	3	7	11	1	2	19	7	4	10
	M	50	41	9	8	7	14	20	7	61	8	29	20	7	17	23	14	10	21
	F	35	35	5	5	4	13	5	9	41	8	22	14	2	6	21	17	2	20
Total under 1 year 1— 2— 3— 4—	M	229	193	43	30	47	83	57	65	204	53	95	90	27	61	146	55	59	103
	F	157	137	37	28	29	59	44	46	149	30	74	67	15	26	126	53	34	85
	M	50	59	11	7	6	10	16	15	54	12	29	19	5	9	19	20	7	30
	F	35	47	12	14	5	10	14	11	44	14	24	21	4	10	18	23	9	23
	M	22	19	5	6	2	5	9	10	22	8	7	11	3	4	13	11	4	4
	F	20	13	4	4	3	8	8	6	19	5	9	16	2	10	10	2	7	8
	M	11	9	3	4	4	3	4	5	10	4	5	7	—	5	6	11	4	5
	F	10	13	3	3	1	3	5	2	10	3	2	10	1	1	6	3	2	6
	M	9	11	6	5	2	—	5	6	10	1	4	1	3	4	10	9	4	8
	F	8	4	4	—	1	2	7	4	16	4	7	5	1	4	2	6	1	5
	M	321	291	68	52	61	101	91	101	300	78	140	128	38	83	194	106	78	150
	F	230	214	60	49	39	82	78	69	238	56	116	119	23	51	162	87	53	127
	M	32	32	10	6	9	19	15	6	32	11	18	22	2	10	28	7	9	16
	F	33	27	8	7	5	12	12	6	31	11	15	17	5	4	21	15	6	8
	M	29	19	4	8	7	6	8	5	18	10	7	14	1	11	12	6	6	10
	F	19	17	8	1	4	3	8	3	21	4	12	9	4	2	16	6	8	11
	M	33	39	9	5	8	15	21	10	43	15	11	16	7	6	31	20	11	16
	F	40	35	6	6	9	18	14	7	48	10	16	11	5	8	21	12	14	18
	M	51	31	12	7	16	20	16	10	36	11	18	16	8	13	37	12	16	31
	F	46	35	14	8	10	13	13	9	53	10	22	6	5	12	26	11	19	28
	M	40	22	13	9	12	17	14	15	39	9	17	15	10	6	31	13	12	22
	F	47	34	16	8	16	16	15	4	50	14	16	29	6	13	39	11	10	35
	M	41	38	15	13	9	10	9	11	51	12	13	19	11	7	37	9	18	26
	F	39	28	8	10	9	15	16	12	39	11	14	16	9	12	34	11	14	26
	M	47	48	9	15	13	11	19	15	51	16	17	18	1	16	47	11	16	28
	F	48	32	14	6	16	15	21	12	37	7	12	16	12	9	48	14	11	22
	M	72	55	10	14	14	16	13	20	64	21	15	35	9	18	43	16	28	46
	F	74	36	13	7	16	12	21	16	51	17	14	20	9	13	30	15	21	35
	M	111	69	18	22	31	38	32	33	79	26	28	46	17	23	52	15	31	68
	F	75	47	14	12	17	21	23	18	77	23	29	32	10	18	53	19	21	40
	M	128	59	37	35	36	32	46	50	105	31	34	49	15	28	92	33	43	69
	F	98	66	18	15	28	26	31	23	81	23	33	31	14	30	78	23	32	47
	M	167	84	37	35	64	49	47	41	138	32	45	60	17	34	125	42	41	81
	F	100	88	21	26	38	32	23	25	90	18	37	36	18	40	93	26	32	67
	M	183	113	41	47	56	65	47	47	172	37	46	72	35	46	146	59	56	86
	F	122	87	29	30	42	33	38	30	113	28	42	53	35	41	100	42	36	84
	M	161	119	50	49	60	52	39	43	173	38	59	68	44	53	141	59	49	118
	F	126	102	23	32	60	41	30	40	128	39	59	66	24	35	91	32	42	67
	M	170	123	45	50	63	67	44	48	187	35	54	77	43	45	147	71	62	92
	F	152	110	27	24	62	64	35	51	142	39	53	75	39	62	114	54	47	91
	M	112	100	37	28	48	38	31	42	128	35	44	53	35	52	114	29	46	92
	F	83	115	29	32	59	46	29	45	149	29	52	70	25	65	125	34	41	92
	M	56	43	18	8	29	33	13	15	94	26	16	41	15	26	67	14	23	43
	F	78	70	34	19	41	44	18	23	94	21	19	61	28	32	73	23	33	53
	M	15	17	4	3	21	12	1	7	35	12	8	16	10	15	22	7	14	20
	F	46	40	12	12	31	23	11	11	76	9	8	33	27	29	54	9	17	60

TABLE 16—*contd.*
DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1930.
(Civilian population only.)

Age.	Sex.	Bedford-shire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	725	458	446	763	612	795	321	415	2715	1126	938	1059	727	560	1781	1590
	F	737	429	444	674	619	750	358	413	2630	1048	1094	1201	709	555	1579	1389
Under 4 weeks	M	32	22	17	32	26	26	16	12	141	70	38	51	38	23	129	96
	F	16	21	7	18	22	19	4	15	78	41	26	35	26	11	80	54
	M	10	4	9	7	7	7	3	4	37	13	12	13	20	9	28	28
	F	4	2	1	2	5	5	1	—	22	9	7	6	9	7	15	27
	M	3	4	4	7	—	7	2	3	25	11	4	6	8	8	28	11
	F	6	2	2	5	3	6	2	2	18	11	6	4	6	3	9	17
	M	5	4	7	6	9	11	1	4	32	17	5	8	21	7	42	30
	F	8	2	5	6	7	6	2	6	34	5	8	9	13	5	20	35
Total under 1 year	M	50	34	37	52	42	51	22	23	235	111	59	78	87	47	227	165
	F	34	27	15	31	37	36	9	23	152	66	47	54	54	26	124	133
1—	M	6	2	7	8	6	8	5	4	53	17	13	11	14	6	32	31
	F	6	2	3	5	10	7	2	1	39	16	5	6	16	5	37	39
2—	M	2	3	3	5	6	3	2	1	18	17	10	3	—	2	20	20
	F	5	—	4	1	2	2	3	2	20	3	8	5	7	2	8	13
3—	M	3	1	2	1	2	6	3	1	23	2	4	4	5	—	15	11
	F	4	—	2	2	4	5	—	2	16	1	2	4	8	3	9	8
4—	M	—	1	5	2	6	4	3	—	17	5	2	6	3	6	10	8
	F	4	2	2	3	2	6	3	—	17	2	3	5	6	2	17	11
Total under 5 years	M	61	41	54	68	62	72	35	29	346	152	88	102	109	61	304	235
	F	53	31	26	42	55	56	17	28	244	88	65	74	91	38	195	204
5—	M	9	7	9	9	14	11	3	2	50	13	20	20	8	8	31	36
	F	15	4	6	4	13	11	7	3	45	15	11	10	15	11	44	34
10—	M	10	5	3	7	4	3	8	6	24	4	7	9	6	9	30	17
	F	7	8	2	4	3	6	4	6	20	6	8	6	15	7	21	8
15—	M	14	18	7	8	6	12	4	6	34	17	17	7	15	11	33	31
	F	10	7	6	9	5	10	4	—	37	15	14	19	17	3	36	18
20—	M	29	10	6	18	16	25	7	13	42	29	19	28	15	15	42	42
	F	26	11	6	9	13	18	4	3	43	6	12	18	16	11	36	31
25—	M	21	13	6	13	22	15	5	10	45	22	13	20	15	14	49	31
	F	13	5	8	14	11	20	6	7	47	32	20	20	14	9	38	27
30—	M	14	14	12	10	9	13	5	7	67	16	15	19	20	23	33	42
	F	17	9	12	13	15	14	5	13	63	32	21	24	19	16	33	36
35—	M	16	14	13	16	21	13	9	4	75	24	26	20	18	10	52	41
	F	11	8	14	17	13	23	9	10	64	20	24	30	19	19	35	41
40—	M	30	15	14	15	8	26	15	16	112	35	27	24	22	12	55	35
	F	19	5	10	18	21	16	10	8	82	33	18	28	15	8	33	36
45—	M	28	10	20	34	31	24	12	14	149	35	37	50	20	27	79	60
	F	40	14	17	31	20	29	8	13	110	41	39	45	23	19	51	58
50—	M	50	11	18	43	29	25	14	20	163	66	55	35	45	18	120	75
	F	22	14	19	26	33	37	18	22	145	51	47	52	42	20	83	61
55—	M	56	29	27	48	51	48	28	32	234	72	66	59	44	38	119	130
	F	47	22	22	51	46	35	13	20	184	80	75	64	40	34	111	87
60—	M	59	39	46	66	69	66	31	28	283	111	82	100	68	49	155	113
	F	62	37	36	58	48	66	23	24	251	80	73	101	58	62	140	118
65—	M	68	52	65	87	62	108	27	52	295	155	110	131	83	57	186	179
	F	80	40	53	74	51	74	38	48	298	117	104	117	67	67	165	131
70—	M	96	53	48	99	75	92	34	46	316	139	118	139	103	73	202	183
	F	73	55	58	77	72	87	47	49	313	128	147	152	69	67	197	164
75—	M	72	57	42	98	58	108	38	59	264	106	108	121	75	63	155	184
	F	99	63	55	93	75	106	54	54	341	155	152	174	96	77	178	142
80—	M	56	42	40	74	46	80	26	30	130	77	82	95	40	49	89	103
	F	81	49	51	74	60	71	51	54	213	92	125	152	56	47	92	109
85—	M	36	28	16	50	29	54	20	41	86	53	48	80	21	23	47	53
	F	62	47	43	60	65	71	40	51	130	57	139	115	37	40	91	84

TABLE 16—contd.

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1930.
(Civilian population only.)

Age.	Sex.	Devonshire.		Dorsetshire.		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Hereford-shire.		Hertford-shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages	M	1380	1351	826	687	3269	2445	259	188	4168	1598	649	1320	265	503	1354	586
	F	1657	1280	784	678	2776	2033	234	154	3864	1409	769	1273	267	456	1417	565
Under 4 weeks	M	45	60	33	26	267	193	15	7	204	62	31	53	8	17	58	21
	F	31	37	22	22	184	152	9	11	146	58	26	40	10	19	49	14
4 weeks—3 months	M	16	17	9	9	62	47	5	1	76	13	10	15	1	2	19	6
	F	6	7	4	4	58	21	2	—	41	16	3	7	1	2	12	4
3—6 months	M	5	14	2	9	62	37	5	3	49	10	2	5	2	1	12	8
	F	7	6	7	3	48	34	—	1	34	8	5	6	4	7	4	3
6—12 months	M	9	13	2	7	103	58	5	4	64	13	8	14	5	3	16	5
	F	12	5	8	7	69	52	5	2	47	9	8	14	1	1	12	5
Total under 1 year	M	75	104	46	51	494	335	30	15	393	98	51	87	16	23	105	40
	F	56	55	41	36	359	259	16	14	268	91	42	67	16	29	77	26
1—	M	10	16	6	10	114	65	2	1	82	16	4	9	3	6	14	6
	F	6	13	6	13	91	61	3	3	72	14	4	14	1	3	12	4
2—	M	9	11	5	2	49	42	1	2	40	7	—	8	1	3	5	1
	F	4	8	4	3	31	27	1	1	32	8	1	3	1	3	5	1
3—	M	4	4	1	1	31	21	—	—	27	12	3	2	2	2	8	3
	F	6	5	2	2	27	16	1	—	27	5	2	2	1	2	7	3
4—	M	2	4	6	4	32	18	2	—	28	6	1	3	1	—	6	2
	F	2	4	2	—	22	13	1	2	27	2	2	3	—	—	7	1
Total under 5 years	M	100	139	64	68	720	481	35	18	570	139	59	109	23	34	138	52
	F	74	85	55	54	530	376	22	20	426	120	51	89	19	37	108	35
5—	M	13	22	8	8	84	76	6	2	103	26	12	8	5	4	16	6
	F	21	10	13	9	67	55	10	3	112	15	8	19	7	2	11	4
10—	M	9	14	11	9	43	30	1	2	50	22	5	8	2	4	20	8
	F	11	8	5	7	45	38	5	2	56	12	3	10	—	9	11	5
15—	M	18	20	11	10	92	72	7	6	90	27	7	18	2	5	18	8
	F	13	16	12	6	77	64	6	2	74	29	12	19	5	10	14	7
20—	M	25	33	13	7	85	64	2	3	86	31	12	27	5	20	36	15
	F	25	30	14	12	62	57	5	3	94	27	13	19	4	10	36	13
25—	M	27	25	16	17	81	62	5	3	91	33	11	25	5	10	33	8
	F	41	20	15	15	71	55	6	1	94	20	13	32	6	10	28	8
30—	M	26	26	22	14	84	68	5	1	105	30	14	28	7	6	19	16
	F	39	33	18	8	88	59	3	4	124	36	10	27	4	11	27	11
35—	M	25	37	18	13	89	56	7	4	137	44	16	26	8	8	44	11
	F	29	34	19	14	94	68	5	4	123	32	10	26	2	13	28	21
40—	M	34	34	23	11	122	73	7	1	148	52	18	41	6	6	43	21
	F	38	27	18	25	84	82	6	2	132	51	13	27	8	10	43	9
45—	M	54	49	36	21	143	101	14	7	205	55	22	52	13	17	51	19
	F	59	54	29	11	117	75	4	5	144	51	33	54	8	13	54	22
50—	M	87	53	34	19	160	117	13	8	249	83	46	76	14	20	77	37
	F	81	50	38	21	147	99	9	5	169	73	31	42	12	21	76	31
55—	M	91	77	68	56	209	153	14	13	320	105	53	84	20	37	126	40
	F	89	73	55	36	171	145	9	6	250	85	33	72	9	24	82	47
60—	M	131	132	94	60	283	218	14	9	373	152	54	139	27	51	126	48
	F	123	120	55	55	189	148	16	17	269	106	68	91	27	38	114	46
65—	M	159	140	102	76	312	232	23	23	458	193	66	136	27	63	168	64
	F	174	112	83	70	267	182	24	11	334	134	91	131	28	41	133	49
70—	M	192	167	120	91	317	242	28	25	438	203	83	186	40	65	163	66
	F	218	172	84	89	270	202	26	13	421	163	109	180	33	47	178	66
75—	M	187	160	82	94	242	212	32	25	346	170	92	164	38	77	140	83
	F	248	173	100	93	250	147	29	19	413	166	95	155	39	59	189	75
80—	M	134	120	62	76	140	123	27	22	254	139	48	122	17	41	90	54
	F	190	155	92	85	162	125	22	16	349	138	95	140	28	54	148	61
85—	M	68	103	42	37	63	65	19	16	145	94	31	71	6	35	46	30
	F	184	108	79	68	85	56	27	21	280	151	81	140	28	47	137	55

TABLE 16—*contd.*

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1930.
(Civilian population only.)

Age.	Sex.	Huntingdon-shire.		Kent.		Lancashire.		Leicester-shire.		Lincolnshire: Parts of Holland.		Lincolnshire: Parts of Kesteven.		Lincolnshire: Parts of Lindsey.		Middlesex.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	124	216	4547	1822	9360	1416	641	945	264	264	235	396	737	823	7165	224
	F	134	202	4456	1723	9294	1379	615	874	231	264	246	382	708	783	7062	207
Under 4 weeks	M	6	6	170	81	435	76	28	64	13	13	10	20	38	33	379	15
	F	5	4	139	61	346	56	34	41	12	13	10	15	28	25	239	8
	M	4	5	77	18	125	22	11	11	6	7	6	10	19	13	107	4
	F	2	—	36	20	85	7	4	9	2	5	4	7	6	12	76	1
	M	2	2	43	11	93	10	5	8	4	5	1	3	6	8	80	4
	F	2	1	32	8	54	9	11	9	2	4	6	4	7	7	52	1
	M	1	—	49	17	132	15	7	16	5	5	3	8	7	8	120	2
	F	—	6	26	14	141	16	8	12	2	4	2	8	7	11	94	8
Total under 1 year	M	13	13	339	127	785	123	51	99	28	30	20	41	70	62	686	25
	F	9	11	233	103	626	88	57	71	18	26	22	34	48	55	461	18
	M	1	2	47	30	156	21	8	11	8	2	3	1	9	9	124	1
	F	1	1	37	20	141	17	9	6	2	3	4	3	9	10	102	1
	M	1	1	20	7	84	9	7	5	2	7	—	1	5	5	64	2
	F	—	1	17	8	62	7	5	5	1	5	—	2	2	4	54	1
	M	—	1	17	8	59	7	1	3	2	—	—	1	3	6	48	3
	F	—	1	15	3	53	3	5	1	—	1	—	2	5	6	33	2
	M	—	—	11	10	50	4	2	4	3	2	2	2	2	2	27	2
	F	1	—	16	8	37	2	2	2	1	3	—	—	2	2	34	—
	M	15	17	434	182	1134	164	69	122	43	41	25	46	89	84	949	33
	F	11	14	318	142	919	117	78	85	22	38	26	41	66	77	684	22
	M	2	5	68	19	189	20	11	22	8	6	6	4	12	11	129	4
	F	2	5	65	22	158	17	11	12	1	3	5	2	10	5	129	2
	M	2	1	42	19	94	15	3	15	—	2	—	2	13	14	74	7
	F	6	2	38	25	75	13	9	14	2	3	2	7	13	7	64	2
	M	2	3	82	30	157	29	11	12	8	3	6	5	16	17	163	7
	F	4	2	72	28	168	20	9	20	2	4	5	4	7	15	116	5
	M	3	2	96	40	217	26	13	17	9	9	8	11	17	26	181	2
	F	2	—	80	22	157	25	13	18	4	5	4	4	14	11	188	2
	M	3	2	104	31	178	28	16	29	4	7	4	11	18	23	193	6
	F	3	5	96	30	220	38	22	20	7	6	5	7	21	17	198	6
	M	5	6	87	30	186	24	20	22	5	2	5	10	15	12	151	4
	F	4	3	90	40	220	31	20	23	4	3	5	8	25	14	194	5
	M	5	1	102	55	266	28	19	25	10	6	4	10	18	18	219	10
	F	1	2	97	46	261	42	15	22	5	6	8	6	21	23	186	4
	M	3	2	156	64	337	39	14	37	9	5	5	7	19	14	268	8
	F	2	7	150	38	323	48	18	28	7	7	7	11	19	26	224	6
	M	2	9	191	75	453	61	40	42	7	11	9	16	31	25	335	13
	F	2	5	183	59	396	51	20	32	11	13	5	9	31	31	264	11
	M	7	3	274	89	640	84	47	39	8	15	10	14	42	21	428	12
	F	4	11	240	66	536	67	32	38	10	12	7	15	43	43	406	13
	M	8	16	371	118	827	103	52	59	12	12	18	19	50	32	555	17
	F	5	15	255	104	697	84	48	60	8	16	14	23	31	45	432	7
	M	11	22	401	156	992	138	66	79	17	19	25	30	68	70	692	17
	F	11	17	331	149	891	126	39	63	14	17	19	34	61	55	508	11
	M	13	22	491	210	1150	181	70	89	29	30	25	29	96	98	797	19
	F	14	23	434	175	1092	157	47	75	19	18	19	39	68	66	627	17
	M	18	35	568	210	1166	179	61	110	28	22	30	50	87	93	707	21
	F	23	15	549	189	1177	187	82	84	25	25	37	37	83	89	817	26
	M	8	34	519	229	794	147	61	107	26	33	32	71	69	110	642	18
	F	14	21	523	229	1048	174	62	104	38	35	28	44	67	105	829	28
	M	11	16	343	159	423	103	48	71	23	25	12	36	37	89	441	19
	F	13	26	490	179	608	107	56	95	26	18	31	40	70	83	665	23
	M	6	20	218	106	157	47	20	48	18	16	11	25	40	66	241	7
	F	13	29	445	180	348	75	34	81	26	35	19	51	58	71	531	17

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES, 1930.

(Civilian population only.)

Age.	Sex.	Norfolk.		Northamptonshire.		Northumberland.		Nottinghamshire.		Oxfordshire.		Peterborough Soke of.		Rutlandshire.		Shropshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	325	1489	573	668	1788	552	1446	849	221	584	250	50	22	77	738	798
	F	343	1560	572	677	1602	574	1349	841	219	539	242	39	19	82	716	697
Under 4 weeks	M	15	74	25	22	126	24	107	64	8	19	11	3	3	3	46	70
	F	5	57	19	15	81	27	68	44	8	12	13	2	—	3	19	22
	M	2	11	1	5	37	6	18	21	2	4	2	3	1	2	12	5
	F	—	6	5	7	19	4	10	9	2	5	4	1	—	—	5	3
	M	1	14	5	4	19	5	25	9	—	2	7	—	—	—	8	5
	F	1	5	3	7	16	4	12	4	—	—	—	—	—	—	4	2
	M	5	19	3	2	38	7	38	14	2	7	5	—	—	—	15	7
	F	1	15	1	2	22	6	26	13	2	3	5	1	—	—	8	4
Total under 1 year	M	23	118	34	33	220	42	188	108	12	32	25	6	4	5	81	87
	F	7	83	28	31	138	41	116	70	12	20	22	4	—	3	36	31
1—	M	2	17	6	10	35	5	25	9	—	4	3	—	—	3	7	10
	F	3	19	8	5	33	2	24	19	—	1	1	—	—	1	5	8
2—	M	1	6	2	4	16	2	11	9	1	—	2	—	—	2	6	4
	F	3	9	8	3	8	4	13	4	—	4	—	—	—	—	4	5
3—	M	1	3	4	4	17	1	6	7	—	2	2	—	—	1	3	7
	F	3	7	5	3	9	4	12	7	1	—	1	—	—	—	6	3
4—	M	2	4	4	1	14	1	3	2	—	2	1	—	—	—	3	4
	F	1	2	3	2	11	2	8	5	2	2	—	—	—	1	1	1
Total under 5 years	M	29	148	50	52	302	51	233	135	13	40	33	6	4	11	100	112
	F	17	120	52	44	199	53	173	105	15	27	24	4	—	5	52	48
5—	M	6	15	12	6	42	9	28	10	2	4	1	1	1	—	12	3
	F	5	19	9	5	32	7	17	5	1	7	4	1	—	—	7	9
10—	M	5	17	2	4	20	8	16	9	—	3	3	2	—	1	5	5
	F	1	12	2	5	27	5	16	9	2	3	3	—	2	—	7	6
15—	M	3	11	13	5	52	8	30	21	1	6	1	—	—	—	9	12
	F	3	21	18	11	43	10	41	13	6	7	4	—	1	—	8	10
20—	M	5	21	17	11	49	9	46	18	7	13	5	1	2	—	18	16
	F	6	29	9	19	42	17	42	19	5	6	4	1	—	1	10	15
25—	M	2	32	14	14	57	10	52	17	7	14	3	2	—	1	10	9
	F	2	23	16	10	51	11	56	22	4	9	7	1	—	3	14	12
30—	M	6	29	14	13	46	17	27	28	5	12	4	—	—	1	6	9
	F	6	27	12	9	38	14	35	20	3	4	—	—	—	2	17	13
35—	M	10	29	17	12	63	16	36	18	2	17	3	—	—	—	17	8
	F	8	34	12	11	54	12	48	24	4	13	8	2	1	4	19	19
40—	M	8	29	22	12	64	15	59	35	3	13	6	1	—	2	24	14
	F	8	33	12	16	52	14	55	32	7	15	5	1	—	—	19	11
45—	M	12	36	16	27	78	18	70	29	13	22	7	1	1	2	32	28
	F	14	63	23	24	61	15	59	35	6	19	7	1	2	4	26	18
50—	M	12	60	41	27	101	31	91	46	11	22	19	3	1	3	41	31
	F	13	63	33	27	94	25	78	44	10	24	14	1	—	5	37	34
55—	M	23	73	36	41	129	33	113	52	13	38	21	2	1	4	54	52
	F	21	89	40	30	118	43	86	48	17	30	19	3	1	5	35	38
60—	M	27	115	60	52	143	51	116	56	14	48	21	4	3	3	63	67
	F	30	105	48	45	138	41	107	49	16	42	21	2	1	4	55	57
65—	M	38	165	59	78	184	77	128	99	31	60	33	3	2	8	91	92
	F	31	150	63	74	152	55	115	93	20	61	29	4	3	5	77	69
70—	M	57	226	80	85	173	56	150	99	29	90	26	5	3	18	96	90
	F	45	170	69	97	175	78	119	104	31	58	29	5	—	10	102	78
75—	M	32	192	53	113	155	70	131	91	36	89	25	8	3	13	73	117
	F	39	223	61	106	160	73	141	94	26	84	24	5	3	15	91	109
80—	M	27	168	40	67	85	57	88	48	21	55	22	8	1	3	59	83
	F	54	190	57	64	98	52	91	69	20	71	22	4	2	11	70	77
85—	M	23	123	27	49	45	16	32	38	13	38	17	3	—	7	28	50
	F	40	189	36	80	68	49	70	56	26	59	18	4	3	8	70	74

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1930.
(Civilian population only.)

Age.	Sex.	Somerset-shire.		Southamp-ton.		Stafford-shire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	965	1386	1059	1437	2932	1168	482	671	249	401	3474	837	793	751	628	612
	F	1021	1361	1032	1344	2555	1117	517	655	254	385	3517	768	968	772	773	560
Under 4 weeks	M	39	66	47	59	181	72	25	29	3	15	154	32	29	23	22	18
	F	19	46	35	48	123	60	15	28	3	7	97	18	16	13	18	8
	4 weeks—3 months	M	11	11	12	15	57	22	3	4	1	2	48	7	8	17	6
		F	7	8	15	10	37	18	5	11	3	3	18	9	2	5	3
	3—6 months	M	5	5	14	12	38	15	3	3	1	1	32	5	3	6	3
		F	9	6	5	6	29	9	5	3	—	1	25	7	3	—	2
	6—12 months	M	7	11	12	17	78	21	3	3	1	2	43	9	4	3	7
		F	7	9	16	13	66	22	6	5	3	3	38	2	2	4	2
	Total under 1 year	M	62	93	85	103	354	130	34	39	6	20	277	53	44	49	38
		F	42	69	71	77	255	109	31	47	9	14	178	36	23	22	25
	1—	M	3	6	16	21	87	19	7	1	3	4	29	8	6	3	2
		F	9	16	18	19	52	17	3	6	1	4	42	5	8	4	12
	2—	M	3	3	6	10	47	6	1	1	2	1	26	4	2	3	1
		F	3	4	14	13	30	8	2	3	1	2	12	2	4	5	1
	3—	M	4	3	4	4	25	12	1	3	2	—	24	1	4	3	2
		F	3	3	6	5	26	6	2	2	1	—	8	1	—	1	4
	4—	M	3	3	5	2	12	4	5	5	—	2	16	3	4	—	1
		F	2	1	6	7	15	3	2	1	3	2	11	1	1	2	1
Total under 5 years	M	75	108	116	140	525	171	48	49	13	27	372	69	60	58	44	43
	F	59	93	115	121	378	143	40	59	15	22	251	45	36	34	43	26
5—	M	15	16	22	22	57	14	6	10	2	8	54	16	7	7	7	9
	F	14	14	19	13	51	19	9	7	2	2	61	9	5	10	8	9
10—	M	6	12	11	17	44	10	9	4	3	1	24	10	3	10	4	6
	F	8	5	12	5	38	11	9	6	2	—	21	6	4	6	2	4
15—	M	18	18	9	27	61	22	2	6	1	4	54	11	9	14	3	12
	F	10	19	21	16	56	25	11	18	2	4	41	10	8	13	9	8
20—	M	16	24	17	24	73	32	11	19	6	11	84	15	9	11	10	10
	F	20	16	18	22	62	20	7	7	2	3	63	12	16	6	12	8
25—	M	23	26	23	28	80	25	7	12	3	5	88	12	8	17	12	17
	F	17	29	26	23	66	29	9	7	6	9	78	14	13	14	12	10
30—	M	19	21	15	37	72	30	7	9	9	4	66	18	12	11	15	8
	F	23	27	27	29	77	16	13	18	4	7	80	11	14	15	17	10
35—	M	17	40	19	27	105	27	15	13	2	5	80	19	15	7	8	12
	F	23	29	30	38	72	40	12	17	5	6	83	19	10	21	15	7
40—	M	40	40	19	48	101	24	13	22	4	8	90	24	19	20	21	12
	F	24	34	28	23	79	29	4	15	7	13	114	23	34	15	23	9
45—	M	32	38	35	48	150	51	12	25	14	9	160	27	36	36	22	19
	F	32	45	43	54	99	41	19	14	5	10	147	19	37	38	36	19
50—	M	52	70	78	70	163	60	41	21	12	15	245	46	33	44	31	29
	F	39	67	43	63	130	56	31	32	17	17	191	44	56	33	27	29
55—	M	74	105	76	92	218	72	36	45	20	26	294	60	62	51	41	47
	F	69	70	58	69	181	69	28	36	13	18	215	54	60	55	37	41
60—	M	99	128	118	125	232	109	33	48	15	33	348	79	84	66	64	58
	F	90	100	82	96	195	79	39	47	17	31	283	69	85	59	61	36
65—	M	113	150	116	177	308	112	53	77	37	58	364	101	101	82	78	67
	F	134	147	91	133	223	105	47	64	30	38	356	79	102	85	71	52
70—	M	136	164	140	169	308	139	75	90	35	56	412	103	123	100	84	66
	F	126	185	115	163	292	128	69	93	30	42	415	97	125	92	121	70
75—	M	104	203	114	150	243	147	45	85	38	60	339	104	107	97	86	87
	F	126	180	108	165	252	118	73	84	28	61	431	107	136	117	100	89
80—	M	81	138	77	146	131	85	41	86	22	39	238	64	65	66	62	55
	F	111	159	95	177	191	108	58	74	34	56	363	76	108	83	91	80
85—	M	45	85	54	90	61	38	28	50	13	32	162	59	40	54	36	55
	F	96	142	101	134	113	81	39	57	35	46	324	74	119	76	88	53

TABLE 16—contd.

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1930.
(Civilian population only.)

Age.	Sex.	Warwick-shire.		Westmor-land.		Wight, Isle of.		Wiltshire.		Worcester-shire.		Yorkshire, East Riding.		Yorkshire, North Riding.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	983	1016	179	221	346	158	824	886	1176	679	444	535	1220	872
	F	947	919	186	214	406	126	821	858	1123	670	464	561	1066	809
Under 4 weeks	M	42	53	5	17	9	3	40	41	56	25	14	35	46	39
	F	37	51	10	14	5	2	40	34	36	24	12	21	49	33
4 weeks—3 months	M	12	12	2	2	2	—	11	13	14	5	3	9	16	15
	F	4	6	—	2	1	—	7	6	16	5	7	6	11	5
3—6 months	M	8	9	2	—	—	2	6	6	9	6	2	5	19	6
	F	6	9	3	—	1	1	1	5	5	1	1	5	10	2
6—12 months	M	14	13	2	1	2	—	9	8	21	6	4	5	32	11
	F	12	8	—	—	5	—	9	6	10	9	5	7	22	3
Total under 1 year	M	76	87	11	20	13	5	66	68	100	42	23	54	113	71
	F	59	74	13	16	12	3	57	51	67	39	25	39	92	43
1—	M	17	9	2	3	2	—	10	6	21	5	3	6	24	12
	F	7	10	1	4	2	1	9	9	17	6	3	10	19	10
2—	M	5	7	—	—	7	—	3	9	8	3	2	1	19	7
	F	10	5	—	1	4	—	6	3	9	1	4	5	7	3
3—	M	2	6	1	—	2	1	2	—	8	1	—	4	6	2
	F	3	5	—	2	3	—	5	6	3	2	—	2	7	2
4—	M	2	11	—	—	1	—	4	3	4	3	2	2	8	4
	F	5	8	—	—	1	—	2	3	5	—	2	3	6	1
Total under 5 years	M	102	120	14	23	25	6	85	86	141	54	30	67	170	96
	F	84	102	14	23	22	4	79	72	101	48	34	59	131	59
5—	M	18	15	2	1	3	3	18	19	26	10	4	9	28	12
	F	12	18	3	1	4	1	18	10	25	9	4	6	28	7
10—	M	13	11	1	2	2	—	15	10	7	11	5	4	18	4
	F	13	12	4	1	1	2	10	7	12	5	2	7	8	1
15—	M	18	16	4	—	5	3	10	6	28	9	9	8	30	12
	F	10	19	3	2	3	2	14	11	25	5	9	14	17	12
20—	M	24	35	3	6	4	2	21	15	28	15	9	8	30	26
	F	25	16	4	3	6	5	17	7	28	17	3	10	21	12
25—	M	25	33	1	7	9	2	25	20	30	13	11	8	19	18
	F	19	25	3	1	6	3	16	18	27	16	9	13	22	16
30—	M	19	24	6	3	7	1	25	17	22	6	10	11	24	20
	F	25	23	4	4	7	—	17	17	26	17	10	9	18	15
35—	M	22	19	4	2	5	6	18	22	35	22	13	7	32	10
	F	14	28	2	7	5	2	11	24	28	21	9	13	21	16
40—	M	30	36	4	5	12	3	18	27	47	13	13	14	44	24
	F	42	32	5	5	4	3	22	17	35	12	17	13	39	29
45—	M	42	43	6	7	15	11	42	29	46	26	16	16	71	32
	F	31	28	5	9	9	5	33	27	33	16	12	9	50	31
50—	M	67	61	10	13	22	9	45	33	69	35	20	25	69	29
	F	46	44	12	9	17	5	43	38	56	37	14	28	61	28
55—	M	66	64	12	15	28	15	55	53	102	48	33	24	81	40
	F	57	52	8	11	20	8	62	51	61	35	30	27	81	46
60—	M	102	102	18	20	23	11	63	71	110	60	35	48	90	56
	F	65	67	10	18	37	14	73	52	91	50	48	45	93	61
65—	M	97	107	21	29	33	17	101	119	110	75	48	63	125	95
	F	101	75	28	15	35	18	68	83	107	63	47	56	89	86
70—	M	116	96	26	30	46	25	96	109	144	87	62	55	145	135
	F	106	94	32	23	48	18	91	113	133	70	55	74	105	103
75—	M	131	101	28	32	38	24	101	107	114	90	59	74	130	144
	F	132	119	22	27	63	16	94	122	143	89	60	64	117	116
80—	M	57	78	15	17	42	11	60	77	74	55	43	58	73	71
	F	100	81	14	36	57	7	84	89	109	86	53	59	96	99
85—	M	34	55	4	9	27	9	26	66	43	50	24	36	41	48
	F	65	84	13	19	62	13	69	100	83	74	48	55	69	72

TABLE 16—*contd.*
DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1930.
(Civilian population only).

Age.	Sex.	Yorkshire, West Riding.		Anglesey.		Brecknock- shire.		Caernarvon- shire.		Cardigan- shire.		Carmarthen- shire.		Denbigh- shire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	6590	2397	133	214	107	259	400	429	125	262	474	697	334	631
	F	6279	2214	129	231	99	252	455	420	152	330	405	613	395	583
Under 4 weeks	M	381	192	8	8	8	6	18	18	2	10	12	46	13	38
	F	265	132	4	8	3	16	9	17	2	11	19	37	14	22
4 weeks—3 months	M	89	45	1	3	1	5	3	7	2	1	2	13	8	16
	F	54	36	2	2	1	1	2	4	—	3	3	6	3	6
3—6 months	M	79	36	3	3	—	4	2	6	—	5	4	10	3	7
	F	43	26	2	1	—	4	—	4	1	3	4	6	2	5
6—12 months	M	119	60	2	1	2	5	9	6	1	3	10	13	2	6
	F	79	53	2	1	2	3	2	4	—	1	7	7	5	11
Total under 1 year	M	668	333	14	15	11	20	32	37	5	19	28	82	26	67
	F	441	247	10	12	6	24	13	29	3	18	33	56	24	44
1—	M	108	69	3	3	—	8	4	2	—	2	5	8	2	10
	F	86	42	—	2	1	5	4	5	—	4	4	12	3	12
2—	M	65	34	1	1	1	1	3	2	—	—	5	4	3	5
	F	45	30	—	1	—	2	4	2	—	—	2	8	4	2
3—	M	45	28	1	2	—	1	2	2	—	1	5	5	2	4
	F	44	20	—	—	1	—	1	1	—	1	2	3	1	6
4—	M	39	22	—	—	2	1	1	—	—	—	5	6	—	6
	F	29	16	—	2	—	4	1	2	—	—	3	3	1	5
Total under 5 years	M	925	486	19	21	14	31	42	43	5	22	48	105	33	92
	F	645	355	10	17	8	35	23	39	3	23	44	82	33	69
5—	M	134	68	—	1	—	2	4	3	2	4	8	7	8	22
	F	129	61	—	3	1	6	3	3	2	2	5	18	7	17
10—	M	68	32	—	1	—	5	4	6	—	—	5	12	7	8
	F	61	41	1	2	2	—	4	4	—	1	5	11	5	13
15—	M	128	47	2	6	5	4	6	11	5	4	14	15	3	12
	F	103	46	4	4	2	6	3	11	3	9	6	12	8	10
20—	M	133	68	4	7	1	5	6	15	1	3	11	18	3	16
	F	141	51	2	4	2	4	12	10	4	5	11	13	9	14
25—	M	146	81	1	4	2	6	3	11	—	10	10	10	9	13
	F	150	55	1	3	1	6	14	6	4	2	8	14	6	15
30—	M	173	52	2	5	4	8	8	11	1	5	12	9	3	10
	F	167	58	6	4	1	8	12	7	5	7	10	13	7	21
35—	M	163	58	3	1	2	7	7	13	—	3	11	22	9	18
	F	175	69	6	3	1	5	8	9	4	7	19	13	9	22
40—	M	208	97	5	3	3	11	15	12	1	5	17	18	8	25
	F	192	85	1	10	7	11	10	14	2	7	13	15	12	14
45—	M	332	96	2	8	3	14	18	12	7	7	28	27	8	22
	F	258	77	9	10	3	8	19	17	4	10	23	26	20	16
50—	M	452	112	6	7	6	12	30	25	9	19	27	38	15	28
	F	338	99	3	7	5	16	24	18	11	14	23	36	17	30
55—	M	532	133	18	11	14	25	30	39	12	11	34	58	24	50
	F	466	134	10	19	6	6	33	21	8	26	29	34	19	46
60—	M	671	202	13	17	8	22	36	50	12	23	54	60	28	73
	F	558	169	5	18	10	18	39	32	7	22	36	44	36	44
65—	M	762	224	14	23	9	21	34	56	17	41	66	73	44	70
	F	703	206	12	24	6	26	56	47	20	38	37	61	49	55
70—	M	746	258	21	37	11	31	62	49	23	39	52	77	59	68
	F	750	225	15	22	12	31	58	51	21	53	56	68	56	59
75—	M	555	211	16	27	11	25	46	39	19	29	42	77	36	50
	F	753	224	14	26	15	28	59	55	29	39	35	68	51	70
80—	M	319	103	4	24	8	21	36	25	6	21	19	52	24	32
	F	420	165	20	30	9	26	46	40	16	35	26	43	27	42
85—	M	143	69	3	11	6	9	13	9	5	16	16	19	13	22
	F	270	94	10	25	8	12	32	36	9	30	19	42	24	26

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF
ADMINISTRATIVE COUNTIES, 1930.

(Civilian population only.)

Age.	Sex.	Flintshire.		Glamorgan-shire.		Merioneth-shire.		Monmouth-shire.		Montgomery-shire.		Pembroke-shire.		Radnorshire.	
		U	R	U	R	U	R	U	R	U	R	U	R	U	R
All Ages ..	M	255	383	3647	1031	165	171	1717	314	121	209	238	278	38	119
	F	244	364	2999	963	166	160	1410	247	116	198	258	317	26	90
Under 4 weeks	M	11	20	228	66	5	11	122	12	5	21	11	15	—	5
	F	5	11	165	53	1	3	77	11	4	6	12	9	—	6
4 weeks—3 months	M	4	7	72	14	2	7	41	2	1	1	2	3	1	2
	F	3	3	47	16	2	—	24	2	2	2	1	4	1	—
3—6 months	M	3	4	48	12	—	2	18	2	3	1	—	1	—	3
	F	3	6	31	7	1	—	20	2	—	3	4	1	—	—
6—12 months	M	1	7	67	22	5	3	42	4	—	2	5	1	—	2
	F	3	3	64	18	3	2	31	2	2	1	4	5	—	—
Total under 1 year	M	19	38	415	114	12	23	223	20	9	25	18	20	1	12
	F	14	23	307	94	7	5	152	17	8	12	21	19	1	6
1—	M	5	6	102	19	1	2	37	5	2	—	2	8	1	1
	F	4	6	59	15	5	1	22	2	1	2	3	1	1	1
2—	M	2	3	42	9	1	1	10	2	1	—	2	—	—	—
	F	2	5	35	9	2	—	16	1	—	—	2	2	—	—
3—	M	2	2	31	1	1	1	7	2	1	—	—	—	—	—
	F	1	3	25	11	1	—	13	—	2	1	5	2	—	—
4—	M	—	—	29	6	—	2	13	4	1	2	2	2	—	—
	F	—	4	25	3	—	—	6	—	—	—	—	2	—	1
Total under 5 years	M	28	49	619	149	15	29	290	33	14	27	24	30	2	13
	F	21	41	451	132	15	6	209	20	11	15	31	26	2	8
5—	M	6	6	89	32	2	2	37	8	—	4	4	5	—	2
	F	5	6	68	15	2	3	36	8	1	4	3	4	—	2
10—	M	3	3	52	9	—	2	19	—	—	2	4	5	—	1
	F	1	5	58	8	4	1	23	7	—	1	4	1	—	2
15—	M	4	6	105	33	5	3	58	1	—	4	4	3	—	1
	F	6	7	74	25	1	6	38	1	—	2	2	5	—	1
20—	M	5	12	105	32	5	6	44	9	2	3	6	8	1	1
	F	8	8	104	30	2	2	54	1	1	3	3	5	1	3
25—	M	8	7	94	35	7	1	46	4	2	3	5	3	1	1
	F	3	9	117	26	6	3	59	13	1	6	7	5	—	1
30—	M	5	5	86	31	6	4	38	6	3	—	—	4	—	2
	F	7	8	92	27	2	3	47	6	1	6	4	9	1	—
35—	M	8	14	111	32	3	2	52	4	1	2	7	6	1	2
	F	4	9	96	36	3	2	47	12	1	3	3	9	2	1
40—	M	8	14	130	41	6	4	50	6	5	2	3	7	3	2
	F	8	16	118	33	4	4	51	7	2	8	8	6	1	2
45—	M	8	13	203	63	9	6	84	12	5	5	16	12	3	4
	F	10	19	140	48	4	6	75	9	4	5	9	16	—	1
50—	M	11	16	240	66	7	9	103	18	8	13	12	7	3	1
	F	13	22	188	53	7	4	82	12	5	5	17	16	—	4
55—	M	20	33	297	83	11	14	131	22	9	9	23	10	6	4
	F	14	20	216	63	9	2	107	14	9	13	17	20	1	10
60—	M	23	40	330	92	19	15	157	30	6	18	22	26	2	6
	F	22	27	252	70	12	18	101	16	12	15	15	19	1	4
65—	M	37	50	379	103	17	12	195	45	14	27	20	35	4	14
	F	28	37	246	87	17	18	99	30	14	24	27	28	5	7
70—	M	35	43	364	86	24	21	189	41	25	22	32	34	3	18
	F	38	41	292	108	21	22	129	26	22	22	30	44	4	11
75—	M	21	40	242	68	15	18	133	29	10	34	31	39	2	26
	F	32	42	239	105	23	22	135	24	8	30	39	45	3	11
80—	M	20	21	138	48	9	15	61	25	8	21	14	25	5	13
	F	15	33	147	50	18	19	74	23	15	23	18	38	3	12
85—	M	5	11	63	28	5	8	30	21	9	13	11	19	2	8
	F	9	14	101	47	16	19	44	18	9	13	21	21	2	10

TABLE 17.—ENGLAND AND WALES.

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930. (TOTAL DEATHS REGISTERED).

NOTE.—The sequence of causes of death followed in this table is that of the International List of Causes of Death. Separate columns are not devoted to those causes to which, as a rule, few deaths are assigned. In order, however, to make the record complete, the list numbers of such causes are printed as nearly as possible to the places where they would occur. The deaths, if any, from these causes are shown in footnotes in which the heavy-faced figures preceding the cause express the International List number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus, 2 Typhus 5, 15, 20, 50, would denote that the deaths of three males in age-groups 5-10, 15-20 and 20-25 and one female in age-group 50-55 are assigned to this cause. A dash (—) indicates that no deaths are assigned.

Causes of Death.	All Causes.		I. 1-42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1(a) Typhoid fever.		1 (b) Paraty- phoid fever.		2, 3, 4*		6 Small-pox.		7 Measles.	
											5 Malaria.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	234010	221417	31251	25913	163	150	140	117	23	33	38	2	15	13	2264	1924
0—1	22587	16321	1945	1622	2	—	2	—	—	—	—	—	2	5	524	378
1—5	8935	7821	3937	3719	5	3	4	—	1	3	—	—	—	—	1484	1300
5—10	4171	3700	1692	1766	8	1	6	1	2	—	—	—	2	—	209	191
10—15	2472	2328	734	926	7	8	6	6	1	2	—	—	2	2	26	22
15—20	4451	4083	1633	2208	12	14	11	12	1	2	1	—	1	—	4	5
20—25	5559	4928	2334	2584	19	18	18	14	1	4	1	—	—	—	5	1
25—30	5399	5242	2162	2332	13	10	11	10	2	—	5	—	—	—	—	5
30—35	5156	5432	1986	1898	13	12	13	10	—	2	1	—	1	—	3	7
35—40	6217	5798	1985	1476	19	12	17	11	2	1	6	1	—	—	3	1
40—45	7955	6980	2117	1344	11	15	11	10	—	5	2	—	—	—	1	2
45—50	11138	8941	2458	1179	11	17	10	13	1	4	5	—	1	2	2	2
50—55	14522	11668	2354	1083	11	13	6	9	5	4	4	—	1	—	1	2
55—60	18319	14495	1989	948	13	4	12	4	1	—	4	—	2	1	—	4
60—65	21929	17786	1532	803	8	9	5	7	3	2	3	—	—	—	1	1
65—70	25439	21917	1092	689	6	10	5	8	1	2	4	—	2	2	—	—
70—75	26386	25452	660	546	4	3	3	1	1	2	1	—	—	—	1	2
75—80	22049	25203	374	430	—	1	—	1	—	—	1	—	—	1	—	1
80 and upwards	21326	33322	267	360	1	—	—	—	1	—	—	1	1	—	—	—

* 2. Typhus 55; 3. Relapsing fever (*Spirillum obermeieri*) —; 4. Mediterranean fever 45, 60, 55.

Causes of Death.	8 Scarlet fever.		9 Whoop- ing cough.		10 Diph- theria.		11 Influenza.		11 (a) 1. With pneumonic com- plications.		11 (a) 2. With other pul- monary complica- tions.		11 (b) 1. With non- pulmonary complica- tions.		11 (b) 2. Without stated complica- tion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	352	388	897	1140	1725	1772	2742	2277	1335	848	508	453	663	740	236	236
0—1	10	3	453	512	78	48	71	59	36	20	8	8	20	23	7	8
1—5	139	144	410	569	700	647	63	60	28	20	9	7	22	28	4	5
5—10	108	134	29	50	676	738	45	51	17	18	1	3	23	25	4	5
10—15	32	40	—	1	178	202	23	31	10	5	1	3	8	21	4	2
15—20	19	12	1	2	29	41	68	33	42	11	5	3	17	16	4	3
20—25	10	11	—	—	17	18	77	33	45	20	5	3	23	8	4	2
25—30	7	9	2	—	14	8	92	55	51	28	9	4	24	20	8	3
30—35	11	9	—	1	4	12	95	77	65	35	11	13	14	21	5	8
35—40	5	7	—	—	6	9	108	80	74	35	7	13	21	30	6	2
40—45	5	6	—	—	6	10	166	93	109	52	23	6	30	23	4	12
45—50	3	4	—	—	2	11	235	117	142	52	37	11	44	44	12	10
50—55	2	1	—	—	8	8	237	168	131	62	41	33	54	63	11	10
55—60	—	3	—	1	4	12	294	153	148	63	63	20	65	53	18	17
60—65	—	2	—	1	—	4	297	223	138	90	68	53	70	68	21	12
65—70	1	—	—	—	1	2	264	259	117	95	47	63	75	79	25	22
70—75	—	2	—	—	2	1	238	265	80	89	75	73	55	70	28	33
75—80	—	1	—	1	—	1	194	261	59	80	55	65	57	80	23	36
80 and upwards	—	—	2	2	—	—	175	259	43	73	43	72	41	68	48	46

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	26*		28*		30		30 (1)		30 (2)		Tuberculosis.					
	27		29		Mycoses.		Actino- mycosis.		Other mycoses.		31-37		31		32	
	Anthrax.		Tetanus.								All forms.		Respiratory system.		Nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	7	2	105	29	51	36	29	17	22	19	19786	15959	16468	12946	1273	1199
0—1	—	—	1	1	13	10	—	—	13	10	328	257	55	41	176	130
1—5	—	—	6	2	1	1	—	—	1	1	933	776	130	116	479	433
5—10	—	—	8	3	—	1	—	1	—	—	470	515	89	113	252	238
10—15	—	—	14	2	1	—	1	—	—	—	351	537	133	309	100	120
15—20	1	—	9	1	2	—	2	—	—	—	1363	2021	1068	1715	99	127
20—25	1	—	9	2	4	4	4	4	—	—	2077	2416	1797	2177	61	63
25—30	—	—	6	5	2	5	2	4	—	1	1933	2152	1735	1964	31	26
30—35	—	1	8	—	—	3	—	3	—	—	1729	1674	1586	1532	24	17
35—40	—	1	3	—	3	1	3	1	—	—	1717	1261	1569	1165	20	13
40—45	1	—	7	3	3	2	3	1	—	1	1753	1093	1654	994	11	9
45—50	—	—	4	1	3	1	3	1	—	—	1961	872	1851	791	10	6
50—55	1	—	6	3	4	1	2	—	2	1	1852	756	1765	676	5	6
55—60	2	—	11	1	3	2	3	1	—	1	1390	609	1308	527	3	5
60—65	1	—	7	2	6	1	5	—	1	1	959	421	875	358	2	2
65—70	—	—	3	3	1	4	—	1	1	3	577	297	529	244	—	1
70—75	—	—	3	—	2	—	—	—	2	—	274	168	230	128	—	2
75—80	—	—	—	—	2	—	1	—	1	—	85	94	69	72	—	—
80 and upwards	—	—	—	—	1	—	—	—	1	—	34	40	25	24	—	1

* 26. Glanders —; 28. Rabies —.

Causes of Death.	Tuberculosis— <i>continued</i> .															
	33 Intestines and peritoneum.		34 Vertebral column.		35 Joints.		36 Other organs.		36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral col- umn excepted).		36 (c) Lymph- atic system (abdominal glands excptd).		36 (d) Genito- urinary system.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	557	592	270	216	126	79	267	209	19	31	47	33	40	37	156	103
0—1	47	39	1	—	—	—	7	6	—	—	2	—	4	5	—	—
1—5	155	78	8	5	2	2	19	8	—	—	5	4	12	3	1	1
5—10	46	61	14	12	1	4	4	6	—	—	—	—	2	5	2	1
10—15	35	42	15	9	2	4	10	8	1	—	1	—	2	4	4	4
15—20	68	72	25	17	12	7	12	13	1	—	1	4	2	—	8	9
20—25	44	51	34	15	16	7	26	20	—	1	2	2	2	2	22	15
25—30	24	51	32	16	11	8	25	15	1	1	3	1	—	1	21	12
30—35	28	41	21	19	7	2	15	19	1	1	2	—	2	—	10	17
35—40	26	34	17	8	4	3	24	10	3	3	5	2	—	1	15	4
40—45	10	31	14	16	4	10	21	10	—	1	4	2	—	1	17	5
45—50	19	23	15	22	12	7	21	8	1	2	3	1	1	—	16	5
50—55	12	21	16	20	8	3	17	10	3	2	2	1	—	1	12	5
55—60	15	18	15	18	6	5	16	22	3	4	1	4	1	2	11	11
60—65	13	10	15	13	16	3	16	15	—	1	3	3	4	3	9	8
65—70	5	10	11	11	11	6	10	15	2	2	6	3	1	7	1	3
70—75	8	8	11	8	9	4	13	10	—	7	6	2	3	—	4	1
75—80	1	2	5	3	2	2	7	11	1	6	—	3	3	—	3	2
80 and upwards	1	—	1	4	3	2	4	3	2	—	1	1	1	2	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	Tuberculosis— <i>continued.</i>								38 Syphilis.		39*		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.	
	36 (e) Others in 36.		37 Disseminated tuberculosis.		37 (a) Acute.		37 (b) Chronic or un stated				40 Gonococcal infection.		M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	5	825	718	316	309	509	409	918	496	47	18	32	5	15	13
0—1	1	1	42	41	25	23	17	18	211	149	15	13	—	—	15	13
1—5	1	—	140	134	69	79	71	55	13	19	—	—	—	—	—	—
5—10	—	—	64	81	25	43	39	38	4	4	—	—	—	—	—	—
10—15	2	—	56	45	17	22	39	23	7	5	—	—	—	—	—	—
15—20	—	—	79	70	31	35	48	35	12	5	—	1	—	1	—	—
20—25	—	—	99	83	44	36	55	47	10	5	1	—	1	—	—	—
25—30	—	—	75	72	21	19	54	53	16	14	—	—	—	—	—	—
30—35	—	1	48	44	14	19	34	25	28	18	—	2	—	2	—	—
35—40	1	—	57	28	19	5	38	23	30	26	4	2	4	2	—	—
40—45	—	1	39	23	11	9	28	14	55	45	—	—	—	—	—	—
45—50	—	—	33	15	6	4	27	11	86	52	10	—	10	—	—	—
50—55	—	1	29	20	11	5	18	15	100	41	5	—	5	—	—	—
55—60	—	1	27	14	11	3	16	11	112	37	5	—	5	—	—	—
60—65	—	—	22	20	9	5	13	15	94	34	4	—	4	—	—	—
65—70	—	—	11	10	2	2	9	8	90	16	2	—	2	—	—	—
70—75	—	—	3	8	—	—	3	8	29	18	—	—	—	—	—	—
75—80	—	—	1	4	1	—	—	4	16	4	—	—	—	—	—	—
80 and upwards	—	—	—	6	—	—	—	6	5	4	1	—	1	—	—	—

* 39. Soft chancre—.

Causes of Death.	41 Purulent infection, septicaemia.		42 (1, 2) *		II. 43-69 General diseases not included in I. 1-42.		Cancer, Malignant Disease.									
			42. Other infectious diseases.				43-49 Total Deaths.		43 Buccal cavity.		44 Pharynx, oesophagus, stomach, liver and annexa.		45 Peritoneum, intestines, and rectum.		46 Female genital organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	559	304	11	10	344	1341	269	1630	260	1	96	34	79	58	—	5999
0—1	32	31	—	—	254	190	6	14	—	—	2	—	—	2	—	—
1—5	20	22	—	1	298	231	37	36	—	—	1	1	3	4	—	2
5—10	26	18	—	—	268	234	30	27	1	—	1	1	2	1	—	2
10—15	27	10	1	1	221	256	27	21	3	1	1	1	3	2	—	4
15—20	23	10	1	—	302	274	58	46	4	—	2	1	8	4	—	8
20—25	19	10	—	—	273	329	108	77	6	—	11	8	15	20	—	21
25—30	12	11	—	—	338	380	129	136	7	6	25	21	27	31	—	37
30—35	41	16	—	2	376	651	200	372	6	5	59	61	38	62	—	127
35—40	24	18	—	1	593	1135	393	806	16	9	133	112	68	96	—	288
40—45	37	20	—	2	976	1826	700	1413	25	6	251	235	136	159	—	455
45—50	50	19	—	—	1717	2817	1364	2251	77	30	545	393	267	291	—	682
50—55	41	18	1	2	2849	4035	2374	3176	228	46	861	654	527	484	—	821
55—60	52	19	2	—	4220	4904	3524	3845	364	60	1351	834	812	690	—	852
60—65	54	17	2	1	5273	5526	4418	4230	490	59	1658	1106	1020	919	—	808
65—70	49	22	2	—	5968	5948	5046	4481	543	48	1891	1365	1327	1072	—	713
70—75	28	18	2	—	5062	5481	4214	4181	412	61	1465	1401	1163	1113	—	536
75—80	14	11	—	—	3288	4236	2736	3262	261	50	919	1036	777	942	—	383
80 and upwards	10	14	—	—	1867	3313	1552	2593	158	44	458	728	425	703	—	260

* 42. (1) Vaccinia 10, 70, 1, 10,

(2) Other diseases included under 42 :—15, 50, 55, 55, 60, 60, 65, 65, 70, 30, 30, 35, 40, 40, 50, 50, 60.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	Cancer— <i>continued.</i>						50 Tumours not returned as malignant. (brain and female genital organs excptd).		51 Rheumatic fever.		52 Chronic rheumatism, osteo-arthritis, gout.		52 (1) Chronic rheumatism.		52 (2) Rheumatoid and osteo-arthritis.	
	47 Breast.		48 Skin.		49 Other or unspecified organs.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.										
All Ages	60	6052	849	447	7154	3491	452	401	693	812	1115	2170	65	112	812	2003
0—1	—	—	—	2	4	10	2	2	—	—	—	—	—	—	—	—
1—5	—	1	—	—	33	28	7	8	27	23	—	—	—	—	—	—
5—10	—	—	—	1	26	22	4	4	133	125	—	1	—	—	—	1
10—15	—	—	1	—	19	13	3	2	101	147	1	1	—	—	1	1
15—20	—	1	1	1	43	31	6	5	104	91	1	1	—	—	1	1
20—25	—	—	2	1	74	27	2	6	46	81	1	2	—	—	1	2
25—30	1	7	3	3	66	31	9	9	42	58	3	9	—	1	3	8
30—35	1	64	10	4	86	49	4	13	38	34	4	12	—	—	4	12
35—40	2	197	4	4	170	100	9	12	39	45	6	19	—	1	6	18
40—45	—	404	17	14	271	140	21	23	28	30	23	36	1	1	18	35
45—50	—	605	24	15	451	235	26	28	29	44	39	50	—	—	34	49
50—55	6	838	46	12	706	321	61	39	27	41	52	113	—	2	43	111
55—60	11	877	65	34	921	498	63	29	25	26	97	191	1	5	77	179
60—65	11	803	103	41	1136	494	59	47	24	23	154	255	6	6	112	242
65—70	8	736	127	61	1150	486	66	45	13	21	198	368	6	13	133	346
70—75	7	566	159	73	1008	431	50	44	10	10	221	372	23	16	159	346
75—80	8	455	142	70	629	326	36	39	4	7	187	364	17	28	130	326
80 and upwards	5	498	145	111	361	249	24	46	3	6	128	376	11	39	90	326

Causes of Death.	52 (3) Gout.		53 Scurvy.		54 Pellagra.		55* Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (a) Pernicious anæmia.		58 (b) Other anæmias and chlorosis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	238	55	9	10	1	5	184	132	2317	3342	1014	1412	902	1248	112	164
0—1	—	—	3	6	—	—	63	49	1	1	18	8	3	3	15	5
1—5	—	—	4	1	—	—	112	77	5	5	11	14	4	5	7	9
5—10	—	—	—	—	—	1	4	4	17	17	8	6	4	1	4	5
10—15	—	—	—	—	—	—	2	1	24	28	7	12	4	1	3	11
15—20	—	—	—	—	—	—	2	1	39	32	16	14	11	9	5	5
20—25	—	—	—	—	—	1	—	—	47	32	9	17	4	11	5	6
25—30	—	—	—	—	—	—	—	—	61	46	19	24	13	18	6	6
30—35	—	—	—	—	1	—	—	—	52	43	16	57	13	49	3	8
35—40	—	—	—	—	—	—	—	—	39	52	24	58	23	46	1	12
40—45	4	—	1	—	—	—	—	—	63	78	50	81	40	71	10	10
45—50	5	1	—	—	—	2	1	—	97	100	61	97	52	83	9	14
50—55	9	—	—	—	—	—	—	—	128	224	90	141	82	128	8	13
55—60	19	7	—	2	—	—	—	—	252	384	138	173	130	152	8	21
60—65	36	7	—	1	—	1	—	—	340	521	182	212	174	203	8	9
65—70	59	9	1	—	—	—	—	—	380	619	171	192	165	180	6	12
70—75	39	10	—	—	—	—	—	—	407	584	114	159	105	154	9	5
75—80	40	10	—	—	—	—	—	—	235	373	61	100	57	90	4	10
80 and upwards	27	11	—	—	—	—	—	—	130	203	19	47	18	44	1	3

* 55 Beri-Beri—.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	59 Diseases of the pituitary gland.		60 Diseases of the thyroid gland.		60 (a) Exophthalmic goitre.		60 (b) (1) Myxœdema.		60 (b) (2) Cretinism.		60 (b) (3) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	13	20	170	1424	112	1114	23	165	17	36	18	109	12	11	12	11
0—1	—	—	3	9	—	—	—	—	3	9	—	—	8	5	8	5
1—5	—	—	6	9	—	—	—	—	6	8	—	1	3	3	3	3
5—10	—	1	5	6	1	2	—	—	4	4	—	—	—	1	—	1
10—15	—	1	2	6	—	2	2	—	—	3	—	1	1	—	1	—
15—20	1	—	6	35	4	30	—	2	—	1	2	2	—	1	—	1
20—25	—	2	7	64	5	58	—	—	1	5	1	1	—	—	—	—
25—30	—	1	8	50	4	47	1	—	3	1	—	2	—	1	—	1
30—35	—	—	8	71	8	63	—	3	—	1	—	4	—	—	—	—
35—40	1	—	11	94	10	86	—	4	—	2	1	2	—	—	—	—
40—45	—	1	12	110	12	99	—	7	—	—	—	4	—	—	—	—
45—50	2	4	15	163	14	152	—	4	—	2	1	5	—	—	—	—
50—55	2	2	27	199	17	173	5	15	—	—	5	11	—	—	—	—
55—60	4	1	21	166	18	139	2	21	—	—	1	6	—	—	—	—
60—65	2	3	12	149	10	117	1	21	—	—	1	11	—	—	—	—
65—70	—	1	13	138	6	84	5	31	—	—	2	23	—	—	—	—
70—75	—	—	7	79	1	35	5	28	—	—	1	16	—	—	—	—
75—80	1	2	4	53	2	21	1	19	—	—	1	13	—	—	—	—
80 and upwards	—	1	3	23	—	6	1	10	—	—	2	7	—	—	—	—

Causes of Death.	61 (2)* Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.		65 (a) Leukæmia.		65 (b) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	84	54	93	139	15	24	672	493	354	302	318	191	49	45	42	1
0—1	58	32	—	1	—	1	6	3	5	3	1	—	—	—	—	—
1—5	11	7	—	—	—	1	40	19	31	19	9	—	—	—	—	—
5—10	5	5	—	—	1	—	43	22	27	19	16	3	—	—	1	—
10—15	2	4	—	2	—	1	37	20	27	13	10	7	—	—	—	—
15—20	2	1	4	3	—	—	46	27	30	14	16	13	—	—	—	—
20—25	—	—	3	4	—	—	40	30	14	18	26	12	—	—	—	—
25—30	3	3	3	8	—	—	52	24	24	15	28	9	1	1	—	—
30—35	1	—	5	9	1	3	38	24	18	8	20	16	1	2	—	—
35—40	1	—	6	12	1	2	47	30	17	18	30	12	5	—	1	—
40—45	—	1	7	17	2	—	44	24	24	13	20	11	10	3	4	—
45—50	1	—	11	24	3	1	46	36	24	24	22	12	6	5	6	—
50—55	—	—	10	14	2	3	45	52	20	35	25	17	9	7	8	1
55—60	—	1	14	14	1	3	55	43	28	27	27	16	6	10	6	—
60—65	—	—	9	8	3	3	48	42	18	25	30	17	3	10	7	—
65—70	—	—	11	14	1	2	45	45	26	26	19	19	5	1	8	—
70—75	—	—	6	3	—	3	25	25	13	12	12	13	—	5	1	—
75—80	—	—	4	5	—	1	13	16	7	7	6	9	3	—	—	—
80 and upwards	—	—	—	1	—	—	2	11	1	6	1	5	—	1	—	—

*61. (2) Other diseases of the parathyroid glands —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	67 (1) Occupational lead poisoning		67 (2) Other chronic poisoning by mineral substances.		68 Chronic poisoning by organic substances.		69 Other general diseases.		69 (1) Purpura.		69 (2) Hæmophilia.		69 (3) Other diseases included under 69.		III. 70-86 Diseases of the nervous system and sense organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	39	1	3	—	2	4	290	300	131	148	86	38	73	114	19689	21464
0—1	—	—	—	—	—	—	86	59	23	20	46	28	17	11	1215	786
1—5	—	—	—	—	—	—	35	28	12	11	8	1	15	16	471	410
5—10	—	—	1	—	—	—	17	14	12	11	1	—	4	3	297	279
10—15	—	—	—	—	—	—	14	10	10	4	3	1	1	5	223	233
15—20	—	—	—	—	—	—	17	17	10	11	4	2	3	4	299	261
20—25	—	—	—	—	—	—	10	13	9	10	1	1	—	2	297	208
25—30	—	—	—	—	—	—	8	10	4	9	4	1	—	—	305	259
30—35	—	—	—	—	—	—	7	11	3	7	3	1	1	3	347	315
35—40	—	—	1	—	—	—	10	5	5	4	3	—	2	1	485	377
40—45	4	—	—	—	—	—	11	9	6	4	1	—	4	5	632	545
45—50	6	—	—	—	—	1	10	11	5	9	3	1	2	1	892	865
50—55	7	1	1	—	—	1	14	22	7	6	2	1	5	15	1246	1314
55—60	6	—	—	—	—	—	14	16	6	9	2	—	6	7	1670	1590
60—65	7	—	—	—	1	—	11	21	5	7	3	1	3	13	2147	2088
65—70	8	—	—	—	1	1	9	20	4	8	—	—	5	12	2551	2632
70—75	1	—	—	—	—	1	7	15	3	8	2	—	2	7	2689	3133
75—80	—	—	—	—	—	—	4	14	2	7	—	—	2	7	2204	2978
80 and upwards	—	—	—	—	—	—	6	5	5	3	—	—	1	2	1719	3191

Causes of Death.	70 Encephalitis.		70 (1) Cerebral abscess.		70 (2) Other diseases included under 70.		71 Meningitis.		72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy, etc.		74 (a) (1) Cerebral hæmorrhage so returned.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	160	116	91	63	69	53	590	487	579	122	729	598	10405	13737	7977	10472
0—1	14	3	3	—	11	3	142	89	—	—	1	1	—	—	—	—
1—5	17	13	6	7	11	6	138	132	—	—	6	1	3	1	1	—
5—10	9	8	4	5	5	3	69	67	—	—	6	4	2	3	2	2
10—15	6	5	1	2	5	3	45	38	—	—	13	5	3	—	2	—
15—20	14	12	14	6	—	6	33	32	1	—	23	12	2	2	2	2
20—25	12	7	9	5	3	2	18	19	—	1	18	8	14	10	12	6
25—30	7	8	6	6	1	2	16	11	—	2	15	16	20	13	16	10
30—35	13	8	8	4	5	4	13	14	4	2	10	14	30	44	25	38
35—40	14	8	10	5	4	3	19	13	10	3	23	20	66	69	56	58
40—45	6	6	5	4	1	2	18	13	28	13	29	30	139	168	118	141
45—50	12	8	6	5	6	3	13	13	60	10	52	54	275	402	230	329
50—55	12	6	6	3	6	3	24	11	73	19	83	68	511	729	424	611
55—60	8	5	4	1	4	4	11	13	114	18	96	65	896	1044	724	856
60—65	11	6	6	3	5	3	11	12	126	25	123	77	1374	1461	1061	1151
65—70	5	6	3	4	2	2	8	8	91	14	108	90	1786	2037	1381	1590
70—75	—	4	—	3	—	1	6	—	39	13	64	73	2057	2495	1576	1895
75—80	—	2	—	—	—	2	2	1	25	2	43	42	1769	2485	1303	1846
80 and upwards	—	1	—	—	—	1	4	1	8	—	16	18	1458	2774	1044	1937

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	74 (a) (2) Apoplexy, lesion unstated.		74 (b) (1) Cerebral embolism.		74 (b) (2) Cerebral thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemiplegia.		75 (b) Other forms of paralysis.		76 General paralysis of the insane.		77 Other forms of insanity.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	583	709	225	313	1620	2243	601	769	535	702	66	67	943	218	450	673
0—1	—	—	—	—	—	—	—	3	—	2	—	1	—	—	—	—
1—5	—	1	1	—	1	—	2	3	1	3	1	—	—	—	—	—
5—10	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—
10—15	—	—	—	—	1	—	—	1	—	—	—	1	1	—	—	—
15—20	—	—	—	—	—	—	1	—	—	—	1	—	3	2	4	5
20—25	1	—	1	3	—	1	1	—	—	—	1	—	9	2	9	12
25—30	—	—	1	1	3	2	—	—	—	—	—	—	13	7	19	26
30—35	—	1	3	4	2	1	3	3	2	3	1	—	43	13	22	20
35—40	4	3	4	4	2	4	2	4	2	2	—	2	106	27	16	38
40—45	7	8	1	6	13	13	4	2	3	2	1	—	153	33	38	50
45—50	20	22	8	10	17	41	8	15	8	14	—	1	172	45	38	73
50—55	21	28	10	12	56	78	27	43	26	38	1	5	179	38	47	110
55—60	43	40	20	18	109	130	23	40	23	38	—	2	137	27	69	102
60—65	81	84	29	27	203	199	62	66	58	57	4	9	69	14	73	99
65—70	94	103	40	42	271	302	96	91	86	84	10	7	39	4	68	75
70—75	125	138	39	60	317	402	155	152	137	138	18	14	14	3	27	34
75—80	91	134	41	51	334	454	118	167	102	153	16	14	4	2	13	22
80 and upwards	96	147	27	75	291	615	99	178	87	167	12	11	1	1	7	7

Causes of Death.	78 Epilepsy.		79 & 80 Convulsions (non-puerperal)		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.		84 (1) Idiocy, imbecility.		84 (2) Cerebral tumour.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1154	1038	1032	673	21	79	67	119	158	217	1976	1965	185	197	666	607
0—1	19	8	899	557	—	—	—	—	—	—	51	45	42	37	2	3
1—5	28	14	115	103	1	—	—	—	—	—	77	73	50	53	13	11
5—10	34	14	6	8	8	10	—	1	—	—	46	63	20	22	20	33
10—15	38	37	—	1	6	28	—	—	—	—	47	43	15	20	28	15
15—20	96	66	5	1	3	21	—	4	—	—	44	39	10	11	26	19
20—25	98	63	1	—	2	11	1	2	—	—	48	41	10	8	30	27
25—30	102	81	—	—	—	3	1	3	—	—	55	63	4	11	27	32
30—35	94	75	—	—	1	—	1	4	—	—	68	90	8	7	37	43
35—40	86	77	—	—	—	4	3	3	1	1	97	84	2	2	61	44
40—45	69	76	1	—	—	—	3	8	2	1	104	119	5	6	59	54
45—50	76	70	1	—	—	2	7	4	2	5	150	146	4	3	89	67
50—55	60	93	2	—	—	—	5	6	6	5	180	159	2	4	98	80
55—60	70	78	1	1	—	—	9	16	8	9	201	157	4	5	77	65
60—65	75	77	—	—	—	—	9	22	12	18	187	196	5	4	54	54
65—70	81	57	1	1	—	—	14	7	30	27	206	196	4	3	27	33
70—75	55	68	—	1	—	—	8	13	37	40	216	224	—	1	12	15
75—80	47	47	—	—	—	—	4	11	36	41	131	149	—	—	6	10
80 and upwards	26	37	—	—	—	—	2	15	24	70	68	78	—	—	—	2

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	84 (3) Disseminated sclerosis.		84 (4) Paralysis agitans.		84 (5) Other diseases included under 84.		85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		86 (1) Diseases of the mastoid sinus.		86 (2) Diseases of the ear.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	380	418	594	588	151	155	43	47	781	606	282	230	499	376
0—1	—	—	—	—	7	5	6	9	83	71	22	22	61	49
1—5	—	—	—	—	14	9	4	4	80	66	39	23	41	43
5—10	—	—	—	—	6	8	4	1	113	99	55	41	58	58
10—15	—	—	—	—	4	8	1	—	63	75	26	33	37	42
15—20	1	5	—	—	7	4	3	2	67	63	27	24	40	39
20—25	2	4	1	—	5	2	—	1	66	31	18	13	48	18
25—30	13	17	—	—	11	3	1	—	56	26	15	14	41	12
30—35	17	34	1	2	5	4	—	1	45	27	18	13	27	14
35—40	29	30	1	1	4	7	—	1	42	25	15	9	27	16
40—45	27	44	4	5	9	10	—	1	38	25	10	8	28	17
45—50	45	60	6	6	6	10	2	—	24	18	6	4	18	14
50—55	52	55	15	8	13	12	2	1	35	26	12	8	23	18
55—60	57	46	42	26	21	15	3	1	24	14	7	3	17	11
60—65	37	46	79	75	12	17	2	3	13	12	4	4	9	8
65—70	51	32	112	109	12	19	4	4	14	15	3	5	11	10
70—75	30	27	164	169	10	12	1	7	10	6	4	3	6	3
75—80	14	13	108	120	3	6	5	5	7	2	—	1	7	1
80 and upwards	5	5	61	67	2	4	5	6	1	5	1	2	—	3

Causes of Death.	IV. 87-96 Diseases of the circulatory system.		87-90 Heart diseases.		87 Pericarditis.		88 Acute endocarditis and myocarditis.		88 (1) Infective endocarditis.		88 (2) Other acute endocarditis.		88 (3) Acute myocarditis.		89 Angina pectoris.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	54616	57018	42961	47142	167	133	854	932	496	526	166	212	192	194	4118	1766
0—1	20	10	2	2	1	2	1	—	1	—	—	—	—	—	—	—
1—5	43	53	31	41	5	13	12	11	3	6	8	5	1	—	—	—
5—10	155	155	150	152	7	12	38	33	22	20	13	12	3	1	—	—
10—15	205	298	197	296	5	10	33	56	19	31	13	25	1	—	—	—
15—20	359	429	351	424	9	13	76	92	39	65	27	25	10	2	—	1
20—25	317	459	305	456	11	5	73	120	52	88	13	20	8	12	—	—
25—30	340	522	328	507	12	3	74	89	48	62	12	14	14	13	6	4
30—35	400	588	381	564	5	6	80	98	54	50	18	25	8	23	22	3
35—40	648	745	601	709	10	6	92	98	48	35	17	24	27	39	48	6
40—45	1045	1074	943	994	4	8	129	131	40	35	24	33	65	63	98	22
45—50	1783	1617	1533	1473	9	4	58	37	45	29	3	4	10	4	194	39
50—55	2891	2365	2406	2085	17	8	42	44	34	31	2	4	6	9	372	89
55—60	4571	3551	3753	3041	21	8	50	26	40	17	4	7	6	2	565	158
60—65	6488	5230	5175	4383	14	8	34	36	21	20	3	5	10	11	710	245
65—70	8688	7411	6773	6150	19	6	24	21	15	16	3	2	6	3	757	343
70—75	9948	9673	7623	7882	14	12	18	17	8	11	3	2	7	4	697	354
75—80	8617	10072	6484	8053	3	8	12	17	6	7	1	4	5	6	403	267
80 and upwards	8098	12766	5925	9930	1	1	8	6	1	3	2	1	5	2	246	235

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	90 Other diseases of the heart.		90 (1) Aortic valve disease.		90 (2) Mitral valve disease.		90 (3) Aortic and mitral valve disease.		90 (4) Other or unspecified valve disease.		90 (5) Fatty heart.		90 (6) Cardiac dilatation, cause unspecified.		90 (7) Other or unspecified myocardial disease.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	37822	44311	2276	1146	3723	6366	648	574	4978	6447	1263	1714	173	151	21244	23522
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	14	17	1	—	7	7	—	1	2	8	—	—	1	—	1	—
5—10	105	107	3	—	51	49	6	7	35	41	—	—	—	—	3	2
10—15	159	230	5	3	59	104	17	15	68	92	1	—	—	—	5	5
15—20	266	318	9	3	113	145	25	16	92	103	—	3	4	—	9	17
20—25	221	331	9	8	90	160	14	27	74	104	4	3	—	—	14	11
25—30	236	411	22	9	82	196	18	17	69	113	4	19	2	3	19	22
30—35	274	457	24	10	85	196	20	25	77	111	8	17	3	6	37	47
35—40	451	599	51	13	118	245	25	19	107	169	17	28	3	6	89	64
40—45	712	833	87	32	170	270	40	29	159	213	38	50	—	4	144	134
45—50	1272	1393	136	50	190	365	46	33	221	340	79	88	8	3	475	360
50—55	1975	1944	220	95	248	420	50	40	318	387	110	135	14	6	804	645
55—60	3117	2849	280	100	354	530	65	53	503	552	157	204	12	8	1420	1104
60—65	4417	4094	395	144	438	622	77	54	630	703	213	257	16	10	2206	1833
65—70	5973	5780	375	190	510	817	74	76	846	905	204	304	22	17	3379	2862
70—75	6894	7499	325	199	543	824	84	56	765	967	229	259	31	27	4267	4410
75—80	6066	7761	214	151	407	724	54	64	620	874	127	193	22	26	4061	4934
80 and upwards	5670	9688	120	139	258	692	33	42	392	765	72	154	35	35	4311	7072

Causes of Death.	90 (8) Disordered action of the heart.		90 (9) Heart disease (undefined).		91 Diseases of the arteries.		91 (a) Aneurysm.		91 (b) Arterio- sclerosis.		91 (b) (1) With record of cerebral vascular lesion.		91 (b) (2) Without record of cerebral vascular lesion.		91 (c) Other diseases of the arteries.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	794	1302	2723	3089	11180	9220	1006	313	10088	8837	5422	5129	4666	3708	86	70
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	2	1	—	1	—	1	—	—	—	—	—	—	—	—
5—10	—	—	7	8	1	2	1	2	—	—	—	—	—	—	—	—
10—15	—	—	4	11	6	1	6	1	—	—	—	—	—	—	—	—
15—20	1	4	13	27	6	4	6	3	—	—	—	—	—	—	—	1
20—25	5	8	11	10	8	2	7	2	1	—	—	—	1	—	—	—
25—30	2	11	18	21	9	7	9	5	—	2	—	2	—	—	—	—
30—35	5	13	15	32	16	9	11	5	5	3	2	3	3	—	—	1
35—40	9	17	32	38	34	16	20	7	12	8	7	6	5	2	2	1
40—45	16	34	58	67	82	47	34	17	46	30	34	22	12	8	2	—
45—50	25	55	92	99	223	110	115	22	105	86	74	76	31	10	3	2
50—55	48	76	163	140	440	217	162	23	274	192	183	167	91	25	4	2
55—60	103	93	223	205	756	437	190	55	563	378	389	292	174	86	3	4
60—65	96	159	346	312	1248	752	186	40	1050	706	705	535	345	171	12	6
65—70	144	191	419	418	1848	1174	126	46	1706	1119	1069	793	637	326	16	9
70—75	144	207	506	550	2270	1717	79	36	2182	1671	1202	1030	980	641	9	10
75—80	112	224	449	571	2090	1942	35	31	2042	1897	985	1049	1057	848	13	14
80 and upwards	84	210	365	579	2143	2782	19	17	2102	2745	772	1154	1330	1591	22	20

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other diseases of the circulatory system.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.		97 (1) Diseases of the nose.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	144	150	180	365	53	51	9	8	89	82	29362	22555	156	107	25	23
0-1	1	—	—	—	16	7	1	1	—	—	4108	2959	10	14	8	12
1-5	—	—	—	—	12	11	—	—	—	—	2520	2091	3	2	2	2
5-10	—	—	—	—	4	1	—	—	—	—	490	423	7	4	2	2
10-15	—	—	—	1	1	—	1	—	—	—	209	161	8	9	1	2
15-20	1	—	—	1	—	—	1	—	—	—	337	222	17	15	—	—
20-25	2	—	1	—	1	1	—	—	—	—	436	209	10	9	1	1
25-30	1	3	1	3	1	2	—	—	—	—	493	275	22	6	3	1
30-35	1	6	1	6	1	2	—	1	—	—	590	319	11	7	—	—
35-40	5	9	5	10	2	—	1	—	—	1	887	423	15	6	2	—
40-45	12	7	5	19	2	5	—	1	1	1	1179	519	14	5	—	—
45-50	6	9	17	25	2	—	—	—	2	—	1613	626	5	13	1	1
50-55	12	11	23	41	2	3	1	1	7	7	1917	721	11	2	—	1
55-60	22	13	27	50	1	3	1	—	11	7	2097	1099	7	2	—	—
60-65	15	27	33	53	3	4	1	—	13	11	2251	1401	9	6	2	—
65-70	17	18	28	55	3	1	1	—	18	13	2494	1872	2	1	1	—
70-75	20	14	15	45	1	2	—	2	19	11	2683	2498	1	5	—	1
75-80	19	15	12	37	1	5	—	1	11	19	2411	2617	1	—	—	—
80 and upwards	10	18	12	19	—	4	1	1	7	12	2647	4120	3	1	2	—

Causes of Death.	97 (2) Diseases of the accessory nasal sinuses.		98 Diseases of the larynx.		98 (1) Laryngismus stridulus.		98 (2) Laryngitis.		98 (3) Other diseases of the larynx.		99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	131	84	171	110	31	21	133	86	7	3	10179	9344	2001	2380	4229	2829
0-1	2	2	51	19	16	6	35	13	—	—	985	733	444	351	11	4
1-5	1	—	74	53	12	14	60	39	2	—	271	269	127	129	17	11
5-10	5	2	16	11	2	1	13	10	1	—	40	36	11	18	8	4
10-15	7	7	4	4	1	—	3	3	—	1	21	17	9	5	7	9
15-20	17	15	3	—	—	—	2	—	1	—	31	22	8	6	17	7
20-25	9	8	1	2	—	—	1	2	—	—	40	22	3	4	25	12
25-30	19	5	—	1	—	—	—	—	—	1	49	25	7	7	30	10
30-35	11	7	1	2	—	—	1	2	—	—	55	38	7	7	34	19
35-40	13	6	1	1	—	—	1	1	—	—	118	51	18	12	65	27
40-45	14	5	2	—	—	—	2	—	—	—	202	87	26	21	123	37
45-50	4	12	—	3	—	—	—	3	—	—	334	122	39	32	186	46
50-55	11	1	2	2	—	—	2	2	—	—	508	208	84	58	293	86
55-60	7	2	4	1	—	—	3	1	1	—	619	371	94	82	340	160
60-65	7	6	5	2	—	—	3	2	2	—	856	545	112	125	485	238
65-70	1	1	2	3	—	—	2	2	—	1	1131	885	171	216	589	358
70-75	1	4	1	2	—	—	1	2	—	—	1521	1425	237	335	722	529
75-80	1	—	1	2	—	—	1	2	—	—	1542	1644	260	366	673	537
80 and upwards	1	1	3	2	—	—	3	2	—	—	1856	2844	344	606	604	735

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).		101 (a) Pneumonia, lobar.		101 (b) Pneumonia, not otherwise defined.		102 Pleurisy.		102 (1) Empyema.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3949	4135	16468	11256	7481	6141	8987	5115	6480	3589	2507	1526	674	358	289	103
0—1	530	378	3004	2156	2502	1829	502	327	211	134	291	193	19	11	14	5
1—5	127	129	2108	1723	1630	1365	478	358	276	200	202	158	48	29	42	27
5—10	21	14	396	344	183	189	213	155	136	113	77	42	23	14	18	9
10—15	5	3	160	116	45	30	115	86	78	65	37	21	9	7	7	5
15—20	6	9	256	168	37	46	219	122	171	100	48	22	23	11	15	5
20—25	12	6	351	155	58	41	293	114	233	92	60	22	24	7	17	3
25—30	12	8	386	215	51	53	335	162	273	126	62	36	16	12	11	8
30—35	14	12	464	228	75	39	389	189	304	151	85	38	32	11	21	5
35—40	35	12	671	311	100	69	571	242	439	187	132	55	35	21	16	7
40—45	53	29	843	365	148	88	695	277	547	223	148	54	31	17	16	6
45—50	109	44	1071	401	220	106	851	295	674	226	177	69	59	16	25	3
50—55	131	64	1160	427	288	127	872	300	673	236	199	64	59	13	23	2
55—60	185	129	1219	594	360	182	859	412	657	314	202	98	55	25	19	4
60—65	259	182	1119	704	350	265	769	439	573	325	196	114	71	35	21	4
65—70	371	311	1104	811	389	340	715	471	524	335	191	136	67	40	15	4
70—75	562	561	938	882	410	421	528	461	358	302	170	159	49	26	5	3
75—80	609	741	668	755	330	418	338	337	217	226	121	111	31	31	3	2
80 and upwards	908	1503	550	901	305	533	245	368	136	234	109	134	23	32	1	1

Causes of Death.	102 (2) Other pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.		107 (a) Chronic interstitial pneumonia.		107 (b) Diseases of the mediastinum.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	385	255	435	576	16	2	956	694	45	13	262	95	201	64	3	2
0—1	5	6	33	21	—	—	3	3	—	—	3	2	—	—	—	1
1—5	6	2	3	9	—	—	10	5	—	—	3	1	2	1	—	—
5—10	5	5	4	1	—	—	1	11	—	—	3	2	1	2	1	—
10—15	2	2	1	—	—	—	4	8	—	—	2	—	1	—	—	—
15—20	8	6	—	1	—	—	3	3	—	—	4	2	1	—	—	—
20—25	7	4	2	1	—	—	5	9	—	1	3	3	—	1	—	—
25—30	5	4	3	3	1	1	12	12	—	—	4	—	2	—	—	—
30—35	11	6	—	3	—	—	23	25	1	—	3	5	2	3	—	—
35—40	19	14	4	4	3	—	31	25	—	—	9	4	7	—	—	—
40—45	15	11	6	5	4	1	54	37	2	—	21	2	15	1	—	—
45—50	34	13	7	9	—	—	89	51	5	1	43	10	35	5	1	—
50—55	36	11	12	2	2	—	107	61	7	—	49	6	36	4	—	—
55—60	36	21	16	14	—	—	135	84	4	—	38	8	34	7	—	—
60—65	50	31	18	19	3	—	127	73	9	3	34	14	28	11	—	1
65—70	52	36	24	39	1	—	128	78	8	—	27	15	23	12	1	—
70—75	44	23	55	56	1	—	102	93	5	2	10	7	9	5	—	—
75—80	28	29	85	104	—	—	77	74	3	2	3	5	3	4	—	—
80 and upwards	22	31	162	285	1	—	45	42	1	4	3	9	2	8	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	107 (c) Other diseases included under 107.		VI. 108-127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2) Ludwig's angina.		108 (3) Other diseases included under 108.		109 Diseases of the pharynx and tonsils.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	58	29	14333	11708	341	289	261	190	54	48	26	51	540	569
0—1	3	1	2636	1679	35	15	16	10	12	4	7	1	18	20
1—5	1	—	650	626	17	14	12	8	3	5	2	1	95	76
5—10	1	—	361	356	8	7	6	6	2	1	—	—	97	79
10—15	1	—	232	173	4	4	2	2	1	—	1	2	26	33
15—20	3	2	314	191	9	10	6	4	3	3	—	3	24	20
20—25	3	2	347	217	17	16	15	11	2	3	—	2	32	26
25—30	2	—	369	265	17	12	13	9	4	1	—	2	28	20
30—35	1	2	403	328	8	13	6	12	2	—	—	1	21	13
35—40	2	4	504	350	14	15	13	12	—	1	1	2	23	23
40—45	6	1	696	459	16	17	15	16	1	—	—	1	21	28
45—50	7	5	943	613	26	16	22	12	3	2	1	2	25	26
50—55	13	2	1075	837	27	33	23	23	4	7	—	3	23	34
55—60	4	1	1187	907	36	19	29	14	3	3	4	2	27	39
60—65	6	2	1282	986	39	17	28	12	8	2	3	3	31	42
65—70	3	3	1147	1119	29	27	24	16	3	4	2	7	20	45
70—75	1	2	1002	961	20	19	17	7	1	7	2	5	16	24
75—80	—	1	681	761	11	15	7	10	1	1	3	4	8	12
80 and upwards	1	1	504	880	8	20	7	6	1	4	—	10	5	9

Causes of Death.	109 (1) Tonsillitis, etc., adenoid vegetations.		109 (2) Other diseases included under 109.		110 Diseases of the œsophagus.		111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		112 (1) Inflammation of the stomach.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	441	467	99	102	23	26	3211	1036	2071	876	1140	160	624	673	505	578
0—1	6	10	12	10	—	1	2	4	2	2	—	2	155	85	140	79
1—5	79	62	16	14	—	—	—	—	—	—	—	—	29	30	21	27
5—10	88	69	9	10	1	—	1	1	—	1	1	—	12	8	9	7
10—15	25	31	1	2	—	—	1	2	1	2	—	—	5	11	5	11
15—20	21	18	3	2	—	—	21	8	13	8	8	—	5	6	3	3
20—25	29	24	3	2	1	—	57	16	36	14	21	2	5	2	1	1
25—30	24	16	4	4	1	1	107	28	65	19	42	9	6	7	3	5
30—35	15	12	6	1	—	1	179	49	111	41	68	8	8	2	5	2
35—40	20	18	3	5	—	—	234	37	144	32	90	5	5	11	2	6
40—45	19	23	2	5	1	—	331	75	211	67	120	8	21	13	15	9
45—50	21	20	4	6	1	2	449	119	320	104	129	15	21	17	14	12
50—55	18	26	5	8	1	3	428	147	258	121	170	26	24	25	15	18
55—60	20	31	7	8	5	2	420	128	286	117	134	11	34	48	26	40
60—65	20	39	11	3	2	3	355	129	219	106	136	23	46	29	34	26
65—70	15	35	5	10	6	5	281	113	183	96	98	17	63	61	52	47
70—75	12	19	4	5	2	3	192	81	129	65	63	16	52	93	43	86
75—80	4	9	4	3	—	—	96	53	60	44	36	9	59	89	53	77
80 and upwards	5	5	—	4	2	5	57	46	33	37	24	9	74	136	64	122

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	112 (2) Other diseases included under 112.		113 & 114 Diarrhoea and enteritis.		113 & 114 (1) Ulceration of the intestines.		113 & 114 (2) Colitis.		113 & 114 (3) Other diseases included under 113 & 114.		115* 116 Diseases due to other intestinal parasites.		116 (a) Cestodes (hydatids of the liver excepted).		116 (b,d,e,f)* 116 (c) Nematodes. Other than Ankylo- stoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	119	95	2988	2503	122	185	146	203	2720	2115	9	12	4	6	4	4
0—1	15	6	2117	1405	—	2	40	36	2077	1367	—	—	—	—	—	—
1—5	8	3	325	348	2	2	5	5	318	341	3	5	—	—	3	3
5—10	3	1	42	45	1	2	5	1	36	42	—	1	—	—	—	1
10—15	—	—	15	10	1	1	1	1	13	8	1	—	—	—	1	—
15—20	2	3	18	24	4	12	2	3	12	9	—	—	—	—	—	—
20—25	4	1	17	31	4	24	3	3	10	4	—	1	—	1	—	—
25—30	3	2	18	38	9	24	1	6	8	8	1	—	1	—	—	—
30—35	3	—	25	36	14	23	3	6	8	7	—	1	—	1	—	—
35—40	3	5	20	35	10	18	5	8	5	9	—	—	—	—	—	—
40—45	6	4	24	38	11	13	6	8	7	17	1	1	—	1	—	—
45—50	7	5	32	41	17	9	1	16	14	16	—	—	—	—	—	—
50—55	9	7	37	31	13	12	7	7	17	12	—	1	—	1	—	—
55—60	8	8	28	43	4	12	9	11	15	20	—	1	—	1	—	—
60—65	12	3	43	52	9	7	8	19	26	26	—	—	—	—	—	—
65—70	11	14	43	66	10	8	9	18	24	40	1	—	1	—	—	—
70—75	9	7	65	63	7	5	15	10	43	48	2	1	2	1	—	—
75—80	6	12	64	77	4	5	14	20	46	52	—	—	—	—	—	—
80 and upwards	10	14	55	120	2	6	12	25	41	89	—	—	—	—	—	—

*115. Ankylostomiasis—;
116 (e). Other parasites—;

116 (b). Trematodes 40;
116 (f). Undefined parasites 1, 1.

116 (d). Coccidia —:

Causes of Death.	117 Appen- dicitis and typhlitis.		118 Hernia, intestinal obstruction.		118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119		120 Acute yellow atrophy of the liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1693	1248	2352	2192	950	1002	1402	1190	304	328	52	99	252	229	22	69
0—1	3	—	275	124	64	16	211	108	12	7	6	6	6	1	—	—
1—5	79	48	72	44	13	3	59	41	4	5	2	2	2	3	2	2
5—10	141	118	42	28	3	4	39	24	1	—	—	—	1	—	2	—
10—15	130	79	36	9	1	2	35	7	1	1	—	—	1	1	—	1
15—20	160	87	49	19	6	1	43	18	5	2	1	2	4	—	4	4
20—25	132	68	65	23	8	2	57	21	4	3	1	1	3	2	2	11
25—30	116	64	47	37	10	4	37	33	2	7	1	—	1	7	4	18
30—35	71	78	47	61	11	8	36	53	3	5	—	1	3	4	1	10
35—40	92	57	51	70	14	14	37	56	8	14	—	4	8	10	—	7
40—45	104	66	78	96	19	33	59	63	8	10	—	3	8	7	1	7
45—50	92	93	106	102	28	42	78	60	27	13	2	2	25	11	—	3
50—55	113	86	156	179	47	92	109	87	29	22	1	3	28	19	2	1
55—60	126	91	154	209	68	118	86	91	36	34	3	4	33	30	2	—
60—65	123	91	226	211	112	125	114	86	45	47	5	11	40	36	1	1
65—70	96	92	246	267	131	153	115	114	28	40	3	12	25	28	1	1
70—75	64	60	278	262	161	156	117	106	41	38	8	7	33	31	—	2
75—80	34	40	228	218	145	116	83	102	33	32	12	16	21	16	—	1
80 and upwards	17	30	196	233	109	113	87	120	17	48	7	25	10	23	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.		122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	13	15	1100	556	144	71	956	485	333	880	455	802	189	260	136	250
0—1	—	—	1	2	—	—	1	2	—	—	5	—	—	2	13	14
1—5	—	—	—	—	—	—	—	—	—	—	7	7	—	1	17	46
5—10	—	—	—	2	—	—	—	2	—	—	7	3	1	1	6	63
10—15	—	1	2	2	—	—	2	2	—	—	4	—	—	—	7	20
15—20	—	2	2	2	—	—	2	2	1	—	8	2	—	3	8	2
20—25	—	—	3	2	—	1	3	1	—	2	5	5	1	1	6	10
25—30	1	1	4	5	—	—	4	5	5	4	6	5	3	6	3	12
30—35	—	1	9	6	1	—	8	6	6	19	13	10	4	11	8	12
35—40	—	1	23	19	5	5	18	14	6	19	15	23	7	11	6	8
40—45	2	—	43	34	7	7	36	27	9	23	18	23	9	15	9	13
45—50	4	1	82	52	11	10	71	42	14	38	28	55	26	23	10	12
50—55	1	2	137	82	23	11	114	71	30	74	36	63	22	44	9	10
55—60	1	—	200	87	34	13	166	74	36	93	45	66	30	37	7	10
60—65	2	3	209	87	24	8	185	79	62	137	67	99	26	37	5	1
65—70	2	1	169	81	20	9	149	72	52	155	64	125	33	36	13	4
70—75	—	1	144	47	9	4	135	43	51	116	57	121	15	20	3	10
75—80	—	—	55	24	8	—	47	24	33	109	45	85	9	5	6	1
80 and upwards	—	1	17	22	2	3	15	19	28	91	25	110	3	7	—	2

* 127. Other diseases of the digestive system —.

Causes of Death.	VII. 128-142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).		129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		133 (1) Cystitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	13311	9886	600	574	7302	7155	377	472	249	168	510	329	486	316
0—1	71	43	22	14	1	—	12	27	—	—	—	—	—	—
1—5	67	49	45	31	10	4	8	10	—	—	—	2	—	2
5—10	61	55	36	34	17	16	4	4	2	1	2	—	1	—
10—15	59	70	26	21	30	45	1	3	1	—	—	—	—	—
15—20	112	127	33	32	70	77	8	5	1	2	—	—	—	—
20—25	146	189	44	45	87	96	11	16	3	4	—	1	—	1
25—30	164	213	33	23	96	109	18	14	11	4	1	3	1	3
30—35	176	285	35	32	112	151	16	13	9	10	1	7	1	7
35—40	237	388	27	36	160	189	22	20	14	10	7	6	7	5
40—45	336	561	24	28	257	310	16	28	15	19	9	3	6	3
45—50	575	727	49	32	420	431	36	47	15	20	15	8	13	8
50—55	842	808	50	44	618	553	30	38	28	26	17	18	17	16
55—60	1130	942	47	67	777	703	42	50	29	27	31	20	27	19
60—65	1583	1076	33	43	976	876	30	45	35	13	40	23	38	22
65—70	2031	1254	38	35	1129	1062	43	48	24	3	81	40	78	39
70—75	2244	1228	26	30	1131	1013	41	45	30	11	80	64	76	62
75—80	1866	1009	20	15	811	826	24	28	23	13	102	60	98	58
80 and upwards	1611	862	12	12	600	694	15	31	9	5	124	74	123	71

* 130. Chyluria —.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	133 (2) Other diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.		136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	13	407	11	389	—	18	11	3803	—	60	—	—	318	—	221
0—1	—	—	1	—	—	—	1	—	—	—	32	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2
5—10	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1
15—20	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	3
20—25	—	—	1	—	1	—	—	—	—	—	—	—	—	5	—	17
25—30	—	—	2	2	1	—	1	2	1	—	2	—	—	8	—	34
30—35	—	—	2	—	2	—	—	—	1	—	—	—	—	13	—	33
35—40	—	1	5	—	5	—	—	—	2	—	—	—	—	18	—	45
40—45	3	—	12	—	11	—	1	—	2	—	1	—	—	28	—	32
45—50	2	—	21	1	21	—	—	1	15	—	4	—	—	29	—	21
50—55	—	2	54	2	53	—	1	2	45	—	—	—	—	24	—	11
55—60	4	1	56	—	55	—	1	—	145	—	3	—	—	37	—	4
60—65	2	1	76	1	72	—	4	1	390	—	3	—	—	33	—	7
65—70	3	1	71	2	68	—	3	2	642	—	3	—	—	33	—	5
70—75	4	2	55	2	53	—	2	2	880	—	1	—	—	31	—	2
75—80	4	2	31	1	31	—	—	1	849	—	6	—	—	28	—	3
80 and upwards	1	3	19	—	16	—	3	—	831	—	1	—	—	27	—	1

Causes of Death.	138 (1) Salpingitis.		138 (2) Pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		141 (1) Other diseases of the uterus.		141 (2) Diseases of the other female genital organs not included in other headings.		142 Non-puerperal diseases of the breast.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	187	—	34	—	421	—	21	—	190	—	149	—	41	3	6
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2
1—5	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	3	—	—	—	1	—	2	—	1	—	—	—	1	—	—
20—25	—	17	—	—	—	—	—	2	—	3	—	1	—	2	—	—
25—30	—	31	—	3	—	7	—	1	—	8	—	6	—	2	—	—
30—35	—	26	—	7	—	16	—	1	—	9	—	9	—	—	—	—
35—40	—	38	—	7	—	41	—	5	—	18	—	15	—	3	—	—
40—45	—	31	—	1	—	84	—	5	—	22	—	18	—	4	—	2
45—50	—	15	—	6	—	105	—	1	—	31	—	24	—	7	—	1
50—55	—	10	—	1	—	62	—	3	—	26	—	19	—	7	—	1
55—60	—	4	—	—	—	23	—	—	—	11	—	8	—	3	—	—
60—65	—	6	—	1	—	21	—	—	—	14	—	11	—	3	—	—
65—70	—	2	—	3	—	13	—	1	—	12	—	9	—	3	—	—
70—75	—	2	—	—	—	16	—	—	—	14	—	13	—	1	—	—
75—80	—	—	—	3	—	21	—	—	—	14	—	12	—	2	—	—
80 and upwards	—	—	—	1	—	11	—	—	—	7	—	4	—	3	—	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	151 Gangrene.		151 (1) Senile gangrene.		151 (2) Other gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		153 (1) Cellulitis.		153 (2) Acute abscess.		154 Other diseases of the skin and its annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	430	417	396	375	34	42	340	171	369	305	296	240	73	65	342	389
0—1	1	6	—	—	1	6	6	5	51	33	30	13	21	20	163	97
1—5	4	5	—	—	4	5	1	3	11	10	8	5	3	5	17	11
5—10	—	1	—	—	—	1	—	—	8	4	7	2	1	2	2	4
10—15	1	—	—	—	1	—	6	4	10	6	7	2	3	4	—	1
15—20	—	1	—	—	—	1	18	10	11	12	7	10	4	2	1	1
20—25	2	—	—	—	2	—	13	11	14	13	11	10	3	3	2	5
25—30	—	1	—	—	—	1	14	12	9	5	7	5	2	—	5	3
30—35	—	1	—	—	—	1	11	13	17	8	12	8	5	—	5	2
35—40	2	1	—	—	2	1	17	7	7	15	5	12	2	3	3	5
40—45	2	3	—	—	2	3	18	12	15	19	13	16	2	3	4	10
45—50	2	1	—	—	2	1	20	12	20	12	18	12	2	—	7	11
50—55	7	5	1	—	6	5	26	16	23	20	19	14	4	6	5	13
55—60	5	6	1	2	4	4	43	12	29	31	24	29	5	2	10	19
60—65	14	21	10	15	4	6	36	11	30	22	28	20	2	2	11	23
65—70	36	38	33	36	3	2	41	8	37	32	34	27	3	5	19	38
70—75	99	66	97	64	2	2	35	12	27	23	23	19	4	4	34	32
75—80	109	75	109	74	—	1	23	7	26	25	23	22	3	3	23	35
80 and upwards	146	186	145	184	1	2	12	16	24	15	20	14	4	1	31	79

Causes of Death.	154 (1) Ulcer, bed sore.		154 (2) Eczema.		154 (3) Pemphigus.		154 (4) Other diseases included under 154.		X. 155—158 Diseases of the bones and organs of locomotion.		155 Diseases of the bones.		155 (1) Acute infective osteomyelitis and periostitis.		155 (2) Other diseases of the bones.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	55	117	56	33	74	77	157	162	570	360	441	261	326	164	115	97
0—1	—	—	38	17	61	48	64	32	26	20	20	13	17	12	3	1
1—5	1	—	3	2	1	1	12	8	50	35	46	30	46	26	—	4
5—10	—	—	—	—	—	1	2	3	87	52	76	46	73	46	3	—
10—15	—	—	—	—	—	—	—	1	91	60	84	52	81	50	3	2
15—20	—	—	—	—	—	—	1	1	60	11	51	5	47	3	4	2
20—25	—	—	—	1	1	1	1	3	29	7	21	6	9	3	12	3
25—30	1	1	—	—	1	—	3	2	20	8	13	1	6	—	7	1
30—35	—	—	—	—	1	—	4	2	12	11	11	7	8	5	3	2
35—40	2	—	1	—	—	4	—	1	13	8	10	2	5	1	5	1
40—45	1	2	—	1	—	2	3	5	17	13	11	9	3	5	8	4
45—50	2	5	—	—	1	—	4	6	13	8	10	4	8	1	2	3
50—55	3	7	—	1	—	1	2	4	28	11	13	7	5	2	8	5
55—60	4	8	1	—	1	3	4	8	30	13	18	9	4	1	14	8
60—65	4	11	2	—	—	5	5	7	36	23	21	12	7	—	14	12
65—70	7	17	3	3	2	2	7	16	22	23	14	17	2	3	12	14
70—75	13	15	3	2	3	1	15	14	24	23	14	12	3	2	11	10
75—80	6	18	4	1	—	2	13	14	6	20	3	17	1	3	2	14
80 and upwards	11	33	1	5	2	6	17	35	6	14	5	12	1	1	4	11

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	162 (3) Other diseases included under 162.		163 Lack of care.		XIII. 164 Old age.		164 (1) Senile dementia.		164 (2) Other forms of senile decay.		XIV. 165-203 External causes.		Suicide.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	165-174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.	
													M.	F.	M.	F.
All Ages	132	136	105	112	7345	10772	776	1112	6569	9660	15480	6719	3527	1524	406	309
0—1	132	136	105	112	—	—	—	—	—	—	345	264	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	736	450	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	711	347	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	453	118	7	—	—	—
15—20	—	—	—	—	—	—	—	—	—	—	974	236	52	40	8	9
20—25	—	—	—	—	—	—	—	—	—	—	1327	282	161	82	20	26
25—30	—	—	—	—	—	—	—	—	—	—	1155	253	211	111	30	33
30—35	—	—	—	—	—	—	—	—	—	—	817	264	189	139	30	27
35—40	—	—	—	—	—	—	—	—	—	—	816	256	234	139	38	36
40—45	—	—	—	—	—	—	—	—	—	—	894	272	314	137	48	22
45—50	—	—	—	—	—	—	—	—	—	—	1064	394	385	211	38	40
50—55	—	—	—	—	4	8	3	5	1	3	1193	409	476	172	48	35
55—60	—	—	—	—	11	14	5	9	6	5	1262	415	465	151	56	27
60—65	—	—	—	—	70	90	46	51	24	39	1101	431	404	138	37	22
65—70	—	—	—	—	296	301	119	110	177	191	921	467	313	100	33	18
70—75	—	—	—	—	1173	1281	216	203	957	1078	696	489	169	67	12	10
75—80	—	—	—	—	1907	2401	199	290	1708	2111	508	532	93	29	6	4
80 and upwards	—	—	—	—	3884	6677	188	444	3696	6233	507	840	54	8	2	—

	Suicide—continued.																	
Causes of Death.	167 By poisonous gas.		168 By hanging or strangu- lation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		175-196 201-203 Violent d'ths excluding suicide and homicide.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	842	509	629	124	554	333	254	8	535	88	110	67	190	30	7	56	11841	5113
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	317	244
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	722	447
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	706	342
10—15	1	—	4	—	2	—	—	—	—	—	—	—	—	—	—	—	442	115
15—20	10	6	7	1	11	17	8	—	2	2	1	2	5	3	—	—	919	193
20—25	31	19	27	2	24	21	36	2	4	2	6	4	13	3	—	3	1159	189
25—30	54	32	32	5	25	21	24	1	19	2	6	6	21	2	—	9	940	135
30—35	55	44	20	7	24	31	15	—	26	7	3	5	16	5	—	13	624	121
35—40	68	44	28	6	26	26	17	2	32	8	9	4	14	3	2	10	574	111
40—45	70	60	44	16	51	25	23	—	47	6	9	3	21	2	1	3	572	131
45—50	108	70	71	24	55	47	31	2	53	7	9	11	19	4	1	6	675	177
50—55	100	62	107	5	87	46	22	—	75	6	10	12	27	2	—	4	713	236
55—60	103	55	92	17	75	32	23	1	73	11	20	6	23	1	—	1	791	260
60—65	90	42	83	19	68	31	24	—	76	11	9	5	16	3	1	5	689	292
65—70	75	34	49	10	55	22	16	—	65	13	11	1	8	2	1	—	605	366
70—75	44	20	33	8	27	10	8	—	33	11	8	7	4	—	—	1	525	420
75—80	24	15	24	2	14	4	3	—	14	2	6	1	2	—	—	1	415	503
80 and upwards	9	6	8	2	10	—	4	—	16	—	3	—	1	—	1	—	453	831

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.		183 Accidental injury by firearms.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10	6	18	14	79	66	31	30	601	751	292	210	118	56	1175	273	82	4
0—1	—	—	—	—	—	1	—	—	53	37	228	171	1	1	11	7	1	—
1—5	—	1	1	—	9	8	—	4	293	195	12	10	—	3	76	33	—	1
5—10	—	—	—	—	1	—	5	2	32	61	3	3	—	—	116	25	1	1
10—15	1	—	4	—	—	3	1	—	8	22	3	1	1	—	65	9	5	—
15—20	1	—	1	—	3	3	2	1	14	36	4	—	7	—	112	27	13	—
20—25	1	—	2	2	5	3	1	3	9	34	5	—	6	1	99	11	10	—
25—30	1	—	3	1	3	3	2	1	29	22	1	1	3	2	51	10	10	1
30—35	—	—	2	2	3	4	—	2	10	14	1	2	5	—	45	16	6	—
35—40	2	—	—	—	4	4	1	2	14	15	2	3	11	—	64	14	9	—
40—45	—	—	—	—	4	6	4	2	7	18	—	1	6	3	53	19	2	—
45—50	1	1	—	—	8	9	4	1	7	19	3	3	12	1	66	23	3	1
50—55	1	3	2	1	5	9	1	—	15	24	5	1	15	4	97	17	5	—
55—60	2	1	1	3	11	1	2	3	19	37	10	2	17	10	107	16	8	—
60—65	—	—	—	1	6	5	1	3	13	25	5	5	8	5	79	19	5	—
65—70	—	—	1	3	9	3	2	—	12	42	3	2	11	6	61	10	1	—
70—75	—	—	—	1	6	1	3	1	19	31	3	—	7	8	41	9	2	—
75—80	—	—	1	—	1	2	1	2	26	50	4	3	1	5	16	8	—	—
80 and upwards	—	—	—	—	1	1	1	3	21	69	—	2	7	7	16	—	1	—

Causes of Death.	184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, railways, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war		191* 192 Hunger or thirst.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10	2	1790	1788	961	—	178	3	5846	1722	41	10	74	—	9	5
0—1	—	1	10	8	—	—	—	—	4	3	—	—	—	—	—	—
1—5	1	—	38	22	—	—	3	1	260	150	1	3	—	—	—	—
5—10	—	—	35	11	—	—	—	2	488	232	2	—	—	—	—	—
10—15	2	—	33	4	11	—	12	—	265	73	2	—	—	—	—	—
15—20	1	—	70	5	92	—	26	—	540	114	—	—	—	—	—	—
20—25	2	—	54	10	68	—	20	—	842	117	2	—	—	—	—	—
25—30	—	—	61	11	117	—	23	—	583	76	4	—	1	—	1	—
30—35	2	—	47	12	114	—	11	—	331	58	—	—	20	—	—	—
35—40	—	—	72	9	93	—	15	—	251	52	1	—	18	—	—	—
40—45	—	—	76	22	101	—	13	—	262	52	2	—	13	—	—	—
45—50	—	—	93	35	101	—	21	—	308	74	—	—	11	—	—	1
50—55	—	—	126	54	91	—	8	—	288	113	7	1	8	—	1	—
55—60	1	—	121	79	85	—	11	—	342	99	7	1	3	—	1	—
60—65	—	1	151	102	52	—	6	—	314	117	4	—	—	—	3	—
65—70	1	—	176	154	28	—	8	—	243	135	4	1	—	—	2	1
70—75	—	—	169	257	5	—	1	—	245	102	3	1	—	—	1	1
75—80	—	—	187	323	2	—	—	—	160	96	—	1	—	—	—	1
80 and upwards	—	—	271	670	1	—	—	—	120	59	2	2	—	—	—	1

* 191. Execution of civilians by belligerent armies —

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(TOTAL DEATHS REGISTERED).

Causes of Death.	193 Excessive cold.		194 Excessive heat.		195 Lightning		196 Electricity (lightning excepted).		Homicide.								200*	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	197-199 Total.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.		201 Fracture (cause not specified).	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	28	6	155	72	9	1	54	7	112	82	9	9	7	9	96	64	26	5
0—1	—	—	2	4	—	—	—	—	28	20	—	—	—	1	28	19	2	1
1—5	—	—	5	2	—	—	1	—	14	3	—	—	2	—	12	3	2	1
5—10	1	—	1	—	—	—	6	1	5	5	—	—	—	—	5	5	2	—
10—15	—	1	3	1	1	—	5	1	4	3	—	—	—	—	4	3	—	—
15—20	—	—	2	1	1	—	8	1	3	3	—	2	—	—	3	1	1	1
20—25	—	—	2	3	1	—	—	1	7	11	1	1	2	3	4	7	1	—
25—30	1	—	4	1	1	—	8	—	4	7	1	—	—	1	3	6	4	—
30—35	—	—	4	1	1	—	9	1	4	4	—	1	—	1	4	2	—	—
35—40	—	—	—	4	—	—	6	—	8	6	2	—	1	2	5	4	1	—
40—45	1	—	8	1	2	—	3	—	8	4	2	1	—	—	6	3	1	—
45—50	2	—	17	4	1	1	5	2	4	6	1	1	—	—	3	5	—	—
50—55	1	2	16	4	—	—	1	—	4	1	—	1	—	—	4	—	—	—
55—60	4	—	16	4	—	—	1	—	6	4	1	2	1	1	4	1	4	—
60—65	5	—	23	6	1	—	1	—	8	1	1	—	1	—	6	1	2	1
65—70	3	1	24	6	—	—	—	—	3	1	—	—	—	—	3	1	5	—
70—75	3	1	12	6	—	—	—	—	2	2	—	—	—	—	2	2	—	—
75—80	5	—	8	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	2	1	8	15	—	—	—	—	—	1	—	—	—	—	—	1	1	1

*200. Infanticide. Deaths from this cause are shown under Nos. 197-199.

Causes of Death.	202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204-205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure 1-70 years.		205 (2) Other ill-defined causes.		205 (3) Cause not specified.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	244	79	10	3	441	306	117	75	324	231	214	153	80	55	30	23
0—1	5	10	—	—	16	13	—	—	16	13	—	—	7	1	9	12
1—5	20	13	—	—	35	27	—	—	35	27	—	1	34	26	1	—
5—10	12	4	1	—	2	4	1	1	1	3	—	—	1	3	—	—
10—15	20	—	—	—	1	2	—	—	1	2	—	1	1	1	—	—
15—20	20	4	1	—	6	3	2	3	4	—	2	—	1	—	1	—
20—25	29	4	—	—	4	3	1	1	3	2	2	1	—	—	1	1
25—30	29	6	—	—	7	4	—	—	7	4	4	2	—	—	3	2
30—35	13	9	—	—	8	4	3	1	5	3	3	1	—	2	2	—
35—40	8	8	2	—	12	2	3	1	9	1	8	1	—	—	1	—
40—45	14	7	—	—	17	15	4	5	13	10	8	7	1	1	4	2
45—50	12	2	—	—	26	20	7	3	19	17	12	15	4	—	3	2
50—55	19	2	1	1	58	19	15	5	43	14	36	14	5	—	2	—
55—60	16	4	2	—	63	41	25	15	38	26	36	22	—	4	2	—
60—65	9	2	1	—	73	55	19	15	54	40	47	35	7	3	—	2
65—70	9	2	2	—	96	82	32	23	64	59	56	53	8	6	—	—
70—75	5	—	—	1	8	5	1	1	7	4	—	—	7	3	—	1
75—80	3	2	—	1	6	4	2	1	4	3	—	—	3	2	1	1
80 and upwards	1	—	—	—	3	3	2	—	1	3	—	—	1	3	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	All Causes.		I. 1-42 Epidemic, Endemic, and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fever.		2, 3, 4*		6 Small-pox.		7 Measles.	
											5 Malaria.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	26524	24468	4091	3067	7	19	6	15	1	4	2	—	3	9	552	475
0—1	2355	1754	301	231	—	—	—	—	—	—	—	—	1	4	137	80
1—5	1125	1043	651	647	—	—	—	—	—	—	—	—	—	—	381	366
5—10	441	338	180	157	—	—	—	—	—	—	—	—	—	—	32	26
10—15	238	209	66	63	2	—	1	—	1	—	—	—	1	1	—	1
15—20	497	459	177	236	—	3	—	2	—	1	—	—	—	—	1	1
20—25	617	620	273	320	1	1	1	1	—	—	—	—	—	—	—	—
25—30	619	577	269	238	—	3	—	3	—	—	1	—	—	—	—	1
30—35	568	583	224	192	—	2	—	2	—	—	—	—	—	—	—	—
35—40	683	582	207	165	—	1	—	1	—	—	—	—	—	—	1	—
40—45	968	782	280	150	—	5	—	4	—	1	1	—	—	—	—	—
45—50	1367	1031	307	138	—	—	—	—	—	—	—	—	—	2	—	—
50—55	1862	1311	332	112	2	—	2	—	—	—	—	—	—	—	—	—
55—60	2298	1655	294	115	—	—	—	—	—	—	—	—	1	1	—	—
60—65	2638	1938	219	94	—	1	—	—	—	1	—	—	—	—	—	—
65—70	2897	2332	146	81	2	2	2	2	—	—	—	—	—	1	—	—
70—75	2843	2691	94	49	—	1	—	—	—	1	—	—	—	—	—	—
75—80	2322	2767	44	42	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	2186	3796	27	37	—	—	—	—	—	—	—	—	—	—	—	—

*2. Typhus — 3. Relapsing fever (*Spirillum obermeieri*) — ; 4. Mediterranean fever —.

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12*		14,15*	
													13 Mumps.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	56	56	61	67	243	209	188	178	142	125	46	53	1	—	3	1
0—1	1	1	32	30	16	13	10	8	4	5	6	3	—	—	—	—
1—5	31	30	28	32	114	114	4	3	2	3	2	—	—	—	—	—
5—10	9	13	1	5	85	60	—	3	—	2	—	1	—	—	—	—
10—15	8	3	—	—	17	14	—	—	—	—	—	—	—	—	—	1
15—20	3	2	—	—	4	2	3	1	2	1	1	—	—	—	—	—
20—25	—	—	—	—	1	2	9	1	7	1	2	—	—	—	—	—
25—30	1	1	—	—	1	—	7	—	4	—	3	—	—	—	—	—
30—35	1	2	—	—	1	1	4	5	4	3	—	2	—	—	—	—
35—40	2	1	—	—	—	1	5	3	3	2	2	1	—	—	1	—
40—45	—	1	—	—	1	—	11	7	10	7	1	—	—	—	—	—
45—50	—	—	—	—	1	1	14	8	12	8	2	—	—	—	1	—
50—55	—	1	—	—	2	—	8	17	7	10	1	7	—	—	—	—
55—60	—	—	—	—	—	—	24	12	22	10	2	2	—	—	1	—
60—65	—	1	—	—	—	1	19	16	13	10	6	6	—	—	—	—
65—70	—	—	—	—	—	—	19	28	14	20	5	8	—	—	—	—
70—75	—	—	—	—	—	—	23	20	17	12	6	8	1	—	—	—
75—80	—	—	—	—	—	—	14	22	12	15	2	7	—	—	—	—
80 and upwards	—	—	—	—	—	—	14	24	9	16	5	8	—	—	—	—

* 12. Miliary fever — ; 14. Asiatic cholera — ; 15. Cholera Nostras —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	16 (a) Amœbic.		16 (b) Bacillary.		16 (c) Other or unspecified.		17,18,19,20*		22 Acute poliomye- litis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	—	—	1	1	—	77	88	3	7	35	37	53	31	9	5
0—1	—	—	—	—	—	—	20	31	—	—	—	—	23	14	3	2
1—5	—	—	—	—	—	—	5	4	1	3	3	2	9	13	3	2
5—10	—	—	—	—	—	—	1	—	—	1	1	1	7	—	1	1
10—15	—	—	—	1	—	—	1	—	—	1	2	—	3	1	—	—
15—20	—	—	—	—	—	—	—	2	1	1	6	1	4	1	—	—
20—25	—	—	—	—	—	—	—	1	—	—	3	3	2	—	—	—
25—30	—	—	—	—	—	—	—	—	—	—	1	3	2	1	1	—
30—35	—	—	—	—	—	—	1	—	1	—	2	—	1	—	—	—
35—40	1	—	—	—	—	—	2	1	—	—	2	2	—	1	—	—
40—45	—	—	—	—	—	—	4	2	—	—	3	1	1	—	—	—
45—50	1	—	—	—	—	—	5	7	—	1	3	1	1	—	—	—
50—55	—	—	—	—	—	—	3	4	—	—	3	4	—	—	1	—
55—60	—	—	—	—	1	—	8	7	—	—	2	5	—	—	—	—
60—65	—	—	—	—	—	—	11	7	—	—	2	3	—	—	—	—
65—70	—	—	—	—	—	—	3	7	—	—	—	4	—	—	—	—
70—75	—	—	—	—	—	—	4	4	—	—	2	3	—	—	—	—
75—80	—	—	—	—	—	—	4	5	—	—	—	2	—	—	—	—
80 and upwards	—	—	—	—	—	—	5	6	—	—	—	2	—	—	—	—

* 17. Plague — ; 18. Yellow fever 20 ; 19. Spirochætosis ictero-hæmorrhagica — : 20. Leprosy —.

Causes of Death.	26, 27, 28*				Tuberculosis.													
Ages at Death.	29 Tetanus.		30 Mycoses.		31-37 All forms.		31 Respira- tory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral Column.		35 Joints.		36 Other organs.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	3	8	9	2577	1775	2304	1522	113	108	27	34	22	15	14	3	29	19
0—1	—	—	1	1	32	23	9	6	15	8	2	2	—	—	—	—	—	—
1—5	—	—	—	—	68	71	11	11	38	43	3	—	1	1	1	—	1	—
5—10	—	—	—	1	40	45	8	9	24	25	2	3	—	—	—	—	1	—
10—15	—	—	1	—	31	41	14	27	8	6	—	2	4	1	—	—	—	—
15—20	1	—	1	—	145	220	120	193	11	13	—	6	3	—	1	—	—	—
20—25	1	1	1	1	251	309	222	283	8	5	3	5	5	2	1	1	6	4
25—30	—	—	—	—	250	226	235	210	1	4	1	2	2	2	—	1	3	1
30—35	—	—	—	1	200	177	187	168	5	1	3	3	—	1	3	—	—	1
35—40	—	—	—	—	187	150	180	143	—	1	2	1	1	1	—	1	3	—
40—45	1	1	2	—	243	128	234	121	3	1	—	1	—	2	1	—	3	2
45—50	—	1	—	1	269	104	258	98	—	—	4	2	1	2	1	—	3	—
50—55	—	—	1	—	287	80	277	76	—	—	4	2	2	—	—	—	1	1
55—60	1	—	1	2	231	77	227	71	—	—	1	2	1	1	1	—	1	2
60—65	—	—	—	1	163	54	155	47	—	—	1	1	—	1	3	—	—	4
65—70	—	—	—	1	101	35	96	31	—	—	1	1	—	1	1	—	3	1
70—75	—	—	—	—	53	18	51	15	—	1	—	1	1	—	—	—	1	—
75—80	—	—	—	—	20	12	15	9	—	—	—	—	1	—	1	—	2	3
80 and upwards	—	—	—	—	6	5	5	4	—	—	—	—	—	—	—	—	1	—

* 26. Glanders — ; 27. Anthrax, 15 ; 28. Rabies —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	Tuberculosis— <i>contd.</i>															
	36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands excepted).		36 (d) Genito-urinary system.		36 (e) Others in 36.		37 Disseminated.		37 (a) Acute.		37 (b) Chronic or unstated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	3	3	2	4	1	18	13	—	—	68	74	30	43	38	31
0—1	—	—	—	—	—	—	—	—	—	—	6	7	5	3	1	4
1—5	—	—	—	—	1	—	—	—	—	—	13	16	5	12	8	4
5—10	—	—	—	—	1	—	—	—	—	—	5	8	1	6	4	2
10—15	—	—	—	—	—	—	—	—	—	—	5	5	2	3	3	2
15—20	—	—	—	—	—	—	—	—	—	—	10	8	5	7	5	1
20—25	—	—	—	1	—	—	6	3	—	—	6	9	3	7	3	2
25—30	—	—	—	—	—	—	3	1	—	—	8	6	3	2	5	4
30—35	—	—	—	—	—	—	—	1	—	—	2	3	1	2	1	1
35—40	1	—	—	—	—	—	2	—	—	—	1	3	—	—	1	3
40—45	—	1	—	—	—	—	3	1	—	—	2	1	1	1	1	—
45—50	1	—	—	—	—	—	2	—	—	—	2	2	—	—	2	2
50—55	—	—	1	—	—	—	—	1	—	—	3	1	1	—	2	1
55—60	—	1	—	—	—	—	1	1	—	—	—	1	—	—	—	1
60—65	—	—	—	—	—	1	—	3	—	—	4	1	2	—	2	1
65—70	1	—	2	—	—	—	—	1	—	—	—	1	—	—	—	1
70—75	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1
75—80	—	1	—	1	1	—	1	1	—	—	1	—	1	—	—	—
80 and upwards	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1

Causes of Death.	38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42* 41 Purulent infection, septicæmia.		II. 43—69 General diseases not included in I. 1—42.		Cancer, Malignant Disease.			
													43—49 Total.		43 Buccal cavity.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	145	65	5	2	3	—	2	2	56	30	4077	4557	3356	3552	295	41
0—1	19	18	2	2	—	—	2	2	4	4	27	20	1	2	—	—
1—5	1	2	—	—	—	—	—	—	3	4	31	20	4	6	—	—
5—10	—	—	—	—	—	—	—	—	3	1	28	25	2	5	—	—
10—15	—	—	—	—	—	—	—	—	—	—	22	31	2	1	—	—
15—20	3	1	—	—	—	—	—	—	4	1	38	30	8	8	—	—
20—25	2	1	—	—	—	—	—	—	1	—	26	48	10	15	1	—
25—30	2	2	—	—	—	—	—	—	3	1	39	42	15	18	—	—
30—35	5	2	—	—	—	—	—	—	8	2	45	82	27	55	—	1
35—40	6	1	—	—	—	—	—	—	1	4	78	103	56	79	1	1
40—45	8	3	—	—	—	—	—	—	5	2	132	198	103	164	6	—
45—50	11	9	1	—	1	—	—	—	1	3	219	334	192	279	11	2
50—55	21	6	1	—	1	—	—	—	3	—	393	426	340	349	30	4
55—60	19	8	1	—	1	—	—	—	5	3	507	534	452	436	38	8
60—65	18	8	—	—	—	—	—	—	6	2	663	580	577	460	58	8
65—70	18	1	—	—	—	—	—	—	3	2	692	591	590	473	75	6
70—75	7	3	—	—	—	—	—	—	3	—	566	612	476	480	34	4
75—80	4	—	—	—	—	—	—	—	2	1	384	484	337	396	25	4
80 and upwards	1	—	—	—	—	—	—	—	1	—	187	397	164	326	16	3

* 39. Soft chancre —; 42. (1) Vaccinia 70.1.; (2) Other diseases included under 42 —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	Cancer, Malignant Disease— <i>contd.</i>												50 Tumours not returned as malignant (brain & female genital organs excepted).		51 Rheumatic fever.	
	44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1148	768	737	796	—	723	6	732	79	36	1091	456	58	36	82	92
0—1	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
1—5	—	—	1	—	—	1	—	—	—	—	3	5	1	—	2	4
5—10	1	—	—	—	—	—	—	—	—	—	1	5	1	1	18	14
10—15	—	—	—	—	—	—	—	—	—	—	2	1	—	—	11	23
15—20	—	—	1	1	—	1	—	—	—	—	7	6	—	1	18	9
20—25	1	1	—	5	—	3	—	—	1	1	7	5	—	2	4	14
25—30	6	3	3	6	—	4	—	—	—	—	6	5	1	1	7	4
30—35	7	9	5	10	—	12	—	13	1	1	14	9	—	2	3	3
35—40	17	11	9	8	—	26	—	21	1	1	28	11	—	1	6	5
40—45	36	24	14	22	—	59	—	41	3	—	44	18	5	3	5	3
45—50	64	49	36	39	—	80	—	78	7	4	74	27	3	3	1	3
50—55	126	57	58	49	—	102	—	94	3	1	123	42	9	5	2	3
55—60	168	86	87	83	—	100	1	96	6	3	152	60	5	5	2	4
60—65	207	103	119	102	—	87	—	98	10	5	183	57	7	2	2	—
65—70	210	117	144	117	—	87	3	81	10	5	148	60	9	4	1	3
70—75	154	130	134	129	—	72	—	83	14	5	140	57	10	1	—	—
75—80	99	115	90	106	—	49	1	63	14	4	108	55	5	2	—	—
80 and upwards	51	63	36	118	—	40	1	64	9	6	51	32	2	3	—	—

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55*		57 Diabetes.		58 Anæmia, chlorosis.		58 (a) Pernicious anæmia.		58 (b) Other anæmias and chlorosis.		59 Diseases of the pituitary gland.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	121	226	1	3	17	11	223	316	60	86	48	71	12	15	2	1
0—1	—	—	1	3	7	7	—	—	5	—	—	—	5	—	—	—
1—5	—	—	—	—	9	3	—	—	2	3	2	1	—	2	—	—
5—10	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—
10—15	—	1	—	—	—	—	1	3	1	1	1	—	—	1	—	—
15—20	—	—	—	—	1	—	2	—	2	4	2	3	—	1	—	—
20—25	—	—	—	—	—	—	5	1	—	—	—	—	—	—	—	—
25—30	—	2	—	—	—	—	3	3	1	1	1	1	—	—	—	—
30—35	1	1	—	—	—	—	2	3	2	5	1	5	1	—	—	—
35—40	2	1	—	—	—	—	4	2	2	2	2	1	—	1	—	—
40—45	1	4	—	—	—	—	7	6	3	4	2	4	1	—	—	—
45—50	2	7	—	—	—	—	10	12	2	5	2	3	—	2	—	—
50—55	9	13	—	—	—	—	15	22	2	9	1	8	1	1	—	—
55—60	6	21	—	—	—	—	23	36	9	10	8	8	1	2	1	—
60—65	15	27	—	—	—	—	38	57	12	11	11	10	1	1	—	—
65—70	23	28	—	—	—	—	46	53	10	8	9	7	1	1	—	—
70—75	28	39	—	—	—	—	44	66	5	13	5	11	—	2	—	—
75—80	24	37	—	—	—	—	13	34	—	7	—	6	—	1	1	1
80 and upwards	10	45	—	—	—	—	10	18	1	3	—	3	1	—	—	—

* 54. Pellagra 45; 55. Beri-beri—.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	60 Diseases of the thyroid gland.		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.		61 (2)* Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	118	10	85	6	33	1	1	1	1	13	5	6	16	1	3	87	58
0—1	—	1	—	—	—	1	1	—	1	—	5	2	—	1	—	—	1	1
1—5	1	1	—	—	1	1	—	—	—	—	4	—	—	—	—	—	6	2
5—10	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	4	3
10—15	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	6	2
15—20	—	4	—	4	—	—	—	—	—	—	—	1	1	—	—	—	5	3
20—25	1	8	—	7	1	1	—	—	—	—	—	—	—	2	—	—	5	4
25—30	—	4	—	4	—	—	—	1	—	1	3	1	—	1	—	—	8	4
30—35	2	6	2	6	—	—	—	—	—	—	—	—	—	1	—	1	6	3
35—40	1	7	1	7	—	—	—	—	—	—	—	—	—	2	—	—	6	2
40—45	1	9	1	9	—	—	—	—	—	—	—	—	—	3	—	—	6	2
45—50	—	12	—	12	—	—	—	—	—	—	—	—	—	4	—	—	8	4
50—55	2	17	2	14	—	3	—	—	—	—	—	—	3	—	—	—	6	4
55—60	1	11	1	7	—	4	—	—	—	—	—	—	—	—	—	1	4	5
60—65	4	11	3	8	1	3	—	—	—	—	—	—	1	—	—	1	5	7
65—70	2	13	—	4	2	9	—	—	—	—	—	—	1	2	—	—	7	6
70—75	—	9	—	1	—	8	—	—	—	—	—	—	—	—	—	—	2	2
75—80	1	4	—	1	1	3	—	—	—	—	—	—	—	—	—	—	2	3
80 and upwards	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1

* 61. (2) Other diseases of the parathyroid glands —.

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* Other general diseases.		III. 70—86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	48	30	39	28	5	13	3	—	25	19	1788	1924	30	11	42	36
0—1	—	1	1	—	—	—	—	—	6	3	73	44	2	1	13	10
1—5	5	2	1	—	—	—	—	—	2	1	39	42	2	—	5	8
5—10	3	2	1	1	—	—	—	—	1	—	42	30	2	1	6	9
10—15	3	1	3	1	—	—	—	—	—	—	14	21	—	—	2	1
15—20	3	—	2	3	—	—	—	—	1	—	30	25	2	2	1	—
20—25	3	1	2	3	—	—	—	—	1	2	32	18	3	—	1	1
25—30	6	2	2	2	—	1	—	—	1	1	42	30	1	1	3	1
30—35	4	—	2	3	1	1	—	—	1	1	44	35	5	2	1	—
35—40	1	1	5	1	—	—	—	—	1	2	51	33	2	1	1	—
40—45	3	1	3	1	—	—	—	—	1	—	83	47	1	1	2	3
45—50	3	2	5	2	1	1	—	—	—	3	115	87	2	—	—	1
50—55	2	3	4	1	2	2	—	—	3	2	142	131	3	—	2	—
55—60	1	4	3	1	—	4	1	—	3	1	174	166	3	1	1	—
60—65	4	3	1	4	—	3	1	—	1	1	187	181	2	1	2	1
65—70	4	4	3	2	—	—	1	—	2	1	221	219	—	—	1	1
70—75	2	—	—	2	—	1	—	—	1	1	213	266	—	—	—	—
75—80	1	2	1	1	1	—	—	—	—	—	170	276	—	—	—	—
80 and upwards	—	1	—	—	—	—	—	—	—	—	116	273	—	—	1	—

* 68. Chronic poisoning by organic substances —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemi-plegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	89	19	50	57	836	1179	605	840	231	339	30	50	27	46	3	4
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—
5—10	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
10—15	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—
20—25	—	—	1	1	1	—	1	—	—	—	1	—	—	—	1	—
25—30	—	1	—	3	2	1	2	1	—	—	—	—	—	—	—	—
30—35	—	1	1	2	3	2	2	2	1	—	—	—	—	—	—	—
35—40	2	—	—	1	6	4	6	3	—	1	—	—	—	—	—	—
40—45	3	1	1	2	18	10	17	9	1	1	—	—	—	—	—	—
45—50	10	2	3	4	26	41	23	35	3	6	—	—	—	—	—	—
50—55	8	3	7	7	54	66	43	53	11	13	—	3	—	3	—	—
55—60	19	4	10	8	77	97	64	71	13	26	3	1	3	1	—	—
60—65	19	4	7	5	109	127	81	96	28	31	2	3	2	3	—	—
65—70	18	2	9	8	155	171	99	118	56	53	—	5	—	5	—	—
70—75	2	—	5	5	166	198	125	140	41	58	4	14	4	12	—	2
75—80	6	1	2	8	130	236	79	163	51	73	8	8	7	7	1	1
80 and upwards	2	—	2	1	88	224	63	147	25	77	12	16	11	15	1	1

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	163	28	40	80	107	84	39	18	2	5	10	9	3	19	224	222
0—1	—	—	—	—	4	—	35	13	—	—	—	—	—	—	5	4
1—5	—	—	—	—	4	—	3	5	1	—	—	—	—	—	8	10
5—10	—	—	—	—	3	1	—	—	1	—	—	—	—	—	6	7
10—15	—	—	—	—	2	1	—	—	—	2	—	—	—	—	2	4
15—20	—	—	2	2	10	5	1	—	—	2	—	—	—	—	3	2
20—25	—	—	—	1	11	6	—	—	—	—	—	—	—	—	6	3
25—30	—	2	4	1	18	6	—	—	—	1	1	—	—	—	7	10
30—35	8	2	4	3	9	7	—	—	—	—	—	—	—	—	7	12
35—40	17	1	1	8	4	7	—	—	—	—	—	—	—	—	12	8
40—45	32	3	6	7	6	6	—	—	—	—	1	2	—	—	11	9
45—50	36	8	4	9	6	6	—	—	—	—	1	—	—	1	20	13
50—55	29	5	3	10	7	9	—	—	—	—	1	—	—	—	25	23
55—60	20	6	6	13	3	10	—	—	—	—	1	1	—	—	25	20
60—65	14	1	3	8	4	1	—	—	—	—	1	2	—	2	23	25
65—70	6	—	2	11	5	3	—	—	—	—	2	—	2	3	19	14
70—75	1	—	2	3	5	6	—	—	—	—	—	1	1	7	23	29
75—80	—	—	2	3	4	5	—	—	—	—	2	—	—	2	14	13
80 and upwards	—	—	1	1	2	5	—	—	—	—	—	3	—	4	8	16

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Pericarditis.		88 Acute endocarditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8	5	115	102	6457	6797	5257	5767	21	23	117	147	649	294	4470	5303
0-1	—	1	14	15	2	3	—	—	—	—	—	—	—	—	—	—
1-5	1	—	14	18	6	7	2	6	1	2	1	3	—	—	—	1
5-10	1	—	23	11	12	20	10	19	—	2	3	6	—	—	7	11
10-15	—	—	7	12	26	35	24	35	1	—	3	5	—	—	20	30
15-20	2	—	8	11	54	63	51	61	1	2	14	21	—	—	36	38
20-25	—	—	8	6	43	72	40	72	1	3	14	21	—	—	25	48
25-30	—	—	6	3	47	85	44	82	1	—	13	25	—	1	30	56
30-35	—	—	6	4	43	77	41	74	2	1	7	16	1	—	31	57
35-40	—	—	6	3	77	78	70	70	2	1	9	12	6	—	53	57
40-45	—	—	2	3	131	130	120	119	—	1	20	12	11	—	89	106
45-50	—	—	7	2	237	186	202	159	—	1	11	7	41	10	150	141
50-55	1	—	2	5	373	293	300	247	5	3	3	10	72	9	220	225
55-60	1	1	5	4	580	409	474	348	2	1	9	1	88	27	375	319
60-65	—	—	1	1	772	557	628	469	—	1	5	2	113	35	510	431
65-70	—	—	2	1	999	853	802	699	2	1	1	3	126	53	673	642
70-75	—	1	4	2	1113	1071	907	917	1	2	2	1	105	60	799	854
75-80	2	—	—	—	972	1198	772	998	1	2	2	1	51	49	718	946
80 and upwards	—	2	—	1	970	1660	770	1392	1	—	—	1	35	50	734	1341

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (a) Aneurysm.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1087	1408	3209	3683	174	212	1144	962	196	78	942	881	488	466	454	415
0-1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1-5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5-10	6	9	1	—	—	2	1	1	1	1	—	—	—	—	—	—
10-15	19	29	1	1	—	—	1	—	1	—	—	—	—	—	—	—
15-20	33	30	3	3	—	5	1	2	1	2	—	—	—	—	—	—
20-25	19	39	4	7	2	2	2	—	2	—	—	—	—	—	—	—
25-30	28	46	—	7	2	3	2	2	2	2	—	—	—	—	—	—
30-35	25	41	6	13	—	3	2	2	1	1	1	1	1	1	—	—
35-40	33	41	18	15	2	1	4	7	3	2	1	5	—	5	1	—
40-45	44	64	37	33	8	9	9	7	4	4	5	3	4	1	1	2
45-50	58	80	90	56	2	5	31	24	19	8	12	16	8	14	4	2
50-55	72	86	138	129	10	10	69	38	38	6	31	32	18	25	13	7
55-60	103	123	252	182	20	14	101	52	42	11	59	41	38	24	21	17
60-65	127	134	364	274	19	23	133	77	25	12	107	65	74	39	33	26
65-70	154	178	488	437	31	27	193	142	26	10	164	132	92	87	72	45
70-75	147	170	625	643	27	41	201	152	13	5	188	147	90	83	98	64
75-80	121	177	572	734	25	35	195	194	12	10	182	183	86	91	96	92
80 and upwards	98	160	610	1149	26	32	199	262	6	4	192	256	77	96	115	160

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other Diseases of the circulatory system.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	3	18	19	19	31	10	3	2	2	7	13	3334	2607	24	10
0—1	—	—	—	—	—	—	1	2	1	1	—	—	448	371	2	1
1—5	—	—	—	—	—	—	4	1	—	—	—	—	243	199	—	—
5—10	—	—	—	—	—	—	1	—	—	—	—	—	35	24	—	1
10—15	—	—	—	—	—	—	1	—	—	—	—	—	17	18	2	1
15—20	—	—	1	—	—	—	—	—	1	—	—	—	28	25	1	2
20—25	—	—	—	—	1	—	—	—	—	—	—	—	31	22	2	1
25—30	—	—	—	1	1	—	—	—	—	—	—	—	55	27	5	1
30—35	—	—	—	—	—	—	—	—	—	1	—	—	54	33	2	—
35—40	—	—	1	1	—	—	2	—	—	—	—	—	87	41	2	—
40—45	—	—	1	1	1	2	—	—	—	—	—	1	128	60	1	—
45—50	—	—	2	2	1	1	—	—	—	—	1	—	194	65	—	2
50—55	—	—	3	3	—	5	—	—	—	—	1	—	262	87	5	—
55—60	—	—	4	3	1	4	—	—	—	—	—	2	283	131	—	—
60—65	1	—	2	2	6	8	—	—	—	—	3	1	315	169	1	—
65—70	3	—	1	3	3	5	—	—	—	—	—	4	307	218	—	—
70—75	—	—	2	1	2	1	—	—	—	—	1	—	298	274	1	1
75—80	1	1	1	1	2	2	1	—	—	—	1	3	264	309	—	—
80 and upwards	1	2	—	1	1	3	—	—	—	—	—	2	285	534	—	—

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	8	1024	922	158	195	496	346	370	381	1987	1463	1021	901	966	562
0—1	3	2	64	51	22	18	1	—	41	33	373	311	306	267	67	44
1—5	4	2	11	19	8	9	—	1	3	9	224	174	180	144	44	30
5—10	2	—	—	—	—	—	—	—	—	—	30	22	15	13	15	9
10—15	—	2	—	1	—	1	—	—	—	—	13	12	8	3	5	9
15—20	—	—	1	1	—	1	1	—	—	—	21	21	4	5	17	16
20—25	1	—	4	4	—	—	3	4	1	—	20	16	7	5	13	11
25—30	—	—	8	2	2	—	5	2	1	—	38	23	6	10	32	13
30—35	—	—	6	5	—	—	4	3	2	2	40	23	8	5	32	18
35—40	—	—	12	5	2	1	7	4	3	—	68	32	12	13	56	19
40—45	—	—	23	8	3	4	18	3	2	1	87	47	21	16	66	31
45—50	—	—	32	13	4	4	19	5	9	4	140	41	34	11	106	30
50—55	—	—	71	25	13	8	41	10	17	7	157	54	46	24	111	30
55—60	—	—	87	35	9	5	52	17	26	13	164	83	78	28	86	55
60—65	1	—	116	56	14	9	73	29	29	18	170	98	69	46	101	52
65—70	—	1	120	82	15	26	63	40	42	16	160	116	74	62	86	54
70—75	—	1	140	133	20	22	77	68	43	43	128	115	61	67	67	48
75—80	—	—	157	162	22	30	74	63	61	69	85	121	48	82	37	39
80 and upwards	—	—	172	320	24	57	58	97	90	166	69	154	44	100	25	54

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930
(Civilian population only).

Causes of Death.	101 (a) Pneumonia, lobar.		101 (b) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	716	413	250	149	90	38	72	87	3	—	105	64	5	—	13	15
0—1	24	18	43	26	4	3	2	1	—	—	—	2	—	—	—	—
1—5	25	21	19	9	3	4	1	—	—	—	—	—	—	—	—	—
5—10	12	8	3	1	3	1	—	—	—	—	—	—	—	—	—	—
10—15	5	7	—	2	2	1	—	—	—	—	—	1	—	—	—	—
15—20	16	15	1	1	4	1	—	—	—	—	—	—	—	—	1	—
20—25	11	10	2	1	3	—	—	—	—	—	—	1	—	—	1	—
25—30	26	11	6	2	2	1	—	—	—	—	2	—	—	—	—	—
30—35	25	14	7	4	5	2	—	1	—	—	1	2	—	—	—	—
35—40	45	15	11	4	—	2	—	—	1	—	3	2	—	—	1	—
40—45	52	26	14	5	4	1	2	—	—	—	10	4	—	—	1	—
45—50	90	21	16	9	9	4	—	—	—	—	11	2	—	—	2	3
50—55	90	27	21	3	12	2	1	—	2	—	12	5	1	—	1	1
55—60	69	44	17	11	12	2	1	4	—	—	17	6	—	—	2	1
60—65	73	41	28	11	10	2	2	1	—	—	12	10	2	—	1	2
65—70	66	41	20	13	7	3	1	6	—	—	16	7	2	—	1	3
70—75	43	33	24	15	4	3	12	10	—	—	13	11	—	—	—	—
75—80	29	26	8	13	2	3	15	16	—	—	5	6	—	—	—	1
80 and upwards	15	35	10	19	4	3	35	48	—	—	3	5	—	—	2	4

Causes of Death.	107 (b) *		107 (c) Other diseases included under 107.		VI. 108—127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the oesophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	9	12	4	2	1825	1463	43	32	28	19	15	13	59	54	3	2
0—1	—	—	—	—	399	300	5	—	1	—	4	—	3	3	—	—
1—5	—	—	—	—	72	75	2	2	2	1	—	1	14	10	—	—
5—10	—	—	—	—	36	25	1	—	1	—	—	—	8	4	—	—
10—15	—	—	—	—	21	12	—	—	—	—	—	—	—	1	—	—
15—20	1	—	—	—	37	26	2	1	1	—	1	1	4	3	—	—
20—25	—	—	1	—	56	38	3	—	3	—	—	—	5	4	—	—
25—30	—	—	—	—	41	34	3	1	1	—	2	1	2	2	—	—
30—35	—	—	—	—	49	33	1	3	—	3	1	—	4	2	—	—
35—40	1	—	—	—	59	49	—	5	—	3	—	2	1	1	—	—
40—45	1	—	—	—	86	51	3	1	3	1	—	—	5	2	—	—
45—50	1	3	1	—	130	73	2	2	2	1	—	1	—	2	—	—
50—55	—	—	1	1	122	88	3	1	3	1	—	—	3	1	1	—
55—60	2	1	—	—	154	117	7	2	4	2	3	—	1	2	1	1
60—65	1	1	—	—	148	124	3	—	2	—	1	—	3	5	—	—
65—70	1	3	—	—	156	121	2	3	2	2	—	1	2	4	—	1
70—75	—	—	—	—	115	106	2	3	—	1	2	2	2	6	1	—
75—80	—	—	—	1	86	85	2	1	2	1	—	—	2	1	—	—
80 and upwards	1	4	1	—	58	106	2	7	1	3	1	4	—	1	—	—

* 107 (b) Diseases of the mediastinum 60.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhoea and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, Intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	469	162	323	145	146	17	45	47	436	382	—	—	202	149	271	252
0—1	—	—	—	—	—	—	6	6	358	272	—	—	—	—	25	14
1—5	—	—	—	—	—	—	2	2	31	39	—	—	13	7	6	3
5—10	—	—	—	—	—	—	—	—	1	2	—	—	18	10	7	—
10—15	—	—	—	—	—	—	—	—	1	1	—	—	19	5	1	3
15—20	1	2	—	2	1	—	1	1	1	4	—	—	19	11	6	3
20—25	8	6	4	5	4	1	—	—	4	8	—	—	23	12	11	1
25—30	19	5	12	3	7	2	—	—	2	6	—	—	8	9	2	4
30—35	25	3	17	1	8	2	1	—	2	3	—	—	9	10	4	6
35—40	31	13	21	13	10	—	—	2	1	3	—	—	9	6	6	6
40—45	38	7	29	6	9	1	4	—	2	2	—	—	10	11	7	8
45—50	74	16	55	15	19	1	—	—	5	4	—	—	14	9	8	13
50—55	62	21	43	21	19	—	1	3	2	1	—	—	11	6	18	20
55—60	62	20	46	20	16	—	5	1	2	2	—	—	11	14	20	25
60—65	50	25	32	23	18	2	2	2	7	6	—	—	12	12	25	30
65—70	46	19	30	15	16	4	6	4	3	6	—	—	13	7	37	26
70—75	26	11	19	8	7	3	4	9	4	2	—	—	6	8	35	28
75—80	21	6	12	6	9	—	6	4	6	9	—	—	3	8	27	27
80 and upwards	6	8	3	7	3	1	7	13	4	12	—	—	4	4	26	35

* 115. Ankylostomiasis —.

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	127	119	144	133	35	46	3	9	32	37	3	11	—	—	143	105
0—1	3	4	22	10	1	—	—	—	1	—	—	—	—	—	1	—
1—5	1	—	5	3	—	1	—	—	—	1	—	1	—	—	—	—
5—10	1	—	6	—	1	—	—	—	1	—	—	—	—	—	—	—
10—15	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	6	3	—	—	—	—	—	—	—	—	—	—	—	—
20—25	2	1	9	—	—	1	—	—	—	1	—	1	—	—	—	—
25—30	1	—	1	4	—	1	—	—	—	1	1	4	—	—	2	2
30—35	1	2	3	4	—	1	—	—	—	1	—	1	—	—	2	1
35—40	4	2	2	4	2	—	—	—	2	—	—	2	—	—	5	5
40—45	2	2	5	6	1	—	—	—	1	—	1	1	—	—	9	8
45—50	2	7	6	6	6	3	—	—	6	3	—	—	—	—	10	9
50—55	5	8	13	12	1	4	—	2	1	2	1	—	—	—	13	16
55—60	9	10	11	15	4	6	—	1	4	5	—	—	—	—	28	22
60—65	14	21	11	9	4	9	—	1	4	8	—	—	—	—	26	12
65—70	24	17	13	9	3	5	—	1	3	4	—	—	—	—	25	18
70—75	25	15	10	13	6	6	1	1	5	5	—	1	—	—	15	4
75—80	17	14	10	13	5	3	1	1	4	2	—	—	—	—	5	5
80 and upwards	16	15	10	20	1	6	1	2	—	4	—	—	—	—	2	3

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only)

Causes of Death.	122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128-142 Non-venereal diseases of the genito- urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	26	13	117	92	34	71	44	68	26	36	12	46	1562	1198	42	47
0—1	—	—	1	—	—	—	—	—	—	—	—	5	5	7	1	—
1—5	—	—	—	—	—	—	1	—	—	—	3	10	2	4	2	2
5—10	—	—	—	—	—	—	—	—	—	—	—	9	11	4	5	2
10—15	—	—	—	—	—	—	—	—	—	—	—	2	2	8	2	1
15—20	—	—	—	—	1	—	—	—	—	—	2	1	17	11	5	5
20—25	—	—	—	—	—	—	—	2	—	—	2	3	14	24	4	2
25—30	—	—	2	2	1	—	1	—	—	—	—	—	23	27	1	2
30—35	1	—	1	1	—	1	1	1	—	1	—	—	22	27	5	2
35—40	3	2	2	3	1	1	1	2	2	2	—	1	21	31	—	4
40—45	4	1	5	7	—	4	2	2	2	3	2	2	34	67	2	1
45—50	2	4	8	5	1	5	5	3	4	4	1	3	75	77	3	2
50—55	2	2	11	14	2	2	3	6	1	4	—	3	117	109	2	5
55—60	7	1	21	21	5	6	4	10	3	5	1	1	144	124	4	7
60—65	—	1	26	11	5	10	6	6	5	7	—	—	194	139	—	3
65—70	3	2	22	16	6	14	9	6	3	6	1	2	228	154	3	4
70—75	2	—	13	4	7	11	4	12	3	2	—	3	257	145	2	2
75—80	1	—	4	5	1	12	5	8	3	1	—	—	209	118	1	2
80 and upwards	1	—	1	3	4	5	2	10	—	1	—	1	187	122	—	1

* 127. Other diseases of the digestive system —.

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other dis- eases of the kidneys and annexa		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	886	893	68	79	39	24	50	31	67	1	66	—	1	1	404	—
0—1	1	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
5—10	3	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—
10—15	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	11	5	1	1	—	—	—	—	—	—	—	—	—	—	—	—
20—25	7	13	1	4	2	1	—	—	—	—	—	—	—	—	—	—
25—30	18	15	2	2	1	3	—	—	1	1	—	—	1	1	—	—
30—35	13	16	3	2	—	2	—	—	1	—	1	—	—	—	—	—
35—40	15	18	3	2	2	1	—	—	1	—	1	—	—	—	—	—
40—45	28	39	2	5	1	3	1	—	—	—	—	—	—	—	—	—
45—50	54	45	7	8	1	1	2	3	5	—	5	—	—	—	2	—
50—55	82	70	7	7	9	6	2	2	8	—	8	—	—	—	7	—
55—60	100	100	5	6	4	3	8	2	7	—	7	—	—	—	16	—
60—65	112	115	6	5	8	1	3	5	13	—	13	—	—	—	51	—
65—70	123	126	9	8	5	—	7	5	13	—	13	—	—	—	68	—
70—75	139	127	11	5	2	1	9	4	9	—	9	—	—	—	85	—
75—80	97	94	7	7	2	1	11	5	8	—	8	—	—	—	82	—
80 and upwards	83	102	2	7	1	1	7	5	1	—	1	—	—	—	93	—

* 130. Chyluria—.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable else where (puer- peral insanity).		IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155-158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	35	—	—	147	117	28	37	42	19	44	33	33	28	77	45
0—1	—	—	—	—	20	7	—	1	—	—	6	2	14	4	6	2
1—5	—	—	—	—	5	2	—	—	—	—	2	1	3	1	8	5
5—10	—	—	—	—	1	—	—	—	—	—	1	—	—	—	10	15
10—15	—	—	—	—	3	2	—	—	2	—	1	2	—	—	12	5
15—20	—	1	—	—	4	5	—	—	3	4	1	1	—	—	11	2
20—25	—	11	—	—	3	1	—	—	2	—	1	—	—	1	2	—
25—30	—	5	—	—	2	2	—	—	—	2	2	—	—	—	2	—
30—35	—	5	—	—	7	3	—	1	4	2	3	—	—	—	—	3
35—40	—	8	—	—	2	3	—	—	2	1	—	2	—	—	4	—
40—45	—	5	—	—	8	5	—	1	4	1	2	3	2	—	1	3
45—50	—	—	—	—	6	8	—	—	2	2	4	3	—	3	4	—
50—55	—	—	—	—	7	9	2	—	4	3	1	2	—	4	2	—
55—60	—	—	—	—	12	6	—	—	7	—	4	6	1	—	2	1
60—65	—	—	—	—	8	4	2	2	4	—	1	—	1	2	4	3
65—70	—	—	—	—	8	10	—	2	2	—	4	6	2	2	4	2
70—75	—	—	—	—	22	11	9	6	4	2	5	1	4	2	4	—
75—80	—	—	—	—	12	14	6	9	1	—	3	3	2	2	1	3
80 and upwards	—	—	—	—	17	25	9	15	1	2	3	1	4	7	—	1

* 150. Puerperal diseases of the breast —.

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal- formations.		XII. 160-163 Diseases of early infancy.		160 Congenital debility, sclerema and icterus.		161 Premature birth, injury at birth.		161 (1) Premature birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	63	36	12	7	2	2	195	164	859	593	118	64	648	451	561	391
0—1	4	2	2	—	—	—	174	138	859	593	118	64	648	451	561	391
1—5	8	4	—	1	—	—	10	9	—	—	—	—	—	—	—	—
5—10	10	13	—	1	—	1	2	3	—	—	—	—	—	—	—	—
10—15	11	5	—	—	1	—	1	—	—	—	—	—	—	—	—	—
15—20	9	—	2	2	—	—	1	8	—	—	—	—	—	—	—	—
20—25	1	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—
25—30	2	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
30—35	—	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—
35—40	4	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
40—45	1	2	—	1	—	—	2	—	—	—	—	—	—	—	—	—
45—50	3	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—
50—55	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
60—65	3	2	1	1	—	—	1	—	—	—	—	—	—	—	—	—
65—70	3	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—
70—75	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*157. Amputation —.

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		Suicide.					
	Ages at Death.		M.	F.	M.	F.	M.	F.	M.	F.	165-174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	87	60	77	61	16	17	432	769	1669	929	404	206	71	62	144	73
0—1	87	60	77	61	16	17	—	—	41	36	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	54	31	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	84	35	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	54	14	—	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	98	24	3	3	—	2	2	1
20—25	—	—	—	—	—	—	—	—	136	33	19	11	2	1	10	5
25—30	—	—	—	—	—	—	—	—	98	36	25	17	5	4	10	8
30—35	—	—	—	—	—	—	—	—	79	41	28	19	7	6	9	6
35—40	—	—	—	—	—	—	—	—	96	33	34	15	6	7	13	4
40—45	—	—	—	—	—	—	—	—	82	44	36	14	6	5	10	4
45—50	—	—	—	—	—	—	—	—	79	60	33	35	8	11	13	12
50—55	—	—	—	—	—	—	—	1	111	55	49	27	13	9	16	7
55—60	—	—	—	—	—	—	—	—	147	52	55	14	7	4	15	4
60—65	—	—	—	—	—	—	2	8	125	79	44	24	11	4	16	11
65—70	—	—	—	—	—	—	17	16	118	64	34	15	3	5	15	7
70—75	—	—	—	—	—	—	55	71	106	86	19	8	1	3	6	2
75—80	—	—	—	—	—	—	109	156	71	82	16	3	2	1	6	1
80 and upwards	—	—	—	—	—	—	249	517	90	124	9	1	—	—	3	1

[illegible]

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Con-flagration.		179 Accidental burns (con-flagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	—	1	—	9	13	5	11	46	52	23	26	11	5	115	25
0—1	—	—	—	—	—	—	—	—	8	5	18	20	1	—	1	1
1—5	—	—	—	—	2	1	—	1	16	12	—	—	—	—	3	—
5—10	—	—	—	—	—	—	—	—	—	4	—	—	—	—	13	3
10—15	—	—	—	—	—	—	—	—	1	1	—	1	1	—	6	1
15—20	—	—	—	—	—	—	—	1	—	1	—	—	1	—	10	3
20—25	—	—	1	—	1	—	1	1	—	2	—	—	—	—	13	1
25—30	1	—	—	—	—	1	—	—	4	1	—	—	—	1	4	—
30—35	—	—	—	—	1	2	—	—	1	1	—	—	1	—	5	3
35—40	—	—	—	—	1	—	1	—	—	—	—	1	1	—	4	1
40—45	—	—	—	—	—	2	—	1	1	1	—	—	—	—	4	4
45—50	—	—	—	—	—	3	—	1	—	—	—	—	2	—	5	1
50—55	—	—	—	—	1	2	—	—	3	1	1	—	—	—	14	—
55—60	—	—	—	—	—	1	—	2	2	1	3	1	—	—	17	1
60—65	—	—	—	—	3	—	—	2	2	4	1	1	1	—	6	2
65—70	—	—	—	—	—	—	1	—	2	2	—	1	—	1	2	2
70—75	—	—	—	—	—	1	—	1	2	2	—	—	2	2	5	1
75—80	—	—	—	—	—	—	1	1	1	5	—	—	—	—	2	1
80 and upwards	—	—	—	—	—	—	1	—	3	9	—	1	1	1	1	—

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	—	—	1	279	270	—	—	20	—	671	273	2	—	10	—
0—1	—	—	—	1	4	2	—	—	—	—	1	—	—	—	—	—
1—5	—	—	—	—	4	2	—	—	—	—	28	14	—	—	—	—
5—10	—	—	—	—	6	1	—	—	—	—	61	27	—	—	—	—
10—15	—	—	—	—	7	1	—	—	2	—	34	9	—	—	—	—
15—20	2	—	—	—	9	2	—	—	4	—	66	13	—	—	—	—
20—25	—	—	—	—	6	3	—	—	1	—	89	12	—	—	—	—
25—30	—	—	—	—	14	3	—	—	—	—	46	11	—	—	—	—
30—35	—	—	—	—	7	3	—	—	4	—	27	11	—	—	4	—
35—40	1	—	—	—	15	2	—	—	2	—	30	7	—	—	2	—
40—45	—	—	—	—	11	4	—	—	1	—	23	13	—	—	1	—
45—50	—	—	—	—	8	3	—	—	1	—	26	14	—	—	1	—
50—55	—	—	—	—	14	5	—	—	2	—	20	17	—	—	2	—
55—60	—	—	—	—	22	13	—	—	1	—	41	18	1	—	—	—
60—65	—	—	—	—	21	21	—	—	—	—	40	24	—	—	—	—
65—70	—	—	—	—	31	15	—	—	1	—	44	26	—	—	—	—
70—75	—	—	—	—	35	44	—	—	1	—	39	27	1	—	—	—
75—80	—	—	—	—	24	53	—	—	—	—	25	17	—	—	—	—
80 and upwards	—	—	—	—	41	93	—	—	—	—	31	13	—	—	—	—

ADMINISTRATIVE COUNTY OF LONDON.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	191*		193 Excessive cold.		194 Excessive heat.		195*		Homicide.							
	192 Hunger or thirst.						196 Electricity (lightning excepted).		197-199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	1	—	2	14	12	9	—	16	12	1	1	—	1	15	10
0—1	—	—	—	—	—	—	—	—	5	4	—	—	—	—	5	4
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
20—25	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
25—30	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—
30—35	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
35—40	—	—	—	—	—	1	3	—	1	3	—	—	—	1	1	2
40—45	—	—	—	—	1	1	—	—	4	2	1	—	—	—	3	2
45—50	—	—	—	—	2	—	1	—	—	2	—	—	—	—	—	2
50—55	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
60—65	1	—	—	—	1	—	1	—	2	—	—	—	—	—	2	—
65—70	—	—	—	—	2	1	—	—	1	—	—	—	—	—	1	—
70—75	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—
75—80	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	1	—	1	3	4	—	—	—	—	—	—	—	—	—	—

*191. Execution of civilians by belligerent armies—.

*195. Lightning —.

Causes of Death.	200*		202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204-205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1-70 years.		205 (2 & 3) Others.	
	201 Fracture (cause not specified).		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	2	25	18	2	—	11	7	2	—	9	7	2	2	7	5
0—1	1	1	2	2	—	—	—	2	—	—	—	2	—	—	—	2
1—5	—	1	1	—	—	—	4	2	—	—	4	2	—	—	4	2
5—10	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	2	1	—	—	2	—	—	—	2	—	1	—	1	—
20—25	—	—	5	2	—	—	1	1	1	—	—	1	—	—	—	1
25—30	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
30—35	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
35—40	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—
40—45	—	—	—	2	—	—	1	—	—	—	1	—	—	—	1	—
45—50	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
50—55	—	—	4	1	1	—	1	—	1	—	—	—	—	—	—	—
55—60	—	—	2	—	1	—	1	—	—	—	1	—	—	—	1	—
60—65	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	1	—	—	1	2	—	—	1	2	1	2	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 200. Infanticide. Deaths from this cause are shown under Nos 197-199.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	All Causes.		I. 1-42 Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fever.		2, 3, 4*		6 Small-pox.		7 Measles.	
											5 Malaria.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	82414	77189	12488	9943	60	38	53	31	7	7	15	1	3	1	916	760
0—1	8944	6463	857	667	1	—	1	—	—	—	—	—	1	—	226	153
1—5	3619	3190	1603	1543	3	1	3	—	—	1	—	—	—	—	597	534
5—10	1513	1359	630	676	1	—	1	—	—	—	—	—	—	—	80	65
10—15	915	890	286	360	2	1	2	1	—	—	—	—	1	—	10	4
15—20	1614	1559	639	871	6	4	6	3	—	1	1	—	—	—	—	—
20—25	1936	1872	866	989	6	9	6	7	—	2	—	—	—	—	1	1
25—30	1900	1900	819	882	4	2	3	2	1	—	1	—	—	—	—	—
30—35	1899	1997	775	737	6	1	6	1	—	—	1	—	1	—	—	1
35—40	2337	2113	791	532	8	3	7	2	1	1	—	1	—	—	—	—
40—45	3052	2652	859	525	7	5	7	4	—	1	—	—	—	—	—	1
45—50	4405	3317	1077	451	4	2	4	2	—	—	4	—	—	—	1	—
50—55	5675	4333	1030	401	3	5	1	4	2	1	1	—	—	—	—	—
55—60	6897	5262	803	357	5	—	5	—	—	—	—	—	—	—	—	—
60—65	7864	6307	624	288	3	2	1	2	2	—	3	—	—	—	1	—
65—70	8645	7671	408	250	—	1	—	1	—	—	3	—	—	—	—	—
70—75	8791	8605	218	183	—	1	—	1	—	—	1	—	—	—	—	1
75—80	6801	8086	122	126	—	1	—	1	—	—	—	—	—	1	—	—
80 and upwards	5607	9613	81	105	1	—	—	—	1	—	—	—	—	—	—	—

* 2. Typhus 55; 3. Relapsing fever (*Spirillum obermeieri*) —; 4. Mediterranean fever —,

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12* 13 Mumps.		14, 15* 16 Dysentery	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	121	147	395	494	653	661	894	766	635	472	259	294	6	3	27	15
0-1	6	2	194	219	32	12	20	22	15	12	5	10	1	—	4	—
1-5	51	56	189	253	275	251	25	26	15	12	10	14	2	1	2	4
5-10	36	48	11	21	252	275	15	21	4	10	11	11	1	2	1	1
10-15	11	21	—	—	64	84	8	13	5	3	3	10	—	—	—	—
15-20	2	2	—	1	8	8	21	11	18	6	3	5	—	—	1	—
20-25	5	6	—	—	8	3	19	15	11	10	8	5	—	—	—	1
25-30	3	—	—	—	6	2	30	21	24	14	6	7	—	—	2	2
30-35	3	3	—	—	—	6	28	28	22	20	6	8	—	—	4	2
35-40	1	2	—	—	3	3	30	25	21	18	9	7	—	—	1	—
40-45	1	1	—	—	2	4	67	31	55	21	12	10	—	—	2	—
45-50	1	2	—	—	1	5	89	37	70	22	19	15	—	—	3	—
50-55	—	—	—	—	2	3	98	52	76	28	22	24	1	—	3	—
55-60	—	1	—	—	—	2	96	50	72	29	24	21	—	—	2	—
60-65	—	1	—	—	—	2	105	85	84	67	21	18	—	—	—	—
65-70	1	—	—	—	—	1	74	93	46	58	28	35	—	—	1	2
70-75	—	1	—	—	—	—	63	86	41	57	22	29	—	—	—	1
75-80	—	1	—	—	—	—	60	75	32	43	28	32	1	—	1	1
80 and upwards	—	—	1	—	—	—	46	75	24	42	22	33	—	—	—	1

* 12. Miliary fever —; 14. Asiatic cholera —, 15. Cholera nostras —.

TABLE 17—*contd.*

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	16 (a) Amœbic.		16 (b) Bacillary.		16 (c) Other or unspecified.		17, 18, 19, 20*		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	—	14	12	12	3	231	189	20	26	150	153	134	111	24	7
0—1	—	—	4	—	—	—	28	22	1	1	—	—	52	37	8	—
1—5	—	—	2	2	—	2	1	1	8	10	7	8	26	36	11	5
5—10	—	—	1	1	—	—	—	—	5	4	7	4	19	9	3	1
10—15	—	—	—	—	—	—	5	1	—	1	6	6	9	11	—	—
15—20	—	—	1	—	—	—	6	1	4	5	10	11	5	6	—	—
20—25	—	—	—	1	—	—	2	3	—	2	16	23	5	2	—	1
25—30	—	—	1	1	1	1	4	4	1	1	9	8	5	3	—	—
30—35	—	—	2	2	2	—	5	7	1	—	11	17	2	3	1	—
35—40	—	—	—	—	1	—	3	7	—	1	10	6	2	—	—	—
40—45	—	—	2	—	—	—	9	7	—	—	11	15	5	—	—	—
45—50	—	—	1	—	2	—	13	14	—	1	10	12	2	1	—	—
50—55	1	—	—	—	2	—	12	12	—	—	10	7	—	1	—	—
55—60	—	—	—	—	2	—	20	18	—	—	14	16	1	2	—	—
60—65	—	—	—	—	—	—	22	23	—	—	12	7	1	—	—	—
65—70	—	—	—	2	1	—	29	19	—	—	7	8	—	—	1	—
70—75	—	—	—	1	—	—	29	20	—	—	6	5	—	—	—	—
75—80	—	—	—	1	1	—	27	18	—	—	1	—	—	—	—	—
80 and upwards	—	—	—	1	—	—	16	12	—	—	3	—	—	—	—	—

* 17. Plague—; 18. Yellow Fever —; 19. Spirochætosis ictero-hæmorrhagica —; 20. Leprosy 45, 50.

Causes of Death.	26, 27, 28*		30 Mycoses.		Tuberculosis.													
	29 Tetanus.		M.	F.	31-37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.		35 Joints.		36 Other organs.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	24	2	18	10	8172	6223	6901	5043	507	488	204	214	99	81	28	28	99	76
0—1	—	—	6	5	144	117	30	20	73	58	17	17	1	—	—	—	5	3
1—5	—	—	—	—	393	346	60	65	196	169	65	44	4	2	—	1	7	3
5—10	1	—	—	—	191	215	39	55	105	105	15	16	5	3	—	1	—	2
10—15	2	—	—	—	153	211	61	120	45	50	8	13	5	3	2	3	6	5
15—20	3	—	—	—	561	818	448	686	39	48	23	29	11	8	3	1	6	8
20—25	4	—	1	1	785	914	695	813	16	28	13	15	11	10	3	3	10	7
25—30	2	1	2	3	739	825	684	753	8	8	9	21	5	7	2	3	6	4
30—35	2	—	—	—	688	651	635	604	9	5	11	14	11	10	1	—	3	6
35—40	1	—	1	—	710	461	644	425	7	5	12	6	7	4	1	—	13	6
40—45	2	—	—	1	715	437	684	417	1	4	2	8	4	2	—	2	7	2
45—50	1	—	2	—	880	349	838	324	5	3	7	6	6	6	2	2	8	3
50—55	2	1	2	—	831	291	796	260	2	2	5	10	8	9	2	1	6	3
55—60	2	—	2	—	588	243	550	215	1	2	8	4	7	2	3	4	5	10
60—65	1	—	1	—	415	146	390	129	—	—	4	4	6	3	2	3	7	2
65—70	1	—	—	—	240	111	230	93	—	—	—	5	—	7	5	1	3	3
70—75	—	—	1	—	102	53	87	40	—	—	4	1	5	5	1	2	5	5
75—80	—	—	—	—	27	26	23	20	—	—	1	1	2	—	—	—	1	2
80 and upwards	—	—	—	—	10	9	7	4	—	1	—	—	1	—	1	1	1	2

* 26. Glanders —; 27. Anthrax 40, 50, 55, 55, 60; 30, 35; 28. Rabies —.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	Tuberculosis— <i>contd.</i>															
	36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands exceptd).		36 (d) Genito-urinary system.		36 (e) Others in 36.		37 Disseminated.		37 (a) Acute		37 (b) Chronic or unstated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	5	18	22	9	17	11	53	35	2	3	334	293	134	128	200	165
0—1	—	—	1	—	3	2	—	—	1	1	18	19	13	15	5	4
1—5	—	—	3	1	4	2	—	—	—	—	61	62	35	38	26	24
5—10	—	—	—	—	—	1	—	1	—	—	27	33	11	17	16	16
10—15	1	—	1	—	1	2	2	3	1	—	26	17	7	8	19	9
15—20	1	—	1	3	1	—	3	5	—	—	31	38	10	16	21	22
20—25	—	1	1	—	2	—	7	6	—	—	37	38	17	14	20	24
25—30	—	1	1	1	—	—	5	2	—	—	25	29	8	5	17	24
30—35	—	—	1	—	1	—	1	5	—	1	18	12	4	5	14	7
35—40	1	2	4	1	—	1	8	2	—	—	26	15	5	3	21	12
40—45	—	—	2	—	—	—	5	2	—	—	17	2	2	—	15	2
45—50	—	2	2	—	1	—	5	1	—	—	14	5	5	2	9	3
50—55	—	1	—	—	—	—	6	2	—	—	12	6	6	1	6	5
55—60	1	3	—	1	—	1	4	4	—	1	14	6	7	3	7	3
60—65	—	1	—	—	2	1	5	—	—	—	6	5	4	1	2	4
65—70	1	1	2	1	—	—	—	1	—	—	2	2	—	—	2	2
70—75	—	5	3	—	1	—	1	—	—	—	—	—	—	—	—	—
75—80	—	1	—	—	—	—	1	1	—	—	—	3	—	—	—	3
80 and upwards	—	—	—	1	1	1	—	—	—	—	—	1	—	—	—	1

Causes of Death.	38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42* 41 Purulent infection, septicæmia.		II. 43—69 General diseases not included in I. 1—42.		Cancer, Malignant Disease.			
													43—49 Total.		43 Buccal cavity.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	421	221	25	5	18	3	7	2	171	104	11254	14057	8896	10381	960	132
0—1	113	63	7	2	—	—	7	2	13	12	90	75	2	8	—	—
1—5	6	5	—	—	—	—	—	—	7	6	107	92	7	14	—	—
5—10	—	2	—	—	—	—	—	—	7	8	99	73	9	6	—	—
10—15	4	2	—	—	—	—	—	—	10	5	71	104	11	7	2	1
15—20	5	1	—	1	—	1	—	—	6	2	101	94	20	13	3	—
20—25	5	4	1	—	1	—	—	—	8	4	88	131	31	32	3	—
25—30	8	6	—	—	—	—	—	—	3	4	104	123	45	51	4	4
30—35	10	8	—	1	—	1	—	—	12	8	137	230	77	134	2	3
35—40	14	16	2	1	2	1	—	—	5	4	203	407	135	293	3	3
40—45	25	18	—	—	—	—	—	—	12	4	333	673	245	532	9	4
45—50	42	21	6	—	6	—	—	—	17	7	607	1011	484	810	31	7
50—55	48	21	3	—	3	—	—	—	12	7	1013	1482	856	1179	80	15
55—60	54	18	1	—	1	—	—	—	16	6	1599	1676	1344	1297	155	18
60—65	39	18	3	—	3	—	—	—	17	4	1827	1923	1514	1466	205	18
65—70	36	6	1	—	1	—	—	—	14	9	1979	2043	1717	1554	191	11
70—75	8	9	—	—	—	—	—	—	8	6	1582	1725	1323	1289	145	20
75—80	3	1	—	—	—	—	—	—	2	2	882	1289	725	976	84	18
80 and upwards	1	2	1	—	1	—	—	—	2	6	432	906	351	720	43	10

* 39. Soft chancre — ; 42. (1) Vaccinia ,10 ; (2) Other diseases included under 42:—35, 40, 50.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	Cancer, Malignant Disease—contd.												50 Tumours not returned as malignant (brain and female genital organs exceptd).		51 Rheumatic fever.	
	44 Pharynx, oesophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3190	2637	2113	2161	—	2166	21	1987	288	148	2324	1150	150	132	239	300
0—1	1	—	—	1	—	—	—	—	—	1	1	6	1	2	—	—
1—5	—	1	1	1	—	—	—	1	—	—	6	11	2	5	13	6
5—10	—	1	1	—	—	1	—	—	—	—	8	4	1	1	52	42
10—15	—	1	1	1	—	2	—	—	—	—	8	2	—	—	34	64
15—20	1	—	2	1	—	2	—	1	1	—	13	9	1	1	33	36
20—25	4	4	5	8	—	10	—	—	1	—	18	10	1	3	15	28
25—30	8	6	10	9	—	15	—	4	1	—	22	13	2	4	11	20
30—35	27	21	15	19	—	60	—	19	6	—	27	12	2	4	10	11
35—40	43	40	24	38	—	114	1	64	1	2	63	32	6	3	15	14
40—45	80	89	53	60	—	179	—	144	5	4	98	52	8	6	7	12
45—50	205	139	85	111	—	255	—	211	7	4	156	83	7	12	11	15
50—55	307	269	181	179	—	301	4	290	18	3	266	122	24	10	4	20
55—60	510	275	316	216	—	327	2	294	33	9	328	158	26	11	12	12
60—65	516	393	347	312	—	288	7	271	38	16	401	168	19	15	11	8
65—70	653	457	442	393	—	246	2	243	56	21	373	183	22	15	5	3
70—75	484	430	338	344	—	176	2	162	50	26	304	131	10	13	3	2
75—80	247	304	203	282	—	110	2	148	37	22	152	92	9	15	2	4
80 and upwards	104	207	89	186	—	80	1	135	34	40	80	62	9	12	1	3

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55*		57 Diabetes.		58 Anæmia, chlorosis.		58 (a) Pernicious anæmia.		58 (b) Other anæmias and chlorosis.		59 Diseases of the pituitary gland.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	334	704	3	5	74	66	751	1187	352	463	307	413	45	50	6	8
0—1	—	—	1	2	22	22	—	—	5	2	1	1	4	1	—	—
1—5	—	—	1	1	50	42	—	—	4	3	2	2	2	1	—	—
5—10	—	—	—	—	2	1	5	5	5	1	3	1	2	—	—	1
10—15	—	—	—	—	—	1	7	8	1	6	—	1	1	5	—	—
15—20	1	—	—	—	—	—	15	13	5	5	3	4	2	1	1	—
20—25	—	—	—	—	—	—	11	15	7	7	4	4	3	3	—	1
25—30	2	2	—	—	—	—	22	8	7	6	5	6	2	—	—	—
30—35	2	4	—	—	—	—	19	16	6	21	5	18	1	3	—	—
35—40	—	8	—	—	—	—	14	19	9	17	9	14	—	3	—	—
40—45	6	9	—	—	—	—	24	34	14	28	11	25	3	3	—	—
45—50	14	14	—	—	—	—	35	42	21	28	15	22	6	6	—	2
50—55	17	39	—	—	—	—	49	88	36	51	31	44	5	7	1	2
55—60	38	68	—	1	—	—	93	133	46	73	43	66	3	7	2	—
60—65	62	89	—	1	—	—	118	195	71	71	65	69	6	2	2	1
65—70	49	133	1	—	—	—	105	228	53	55	53	53	—	2	—	1
70—75	67	125	—	—	—	—	126	209	39	46	35	45	4	1	—	—
75—80	46	112	—	—	—	—	75	126	19	30	18	26	1	4	—	—
80 and upwards	30	101	—	—	—	—	33	48	4	13	4	12	—	1	—	—

* 54. Pellagra 30, 45; 55. Beri-beri —.

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	60 Diseases of the thyroid gland.		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.		61 (2)* Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	59	453	36	359	23	94	4	4	4	4	28	14	27	33	5	8	198	179
0—1	3	1	—	—	3	1	3	3	3	3	20	10	—	—	—	—	1	1
1—5	3	4	—	—	3	4	1	—	1	—	4	2	—	—	—	—	12	7
5—10	3	1	1	—	2	1	—	—	—	—	2	1	—	—	—	—	15	7
10—15	—	3	—	1	—	2	—	—	—	—	—	1	—	1	—	1	11	9
15—20	4	15	3	14	1	1	—	1	—	1	1	—	1	1	—	—	15	9
20—25	4	30	3	29	1	1	—	—	—	—	—	—	—	—	—	—	17	10
25—30	1	16	—	15	1	1	—	—	—	—	—	—	—	3	—	—	10	10
30—35	2	29	2	26	—	3	—	—	—	—	—	—	1	1	—	—	14	7
35—40	4	38	4	35	—	3	—	—	—	—	—	—	1	3	—	1	13	10
40—45	3	35	3	31	—	4	—	—	—	—	—	—	4	3	2	—	10	8
45—50	6	59	6	52	—	7	—	—	—	—	1	—	3	5	1	1	15	15
50—55	5	56	1	48	4	8	—	—	—	—	—	—	2	1	—	1	11	26
55—60	8	48	7	37	1	11	—	—	—	—	—	—	5	6	—	2	19	15
60—65	2	48	2	35	—	13	—	—	—	—	—	—	3	4	1	1	16	11
65—70	5	32	4	22	1	10	—	—	—	—	—	—	3	3	1	—	9	15
70—75	3	19	—	7	3	12	—	—	—	—	—	—	3	1	—	1	7	10
75—80	1	15	—	7	1	8	—	—	—	—	—	—	1	1	—	—	3	6
80 and upwards	2	4	—	—	2	4	—	—	—	—	—	—	—	—	—	—	—	3

*61 (2) Other diseases of the parathyroid glands —.

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* Other general diseases.		III. 70—86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	103	120	95	59	14	11	23	1	90	104	6640	6966	52	42	213	194
0—1	1	1	—	—	—	—	—	—	32	24	421	313	4	2	52	44
1—5	8	7	4	—	—	—	—	—	10	8	167	131	3	5	50	49
5—10	10	7	5	—	—	—	1	—	4	7	91	95	2	2	24	24
10—15	10	6	1	3	—	—	—	—	7	3	91	93	2	1	22	17
15—20	12	6	3	3	—	—	—	—	4	—	118	104	8	6	12	15
20—25	6	9	11	1	—	—	—	—	2	5	119	74	4	2	6	5
25—30	2	6	8	4	—	—	—	—	4	3	108	78	1	5	6	4
30—35	5	2	9	5	—	1	—	—	3	2	116	108	4	2	3	3
35—40	3	7	10	3	1	—	—	—	5	1	178	124	7	2	6	7
40—45	6	5	4	3	4	2	2	—	4	4	255	197	3	1	8	4
45—50	10	10	5	5	2	2	3	—	4	4	326	317	5	5	7	5
50—55	5	19	6	7	1	1	4	1	3	6	470	465	2	1	8	4
55—60	10	10	9	5	1	3	4	—	1	7	631	547	4	3	2	7
60—65	5	8	11	3	2	—	3	—	3	13	736	689	2	2	1	3
65—70	5	8	4	7	3	—	5	—	1	3	852	919	1	1	3	2
70—75	3	4	4	6	—	2	1	—	—	8	887	954	—	1	2	—
75—80	2	3	1	3	—	—	—	—	1	4	635	874	—	1	—	1
80 and upwards	—	2	—	1	—	—	—	—	2	2	439	884	—	—	1	—

* 68. Chronic poisoning by organic substances 45, 50, 65.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	72 Tubes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemi-plegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	222	54	246	170	3396	4328	2767	3542	629	786	185	246	168	228	17	18
0—1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—
1—5	—	—	3	—	—	—	—	—	—	—	—	1	—	1	—	—
5—10	—	—	2	1	1	—	1	—	—	—	—	—	—	—	—	—
10—15	—	—	4	3	2	—	1	—	1	—	—	—	—	—	—	—
15—20	1	—	6	5	1	—	1	—	—	—	1	—	—	—	1	—
20—25	—	1	7	3	9	5	8	3	1	2	—	—	—	—	—	—
25—30	—	1	11	2	5	6	4	4	1	2	—	—	—	—	—	—
30—35	1	1	3	3	12	14	10	11	2	3	—	2	—	2	—	—
35—40	5	1	11	5	28	19	25	18	3	1	1	3	1	1	—	2
40—45	9	4	10	7	52	70	45	64	7	6	3	1	2	1	1	—
45—50	25	4	23	26	87	150	79	132	8	18	2	9	2	9	—	—
50—55	32	8	26	17	185	249	160	211	25	38	10	18	9	17	1	1
55—60	47	7	31	14	340	370	284	319	56	51	5	10	5	9	—	1
60—65	45	14	45	23	475	471	402	391	73	80	23	21	22	19	1	2
65—70	29	7	26	29	616	705	512	592	104	113	30	34	27	31	3	3
70—75	18	5	18	20	689	772	556	629	133	143	57	47	51	43	6	4
75—80	9	1	13	6	518	729	397	587	121	142	34	53	31	50	3	3
80 and upwards	1	—	7	6	376	768	282	581	94	187	19	46	18	44	1	2

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	382	92	208	249	399	324	346	250	6	28	17	45	47	52	621	650
0—1	—	—	—	—	2	2	297	214	—	—	—	—	—	—	24	20
1—5	—	—	—	—	9	2	45	29	—	—	—	—	—	—	30	24
5—10	—	—	—	—	13	4	2	5	3	1	—	—	—	—	13	18
10—15	—	—	—	—	14	19	—	1	3	8	—	—	—	—	16	11
15—20	3	—	2	1	40	18	—	—	—	11	—	2	—	—	15	21
20—25	5	2	6	5	36	21	1	—	—	4	—	1	—	—	22	15
25—30	5	2	7	8	38	23	—	—	—	1	—	—	—	—	13	17
30—35	18	5	6	7	31	27	—	—	—	—	—	2	—	—	22	29
35—40	44	13	6	9	32	22	—	—	—	2	1	1	—	—	24	34
40—45	75	12	17	19	23	31	—	—	—	—	1	2	1	—	37	40
45—50	61	22	24	24	25	19	1	—	—	1	2	1	1	1	59	47
50—55	72	14	23	48	24	25	—	—	—	—	—	4	2	4	66	57
55—60	56	12	38	40	26	19	—	1	—	—	2	8	6	2	63	49
60—65	25	7	35	41	21	30	—	—	—	—	3	6	2	4	55	63
65—70	12	1	25	26	29	18	—	—	—	—	5	3	10	6	59	79
70—75	3	—	12	11	20	21	—	—	—	—	2	6	8	8	57	58
75—80	2	1	4	8	10	10	—	—	—	—	—	5	9	9	31	48
80 and upwards	1	1	3	2	6	13	—	—	—	—	1	4	8	18	15	20

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Pericarditis.		88 Acute endocarditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	20	289	222	18487	19562	14310	16106	61	45	287	325	1355	566	12607	15170
0-1	2	4	40	26	8	5	—	1	—	1	—	—	—	—	—	—
1-5	1	1	26	20	15	18	12	16	1	6	3	3	—	—	8	7
5-10	2	—	29	40	65	62	65	61	2	6	15	7	—	—	48	48
10-15	—	—	28	33	77	123	73	122	2	7	12	19	—	—	59	96
15-20	1	—	28	25	136	181	133	180	5	6	25	37	—	1	103	136
20-25	—	1	23	9	123	186	118	185	3	1	22	48	—	—	93	136
25-30	—	—	22	9	127	176	123	172	3	—	28	21	3	1	89	150
30-35	—	1	16	12	145	229	140	222	—	1	33	33	8	3	99	185
35-40	—	—	13	6	232	297	217	290	3	3	34	29	20	3	160	255
40-45	—	—	16	6	415	429	368	404	2	2	48	59	39	8	279	335
45-50	—	—	4	3	697	614	593	566	6	1	10	15	78	15	499	535
50-55	—	1	20	15	1143	911	946	809	6	2	18	10	137	39	785	758
55-60	—	—	11	5	1713	1401	1376	1191	12	4	12	10	207	56	1145	1121
60-65	—	1	4	3	2362	1900	1840	1553	4	2	10	15	242	84	1584	1452
65-70	2	3	5	5	2967	2551	2244	2085	7	2	7	6	224	111	2006	1966
70-75	1	3	—	2	3390	3379	2518	2726	4	—	4	5	222	117	2288	2604
75-80	1	2	4	—	2742	3273	2006	2588	1	—	3	6	104	74	1898	2508
80 and upwards	1	3	—	3	2130	3827	1538	2935	—	1	3	2	71	54	1464	2878

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Diseases of the arteries.		91 (a) Aneurysm.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3764	4961	8205	9395	638	814	4023	3279	372	117	3630	3143	1975	1797	1655	1346
0-1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1-5	7	6	1	—	—	1	—	—	—	—	—	—	—	—	—	—
5-10	44	45	1	—	3	3	—	1	—	1	—	—	—	—	—	—
10-15	55	87	3	3	1	6	3	1	3	1	—	—	—	—	—	—
15-20	95	118	4	11	4	7	3	1	3	1	—	—	—	—	—	—
20-25	83	125	5	8	5	3	3	1	2	1	1	—	—	—	1	—
25-30	74	122	9	22	6	6	4	1	4	—	—	1	—	1	—	—
30-35	72	150	21	28	6	7	4	4	3	2	1	2	—	2	1	—
35-40	104	196	51	45	5	14	11	2	5	1	5	1	2	—	3	1
40-45	188	234	77	80	14	21	37	18	14	5	22	13	15	10	7	3
45-50	222	302	254	204	23	29	96	39	54	7	41	30	27	27	14	3
50-55	334	364	408	349	43	45	182	83	62	10	119	73	83	70	36	3
55-60	422	458	657	593	66	70	309	188	72	27	236	160	172	126	64	34
60-65	520	504	960	868	104	80	504	321	71	16	430	304	273	228	157	76
65-70	537	620	1367	1238	102	108	700	447	39	22	657	422	418	286	239	136
70-75	486	661	1686	1794	116	149	855	632	23	9	828	618	450	366	378	252
75-80	353	529	1448	1840	97	139	727	663	12	7	714	653	328	342	386	311
80 and upwards	168	440	1253	2312	43	126	585	877	5	7	576	866	207	339	369	527

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other diseases of the circulatory system.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	21	19	43	38	60	96	18	18	3	1	30	24	11701	8727	44	39
0—1	—	—	—	—	—	—	8	4	—	—	—	—	1770	1252	1	5
1—5	—	—	—	—	—	—	3	2	—	—	—	—	1098	933	1	1
5—10	—	—	—	—	—	—	—	—	—	—	—	—	187	168	4	1
10—15	—	—	—	—	—	—	—	—	1	—	—	—	84	64	1	4
15—20	—	—	—	—	—	—	—	—	—	—	—	—	147	85	6	4
20—25	—	—	1	—	—	—	1	—	—	—	—	—	200	91	4	3
25—30	—	—	—	1	—	2	—	—	—	—	—	—	200	101	7	3
30—35	—	—	1	—	—	1	—	2	—	—	—	—	259	117	2	1
35—40	1	—	1	4	3	1	—	—	—	—	—	—	412	167	3	5
40—45	1	—	7	1	1	4	1	1	—	1	1	—	509	218	4	1
45—50	1	2	1	2	7	7	—	—	—	—	—	—	775	280	2	3
50—55	1	—	2	3	9	13	2	1	1	—	1	2	834	293	3	1
55—60	1	1	7	4	11	13	—	1	1	—	9	4	865	452	3	1
60—65	3	1	4	6	10	12	1	3	—	—	3	5	871	569	2	2
65—70	4	3	6	4	12	12	1	1	—	—	4	2	944	765	—	1
70—75	4	5	5	6	3	9	1	—	—	—	8	6	972	937	—	3
75—80	1	3	5	2	2	15	—	3	—	—	2	2	845	923	—	—
80 and upwards	4	4	3	5	2	7	—	—	—	—	2	3	729	1312	1	—

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar, or not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	49	33	3958	3587	713	847	1760	1155	1485	1585	6888	4523	3189	2536	3699	1987
0—1	16	4	422	310	205	149	4	2	213	159	1308	920	1074	778	234	142
1—5	21	15	100	109	49	44	7	4	44	61	952	786	747	620	205	166
5—10	4	4	14	13	1	7	4	1	9	5	154	142	74	71	80	71
10—15	—	1	6	6	2	1	1	5	3	—	73	49	17	13	56	36
15—20	—	—	8	11	2	2	5	4	1	5	122	64	19	13	103	51
20—25	—	2	21	6	1	1	15	3	5	2	158	72	28	17	130	55
25—30	—	1	22	14	4	3	13	7	5	4	162	76	24	18	138	58
30—35	1	—	25	14	—	2	18	8	7	4	207	90	39	12	168	78
35—40	1	1	60	26	11	4	31	12	18	10	310	115	50	27	260	88
40—45	1	—	90	41	13	10	51	14	26	17	371	156	75	32	296	124
45—50	—	2	187	61	19	14	106	23	62	24	515	183	107	62	408	121
50—55	1	—	245	86	31	19	151	37	63	30	505	178	136	56	369	122
55—60	—	1	275	176	34	39	149	79	92	58	505	232	153	88	352	144
60—65	3	—	350	232	45	49	197	109	108	74	427	285	146	107	281	178
65—70	—	—	453	383	57	86	243	165	153	132	420	325	144	143	276	182
70—75	1	1	590	556	69	121	316	212	205	223	328	312	156	162	172	150
75—80	—	1	569	628	80	113	257	220	232	295	216	235	115	140	101	95
80 and upwards	—	—	521	915	90	183	192	250	239	482	155	303	85	177	70	126

AGGREGATE OF COUNTY BOROUGHs.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	101 (a) Pneumonia, lobar.		101 (b) Pneumonia not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2797	1440	902	547	214	117	122	177	4	—	303	216	12	2	107	33
0—1	112	66	122	76	6	3	14	8	—	—	1	1	—	—	2	1
1—5	119	96	86	70	18	17	—	5	—	—	3	—	—	—	3	—
5—10	50	55	30	16	6	6	2	1	—	—	1	1	—	—	2	—
10—15	37	30	19	6	1	2	1	—	—	—	2	2	—	—	—	—
15—20	85	44	18	7	8	3	—	—	—	—	1	1	—	—	2	2
20—25	107	44	23	11	13	4	—	1	—	—	2	1	—	—	2	2
25—30	120	50	18	8	7	2	—	—	—	—	1	5	—	—	1	—
30—35	139	67	29	11	11	1	—	1	—	—	11	7	1	—	1	3
35—40	210	70	50	18	16	6	3	2	—	—	15	11	—	—	4	1
40—45	233	96	63	28	11	6	1	2	3	—	15	11	—	—	13	1
45—50	339	93	69	28	21	3	2	4	—	—	31	19	1	—	16	5
50—55	291	99	78	23	18	7	5	1	—	—	36	18	2	—	19	2
55—60	282	109	70	35	17	9	2	4	—	—	46	25	1	—	16	4
60—65	235	135	46	43	18	13	5	8	1	—	47	24	4	—	14	5
65—70	217	134	59	48	19	16	9	13	—	—	33	26	1	—	9	1
70—75	121	103	51	47	8	5	11	25	—	—	31	33	1	—	2	2
75—80	61	71	40	24	10	7	29	25	—	—	19	25	1	—	1	2
80 and upwards	39	78	31	48	6	7	38	77	—	—	8	6	—	2	—	2

Causes of Death.	107 (a) Chronic interstitial pneumonia.		107 (b)* 107 (c) Other diseases included under 107.		VI. 108—127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexe.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexe.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œsophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	82	18	25	14	4997	4035	108	90	80	60	28	30	167	174	9	6
0—1	—	—	2	—	1190	727	15	6	8	5	7	1	6	10	—	—
1—5	2	—	1	—	265	232	8	6	5	4	3	2	32	22	—	—
5—10	1	—	1	—	120	108	3	2	2	2	1	—	24	26	1	—
10—15	—	—	—	—	83	53	2	1	2	1	—	—	8	11	—	—
15—20	—	—	2	2	105	61	2	4	2	3	—	1	6	8	—	—
20—25	—	—	2	2	107	76	6	6	5	6	1	—	12	10	—	—
25—30	1	—	—	—	116	95	6	6	5	4	1	2	8	4	1	—
30—35	1	1	—	2	143	110	5	1	4	1	1	—	7	6	—	—
35—40	3	—	1	1	178	112	1	3	—	3	1	—	8	7	—	—
40—45	8	—	5	1	242	161	4	6	4	5	—	1	5	9	1	—
45—50	13	1	3	4	319	206	8	4	8	3	—	1	9	10	1	—
50—55	15	1	4	1	403	311	7	11	7	6	—	5	6	9	—	2
55—60	15	4	1	—	387	310	5	5	4	3	1	2	9	9	1	1
60—65	12	5	2	—	414	306	8	8	5	6	3	2	10	13	1	—
65—70	8	1	1	—	327	384	12	7	7	3	5	4	8	10	3	—
70—75	2	1	—	1	300	312	10	7	9	2	1	5	6	7	—	1
75—80	1	2	—	—	167	258	4	4	1	3	3	1	2	2	—	—
80 and upwards	—	2	—	—	131	213	2	3	2	—	—	3	1	1	—	2

*107 (b). Diseases of the mediastinum. 0.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhoea and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhilitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1079	352	699	299	380	53	233	239	1270	982	1	3	562	406	739	751
0—1	—	1	—	—	—	1	79	35	966	628	—	—	1	—	111	40
1—5	—	—	—	—	—	—	16	11	153	142	—	2	22	11	23	14
5—10	—	—	—	—	—	—	5	4	16	10	—	—	58	33	6	9
10—15	—	—	—	—	—	—	2	2	7	3	—	—	41	28	16	1
15—20	8	3	5	3	3	—	4	1	4	10	—	—	57	25	16	7
20—25	16	6	13	6	3	—	1	—	5	9	—	—	46	25	16	10
25—30	33	13	19	9	14	4	1	2	4	11	—	—	41	21	16	12
30—35	62	18	39	17	23	1	2	—	10	6	—	1	25	28	19	22
35—40	79	11	52	7	27	4	1	4	6	11	—	—	36	25	20	17
40—45	116	28	73	27	43	1	7	7	10	15	1	—	38	22	23	34
45—50	150	41	103	36	47	5	8	8	10	14	—	—	23	27	37	34
50—55	168	55	94	43	74	12	6	6	10	12	—	—	39	35	66	67
55—60	150	44	103	42	47	2	13	20	5	15	—	—	35	31	50	73
60—65	122	38	80	30	42	8	14	11	15	7	—	—	39	26	69	65
65—70	87	35	61	31	26	4	22	26	6	19	—	—	26	30	62	114
70—75	48	31	33	26	15	5	13	27	14	21	—	—	23	20	86	95
75—80	23	18	14	13	9	5	18	38	16	23	—	—	9	13	55	71
80 and upwards	17	10	10	9	7	1	21	37	13	26	—	—	3	6	48	66

* 115. Ankylostomiasis, —; 116 (a) Cestodes (hydatids of the liver excepted), 30; 116 (b) Trematodes, 40; 116 (c) Nematodes (other than ankylostoma), 1, 116 (f) Undefined parasites, 1.

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	297	369	442	382	107	95	18	33	89	62	6	30	10	4	342	167
0—1	30	3	81	37	3	2	1	2	2	—	—	—	—	—	—	2
1—5	5	1	18	13	1	3	—	1	1	2	1	—	—	—	—	—
5—10	—	2	6	7	—	—	—	—	—	—	2	—	—	—	—	—
10—15	—	—	16	1	—	—	—	—	—	—	—	—	—	—	1	—
15—20	3	1	13	6	3	—	1	—	2	—	1	—	—	1	—	—
20—25	1	—	15	10	2	—	—	—	2	—	—	7	—	—	1	—
25—30	4	2	12	10	1	2	—	—	1	2	—	8	1	—	—	2
30—35	5	2	14	20	2	—	—	—	2	—	—	5	—	—	2	2
35—40	5	2	15	15	4	2	—	—	4	2	—	4	—	1	9	7
40—45	7	15	16	19	4	3	—	1	4	2	—	2	2	—	11	13
45—50	14	13	23	21	11	4	—	1	11	3	—	2	3	1	32	17
50—55	18	41	48	26	9	7	—	—	9	7	1	—	—	—	48	27
55—60	23	40	27	33	16	10	3	—	13	10	1	—	1	—	66	30
60—65	34	42	35	23	14	15	3	6	11	9	—	1	2	—	68	23
65—70	32	68	30	46	10	9	3	3	7	6	—	1	1	1	39	16
70—75	47	59	39	36	12	12	3	3	9	9	—	—	—	—	49	15
75—80	34	42	21	29	9	11	3	8	6	3	—	—	—	—	13	8
80 and upwards	35	36	13	30	6	15	1	8	5	7	—	—	—	—	3	5

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128-142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	39	22	303	145	108	303	155	271	56	82	45	80	4446	3379	204	191
0—1	—	—	—	2	—	—	2	—	—	—	7	3	26	16	6	2
1—5	—	—	—	—	—	—	2	4	—	1	7	16	22	21	12	12
5—10	—	—	—	—	—	—	2	1	—	—	3	23	19	20	13	11
10—15	—	—	1	—	—	—	3	—	—	—	3	7	28	19	15	6
15—20	—	—	—	—	—	—	2	1	—	1	2	—	39	50	11	14
20—25	—	—	1	—	—	—	2	1	—	—	—	2	55	66	16	15
25—30	—	—	—	2	—	1	1	3	1	5	2	5	60	77	14	7
30—35	—	—	2	2	2	7	4	5	1	4	2	5	64	110	7	9
35—40	—	2	9	5	2	7	5	7	3	2	4	4	95	148	11	10
40—45	1	3	10	10	6	9	9	9	3	2	2	2	126	216	4	9
45—50	3	2	29	15	3	12	13	19	8	9	3	4	212	265	20	11
50—55	6	4	42	23	10	27	17	32	12	18	4	3	320	283	15	21
55—60	13	5	53	25	12	40	14	17	6	12	3	3	431	311	21	24
60—65	8	3	60	20	22	61	24	31	6	7	—	—	556	397	12	19
65—70	3	1	36	15	19	52	20	49	10	14	2	1	661	404	12	7
70—75	4	2	45	13	17	30	18	38	4	6	—	2	716	413	10	6
75—80	1	—	12	8	7	40	9	30	1	—	1	—	561	322	2	3
80 and upwards	—	—	3	5	8	17	8	24	1	1	—	—	455	241	3	5

* 127. Other diseases of the digestive system —

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, &c.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2483	2482	129	151	89	62	159	93	159	3	151	—	8	3	1197	—
0—1	—	—	7	12	—	—	—	—	—	—	—	—	—	—	—	—
1—5	5	2	3	4	—	—	—	1	—	—	—	—	—	—	—	—
5—10	4	5	—	3	—	1	2	—	—	—	—	—	—	—	—	—
10—15	12	12	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15—20	25	32	2	—	1	1	—	—	—	—	—	—	—	—	—	—
20—25	31	29	7	4	—	2	—	1	1	—	1	—	—	—	—	—
25—30	34	43	5	4	4	1	—	1	1	1	1	—	—	1	1	—
30—35	42	61	8	6	5	2	1	1	1	—	1	—	—	—	—	—
35—40	66	79	10	4	5	5	2	3	—	—	—	—	—	—	1	—
40—45	101	123	6	10	5	7	3	3	5	—	5	—	—	—	1	—
45—50	153	165	12	19	4	8	6	1	7	—	7	—	—	—	8	—
50—55	241	192	12	13	10	10	8	4	24	2	24	—	—	2	10	—
55—60	294	233	17	13	9	11	7	6	28	—	27	—	1	—	53	—
60—65	355	334	11	15	17	3	14	5	25	—	22	—	3	—	121	—
65—70	361	355	13	17	8	—	24	12	28	—	25	—	3	—	213	—
70—75	359	360	9	11	12	—	22	13	20	—	19	—	1	—	284	—
75—80	241	265	4	7	5	8	34	22	12	—	12	—	—	—	262	—
80 and upwards	159	192	2	8	4	3	36	20	7	—	7	—	—	—	243	—

* 130. Chyluria—.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	23	—	—	88	—	91	—	149	—	9	—	58	3	2	—	993
0—1	10	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—
1—5	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	21
20—25	—	—	—	2	—	11	—	—	—	2	—	—	—	—	—	146
25—30	1	—	—	2	—	13	—	2	—	1	—	2	—	—	—	259
30—35	—	—	—	6	—	16	—	5	—	1	—	3	—	—	—	243
35—40	—	—	—	4	—	17	—	18	—	2	—	6	—	—	—	209
40—45	1	—	—	8	—	14	—	32	—	1	—	9	—	—	—	105
45—50	2	—	—	9	—	10	—	33	—	—	—	9	—	—	—	8
50—55	—	—	—	8	—	2	—	25	—	1	—	5	—	—	—	2
55—60	2	—	—	10	—	1	—	8	—	—	—	5	—	—	—	—
60—65	1	—	—	9	—	3	—	7	—	—	—	2	—	—	—	—
65—70	2	—	—	6	—	—	—	3	—	—	—	4	—	—	—	—
70—75	—	—	—	12	—	—	—	4	—	—	—	7	—	—	—	—
75—80	1	—	—	6	—	—	—	7	—	—	—	4	—	—	—	—
80 and upwards	1	—	—	6	—	—	—	5	—	—	—	2	—	—	—	—

Causes of Death.	143 Accidents of pregnancy.		143 (a) Abortion.		143 (b) Ectopic gestation.		143 (c) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	100	—	19	—	25	—	56	—	119	—	109	—	455	—	56
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	1	—	—	—	—	—	1	—	1	—	2	—	10	—	1
20—25	—	9	—	—	—	—	—	9	—	12	—	12	—	82	—	3
25—30	—	20	—	6	—	4	—	10	—	31	—	31	—	120	—	14
30—35	—	30	—	5	—	10	—	15	—	33	—	23	—	109	—	19
35—40	—	24	—	7	—	8	—	9	—	20	—	30	—	92	—	11
40—45	—	13	—	1	—	2	—	10	—	22	—	11	—	37	—	7
45—50	—	2	—	—	—	1	—	1	—	—	—	—	—	4	—	1
50—55	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).		IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155-158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	144	—	7	522	439	136	122	124	67	126	116	136	134	193	138
0—1	—	—	—	—	101	69	—	1	4	3	21	14	76	51	7	12
1—5	—	—	—	—	11	13	1	3	—	—	5	6	5	4	16	11
5—10	—	—	—	—	2	3	—	—	—	—	1	1	1	2	28	20
10—15	—	—	—	—	4	3	—	—	1	2	3	1	—	—	32	31
15—20	—	6	—	—	8	5	—	—	5	2	3	3	—	—	23	3
20—25	—	27	—	1	3	14	—	—	—	6	3	6	—	2	9	2
25—30	—	38	—	3	14	8	—	—	6	4	5	2	3	2	8	1
30—35	—	28	—	1	12	4	—	—	5	2	3	2	4	—	3	5
35—40	—	31	—	—	11	10	1	—	7	2	1	6	2	2	6	7
40—45	—	13	—	2	14	15	1	—	6	4	6	7	1	4	8	3
45—50	—	1	—	—	23	14	1	—	12	7	8	4	2	3	3	4
50—55	—	—	—	—	26	21	2	3	11	8	9	6	4	4	10	6
55—60	—	—	—	—	32	27	2	3	15	4	10	12	5	8	8	6
60—65	—	—	—	—	36	25	6	5	16	5	12	6	2	9	15	11
65—70	—	—	—	—	45	38	12	12	13	5	14	11	6	10	6	4
70—75	—	—	—	—	59	51	31	25	10	5	9	12	9	9	9	7
75—80	—	—	—	—	62	52	38	22	8	4	7	11	9	15	1	2
80 and upwards	—	—	—	—	59	67	41	48	5	4	6	6	7	9	1	3

* 150. Puerperal diseases of the breast 25, 25, 35.

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital malformations.		XII. 160-163 Diseases of early infancy.		160 Congenital debility, sclerema and icterus.		161 Premature birth, injury at birth.		161 (1) Premature birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	149	103	37	30	7	5	772	564	3656	2735	637	372	2694	2111	2398	1908
0—1	5	8	2	4	—	—	689	508	3656	2735	637	372	2694	2111	2398	1908
1—5	13	11	3	—	—	—	29	22	—	—	—	—	—	—	—	—
5—10	26	18	2	2	—	—	14	4	—	—	—	—	—	—	—	—
10—15	29	26	3	5	—	—	7	5	—	—	—	—	—	—	—	—
15—20	19	2	4	1	—	—	7	7	—	—	—	—	—	—	—	—
20—25	8	2	1	—	—	—	9	1	—	—	—	—	—	—	—	—
25—30	5	—	1	1	2	—	6	4	—	—	—	—	—	—	—	—
30—35	2	3	—	2	1	—	2	4	—	—	—	—	—	—	—	—
35—40	5	2	1	4	—	1	2	3	—	—	—	—	—	—	—	—
40—45	4	3	4	—	—	—	3	3	—	—	—	—	—	—	—	—
45—50	2	2	1	1	—	1	2	1	—	—	—	—	—	—	—	—
50—55	6	4	2	1	2	1	2	1	—	—	—	—	—	—	—	—
55—60	7	5	1	1	—	—	—	—	—	—	—	—	—	—	—	—
60—65	11	6	2	3	2	2	—	—	—	—	—	—	—	—	—	—
65—70	3	3	3	1	—	—	—	—	—	—	—	—	—	—	—	—
70—75	2	3	7	4	—	—	—	1	—	—	—	—	—	—	—	—
75—80	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* 157 Amputation —.

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy		163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		165-174 Total.		Suicide. 165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	296	203	288	223	37	29	2210	3203	4913	2358	1237	581	153	109	403	257
0—1	296	203	288	223	37	29	—	—	125	80	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	269	161	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	258	129	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	151	34	1	—	—	—	1	—
15—20	—	—	—	—	—	—	—	—	291	76	17	16	3	4	4	4
20—25	—	—	—	—	—	—	—	—	355	95	46	33	11	12	12	11
25—30	—	—	—	—	—	—	—	—	336	95	69	46	9	10	28	16
30—35	—	—	—	—	—	—	—	—	241	98	80	61	13	11	32	22
35—40	—	—	—	—	—	—	—	—	225	97	81	54	16	11	30	24
40—45	—	—	—	—	—	—	—	—	283	102	109	59	19	7	33	33
45—50	—	—	—	—	—	—	—	—	356	144	143	72	13	10	53	33
50—55	—	—	—	—	—	—	2	4	403	150	174	60	15	17	45	28
55—60	—	—	—	—	—	—	6	11	402	154	164	66	25	10	54	28
60—65	—	—	—	—	—	—	45	36	358	145	141	45	8	7	42	20
65—70	—	—	—	—	—	—	134	121	293	173	107	32	13	7	32	14
70—75	—	—	—	—	—	—	422	473	234	166	59	19	7	2	21	10
75—80	—	—	—	—	—	—	603	779	181	185	28	14	1	1	10	11
80 and upwards	—	—	—	—	—	—	998	1779	152	274	18	4	—	—	6	3

Causes of Death.	Suicide—continued.														175-196 201-203 Violent deaths, excluding suicide and homicide.	
Ages at Death.	168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		M.	F.
All Ages	184	38	172	90	37	1	197	36	40	22	50	4	1	24	3645	1744
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	119	74
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	262	160
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	255	125
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148	33
15—20	4	—	3	4	—	—	—	2	1	2	2	—	—	—	274	58
20—25	9	1	8	5	1	—	—	1	2	2	3	1	—	—	306	59
25—30	4	2	8	8	4	—	8	2	3	3	5	—	—	5	267	44
30—35	6	3	7	14	3	—	13	3	1	—	5	2	—	6	161	36
35—40	7	—	8	8	3	1	13	5	—	2	4	—	—	3	143	40
40—45	13	5	16	9	6	—	16	3	—	—	6	—	—	2	173	43
45—50	19	9	15	10	8	—	25	3	5	2	5	—	—	5	212	69
50—55	37	—	32	10	6	—	31	1	4	4	4	—	—	—	228	90
55—60	24	8	27	11	2	—	21	4	6	4	5	—	—	1	236	87
60—65	28	5	24	7	—	—	26	4	8	1	5	—	—	1	215	99
65—70	14	2	12	3	3	—	25	4	4	1	4	1	—	—	184	140
70—75	8	1	6	1	1	—	12	4	3	1	1	—	—	—	175	146
75—80	8	1	4	—	—	—	3	—	1	—	1	—	—	1	153	171
80 and upwards	3	1	2	—	—	—	4	—	2	—	—	—	1	—	134	270

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2	—	7	5	27	16	14	8	238	281	114	67	56	30	364	85
0—1	—	—	—	—	—	—	—	—	20	9	91	55	—	—	3	2
1—5	—	—	1	—	2	2	—	2	123	74	4	3	—	2	18	5
5—10	—	—	—	—	—	—	3	1	15	28	—	2	—	—	44	10
10—15	—	—	2	—	—	—	1	—	3	9	3	—	—	—	21	2
15—20	1	—	—	—	1	—	2	—	4	11	—	—	2	—	33	11
20—25	—	—	—	—	2	1	—	—	2	13	2	—	4	1	27	2
25—30	—	—	2	—	—	1	1	—	13	9	1	—	2	—	18	5
30—35	—	—	—	2	1	—	—	—	5	4	1	1	1	—	16	6
35—40	1	—	—	—	1	—	—	2	4	6	1	2	7	—	21	7
40—45	—	—	—	—	2	1	1	1	3	6	—	—	1	2	16	3
45—50	—	—	—	—	4	3	2	—	2	9	1	3	5	1	25	10
50—55	—	—	2	—	3	3	—	—	6	11	3	—	5	2	26	7
55—60	—	—	—	1	3	—	—	1	9	12	2	—	8	4	37	5
60—65	—	—	—	—	3	2	—	1	4	8	2	1	6	3	19	5
65—70	—	—	—	2	4	1	1	—	4	14	1	—	6	3	17	4
70—75	—	—	—	—	—	—	3	—	4	16	1	—	4	3	16	1
75—80	—	—	—	—	1	1	—	—	11	18	1	—	1	5	3	—
80 and upwards	—	—	—	—	—	1	—	—	6	24	—	—	4	4	4	—

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	6	—	2	—	688	644	123	—	63	—	1766	552	8	2	29	—
0—1	—	—	—	—	3	2	—	—	—	—	1	1	—	—	—	—
1—5	—	—	—	—	16	8	—	—	—	—	85	58	—	—	—	—
5—10	—	—	—	—	13	5	—	—	—	—	175	76	—	—	—	—
10—15	—	—	—	—	7	2	1	—	—	—	94	20	1	—	—	—
15—20	2	—	—	—	37	2	14	—	10	—	157	32	—	—	—	—
20—25	2	—	1	—	19	3	9	—	7	—	223	37	—	—	—	—
25—30	—	—	—	—	27	5	17	—	6	—	165	22	2	—	1	—
30—35	—	—	—	—	20	3	15	—	4	—	84	14	—	—	8	—
35—40	1	—	—	—	18	4	4	—	4	—	69	13	1	—	6	—
40—45	—	—	—	—	31	12	15	—	9	—	78	14	—	—	7	—
45—50	—	—	—	—	45	13	16	—	9	—	91	28	—	—	3	—
50—55	1	—	—	—	49	26	15	—	4	—	102	37	1	1	2	—
55—60	—	—	1	—	49	28	7	—	5	—	104	34	1	—	2	—
60—65	—	—	—	—	62	47	6	—	3	—	102	30	1	—	—	—
65—70	—	—	—	—	62	63	3	—	2	—	73	51	—	1	—	—
70—75	—	—	—	—	65	92	—	—	—	—	78	28	—	—	—	—
75—80	—	—	—	—	81	109	1	—	—	—	51	36	—	—	—	—
80 and upwards	—	—	—	—	84	220	—	—	—	—	34	21	1	—	—	—

AGGREGATE OF COUNTY BOROUGH.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	191*		193		194		195*		Homicide.							
	192		Excessive		Excessive		196		197-199		197		198		199	
	Hunger or thirst.		cold.		heat.		Electricity (lightning excepted).		All forms.		By firearms.		By cutting or piercing instruments.		By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	1	3	—	26	14	19	2	31	33	—	2	3	5	28	26
0—1	—	—	—	—	—	1	—	—	6	6	—	—	—	1	6	5
1—5	—	—	—	—	1	—	—	—	7	1	—	—	—	—	7	1
5—10	—	—	—	—	—	—	2	—	3	4	—	—	—	—	3	4
10—15	—	—	—	—	1	—	2	—	2	1	—	—	—	—	2	1
15—20	—	—	—	—	—	—	3	—	—	2	—	1	—	—	—	1
20—25	—	—	—	—	—	—	—	1	3	3	—	—	1	—	2	3
25—30	1	—	—	—	1	—	3	—	—	5	—	—	—	1	—	4
30—35	—	—	—	—	—	—	5	—	—	1	—	—	—	1	—	—
35—40	—	—	—	—	—	2	2	—	1	3	—	—	—	1	1	2
40—45	—	—	—	—	1	—	2	—	1	—	—	—	—	—	1	—
45—50	—	—	—	—	3	1	—	1	1	3	—	1	—	—	1	2
50—55	—	—	—	—	3	2	—	—	1	—	—	—	—	—	1	—
55—60	—	—	—	—	4	1	—	—	2	1	—	—	1	1	1	—
60—65	—	—	1	—	3	1	—	—	2	1	—	—	1	—	1	1
65—70	1	—	2	—	4	—	—	—	2	1	—	—	—	—	2	1
70—75	1	1	—	—	2	4	—	—	—	1	—	—	—	—	—	1
75—80	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

* 191. Execution of civilians by belligerent armies — ; 195. Lightning 10, 40, 45.

Causes of Death.	200*		202		203		XV. 204-205		204		205		205 (1)		205 (2 & 3)	
	201		Other and		Violent		Ill-defined		Sudden		Cause of death		Heart		Others.	
	Fracture (cause not specified).		unstatd forms of accidental violence; Execution.		deaths of unknown causation.		diseases.		death.		unstatd or ill-defined.		failure, 1-70 years			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8	1	73	34	3	2	135	90	30	23	105	67	65	29	40	38
0—1	1	—	—	4	—	—	4	4	—	—	4	4	—	—	4	4
1—5	2	—	10	6	—	—	17	13	—	—	17	13	—	—	17	13
5—10	—	—	3	3	—	—	—	1	—	—	—	1	—	—	—	1
10—15	—	—	11	—	—	—	1	1	—	—	1	1	—	—	1	1
15—20	—	1	7	1	1	—	—	1	—	1	—	—	—	—	—	—
20—25	—	—	8	1	—	—	2	1	—	—	2	1	2	1	—	—
25—30	1	—	6	2	—	—	2	1	—	—	2	1	1	1	1	—
30—35	—	—	1	6	—	—	2	2	1	—	1	2	1	1	—	1
35—40	—	—	1	4	2	—	4	—	—	—	4	—	3	—	1	—
40—45	1	—	5	4	—	—	5	5	2	3	3	2	2	—	1	2
45—50	—	—	5	—	—	—	8	2	2	1	6	1	3	—	3	1
50—55	—	—	6	—	—	1	19	3	3	1	16	2	12	2	4	—
55—60	1	—	3	1	—	—	20	10	7	2	13	8	13	5	—	3
60—65	1	—	2	1	—	—	20	18	5	5	15	13	13	9	2	4
65—70	1	—	3	1	—	—	29	19	10	8	19	11	15	10	4	1
70—75	—	—	1	—	—	1	2	4	—	1	2	3	—	—	2	3
75—80	—	—	1	—	—	—	—	3	—	1	—	2	—	—	—	2
80 and upwards	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	2

* 200 Infanticide. Deaths from this cause are shown under Nos. 197-199.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	All Causes.		I. 1-42 Epidemic, endemic and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fever.		2, 3, 4*		6 Small-pox.		7 Measles.	
											5 Malaria.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	78969	76529	9853	8487	62	59	51	47	11	12	12	—	8	3	621	516
0—1	7331	5179	538	481	—	—	—	—	—	—	—	—	—	1	129	111
1—5	2857	2416	1201	1091	2	1	1	—	1	1	—	—	—	—	407	308
5—10	1483	1386	596	655	4	—	2	—	2	—	—	—	2	—	68	79
10—15	839	799	248	309	2	4	2	2	—	2	—	—	—	1	8	9
15—20	1529	1338	539	744	5	7	4	7	1	—	—	—	1	—	2	2
20—25	1805	1647	781	892	6	4	6	2	—	2	—	—	—	—	2	—
25—30	1808	1859	724	811	5	5	4	5	1	—	1	—	—	—	—	2
30—35	1708	1895	634	623	5	5	5	4	—	1	—	—	—	—	1	1
35—40	2133	1965	648	483	9	6	8	6	1	—	4	—	—	—	2	1
40—45	2618	2364	664	431	1	5	1	2	—	3	1	—	—	—	—	1
45—50	3636	3035	760	384	6	8	5	7	1	1	1	—	1	—	1	—
50—55	4833	4045	701	379	3	4	2	4	1	—	2	—	1	—	—	1
55—60	6168	4987	615	289	6	4	5	4	1	—	3	—	1	—	—	1
60—65	7429	6217	467	252	2	3	2	2	—	1	—	—	—	—	—	—
65—70	8765	7648	338	223	3	2	2	2	1	—	—	—	1	1	—	—
70—75	9246	9045	196	173	3	1	2	—	1	1	—	—	—	—	1	—
75—80	7486	8887	115	138	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	7295	11817	88	129	—	—	—	—	—	—	—	—	1	—	—	—

* 2. Typhus—; 3. Relapsing fever (*Spirillum obermeieri*) —; 4. Mediterranean fever 55.

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12*		14, 15*	
													13 Mumps.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	111	120	254	361	569	622	1039	802	674	439	365	363	7	3	21	18
0—1	2	—	117	157	26	18	28	15	18	7	10	8	1	1	—	—
1—5	37	41	125	188	215	208	25	17	14	7	11	10	4	1	2	3
5—10	42	43	9	13	232	280	21	14	9	6	12	8	1	—	1	—
10—15	10	14	—	—	70	69	10	13	5	4	5	9	—	—	1	—
15—20	7	4	—	—	7	17	34	16	21	6	13	10	—	—	1	—
20—25	2	4	—	—	3	9	31	12	22	9	9	3	—	—	—	1
25—30	2	5	2	—	2	3	32	21	20	11	12	10	—	1	—	2
30—35	3	4	—	—	2	2	44	28	35	18	9	10	—	—	3	—
35—40	2	2	—	—	2	1	52	34	41	17	11	17	—	—	3	—
40—45	1	2	—	—	2	2	50	33	37	20	13	13	—	—	4	1
45—50	2	1	—	—	—	3	91	51	69	25	22	26	—	—	2	1
50—55	1	—	—	—	4	2	92	68	65	40	27	28	—	—	2	3
55—60	—	—	—	1	3	5	113	57	72	28	41	29	—	—	—	1
60—65	—	—	—	1	—	1	107	78	68	45	39	33	—	—	—	1
65—70	—	—	—	—	1	1	98	89	60	50	38	39	1	—	1	—
70—75	—	—	—	—	—	1	83	83	56	47	27	36	—	—	1	3
75—80	—	—	—	—	—	—	64	79	33	48	31	31	—	—	—	1
80 and upwards	—	—	1	1	—	—	64	94	29	51	35	43	—	—	—	1

* 12. Miliary Fever— 14. Asiatic Cholera —; 15. Cholera Nostras —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.

(Civilian population only.)

Causes of Death.	16 (a) Amoebic.		16 (b) Bacillary.		16 (c) Other or unspecified.		17, 18, 19, 20*		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	—	6	6	12	12	157	138	23	28	165	185	99	88	12	10
0—1	—	—	—	—	—	—	19	14	1	2	1	1	22	19	2	1
1—5	—	—	2	3	—	—	1	4	6	8	9	7	24	22	7	7
5—10	—	—	1	—	—	—	2	2	9	2	7	8	15	11	1	2
10—15	—	—	—	—	1	—	—	—	3	7	12	6	8	11	—	—
15—20	—	—	—	—	1	—	—	1	1	4	10	14	12	2	—	—
20—25	—	—	—	1	—	—	3	3	2	1	16	9	6	7	—	—
25—30	—	—	—	1	—	1	4	3	—	1	12	17	4	4	—	—
30—35	1	—	1	—	1	—	3	3	—	—	6	15	1	3	—	—
35—40	—	—	—	—	3	—	5	8	—	1	10	16	—	3	—	—
40—45	1	—	—	—	3	1	7	4	—	—	10	14	1	2	—	—
45—50	1	—	—	—	1	1	9	4	—	—	18	18	2	2	—	—
50—55	—	—	—	—	2	3	16	14	—	—	9	13	2	1	1	—
55—60	—	—	—	—	—	1	12	12	—	1	19	14	1	1	—	—
60—65	—	—	—	—	—	1	22	19	1	1	11	13	1	—	—	—
65—70	—	—	1	—	—	—	19	13	—	—	11	12	—	—	1	—
70—75	—	—	1	1	—	2	14	10	—	—	3	5	—	—	—	—
75—80	—	—	—	—	—	1	12	13	—	—	1	3	—	—	—	—
80 and upwards	—	—	—	—	—	1	9	11	—	—	—	—	—	—	—	—

* 17. Plague —; 18. Yellow fever —; 19. Spirochaetosis ictero-haemorrhagica —; 20. Leprosy, —.

Causes of Death.	26, 27, 28*		30 Mycoses.		Tuberculosis.													
Ages at Death.	M.	F.	M.	F.	31—37 All forms.		31 Respiratory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.		35 Joints.		36 Other organs.	
All Ages	36	10	16	11	6180	5249	5048	4194	434	419	222	222	76	79	52	35	81	81
0—1	1	—	4	2	111	78	13	11	61	45	21	11	—	—	—	—	2	3
1—5	2	—	1	1	324	259	43	25	170	160	61	27	1	1	1	1	6	5
5—10	4	2	—	—	164	192	34	38	85	82	15	31	6	8	1	3	3	3
10—15	5	—	—	—	105	168	37	99	28	34	17	16	4	3	—	1	3	1
15—20	2	1	1	—	443	670	342	571	25	44	32	24	7	6	6	5	4	2
20—25	3	—	1	1	698	836	601	757	22	24	17	24	11	2	9	1	8	7
25—30	3	1	—	2	650	734	576	675	14	8	9	14	15	5	2	3	7	8
30—35	2	—	—	1	547	549	504	490	5	7	9	13	5	5	1	2	8	11
35—40	2	—	1	1	537	395	493	370	9	3	11	16	2	—	2	—	4	2
40—45	1	1	1	—	555	342	518	291	7	3	7	15	6	9	2	7	4	5
45—50	2	—	1	—	584	272	541	241	3	2	7	9	2	10	9	3	8	2
50—55	3	2	1	1	525	249	498	218	2	3	3	4	2	8	6	2	4	5
55—60	3	1	—	—	402	177	381	152	1	1	3	8	2	8	1	—	4	7
60—65	3	—	3	—	271	123	240	103	2	2	5	2	5	6	5	—	5	4
65—70	—	2	—	2	158	91	139	71	—	—	3	3	5	3	2	3	4	8
70—75	—	—	1	—	75	62	63	46	—	1	2	4	2	1	3	2	4	3
75—80	—	—	—	—	26	37	21	27	—	—	—	1	1	2	1	2	3	4
80 and upwards	—	—	1	—	5	15	4	9	—	—	—	—	—	2	1	—	—	1

* 26. Glanders —; 27. Anthrax —; 28. Rabies —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.

(Civilian population only).

Causes of Death.	Tuberculosis— <i>continued.</i>															
	36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymphatic system (abdominal glands excepted).		36 (d) Genito-urinary system.		36 (e) Others in 36.		37 Disseminated.		37 (a) Acute.		37 (b) Chronic or unstated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	7	11	13	13	20	52	39	2	2	267	219	97	98	170	121
0—1	—	—	1	—	1	3	—	—	—	—	14	8	4	4	10	4
1—5	—	—	1	3	4	1	1	1	—	—	42	40	19	22	23	18
5—10	—	—	—	—	1	3	2	—	—	—	20	27	7	14	13	13
10—15	—	—	—	—	—	1	2	—	1	—	16	14	4	8	12	6
15—20	—	—	—	—	1	—	3	2	—	—	27	18	9	9	18	9
20—25	—	—	1	1	—	1	7	5	—	—	30	21	15	10	15	11
25—30	—	—	1	—	—	1	6	7	—	—	27	21	8	10	19	11
30—35	1	1	—	—	1	—	6	10	—	—	15	21	6	10	9	11
35—40	—	1	—	—	—	—	3	1	1	—	16	4	10	1	6	3
40—45	—	—	—	2	—	1	4	1	—	1	11	12	5	5	6	7
45—50	—	—	1	—	—	—	7	2	—	—	14	5	—	1	14	4
50—55	1	1	—	—	—	1	3	2	—	1	10	9	4	3	6	6
55—60	—	—	1	2	—	1	3	4	—	—	10	1	3	—	7	1
60—65	—	—	2	1	2	1	1	2	—	—	9	6	3	1	6	5
65—70	—	—	2	2	1	5	1	1	—	—	5	3	—	—	5	3
70—75	—	2	1	—	1	—	2	1	—	—	1	5	—	—	1	5
75—80	1	2	—	2	1	—	1	—	—	—	—	1	—	—	—	1
80 and upwards	—	—	—	—	—	1	—	—	—	—	—	3	—	—	—	3

Causes of Death.	38 Syphilis.		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhoeal or purulent ophthalmia.		42* 41 Purulent infection, septicæmia.		II. 43-69 General diseases not included in I. 1-42.		Cancer, Malignant Disease.			
													43-49 Total.		43 Buccal cavity.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	233	135	13	4	10	2	3	2	209	120	11837	14709	9213	10812	846	151
0—1	60	47	3	2	—	—	3	2	11	12	89	64	1	4	—	—
1—5	3	7	—	—	—	—	—	—	7	9	103	78	17	10	—	—
5—10	3	1	—	—	—	—	—	—	11	6	89	91	12	10	—	—
10—15	1	3	—	—	—	—	—	—	13	4	75	82	10	10	1	—
15—20	4	3	—	—	—	—	—	—	8	3	114	95	24	10	—	—
20—25	2	—	—	—	—	—	—	—	6	5	92	96	40	19	2	—
25—30	4	4	—	—	—	—	—	—	3	6	122	149	40	49	1	2
30—35	9	5	—	1	—	1	—	—	8	4	121	225	58	126	1	1
35—40	4	8	2	1	2	1	—	—	13	6	212	388	130	280	7	4
40—45	16	14	—	—	—	—	—	—	14	10	335	641	226	480	10	1
45—50	20	16	3	—	3	—	—	—	17	8	602	978	474	774	23	14
50—55	21	11	1	—	1	—	—	—	16	9	995	1406	807	1088	80	16
55—60	29	7	2	—	2	—	—	—	20	6	1394	1733	1137	1368	111	18
60—65	22	4	1	—	1	—	—	—	21	7	1792	1951	1505	1487	143	18
65—70	21	2	1	—	1	—	—	—	21	8	2083	2100	1715	1542	186	20
70—75	8	1	—	—	—	—	—	—	7	7	1780	1960	1489	1497	149	21
75—80	4	1	—	—	—	—	—	—	8	4	1170	1484	973	1147	88	18
80 and upwards	2	1	—	—	—	—	—	—	5	6	669	1188	555	911	44	18

* 39 Soft chancre —; 42. (1) Vaccinia —; (2) Other diseases included under 42:—15, 50, 55, 60, 60, 65, 30, 30, 50, 60.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.

(Civilian population only).

Causes of Death.	Cancer, Malignant Disease— <i>cont.</i>												50 Tumours not returned as malignant. (brain and female genital organs excepted).		51 Rheumatic fever.	
	44 Pharynx, oesophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.		M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
All Ages	3352	2830	2321	2334	—	1996	16	2150	259	167	2419	1184	161	141	251	300
0—1	—	—	—	—	—	—	—	—	—	1	1	3	—	—	—	—
1—5	—	—	1	3	—	1	—	—	—	—	16	6	2	1	7	11
5—10	—	—	—	1	—	1	—	—	—	1	12	7	1	2	43	50
10—15	1	—	1	—	—	2	—	—	1	—	6	8	2	—	37	46
15—20	1	1	3	2	—	2	—	—	—	1	20	4	3	2	35	36
20—25	4	1	6	5	—	7	—	—	—	—	28	6	1	—	20	31
25—30	7	8	12	12	—	13	—	2	1	3	19	9	5	2	19	26
30—35	14	22	11	19	—	37	1	25	2	3	29	19	2	4	13	14
35—40	53	37	22	33	—	98	—	74	1	1	47	33	1	2	12	17
40—45	87	77	43	53	—	140	—	153	4	9	82	47	7	12	13	10
45—50	182	138	98	111	—	226	—	206	9	3	162	76	11	9	13	19
50—55	287	219	193	171	—	279	1	294	20	5	226	104	18	17	17	11
55—60	431	305	258	249	—	290	6	320	16	17	315	169	25	12	6	5
60—65	620	387	346	331	—	278	2	285	29	15	365	173	20	15	7	8
65—70	650	470	442	361	—	237	1	266	26	19	410	169	26	17	3	7
70—75	505	526	432	415	—	175	1	193	61	26	341	141	18	17	3	5
75—80	338	368	283	339	—	134	3	149	50	24	211	115	10	11	1	3
80 and upwards	172	271	170	229	—	76	1	183	39	39	129	95	9	18	2	1

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55* 56 Rickets.		57 Diabetes.		58 Anæmia, chlorosis.		58 (a) Pernicious anæmia.		58 (b) Other anæmias and chlorosis.		59 Diseases of the pituitary gland.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	400	765	2	2	59	28	838	1210	379	531	342	477	37	54	3	9
0—1	—	—	1	1	20	10	—	—	5	5	2	2	3	3	—	—
1—5	—	—	—	—	38	18	2	4	4	7	—	2	4	5	—	—
5—10	—	1	—	—	1	—	4	9	2	3	—	—	2	3	—	—
10—15	—	—	—	—	—	—	6	9	2	4	2	—	—	4	—	1
15—20	—	1	—	—	—	—	16	13	8	3	5	1	3	2	—	—
20—25	1	1	—	—	—	—	13	11	—	6	—	3	—	3	—	1
25—30	1	5	—	—	—	—	20	22	9	8	5	5	4	3	—	1
30—35	1	5	—	—	—	—	20	18	3	17	3	15	—	2	—	—
35—40	3	9	—	—	—	—	19	20	10	20	9	13	1	7	1	—
40—45	14	17	1	—	—	—	22	27	18	28	15	28	3	—	—	—
45—50	16	21	—	—	—	—	38	28	22	41	19	38	3	3	—	2
50—55	15	36	—	—	—	—	44	76	41	52	39	49	2	3	1	—
55—60	34	57	—	1	—	—	90	140	54	56	50	52	4	4	1	1
60—65	55	91	—	—	—	—	117	186	59	81	59	78	—	3	—	1
65—70	82	141	—	—	—	—	150	224	68	81	66	77	2	4	—	—
70—75	74	120	—	—	—	—	138	212	42	56	39	55	3	1	—	—
75—80	66	119	—	—	—	—	83	131	26	42	23	39	3	3	—	1
80 and upwards	38	141	—	—	—	—	56	80	6	21	6	20	—	1	—	1

*54 Pellagra 20, 60, 55, Beri-beri —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	60 Diseases of the thyroid gland.		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid gland.		61 Diseases of the parathyroid glands.		61 (1) Tetany.		61 (2) * 62 Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	56	535	38	417	18	118	6	5	6	5	29	20	32	48	7	5	254	167
0—1	—	4	—	—	—	4	4	2	4	2	23	13	—	—	—	—	2	1
1—5	1	4	—	—	1	4	1	2	1	2	—	1	—	—	—	—	14	9
5—10	2	2	—	—	2	2	—	1	—	1	2	1	—	—	—	—	15	8
10—15	1	3	—	1	1	2	1	—	1	—	1	2	—	1	—	—	12	4
15—20	1	9	1	6	—	3	—	—	—	—	1	—	2	1	—	—	17	9
20—25	1	13	1	13	—	—	—	—	—	—	—	—	1	1	—	—	10	9
25—30	5	18	4	17	1	1	—	—	—	—	—	2	2	3	—	—	17	9
30—35	3	26	3	23	—	3	—	—	—	—	1	—	3	4	1	—	14	7
35—40	4	26	4	25	—	1	—	—	—	—	1	—	2	2	1	—	21	11
40—45	2	44	2	39	—	5	—	—	—	—	—	1	1	6	—	—	20	11
45—50	4	59	4	55	—	4	—	—	—	—	—	—	4	8	—	—	15	11
50—55	14	90	9	79	5	11	—	—	—	—	—	—	2	6	2	2	21	14
55—60	8	67	6	58	2	9	—	—	—	—	—	—	4	4	1	—	23	16
60—65	1	52	1	42	—	10	—	—	—	—	—	—	3	3	2	1	16	16
65—70	5	56	2	31	3	25	—	—	—	—	—	—	5	5	—	1	22	15
70—75	3	36	1	21	2	15	—	—	—	—	—	—	1	1	—	1	9	7
75—80	—	17	—	5	—	12	—	—	—	—	—	—	2	3	—	—	5	5
80 and upwards	1	9	—	2	1	7	—	—	—	—	—	—	—	—	—	—	1	5

* 61. (2) Other diseases of the parathyroid glands —

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68 * 69 Other general diseases.		III. 70-86 Diseases of the nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	130	101	124	66	21	15	12	—	112	114	7075	8049	59	38	223	163
0—1	2	1	—	—	—	—	—	—	33	24	421	280	5	—	43	26
1—5	13	9	1	—	—	—	—	—	17	11	175	140	11	4	61	40
5—10	9	7	6	1	—	—	—	—	7	4	114	103	5	2	28	24
10—15	8	1	4	3	—	—	—	—	3	2	72	76	4	3	12	12
15—20	10	4	7	5	—	—	—	—	7	11	103	76	4	3	15	12
20—25	1	5	9	4	—	—	—	—	5	3	89	75	3	3	6	9
25—30	7	7	10	2	1	—	—	—	3	4	103	98	3	1	2	4
30—35	8	3	6	4	—	—	—	—	2	4	115	111	2	2	5	6
35—40	6	7	15	4	3	—	1	—	3	1	166	145	4	3	9	4
40—45	11	5	9	6	6	1	1	—	4	4	210	211	2	4	6	3
45—50	8	8	7	3	1	2	2	—	2	4	319	300	3	—	5	4
50—55	12	10	9	4	6	2	3	—	4	12	447	490	6	4	10	4
55—60	11	9	12	7	3	2	1	—	7	4	579	598	1	—	5	5
60—65	5	9	11	7	—	5	2	—	4	4	808	817	3	3	8	5
65—70	12	9	10	6	—	—	2	—	4	11	936	980	3	4	3	4
70—75	4	3	5	4	—	2	—	—	3	6	1011	1215	—	1	2	—
75—80	2	2	3	3	1	—	—	—	3	5	794	1131	—	1	1	—
80 and upwards	1	2	—	3	—	1	—	—	1	—	613	1203	—	—	2	1

* 68. Chronic poisoning by organic substances 60, 65,

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.

(Civilian population only.)

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage, apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemi-plegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	197	34	255	247	3833	5262	3205	4315	628	947	232	284	207	256	25	28
0—1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	2	—	1	1	—	1	1	—	—	1	—	1	—	—
5—10	—	—	1	3	1	2	1	1	—	1	—	—	—	—	—	—
10—15	—	—	5	1	1	—	1	—	—	—	—	1	—	—	—	1
15—20	—	—	8	3	—	—	—	—	—	—	—	—	—	—	—	—
20—25	—	—	7	3	2	4	2	2	—	2	—	—	—	—	—	—
25—30	—	—	3	5	10	4	8	3	2	1	—	—	—	—	—	—
30—35	3	—	2	5	8	22	7	20	1	2	1	1	—	1	1	—
35—40	2	2	6	12	23	28	20	25	3	3	—	—	—	—	—	—
40—45	13	6	11	14	54	60	49	52	5	8	1	1	1	1	—	—
45—50	22	3	19	16	120	144	108	126	12	18	5	3	5	2	—	1
50—55	25	4	33	31	192	289	168	256	24	33	7	14	7	12	—	2
55—60	34	6	34	30	321	397	282	347	39	50	10	17	10	17	—	—
60—65	42	4	45	31	530	580	441	491	89	89	22	31	20	25	2	6
65—70	30	4	38	35	639	758	549	642	90	116	52	37	48	34	4	3
70—75	16	5	25	33	777	962	654	792	123	170	55	58	48	52	7	6
75—80	8	—	15	18	633	942	508	759	125	183	43	66	38	58	5	8
80 and upwards	2	—	1	6	521	1069	407	798	114	271	36	54	30	53	6	1

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	303	67	130	233	377	385	383	255	8	35	24	44	58	95	713	692
0—1	—	—	—	—	7	2	332	213	—	—	—	—	—	—	13	12
1—5	—	—	—	—	11	10	39	39	—	—	—	—	—	—	20	19
5—10	—	—	—	—	11	4	4	3	3	6	—	1	—	—	15	24
10—15	1	—	—	—	13	7	—	—	1	14	—	—	—	—	16	18
15—20	—	1	—	—	31	23	4	—	3	6	—	2	—	—	15	12
20—25	3	—	1	5	28	22	—	—	—	5	1	—	—	—	11	11
25—30	7	2	7	8	31	34	—	—	—	1	—	2	—	—	18	27
30—35	12	4	7	7	31	27	—	—	1	—	1	1	—	—	25	29
35—40	33	7	5	10	27	35	—	—	—	2	1	1	1	1	42	30
40—45	34	14	11	20	25	29	1	—	—	—	1	3	1	—	37	41
45—50	56	14	5	25	28	22	—	—	—	1	1	3	—	1	46	55
50—55	63	12	15	39	16	37	1	—	—	—	3	2	3	1	63	49
55—60	51	4	17	34	24	32	1	—	—	—	5	6	1	5	67	60
60—65	21	5	21	35	25	34	—	—	—	—	2	7	7	8	76	66
65—70	14	3	25	23	28	19	1	—	—	—	5	3	8	13	84	69
70—75	6	1	9	15	13	22	—	—	—	—	2	5	15	20	87	90
75—80	2	—	5	10	20	15	—	—	—	—	2	4	13	17	49	55
80 and upwards	—	—	2	2	8	11	—	—	—	—	—	4	9	29	29	25

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis.		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	16	13	264	202	18400	19460	14513	16036	50	44	313	334	1397	620	12753	15038
0—1	1	3	20	23	5	2	1	1	1	1	—	—	—	—	—	—
1—5	1	2	29	24	16	22	12	13	3	4	6	4	—	—	3	5
5—10	—	1	46	33	54	51	53	50	4	3	13	12	—	—	36	35
10—15	1	—	18	20	79	108	78	107	1	1	14	25	—	—	63	81
15—20	—	—	23	14	115	126	114	125	2	4	26	24	—	—	86	97
20—25	—	—	27	13	110	136	107	134	5	—	25	37	—	—	77	97
25—30	1	—	21	10	109	192	108	186	4	3	26	32	1	2	77	149
30—35	—	—	17	7	146	213	141	204	1	4	29	40	11	—	100	160
35—40	—	—	13	10	247	269	229	254	3	1	38	36	19	3	169	214
40—45	—	1	13	15	344	367	311	337	2	4	39	43	38	9	232	281
45—50	1	—	8	9	571	557	500	503	1	1	24	10	45	12	430	480
50—55	1	—	9	4	967	797	816	703	3	2	15	18	109	27	689	656
55—60	2	—	6	2	1576	1157	1307	994	4	2	21	12	189	47	1093	933
60—65	1	1	5	7	2173	1783	1762	1528	4	3	14	15	235	83	1509	1427
65—70	2	—	4	8	2943	2565	2285	2172	7	1	7	8	272	119	1999	2044
70—75	—	2	4	1	3430	3335	2612	2693	5	5	8	8	236	133	2363	2547
75—80	2	2	1	1	2860	3434	2144	2735	—	5	4	8	155	89	1985	2633
80 and upwards	3	1	—	1	2655	4346	1933	3297	—	—	4	2	87	96	1842	3199

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (a) Aneurysm.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4139	5101	7519	8741	1095	1196	3716	3173	301	82	3381	3059	1829	1801	1552	1258
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	1	5	1	—	1	—	—	1	—	1	—	—	—	—	—	—
5—10	32	32	1	1	3	2	—	—	—	—	—	—	—	—	—	—
10—15	60	79	1	1	2	1	1	—	1	—	—	—	—	—	—	—
15—20	75	81	5	7	6	9	1	1	1	—	—	—	—	—	—	—
20—25	65	91	9	4	3	2	2	1	2	1	—	—	—	—	—	—
25—30	57	126	11	19	9	4	—	3	—	2	—	1	—	1	—	—
30—35	80	114	15	26	5	20	4	3	3	2	1	—	—	—	1	—
35—40	124	157	33	42	12	15	14	6	10	3	3	2	3	1	—	1
40—45	157	176	54	77	21	28	27	18	12	6	15	12	11	10	4	2
45—50	202	280	180	166	48	34	61	39	26	6	33	33	26	29	7	4
50—55	309	346	305	260	75	50	132	69	50	6	80	61	49	50	31	11
55—60	447	419	568	439	78	75	250	135	55	15	194	119	133	92	61	27
60—65	555	547	807	757	147	123	386	223	58	8	322	215	222	170	100	45
65—70	666	719	1177	1153	156	172	632	357	43	5	582	348	360	262	222	86
70—75	632	738	1516	1601	215	208	797	617	29	15	764	598	443	385	321	213
75—80	408	624	1408	1777	169	232	699	670	7	8	688	653	340	364	348	289
80 and upwards	269	567	1428	2411	145	221	710	1030	4	4	699	1017	242	437	457	580

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES
OF DEATH AT DIFFERENT AGE-PERIODS, 1930.

(Civilian population only.)

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphan- gitis, etc.).		95 Hæmor- rhage without stated cause.		96 Other diseases of the circulatory system.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	34	32	60	57	62	141	13	25	4	2	32	26	9506	7400	60	33
0—1	—	—	—	—	—	—	4	1	—	—	—	—	1296	873	4	4
1—5	—	—	—	—	—	—	4	8	—	—	—	—	802	651	1	—
5—10	—	—	—	—	—	—	1	1	—	—	—	—	186	167	3	2
10—15	—	—	—	—	—	1	—	—	—	—	—	—	75	52	4	2
15—20	—	1	—	—	—	—	—	—	—	—	—	—	121	77	9	4
20—25	—	—	1	—	—	—	—	1	—	—	—	—	134	67	3	4
25—30	—	—	1	—	—	1	—	2	—	—	—	—	151	99	8	1
30—35	—	1	—	4	1	2	—	—	—	—	—	—	181	113	5	3
35—40	1	1	1	1	2	7	—	—	1	—	—	1	281	130	5	1
40—45	—	—	3	4	2	5	1	3	—	—	—	—	352	163	7	3
45—50	2	—	2	3	6	12	1	—	—	—	1	—	460	182	2	4
50—55	2	2	7	3	9	15	—	2	—	—	3	5	594	237	1	1
55—60	1	1	9	5	8	21	—	1	—	—	2	1	675	372	4	1
60—65	6	—	5	10	13	17	1	1	1	—	5	4	722	458	2	3
65—70	7	4	9	9	7	23	1	—	1	—	8	4	822	604	1	—
70—75	4	4	11	3	5	18	—	1	—	—	5	3	933	858	—	—
75—80	4	9	7	8	6	13	—	1	—	1	4	6	799	918	—	—
80 and upwards	7	9	4	7	3	6	—	3	1	1	4	2	922	1379	1	—

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho- pneumonia.		101 Pneumonia (lobar, or not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	64	48	3403	3206	715	890	1339	918	1349	1398	5129	3475	2272	1818	2857	1657
0—1	20	11	338	239	147	121	6	1	185	117	917	610	782	514	135	96
1—5	26	24	103	88	47	47	8	4	48	37	645	527	492	415	153	112
5—10	9	5	19	17	5	10	3	3	11	4	144	130	66	75	78	55
10—15	1	1	11	7	5	3	5	3	1	1	52	36	13	9	39	27
15—20	1	—	17	6	2	3	10	2	5	1	83	60	10	23	73	37
20—25	—	—	10	8	1	2	4	4	5	2	111	47	16	12	95	35
25—30	—	—	11	8	—	4	6	1	5	3	117	76	18	13	99	63
30—35	—	1	22	15	6	4	11	6	5	5	136	73	13	12	123	61
35—40	—	—	35	14	4	4	20	8	11	2	210	93	28	15	182	78
40—45	—	—	62	32	7	6	37	18	18	8	254	98	39	24	215	74
45—50	—	1	81	40	9	10	42	15	30	15	299	108	64	27	235	81
50—55	1	—	146	74	35	27	75	28	36	19	365	134	85	34	280	100
55—60	2	—	201	124	36	26	105	53	60	45	381	191	92	46	289	145
60—65	1	1	272	191	33	49	153	77	86	65	356	215	96	86	260	129
65—70	2	2	396	304	66	75	206	115	124	114	324	235	109	93	215	142
70—75	—	—	559	515	108	133	231	171	220	211	292	288	124	126	168	162
75—80	—	—	504	556	96	155	219	169	189	232	227	274	106	131	121	143
80 and upwards	1	2	616	968	108	211	198	240	310	517	216	280	119	163	97	117

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	101 (a) Pneumonia, lobar.		101 (b) Pneumonia not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphysema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1983	1113	874	544	238	138	157	199	7	1	345	266	14	6	89	28
0—1	57	34	78	62	5	4	12	5	—	—	—	—	—	—	—	—
1—5	91	57	62	55	19	7	2	1	—	—	6	3	—	—	—	1
5—10	51	32	27	23	9	5	1	—	—	—	—	7	—	—	1	1
10—15	25	19	14	8	4	3	—	—	—	—	2	3	—	—	1	—
15—20	50	29	23	8	9	5	—	1	—	—	1	1	—	—	1	—
20—25	72	27	23	8	5	2	2	—	—	—	3	6	—	—	—	—
25—30	75	46	24	17	4	5	2	2	1	1	5	6	—	—	3	—
30—35	95	48	28	13	9	6	—	—	—	—	7	13	—	—	2	2
35—40	135	58	47	20	13	10	1	2	2	—	11	8	—	—	4	2
40—45	166	62	49	12	11	6	1	2	1	—	13	21	—	—	3	1
45—50	167	66	68	15	20	8	5	3	—	—	37	16	1	1	15	1
50—55	213	76	67	24	18	2	5	1	—	—	37	22	3	—	18	3
55—60	208	106	81	39	17	9	7	5	—	—	49	40	1	—	13	2
60—65	186	93	74	36	29	14	7	7	1	—	41	21	2	1	11	5
65—70	149	92	66	50	29	11	9	15	—	—	50	30	3	—	8	7
70—75	109	98	59	64	20	15	18	13	1	—	34	25	2	1	7	1
75—80	80	93	41	50	11	13	25	44	—	—	30	29	1	1	1	1
80 and upwards	54	77	43	40	6	13	60	98	1	—	19	15	1	2	1	1

Causes of Death.	107 (b) *		107 (c) Other diseases included under 107.		VI. 108—127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexe.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexe.		109 Diseases of the pharynx and tonsils.		110 Diseases of the oesophagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	65	21	21	7	4882	4063	117	102	98	66	19	36	187	215	8	13
0—1	—	—	—	—	738	446	8	6	3	2	5	4	7	6	—	1
1—5	—	1	—	—	198	200	4	4	3	2	1	2	31	28	—	—
5—10	—	1	—	—	139	156	2	3	2	3	—	—	43	36	—	—
10—15	—	—	1	—	69	63	—	2	—	—	—	2	5	11	—	—
15—20	—	—	1	—	111	65	5	2	3	—	2	2	8	4	—	—
20—25	—	—	—	—	104	64	6	3	5	2	1	1	7	8	—	—
25—30	1	—	2	—	131	88	6	3	5	3	1	—	9	6	—	1
30—35	1	2	1	—	145	121	1	6	1	5	—	1	7	4	—	1
35—40	3	—	1	2	174	117	6	7	6	6	—	1	7	10	—	—
40—45	2	1	1	—	257	162	7	7	7	7	—	—	7	11	—	—
45—50	13	1	1	—	335	236	11	4	10	4	1	—	8	12	—	2
50—55	13	3	5	—	370	275	11	10	9	7	2	3	10	13	—	1
55—60	10	2	3	—	449	320	14	6	11	4	3	2	11	22	2	—
60—65	8	3	3	2	458	379	16	6	13	4	3	2	8	13	1	2
65—70	6	4	1	3	415	411	9	11	9	8	—	3	5	15	2	2
70—75	6	1	1	—	375	349	7	7	7	3	—	4	7	6	1	2
75—80	1	1	—	—	240	272	3	7	3	4	—	3	3	4	—	—
80 and upwards	1	1	—	—	174	339	1	8	1	2	—	6	4	6	2	1

* 107. (b). Diseases of the mediastinum 5, 45, 65.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHES).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.

(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhœa and enteritis.		115* Diseases due to other intestinal parasites.		117 Appendicitis and typhilitis.		118 Hernia, intestinal obstruction	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1106	346	690	282	416	64	225	224	846	756	4	3	603	454	827	783
0—1	1	2	1	1	—	1	52	25	556	354	—	—	1	—	102	43
1—5	—	—	—	—	—	—	6	8	92	105	—	1	26	19	30	16
5—10	—	1	—	1	—	—	5	3	15	23	—	—	45	48	23	12
10—15	1	—	1	—	—	—	1	9	4	4	1	—	45	22	10	5
15—20	8	2	5	2	3	—	—	2	9	8	—	—	57	33	16	6
20—25	24	3	13	2	11	1	2	1	5	5	—	—	29	23	21	8
25—30	33	10	20	7	13	3	5	2	7	13	1	—	46	20	14	15
30—35	61	17	33	15	28	2	4	1	9	14	—	—	26	29	16	23
35—40	84	8	51	7	33	1	4	3	6	13	—	—	33	12	17	31
40—45	126	24	79	19	47	5	7	3	6	10	—	1	39	24	30	39
45—50	164	41	118	35	46	6	7	6	11	17	—	—	34	41	39	41
50—55	134	42	73	34	61	8	12	10	13	11	—	—	37	26	48	57
55—60	143	41	96	33	47	8	13	18	9	19	—	—	62	34	50	70
60—65	116	47	68	38	48	9	18	8	14	25	—	—	48	39	87	78
65—70	94	43	60	36	34	7	18	17	22	28	1	—	34	36	86	85
70—75	69	28	45	23	24	5	20	30	30	24	1	1	20	23	98	92
75—80	26	17	17	15	9	2	24	29	20	28	—	—	14	15	81	79
80 and upwards	22	20	10	14	12	6	27	49	18	55	—	—	7	10	59	83

*115. Ankylostomiasis — ; 116 (a) Cestodes (hydatids of the liver excepted) 25, 65, 70, 40, 70 ; 116 (c) Nematodes (other than Ankylostoma), 10.
116 (f) Undefined Parasites, 1.

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	325	331	502	452	104	119	21	31	83	88	5	18	3	7	426	191
0—1	25	6	77	37	5	2	4	1	1	1	—	—	—	—	—	—
1—5	6	2	24	14	2	—	1	—	1	—	1	1	—	—	—	—
5—10	2	1	21	11	—	—	—	—	—	—	—	—	—	—	—	1
10—15	1	1	9	4	—	1	—	—	—	1	—	—	—	1	—	1
15—20	2	—	14	6	2	1	—	1	2	—	1	3	—	1	1	—
20—25	3	1	18	7	2	1	1	—	1	1	1	2	—	—	2	2
25—30	2	1	12	14	—	2	—	—	—	2	—	5	—	1	2	1
30—35	4	3	12	20	1	1	—	—	1	1	1	2	—	—	4	1
35—40	3	7	14	24	1	6	—	2	1	4	—	1	—	—	4	3
40—45	7	11	23	28	3	6	—	2	3	4	—	1	—	—	18	10
45—50	8	16	31	25	8	4	1	—	7	4	—	1	1	—	27	22
50—55	17	23	31	34	16	7	1	—	15	7	—	—	1	2	52	25
55—60	23	38	27	32	11	13	—	2	11	11	—	—	—	—	76	25
60—65	44	42	43	36	13	13	—	2	12	11	1	—	—	1	80	35
65—70	47	45	39	40	9	20	—	8	9	12	—	—	1	—	76	34
70—75	56	51	42	41	15	14	3	1	12	13	—	1	—	1	51	19
75—80	48	42	33	37	10	12	5	3	5	9	—	1	—	—	24	7
80 and upwards	27	41	32	42	6	16	4	9	2	7	—	—	—	—	9	5

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGH).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127 * 126 Peritonitis of unstated origin.		VII. 128-142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	58	26	368	165	127	336	168	301	76	104	50	91	4441	3374	227	218
0—1	—	—	—	—	—	—	1	—	—	2	5	5	27	9	9	5
1—5	—	—	—	—	—	—	1	2	—	—	5	16	24	13	15	10
5—10	—	—	—	1	—	—	4	2	1	—	1	27	21	20	12	13
10—15	—	—	—	1	—	—	1	—	—	—	1	7	20	31	5	11
15—20	—	—	1	—	—	—	3	—	—	2	1	1	33	45	9	10
20—25	—	1	2	1	—	2	2	2	1	1	2	3	48	65	16	18
25—30	—	—	2	1	2	3	3	1	2	1	1	4	51	71	13	10
30—35	—	—	4	1	2	8	6	4	3	6	4	4	61	93	16	10
35—40	1	—	3	3	3	8	6	7	2	6	1	2	85	126	10	14
40—45	2	3	16	7	2	8	5	5	3	7	4	6	115	188	13	16
45—50	5	4	22	18	8	13	5	24	7	6	5	2	188	256	17	12
50—55	12	2	40	23	12	33	12	18	7	17	5	3	289	296	25	13
55—60	11	4	65	21	15	32	23	23	17	11	3	6	361	326	15	22
60—65	11	3	69	32	22	48	24	46	9	17	1	1	543	347	12	15
65—70	11	6	65	28	16	59	21	50	15	10	6	1	715	414	16	15
70—75	1	2	50	17	25	45	23	43	5	11	3	2	751	423	8	15
75—80	4	—	20	7	13	37	16	32	4	3	2	1	595	344	12	5
80 and upwards	—	1	9	4	7	40	12	42	—	4	—	—	514	307	4	4

* 127. Other diseases of the digestive system —.

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130 * 131 Other diseases of the kidneys and anæmia.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2426	2381	110	156	81	62	167	141	115	5	109	—	6	5	1294	—
0—1	—	—	3	4	—	—	—	—	1	—	—	—	1	—	—	—
1—5	3	—	4	3	—	—	—	—	—	—	—	—	—	—	—	—
5—10	6	7	2	—	1	—	—	—	—	—	—	—	—	—	—	—
10—15	13	17	—	2	1	—	—	—	1	—	—	—	1	—	—	—
15—20	22	26	2	3	—	1	—	—	—	—	—	—	—	—	—	—
20—25	29	37	3	4	—	1	—	—	—	—	—	—	—	—	—	—
25—30	27	34	5	8	4	—	1	—	—	—	—	—	—	—	—	—
30—35	38	50	3	2	4	5	—	4	—	—	—	—	—	—	—	—
35—40	58	57	4	6	7	2	3	2	2	—	2	—	—	—	1	—
40—45	84	95	3	10	5	8	4	—	5	—	5	—	—	—	1	—
45—50	143	147	11	14	6	8	3	4	5	—	5	—	—	—	3	—
50—55	210	209	7	14	9	7	5	10	11	—	11	—	—	—	22	—
55—60	254	236	12	21	9	12	12	9	16	—	16	—	—	—	43	—
60—65	333	273	9	14	10	6	14	11	29	1	29	—	—	1	136	—
65—70	403	345	16	13	6	1	29	13	16	2	16	—	—	2	228	—
70—75	371	325	11	22	7	7	27	34	15	1	14	—	1	1	311	—
75—80	249	276	11	9	10	3	32	23	6	1	6	—	—	1	273	—
80 and upwards	183	247	4	7	2	1	37	31	8	—	5	—	3	—	276	—

* 130. Chyluria —.

(Civilian population only).

[illegible]

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).		IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155-158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	187	—	14	511	450	160	165	121	54	125	97	105	134	192	118
0—1	—	—	—	—	68	40	1	3	2	2	16	13	49	22	7	3
1—5	—	—	—	—	10	10	1	2	1	2	4	3	4	3	18	10
5—10	—	—	—	—	5	2	—	1	—	—	4	1	1	—	28	13
10—15	—	—	—	—	9	4	1	—	3	1	5	2	—	1	29	18
15—20	—	7	—	—	13	7	—	—	9	3	3	3	1	1	19	6
20—25	—	27	—	1	16	11	1	—	7	3	7	6	1	2	11	1
25—30	—	49	—	7	6	6	—	1	4	4	1	1	1	—	5	4
30—35	—	49	—	2	7	11	—	—	1	5	6	4	—	2	7	3
35—40	—	39	—	1	9	8	1	1	5	1	3	5	—	1	3	—
40—45	—	16	—	3	13	14	1	1	6	6	5	6	1	1	5	3
45—50	—	—	—	—	13	7	1	1	4	—	5	3	3	3	2	2
50—55	—	—	—	—	20	17	1	1	9	4	9	9	1	3	13	3
55—60	—	—	—	—	32	21	3	3	17	5	9	5	3	8	15	4
60—65	—	—	—	—	27	29	4	10	11	4	8	7	4	8	12	9
65—70	—	—	—	—	52	38	18	11	16	1	12	12	6	14	9	12
70—75	—	—	—	—	78	47	44	22	13	4	9	7	12	14	5	12
75—80	—	—	—	—	61	44	37	28	9	2	9	4	6	10	1	8
80 and upwards	—	—	—	—	72	134	46	80	4	7	10	6	12	41	3	7

* 150. Puerperal diseases of the breast 20, 25, 25, 30.

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital malformations.		XII. 160-163 Diseases of early infancy.		160 Congenital debility, sclerema and icterus.		161 Premature birth, injury at birth.		161 (1) Premature birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	140	81	41	32	11	5	805	575	3310	2387	530	346	2459	1793	2186	1618
0—1	7	1	—	2	—	—	719	487	3310	2387	530	346	2459	1793	2186	1618
1—5	17	8	1	2	—	—	35	42	—	—	—	—	—	—	—	—
5—10	20	12	8	1	—	—	11	9	—	—	—	—	—	—	—	—
10—15	28	15	1	3	—	—	10	10	—	—	—	—	—	—	—	—
15—20	16	3	2	3	1	—	9	8	—	—	—	—	—	—	—	—
20—25	7	1	3	—	1	—	7	5	—	—	—	—	—	—	—	—
25—30	3	—	2	4	—	—	5	3	—	—	—	—	—	—	—	—
30—35	7	2	—	1	—	—	2	2	—	—	—	—	—	—	—	—
35—40	1	—	1	—	1	—	4	1	—	—	—	—	—	—	—	—
40—45	3	3	1	—	1	—	1	2	—	—	—	—	—	—	—	—
45—50	2	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—
50—55	4	1	6	2	3	—	1	1	—	—	—	—	—	—	—	—
55—60	8	2	7	2	—	—	—	2	—	—	—	—	—	—	—	—
60—65	5	4	5	5	2	—	—	—	—	—	—	—	—	—	—	—
65—70	5	8	3	2	1	2	—	1	—	—	—	—	—	—	—	—
70—75	5	6	—	3	—	3	1	—	—	—	—	—	—	—	—	—
75—80	—	8	1	—	—	—	—	1	—	—	—	—	—	—	—	—
80 and upwards	2	7	—	—	1	—	—	—	—	—	—	—	—	—	—	—

* 157. Amputation —.

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHES).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.

(Civilian population only.)

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		Suicide.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	165-174 Total.		165 & 166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.	
											M.	F.	M.	F.	M.	F.
All Ages	273	175	282	208	39	40	2685	4091	5313	2212	1182	496	124	96	265	150
0—1	273	175	282	208	39	40	—	—	110	104	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	265	153	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	239	118	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	153	46	4	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	350	65	15	13	2	1	3	1
20—25	—	—	—	—	—	—	—	—	412	92	49	20	5	9	7	3
25—30	—	—	—	—	—	—	—	—	397	84	64	35	10	15	11	6
30—35	—	—	—	—	—	—	—	—	286	86	49	38	8	5	12	13
35—40	—	—	—	—	—	—	—	—	300	76	83	50	11	12	23	13
40—45	—	—	—	—	—	—	—	—	317	76	113	44	16	8	25	19
45—50	—	—	—	—	—	—	—	—	379	111	131	63	14	11	37	18
50—55	—	—	—	—	—	—	1	2	410	135	171	62	12	7	36	21
55—60	—	—	—	—	—	—	3	3	445	145	161	55	17	11	31	22
60—65	—	—	—	—	—	—	15	39	381	133	131	39	14	7	31	10
65—70	—	—	—	—	—	—	104	109	315	156	106	35	8	4	26	11
70—75	—	—	—	—	—	—	459	503	225	170	55	30	4	5	15	8
75—80	—	—	—	—	—	—	684	924	165	188	34	9	1	1	8	3
80 and upwards	—	—	—	—	—	—	1419	2511	164	274	16	3	2	—	—	2

Causes of Death.	Suicide— <i>contd.</i>														175-196 201-203 Violent deaths, excluding suicide and homicide.	
Ages at Death.	168 By hanging or strangulation.		169 By drowning.		170 By firearms.		171 By cutting or piercing instruments.		172 By jumping from high places.		173 By crushing.		174 By other means.		M.	F.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	225	49	199	132	67	2	182	26	34	17	83	10	3	14	4092	1695
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	100	96
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	259	152
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	238	118
10—15	3	—	1	—	—	—	—	—	—	—	—	—	—	—	147	44
15—20	1	1	5	9	2	—	—	—	—	—	2	1	—	—	334	52
20—25	10	—	8	7	7	—	2	—	3	—	7	—	—	1	361	66
25—30	12	2	10	8	4	—	8	—	1	1	8	1	—	2	332	48
30—35	7	2	7	10	5	—	6	3	—	1	4	2	—	2	235	46
35—40	14	4	8	13	6	1	10	1	3	—	7	1	1	5	216	26
40—45	17	6	16	7	3	—	21	1	6	2	9	—	—	1	201	32
45—50	23	11	23	16	8	1	15	1	3	4	8	1	—	—	247	48
50—55	40	4	30	21	6	—	29	3	3	4	15	1	—	1	237	73
55—60	35	4	23	12	9	—	25	5	8	—	13	1	—	—	280	90
60—65	27	5	20	12	7	—	27	2	1	1	3	1	1	1	248	94
65—70	20	6	24	9	5	—	16	4	2	—	4	1	1	—	209	121
70—75	5	2	12	7	3	—	12	4	3	3	1	—	—	1	169	140
75—80	8	1	8	1	1	—	7	2	—	1	1	—	—	—	131	179
80 and upwards	3	1	4	—	1	—	4	—	1	—	1	—	—	—	148	270

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 By acute accidental poisonings.		178 Con-flagration.		179 Accidental burns (con-flagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	3	5	4	28	16	7	8	203	265	101	80	39	15	412	101
0—1	—	—	—	—	—	1	—	—	17	15	78	66	—	—	1	4
1—5	—	1	—	—	2	1	—	—	102	70	5	3	—	1	28	14
5—10	—	—	—	—	—	—	—	—	11	21	1	—	—	—	37	4
10—15	—	—	1	—	—	1	—	—	3	8	—	—	—	—	25	5
15—20	—	—	—	—	1	1	—	—	7	7	3	—	4	—	38	6
20—25	1	—	—	1	2	—	—	2	3	11	2	—	1	—	29	5
25—30	—	—	1	—	1	1	1	1	9	7	—	1	—	1	19	3
30—35	—	—	1	—	—	2	—	2	1	6	—	1	3	—	16	7
35—40	—	—	—	—	1	1	—	—	4	3	1	—	3	—	25	4
40—45	—	—	—	—	1	—	2	—	1	3	—	1	3	1	16	6
45—50	—	1	—	—	3	—	1	—	4	8	1	—	2	—	20	6
50—55	1	—	—	1	1	3	1	—	4	8	—	1	10	1	33	7
55—60	1	1	1	1	6	—	2	—	6	20	3	1	6	3	35	7
60—65	—	—	—	1	—	2	—	—	3	8	2	2	1	2	40	9
65—70	—	—	—	—	5	2	—	—	5	16	1	1	4	1	25	2
70—75	—	—	—	—	4	—	—	—	10	10	2	—	—	3	17	6
75—80	—	—	1	—	—	1	—	1	9	18	2	3	—	—	5	6
80 and upwards	—	—	—	—	1	—	—	2	4	26	—	—	2	2	3	—

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	11	—	1	1	521	579	519	—	63	1	1964	566	6	3	20	—
0—1	—	—	—	—	2	3	—	—	—	—	—	1	—	—	—	—
1—5	—	—	—	—	13	9	—	—	1	1	99	45	—	1	—	—
5—10	—	—	—	—	12	4	—	—	—	—	167	88	—	—	—	—
10—15	1	—	—	—	12	1	6	—	7	—	88	27	—	—	—	—
15—20	3	—	—	—	13	1	50	—	10	—	193	35	—	—	—	—
20—25	2	—	—	—	15	3	29	—	7	—	258	42	—	—	—	—
25—30	1	—	—	—	13	3	60	—	14	—	194	29	1	—	—	—
30—35	1	—	1	—	13	6	65	—	3	—	113	20	—	—	5	—
35—40	—	—	—	—	25	—	55	—	5	—	85	16	—	—	6	—
40—45	1	—	—	—	25	3	48	—	1	—	89	17	—	—	3	—
45—50	—	—	—	—	26	14	55	—	5	—	112	16	—	—	3	—
50—55	—	—	—	—	41	14	41	—	2	—	87	37	1	—	2	—
55—60	1	—	—	—	25	27	55	—	4	—	115	28	1	—	1	—
60—65	—	—	—	1	42	26	32	—	—	—	111	39	—	—	—	—
65—70	—	—	—	—	51	55	17	—	4	—	83	41	1	—	—	—
70—75	—	—	—	—	45	86	4	—	—	—	77	33	2	1	—	—
75—80	—	—	—	—	53	100	1	—	—	—	56	34	—	—	—	—
80 and upwards	1	—	—	—	95	215	1	—	—	—	37	18	—	1	—	—

AGGREGATE OF URBAN DISTRICTS (OTHER THAN LONDON AND THE COUNTY BOROUGHs).—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.

(Civilian population only).

Causes of Death.	191*		193 Excessive cold.		194 Excessive heat.		195*		Homicide.							
	192 Hunger or thirst.						196 Electricity (lightning excepted).		197-199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	1	10	1	49	25	18	5	39	21	3	1	2	3	34	17
0—1	—	—	—	—	1	3	—	—	10	8	—	—	—	—	10	8
1—5	—	—	—	—	1	1	1	—	6	1	—	—	1	—	5	1
5—10	—	—	1	—	1	—	4	1	1	—	—	—	—	—	1	—
10—15	—	—	—	1	2	—	—	1	2	2	—	—	—	—	2	2
15—20	—	—	—	—	1	—	4	1	1	—	—	—	—	—	1	—
20—25	—	—	—	—	—	1	—	—	2	6	—	—	1	3	1	3
25—30	—	—	1	—	1	1	1	—	1	1	—	—	—	—	1	1
30—35	—	—	—	—	1	—	3	1	2	2	—	1	—	—	2	1
35—40	—	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—
40—45	—	—	1	—	4	—	1	—	3	—	1	—	—	—	2	—
45—50	—	—	—	—	8	2	2	1	1	—	—	—	—	—	1	—
50—55	1	—	—	—	5	—	—	—	2	—	—	—	—	—	2	—
55—60	1	—	1	—	5	—	1	—	4	—	1	—	—	—	3	—
60—65	1	—	3	—	6	3	—	—	2	—	—	—	—	—	2	—
65—70	1	—	—	—	4	3	—	—	—	—	—	—	—	—	—	—
70—75	—	—	1	—	5	1	—	—	1	—	—	—	—	—	1	—
75—80	—	1	1	—	2	3	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	1	—	2	6	—	—	—	1	—	—	—	—	—	1

* 191. Execution of civilians by belligerent armies —; * 195. Lightning 40.

Causes of Death.	200*		202 Other and unstated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204-205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1-70 years.		205 (2 & 3) Others.	
	201 Fracture (cause not specified).		M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M	F.	M.	F.	M.	F.	M.	F.
All Ages	13	1	91	19	3	1	159	110	49	28	110	82	81	60	29	22
0—1	—	—	1	3	—	—	3	3	—	—	3	3	—	—	3	3
1—5	—	—	7	5	—	—	10	6	—	—	10	6	—	—	10	6
5—10	1	—	3	—	—	—	1	1	1	—	—	1	—	—	—	1
10—15	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	1	—	6	1	—	—	2	—	1	—	1	—	—	—	1	—
20—25	1	—	11	1	—	—	1	1	—	1	1	—	—	—	1	—
25—30	2	—	13	1	—	—	4	3	—	—	4	3	3	1	1	2
30—35	—	—	9	1	—	—	3	2	1	1	2	1	1	—	1	1
35—40	—	—	5	1	—	—	4	—	1	—	3	—	3	—	—	—
40—45	—	—	4	1	—	—	5	6	2	1	3	5	2	4	1	1
45—50	—	—	5	—	—	—	7	8	4	2	3	6	3	5	—	1
50—55	—	—	7	1	—	—	25	7	8	2	17	5	15	5	2	—
55—60	3	—	6	2	1	—	24	17	8	6	16	11	15	10	1	1
60—65	1	1	5	—	1	—	31	20	9	6	22	14	21	13	1	1
65—70	3	—	4	—	1	—	33	35	13	9	20	26	18	22	2	4
70—75	—	—	2	—	—	—	2	—	—	—	2	—	—	—	2	—
75—80	—	—	1	2	—	1	2	1	—	—	2	1	—	—	2	1
80 and upwards	1	—	—	—	—	—	2	—	1	—	1	—	—	—	1	—

* 200. Infanticide, Deaths from this cause are shown under Nos. 197-199.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	All Causes.		I. 1-42, Epidemic, Endemic and Infectious Diseases.		1 Enteric fever.		1 (a) Typhoid fever.		1 (b) Paratyphoid fever.		2, 3, 4*		6 Small-pox.		7 Measles.	
											5 Malaria.					
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	45641	43231	4723	4416	32	34	28	24	4	10	9	1	1	—	173	173
0—1	3957	2925	249	243	1	—	1	—	—	—	—	—	—	—	32	34
1—5	1334	1172	482	438	—	1	—	—	—	1	—	—	—	—	99	92
5—10	734	617	286	278	3	1	3	1	—	—	—	—	—	—	29	21
10—15	479	430	134	194	1	3	1	3	—	—	—	—	—	—	8	8
15—20	763	727	261	357	—	—	—	—	—	—	—	—	—	—	1	2
20—25	1058	789	384	383	5	4	4	4	1	—	1	—	—	—	1	—
25—30	989	906	339	401	4	—	4	—	—	—	2	—	—	—	—	2
30—35	924	957	340	346	2	4	2	3	—	1	—	—	—	—	1	5
35—40	1016	1138	327	296	2	2	2	2	—	—	2	—	—	—	—	—
40—45	1281	1182	311	238	3	—	3	—	—	—	—	—	—	—	1	—
45—50	1708	1558	308	206	1	7	1	4	—	3	—	—	—	—	—	2
50—55	2137	1979	287	191	3	4	1	1	2	3	1	—	—	—	1	1
55—60	2951	2591	277	187	2	—	2	—	—	—	1	—	—	—	—	3
60—65	3996	3324	222	169	3	3	2	3	1	—	—	—	—	—	—	1
65—70	5131	4266	200	135	1	5	1	3	—	2	1	—	1	—	—	—
70—75	5506	5111	152	141	1	—	1	—	—	—	—	—	—	—	—	1
75—80	5440	5463	93	124	—	—	—	—	—	—	1	—	—	—	—	1
80 and upwards	6237	8096	71	89	—	—	—	—	—	—	—	1	—	—	—	—

*2. Typhus —; 3. Relapsing fever (*Spirillum obermeieri*) —; 4. Mediterranean fever 45, 60.

Causes of Death.	8 Scarlet fever.		9 Whooping cough.		10 Diphtheria.		11 Influenza.		11 (a) With pulmonary complications.		11 (b) Without pulmonary complications.		12*		14, 15*	
													13 Mumps.		16 Dysentery.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	63	65	187	218	259	280	617	531	389	265	228	266	6	6	5	6
0—1	1	—	110	106	4	5	13	14	7	4	6	10	2	—	—	—
1—5	20	17	68	96	96	74	9	14	6	5	3	9	1	1	—	—
5—10	21	30	8	11	107	123	9	13	5	3	4	10	2	2	—	—
10—15	3	2	—	1	27	35	5	5	1	1	4	4	—	—	—	2
15—20	7	4	1	1	9	14	9	5	6	1	3	4	—	—	—	—
20—25	3	1	—	—	5	4	16	5	8	3	8	2	—	—	—	—
25—30	1	3	—	—	5	3	23	13	12	7	11	6	—	—	—	—
30—35	4	—	—	1	1	3	19	16	15	7	4	9	1	1	—	—
35—40	—	2	—	—	1	4	21	18	16	11	5	7	—	—	1	—
40—45	3	2	—	—	1	4	38	22	30	10	8	12	—	—	2	—
45—50	—	1	—	—	—	2	40	21	27	8	13	13	—	1	—	1
50—55	—	—	—	—	—	3	39	31	24	17	15	14	—	—	—	—
55—60	—	2	—	—	1	5	61	34	45	16	16	18	—	—	—	1
60—65	—	—	—	—	—	—	66	44	41	21	25	23	—	—	—	—
65—70	—	—	—	—	—	—	73	49	44	30	29	19	—	—	1	1
70—75	—	1	—	—	2	—	69	76	41	46	28	30	—	1	—	1
75—80	—	—	—	1	—	1	56	85	37	39	19	46	—	—	1	—
80 and upwards	—	—	—	1	—	—	51	66	24	36	27	30	—	—	—	—

*12. Miliary fever —; 14. Asiatic cholera —; 15. Cholera nostras —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	16 (a) Amœbic.		16 (b) Bacillary.		16 (c) Other or unspecified		17, 18, 19, 20* 21 Erysipelas.		22 Acute poliomyelitis.		23 Encephalitis lethargica.		24 Meningococcal meningitis.		25 Other epidemic and endemic diseases.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	—	—	3	5	3	79	71	38	17	87	104	65	39	10	4
0—1	—	—	—	—	—	—	6	4	1	1	—	1	7	5	3	—
1—5	—	—	—	—	—	—	1	2	8	6	9	8	10	14	3	3
5—10	—	—	—	—	—	—	—	—	9	3	5	1	7	5	2	—
10—15	—	—	—	2	—	—	—	1	4	4	1	5	10	6	—	—
15—20	—	—	—	—	—	—	1	—	7	1	4	10	8	3	1	—
20—25	—	—	—	—	—	—	2	2	3	1	8	5	9	1	—	—
25—30	—	—	—	—	—	—	—	1	3	—	6	7	4	—	—	—
30—35	—	—	—	—	—	—	—	3	1	—	4	10	2	—	—	—
35—40	—	—	—	—	1	—	4	4	2	—	8	6	2	—	—	—
40—45	—	—	—	—	2	—	5	1	—	—	3	6	2	—	—	—
45—50	—	—	—	—	—	1	3	7	—	—	7	7	3	3	—	—
50—55	—	—	—	—	—	—	9	3	—	—	5	8	1	—	—	—
55—60	—	—	—	1	—	—	6	8	—	—	9	11	—	2	—	1
60—65	—	—	—	—	—	—	7	2	—	1	5	10	—	—	—	—
65—70	—	—	—	—	1	1	9	4	—	—	6	4	—	—	—	—
70—75	—	—	—	—	—	1	11	13	—	—	5	3	—	—	—	—
75—80	—	—	—	—	1	—	12	9	—	—	1	2	—	—	1	—
80 and upwards	—	—	—	—	—	—	3	7	—	—	1	—	—	—	—	—

*17. Plague —; 18. Yellow Fever —; 19. Spirochaetosis ictero-hæmorrhagica 10; 20. Leprosy —.

Causes of Death.	26, 27, 28*		30 Mycoses.		Tuberculosis.															
	29 Tetanus.				31-37 All forms.		31 Respira- tory system.		32 Nervous system.		33 Intestines and peritoneum.		34 Vertebral column.		35 Joints.		36 Other organs.			
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Ages	40	14	9	6	2796	2712	2165	2187	218	184	100	122	73	41	32	13	56	33		
0-1	—	1	2	2	41	39	3	4	27	19	7	9	—	—	—	—	—	—		
1-5	4	2	—	—	148	100	16	15	75	61	26	7	2	1	—	—	5	—		
5-10	3	1	—	—	75	63	8	11	38	26	14	11	3	1	—	—	—	1		
10-15	7	2	—	—	62	117	21	63	19	30	10	11	2	2	—	—	1	2		
15-20	3	—	—	—	205	313	152	265	23	22	12	13	4	3	2	1	2	3		
20-25	—	1	1	1	325	357	267	324	15	6	9	7	7	1	3	2	1	2		
25-30	1	3	—	—	285	367	233	326	8	6	4	14	10	2	7	1	8	2		
30-35	4	—	—	1	285	297	251	270	5	4	5	11	5	3	2	—	4	1		
35-40	—	—	1	—	274	255	243	227	4	4	1	11	7	3	1	2	4	2		
40-45	3	1	—	1	238	186	216	165	—	1	1	7	4	3	1	1	7	1		
45-50	1	—	—	—	225	147	211	128	2	1	1	6	6	4	—	2	2	3		
50-55	1	—	—	—	207	136	192	122	1	1	—	5	4	3	—	—	6	1		
55-60	5	—	—	—	169	112	150	89	1	2	3	4	5	7	1	1	6	3		
60-65	3	2	2	—	110	98	90	79	—	—	3	3	4	3	6	—	4	5		
65-70	2	1	1	1	78	60	64	49	—	1	1	1	6	—	3	2	—	3		
70-75	3	—	—	—	44	35	29	27	—	—	2	2	3	2	5	—	3	2		
75-80	—	—	2	—	12	19	10	16	—	—	—	—	1	1	—	—	1	2		
80 and upwards	—	—	—	—	13	11	9	7	—	—	1	—	—	2	1	1	2	—		

*26. Glanders — 27. Anthrax 20 28. Rabies —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	Tuberculosis—contd.															
	36 (a) Skin and subcutaneous tissue.		36 (b) Bones (vertebral column excepted).		36 (c) Lymph- atic system (abdominal glands excptd.).		36 (d) Genito- urinary system.		36 (e) Others in 36.		37 Dissemi- nated.		37 (a) Acute.		37 (b) Chronic or unstated.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.																
All Ages	7	3	11	9	6	5	31	16	1	—	152	132	52	40	100	92
0—1	—	—	—	—	—	—	—	—	—	—	4	7	3	1	1	6
1—5	—	—	1	—	3	—	—	—	1	—	24	16	10	7	14	9
5—10	—	—	—	—	—	1	—	—	—	—	12	13	6	6	6	7
10—15	—	—	—	—	1	1	—	1	—	—	9	9	4	3	5	6
15—20	—	—	—	1	—	—	2	2	—	—	10	6	6	3	4	3
20—25	—	—	—	—	—	1	1	1	—	—	23	15	7	5	16	10
25—30	1	—	1	—	—	—	6	2	—	—	15	16	2	2	13	14
30—35	—	—	1	—	—	—	3	1	—	—	13	8	3	2	10	6
35—40	1	—	1	1	—	—	2	1	—	—	14	6	4	1	10	5
40—45	—	—	2	—	—	—	5	1	—	—	9	8	3	3	6	5
45—50	—	—	—	1	—	—	2	2	—	—	3	3	1	1	2	2
50—55	2	—	1	1	—	—	3	—	—	—	4	4	—	1	4	3
55—60	2	—	—	1	1	—	3	2	—	—	3	6	1	—	2	6
60—65	—	—	1	2	—	—	3	3	—	—	3	8	—	3	3	5
65—70	—	1	—	—	—	2	—	—	—	—	4	4	2	2	2	2
70—75	—	—	2	2	—	—	1	—	—	—	2	2	—	—	2	2
75—80	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1

Causes of Death.	38 Syphilis		39* 40 Gonococcal infection.		40 (1) Gonococcal infection (ophthalmia excepted).		40 (2) Gonorrhœal or purulent ophthalmia.		42* 41 Purulent infection, septicæmia.		II. 43-69 General diseases not included in I. 1-42.		Cancer, Malignant Disease.			
													43-49 Total.		43 Buccal cavity.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.																
All Ages	116	75	4	7	1	—	3	7	121	50	6933	8443	5424	6222	498	101
0—1	19	21	3	7	—	—	3	7	4	3	48	31	2	—	—	—
1—5	3	5	—	—	—	—	—	—	3	3	57	41	9	6	—	—
5—10	1	1	—	—	—	—	—	—	5	3	52	45	7	6	1	—
10—15	2	—	—	—	—	—	—	—	4	1	53	39	4	3	—	—
15—20	—	—	—	—	—	—	—	—	5	4	48	55	5	15	1	—
20—25	1	—	—	—	—	—	—	—	3	1	54	54	21	11	—	—
25—30	2	2	—	—	—	—	—	—	3	—	66	66	26	18	1	—
30—35	3	3	—	—	—	—	—	—	13	2	71	114	36	57	3	—
35—40	4	1	—	—	—	—	—	—	5	4	92	237	67	154	5	1
40—45	6	10	—	—	—	—	—	—	6	4	171	314	121	237	—	1
45—50	13	6	—	—	—	—	—	—	14	1	288	494	214	388	12	7
50—55	10	3	—	—	—	—	—	—	10	2	445	721	368	560	37	11
55—60	10	4	1	—	1	—	—	—	11	4	720	961	591	744	60	16
60—65	15	4	—	—	—	—	—	—	10	4	989	1072	820	817	84	15
65—70	15	7	—	—	—	—	—	—	11	3	1214	1214	1024	912	91	11
70—75	6	5	—	—	—	—	—	—	10	5	1134	1184	926	915	84	16
75—80	5	2	—	—	—	—	—	—	2	4	852	979	701	743	64	10
80 and upwards	1	1	—	—	—	—	—	—	2	2	579	822	482	636	55	13

*39. Soft chancre —; 42. 1) Vaccinia 10; (2) Other diseases included under 42:—55, 65, 70, 40.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	Cancer, Malignant disease— <i>contd.</i>												50 Tumours not returned as malignant (brain and female genital organs excepted).		51 Rheumatic fever.	
	44 Pharynx, œsophagus, stomach, liver and annexa.		45 Peritoneum, intestines and rectum.		46 Female genital organs.		47 Breast.		48 Skin.		49 Other or unspecified organs.		M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
All Ages	1939	1723	1442	1304	—	1114	17	1183	222	96	1306	701	83	92	119	120
0—1	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—
1—5	1	—	—	—	—	—	—	—	—	—	8	6	2	2	5	2
5—10	—	—	1	—	—	—	—	—	—	—	5	6	1	—	20	19
10—15	—	—	1	1	—	—	—	—	—	—	3	2	1	2	19	14
15—20	—	—	1	—	—	3	—	—	—	—	3	12	2	1	18	10
20—25	1	2	3	2	—	1	—	—	—	—	17	6	—	1	5	8
25—30	4	4	2	4	—	5	1	1	1	—	17	4	1	2	5	8
30—35	11	9	7	14	—	18	—	7	1	—	14	9	—	3	12	6
35—40	18	24	11	17	—	50	1	38	1	—	31	24	2	6	6	9
40—45	47	45	26	24	—	77	—	66	4	1	44	23	1	2	3	5
45—50	94	67	48	30	—	121	—	110	1	4	59	49	5	4	4	7
50—55	140	109	95	85	—	139	1	160	5	3	90	53	10	7	4	7
55—60	242	168	151	142	—	135	2	167	10	5	126	111	7	1	5	5
60—65	315	223	207	174	—	155	2	149	26	5	186	96	13	15	4	7
65—70	378	321	299	201	—	143	2	146	35	16	219	74	9	9	4	8
70—75	322	315	259	225	—	113	4	128	34	16	223	102	12	13	4	3
75—80	235	249	201	215	—	90	2	95	41	20	158	64	12	11	1	—
80 and upwards	131	187	130	170	—	64	2	116	63	26	101	60	4	13	—	2

Causes of Death.	52 Chronic rheumatism, osteo-arthritis, gout.		53 Scurvy.		54, 55*		57 Diabetes.		58. Anæmia, chlorosis.		58 (a) Pernicious anæmia.		58 (b) Other anæmias and chlorosis.		59 Diseases of the pituitary gland	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	260	475	3	—	34	27	498	629	221	332	203	287	18	45	2	2
0—1	—	—	—	—	14	10	1	1	3	1	—	—	3	1	—	—
1—5	—	—	3	—	15	14	3	1	1	1	—	—	1	1	—	—
5—10	—	—	—	—	1	2	8	3	—	2	—	—	—	2	—	—
10—15	1	—	—	—	2	—	10	8	3	1	1	—	2	1	—	—
15—20	—	—	—	—	1	1	6	6	1	2	1	1	—	1	—	—
20—25	—	1	—	—	—	—	14	5	2	4	—	4	2	—	—	—
25—30	—	—	—	—	—	—	14	13	1	9	1	6	—	3	—	—
30—35	—	2	—	—	—	—	11	6	5	14	4	11	1	3	—	—
35—40	1	1	—	—	—	—	1	11	3	19	3	18	—	1	—	—
40—45	2	6	—	—	—	—	10	11	15	21	12	14	3	7	—	1
45—50	7	8	—	—	1	—	14	18	15	23	15	20	—	3	2	—
50—55	11	25	—	—	—	—	20	38	11	29	11	27	—	2	—	—
55—60	19	45	—	—	—	—	46	75	29	34	29	26	—	8	—	—
60—65	22	48	—	—	—	—	67	83	40	49	39	46	1	3	—	1
65—70	44	66	—	—	—	—	79	114	40	48	37	43	3	5	—	—
70—75	52	88	—	—	—	—	99	97	28	44	26	43	2	1	—	—
75—80	51	96	—	—	—	—	64	82	16	21	16	19	—	2	—	—
80 and upwards	50	89	—	—	—	—	31	57	8	10	8	9	—	1	—	—

* 54. Pellagra 5; 55. Beri-beri —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	60 Diseases of the thyroid gland.		60 (a) Exophthalmic goitre.		60 (b) Other diseases of the thyroid gland.		61 Diseases of the parathyroid gland.		61 (1) Tetany		61 (2*) Diseases of the thymus.		63 Diseases of the adrenals.		64 Diseases of the spleen.		65 Leukæmia, lymphadenoma.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	39	318	28	253	11	65	1	1	1	1	14	15	28	42	2	8	130	89
0—1	—	3	—	—	—	3	—	—	—	—	10	7	—	—	—	1	2	—
1—5	1	—	—	—	1	—	1	1	1	1	3	4	—	—	—	1	8	1
5—10	—	3	—	2	—	1	—	—	—	—	1	2	—	—	—	—	9	4
0—15	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	8	5
15—20	1	7	—	6	1	1	—	—	—	—	—	—	—	1	—	—	9	6
20—25	1	13	1	9	—	4	—	—	—	—	—	—	2	1	—	—	7	7
25—30	2	12	—	11	2	1	—	—	—	—	—	—	1	1	—	—	16	1
30—35	1	10	1	8	—	2	—	—	—	—	—	—	1	3	—	2	4	7
35—40	2	23	1	19	1	4	—	—	—	—	—	—	3	5	—	1	6	7
40—45	6	22	6	20	—	2	—	—	—	—	—	—	2	5	—	—	8	3
45—50	5	33	4	33	1	—	—	—	—	—	—	—	4	7	2	—	8	6
50—55	6	36	5	32	1	4	—	—	—	—	—	—	3	7	—	—	7	8
55—60	4	40	4	37	—	3	—	—	—	—	—	1	5	4	—	—	9	7
60—65	5	38	4	32	1	6	—	—	—	—	—	—	2	1	—	—	11	8
65—70	1	37	—	27	1	10	—	—	—	—	—	—	2	4	—	1	7	9
70—75	1	15	—	6	1	9	—	—	—	—	—	—	2	1	—	1	7	6
75—80	2	17	2	8	—	9	—	—	—	—	—	—	1	1	—	1	3	2
80 and upwards	—	9	—	3	—	6	—	—	—	—	—	—	—	1	—	—	1	2

*61. (2). Other diseases of the parathyroid glands —.

Causes of Death.	65 (a) Leukæmia.		65 (b) Lymphadenoma. (Hodgkin's disease).		66 Alcoholism (acute or chronic).		67 Chronic poisoning by mineral substances.		68* Other general diseases.		III. 70-86 Diseases of the Nervous system and sense organs.		70 Encephalitis.		71 Meningitis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	70	51	60	38	8	6	4	—	63	63	4165	4525	19	25	109	94
0—1	2	—	—	—	—	—	—	—	15	8	300	149	3	—	34	9
1—5	5	1	3	—	—	—	—	—	6	8	90	97	1	4	22	35
5—10	5	3	4	1	—	—	—	—	5	3	50	51	—	3	11	10
10—15	6	5	2	—	—	—	—	—	4	5	45	43	—	1	9	8
15—20	5	4	4	2	—	—	—	—	5	6	46	56	—	1	4	5
20—25	3	3	4	4	—	—	—	—	2	3	53	41	2	2	4	4
25—30	8	—	8	1	—	—	—	—	—	2	48	53	2	1	5	2
30—35	1	3	3	4	—	—	—	—	1	4	69	61	2	2	4	5
35—40	6	3	—	4	—	—	—	—	1	1	86	75	1	2	2	2
40—45	4	2	4	1	—	—	1	—	2	1	82	90	—	—	2	3
45—50	3	4	5	2	2	—	1	—	4	—	131	161	2	3	1	3
50—55	1	3	6	5	—	2	1	—	4	2	187	228	1	1	4	3
55—60	6	4	3	3	2	1	—	—	3	4	286	279	—	1	3	1
60—65	4	5	7	3	1	2	1	—	3	3	416	401	4	—	—	3
65—70	5	5	2	4	2	1	—	—	2	5	542	514	1	1	1	1
70—75	4	5	3	1	—	—	—	—	3	—	578	698	—	2	2	—
75—80	2	—	1	2	1	—	—	—	—	5	605	697	—	—	1	—
80 and upwards	—	1	1	1	—	—	—	—	3	3	551	831	—	1	—	—

* 68. Chronic poisoning by organic substances 70.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only.)

Causes of Death.	72 Tabes dorsalis (locomotor ataxy).		73 Other diseases of the spinal cord.		74 Cerebral hæmorrhage apoplexy.		74 (a) Cerebral hæmorrhage.		74 (b) Cerebral embolism and thrombosis.		75 Paralysis of unstated origin.		75 (a) Hemi-plegia.		75 (b) Other forms of paralysis.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	71	15	178	124	2336	2968	1979	2484	357	484	154	189	133	172	21	17
0—1	—	—	1	—	—	—	—	—	—	—	—	2	—	1	—	1
1—5	—	—	1	—	1	—	1	—	—	—	2	1	1	1	1	—
5—10	—	—	3	—	—	—	—	—	—	—	—	1	—	1	—	—
10—15	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	8	4	1	1	1	1	—	—	—	—	—	—	—	—
20—25	—	—	3	1	2	1	2	1	—	—	—	—	—	—	—	—
25—30	—	—	1	6	2	2	1	2	1	—	—	—	—	—	—	—
30—35	—	—	4	4	5	6	4	6	1	—	2	—	2	—	—	—
35—40	1	—	6	2	9	18	9	15	—	3	1	1	1	1	—	—
40—45	3	2	7	7	15	28	14	24	1	4	—	—	—	—	—	—
45—50	3	1	7	8	41	67	39	58	2	9	1	3	1	3	—	—
50—55	8	4	17	13	80	125	74	119	6	6	10	8	10	6	—	2
55—60	14	1	21	13	158	180	137	159	21	21	5	12	5	11	—	1
60—65	20	3	26	18	260	283	218	257	42	26	15	11	14	10	1	1
65—70	14	1	35	18	376	403	315	341	61	62	14	15	11	14	3	1
70—75	3	3	16	15	425	563	366	472	59	91	39	33	34	31	5	2
75—80	2	—	13	10	488	578	410	471	78	107	33	40	26	38	7	2
80 and upwards	3	—	6	5	473	713	388	558	85	155	32	62	28	55	4	7

Causes of Death.	76 General paralysis of the insane.		77 Other forms of insanity.		78 Epilepsy.		79 & 80 Convulsions (non-puerperal).		81 Chorea.		82 Hysteria and neuritis.		83 Cerebral softening.		84 Other diseases of the nervous system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	93	31	72	111	269	245	264	150	5	11	16	21	50	51	414	401
0—1	—	—	—	—	6	4	235	117	—	—	—	—	—	—	9	9
1—5	—	—	—	—	4	2	28	30	—	—	—	—	—	—	19	20
5—10	—	—	—	—	7	5	—	—	1	3	—	—	—	—	12	14
10—15	—	—	—	—	9	10	—	—	2	4	—	—	—	—	13	10
15—20	—	1	—	2	14	20	—	1	—	2	—	—	—	—	11	4
20—25	1	—	2	1	23	14	—	—	2	2	—	1	—	—	8	12
25—30	1	1	1	9	14	18	—	—	—	—	—	1	—	—	16	9
30—35	5	2	5	3	23	14	—	—	—	—	—	1	—	—	14	20
35—40	12	6	4	11	23	13	—	—	—	—	1	1	—	—	17	12
40—45	10	4	4	4	15	10	—	—	—	—	—	1	—	1	19	29
45—50	19	1	5	15	17	23	—	—	—	—	3	—	1	2	25	31
50—55	15	7	6	13	13	22	1	—	—	—	1	—	1	—	26	30
55—60	10	5	8	15	17	17	—	—	—	—	1	1	1	2	46	28
60—65	9	1	14	15	25	12	—	—	—	—	3	7	3	4	33	42
65—70	7	—	16	15	19	17	—	1	—	—	2	1	10	5	44	34
70—75	4	2	4	5	17	19	—	1	—	—	4	1	13	5	49	47
75—80	—	1	2	1	13	17	—	—	—	—	—	2	14	13	37	33
80 and upwards	—	—	1	2	10	8	—	—	—	—	1	4	7	19	16	17

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	85 Diseases of the eye and annexa.		86 Diseases of the ear and of the mastoid sinus.		IV. 87-96 Diseases of the circulatory system.		87-90 Heart disease (all forms).		87 Peri-carditis.		88 Acute endo-carditis and myocarditis		89 Angina pectoris.		90 Other diseases of the heart.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	8	9	107	80	11245	11199	8859	9233	35	21	130	126	711	286	7983	8800
0—1	3	1	9	7	5	—	1	—	—	—	1	—	—	—	—	—
1—5	1	1	11	4	6	6	5	6	—	1	2	1	—	—	3	4
5—10	1	—	15	15	24	22	22	22	1	1	7	8	—	—	14	13
10—15	—	—	9	10	23	32	22	32	1	2	4	7	—	—	17	23
15—20	—	2	8	13	52	59	51	58	1	1	10	10	—	—	40	47
20—25	—	—	6	3	35	65	34	65	2	1	8	14	—	—	24	50
25—30	—	—	6	4	56	69	53	67	4	—	7	11	2	—	40	56
30—35	—	—	5	4	63	69	57	64	2	—	10	9	2	—	43	55
35—40	—	1	9	6	89	101	82	95	2	1	11	21	1	—	68	73
40—45	—	—	7	1	153	148	142	134	—	1	21	17	10	5	111	111
45—50	1	—	5	4	272	260	234	245	2	1	13	5	28	2	191	237
50—55	—	—	4	2	406	364	343	326	3	1	6	6	53	14	281	305
55—60	—	—	2	3	701	584	595	508	3	1	8	3	80	28	504	476
60—65	1	1	3	1	1181	990	945	833	6	2	5	4	120	43	814	784
65—70	—	1	3	1	1778	1442	1441	1194	3	2	9	4	135	60	1294	1128
70—75	—	1	2	1	2015	1888	1586	1546	4	5	4	3	134	44	1444	1494
75—80	—	1	2	1	2043	2167	1562	1732	1	1	3	2	93	55	1465	1674
80 and upwards	1	—	1	—	2343	2933	1684	2306	—	—	1	1	53	35	1630	2270

Causes of Death.	90 (1-4) Valvular disease.		90 (5-8) Other defined heart disease.		90 (9) Heart disease undefined.		91 Disease of the arteries.		91 (a) Aneurysm.		91 (b) Arterio-sclerosis.		91 (b) 1 With record of cerebral vascular lesion.		91 (b) 2 Without record of cerebral vascular lesion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	2631	3063	4537	4870	815	867	2292	1806	133	36	2134	1754	1129	1065	1005	689
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	2	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5—10	13	11	—	1	1	1	—	—	—	—	—	—	—	—	—	—
10—15	15	19	1	—	1	4	1	—	1	—	—	—	—	—	—	—
15—20	36	38	1	3	3	6	1	—	1	—	—	—	—	—	—	—
20—25	20	44	3	3	1	3	1	—	1	—	—	—	—	—	—	—
25—30	32	41	7	7	1	8	2	1	2	1	—	—	—	—	—	—
30—35	29	37	10	16	4	2	5	—	3	—	2	—	1	—	1	—
35—40	40	52	16	13	12	8	5	1	2	1	3	—	2	—	1	—
40—45	66	70	30	32	15	9	9	4	4	2	4	2	4	1	—	1
45—50	109	126	63	80	19	31	33	8	15	1	18	7	12	6	6	1
50—55	121	146	125	124	35	35	56	27	11	1	44	26	33	22	11	4
55—60	230	235	215	195	59	46	96	62	21	2	74	58	46	50	28	8
60—65	338	338	400	360	76	86	225	131	32	4	191	122	136	98	55	24
65—70	447	471	717	546	130	111	323	228	18	9	303	217	199	158	104	59
70—75	452	477	844	865	148	152	417	316	14	7	402	308	219	196	183	112
75—80	413	483	894	1026	158	165	469	415	4	6	458	408	231	252	227	156
80 and upwards	268	471	1211	1599	151	200	649	613	4	2	635	606	246	282	389	324

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	91 (c) Other diseases of the arteries.		92 Embolism and thrombosis (not cerebral).		93 Diseases of the veins, (varices, hæmorrhoids, phlebitis, etc.).		94 Diseases of the lymphatic system (Lymphangitis, etc.).		95 Hæmorrhage without stated cause.		96 Other diseases of the circulatory system.		V. 97-107 Diseases of the respiratory system.		97 Diseases of the nasal fossæ and annexa.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	25	16	23	36	39	97	12	5	—	3	20	19	4777	3821	26	25
0—1	—	—	1	—	—	—	3	—	—	—	—	—	594	463	3	4
1—5	—	—	—	—	—	—	1	—	—	—	—	—	377	308	1	1
5—10	—	—	—	—	—	—	2	—	—	—	—	—	82	64	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	33	27	1	2
15—20	—	—	—	—	—	1	—	—	—	—	—	—	38	35	1	5
20—25	—	—	—	—	—	—	—	—	—	—	—	—	56	29	—	1
25—30	—	—	—	1	—	—	1	—	—	—	—	—	79	48	1	1
30—35	—	—	—	2	—	3	1	—	—	—	—	—	89	56	2	3
35—40	—	—	2	3	—	2	—	—	—	—	—	—	105	85	5	—
40—45	1	—	1	1	1	8	—	1	—	—	—	—	183	78	2	1
45—50	—	—	1	2	3	5	1	—	—	—	—	—	184	99	1	4
50—55	1	—	—	2	5	8	—	—	—	1	2	—	226	104	2	—
55—60	1	2	2	1	7	12	1	1	—	—	—	—	273	144	—	—
60—65	2	5	4	9	4	16	1	—	—	—	2	1	343	205	4	1
65—70	2	2	1	2	6	15	1	—	—	—	6	3	421	285	1	—
70—75	1	1	2	4	5	17	—	1	—	2	5	2	480	429	—	1
75—80	7	1	6	4	2	7	—	1	—	—	4	8	503	467	1	—
80 and upwards	10	5	3	5	6	3	—	1	—	—	1	5	711	895	1	1

Causes of Death.	98 Diseases of the larynx.		99 Bronchitis.		99 (a) Acute.		99 (b) Chronic.		99 (c & d) Not stated whether acute or chronic.		100 & 101 Pneumonia (all forms).		100 Broncho-pneumonia.		101 Pneumonia (lobar or not otherwise defined).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	47	21	1792	1629	415	448	633	410	744	771	2428	1795	993	886	1435	909
0—1	12	2	161	133	70	63	—	1	91	69	406	315	340	270	66	45
1—5	23	12	57	53	23	29	2	2	32	22	287	236	211	186	76	50
5—10	1	2	7	6	5	1	1	—	1	5	68	50	28	30	40	20
10—15	3	—	4	3	2	—	1	1	1	2	22	19	7	5	15	14
15—20	2	—	5	4	4	—	1	1	—	3	27	23	4	5	23	18
20—25	—	—	5	4	1	1	3	1	1	2	49	20	5	7	44	13
25—30	—	—	8	1	1	—	6	—	1	1	62	40	2	12	60	28
30—35	—	1	2	4	1	1	1	2	—	1	76	42	13	10	63	32
35—40	—	—	11	6	1	3	7	3	3	—	82	71	10	14	72	57
40—45	1	—	27	6	3	1	17	2	7	3	124	64	12	16	112	48
45—50	—	—	34	8	7	4	19	3	8	1	117	69	15	6	102	63
50—55	—	2	45	23	5	4	25	11	15	8	133	61	21	13	112	48
55—60	2	—	55	36	15	12	34	11	6	13	169	88	37	20	132	68
60—65	—	1	118	66	20	18	62	23	36	25	166	106	39	26	127	80
65—70	—	—	162	116	33	29	77	38	52	49	200	135	62	42	138	93
70—75	—	—	232	221	40	59	98	78	94	84	190	167	69	66	121	101
75—80	1	1	312	298	62	68	123	85	127	145	140	125	61	65	79	60
80 and upwards	2	—	547	641	122	155	156	148	269	338	110	164	57	93	53	71

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	101 (a) Pneumonia, lobar.		101 (b) Pneumonia, not otherwise defined.		102 Pleurisy.		103 Congestion and hæmorrhagic infarct of lung.		104 Gangrene of the lung.		105 Asthma.		106 Pulmonary emphy- sema.		107 Other diseases of the respiratory system.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	958	623	477	286	129	65	84	113	2	1	202	148	14	5	53	19
0—1	18	16	48	29	4	1	5	7	—	—	2	—	—	—	1	1
1—5	41	26	35	24	8	1	—	3	—	—	1	2	—	—	—	—
5—10	23	18	17	2	5	2	1	—	—	—	—	3	—	—	—	1
10—15	11	9	4	5	2	1	—	—	—	—	—	2	—	—	1	—
15—20	17	12	6	6	2	2	—	—	—	—	1	1	—	—	—	—
20—25	33	11	11	2	2	1	—	—	—	—	—	1	—	1	—	1
25—30	46	19	14	9	3	4	1	1	—	—	4	1	—	—	—	—
30—35	44	22	19	10	5	2	—	1	—	—	4	3	—	—	—	—
35—40	49	44	23	13	6	3	—	—	—	—	1	4	—	—	—	1
40—45	90	39	22	9	5	4	2	1	—	1	16	1	2	—	4	—
45—50	78	46	24	17	9	1	—	2	—	—	10	14	3	—	10	1
50—55	79	34	33	14	11	2	1	—	—	—	22	16	1	—	11	—
55—60	98	55	34	13	9	5	6	1	—	—	23	13	2	—	7	1
60—65	79	56	48	24	14	6	4	3	1	—	27	18	1	2	8	2
65—70	92	68	46	25	12	10	5	5	1	—	29	15	2	—	9	4
70—75	85	68	36	33	17	3	14	8	—	—	24	24	2	1	1	4
75—80	47	36	32	24	8	8	16	19	—	—	23	14	1	1	1	1
80 and upwards	28	44	25	27	7	9	29	62	—	—	15	16	—	—	—	2

Causes of Death.	107 (b) *		107 (c) Other diseases included under 107.		VI. 108—127 Diseases of the digestive system.		108 Diseases of the buccal cavity and annexa.		108 (1) Diseases of the teeth and gums.		108 (2 & 3) Other diseases of the buccal cavity and annexa.		109 Diseases of the pharynx and tonsils.		110 Diseases of the œso- phagus.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	45	13	8	6	2577	2147	71	65	53	45	18	20	123	126	3	5
0—1	—	—	1	1	309	206	7	3	4	3	3	—	2	1	—	—
1—5	—	—	—	—	115	119	3	2	2	1	1	1	18	16	—	—
5—10	—	1	—	—	66	67	2	2	1	1	1	1	22	13	—	—
10—15	1	—	—	—	59	45	2	1	—	1	2	—	13	10	—	—
15—20	—	—	—	—	58	39	—	3	—	1	—	2	6	5	—	—
20—25	—	1	—	—	67	39	2	7	2	3	—	4	6	4	1	—
25—30	—	—	—	—	72	48	1	2	1	2	—	—	8	8	—	—
30—35	—	—	—	—	58	64	1	3	1	3	—	—	2	1	—	—
35—40	—	—	—	1	85	72	7	—	7	—	—	—	7	5	—	—
40—45	4	—	—	—	107	85	2	3	1	3	1	—	4	6	—	—
45—50	8	—	2	1	156	98	5	6	2	4	3	2	8	2	—	—
50—55	8	—	3	—	178	163	5	11	3	9	2	2	4	11	—	—
55—60	7	—	—	1	195	160	10	6	10	5	—	1	6	6	1	—
60—65	7	2	1	—	262	177	12	3	8	2	4	1	10	11	—	1
65—70	8	4	1	—	249	203	6	6	6	3	—	3	5	16	1	2
70—75	1	3	—	1	212	194	1	2	1	1	—	1	1	5	—	—
75—80	1	1	—	—	188	146	2	3	1	2	1	1	1	5	—	—
80 and upwards	—	1	—	1	141	222	3	2	3	1	—	1	—	1	—	2

* 107 (b), Diseases of the mediastinum —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	111 Ulcer of the stomach or duodenum.		111 (a) Ulcer of the stomach.		111 (b) Ulcer of the duodenum.		112 Other diseases of the stomach.		113 & 114 Diarrhoea and enteritis.		115* 116* Diseases due to other intestinal parasites.		117 Appendicitis and typhlitis.		118 Hernia, intestinal obstruction.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	544	176	352	150	192	26	121	163	435	383	4	6	310	239	504	406
0—1	1	1	1	1	—	—	18	19	237	151	—	—	1	—	37	27
1—5	—	—	—	—	—	—	5	9	49	62	3	2	18	11	13	11
5—10	1	—	—	—	1	—	2	1	10	10	—	1	20	27	6	7
10—15	—	2	—	2	—	—	2	—	3	2	—	—	25	24	9	—
15—20	4	1	3	1	1	—	—	2	4	2	—	—	25	18	10	3
20—25	9	1	6	1	3	—	2	1	3	9	—	1	28	8	14	4
25—30	19	—	13	—	6	—	—	3	5	8	—	—	19	14	13	6
30—35	28	11	19	8	9	3	1	1	3	13	—	—	10	11	7	10
35—40	38	5	20	5	18	—	—	2	7	8	—	—	10	14	7	16
40—45	49	16	28	15	21	1	3	3	6	11	—	—	16	9	17	15
45—50	59	21	43	18	16	3	6	3	6	6	—	—	21	16	22	14
50—55	64	29	48	23	16	6	5	6	12	7	—	1	26	19	23	35
55—60	64	23	41	22	23	1	3	9	12	7	—	1	18	12	33	41
60—65	67	19	39	15	28	4	12	8	7	14	—	—	24	14	45	38
65—70	54	16	32	14	22	2	17	14	12	13	—	—	23	19	61	42
70—75	49	11	32	8	17	3	15	27	17	16	1	—	15	9	59	47
75—80	26	12	17	10	9	2	11	18	22	17	—	—	8	4	65	41
80 and upwards	12	8	10	7	2	1	19	37	20	27	—	—	3	10	63	49

*115. Ankylostomiasis — ; 116 (a) Cestodes (hydatids of the liver excepted), 70, 20, 50, 55 ; 116 (c) Nematodes (other than Ankylostoma), 1, 1, 1, 1, 1, 5.

Causes of Death.	118 (a) Hernia.		118 (b) Intestinal obstruction.		119 Other diseases of the intestines.		119 (1) Intestinal stasis.		119 (2) Other diseases included under 119.		120 Acute yellow atrophy of the liver.		121 Hydatid tumour of the liver.		122 Cirrhosis of the liver.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	200	183	304	223	58	68	10	26	48	42	7	10	—	4	189	93
0—1	6	3	31	24	3	3	1	3	2	—	—	—	—	—	—	—
1—5	1	—	12	11	1	1	1	1	—	—	—	—	—	—	—	—
5—10	—	1	6	6	—	—	—	—	—	—	—	—	—	—	—	1
10—15	—	—	9	—	1	—	—	—	1	—	—	1	—	—	1	1
15—20	1	—	9	3	—	1	—	1	—	—	2	1	—	—	1	2
20—25	2	—	12	4	—	1	—	1	—	—	—	1	—	—	—	—
25—30	2	1	11	5	1	2	1	—	—	2	3	1	—	—	—	—
30—35	1	1	6	9	—	3	—	1	—	2	—	2	—	1	1	2
35—40	2	3	5	13	1	6	—	2	1	4	—	—	—	—	5	4
40—45	3	5	14	10	—	1	—	—	—	1	—	3	—	—	5	3
45—50	4	6	18	8	2	2	1	1	1	1	—	—	—	—	13	4
50—55	7	20	16	15	3	4	—	1	3	3	—	1	—	—	24	14
55—60	13	30	20	11	5	5	—	1	5	4	1	—	—	—	30	10
60—65	20	20	25	18	14	10	1	2	13	8	—	—	—	2	35	17
65—70	28	23	33	19	6	6	—	—	6	6	1	—	—	—	29	13
70—75	33	31	26	16	8	6	1	2	7	4	—	—	—	—	29	9
75—80	46	18	19	23	9	6	3	4	6	2	—	—	—	—	13	4
80 and upwards	31	21	32	28	4	11	1	6	3	5	—	—	—	1	3	9

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	122 (a) Returned as alcoholic.		122 (b) Not returned as alcoholic.		123 Biliary calculi.		124 Other diseases of the liver.		125 Diseases of the pancreas.		127* 126 Peritonitis of unstated origin.		VII. 128-142 Non-venereal diseases of the genito-urinary system.		128 Acute nephritis (including unspecified under 10 years of age).	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	21	10	168	83	64	170	85	162	31	38	28	33	2848	1935	124	118
0—1	—	—	—	—	—	—	2	—	—	—	1	1	13	11	6	7
1—5	—	—	—	—	—	—	3	1	—	—	2	4	19	11	16	7
5—10	—	—	—	1	—	—	1	—	—	1	2	4	10	11	6	8
10—15	—	—	1	1	—	—	—	—	—	—	3	4	9	12	4	3
15—20	—	—	1	2	—	—	3	1	—	—	3	—	20	21	7	3
20—25	—	—	—	—	—	—	—	—	—	—	2	2	27	34	7	10
25—30	—	—	—	—	2	—	1	1	—	—	—	3	29	38	5	4
30—35	—	—	1	2	2	3	1	—	—	—	2	3	27	55	7	11
35—40	1	1	4	3	—	3	3	7	—	1	—	1	35	83	6	8
40—45	—	—	5	3	1	2	2	7	1	3	1	3	59	90	5	2
45—50	1	—	12	4	2	8	4	9	7	4	1	3	99	129	8	7
50—55	3	3	21	11	6	12	4	7	2	5	—	1	115	120	8	5
55—60	3	3	27	7	4	15	4	16	4	9	—	—	194	181	7	14
60—65	5	1	30	16	13	18	13	16	6	6	4	—	290	193	9	6
65—70	3	—	26	13	11	30	14	20	5	6	4	—	427	282	7	9
70—75	2	—	27	9	2	30	12	28	3	1	—	3	520	247	6	7
75—80	2	—	11	4	12	20	15	15	1	1	3	—	501	225	5	5
80 and upwards	1	2	2	7	9	29	3	34	2	1	—	1	454	192	5	2

* 127. Other diseases of the digestive system —.

Causes of Death.	129 Chronic nephritis (including unspecified over 10 years of age).		130* 131 Other diseases of the kidneys and annexa.		132 Calculi of the urinary passages.		133 Diseases of the bladder.		134 Diseases of the urethra, urinary abscess, etc.		134 (a) Stricture of the urethra.		134 (b) Other diseases of the urethra, etc.		135 Diseases of the prostate.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1497	1399	70	86	39	20	134	64	66	2	63	—	3	2	908	—
0—1	—	—	2	4	—	—	—	—	—	—	—	—	—	—	—	—
1—5	2	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—
5—10	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	5	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	10	14	3	1	—	—	—	—	—	—	—	—	—	—	—	—
20—25	19	17	—	4	1	—	—	—	—	—	—	—	—	—	—	—
25—30	17	17	6	—	1	—	—	2	—	—	—	—	—	—	—	—
30—35	17	24	2	3	—	1	—	2	—	—	—	—	—	—	1	—
35—40	20	35	5	8	—	2	2	1	2	—	2	—	—	—	—	—
40—45	42	53	5	3	4	1	1	—	2	—	1	—	1	—	—	—
45—50	70	74	6	6	4	3	4	—	4	1	4	—	—	1	2	—
50—55	84	82	4	4	—	3	2	2	11	—	10	—	1	—	6	—
55—60	129	134	8	10	7	1	4	3	5	—	5	—	—	—	33	—
60—65	176	154	4	11	—	3	9	2	9	—	8	—	1	—	82	—
65—70	242	236	5	10	5	2	21	10	14	—	14	—	—	—	133	—
70—75	262	201	10	7	9	3	22	13	11	1	11	—	—	1	200	—
75—80	224	191	2	5	6	1	25	10	5	—	5	—	—	—	232	—
80 and upwards	174	153	7	9	2	—	44	18	3	—	3	—	—	—	219	—

* 130. Chyluria —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	136 Non-venereal diseases of the male genital organs.		137 Cysts and other tumours of the ovary not returned as malignant.		138 Salpingitis and pelvic abscess in females.		139 Tumours of the uterus not returned as malignant.		140 Non-puerperal uterine hæmorrhage.		141 Other diseases of the female genital organs.		142 Non-puerperal diseases of the breast.		VIII. 143-150 The puerperal state.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	10	—	—	75	—	41	—	82	—	3	—	45	—	—	—	586
0—1	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	20
20—25	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	74
25—30	—	—	—	4	—	7	—	2	—	—	—	2	—	—	—	137
30—35	—	—	—	1	—	8	—	4	—	—	—	1	—	—	—	146
35—40	—	—	—	6	—	8	—	7	—	2	—	6	—	—	—	129
40—45	—	—	—	10	—	4	—	12	—	1	—	4	—	—	—	71
45—50	1	—	—	4	—	3	—	18	—	—	—	13	—	—	—	9
50—55	—	—	—	7	—	2	—	10	—	—	—	5	—	—	—	—
55—60	1	—	—	9	—	1	—	8	—	—	—	1	—	—	—	—
60—65	1	—	—	5	—	2	—	5	—	—	—	5	—	—	—	—
65—70	—	—	—	8	—	1	—	3	—	—	—	3	—	—	—	—
70—75	—	—	—	5	—	2	—	7	—	—	—	1	—	—	—	—
75—80	2	—	—	6	—	—	—	5	—	—	—	2	—	—	—	—
80 and upwards	—	—	—	7	—	1	—	1	—	—	—	1	—	—	—	—

Causes of Death.	143 Accidents of pregnancy.		143 (a) Abortion.		143 (b) Ectopic gestation.		143 (c) Other accidents.		144 Puerperal hæmorrhage.		145 Other accidents of childbirth.		146 Puerperal sepsis.		147 Puerperal phlegmasia alba dolens, puerperal embolism, sudden death.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	48	—	13	—	11	—	24	—	71	—	58	—	248	—	55
0—1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1—5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15—20	—	3	—	—	—	—	—	3	—	1	—	1	—	9	—	2
20—25	—	5	—	1	—	1	—	3	—	9	—	3	—	35	—	7
25—30	—	7	—	1	—	2	—	4	—	8	—	24	—	60	—	11
30—35	—	6	—	1	—	2	—	3	—	17	—	11	—	70	—	13
35—40	—	15	—	6	—	3	—	6	—	21	—	10	—	52	—	14
40—45	—	12	—	4	—	3	—	5	—	13	—	7	—	22	—	7
45—50	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	1
50—55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
55—60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
60—65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65—70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70—75	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
75—80	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	148 Puerperal albuminuria and convulsions.		150* 149 Childbirth not assignable elsewhere (puerperal insanity).		IX. 151-154 Diseases of the skin and cellular tissue.		151 Gangrene.		152 Carbuncle, boil.		153 Cellulitis, acute abscess.		154 Other diseases of the skin and its annexa.		X. 155-158 Diseases of the bones and organs of locomotion.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	—	101	—	4	298	276	106	93	52	31	72	59	68	93	108	59
0—1	—	—	—	—	32	25	—	1	—	—	8	4	24	20	6	3
1—5	—	—	—	—	7	4	2	—	—	1	—	—	5	3	8	9
5—10	—	—	—	—	2	4	—	—	—	—	2	2	—	2	21	4
10—15	—	—	—	—	1	2	—	—	—	1	1	1	—	—	18	6
15—20	—	2	—	1	5	7	—	1	1	1	4	5	—	—	7	—
20—25	—	15	—	—	8	3	1	—	3	2	3	1	1	—	7	4
25—30	—	26	—	1	5	5	—	—	4	2	—	2	1	1	5	3
30—35	—	28	—	1	6	6	—	—	1	4	4	2	1	—	2	—
35—40	—	17	—	—	7	7	—	—	3	3	3	2	1	2	—	1
40—45	—	9	—	1	4	10	—	1	2	1	2	3	—	5	3	4
45—50	—	4	—	—	7	7	—	—	2	3	3	2	2	2	4	2
50—55	—	—	—	—	8	7	2	1	2	1	4	3	—	2	3	2
55—60	—	—	—	—	11	14	—	—	4	3	6	8	1	3	5	2
60—65	—	—	—	—	20	19	2	4	5	2	9	9	4	4	5	—
65—70	—	—	—	—	28	30	6	13	10	2	7	3	5	12	3	5
70—75	—	—	—	—	36	24	15	13	8	1	4	3	9	7	6	4
75—80	—	—	—	—	46	32	28	16	5	1	7	7	6	8	3	7
80 and upwards	—	—	—	—	65	70	50	43	2	3	5	2	8	22	2	3

* 150. Puerperal diseases of the breast, 15.

Causes of Death.	155 Diseases of the bones.		156 Diseases of the joints.		157* 158 Other diseases of the organs of locomotion.		XI. 159 Congenital mal- formations.		XII. 160-163 Diseases of early infancy.		160 Congenital debility, Sclerema and icterus.		161 Premature birth, injury at birth.		161 (1) Premature birth.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	89	41	13	11	6	7	444	378	1947	1418	307	200	1480	1085	1302	996
0—1	4	2	2	1	—	—	377	328	1946	1418	307	200	1479	1085	1302	996
1—5	8	7	—	2	—	—	20	28	1	—	—	—	1	—	—	—
5—10	20	3	1	1	—	—	10	4	—	—	—	—	—	—	—	—
10—15	16	6	1	—	1	—	9	5	—	—	—	—	—	—	—	—
15—20	7	—	—	—	—	—	8	5	—	—	—	—	—	—	—	—
20—25	5	3	1	—	1	1	2	1	—	—	—	—	—	—	—	—
25—30	3	1	—	2	2	—	6	—	—	—	—	—	—	—	—	—
30—35	2	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—
35—40	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
40—45	3	1	—	1	—	2	1	—	—	—	—	—	—	—	—	—
45—50	3	2	1	—	—	—	2	4	—	—	—	—	—	—	—	—
50—55	3	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
55—60	2	2	3	—	—	—	2	1	—	—	—	—	—	—	—	—
60—65	2	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—
65—70	3	4	—	1	—	—	—	1	—	—	—	—	—	—	—	—
70—75	4	3	2	—	—	1	1	—	—	—	—	—	—	—	—	—
75—80	2	4	—	1	1	2	—	—	—	—	—	—	—	—	—	—
80 and upwards	2	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—

* 157. Amputation —.

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	161 (2) Injury at birth.		162 Other diseases peculiar to early infancy.		163 Lack of care.		XIII. 164 Old age.		XIV. 165-203 External causes.		Suicide.					
	Ages at Death.		M.	F.	M.	F.	M.	F.	M.	F.	165-174 Total.		165-166 By solid or liquid poisons and corrosive substances.		167 By poisonous gas.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	178	89	147	107	13	26	2018	2709	3422	1220	681	241	57	42	28	29
0—1	177	89	147	107	13	26	—	—	69	44	—	—	—	—	—	—
1—5	1	—	—	—	—	—	—	—	148	105	—	—	—	—	—	—
5—10	—	—	—	—	—	—	—	—	130	65	—	—	—	—	—	—
10—15	—	—	—	—	—	—	—	—	95	24	2	—	—	—	—	—
15—20	—	—	—	—	—	—	—	—	218	71	16	8	3	2	1	—
20—25	—	—	—	—	—	—	—	—	365	62	43	18	2	4	2	—
25—30	—	—	—	—	—	—	—	—	283	38	47	13	6	4	3	2
30—35	—	—	—	—	—	—	—	—	193	39	29	21	2	5	2	3
35—40	—	—	—	—	—	—	—	—	185	50	34	20	5	6	2	3
40—45	—	—	—	—	—	—	—	—	201	50	52	20	7	2	2	4
45—50	—	—	—	—	—	—	—	—	246	79	77	41	3	8	5	7
50—55	—	—	—	—	—	—	1	1	267	69	81	23	8	2	3	6
55—60	—	—	—	—	—	—	2	—	267	64	84	16	6	2	3	1
60—65	—	—	—	—	—	—	8	7	237	74	88	30	4	4	1	1
65—70	—	—	—	—	—	—	41	55	195	74	66	18	9	2	2	2
70—75	—	—	—	—	—	—	237	234	131	67	36	10	—	—	2	—
75—80	—	—	—	—	—	—	511	542	91	77	15	3	2	1	—	—
80 and upwards	—	—	—	—	—	—	1218	1870	101	168	11	—	—	—	—	—

[illegible]

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	175 Food poisoning.		176 Poisoning by venomous animals.		177 Other acute accidental poisonings.		178 Conflagration.		179 Accidental burns (conflagration excepted).		180 Accidental mechanical suffocation.		181 Accidental absorption of irrespirable or poisonous gas.		182 Accidental drowning.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	4	3	4	5	15	21	5	3	111	153	54	37	10	6	277	62
0—1	—	—	—	—	—	—	—	—	8	8	41	30	—	1	6	—
1—5	—	—	—	—	3	4	—	1	52	39	3	4	—	—	27	14
5—10	—	—	—	—	1	—	2	1	6	8	2	1	—	—	22	8
10—15	1	—	1	—	—	2	—	—	1	4	—	—	—	—	13	1
15—20	—	—	—	—	1	2	—	—	3	17	1	—	—	—	29	7
20—25	—	—	1	1	—	2	—	—	2	8	1	—	—	—	27	3
25—30	—	—	—	1	2	—	—	—	3	5	—	—	—	—	10	2
30—35	—	—	1	—	1	—	—	—	3	3	—	—	—	—	8	—
35—40	1	—	—	—	1	3	—	—	6	6	—	—	—	—	12	2
40—45	—	—	—	—	1	3	1	—	1	8	—	—	2	—	17	6
45—50	1	—	—	—	1	3	1	—	1	2	1	—	3	—	16	6
50—55	—	3	—	—	—	1	—	—	2	4	1	—	—	1	24	3
55—60	1	—	—	1	2	—	—	—	2	4	2	—	3	3	18	3
60—65	—	—	—	—	—	1	1	—	4	5	—	1	—	—	14	3
65—70	—	—	1	1	—	—	—	—	1	10	1	—	1	1	17	2
70—75	—	—	—	1	2	—	—	—	3	3	—	—	1	—	3	1
75—80	—	—	—	—	—	—	—	—	5	9	1	—	—	—	6	1
80 and upwards	—	—	—	—	—	—	—	1	8	10	—	1	—	—	8	—

Causes of Death.	183 Accidental injury by firearms.		184 Accidental injury by cutting or piercing instruments.		185 Accidental injury by fall.		186 Accidental injury in mining and quarrying.		187 Accidental injury by machinery.		188 Accidental injury by other forms of crushing (vehicles, etc.).		189 Injury by animals (poisoning excepted).		190 Wounds of war.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	59	4	6	—	292	295	319	—	32	2	1347	331	24	5	14	—
0—1	1	—	—	—	1	1	—	—	—	—	2	1	—	—	—	—
1—5	—	1	1	—	5	3	—	—	2	—	48	33	1	2	—	—
5—10	1	1	—	—	4	1	—	—	—	2	85	41	2	—	—	—
10—15	4	—	2	—	7	—	4	—	3	—	49	17	1	—	—	—
15—20	6	—	1	—	9	—	28	—	2	—	115	34	—	—	—	—
20—25	4	—	1	—	12	1	30	—	5	—	230	26	2	—	—	—
25—30	9	1	—	—	5	—	40	—	3	—	150	14	1	—	—	—
30—35	4	—	—	—	7	—	34	—	—	—	96	13	—	—	3	—
35—40	7	—	—	—	12	3	34	—	4	—	64	16	—	—	4	—
40—45	1	—	—	—	7	3	38	—	2	—	70	8	1	—	2	—
45—50	3	1	—	—	14	5	30	—	6	—	77	16	—	—	3	—
50—55	4	—	—	—	22	9	35	—	—	—	78	22	5	—	2	—
55—60	7	—	—	—	25	11	23	—	1	—	82	19	4	1	—	—
60—65	5	—	—	—	26	8	14	—	3	—	61	24	3	—	—	—
65—70	1	—	1	—	32	21	8	—	1	—	43	17	3	—	—	—
70—75	2	—	—	—	24	35	1	—	—	—	51	14	—	—	—	—
75—80	—	—	—	—	29	52	—	—	—	—	28	9	—	1	—	—
80 and upwards	—	—	—	—	51	142	—	—	—	—	18	7	1	1	—	—

AGGREGATE OF RURAL DISTRICTS.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1930.
(Civilian population only).

Causes of Death.	191*		193 Excessive cold.		194 Excessive heat.		195*		Homicide.							
	192 Hunger or thirst.						196 Electricity (lightning excepted).		197-199 All forms.		197 By firearms.		198 By cutting or piercing instruments.		199 By other means.	
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	1	2	15	3	63	21	8	—	23	16	4	5	2	—	17	11
0—1	—	—	—	—	1	—	—	—	7	2	—	—	—	—	7	2
1—5	—	—	—	—	3	1	—	—	1	1	—	—	1	—	—	1
5—10	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	1
10—15	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
15—20	—	—	—	—	—	1	—	—	2	1	—	1	—	—	2	—
20—25	—	—	—	—	2	2	—	—	1	1	—	—	—	—	1	1
25—30	—	—	—	—	1	—	3	—	1	1	1	—	—	—	—	1
30—35	—	—	—	—	2	1	—	—	1	1	—	—	—	—	1	1
35—40	—	—	—	—	—	—	—	—	4	—	1	—	1	—	2	—
40—45	—	—	—	—	2	—	—	—	—	2	—	1	—	—	—	1
45—50	—	1	2	—	4	1	2	—	2	1	1	—	—	—	1	1
50—55	—	—	1	1	8	1	1	—	1	1	—	1	—	—	1	—
55—60	—	—	3	—	5	2	—	—	—	3	—	2	—	—	—	1
60—65	1	—	1	—	13	2	—	—	2	—	1	—	—	—	1	—
65—70	—	1	1	1	14	2	—	—	—	—	—	—	—	—	—	—
70—75	—	—	2	1	4	1	—	—	—	1	—	—	—	—	—	1
75—80	—	—	4	—	2	2	—	—	—	—	—	—	—	—	—	—
80 and upwards	—	—	1	—	2	5	—	—	—	—	—	—	—	—	—	—

*191. Execution of civilians by belligerent armies—; 195. Lightning 15, 25, 30, 60, 45.

Causes of Death.	200*		202 Other and un- stated forms of accidental violence; Execution.		203 Violent deaths of unknown causation.		XV. 204-205 Ill-defined diseases.		204 Sudden death.		205 Cause of death unstated or ill-defined.		205 (1) Heart failure, 1-70 years.		205 (2 & 3) Others	
	201 Fracture (cause not specified).		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages at Death.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages	3	1	49	8	2	—	136	99	36	24	100	75	66	62	34	13
0—1	—	—	2	1	—	—	9	4	—	—	9	4	—	—	9	4
1—5	—	—	2	2	—	—	4	6	—	—	4	6	—	1	4	5
5—10	—	—	3	1	1	—	1	2	—	1	1	1	—	—	1	1
10—15	—	—	5	—	—	—	—	1	—	—	—	1	—	1	—	—
15—20	—	—	4	1	—	—	2	2	1	2	1	—	1	—	—	—
20—25	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
25—30	1	—	6	1	—	—	1	—	—	—	1	—	—	—	1	—
30—35	—	—	3	—	—	—	3	—	1	—	2	—	1	—	1	—
35—40	1	—	1	—	—	—	4	2	2	1	2	1	2	1	—	—
40—45	—	—	4	—	—	—	6	4	—	1	6	3	4	3	2	—
45—50	—	—	2	1	—	—	11	10	1	—	10	10	6	10	4	—
50—55	—	—	2	—	—	—	13	9	3	2	10	7	9	7	1	—
55—60	—	—	5	1	—	—	18	14	10	7	8	7	8	7	—	—
60—65	—	—	—	—	—	—	22	17	5	4	17	13	13	13	4	—
65—70	1	—	2	—	1	—	33	26	9	6	24	20	22	19	2	1
70—75	—	—	2	—	—	—	4	1	1	—	3	1	—	—	3	1
75—80	—	—	1	—	—	—	4	—	2	—	2	—	—	—	2	—
80 and upwards	—	1	1	—	—	—	1	1	1	—	—	1	—	—	—	1

* Infanticide. Deaths from this cause are shown under Nos. 197-199.

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1930.

Inter- national List Number	Causes of Death.				Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
	ALL CAUSES	{ M. F.	31522 24142	11657 8,403	3,772 2,484	2,945 2,119	4,213 3,315	4,403 3,831	1,981 1,717	1,351 1,205	1,200 1,068
7	Measles	{ M. F.	2,008 1,678	6 2	10 10	37 22	471 344	883 753	315 281	161 156	125 110
8	Scarlet fever	{ M. F.	149 147	— —	1 1	1 —	8 2	29 39	38 36	43 43	29 26
9	Whooping cough	{ M. F.	863 1,081	15 15	109 118	116 88	213 291	267 327	77 147	42 68	24 27
10	Diphtheria	{ M. F.	778 695	1 4	11 3	15 6	51 35	141 151	164 148	183 172	212 176
11	Influenza	{ M. F.	134 119	4 8	13 13	23 12	31 26	18 20	20 14	9 15	16 11
13	Mumps	{ M. F.	11 4	— —	3 —	1 —	— 1	1 2	4 1	1 —	1 —
21	Erysipelas	{ M. F.	81 82	14 8	24 21	16 19	19 23	4 7	2 2	— 2	2 —
22	Acute poliomyelitis, polioencephalitis.	acute	{ M. F.	26 31	— —	— —	— 1	3 3	8 12	9 6	4 7	2 2	
23	Encephalitis lethargica	..	{ M. F.	29 27	— —	— —	— —	1 2	9 8	5 6	10 7	4 4	
24	Meningococcal meningitis	..	{ M. F.	173 160	2 1	12 9	34 14	56 51	34 36	18 26	11 8	6 15	
25 (1)	German measles	..	{ M. F.	12 9	— —	— 1	1 —	2 —	4 3	2 3	2 1	1 1	
25 (2)	Varicella	..	{ M. F.	27 11	1 —	3 1	4 —	5 1	10 6	4 —	— 1	— 2	
31-37	Tuberculosis, all forms	..	{ M. F.	1,261 1,033	3 1	25 26	75 63	225 167	395 311	247 207	171 125	120 133	
31	Tuberculosis, respiratory system.	{ M. F.	185 157	1 —	3 5	10 7	41 29	51 39	36 36	29 19	14 22		
32	Tuberculosis, nervous system	{ M. F.	655 563	1 1	12 11	43 27	120 91	202 178	132 110	84 71	61 74		
33	Tuberculosis, intestines and peritoneum.	{ M. F.	202 117	— —	10 7	7 12	30 20	82 30	30 23	25 10	18 15		
34-36	Tuberculosis, other organs	..	{ M. F.	37 21	— —	— —	3 3	5 3	9 3	5 3	6 5	9 4	
37	Disseminated tuberculosis	..	{ M. F.	182 175	1 —	— 3	12 14	29 24	51 61	44 35	27 20	18 18	
	(a) Acute	..	{ M. F.	94 102	1 —	— 3	8 9	16 11	27 40	24 19	13 8	5 12	
	(b) Chronic or unstated	..	{ M. F.	88 73	— —	— —	4 5	13 13	24 21	20 16	14 12	13 6	
38	Syphilis	..	{ M. F.	224 168	83 58	72 52	37 22	19 17	3 12	5 4	4 2	1 1	
40 (2)	Gonorrhœal or purulent ophthalmia.	{ M. F.	15 13	7 5	7 8	— —	1 —	— —	— —	— —	— —		
41	Purulent infection, septicae- mia.	{ M. F.	52 53	10 9	12 6	3 7	7 9	7 11	4 5	4 3	5 3		
42 (1)	Vaccinia	..	{ M. F.	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	
43-49	Cancer	..	{ M. F.	43 50	— —	2 6	— 4	4 4	7 10	9 8	10 8	11 10	

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1930—*cont.*

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks.	4 wks.— 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
51	Rheumatic fever { M. F.	27 23	— —	— —	— —	— —	— —	2 —	7 9	18 14
56	Rickets { M. F.	175 126	2 3	3 4	14 5	44 37	84 48	18 17	7 9	3 3
62	Diseases of the thymus .. { M. F.	69 39	14 6	16 11	17 7	11 8	5 3	3 2	1 1	2 1
65a	Leukæmia { M. F.	36 22	1 —	— —	— 2	4 1	4 5	10 2	8 5	9 7
69 (1)	Purpura .. . { M. F.	35 31	14 9	2 2	5 4	2 5	1 3	6 1	4 4	1 3
69 (2)	Hæmophilia { M. F.	54 29	41 27	4 —	1 —	— 1	2 —	2 1	3 —	1 —
71	Meningitis { M. F.	280 221	12 15	26 12	36 25	68 37	77 64	24 30	21 17	16 21
78	Epilepsy { M. F.	47 22	6 2	3 1	5 2	5 3	7 4	3 4	7 4	11 2
79-80	Convulsions { M. F.	1,014 660	510 287	169 106	113 71	107 93	72 67	34 23	4 9	5 4
84 (1)	Idiocy { M. F.	92 90	7 7	8 7	9 9	18 14	18 26	13 11	12 9	7 7
86	Diseases of the ear and of the mastoid sinus. { M. F.	163 137	4 1	5 11	30 19	44 40	33 29	21 11	17 7	9 19
	1. Diseases of the mastoid sinus { M. F.	61 45	— —	2 2	8 6	12 14	14 7	10 4	7 4	8 8
	2. Other ear diseases .. { M. F.	102 92	4 1	3 9	22 13	32 26	19 22	11 7	10 3	1 11
87-90	Heart disease { M. F.	33 43	— —	— 1	1 1	1 —	4 7	4 7	13 13	10 14
98 (1)	Laryngismus stridulus .. { M. F.	28 20	3 4	3 —	6 1	4 1	5 6	3 5	3 2	1 1
98 (2)	Laryngitis { M. F.	95 52	9 4	4 —	8 2	14 7	24 9	11 8	13 16	12 6
99	Bronchitis { M. F.	1,256 1,002	170 111	290 202	244 208	281 212	184 177	42 51	27 26	18 15
100-101	Pneumonia (all forms) .. { M. F.	5,112 3,879	252 171	604 412	748 535	1,400 1,038	1,305 1,051	443 331	213 208	147 133
100	Broncho-pneumonia .. { M. F.	4,132 3,194	204 145	521 352	639 439	1,138 893	1,054 871	338 252	144 146	94 96
101	(a) Lobar { M. F.	487 334	12 5	34 25	43 46	122 58	142 102	63 37	40 38	31 23
	(b) Pneumonia not other- wise defined { M. F.	493 351	36 21	49 35	66 50	140 87	109 78	42 42	29 24	22 14
102	Pleurisy { M. F.	67 40	— —	2 2	6 4	11 5	20 10	15 7	5 7	8 5
	1. Empyema { M. F.	56 32	— —	2 1	3 —	9 4	16 9	14 7	5 6	7 5
	2. Other pleurisy { M. F.	11 8	— —	— 1	3 4	2 1	4 1	1 —	— 1	1 —
103	Congestion and pulmonary infarct. { M. F.	36 30	17 9	9 7	3 3	4 2	1 4	1 5	1 —	— —
97,98(3) 104-107	Other respiratory diseases .. { M. F.	34 27	6 5	2 2	5 5	3 7	8 1	1 1	2 1	7 5
108 (1)	Diseases of the teeth and gums { M. F.	28 18	7 2	— 3	2 1	7 4	5 6	2 —	2 —	3 2

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1930—*cont.*

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
109 (1)	Tonsillitis, etc., adenoid vegetations. { M. F.	85 72	1 —	— —	1 1	4 9	15 10	16 12	22 15	26 25
112 (1)	Inflammation of the Stomach { M. F.	161 106	31 15	51 23	39 20	19 21	10 13	7 7	— 3	4 4
113-114	Diarrhoea and enteritis .. { M. F.	2,442 1,753	258 143	642 383	677 461	540 418	242 228	41 62	26 33	16 25
117	Appendicitis, typhlitis .. { M. F.	82 48	— —	— —	2 —	1 —	5 3	20 8	24 12	30 25
118	Hernia, intestinal obstruction { M. F.	347 168	45 25	33 10	94 48	103 41	34 24	18 9	9 4	11 7
	(a) Hernia { M. F.	77 19	17 13	13 2	24 —	10 1	10 2	2 1	— —	1 —
	(b) Intestinal obstruction.. { M. F.	270 149	28 12	20 8	70 48	93 40	24 22	16 8	9 4	10 7
128	Acute nephritis { M. F.	67 45	4 4	3 2	4 3	11 5	16 7	9 9	14 9	6 6
129	Chronic nephritis { M. F.	11 4	— —	— —	— —	1 —	2 3	— —	3 1	5 —
153	Cellulitis, acute abscess .. { M. F.	62 43	19 6	21 5	8 9	3 13	7 5	2 3	— —	2 2
	1. Cellulitis { M. F.	38 18	12 1	14 4	3 3	1 5	5 3	1 1	— —	2 1
	2. Acute abscess { M. F.	24 25	7 5	7 1	5 6	2 8	2 2	1 2	— —	— 1
154 (2)	Eczema { M. F.	41 19	1 1	3 2	16 5	18 9	2 1	1 —	— —	— 1
154 (3)	Pemphigus { M. F.	62 49	44 37	12 9	3 —	2 2	1 —	— —	— 1	— —
151-152 154 (1) 154 (4)	Other skin diseases .. { M. F.	89 59	24 13	12 8	18 11	17 11	10 10	5 1	1 4	2 1
155 (1)	Acute infective osteomyelitis and periostitis. { M. F.	63 38	2 5	6 3	2 2	7 2	8 4	13 6	11 9	14 7
159	Congenital malformations .. { M. F.	2,053 1,562	1,230 949	480 265	146 151	103 96	57 55	21 21	7 14	9 11
	1. Congenital hydrocephalus { M. F.	120 101	36 27	15 13	20 15	24 21	14 14	6 2	2 6	3 3
	2. Congenital malformation of heart. { M. F.	800 575	569 374	119 74	34 47	33 36	29 22	10 12	2 7	4 3
	3. Other congenital malfor- mations. { M. F.	1,133 886	625 548	346 178	92 89	46 39	14 19	5 7	3 1	2 5
160	Congenital debility, sclerema and icterus. { M. F.	1,592 982	1,008 601	368 205	152 116	64 60	— —	— —	— —	— —
	1. Congenital debility and sclerema. { M. F.	1,357 841	800 488	345 181	149 112	63 60	— —	— —	— —	— —
	2. Icterus neonatorum .. { M. F.	235 141	208 113	23 24	3 4	1 —	— —	— —	— —	— —
161	Premature birth, injury at birth. { M. F.	7,281 5,440	6,704 5,005	525 386	45 44	6 5	1 —	— —	— —	— —
	1. Premature birth .. { M. F.	6,447 4,913	5,886 4,484	514 382	42 43	5 4	— —	— —	— —	— —
	2. Injury at birth .. { M. F.	834 527	818 521	11 4	3 1	1 1	1 —	— —	— —	— —
162 (1)	Diseases of the umbilicus .. { M. F.	61 52	49 43	12 9	— —	— —	— —	— —	— —	— —

TABLE 17A.—ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGE-PERIODS OF CHILDREN UNDER FIVE, 1930—*cont.*

Inter- national List Number	Causes of Death.	Total under 5 years.	Under 4 weeks	4 wks- 3 m'ths	3-6 m'ths	6-12 m'ths	1 year.	2 years.	3 years.	4-5 years.
162 (2)	Atelectasis { M. F.	601 411	581 402	20 9	— —	— —	— —	— —	— —	— —
163	Lack of care { M. F.	105 112	105 111	— 1	— —	— —	— —	— —	— —	— —
175-203	Violent deaths { M. F.	1,081 714	137 94	64 61	62 48	82 61	198 132	186 119	163 93	189 106
179	Accidental burns (conflagra- tion excepted). { M. F.	346 232	3 1	6 2	3 4	41 30	128 84	88 50	51 34	26 27
	1. By Clothing { M. F.	27 33	— —	— 1	— 1	6 3	4 6	6 6	6 7	5 9
	2. Otherwise (<i>or not stated how</i>) { M. F.	43 46	3 —	3 —	1 2	9 6	13 15	6 10	3 3	5 10
	3. Scalds { M. F.	276 153	— 1	3 1	2 1	26 21	111 63	76 34	42 24	16 8
180	Accidental mechanical suffo- cation. { M. F.	240 181	99 67	54 54	51 39	24 11	6 4	3 3	3 1	— 2
	1. In bed or not stated how { M. F.	206 163	92 64	50 49	43 35	18 8	1 3	1 3	1 —	— 1
	2. Otherwise than in 1 .. { M. F.	34 18	7 3	4 5	8 4	6 3	5 1	2 —	2 1	— 1
182	Accidental drowning.. .. { M. F.	87 40	7 4	1 1	1 —	2 2	19 10	23 13	13 4	21 6
188	Accidental, by certain forms of crushing (vehicles, rail- ways, etc.). { M. F.	264 153	1 —	1 1	1 —	1 2	15 11	45 33	77 45	123 61
	1. Road Vehicles { M. F.	255 151	1 —	1 1	1 —	1 1	12 11	43 32	76 45	120 61
	2. Otherwise { M. F.	9 2	— —	— —	— —	— 1	3 —	2 1	1 —	3 —
	Other violence { M. F.	144 108	27 22	2 3	6 5	14 16	30 23	27 20	19 9	19 10
	Other causes { M. F.	669 592	193 175	66 45	60 38	88 71	116 108	61 49	46 42	39 64

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930.

NOTE.—The figures for the last three months of the year 1930 are not available at the time of going to press. Totals for any period made up from this table will differ from the corresponding figures shown in other tables which are tabulated according to the date of registration.

Inter-national List No.	Causes of Death.	1929.			1930.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	ALL CAUSES.. ..	M. 18243 F. 17084	M. 19869 F. 18525	M. 20365 F. 19075	M. 21852 F. 20549	M. 21768 F. 20799	M. 24061 F. 22956	M. 20624 F. 19572	M. 19431 F. 18227	M. 17203 F. 15952	M. 16866 F. 15502	M. 17249 F. 16404	M. 15528 F. 14647
1-42	1. Epidemic, Endemic and Infectious Diseases	M. 2248 F. 1975	M. 2600 F. 2039	M. 2756 F. 2196	M. 2941 F. 2410	M. 3151 F. 2656	M. 3734 F. 2944	M. 3165 F. 2594	M. 2808 F. 2293	M. 2378 F. 1885	M. 2080 F. 1796	M. 1868 F. 1679	M. 1848 F. 1596
1	Enteric fever	M. 23 F. 30	M. 36 F. 25	M. 14 F. 16	M. 17 F. 8	M. 10 F. 5	M. 16 F. 14	M. 14 F. 19	M. 11 F. 9	M. 16 F. 8	M. 9 F. 12	M. 19 F. 19	M. 11 F. 13
	(a) Typhoid fever	M. 20 F. 26	M. 33 F. 23	M. 13 F. 16	M. 16 F. 5	M. 9 F. 4	M. 14 F. 11	M. 10 F. 17	M. 10 F. 8	M. 15 F. 6	M. 8 F. 10	M. 13 F. 14	M. 10 F. 8
	(b) Paratyphoid fever	M. 3 F. 4	M. 3 F. 2	M. 1 F. —	M. 1 F. 3	M. 1 F. 1	M. 2 F. 3	M. 4 F. 2	M. 1 F. 1	M. 1 F. 2	M. 1 F. 2	M. 6 F. 5	M. 1 F. 5
2	Typhus	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. 1	M. — F. —	M. — F. —	M. — F. —	M. — F. —
3	Relapsing Fever (Spirillum obermeieri)	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —
4	Mediterranean fever	M. — F. —	M. — F. —	M. — F. —	M. 1 F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. 1	M. — F. —	M. — F. —	M. 1 F. —
5	Malaria	M. 8 F. —	M. 3 F. —	M. 4 F. —	M. 3 F. —	M. 3 F. 1	M. 4 F. —	M. 2 F. —	M. 4 F. —	M. 3 F. —	M. 4 F. —	M. — F. —	M. 7 F. —
6	Small-pox	M. — F. —	M. 1 F. —	M. 1 F. 1	M. 2 F. 1	M. 2 F. 2	M. 2 F. 4	M. 3 F. 4	M. 1 F. —	M. 1 F. —	M. 1 F. —	M. — F. 1	M. — F. —
7	Measles	M. 49 F. 47	M. 75 F. 89	M. 148 F. 123	M. 168 F. 128	M. 311 F. 269	M. 523 F. 414	M. 382 F. 343	M. 257 F. 221	M. 142 F. 112	M. 60 F. 67	M. 42 F. 44	M. 33 F. 29
8	Scarlet fever	M. 27 F. 32	M. 34 F. 36	M. 42 F. 44	M. 39 F. 49	M. 39 F. 49	M. 51 F. 43	M. 34 F. 44	M. 31 F. 29	M. 31 F. 29	M. 23 F. 20	M. 21 F. 21	M. 15 F. 16
9	Whooping cough	M. 70 F. 93	M. 68 F. 85	M. 75 F. 100	M. 100 F. 144	M. 120 F. 142	M. 142 F. 150	M. 116 F. 138	M. 112 F. 117	M. 67 F. 69	M. 56 F. 73	M. 30 F. 68	M. 40 F. 58
10	Diphtheria	M. 143 F. 178	M. 160 F. 165	M. 192 F. 223	M. 232 F. 192	M. 182 F. 228	M. 191 F. 180	M. 132 F. 179	M. 130 F. 134	M. 115 F. 108	M. 118 F. 130	M. 120 F. 89	M. 101 F. 108
11	Influenza	M. 206 F. 147	M. 297 F. 213	M. 303 F. 211	M. 350 F. 272	M. 402 F. 362	M. 459 F. 363	M. 303 F. 249	M. 191 F. 179	M. 109 F. 91	M. 86 F. 61	M. 97 F. 65	M. 86 F. 62
	(a) { 1. With pneumonic complications. { M. 102 F. 45	M. 102 F. 45	M. 166 F. 90	M. 166 F. 72	M. 145 F. 114	M. 211 F. 136	M. 261 F. 145	M. 147 F. 100	M. 96 F. 64	M. 53 F. 31	M. 36 F. 22	M. 42 F. 15	M. 33 F. 21
	2. With other pulmonary complications. { M. 38 F. 27	M. 38 F. 27	M. 51 F. 44	M. 37 F. 43	M. 80 F. 50	M. 89 F. 96	M. 74 F. 85	M. 64 F. 37	M. 39 F. 29	M. 12 F. 15	M. 12 F. 10	M. 16 F. 13	M. 12 F. 5
	(b) { 1. With non-pulmonary complications. { M. 54 F. 49	M. 54 F. 49	M. 62 F. 55	M. 80 F. 72	M. 85 F. 83	M. 72 F. 101	M. 87 F. 95	M. 74 F. 85	M. 42 F. 66	M. 34 F. 32	M. 33 F. 25	M. 32 F. 29	M. 31 F. 27
	2. Without stated complication. { M. 12 F. 26	M. 12 F. 26	M. 18 F. 24	M. 20 F. 24	M. 40 F. 25	M. 30 F. 29	M. 37 F. 38	M. 18 F. 27	M. 14 F. 20	M. 10 F. 13	M. 5 F. 4	M. 7 F. 8	M. 10 F. 9
13	Mumps	M. — F. —	M. — F. 1	M. — F. 1	M. — F. —	M. — F. —	M. 4 F. 3	M. 3 F. 2	M. 3 F. 2	M. 3 F. 2	M. — F. —	M. 1 F. —	M. 1 F. —
15	Cholera nostras	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —
16	Dysentery	M. 4 F. 1	M. 7 F. —	M. 5 F. 3	M. 4 F. 7	M. 7 F. 3	M. 6 F. 2	M. 8 F. 5	M. 5 F. 2	M. 3 F. 4	M. 3 F. 5	M. 5 F. 2	M. 6 F. 1
	(a) Amoebic	M. — F. —	M. 1 F. —	M. 1 F. —	M. — F. —	M. — F. —	M. 1 F. —	M. 2 F. —	M. — F. —	M. — F. —	M. — F. —	M. 1 F. —	M. 1 F. —
	(b) Bacillary	M. 1 F. 1	M. 1 F. —	M. 1 F. 1	M. 2 F. 4	M. 5 F. 2	M. 3 F. 2	M. 3 F. 2	M. 2 F. —	M. 2 F. 1	M. 1 F. 3	M. 1 F. 1	M. — F. —
	(c) Other or unspecified.. { M. 3 F. —	M. 3 F. —	M. 5 F. —	M. 3 F. 2	M. 2 F. 3	M. 2 F. 1	M. 2 F. —	M. 3 F. 3	M. 3 F. 2	M. 1 F. 3	M. 2 F. 2	M. 3 F. 1	M. 5 F. 1
18	Yellow fever	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. 1 F. —	M. — F. —
19	Spirochaetosis ictero-haemorrhagica	M. 2 F. —	M. — F. —	M. 1 F. —	M. — F. —	M. — F. —	M. — F. 1	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —	M. — F. —

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter-national List No.	Causes of Death.	1929.			1930.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
20	Leprosy { M. F.	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	1 —	—
21	Erysipelas { M. F.	39 38	51 43	60 45	74 49	63 51	70 48	62 58	53 55	33 28	18 31	31 24	15 22
22	Acute poliomyelitis.. { M. F.	10 6	9 5	10 6	2 3	5 2	7 6	3 10	3 4	— 9	9 7	14 6	20 6
	1. Poliomyelitis .. { M. F.	8 5	5 4	6 2	2 2	5 1	1 4	3 6	3 3	— 6	5 1	11 4	14 5
	2. Polioencephalitis .. { M. F.	2 1	4 1	4 4	— 1	— 1	6 2	— 4	— 1	— 3	4 6	3 2	6 1
23	Encephalitis lethargica .. { M. F.	25 31	45 48	33 34	43 38	44 38	47 53	37 41	43 40	28 45	21 41	42 35	29 35
24	Meningococcal meningitis .. { M. F.	14 8	28 18	22 19	27 19	32 22	44 24	40 31	45 27	32 25	32 23	26 26	15 18
25	Other epidemic diseases .. { M. F.	1 2	5 2	1 8	5 2	7 4	5 5	11 —	3 3	4 3	6 3	2 2	3 —
	(1) German measles .. { M. F.	— 1	— —	1 3	1 1	3 4	3 3	1 —	— 1	2 —	2 —	— 1	1 —
	(2) Varicella { M. F.	1 1	4 2	— 5	4 1	3 —	2 2	10 —	3 2	1 3	3 3	2 1	1 —
	(3) Other diseases included under 25. { M. F.	— —	1 —	— —	— —	1 —	— —	— —	— —	1 —	1 —	— —	1 —
26	Glanders { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
27	Anthrax { M. F.	— —	— —	1 —	— 1	— —	2 —	1 1	1 —	1 —	1 —	— —	1 —
29	Tetanus { M. F.	9 4	8 2	10 2	11 3	6 1	9 2	7 4	8 2	17 —	11 6	10 2	4 4
30	Mycoses { M. F.	6 1	8 3	5 6	2 3	5 —	6 7	3 2	2 4	3 3	3 5	7 —	4 3
	(1) Actinomycosis .. { M. F.	5 1	3 —	3 4	1 2	2 —	2 5	3 2	2 —	2 2	1 4	5 —	3 1
	(2) Other mycoses .. { M. F.	1 —	5 3	2 2	1 1	3 —	4 2	— —	— 4	1 1	2 1	2 —	1 2
31-37	Tuberculosis (all forms) .. { M. F.	1493 1278	1639 1236	1680 1275	1738 1422	1789 1397	1987 1536	1850 1389	1774 1395	1646 1300	1499 1260	1295 1209	1343 1166
31	„ Respiratory system { M. F.	1242 1056	1374 1020	1419 1040	1472 1180	1520 1159	1649 1247	1534 1123	1439 1102	1319 1026	1240 974	1060 983	1112 963
32	„ Nervous system .. { M. F.	94 79	96 83	102 93	88 92	96 81	124 115	118 108	145 130	137 120	101 119	100 89	96 79
33	„ Intestines and peritoneum .. { M. F.	45 52	57 41	42 42	47 40	44 56	54 65	58 53	51 49	45 48	48 54	44 45	36 40
34	„ Vertebral column .. { M. F.	22 14	17 12	26 15	15 15	19 21	28 16	35 23	22 17	26 14	16 25	12 18	12 16
35	„ Joints { M. F.	12 7	7 8	8 8	12 8	10 4	15 9	10 5	7 3	15 8	6 5	8 8	8 9
36	„ Other organs .. { M. F.	16 18	26 23	19 24	31 24	24 14	33 18	17 20	15 22	21 11	25 19	21 13	19 19
	(a) { Skin and subcutaneous tissue. { M. F.	2 2	1 7	2 5	3 4	1 1	5 2	— 3	3 4	— 2	1 —	3 4	— 2
	(b) { Bones (Vertebral column excepted). { M. F.	2 7	3 2	2 1	2 3	5 —	4 6	4 5	3 2	3 —	5 3	5 —	4 6
	(c) { Lymphatic system (abdominal glands excepted). { M. F.	— 1	3 1	3 2	7 6	3 5	2 4	3 1	2 7	3 1	5 3	2 1	3 1
	(d) Genito-urinary system. { M. F.	12 8	19 13	11 16	19 11	13 8	21 6	9 10	7 9	14 7	14 13	11 8	12 8
	(e) Others in 36 .. { M. F.	— —	— —	1 —	— —	2 —	1 —	1 1	— —	1 1	— —	— —	— 2

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter-national List No.	Causes of Death.	1929.			1930.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
37	Disseminated tuberculosis .. { M. F.	62 52	62 49	64 53	73 63	76 62	84 66	78 57	95 72	83 73	63 64	50 53	60 40
	(a) Acute { M. F.	19 17	23 25	22 21	28 27	26 28	29 34	22 33	40 27	36 29	27 29	17 20	26 16
	(b) Chronic or unstated .. { M. F.	43 35	39 24	42 32	45 36	50 34	55 32	56 24	55 45	47 44	36 35	33 33	34 24
38	Syphilis { M. F.	76 43	66 33	82 43	70 34	78 46	81 56	80 43	76 38	82 30	80 37	66 40	64 33
39	Soft Chancre { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
40	Gonococcal infection.. .. { M. F.	1 3	6 1	6 1	3 1	6 3	5 2	6 1	3 1	2 2	6 2	3 1	5 1
	(1) { Gonococcal infection { M. (ophthalmia excepted). { F.	— 2	4 —	4 —	2 1	4 —	3 1	5 —	2 —	1 —	5 —	— —	5 1
	(2) { Gonorrhoeal or puru- { M. lent ophthalmia. { F.	1 1	2 1	2 1	1 —	2 3	2 1	1 1	1 1	1 2	1 2	3 1	— —
	Purulent infection, septicæmia { M. F.	42 33	54 34	60 35	48 34	36 27	71 30	65 31	51 29	40 15	33 13	35 25	44 21
42	Other infectious diseases .. { M. F.	— —	— —	1 —	2 —	2 4	2 1	3 —	1 1	— 1	1 —	— —	— —
	(1) Vaccinia { M. F.	— —	— —	— —	1 —	— —	— —	— —	— —	— 1	1 —	— —	— —
	(2) { Other diseases included { M. under 42. { F.	— —	— —	1 —	1 —	2 4	2 1	3 —	1 1	— —	— —	— —	— —
43-69	II. General diseases not in- { M. cluded above. { F.	2799 3388	2817 3378	2836 3350	3019 3589	2766 3386	2923 3759	2791 3415	2856 3611	2679 3199	2858 3325	2888 3563	2506 3251
43-49	Cancer, Malignant disease .. { M. F.	2236 2599	2220 2464	2186 2496	2314 2615	2126 2418	2245 2691	2175 2465	2258 2687	2128 2411	2330 2558	2337 2732	2025 2489
43	„ Buccal cavity .. { M. F.	194 29	220 28	231 34	228 38	219 33	233 37	213 38	220 41	212 40	222 37	223 34	191 32
44	„ Pharynx, œsophagus, { M. stomach, liver and { F. annexa.	800 660	788 602	804 629	801 678	747 581	791 694	806 621	851 712	774 625	835 668	843 748	701 628
45	„ Peritoneum, intes- { M. tines and rectum. { F.	529 574	528 534	529 478	570 574	555 521	565 554	499 497	504 572	514 513	554 552	602 572	533 567
46	„ Female genital organs.. F.	531	453	516	470	501	520	504	523	465	520	485	477
47	„ Breast { M. F.	4 514	4 507	6 509	5 526	3 459	2 568	4 497	7 501	5 443	5 478	9 545	3 487
48	„ Skin { M. F.	76 31	65 41	73 49	79 36	61 40	75 39	75 38	72 41	76 36	63 36	67 34	51 29
49	„ Other or unspecified { M. organs. { F.	633 260	615 299	543 281	631 293	541 283	579 279	578 270	604 297	547 289	651 267	593 314	546 269
50	Tumours not returned as { M. malignant (brain and female { F. genital organs excepted).	33 21	36 30	39 35	56 27	40 40	30 32	27 40	42 22	36 27	44 35	37 32	40 29
51	Rheumatic fever { M. F.	57 51	55 59	69 80	70 88	56 91	70 107	75 82	72 82	61 43	49 48	44 47	47 60
52	Chronic rheumatism, osteo- { M. arthritis, gout. { F.	85 156	92 204	91 172	109 195	104 182	112 225	95 198	86 188	87 163	71 144	87 168	77 146
	(1) Chronic rheumatism, { M. F.	4 6	7 10	7 11	7 9	11 8	3 8	7 11	3 9	9 9	3 10	5 5	4 8
	(2) { Rheumatoid and osteo- { M. arthritis. { F.	63 148	69 190	62 157	75 180	67 164	87 212	68 183	66 175	54 150	58 132	65 161	58 135
	(3) Gout { M. F.	18 2	16 4	22 4	27 6	26 10	22 5	20 4	17 4	24 4	10 2	17 2	15 3
53	Scurvy.. .. { M. F.	2 1	— 1	— 2	1 —	— 2	— 4	— —	— —	3 2	— 1	2 1	— —
54	Pellagra { M. F.	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	3 —	— —

MEDICAL OFFICERS LIBRARY
PUBLIC HEALTH DEPARTMENT.

231

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter-national List No.	Causes of Death.	1929.			1930.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
55	Beri-beri { M. F.	—	—	—	—	—	—	—	—	—	—	—	—
56	Rickets { M. F.	16 12	10 19	15 10	23 19	18 15	23 12	19 21	19 9	15 6	8 5	8 6	12 7
57	Diabetes { M. F.	174 251	199 286	202 241	226 302	207 306	239 311	200 288	176 300	153 234	169 221	163 269	130 245
58	Anæmia, chlorosis { M. F.	72 104	72 125	84 111	96 106	73 128	80 119	77 134	94 125	86 101	78 109	90 121	73 101
	(a) Pernicious anæmia .. { M. F.	59 98	64 110	71 105	88 97	67 111	68 103	67 114	85 117	80 91	69 97	76 105	66 90
	(b) { Other anæmias and { M. F.	13 6	8 15	13 6	8 9	6 17	12 16	10 20	9 8	6 10	9 12	14 16	7 11
59	Diseases of the pituitary gland { M. F.	1 3	— 2	— 1	2 1	1 3	2 2	1 2	— 3	— 3	— 4	— 1	3 1
60	Diseases of the thyroid gland { M. F.	18 101	25 112	16 103	19 128	18 112	19 137	17 101	11 114	11 128	7 114	12 108	13 101
	(a) Exophthalmic goitre .. { M. F.	11 81	20 85	14 76	12 100	11 85	11 105	10 78	9 101	7 102	5 89	9 86	8 72
	(1) Myxœdema .. { M. F.	3 15	1 16	1 23	5 12	2 18	2 15	3 13	1 7	2 11	— 12	1 11	2 14
	(b) (2) Cretinism.. .. { M. F.	3 —	4 1	1 1	2 4	— 2	3 5	3 2	1 2	— 4	1 3	1 2	2 3
	(3) Other diseases of the thyroid gland. { M. F.	1 5	— 10	— 3	— 12	5 7	3 12	1 8	— 4	2 11	1 10	1 9	1 12
61	Diseases of the parathyroid glands. { M. F.	1 1	1 1	1 1	1 —	2 —	3 3	— —	2 1	— 2	— —	— —	1 1
	(1) Tetany { M. F.	1 1	1 1	1 —	1 —	2 —	3 3	— —	2 1	— 2	— —	— —	1 1
	(2) Other diseases of the parathyroid glands.. { M. F.	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
62	Diseases of the thymus .. { M. F.	7 2	9 6	8 7	12 8	8 7	4 6	8 3	7 4	5 6	5 2	5 —	6 4
63	Diseases of the adrenals .. { M. F.	8 10	7 12	13 21	12 14	11 14	7 17	6 11	5 8	10 9	5 10	6 6	8 11
64	Diseases of the spleen .. { M. F.	— —	— —	— 1	1 —	— 1	4 2	1 2	— 3	— 7	3 1	3 2	— 2
65	Leukæmia, lymphadenoma .. { M. F.	64 46	49 32	70 39	53 47	59 34	55 47	57 37	52 40	51 36	54 44	63 44	46 30
	(a) Leukæmia { M. F.	34 33	27 23	35 29	26 21	32 21	30 29	33 21	22 29	28 24	25 27	38 27	28 19
	(b) Lymphadenoma (Hodg-kin's disease). { M. F.	30 13	22 9	35 10	27 26	27 13	25 18	24 16	30 11	23 12	29 17	25 17	18 11
66	Alcoholism (Acute or chronic) { M. F.	7 7	9 3	7 4	1 5	5 3	3 4	4 —	5 3	8 3	4 5	3 6	7 4
67	Chronic poisoning by mineral substances. { M. F.	5 —	7 —	8 —	2 —	5 —	1 —	5 —	2 —	1 —	7 1	2 —	2 —
	(1) Occupational lead poisoning. { M. F.	5 —	7 —	6 —	2 —	5 —	1 —	4 —	2 —	1 —	6 1	2 —	2 —
	(2) Others { M. F.	— —	— —	2 —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —
68	Chronic poisoning by organic substances. { M. F.	— —	1 —	1 —	— 1	— —	— —	— 1	— —	— —	— —	— 1	1 —
69	Other general diseases .. { M. F.	13 23	25 22	26 26	21 33	33 30	26 39	24 30	25 22	24 18	24 23	26 16	15 20
	(1) Purpura { M. F.	7 8	9 10	14 9	6 12	13 14	17 22	13 16	11 8	10 9	9 13	11 7	7 10
	(2) Hæmophilia { M. F.	5 2	5 4	5 3	9 2	11 3	4 3	5 5	7 4	8 5	7 3	9 4	5 4

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter-national List No.	Causes of Death.	1929.			1930.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(3) Other diseases included under 69. { M. F.	1 13	11 8	7 14	6 19	9 13	5 14	6 9	7 10	6 4	8 7	6 5	3 6
70-86	III. Diseases of the Nervous System and Sense Organs { M. F.	1527 1659	1668 1774	1791 1864	1805 1966	1758 1951	1937 2048	1690 1809	1637 1745	1475 1665	1498 1595	1564 1683	1352 1436
70	Encephalitis { M. F.	20 4	11 14	17 12	13 5	13 8	14 10	10 12	17 16	11 10	14 10	17 13	22 5
	(1) Cerebral abscess .. { M. F.	11 —	7 5	10 3	9 4	8 2	12 6	7 4	5 9	7 5	4 6	13 8	12 4
	(2) Other diseases included under 70. { M. F.	9 4	4 9	7 9	4 1	5 6	2 4	3 8	12 7	4 5	10 4	4 5	10 1
71	Meningitis { M. F.	42 46	45 41	52 50	49 54	60 48	66 32	42 57	58 34	57 44	39 29	49 42	43 34
72	Tabes dorsalis (Locomotor-ataxy). { M. F.	52 7	69 11	54 9	54 4	46 14	60 10	48 12	45 17	41 7	41 11	47 10	45 10
73	Other diseases of the spinal cord. { M. F.	56 52	65 54	59 59	64 69	41 53	72 63	52 40	59 40	57 38	61 36	59 44	47 46
74	Cerebral hæmorrhage, apoplexy, etc. { M. F.	813 1020	882 1137	951 1194	971 1271	926 1228	1016 1293	915 1128	830 1100	758 1034	793 1054	819 1088	707 931
	(a) { (1) Cerebral hæmorrhage so returned. { M. F.	644 772	694 900	737 917	742 967	694 912	795 995	719 862	648 832	580 798	615 798	631 836	546 737
	(2) Apoplexy lesion unstated. { M. F.	46 71	53 65	61 62	57 72	61 67	51 68	57 73	42 59	47 47	40 59	42 58	39 40
	(b) { (1) Cerebral embolism { M. F.	14 22	24 21	18 30	20 32	16 27	27 28	22 21	17 22	15 24	15 20	19 24	19 19
	(2) Cerebral thrombosis. { M. F.	109 155	111 151	135 185	152 200	155 222	143 202	117 172	123 187	116 165	123 177	127 170	103 135
75	Paralysis of unstated origin.. { M. F.	37 76	67 73	53 54	47 69	62 65	61 64	48 65	42 75	54 63	51 54	54 61	41 39
	(a) Hemiplegia { M. F.	33 70	61 68	48 48	42 65	54 54	58 57	44 61	34 70	48 61	45 50	48 56	37 33
	(b) Other forms of paralysis { M. F.	4 6	6 5	5 6	5 4	8 11	3 7	4 4	8 5	6 2	6 4	6 5	4 6
76	General paralysis of the insane { M. F.	73 18	74 15	99 20	80 20	98 27	83 16	92 15	84 24	57 11	66 15	67 16	53 9
77	Other forms of insanity .. { M. F.	28 58	45 71	47 64	37 76	36 60	45 70	36 54	51 46	37 56	33 49	43 56	27 42
78	Epilepsy { M. F.	81 91	80 92	95 81	105 85	100 103	133 94	107 92	105 86	97 96	75 71	89 85	85 74
79-80	Convulsions (non-puerperal) { M. F.	65 60	75 60	81 61	108 58	105 70	110 80	90 67	94 52	88 60	67 51	78 46	59 36
81	Chorea.. .. { M. F.	2 6	1 2	4 12	2 5	1 8	3 8	2 9	1 6	— 6	1 9	4 5	2 3
82	Hysteria and neuritis .. { M. F.	4 7	7 10	7 12	5 8	3 12	6 14	3 10	5 6	6 8	6 9	5 10	4 11
83	Cerebral softening { M. F.	10 16	16 13	18 18	19 17	16 13	11 25	10 21	11 26	13 13	8 17	17 20	9 16
84	Other diseases of the nervous system. { M. F.	177 159	158 132	187 145	183 171	180 172	189 182	152 157	161 167	137 154	175 145	155 154	151 149
	(1) Idiocy, imbecility .. { M. F.	22 8	8 8	19 18	20 26	24 17	28 23	13 21	15 13	9 11	12 10	9 18	9 12
	(2) Cerebral tumour .. { M. F.	60 57	48 51	60 46	56 47	60 56	59 55	55 45	54 49	42 56	59 49	60 48	54 41
	(3) Disseminated sclerosis { M. F.	28 41	34 26	32 30	43 40	35 42	36 43	20 33	33 36	31 30	38 30	30 28	27 28
	(4) Paralysis agitans .. { M. F.	58 42	61 36	65 40	49 46	52 43	53 50	57 44	52 56	40 47	48 44	50 47	45 55
	(5) Other diseases included under 84. { M. F.	9 11	7 11	11 11	15 12	9 14	13 11	7 14	7 13	15 10	18 12	6 13	16 13

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter- national List No.	Causes of Death.		1929.			1930.								
			Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
85	Diseases of the eye and an- nexa.	{ M. F.	2 4	4 5	2 2	2 5	4 3	1 3	6 4	— 3	1 7	5 4	4 2	1 4
86	Diseases of the ear and of the mastoid sinus.	{ M. F.	65 35	69 44	65 71	66 49	67 67	67 84	77 66	74 47	61 58	63 31	57 31	56 27
	(1) Diseases of the mastoid sinus.	{ M. F.	27 15	24 12	21 25	29 16	20 28	26 33	29 21	27 16	23 27	23 16	16 7	20 14
	(2) Diseases of the ear ..	{ M. F.	38 20	45 32	44 46	37 33	47 39	41 51	48 45	47 31	38 31	40 15	41 24	36 13
87-96	IV. Diseases of the circu- latory system.	{ M. F.	4029 4160	4641 4811	4625 4893	5091 5314	5023 5322	5438 5804	4760 4962	4442 4516	3790 4005	3955 3885	3969 4259	3645 3688
87-90	Heart diseases	{ M. F.	3114 3398	3663 3984	3639 4043	3957 4363	3922 4451	4320 4767	3785 4069	3488 3727	2968 3299	3088 3200	3109 3492	2920 3065
87	Pericarditis	{ M. F.	13 2	8 3	9 7	15 6	13 17	21 14	8 15	19 12	12 9	13 11	17 6	12 14
88	Acute endocarditis and myo- carditis.	{ M. F.	77 67	74 77	61 97	69 80	65 83	90 87	70 76	83 71	65 75	57 62	73 80	73 69
	(1) Infective endocarditis	{ M. F.	49 39	43 39	36 50	34 44	35 47	45 44	46 43	52 34	42 45	35 42	38 48	41 38
	(2) Other acute endocardi- tis.	{ M. F.	15 18	16 20	16 20	20 19	15 15	17 17	7 19	15 18	10 15	12 13	17 16	14 20
	(3) Acute myocarditis ..	{ M. F.	13 10	15 18	9 27	15 17	15 21	28 26	17 14	16 19	13 15	10 7	18 16	18 11
89	Angina pectoris	{ M. F.	273 137	349 148	345 146	372 138	340 142	370 170	334 154	347 136	316 128	271 128	281 126	320 138
90	Other diseases of the heart ..	{ M. F.	2751 3192	3232 3756	3224 3793	3501 4139	3504 4209	3839 4496	3373 3824	3039 3508	2575 3087	2747 2999	2738 3280	2513 2846
	(1) Aortic valve disease ..	{ M. F.	195 79	199 91	196 87	222 124	219 117	193 103	183 95	207 81	165 90	183 72	168 71	162 79
	(2) Mitral valve disease ..	{ M. F.	305 460	332 584	321 612	334 595	334 594	380 618	329 592	311 534	254 440	280 436	272 443	301 444
	(3) Aortic and mitral valve disease.	{ M. F.	56 46	67 49	58 64	58 58	55 57	58 51	63 51	51 40	43 52	64 31	61 45	35 52
	(4) Other or unspecified valve disease.	{ M. F.	398 470	472 578	417 532	421 587	465 548	491 652	432 537	407 517	360 437	375 476	359 511	356 463
	(5) Fatty heart	{ M. F.	95 113	118 140	113 142	121 170	106 161	116 168	108 138	97 145	110 118	97 106	92 126	83 124
	(6) Cardiac dilatation(cause unspecified).	{ M. F.	14 14	9 8	17 12	17 12	8 10	16 16	12 17	10 9	20 11	15 11	14 10	12 10
	(7) Other or unspecified myocardial disease.	{ M. F.	1417 1620	1694 1947	1796 1946	1993 2189	1983 2284	2196 2422	1964 2002	1667 1845	1401 1615	1466 1558	1499 1739	1332 1399
	(8) Disordered action of the heart.	{ M. F.	43 105	79 98	58 108	78 122	71 125	87 137	55 120	64 120	53 93	64 87	60 105	57 68
	(9) Heart disease (unde- fined).	{ M. F.	228 285	262 261	248 290	257 282	263 313	302 329	227 272	225 217	169 231	203 222	213 230	175 207
91	Disease of the arteries ..	{ M. F.	875 714	944 771	954 775	1096 890	1064 807	1113 980	926 837	910 738	788 659	831 641	825 720	698 579
	(a) Aneurysm	{ M. F.	78 26	80 34	78 31	90 40	83 26	104 42	76 27	90 22	66 21	78 23	78 27	71 19
	(b) Arterio-sclerosis ..	{ M. F.	791 684	855 731	863 735	993 845	973 776	1001 930	844 798	814 713	716 634	745 615	743 687	622 555
	(1) With record of cere- bral vascular lesion	{ M. F.	423 416	485 405	439 436	525 471	512 415	488 498	453 469	438 419	407 395	400 364	405 403	339 351
	(2) Without record of cerebral vascular lesion.	{ M. F.	368 268	370 326	424 299	468 374	461 361	513 432	391 329	376 294	309 239	345 251	338 284	283 204
	(c) Other diseases of the arteries.	{ M. F.	6 4	9 6	13 9	13 5	8 5	8 8	6 12	6 3	6 4	8 3	4 6	5 5

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter- national List No.	Causes of Death.	1929.			1930.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
92	Embolism and thrombosis { M. (not cerebral). F.	10 10	13 22	9 16	8 10	6 17	21 16	15 7	14 9	13 6	11 8	12 11	6 10
93	Diseases of the veins (varices, { M. hæmorrhoids, phlebitis, etc.) F.	13 33	11 27	13 40	17 38	17 30	18 35	20 33	18 29	13 28	10 20	11 24	13 26
94	Diseases of the lymphatic { M. system (lymphangitis, etc.) F.	3 1	5 3	5 8	6 4	4 8	7 4	4 6	2 5	3 5	6 4	8 5	2 4
95	Hæmorrhage without stated { M. cause. F.	1 2	1 1	1 1	— —	— 1	1 —	— —	3 —	— 3	1 —	— —	2 1
96	Other diseases of the cir- { M. culatory system. F.	13 2	4 3	4 10	7 9	10 8	8 2	10 10	7 8	5 5	8 12	4 7	4 3
97 -107	V. Diseases of the respiratory system. { M. F.	2089 1501	2695 2120	2766 2154	3262 2619	3600 3001	4002 3253	2801 2272	2378 1694	1717 1191	1473 921	1440 977	1207 879
97	Diseases of the nasal fossæ { M. and annexa. F.	4 8	14 9	8 4	18 11	14 9	11 12	19 14	18 8	13 13	8 5	12 5	9 6
	(1) Diseases of the nose .. { M. F.	1 2	3 2	2 1	2 3	1 2	1 4	5 4	5 —	2 1	1 1	1 —	2 2
	(2) Diseases of the acces- { M. sory nasal sinuses. F.	3 6	11 7	6 3	16 8	13 7	10 8	14 10	13 8	11 12	7 4	11 5	7 4
98	Diseases of the larynx .. { M. F.	11 9	12 11	13 13	26 13	22 14	19 15	15 15	13 8	8 9	5 4	8 6	6 4
	(1) Laryngismus stridulus { M. F.	1 3	1 1	2 1	6 3	3 —	5 2	1 3	4 3	1 3	2 —	1 3	3 —
	(2) Laryngitis { M. F.	10 6	11 10	11 12	19 10	19 14	12 12	13 12	9 5	7 6	3 4	7 3	3 4
	(3) Other diseases .. { M. F.	— —	— —	— —	1 —	— —	2 1	1 —	— —	— —	— —	— —	— —
99	Bronchitis { M. F.	662 536	897 846	998 923	1122 1156	1332 1390	1435 1410	949 899	749 624	529 424	461 334	432 337	420 324
	(a) Acute { M. F.	132 144	204 255	212 243	277 312	312 415	316 375	182 195	120 131	72 91	71 65	54 70	53 67
	(b) Chronic { M. F.	268 158	346 256	400 263	426 304	495 356	566 385	361 275	327 210	242 149	219 128	225 136	197 136
	(c & d) { Not stated whether { M. acute or chronic. F.	262 234	347 335	386 417	419 540	525 619	553 650	406 429	302 283	215 184	171 141	153 131	170 121
100 -101	Pneumonia (all forms) .. { M. F.	1207 822	1572 1080	1538 1068	1856 1281	1960 1399	2267 1584	1624 1186	1408 920	1028 649	848 473	829 532	655 452
100	Broncho-pneumonia .. { M. F.	518 437	710 583	733 621	849 716	982 805	1023 897	701 651	589 463	404 331	353 236	357 267	282 215
101	Pneumonia (Lobar or not { M. otherwise defined) F.	689 385	862 497	805 447	1007 565	978 594	1244 687	923 535	819 457	624 318	495 237	472 265	373 237
	(a) Lobar { M. F.	507 267	648 360	571 316	722 389	713 407	875 479	652 374	596 334	459 221	372 163	351 192	277 180
	(b) Not otherwise defined.. { M. F.	182 118	214 137	234 131	285 176	265 187	369 208	271 161	223 123	165 97	123 74	121 73	96 57
102	Pleurisy { M. F.	63 33	50 33	54 33	72 29	61 30	88 55	66 38	65 28	56 26	44 22	54 16	29 22
	(1) Empyema { M. F.	29 12	22 12	24 10	35 11	26 10	35 15	24 9	29 9	22 6	24 10	22 4	20 7
	(2) Other pleurisy .. { M. F.	34 21	28 21	30 23	37 18	35 20	53 40	42 29	36 19	34 20	20 12	32 12	9 15
103	Congestion and hæmorrhagic { M. infarct of lung. F.	41 44	41 59	37 52	35 46	45 59	42 75	25 51	35 51	20 33	34 39	25 41	35 38
104	Gangrene of the lung .. { M. F.	— 1	3 —	1 1	5 —	2 —	— —	1 —	— —	— —	2 —	1 —	— 2
105	Asthma { M. F.	67 43	82 77	80 51	101 73	134 94	116 89	77 63	63 48	43 29	53 33	56 33	32 27
106	Pulmonary emphysema .. { M. F.	3 1	1 —	5 —	4 —	2 1	4 1	1 —	5 2	3 —	3 3	— 1	6 2

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter-national List No.	Causes of Death.	1929.			1930.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
107	Other diseases of the respiratory system. { M. F.	31 4	23 5	32 9	23 10	28 5	20 12	24 6	22 5	17 8	15 8	23 6	15 2
	(a) Chronic interstitial pneumonia. { M. F.	25 1	19 5	21 6	20 7	26 4	14 8	20 3	16 3	12 2	10 6	14 4	13 2
	(b) Diseases of the mediastinum. { M. F.	— —	1 —	1 —	— 1	— —	— —	1 —	— —	— —	— —	— —	— —
	(c) Other diseases included under 107. { M. F.	6 3	3 —	10 3	3 2	2 1	6 4	3 3	6 2	5 6	5 2	9 2	2 —
108-127	VI. Diseases of the Digestive System. { M. F.	1537 1231	1294 1058	1206 1075	1289 1010	1156 884	1319 1067	1210 946	1134 971	1181 919	1095 933	1153 944	1157 923
108	Diseases of the buccal cavity and annexa. { M. F.	32 24	33 20	25 24	28 28	29 21	26 25	29 23	31 19	24 27	25 16	31 31	24 20
	(1) Diseases of the teeth and gums. { M. F.	21 20	24 13	22 18	18 19	25 14	23 16	24 18	22 13	20 16	23 10	24 20	17 14
	(2) Ludwig's angina .. { M. F.	7 3	5 5	3 3	6 4	3 2	3 5	3 2	6 2	2 5	2 2	5 8	5 3
	(3) Other diseases included under 108. { M. F.	4 1	4 2	— 3	4 5	1 5	— 4	2 3	3 4	2 6	— 4	2 3	2 3
109	Diseases of the pharynx and tonsils. { M. F.	41 59	44 56	49 56	60 46	55 50	46 53	59 44	35 53	45 45	35 46	46 37	44 44
	(1) Tonsillitis, etc., adenoid vegetations. { M. F.	37 49	35 44	43 47	50 37	41 42	35 41	48 37	27 42	37 37	30 42	41 36	35 36
	(2) Other diseases included under 109. { M. F.	4 10	9 12	6 9	10 9	14 8	11 12	11 7	8 11	8 8	5 4	5 1	9 8
110	Diseases of the œsophagus.. { M. F.	1 2	1 —	3 —	3 4	— 2	1 2	1 3	2 2	1 —	2 2	3 4	4 3
111	Ulcer of the stomach or duodenum. { M. F.	241 86	240 96	277 102	288 102	257 82	319 95	263 89	241 100	280 51	246 78	264 77	258 61
	(a) Ulcer of the stomach .. { M. F.	166 78	156 75	183 84	194 89	159 72	207 84	166 78	161 81	177 43	166 57	164 70	176 49
	(b) Ulcer of the duodenum { M. F.	75 8	84 21	94 18	94 13	98 10	112 11	97 11	80 19	103 8	80 21	100 7	82 12
112	Other diseases of the stomach { M. F.	67 50	55 64	48 73	67 84	45 43	66 55	44 41	54 52	71 55	35 59	59 65	35 50
	(1) Inflammation of the stomach. { M. F.	52 47	47 54	35 64	58 68	34 36	51 49	36 39	47 44	54 49	32 52	50 52	29 45
	(2) Other diseases included under 112. { M. F.	15 3	8 10	13 9	9 16	11 7	15 6	8 2	7 8	17 6	3 7	9 13	6 5
113-114	Diarrhoea and enteritis .. { M. F.	623 497	314 298	240 215	257 196	239 179	238 196	247 185	202 177	221 189	237 244	230 188	277 242
	(1) Ulceration of the intestines. { M. F.	11 19	3 26	16 16	11 17	15 14	9 14	7 14	8 10	8 14	10 20	9 19	13 13
	(2) Colitis { M. F.	17 18	12 18	16 17	9 21	14 18	15 14	12 17	6 20	7 13	11 21	12 9	16 20
	(3) Other diseases included under 113-114. { M. F.	595 460	299 254	208 182	237 158	210 147	214 168	228 154	188 147	206 162	216 203	209 160	248 209
115	Ankylostomiasis { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
116	Diseases due to other intestinal parasites. { M. F.	4 1	— —	— —	— 2	— —	1 1	1 1	— 1	2 2	1 1	1 1	1 —
	(a) Cestodes (hydatids of the liver excepted). { M. F.	2 1	— —	— —	— 2	— —	1 1	— —	— 1	1 —	— —	— 1	— —
	(b) Trematodes { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	(c) Nematodes (other than ankylostoma). { M. F.	1 —	— —	— —	— —	— —	— —	1 1	— —	1 2	1 —	— —	— —

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter-national List No.	Causes of Death.	1929.			1930.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(f) Undefined parasites .. { M. F.	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —
117	Appendicitis, typhlitis .. { M. F.	126 108	143 102	139 101	143 92	111 65	167 109	161 117	158 109	136 100	123 88	123 122	143 101
118	Hernia, intestinal obstruction. { M. F.	197 158	219 160	219 206	210 191	201 189	214 224	183 188	205 194	196 179	199 157	208 169	186 155
	(a) Hernia { M. F.	88 69	98 73	99 97	88 87	88 79	93 114	79 86	83 89	75 91	70 72	75 75	69 70
	(b) Intestinal obstruction { M. F.	109 89	121 87	120 109	122 104	113 110	121 110	104 102	122 105	121 88	129 85	133 94	117 85
119	Other diseases of the intestines. { M. F.	26 26	35 30	23 30	24 26	21 33	30 33	21 31	29 28	23 29	28 22	25 30	19 19
	(1) Intestinal stasis .. { M. F.	6 8	6 11	3 7	7 9	5 10	4 12	5 8	8 7	4 8	5 6	2 11	1 5
	(2) Other diseases included under 119 .. { M. F.	20 18	29 19	20 23	17 17	16 23	26 21	16 23	21 21	19 21	23 16	23 19	18 14
120	Acute yellow atrophy of the liver. { M. F.	2 7	2 5	1 4	3 7	— 8	3 8	— 8	2 4	— 7	3 6	1 5	2 8
121	Hydatid tumour of the liver. { M. F.	1 1	2 2	— 3	2 1	1 2	— 1	1 1	2 1	2 4	1 1	1 1	2 —
122	Cirrhosis of the liver .. { M. F.	95 55	107 48	102 52	108 45	94 54	101 56	90 39	89 43	91 41	77 34	86 42	81 50
	(a) Returned as alcoholic .. { M. F.	17 12	13 10	18 5	12 5	10 8	15 7	12 2	19 6	13 8	10 6	5 5	10 6
	(b) Not returned as alcoholic { M. F.	78 43	94 38	84 47	96 40	84 46	86 49	78 37	70 37	78 33	67 28	81 37	71 44
123	Biliary calculi { M. F.	23 63	35 76	32 93	25 73	37 69	30 89	45 62	24 88	28 68	18 76	11 65	28 65
124	Other diseases of the liver .. { M. F.	34 51	32 66	28 71	37 76	41 50	51 69	33 66	34 63	36 74	40 68	41 66	29 59
125	Diseases of the pancreas .. { M. F.	16 19	20 21	15 23	19 25	12 20	14 24	18 18	13 15	14 23	14 18	16 22	20 23
126	Peritonitis of unstated origin { M. F.	8 24	12 14	5 22	15 12	13 17	12 27	14 30	13 22	11 25	11 17	7 19	4 23
128-142	VII. Non-puerperal diseases of the genito-urinary system { M. F.	1062 709	1124 800	1174 815	1188 835	1169 861	1229 943	1112 884	1093 815	948 764	979 800	1141 796	977 652
128	Acute nephritis (including unspecified under 10 years of age). { M. F.	45 45	45 49	51 49	64 56	52 62	63 58	56 44	46 49	46 47	31 42	50 44	42 31
129	Chronic nephritis (including unspecified over 10 years of age). { M. F.	537 496	576 563	662 597	638 595	671 632	701 681	599 647	604 606	542 548	540 547	606 576	501 472
130	Chyluria { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
131	Other diseases of the kidneys and annexa. { M. F.	25 33	22 40	31 45	28 39	29 30	26 45	31 43	30 31	35 34	28 41	29 53	33 30
132	Calculi of the urinary passages { M. F.	32 18	27 14	27 11	19 13	21 16	24 18	24 15	22 9	20 9	14 13	26 10	21 16
133	Diseases of the bladder .. { M. F.	34 26	54 29	49 27	39 27	41 21	49 31	42 34	52 24	38 28	39 34	52 22	34 24
	(1) Cystitis { M. F.	32 24	53 28	48 27	37 25	40 20	48 29	42 32	49 24	37 28	36 34	48 22	32 24
	(2) Other diseases .. { M. F.	2 2	1 1	1 —	2 2	1 1	1 2	— 2	3 —	1 —	3 —	4 —	2 —
134	Diseases of the urethra, urinary abscess, etc. { M. F.	35 2	38 —	33 —	57 1	37 —	30 3	31 1	33 1	27 1	39 2	26 1	25 —

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter- national List No.	Causes of Death.	1929.			1930.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(a) Stricture of the urethra { M. F.	32 —	36 —	32 —	56 —	35 —	26 —	31 —	33 —	26 —	36 —	24 —	24 —
	(b) Other diseases .. { M. F.	3 2	2 —	1 —	1 1	2 —	4 3	— 1	— 1	1 1	3 2	2 1	1 —
135	Diseases of the prostate .. M.	348	356	318	337	313	333	323	304	236	284	345	314
136	Non-venereal diseases of the male genital organs. M.	6	6	3	5	5	3	5	2	4	4	6	7
137	Cysts and other tumours of the ovary not returned as malignant. F.	22	29	29	34	25	26	26	27	27	34	15	19
138	Salpingitis and pelvic abscess in females. F.	19	20	18	22	18	19	22	12	17	25	20	16
	(1) Salpingitis F.	16	20	15	18	15	14	18	9	14	22	18	16
	(2) Pelvic abscess in females. F.	3	—	3	4	3	5	4	3	3	3	2	—
139	Tumours of the uterus not returned as malignant. F.	35	37	22	33	34	33	38	32	39	39	43	30
140	Non-puerperal uterine hæmorrhage. F.	2	3	—	3	—	4	1	2	3	1	1	1
141	Other diseases of the female genital organs. F.	11	15	17	12	22	25	12	22	11	21	10	13
	(1) Other diseases of the uterus. F.	9	12	14	9	15	21	7	21	9	15	8	12
	(2) Diseases of the other female genital organs not included above. F.	2	3	3	3	7	4	5	1	2	6	2	1
142	Non-puerperal diseases of the breast. { M. F.	— —	— 1	— —	1 —	— 1	— —	1 1	— —	— —	— 1	1 1	— —
143 -150	VIII. The Puerperal State .. F.	238	213	239	253	224	281	268	245	219	207	246	225
143	Accidents of pregnancy .. F.	34	25	30	21	18	25	19	21	19	21	28	33
	(a) Abortion F.	9	5	9	5	7	8	4	6	3	3	3	9
	(b) Ectopic gestation .. F.	9	7	7	3	5	6	5	5	5	4	10	7
	(c) Other accidents F.	16	13	14	13	6	11	10	10	11	14	15	17
144	Puerperal hæmorrhage .. F.	25	19	29	33	24	33	30	23	20	30	38	34
145	Other accidents of childbirth .. F.	26	19	19	20	19	26	32	35	28	25	19	25
146	Puerperal sepsis F.	90	95	104	119	113	130	117	109	90	82	98	87
147	Puerperal phlegmasia alba dolens, embolism, sudden death. F.	15	20	17	10	15	26	28	13	19	13	9	11
	(1) Puerperal phlegmasia alba dolens not returned as septic. F.	1	1	2	1	1	4	4	3	1	—	2	1
	(2) Puerperal embolism and sudden death. F.	14	19	15	9	14	22	24	10	18	13	7	10
148	Puerperal albuminuria and convulsions. F.	47	31	39	46	35	34	41	41	40	34	50	33
149	Childbirth not assignable above (puerperal insanity). F.	1	2	1	4	—	6	—	3	3	2	2	1
150	Puerperal diseases of the breast F.	—	2	—	—	—	1	1	—	—	—	2	1
151 -154	IX. Diseases of the skin and cellular tissue. { M. F.	109 110	123 89	121 99	142 129	131 114	143 112	128 113	135 130	119 100	104 90	114 95	111 96
151	Gangrene { M. F.	31 35	33 26	32 35	43 54	38 36	41 33	35 32	43 51	31 38	32 34	43 25	29 31
	(1) Senile gangrene .. { M. F.	29 30	28 24	29 33	40 51	37 30	36 30	33 30	39 44	26 31	30 30	42 23	26 29
	(2) Other gangrene .. { M. F.	2 5	5 2	3 2	3 3	1 6	5 3	2 2	4 7	5 7	2 4	1 2	3 2

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter-national List No.	Causes of Death.	1929.			1930.									
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	
152	Carbuncle, boil { M. F.	30 16	32 14	20 17	34 17	20 10	32 14	33 9	34 14	26 10	22 15	29 14	32 17	
153	Cellulitis, acute abscess .. { M. F.	28 23	28 22	38 24	28 28	46 30	39 30	37 32	27 20	29 24	28 16	21 24	20 28	
	(1) Cellulitis { M. F.	26 14	23 20	30 18	19 24	37 28	29 22	32 24	23 16	25 15	20 9	18 17	18 21	
	(2) Acute abscess { M. F.	2 9	5 2	8 6	9 4	9 2	10 8	5 8	4 4	4 9	8 7	3 7	2 7	
154	Other diseases of the skin and its annexa. { M. F.	20 36	30 27	31 23	37 30	27 38	31 35	23 40	31 45	33 28	22 25	21 32	30 20	
	(1) Ulcer, bed sore .. { M. F.	6 12	5 10	4 11	6 10	3 16	5 13	4 10	4 14	6 7	2 6	3 10	5 5	
	(2) Eczema { M. F.	3 3	4 2	7 2	6 3	3 2	5 3	6 7	10 5	1 3	3 2	5 3	4 2	
	(3) Pemphigus { M. F.	5 8	9 3	5 —	4 7	9 6	9 4	4 8	7 11	10 5	4 5	2 6	10 5	
	(4) Other diseases included under 154. { M. F.	6 13	12 12	15 10	21 10	12 14	12 15	9 15	10 15	16 13	13 12	11 13	11 8	
155-158	X. Diseases of the bones and organs of locomotion. { M. F.	34 39	41 24	49 43	44 33	48 27	55 28	45 33	48 26	44 35	46 32	49 22	44 22	
155	Diseases of the bones .. { M. F.	25 29	33 15	34 38	31 26	37 17	45 21	38 29	37 18	34 23	39 22	37 16	31 16	
	(1) Acute infective osteomyelitis and periostitis. { M. F.	23 24	25 10	26 26	19 18	32 13	32 15	34 19	29 10	28 15	27 14	23 7	25 11	
	(2) Other diseases of the bones. { M. F.	2 5	8 5	8 12	12 8	5 4	13 6	4 10	8 8	6 8	12 8	14 9	6 5	
156	Diseases of the joints .. { M. F.	8 9	5 8	13 4	10 6	8 6	8 3	7 3	10 7	8 8	6 10	9 3	10 6	
157	Amputation { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
158	Other diseases of the organs of locomotion. { M. F.	1 1	3 1	2 1	3 1	3 4	2 4	— 1	1 1	2 4	1 —	3 3	3 —	
159	XI. Congenital malformations { M. F.	170 149	183 134	157 122	179 146	167 151	225 155	188 150	215 141	190 136	165 125	170 113	159 135	
	(1) Congenital hydrocephalus. { M. F.	10 10	13 10	9 8	15 8	10 11	12 9	8 7	14 12	11 7	13 18	10 9	10 2	
	(2) Congenital malformation of heart. { M. F.	56 44	76 51	66 45	79 67	66 56	97 60	86 50	88 51	67 54	70 44	64 35	53 53	
	(3) Other congenital malformations. { M. F.	104 95	94 73	82 69	85 71	91 84	116 86	94 93	113 78	112 75	82 63	96 69	96 80	
160-163	XII. Diseases of early infancy { M. F.	790 555	830 580	896 692	890 649	897 616	979 760	846 650	834 612	742 599	744 546	741 502	677 487	
160	Congenital debility, sclerema and icterus. { M. F.	129 74	142 75	150 88	151 92	146 82	175 112	142 89	137 91	116 67	117 67	118 77	100 74	
	(1) Congenital debility and sclerema. { M. F.	110 66	124 69	132 81	137 76	125 74	152 96	122 80	117 73	87 57	103 57	94 64	81 65	
	(2) Icterus neonatorum .. { M. F.	19 8	18 6	18 7	14 16	21 8	23 16	20 9	20 18	29 10	14 10	24 13	19 9	
161	Premature birth, injury at birth. { M. F.	593 419	627 460	672 537	669 498	675 470	710 568	633 490	609 453	547 395	557 430	550 367	532 377	
	(1) Premature birth .. { M. F.	524 378	554 413	603 509	593 457	607 424	628 517	563 449	545 398	473 349	482 380	467 328	469 334	
	(2) Injury at birth .. { M. F.	69 41	73 47	69 28	76 41	68 46	82 51	70 41	64 55	74 46	75 50	83 39	63 43	
162	Other diseases peculiar to early infancy. { M. F.	61 54	55 40	62 52	61 50	66 56	83 63	64 60	72 54	71 41	66 45	67 50	42 27	

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter- national List No.	Causes of Death.	1929.			1930.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
	(1) Diseases of the umbili- cus. { M. F.	4 1	3 3	3 5	6 6	7 5	1 2	9 11	7 4	5 3	2 1	5 3	1 2
	(2) Atelectasis { M. F.	50 36	41 29	50 39	42 30	48 39	63 48	45 35	51 42	57 29	56 36	49 35	39 19
	(3) Other diseases included under 162. { M. F.	7 17	11 8	9 8	13 14	11 12	19 13	10 14	14 8	9 9	8 8	13 12	2 6
163	Lack of care { M. F.	7 8	6 5	12 15	9 9	10 8	11 17	7 11	16 14	8 6	4 4	6 8	3 9
164	XIII. Old age { M. F.	545 815	635 900	692 893	672 994	765 1025	762 1159	570 912	533 847	499 784	507 732	599 866	494 707
	(1) Senile dementia .. { M. F.	57 98	60 98	74 93	63 99	88 101	95 108	62 100	45 79	43 92	53 74	59 95	50 70
	(2) Other forms of senile decay. { M. F.	488 717	575 802	618 800	609 895	677 924	667 1051	508 812	488 768	456 692	454 658	540 771	444 637
165- 203	XIV. External causes .. { M. F.	1271 529	1175 576	1255 611	1284 578	1095 552	1235 608	1286 536	1290 554	1409 519	1325 487	1518 631	1317 533
165- 174	Suicide { M. F.	284 122	237 112	241 103	307 119	241 91	337 149	323 145	323 142	337 135	282 120	291 121	317 136
165- 166	By solid or liquid poisons and corrosive substances. { M. F.	34 23	17 21	29 20	41 32	25 19	30 36	42 31	37 24	34 27	25 25	31 27	48 25
167	By poisonous gas { M. F.	68 41	62 39	68 37	88 34	63 31	78 43	77 58	71 52	73 45	61 37	59 42	83 48
168	By hanging or strangula- tion. { M. F.	45 19	67 10	46 6	52 12	44 9	62 14	50 8	67 7	68 10	52 16	54 8	52 12
169	By drowning { M. F.	38 16	24 22	30 23	45 33	24 21	60 32	54 26	45 36	56 31	48 15	47 21	45 29
170	By firearms { M. F.	24 2	12 1	11 1	18 —	18 —	26 1	25 —	23 —	27 2	22 2	19 —	21 1
171	By cutting or piercing instruments. { M. F.	52 9	34 8	46 9	33 3	38 7	53 8	55 11	56 8	51 5	47 10	49 8	41 9
172	By jumping from high places { M. F.	8 8	2 4	1 4	11 3	13 1	10 8	6 4	8 5	11 7	8 7	14 10	5 5
173	By crushing { M. F.	15 1	19 1	7 1	18 1	16 1	18 2	14 2	16 5	16 4	19 2	15 2	21 3
174	By other means { M. F.	— 3	— 6	3 2	1 1	— 2	— 5	— 5	— 5	1 4	— 6	3 3	1 4
175- 196 & 201- 203	Violent deaths excluding sui- cide and homicide. { M. F.	980 403	936 450	1010 498	969 451	846 457	899 453	956 384	951 406	1059 372	1032 359	1215 506	991 389
175	Food poisoning { M. F.	1 —	— —	— —	— 1	— —	1 1	— 1	— —	2 —	1 —	2 2	1 —
176	Poisoning by venomous ani- mals. { M. F.	1 6	— —	— —	— —	— —	— —	— —	— 2	3 1	5 3	2 2	5 5
177	Other acute accidental poisonings. { M. F.	3 3	2 4	6 3	7 5	3 7	6 2	8 4	5 3	6 5	8 7	8 7	8 8
178	Conflagration { M. F.	1 3	1 —	1 2	2 3	5 7	1 7	3 2	— 1	1 —	— —	— 2	5 5
179	Accidental burns (conflagra- tion excepted). { M. F.	44 43	75 75	64 98	55 74	61 93	53 98	57 57	59 49	39 35	33 46	43 35	30 42
180	Accidental mechanical suffo- cation. { M. F.	27 16	32 18	27 30	29 33	33 15	40 21	26 10	20 15	14 15	18 15	14 14	23 14
181	Accidental absorption of irre- spirable or poisonous gas. { M. F.	15 10	9 7	13 11	14 6	12 3	13 2	7 5	8 4	14 3	3 4	3 6	4 4
182	Accidental drowning .. { M. F.	69 14	76 24	84 27	84 19	63 13	74 24	87 24	106 23	159 32	156 23	151 26	92 19

TABLE 18.—ENGLAND AND WALES.—DEATHS TABULATED BY CAUSE AND BY MONTH OF OCCURRENCE, 1929-1930—*cont.*

Inter-national List No.	Causes of Death.	1929.			1930.								
		Oct.	Nov.	Dec.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.
183	Accidental injury by firearms { M. F.	3 1	4 1	8 1	10 —	5 —	6 1	3 1	5 —	5 —	8 —	9 1	9 —
184	Accidental injury by cutting or piercing instruments. { M. F.	1 —	1 —	1 —	1 —	— —	1 —	— 1	1 —	3 —	1 —	— —	1 —
185	Accidental injury by fall .. { M. F.	143 132	124 169	175 150	182 144	155 182	153 178	152 150	147 139	122 123	143 110	153 162	149 126
186	Accidental injury in mining and quarrying. { M. F.	105 —	90 —	79 —	81 —	98 —	94 —	62 —	80 —	60 —	58 —	77 —	95 —
187	Accidental injury by machinery. { M. F.	20 1	16 2	18 —	17 1	12 1	19 —	10 —	15 —	8 —	17 —	14 —	14 1
188	Accidental injury by other forms of crushing (vehicles, railways, etc.). { M. F.	508 161	462 142	496 168	442 148	359 127	387 108	509 116	476 153	564 143	509 137	579 192	511 147
189	Injury by animals (poisoning excepted). { M. F.	6 2	1 1	3 —	3 2	6 —	2 3	4 1	3 1	3 1	5 —	3 —	3 —
190	Wounds of war { M. F.	6 —	9 —	5 —	6 —	6 —	6 —	7 —	6 —	5 —	11 —	4 —	6 —
192	Hunger or thirst { M. F.	1 1	1 —	— —	2 1	— 1	2 —	2 —	— —	— —	— —	1 1	1 —
193	Excessive cold { M. F.	1 —	6 —	3 1	6 2	8 3	5 —	— —	— —	— —	— —	— —	— —
194	Excessive heat { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	10 5	9 7	124 49	11 11
195	Lightning { M. F.	— —	1 —	— —	— —	— —	— —	— —	— —	6 —	— 1	2 —	— —
196	Electricity (lightning excepted). { M. F.	4 —	8 1	4 —	7 —	— 1	1 —	1 1	5 —	6 1	6 1	8 1	7 2
197-199	Homicide { M. F.	7 4	2 14	4 10	8 8	8 4	9 6	7 7	16 6	13 12	11 8	12 4	9 8
197	By firearms { M. F.	1 1	— —	— —	— 1	— 1	— 1	1 —	1 1	3 2	— 1	— —	2 1
198	By cutting or piercing instruments. { M. F.	2 2	— 3	1 —	— —	1 —	1 —	— 1	1 1	1 4	1 —	— —	— 1
199	By other means { M. F.	4 1	2 11	3 10	8 7	7 3	8 5	6 6	14 4	9 6	10 7	12 4	7 6
201	Fracture (cause not specified) { M. F.	2 —	— —	2 —	3 —	1 —	3 —	3 —	2 —	1 1	3 2	1 —	2 1
202	Other and unstated forms of accidental violence, execution. { M. F.	18 10	17 5	21 7	17 12	18 4	22 8	13 11	13 16	27 5	38 3	16 5	12 4
203	Violent deaths of unknown causation. { M. F.	1 —	1 1	— —	1 —	1 —	— —	2 —	— —	1 2	— —	1 1	2 —
204-205	XV. Ill-defined diseases. .. { M. F.	33 26	43 29	41 29	46 24	42 29	30 35	32 28	28 27	37 22	37 28	35 28	34 17
204	Sudden death { M. F.	8 7	18 6	8 9	16 4	12 11	7 8	9 7	5 6	8 3	9 9	11 10	7 3
205	Cause of death unstated or ill-defined. { M. F.	25 19	25 23	33 20	30 20	30 18	23 27	23 21	23 21	29 19	28 19	24 18	27 14
	(1) Heart failure (1-70 years). { M. F.	15 14	18 16	23 12	16 14	21 12	13 18	15 14	14 12	19 11	21 14	18 13	22 8
	(2) Other ill-defined causes { M. F.	7 4	6 5	6 6	10 4	4 6	10 6	6 5	6 6	8 5	4 3	6 4	4 4
	(3) Cause not specified. .. { M. F.	3 1	1 2	4 2	4 2	5 —	— 3	2 2	3 3	2 3	3 2	— 1	1 2

TABLE 19.—ENGLAND AND WALES.—CAUSES OF DEATH OF NON-CIVILIANS AT DIFFERENT AGE PERIODS, 1930.

Causes of Death.	All Ages.	15—	20—	25—	30—	35—	40—	45—	50—	55 year and upwards
ALL CAUSES	462	49*	143	83	57	48	36	22	15	9
Enteric fever	2	1	1	—	—	—	—	—	—	—
Measles	2	—	1	—	1	—	—	—	—	—
Scarlet fever	1	—	—	—	—	—	—	—	1	—
Diphtheria	1	1	—	—	—	—	—	—	—	—
Influenza	4	1	2	—	—	—	—	1	—	—
Dysentery	1	—	—	—	—	1	—	—	—	—
Erysipelas	4	—	1	1	—	—	1	1	—	—
Acute poliomyelitis	2	—	1	—	1	—	—	—	—	—
Meningococcal meningitis	12	5	4	1	1	—	—	—	1	—
Tuberculosis of the respiratory system	50	6	12	7	9	9	2	3	2	—
Other tuberculosis	11	3	6	2	—	—	—	—	—	—
Syphilis	3	—	—	—	1	2	—	—	—	—
Purulent infection, Septicæmia	2	—	1	—	—	—	—	1	—	—
Cancer	27	1	6	3	2	5	5	—	3	2
Rheumatic fever	2	—	2	—	—	—	—	—	—	—
Diabetes	7	—	4	2	—	1	—	—	—	—
Pernicious anæmia	2	—	—	1	—	—	—	1	—	—
Leukaemia	3	—	1	1	—	1	—	—	—	—
Other general diseases	2	—	1	—	—	1	—	—	—	—
Meningitis	3	1	1	—	—	1	—	—	—	—
Cerebral hæmorrhage, &c.	4	—	—	1	2	—	—	1	—	—
General paralysis of the insane	2	—	—	—	—	—	2	—	—	—
Epilepsy	2	1	—	1	—	—	—	—	—	—
Cerebral tumour	2	—	1	1	—	—	—	—	—	—
Disseminated sclerosis	2	—	—	—	—	2	—	—	—	—
Diseases of the ear and mastoid sinus	6	1*	2	1	1	1	—	—	—	—
Acute Endocarditis and myocarditis	7	1	4	—	1	—	1	—	—	—
Angina Pectoris	6	—	—	—	—	2	—	2	1	1
Valvular disease	4	—	—	—	—	—	1	2	—	1
Other Heart disease	5	1	2	—	1	1	—	—	—	—
Aneurysm	4	—	—	1	1	—	—	1	1	—
Arterio sclerosis	1	—	—	—	—	—	—	1	—	—
Bronchitis	2	—	—	—	—	—	—	—	1	1
Broncho-pneumonia	6	—	2	1	2	—	1	—	—	—
Lobar pneumonia	26	3	10	6	1	—	6	—	—	—
Pneumonia (not otherwise defined)	4	—	1	—	2	1	—	—	—	—
Empyema	3	—	1	—	2	—	—	—	—	—
Asthma	1	—	—	—	—	1	—	—	—	—
Other Respiratory diseases	2	—	1	1	—	—	—	—	—	—
Diseases of the teeth and gums	2	—	—	1	—	—	—	—	1	—
Diseases of pharynx and tonsils	4	—	2	1	1	—	—	—	—	—
Ulcer of the stomach	7	—	—	1	3	—	2	1	—	—
Ulcer of the duodenum	6	—	—	2	—	2	—	1	—	1
Diarrhoea and enteritis	1	—	—	—	1	—	—	—	—	—
Appendicitis and typhlitis	16	2	6	2	1	4	1	—	—	—
Hernia, intestinal obstruction	11	1	3	2	1	1	1	—	1	1
Diseases of the liver	4	—	2	—	1	—	—	1	—	—
Other diseases of the digestive system	1	—	—	—	—	1	—	—	—	—
Acute nephritis	3	1	1	—	—	—	—	1	—	—
Chronic nephritis	10	2	1	—	2	1	2	—	1	1
Cellulitis	2	—	—	1	1	—	—	—	—	—
Other diseases	2	—	1	1	—	—	—	—	—	—
Suicide	23	1	4	6	3	2	4	1	1	1
Accidental burns	3	—	2	—	—	—	1	—	—	—
Accidental drowning	7	2	3	—	—	2	—	—	—	—
Accidental injury by firearms	3	—	2	—	1	—	—	—	—	—
Accidental injury by fall	10	2	2	2	—	2	2	—	—	—
Injury by other forms of crushing (vehicles, railways, &c.)	98	9	42	28	11	3	2	2	1	—
Excessive heat	3	1	—	1	1	—	—	—	—	—
Lightning	1	—	1	—	—	—	—	—	—	—
Homicide	3	—	1	—	1	1	—	—	—	—
Other violence	12	2	2	4	1	—	2	1	—	—

* Including 1 aged 14 years.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
ALL AREAS—ENGLAND AND WALES—(TOTAL DEATHS REGISTERED).

CAUSES OF DEATH.		Sex.	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	{	M	234,010	22,587	4,403	4,532	6,643	10,010	24,727	65,908	51,825	43,375
		F	221,417	16,321	3,831	3,990	6,028	9,011	23,452	52,890	47,369	58,525
1 Enteric fever ..	{	M	163	2	3	2	15	31	56	43	10	1
		F	150	—	—	3	9	32	49	43	13	1
2 Small-pox.. ..	{	M	15	2	—	—	4	1	1	4	2	1
		F	13	5	—	—	2	—	—	3	2	1
3 Measles	{	M	2,264	524	883	601	235	9	7	4	1	—
		F	1,924	378	753	547	213	6	15	9	2	1
4 Scarlet fever ..	{	M	352	10	29	110	140	29	28	5	1	—
		F	388	3	39	105	174	23	31	10	2	1
5 Whooping cough..	{	M	897	453	267	143	29	1	2	—	—	2
		F	1,140	512	327	242	51	2	1	2	—	3
6 Diphtheria	{	M	1,725	78	141	559	854	46	30	14	3	—
		F	1,772	48	151	496	940	59	39	35	3	1
7 Influenza	{	M	2,742	71	18	45	68	145	461	1,063	502	369
		F	2,277	59	20	40	82	66	305	661	524	520
8 Encephalitis lethargica ..	{	M	437	1	9	19	41	73	108	139	40	7
		F	479	2	8	17	31	76	143	149	44	9
9 Meningococcal meningitis ..	{	M	363	104	34	35	78	60	36	16	—	—
		F	269	75	36	49	54	22	20	13	—	—
10 Tuberculosis of respiratory system	{	M	16,468	55	51	79	222	2,865	6,544	5,799	759	94
		F	12,946	41	39	77	422	3,892	5,655	2,352	372	96
11 Other tuberculous diseases..	{	M	3,318	273	344	459	599	575	588	363	92	25
		F	3,013	216	272	388	630	545	525	306	93	38
12 Cancer, malignant disease ..	{	M	26,916	6	7	30	57	166	1,422	11,680	9,260	4,288
		F	30,967	14	10	26	48	123	2,727	13,502	8,662	5,855
13 Rheumatic fever..	{	M	693	—	—	27	234	150	147	105	23	7
		F	812	—	—	23	272	172	167	134	31	13
14 Diabetes	{	M	2,317	1	1	4	41	86	215	817	787	365
		F	3,342	1	—	5	45	64	219	1,229	1,203	576
15 Cerebral hæmorrhage, &c. ..	{	M	10,940	—	2	2	5	16	262	3,171	4,066	3,416
		F	14,439	2	1	3	4	12	301	3,783	4,754	5,579
16 Heart disease	{	M	42,961	2	4	27	347	656	2,253	12,867	14,396	12,409
		F	47,142	2	7	34	448	880	2,774	10,982	14,032	17,983
17 Arterio-sclerosis ..	{	M	10,088	—	—	—	—	1	63	1,992	3,888	4,144
		F	8,837	—	—	—	—	—	43	1,362	2,790	4,642
18 Bronchitis.. ..	{	M	10,179	985	184	87	61	71	424	2,317	2,652	3,398
		F	9,344	733	177	92	53	44	201	1,246	2,310	4,488
19 Pneumonia (all forms) ..	{	M	16,468	3,004	1,305	803	556	607	2,364	4,569	2,042	1,218
		F	11,256	2,156	1,051	672	460	323	1,119	2,126	1,693	1,656
20 Other respiratory diseases..	{	M	2,715	119	58	83	82	95	361	992	483	442
		F	1,955	70	30	69	71	64	216	475	367	593
21 Ulcer of stomach or duodenum ..	{	M	3,211	2	—	—	2	78	851	1,652	473	153
		F	1,036	4	—	—	3	24	189	523	194	99
22 Diarrhoea, &c. ..	{	M	2,988	2,117	242	83	57	35	87	140	108	119
		F	2,503	1,405	228	120	55	55	147	167	129	197
23 Appendicitis and typhlitis..	{	M	1,693	3	5	74	271	292	383	454	160	51
		F	1,248	—	3	45	197	155	265	361	152	70
24 Cirrhosis of liver ..	{	M	1,100	1	—	—	2	5	79	628	313	72
		F	556	2	—	—	4	4	64	308	128	46
25 Acute and chronic nephritis ..	{	M	7,902	23	18	37	109	234	744	2,970	2,324	1,443
		F	7,729	14	10	25	116	250	878	2,749	2,140	1,547
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	1,243	—	—	—	—	234	997	12	—	—
27 Other accidents and diseases of pregnancy and parturition ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	1,611	—	—	—	—	238	1,351	22	—	—
28 Congenital debility and malformation, premature birth ..	{	M	11,089	10,831	58	37	64	43	41	13	2	—
		F	8,103	7,883	55	46	40	37	25	12	4	1
29 Suicide	{	M	3,527	—	—	—	7	213	948	1,730	482	147
		F	1,524	—	—	—	—	122	526	672	167	37
30 Other deaths from violence..	{	M	11,953	345	198	538	1,157	2,088	2,734	2,890	1,135	868
		F	5,195	264	132	318	465	396	519	977	789	1,335
31 Other defined diseases..	{	M	38,085	3,559	510	645	1,303	1,329	3,444	9,251	7,717	10,327
		F	37,898	2,419	457	546	1,133	1,085	3,916	8,530	6,682	13,130
32 Causes ill-defined or unknown ..	{	M	441	16	32	3	3	10	44	220	104	9
		F	306	13	25	2	6	6	25	135	87	7

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.		Sex.	ADMINISTRATIVE COUNTY OF LONDON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	26,524	2,355	633	492	679	1,114	2,838	8,165	5,740	4,508
		F	24,468	1,754	572	471	547	1,079	2,524	5,935	5,023	6,563
1 Enteric fever	..	M	7	—	—	—	2	1	—	2	2	—
		F	19	—	—	—	—	4	11	1	3	—
2 Small-pox..	..	M	3	1	—	—	1	—	—	1	—	—
		F	9	4	—	—	1	—	—	3	1	—
3 Measles	M	552	137	258	123	32	1	1	—	—	—
		F	475	80	233	133	27	1	1	—	—	—
4 Scarlet fever	..	M	56	1	9	22	17	3	4	—	—	—
		F	56	1	7	23	16	2	5	2	—	—
5 Whooping cough	..	M	61	32	18	10	1	—	—	—	—	—
		F	67	30	22	10	5	—	—	—	—	—
6 Diphtheria	..	M	243	16	35	79	102	5	3	3	—	—
		F	209	13	27	87	74	4	2	2	—	—
7 Influenza	M	188	10	2	2	—	12	27	65	42	28
		F	178	8	1	2	3	2	15	53	48	46
8 Encephalitis lethargica	..	M	35	—	1	2	3	9	8	10	2	—
		F	37	—	1	1	1	4	6	13	7	4
9 Meningococcal meningitis	..	M	53	23	5	4	10	6	4	1	—	—
		F	31	14	8	5	1	1	2	—	—	—
10 Tuberculosis of respiratory system	..	M	2,304	9	6	5	22	342	836	917	147	20
		F	1,522	6	6	5	36	476	642	292	46	13
11 Other tuberculous diseases..	..	M	273	23	17	40	49	54	44	33	7	6
		F	253	17	24	36	50	53	39	23	7	4
12 Cancer, malignant disease	M	3,356	1	1	3	4	18	201	1,561	1,066	501
		F	3,552	2	1	5	6	23	316	1,524	953	722
13 Rheumatic fever	..	M	82	—	—	2	29	22	21	7	1	—
		F	92	—	—	4	37	23	15	10	3	—
14 Diabetes	M	223	—	—	—	1	7	16	86	90	23
		F	316	—	—	—	3	1	14	127	119	52
15 Cerebral hæmor- rhage, &c.	..	M	863	—	—	1	—	1	29	271	325	236
		F	1,225	—	—	—	1	1	17	338	386	482
16 Heart disease	..	M	5,257	—	1	1	34	91	275	1,604	1,709	1,542
		F	5,767	—	2	4	54	133	345	1,223	1,616	2,390
17 Arterio-sclerosis	..	M	942	—	—	—	—	—	7	209	352	374
		F	881	—	—	—	—	—	9	154	279	439
18 Bronchitis..	..	M	1,024	64	7	4	—	5	49	306	260	329
		F	922	51	9	10	1	5	20	129	215	482
19 Pneumonia (all forms)	M	1,987	373	162	62	43	41	233	631	288	154
		F	1,463	311	121	53	34	37	125	276	231	275
20 Other respiratory diseases..	..	M	323	11	2	6	9	13	42	117	57	66
		F	222	9	3	3	7	5	16	47	46	86
21 Ulcer of stomach or duodenum	..	M	469	—	—	—	—	9	113	248	72	27
		F	162	—	—	—	—	8	28	82	30	14
22 Diarrhœa, &c.	..	M	436	358	25	6	2	5	7	16	7	10
		F	382	272	32	7	3	12	14	13	8	21
23 Appendicitis and typhlitis..	..	M	202	—	1	12	37	42	36	48	19	7
		F	149	—	—	7	15	23	36	41	15	12
24 Cirrhosis of liver	..	M	143	1	—	—	—	—	18	77	40	7
		F	105	—	—	—	—	—	16	59	22	8
25 Acute and chronic nephritis	..	M	928	2	1	1	10	27	82	357	267	181
		F	940	—	—	2	11	25	97	347	259	199
26 Puerperal sepsis	..	M	—	—	—	—	—	—	—	—	—	—
		F	134	—	—	—	—	24	108	2	—	—
27 Other accidents and dis- eases of pregnancy and parturition	..	M	—	—	—	—	—	—	—	—	—	—
		F	97	—	—	—	—	21	76	—	—	—
28 Congenital debility and malformation, pre- mature birth	..	M	961	940	10	—	3	1	5	2	—	—
		F	679	653	5	4	3	10	2	1	1	—
29 Suicide	M	404	—	—	—	—	22	123	181	53	25
		F	206	—	—	—	—	14	65	100	23	4
30 Other deaths from violence..	..	M	1,265	41	17	37	138	212	232	281	171	136
		F	723	36	10	21	49	43	89	146	127	202
31 Other defined diseases..	..	M	3,873	312	51	70	130	162	421	1,129	762	836
		F	3,588	245	59	48	109	123	393	927	576	1,108
32 Causes ill-defined or unknown	..	M	11	—	4	—	—	3	1	2	1	—
		F	7	2	1	1	—	1	—	—	2	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF COUNTY BOROUGHES (ENGLAND AND WALES).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	82,414	8,944	1,858	1,761	2,428	3,550	9,188	24,841	17,436	12,408
	F	77,189	6,463	1,613	1,577	2,249	3,431	8,662	19,219	16,276	17,699
1 Enteric fever ..	M	60	1	1	2	3	12	25	15	—	1
	F	38	—	—	1	1	13	11	9	2	1
2 Small-pox..	M	3	1	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	—	1
3 Measles ..	M	916	226	342	255	90	1	—	2	—	—
	F	760	153	301	233	69	1	2	—	1	—
4 Scarlet fever ..	M	121	6	13	38	47	7	8	1	1	—
	F	147	2	19	37	69	8	6	4	1	1
5 Whooping cough ..	M	395	194	134	55	11	—	—	—	—	1
	F	494	219	129	124	21	1	—	—	—	—
6 Diphtheria ..	M	653	32	60	215	316	16	11	3	—	—
	F	661	12	67	184	359	11	15	12	1	—
7 Influenza ..	M	894	20	7	18	23	40	155	388	137	106
	F	766	22	5	21	34	26	105	224	179	150
8 Encephalitis lethargica ..	M	150	—	1	6	13	26	41	46	13	4
	F	153	—	3	5	10	34	46	42	13	—
9 Meningococcal meningitis ..	M	134	52	14	12	28	10	14	4	—	—
	F	111	37	20	16	20	8	6	4	—	—
10 Tuberculosis of respiratory system	M	6,901	30	23	37	100	1,143	2,647	2,574	317	30
	F	5,043	20	19	46	175	1,499	2,199	928	133	24
11 Other tuberculous diseases..	M	1,271	114	149	184	244	203	205	140	25	7
	F	1,180	97	120	161	251	233	175	101	31	11
12 Cancer, malignant disease ..	M	8,896	2	2	5	20	51	502	4,198	3,040	1,076
	F	10,381	8	3	11	13	45	1,010	4,752	2,843	1,696
13 Rheumatic fever ..	M	239	—	—	13	86	48	43	38	8	3
	F	300	—	—	6	106	64	57	55	5	7
14 Diabetes ..	M	751	—	—	—	12	26	79	295	231	108
	F	1,187	—	—	—	13	28	77	458	437	174
15 Cerebral hæmorrhage, &c. ..	M	3,564	—	—	—	3	10	100	1,125	1,383	943
	F	4,556	1	—	1	—	5	113	1,294	1,551	1,591
16 Heart disease ..	M	14,310	—	1	11	138	251	848	4,755	4,762	3,544
	F	16,106	1	3	13	183	365	1,088	4,119	4,811	5,523
17 Arterio-sclerosis ..	M	3,630	—	—	—	—	1	28	826	1,485	1,290
	F	3,143	—	—	—	—	—	17	567	1,040	1,519
18 Bronchitis..	M	3,958	422	72	28	20	29	197	1,057	1,043	1,090
	F	3,587	310	82	27	19	17	95	555	939	1,543
19 Pneumonia (all forms) ..	M	6,888	1,308	601	351	227	280	1,050	1,952	748	371
	F	4,523	920	502	284	191	136	437	878	637	538
20 Other respiratory diseases..	M	855	40	23	23	24	38	133	336	125	113
	F	617	22	13	25	22	23	71	161	126	154
21 Ulcer of stomach or duodenum ..	M	1,079	—	—	—	—	24	290	590	135	40
	F	352	1	—	—	—	9	70	178	66	28
22 Diarrhoea, &c. ..	M	1,270	966	116	37	23	9	30	40	20	29
	F	982	628	92	50	13	19	43	48	40	49
23 Appendicitis and typhlitis..	M	562	1	1	21	99	103	140	136	49	12
	F	406	—	3	8	61	50	96	119	50	19
24 Cirrhosis of liver ..	M	342	—	—	—	1	1	22	214	88	16
	F	167	2	—	—	—	—	24	97	31	13
25 Acute and chronic nephritis ..	M	2,687	6	5	12	44	83	279	1,111	742	405
	F	2,673	2	5	9	34	90	341	999	723	465
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	455	—	—	—	—	92	358	5	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—
	F	538	—	—	—	—	75	458	5	—	—
28 Congenital debility and malformation, premature birth ..	M	4,103	4,020	18	11	21	16	13	4	—	—
	F	3,047	2,991	11	11	9	8	14	2	1	—
29 Suicide ..	M	1,237	—	—	—	1	63	339	622	166	46
	F	581	—	—	—	—	49	220	243	51	18
30 Other deaths from violence..	M	3,676	125	79	190	408	583	746	897	361	287
	F	1,777	80	51	110	163	122	172	350	288	441
31 Other defined diseases..	M	12,734	1,374	181	235	424	474	1,229	3,405	2,526	2,886
	F	12,367	931	152	194	411	398	1,328	2,977	2,248	3,728
32 Causes ill-defined or unknown ..	M	135	4	15	2	1	2	13	67	31	—
	F	90	4	13	—	2	2	8	33	23	5

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATHS.		Sex	AGGREGATE OF URBAN DISTRICTS (ENGLAND AND WALES).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	78,969	7,331	1,309	1,548	2,322	3,334	8,267	22,066	18,011	14,781
		F	76,529	5,179	1,088	1,328	2,185	2,985	8,083	18,284	16,693	20,704
1 Enteric fever	..	M	62	—	2	—	6	11	20	17	6	—
		F	59	—	—	1	4	11	21	19	3	—
2 Small-pox..	..	M	8	—	—	—	2	1	—	3	1	1
		F	3	1	—	—	1	—	—	—	1	—
3 Measles	M	621	129	229	178	76	4	3	1	1	—
		F	516	111	163	145	88	2	5	2	—	—
4 Scarlet fever	..	M	111	2	6	31	52	9	8	3	—	—
		F	120	—	9	32	57	8	13	1	—	—
5 Whooping cough..	..	M	254	117	72	53	9	—	2	—	—	1
		F	361	157	116	72	13	—	—	2	—	1
6 Diphtheria	..	M	569	26	33	182	302	10	8	7	1	—
		F	622	18	43	165	349	26	8	11	2	—
7 Influenza	M	1,039	28	8	17	31	65	178	403	181	128
		F	802	15	7	10	27	28	116	254	172	173
8 Encephalitis lethargica	..	M	165	1	2	7	19	26	38	57	14	1
		F	185	1	1	6	14	23	62	58	17	3
9 Meningococcal meningitis	..	M	99	22	10	14	23	18	6	6	—	—
		F	88	19	6	16	22	9	12	4	—	—
10 Tuberculosis of respiratory system	..	M	5,048	13	12	31	71	943	2,091	1,660	202	25
		F	4,194	11	5	20	137	1,328	1,826	714	117	36
11 Other tuberculous diseases	M	1,132	98	117	164	198	198	198	122	31	6
		F	1,055	67	87	147	223	178	194	107	36	16
12 Cancer, malignant disease	M	9,213	1	2	15	22	64	454	3,923	3,204	1,528
		F	10,812	4	4	6	20	29	935	4,717	3,039	2,058
13 Rheumatic fever..	..	M	251	—	—	7	80	55	57	43	6	3
		F	300	—	—	11	96	67	67	43	12	4
14 Diabetes	M	838	—	1	1	10	29	81	289	288	139
		F	1,210	—	—	4	18	24	87	430	436	211
15 Cerebral hæmorrhage, &c.	..	M	4,040	—	1	—	2	2	96	1,205	1,512	1,222
		F	5,518	—	—	2	2	4	116	1,466	1,806	2,122
16 Heart disease	..	M	14,513	1	2	10	131	221	789	4,385	4,897	4,077
		F	16,036	1	1	12	157	259	981	3,728	4,865	6,032
17 Arterio-sclerosis	M	3,381	—	—	—	—	—	19	629	1,346	1,387
		F	3,059	—	—	—	—	—	15	428	946	1,670
18 Bronchitis..	..	M	3,403	338	63	40	30	27	130	700	955	1,120
		F	3,206	239	49	39	24	14	69	429	819	1,524
19 Pneumonia (all forms)	M	5,129	917	377	268	196	194	717	1,401	616	443
		F	3,475	610	300	227	166	107	340	648	523	554
20 Other respiratory diseases	M	974	41	20	34	35	34	118	350	184	158
		F	719	24	10	26	29	23	96	172	120	219
21 Ulcer of stomach or duodenum	..	M	1,106	1	—	—	1	32	304	557	163	48
		F	346	2	—	—	1	5	59	171	71	37
22 Diarrhoea, &c.	..	M	846	556	66	26	19	14	28	47	52	38
		F	756	354	69	36	27	13	50	72	52	83
23 Appendicitis and typhlitis	..	M	603	1	3	23	90	86	144	181	54	21
		F	454	—	—	19	70	56	85	140	59	25
24 Cirrhosis of liver	M	426	—	—	—	—	3	28	235	127	33
		F	191	—	—	—	2	2	15	107	53	12
25 Acute and chronic nephritis	..	M	2,653	9	6	12	36	76	259	1,009	798	448
		F	2,599	5	1	9	48	91	286	927	700	532
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
		F	406	—	—	—	—	74	327	5	—	—
27 Other accidents and diseases of pregnancy and parturition	..	M	—	—	—	—	—	—	—	—	—	—
		F	638	—	—	—	—	92	538	8	—	—
28 Congenital debility and malformation, premature birth	..	M	3,794	3,708	18	17	21	16	12	1	1	—
		F	2,714	2,626	23	19	19	13	8	4	1	1
29 Suicide	M	1,182	—	—	—	4	64	309	594	161	50
		F	496	—	—	—	—	33	167	219	65	12
30 Other deaths from violence	M	4,131	110	66	199	388	698	991	1,021	379	279
		F	1,716	104	42	111	164	124	155	305	261	450
31 Other defined diseases	M	13,219	1,209	184	218	467	431	1,163	3,130	2,796	3,621
		F	13,763	807	147	192	406	341	1,419	3,041	2,482	4,928
32 Causes ill-defined or unknown	..	M	159	3	9	1	1	3	16	87	35	4
		F	110	3	5	1	1	1	11	52	35	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF RURAL DISTRICTS (ENGLAND AND WALES).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	45,641	3,957	603	731	1,213	1,821	4,210	10,792	10,637	11,677
		F	43,231	2,925	558	614	1,047	1,516	4,183	9,452	9,377	13,559
1 Enteric fever	..	M	32	1	—	—	4	5	11	9	2	—
		F	34	—	—	1	4	4	6	14	5	—
2 Small-pox..	..	M	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	173	32	54	45	37	2	2	1	—	—
		F	173	34	56	36	29	2	7	7	1	1
4 Scarlet fever	..	M	63	1	1	19	24	10	8	—	—	—
		F	65	—	4	13	32	5	7	3	1	—
5 Whooping cough	{	M	187	110	43	25	8	1	—	—	—	—
		F	218	106	60	36	12	1	1	—	—	2
6 Diphtheria	..	M	259	4	13	83	134	14	8	1	2	—
		F	280	5	14	60	158	18	14	10	—	1
7 Influenza	M	617	13	1	8	14	25	101	206	142	107
		F	531	14	7	7	18	10	69	130	125	151
8 Encephalitis lethargica	..	M	87	—	5	4	6	12	21	26	11	2
		F	104	1	3	5	6	15	29	36	7	2
9 Meningococcal meningitis	..	M	65	7	5	5	17	17	10	4	—	—
		F	39	5	2	12	11	4	—	5	—	—
10 Tuberculosis of respiratory system	{	M	2,165	3	10	6	29	419	943	643	93	19
		F	2,187	4	9	6	74	589	988	418	76	23
11 Other tuberculous diseases	M	631	38	61	71	108	111	139	68	29	6
		F	525	35	41	44	106	81	117	75	19	7
12 Cancer, malignant disease	M	5,424	2	2	7	11	26	250	1,993	1,950	1,183
		F	6,222	—	2	4	9	26	466	2,509	1,827	1,379
13 Rheumatic fever ..	{	M	119	—	—	5	39	23	26	17	8	1
		F	120	—	—	2	33	18	28	26	11	2
14 Diabetes	M	498	1	—	3	18	20	36	147	178	95
		F	629	1	—	1	11	11	41	214	211	139
15 Cerebral hæmorrhage, &c. ..	{	M	2,469	—	1	1	—	3	34	569	846	1,015
		F	3,140	1	1	—	1	2	55	685	1,011	1,384
16 Heart disease	..	M	8,859	1	—	5	44	85	334	2,117	3,027	3,246
		F	9,233	—	1	5	54	123	360	1,912	2,740	4,038
17 Arterio-sclerosis ..	{	M	2,134	—	—	—	—	—	9	327	705	1,093
		F	1,754	—	—	—	—	—	2	213	525	1,014
18 Bronchitis..	..	M	1,792	161	42	15	11	10	48	252	394	859
		F	1,629	133	37	16	9	8	17	133	337	939
19 Pneumonia (all forms) ..	{	M	2,428	406	165	122	90	76	344	585	390	250
		F	1,795	315	128	108	69	43	217	324	302	289
20 Other respiratory diseases..	..	M	557	27	13	20	14	8	64	189	117	105
		F	397	15	4	15	13	13	33	95	75	134
21 Ulcer of stomach or duodenum	..	M	544	1	—	—	1	13	134	254	103	38
		F	176	1	—	—	2	2	32	92	27	20
22 Diarrhœa, &c. ..	{	M	435	237	35	14	13	7	21	37	29	42
		F	383	151	35	27	12	11	40	34	29	44
23 Appendicitis and typhlitis..	{	M	310	1	—	18	45	53	55	89	38	11
		F	239	—	—	11	51	26	48	61	28	14
24 Cirrhosis of liver ..	{	M	189	—	—	—	1	1	11	102	58	16
		F	93	—	—	—	2	2	9	45	22	13
25 Acute and chronic nephritis	..	M	1,621	6	6	12	19	43	119	491	517	408
		F	1,517	7	4	5	23	44	154	476	453	351
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	248	—	—	—	—	44	204	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	338	—	—	—	—	50	279	9	—	—
28 Congenital debility and malformation, premature birth ..	{	M	2,231	2,163	12	9	19	10	11	6	1	—
		F	1,663	1,613	16	12	9	6	1	5	1	—
29 Suicide	M	681	—	—	—	2	59	162	330	102	26
		F	241	—	—	—	—	26	74	110	28	3
30 Other deaths from violence..	{	M	2,741	69	36	112	223	524	700	687	224	166
		F	979	44	29	76	89	107	103	176	113	242
31 Other defined diseases..	..	M	8,193	664	94	122	281	242	595	1,578	1,633	2,984
		F	8,180	436	99	112	207	223	776	1,585	1,376	3,366
32 Causes ill-defined or unknown	..	M	136	9	4	—	1	2	14	64	37	5
		F	99	4	6	—	3	2	6	50	27	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF NORTHERN COUNTIES.*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	82,252	9,106	1,863	1,885	2,521	3,588	9,018	24,166	17,884	12,221
	F	76,838	6,531	1,604	1,579	2,324	3,315	8,645	19,536	16,812	16,492
1 Enteric fever ..	M	79	1	1	2	7	17	33	16	2	—
	F	62	—	—	1	1	13	17	23	7	—
2 Small-pox..	M	2	—	—	—	—	1	1	—	—	—
	F	1	—	—	—	—	—	—	—	—	1
3 Measles ..	M	821	202	308	226	80	—	2	3	—	—
	F	667	143	255	197	64	2	4	2	—	—
4 Scarlet fever ..	M	139	6	10	52	54	7	8	2	—	—
	F	152	2	18	36	77	5	7	5	2	—
5 Whooping cough ..	M	390	196	124	57	11	1	—	—	—	1
	F	475	217	135	104	18	1	—	—	—	—
6 Diphtheria ..	M	574	28	43	194	276	15	12	5	1	—
	F	589	15	47	163	333	13	9	8	1	—
7 Influenza ..	M	1,074	22	11	26	32	60	220	425	167	111
	F	854	16	7	23	39	36	125	259	203	146
8 Encephalitis lethargica ..	M	189	1	1	6	16	31	53	61	19	1
	F	193	1	3	5	9	33	62	66	14	—
9 Meningococcal meningitis ..	M	159	44	14	19	35	25	18	4	—	—
	F	112	30	16	23	27	8	4	4	—	—
10 Tuberculosis of respiratory system	M	5,829	22	26	36	109	1,052	2,187	2,130	244	23
	F	4,476	13	17	44	195	1,405	1,917	735	128	22
11 Other tuberculous diseases..	M	1,349	108	159	205	244	230	218	140	36	9
	F	1,322	100	131	175	278	246	221	128	32	11
12 Cancer, malignant disease ..	M	8,485	2	1	9	16	58	467	3,985	2,915	1,032
	F	9,944	8	6	4	8	38	993	4,665	2,734	1,488
13 Rheumatic fever ..	M	240	—	—	4	76	56	55	43	5	1
	F	296	—	—	4	88	59	66	64	11	4
14 Diabetes ..	M	813	—	—	2	15	26	96	295	266	113
	F	1,202	—	—	2	14	22	76	507	442	139
15 Cerebral hæmorrhage, &c. ..	M	3,819	—	—	—	4	8	95	1,253	1,504	955
	F	4,912	—	—	1	1	4	123	1,390	1,762	1,631
16 Heart disease ..	M	14,104	—	—	7	127	221	869	4,696	4,848	3,336
	F	15,513	—	1	15	160	327	1,122	4,236	4,832	4,820
17 Arterio-sclerosis ..	M	4,115	—	—	—	—	1	28	852	1,698	1,536
	F	3,371	—	—	—	—	—	20	534	1,160	1,657
18 Bronchitis..	M	3,928	465	103	45	27	29	186	1,007	1,048	1,018
	F	3,609	347	93	34	27	22	104	603	973	1,406
19 Pneumonia (all forms) ..	M	6,937	1,274	581	396	301	296	1,086	1,884	760	359
	F	4,399	862	515	316	233	135	458	850	611	419
20 Other respiratory diseases..	M	902	48	24	34	38	33	135	331	136	123
	F	654	29	12	32	28	23	84	177	115	154
21 Ulcer of stomach or duodenum ..	M	1,032	—	—	—	2	41	317	515	124	33
	F	306	3	—	—	—	9	71	145	54	24
22 Diarrhoea, &c. ..	M	1,198	853	117	39	36	19	23	45	35	31
	F	960	569	94	56	26	11	45	60	43	56
23 Appendicitis and typhlitis..	M	517	—	2	22	96	96	122	116	48	15
	F	401	—	1	11	67	54	84	118	49	17
24 Cirrhosis of liver ..	M	311	—	—	—	—	4	16	188	86	17
	F	126	—	—	—	—	1	13	72	34	6
25 Acute and chronic nephritis ..	M	2,822	9	9	12	46	83	303	1,188	786	386
	F	2,853	3	4	11	40	88	366	1,095	786	460
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	475	—	—	—	—	98	373	4	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—
	F	684	—	—	—	—	106	574	4	—	—
28 Congenital debility and malformation, premature birth ..	M	4,333	4,246	17	16	20	17	16	1	—	—
	F	3,179	3,115	11	16	14	7	10	5	—	1
29 Suicide ..	M	1,176	—	—	—	2	59	320	593	161	41
	F	456	—	—	—	—	39	153	207	44	13
30 Other deaths from violence..	M	4,019	120	75	226	406	640	929	1,038	359	226
	F	1,762	83	52	113	182	143	165	345	301	378
31 Other defined diseases..	M	12,685	1,457	223	250	445	457	1,182	3,226	2,593	2,852
	F	12,682	972	173	192	392	364	1,364	3,160	2,430	3,635
32 Causes ill-defined or unknown ..	M	211	2	14	—	—	5	21	124	43	2
	F	151	3	13	1	3	3	15	65	44	4

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF MIDLAND COUNTIES.*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	72,059	6,823	1,164	1,297	2,028	3,062	7,537	19,325	15,940	14,883
	F	68,140	4,889	1,006	1,192	1,895	2,755	7,202	15,469	14,257	19,475
1 Enteric fever ..	M	50	1	2	—	6	9	14	14	3	1
	F	42	—	—	2	5	8	13	12	2	—
2 Small-pox ..	M	9	1	—	—	3	—	—	3	2	—
	F	2	1	—	—	—	—	—	—	1	—
3 Measles ..	M	551	117	195	162	70	4	1	1	1	—
	F	460	90	163	129	68	—	4	4	1	1
4 Scarlet fever ..	M	94	2	5	18	44	16	9	—	—	—
	F	106	—	11	25	47	10	12	1	—	—
5 Whooping cough ..	M	253	126	76	42	8	—	—	—	—	1
	F	380	165	106	85	22	1	—	1	—	—
6 Diphtheria ..	M	522	25	40	157	275	12	9	4	—	—
	F	570	10	50	145	312	26	13	12	1	1
7 Influenza ..	M	852	24	3	12	22	40	123	343	167	118
	F	656	22	8	5	22	14	89	189	139	168
8 Encephalitis lethargica ..	M	117	—	4	6	8	17	31	37	10	4
	F	138	1	1	8	9	27	43	35	13	1
9 Meningococcal meningitis ..	M	93	25	12	10	19	12	9	6	—	—
	F	85	21	7	14	22	7	11	3	—	—
10 Tuberculosis of respiratory system	M	4,977	13	14	25	53	874	2,093	1,679	197	29
	F	4,015	14	5	18	118	1,198	1,788	746	99	29
11 Other tuberculous diseases..	M	953	92	100	138	169	154	166	103	25	6
	F	824	67	66	109	188	132	138	83	30	11
12 Cancer, malignant disease ..	M	8,687	1	4	8	21	62	450	3,591	3,072	1,478
	F	9,767	—	1	10	21	38	845	4,080	2,755	2,017
13 Rheumatic fever ..	M	226	—	—	11	83	42	51	29	6	4
	F	281	—	—	10	100	61	54	40	11	5
14 Diabetes ..	M	763	—	1	2	11	31	60	249	272	137
	F	1,038	1	—	2	15	19	64	346	376	215
15 Cerebral hæmorrhage, &c. ..	M	3,600	—	1	1	—	4	80	968	1,288	1,258
	F	4,719	2	1	1	2	5	98	1,197	1,508	1,905
16 Heart disease ..	M	13,106	1	—	11	118	199	649	3,657	4,366	4,105
	F	14,349	—	3	9	136	268	799	3,139	4,165	5,830
17 Arterio-sclerosis ..	M	2,842	—	—	—	—	—	19	510	1,023	1,290
	F	2,455	—	—	—	—	—	8	358	733	1,356
18 Bronchitis..	M	3,014	268	39	21	20	19	107	593	747	1,200
	F	2,803	193	45	30	13	9	41	283	699	1,490
19 Pneumonia (all forms) ..	M	4,732	858	349	215	126	175	703	1,317	586	403
	F	3,321	623	258	200	130	93	352	612	529	524
20 Other respiratory diseases..	M	797	30	17	24	20	24	108	297	158	119
	F	617	19	9	15	18	20	62	143	124	207
21 Ulcer of stomach or duodenum ..	M	976	2	—	—	—	17	250	501	157	49
	F	319	—	—	—	2	2	57	168	58	32
2 Diarrhœa, &c. ..	M	884	613	59	28	12	8	36	50	33	45
	F	717	378	63	34	18	20	50	50	41	63
23 Appendicitis and typhlitis ..	M	540	2	1	20	77	84	125	165	52	14
	F	384	—	2	19	66	42	88	102	44	21
24 Cirrhosis of liver ..	M	347	—	—	—	1	1	28	190	101	26
	F	186	2	—	—	2	—	23	96	44	19
25 Acute and chronic nephritis ..	M	2,205	8	6	15	36	73	209	755	671	432
	F	2,092	6	4	10	40	87	237	727	567	414
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	388	—	—	—	—	66	319	3	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—
	F	463	—	—	—	—	56	397	10	—	—
28 Congenital debility and malformation, premature birth ..	M	3,537	3,457	16	10	21	15	9	8	1	—
	F	2,554	2,481	20	12	12	14	9	3	3	—
29 Suicide ..	M	1,161	—	—	—	3	84	290	575	158	51
	F	521	—	—	—	—	47	193	212	58	11
30 Other deaths from violence..	M	3,806	105	66	167	370	688	856	865	365	324
	F	1,595	85	43	112	147	124	151	287	206	440
31 Other defined diseases..	M	12,245	1,049	147	192	429	397	1,040	2,759	2,447	3,785
	F	12,201	704	133	188	359	360	1,238	2,482	2,023	4,714
32 Causes ill-defined or unknown ..	M	120	3	7	2	3	1	12	56	32	4
	F	92	4	7	—	1	1	6	45	27	1

* See footnote to Table 14, page 66.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF SOUTHERN COUNTIES (INCLUDING LONDON).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	63,018	4,990	1,062	1,007	1,593	2,352	6,236	17,819	14,375	13,584
	F	61,827	3,645	973	920	1,331	2,231	5,861	14,282	13,352	19,232
1 Enteric fever ..	M	26	—	—	—	2	1	8	10	5	—
	F	40	—	—	—	1	10	18	6	4	1
2 Small-pox..	M	3	1	—	—	1	—	—	1	—	—
	F	9	4	—	—	1	—	—	3	1	—
3 Measles ..	M	806	189	344	192	76	3	2	—	—	—
	F	701	126	304	189	69	4	6	2	1	—
4 Scarlet fever ..	M	102	2	11	36	35	6	9	2	1	—
	F	109	1	8	37	41	6	11	4	—	1
5 Whooping cough..	M	153	77	42	25	7	—	2	—	—	—
	F	181	78	59	29	10	—	1	1	—	3
6 Diphtheria ..	M	472	22	50	156	221	12	6	4	1	—
	F	449	21	43	138	205	17	11	14	—	—
7 Influenza ..	M	543	19	2	4	7	24	77	184	120	106
	F	530	14	3	6	13	8	46	144	131	165
8 Encephalitis lethargica ..	M	105	—	2	6	10	21	19	35	10	2
	F	121	—	3	2	12	13	27	40	16	8
9 Meningococcal meningitis ..	M	88	34	7	5	20	12	6	4	—	—
	F	59	21	12	11	4	3	4	4	—	—
10 Tuberculosis of respiratory system	M	4,585	15	9	13	43	701	1,834	1,666	267	37
	F	3,407	12	14	11	67	956	1,510	685	115	37
11 Other tuberculous diseases ..	M	736	63	61	92	135	116	140	92	27	10
	F	644	39	59	85	119	115	117	73	25	12
12 Cancer, malignant disease ..	M	8,032	3	2	9	13	33	393	3,356	2,683	1,540
	F	9,425	6	2	10	16	40	712	3,870	2,677	2,092
13 Rheumatic fever ..	M	156	—	—	4	53	38	29	25	6	1
	F	176	—	—	8	65	41	35	20	6	1
14 Diabetes ..	M	591	—	—	—	12	17	39	218	205	100
	F	910	—	—	1	12	18	62	298	328	191
15 Cerebral hæmorrhage, &c. ..	M	2,723	—	1	1	1	2	66	730	986	936
	F	3,853	—	—	1	1	3	58	919	1,156	1,715
16 Heart disease ..	M	12,770	1	4	5	74	155	567	3,575	4,159	4,230
	F	14,356	1	3	6	100	221	642	2,849	4,142	6,392
17 Arterio-sclerosis ..	M	2,517	—	—	—	—	—	15	502	898	1,102
	F	2,511	—	—	—	—	—	10	391	744	1,366
18 Bronchitis..	M	2,394	169	24	8	8	14	89	506	604	972
	F	2,272	135	21	20	10	9	37	254	483	1,303
19 Pneumonia (all forms) ..	M	3,811	657	276	125	93	91	445	1,155	577	392
	F	2,939	529	216	119	80	76	251	569	478	621
20 Other respiratory diseases ..	M	754	27	8	13	20	27	83	259	148	169
	F	548	20	6	9	17	17	49	120	107	203
21 Ulcer of stomach or duodenum ..	M	1,003	—	—	—	—	12	221	538	170	62
	F	349	—	—	—	1	12	47	179	72	38
22 Diarrhœa, &c. ..	M	722	533	50	12	7	6	22	31	29	32
	F	682	378	56	22	10	19	42	47	36	72
23 Appendicitis and typhlitis..	M	490	—	2	21	78	82	95	139	54	19
	F	391	—	—	13	45	49	83	118	53	30
24 Cirrhosis of liver ..	M	352	1	—	—	—	—	31	188	110	22
	F	212	—	—	—	—	2	25	119	45	21
25 Acute and chronic nephritis ..	M	2,199	5	2	7	19	54	176	779	662	495
	F	2,174	4	2	3	24	51	203	698	633	556
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	289	—	—	—	—	54	232	3	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—
	F	309	—	—	—	—	46	257	6	—	—
28 Congenital debility and malformation, premature birth ..	M	2,404	2,330	21	9	18	8	13	4	1	—
	F	1,716	1,651	18	13	10	14	5	4	1	—
29 Suicide ..	M	986	—	—	—	—	52	281	460	144	49
	F	460	—	—	—	—	28	148	214	58	12
30 Other deaths from violence..	M	3,005	101	38	103	290	518	621	712	335	287
	F	1,550	80	23	60	110	113	171	298	235	460
31 Other defined diseases ..	M	10,424	732	99	160	350	343	941	2,626	2,153	3,020
	F	10,423	520	119	126	288	285	1,040	2,320	1,795	3,930
32 Causes ill-defined or unknown ..	M	66	9	7	1	—	4	6	18	20	1
	F	32	5	2	1	—	1	1	10	10	2

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATHS.		Sex.	AGGREGATE OF WALES AND MONMOUTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	{	M	16,219	1,668	314	343	500	817	1,712	4,554	3,625	2,686
		F	14,612	1,256	248	299	478	710	1,744	3,603	2,948	3,326
1 Enteric fever ..	{	M	6	—	—	—	—	2	1	3	—	—
		F	6	—	—	—	2	1	1	2	—	—
2 Small-pox.. ..	{	M	1	—	—	—	—	—	—	—	—	1
		F	1	—	—	—	1	—	—	—	—	—
3 Measles	{	M	84	16	36	21	9	1	1	—	—	—
		F	96	19	31	32	12	—	1	1	—	—
4 Scarlet fever ..	{	M	16	—	3	4	7	—	2	—	—	—
		F	21	—	2	7	9	2	1	—	—	—
5 Whooping cough..	{	M	101	54	25	19	3	—	—	—	—	—
		F	104	52	27	24	1	—	—	—	—	—
6 Diphtheria	{	M	156	3	8	52	82	6	3	1	1	—
		F	164	2	11	50	90	3	6	1	1	—
7 Influenza	{	M	269	6	2	3	7	18	41	110	48	34
		F	237	7	2	6	8	8	45	69	51	41
8 Encephalitis lethargica ..	{	M	26	—	2	1	7	4	5	6	1	—
		F	27	—	1	2	1	3	11	8	1	—
9 Meningococcal meningitis ..	{	M	11	1	1	1	4	2	1	1	—	—
		F	13	3	1	1	1	4	1	2	—	—
10 Tuberculosis of respiratory system	{	M	1,027	5	2	5	17	220	403	319	51	5
		F	1,048	2	3	4	42	333	440	186	30	3
11 Other tuberculous diseases ..	{	M	269	10	24	24	51	66	62	28	4	—
		F	223	10	16	19	45	52	49	22	6	4
12 Cancer, malignant disease ..	{	M	1,685	—	—	4	7	6	97	743	590	238
		F	1,831	—	1	2	3	7	177	887	496	258
13 Rheumatic fever..	{	M	69	—	—	8	22	12	12	3	6	1
		F	59	—	—	1	19	11	12	10	3	3
14 Diabetes	{	M	143	1	—	—	3	8	17	55	44	15
		F	192	—	—	—	4	5	17	73	57	31
15 Cerebral hæmorrhage, &c. ..	{	M	794	—	—	—	—	2	18	219	288	267
		F	955	—	—	—	—	—	22	277	328	328
16 Heart disease	{	M	2,959	—	—	4	28	73	161	933	1,022	738
		F	2,924	1	—	4	52	64	211	758	893	941
17 Arterio-sclerosis ..	{	M	613	—	—	—	—	—	1	127	269	216
		F	500	—	—	—	—	—	5	79	153	263
18 Bronchitis.. ..	{	M	841	83	18	13	6	9	42	209	253	208
		F	660	58	18	8	3	4	19	106	155	289
19 Pneumonia (all forms) ..	{	M	952	215	99	67	36	29	110	213	119	64
		F	597	142	62	37	17	19	58	95	75	92
20 Other respiratory diseases ..	{	M	256	14	9	12	4	9	31	105	41	31
		F	136	2	3	13	8	4	21	35	21	29
21 Ulcer of stomach or duodenum ..	{	M	187	—	—	—	—	8	53	95	22	9
		F	62	1	—	—	—	1	14	31	10	5
22 Diarrhœa, &c. ..	{	M	183	118	16	4	2	2	5	14	11	11
		F	144	80	15	8	1	5	10	10	9	6
23 Appendicitis and typhlitis..	{	M	130	1	—	11	20	22	33	34	6	3
		F	72	—	—	2	19	10	10	23	6	2
24 Cirrhosis of liver ..	{	M	90	—	—	—	1	—	4	62	16	7
		F	32	—	—	—	2	1	3	21	5	—
25 Acute and chronic nephritis ..	{	M	663	1	1	3	8	19	51	246	205	129
		F	610	1	—	1	12	24	72	229	154	117
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	91	—	—	—	—	16	73	2	—	—
27 Other accidents and diseases of pregnancy and parturition ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	155	—	—	—	—	30	123	2	—	—
28 Congenital debility and malformation, premature birth ..	{	M	815	798	4	2	5	3	3	—	—	—
		F	654	636	6	5	4	2	1	—	—	—
29 Suicide	{	M	181	—	—	—	2	13	42	99	19	6
		F	87	—	—	—	—	8	32	39	7	1
30 Other deaths from violence..	{	M	983	19	19	42	91	171	263	271	76	31
		F	288	16	14	33	26	16	32	47	47	57
31 Other defined diseases..	{	M	2,665	321	41	43	78	112	245	631	524	670
		F	2,592	223	32	40	94	76	274	568	434	851
32 Causes ill-defined or unknown ..	{	M	44	2	4	—	—	—	5	22	9	2
		F	31	1	3	—	2	1	3	15	6	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF COUNTY BOROUGH (NORTH).*									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	45,836	5,334	1,150	1,039	1,377	2,029	5,191	14,162	9,570	5,984
	F	42,445	3,806	1,008	925	1,287	1,974	4,872	10,977	9,095	8,501
1 Enteric fever ..	M	39	—	1	2	1	9	17	9	—	—
	F	23	—	—	—	—	8	6	7	2	—
2 Small-pox..	M	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	—	1
3 Measles ..	M	547	143	208	147	47	—	—	2	—	—
	F	440	95	176	136	32	1	—	—	—	—
4 Scarlet fever ..	M	77	4	9	28	25	5	5	1	—	—
	F	92	2	12	23	45	3	2	4	1	—
5 Whooping cough ..	M	233	112	85	27	8	—	—	—	—	1
	F	284	131	77	68	8	—	—	—	—	—
6 Diphtheria ..	M	367	18	33	123	174	11	7	1	—	—
	F	358	9	32	100	202	5	5	5	—	—
7 Influenza ..	M	527	16	6	14	12	29	100	215	82	53
	F	451	7	3	18	25	21	66	130	113	68
8 Encephalitis lethargica ..	M	94	—	—	2	8	15	30	31	7	1
	F	98	—	2	2	6	20	29	30	9	—
9 Meningococcal meningitis ..	M	82	31	6	8	18	6	11	2	—	—
	F	65	23	13	10	11	4	3	1	—	—
10 Tuberculosis of respiratory system	M	3,797	17	17	23	69	648	1,396	1,444	170	13
	F	2,719	10	12	30	123	857	1,155	447	71	14
11 Other tuberculous diseases..	M	757	58	93	110	138	124	133	76	18	7
	F	774	57	87	102	159	162	114	68	17	8
12 Cancer, malignant disease ..	M	4,631	2	—	1	9	28	260	2,275	1,577	479
	F	5,447	5	2	3	6	25	566	2,602	1,456	782
13 Rheumatic fever..	M	122	—	—	3	43	26	20	25	4	1
	F	165	—	—	3	57	38	31	31	3	2
14 Diabetes ..	M	424	—	—	—	7	17	55	176	120	49
	F	619	—	—	—	6	12	40	260	235	66
15 Cerebral hæmorrhage, &c. ..	M	1,871	—	—	—	3	7	55	643	736	427
	F	2,436	—	—	1	—	2	70	713	874	776
16 Heart disease ..	M	7,678	—	—	5	75	132	483	2,698	2,583	1,702
	F	8,564	—	1	8	89	207	652	2,414	2,617	2,576
17 Arterio-sclerosis ..	M	2,300	—	—	—	—	1	19	542	952	786
	F	1,896	—	—	—	—	—	9	329	659	899
18 Bronchitis..	M	2,294	272	47	18	10	17	123	667	610	530
	F	2,068	191	51	17	10	14	60	364	581	780
19 Pneumonia (all forms) ..	M	4,312	834	372	222	161	182	673	1,234	451	183
	F	2,675	538	337	179	126	86	255	544	372	238
20 Other respiratory diseases..	M	455	26	12	12	11	22	80	185	54	53
	F	329	12	7	15	16	12	43	90	67	67
21 Ulcer of stomach or duodenum ..	M	561	—	—	—	—	16	163	301	64	17
	F	172	1	—	—	—	5	44	84	29	9
22 Diarrhœa, &c. ..	M	759	581	74	21	17	7	15	22	10	12
	F	579	389	53	29	8	6	27	19	22	26
23 Appendicitis and typhlitis ..	M	293	—	1	10	51	60	75	63	27	6
	F	221	—	1	5	31	28	53	66	27	10
24 Cirrhosis of liver..	M	160	—	—	—	—	1	10	101	44	4
	F	66	—	—	—	—	—	9	39	15	3
25 Acute and chronic nephritis ..	M	1,527	3	3	5	29	48	170	676	409	184
	F	1,561	1	3	4	21	49	204	609	428	242
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	264	—	—	—	—	55	207	2	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—
	F	336	—	—	—	—	48	286	2	—	—
28 Congenital debility and malformation, premature birth ..	M	2,350	2,305	10	4	12	9	10	—	—	—
	F	1,746	1,716	6	5	5	5	8	1	—	—
29 Suicide ..	M	640	—	—	—	—	39	180	317	83	21
	F	275	—	—	—	—	25	92	132	20	6
30 Other deaths from violence..	M	1,995	74	44	109	217	307	412	508	191	133
	F	1,000	43	33	61	96	73	98	211	174	211
31 Other defined diseases ..	M	6,837	837	119	145	232	261	676	1,891	1,354	1,322
	F	6,647	573	91	106	204	201	731	1,744	1,284	1,713
32 Causes ill-defined or unknown ..	M	106	1	10	—	—	2	12	57	24	—
	F	74	3	9	—	1	2	7	29	19	4

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.		Sex	AGGREGATE OF COUNTY BOROUGH (MIDLANDS)*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	24,591	2,569	479	471	717	1,065	2,726	7,256	5,207	4,101
		F	22,713	1,823	404	452	660	992	2,611	5,439	4,678	5,654
1 Enteric fever	..	M	16	1	—	—	2	3	5	4	—	1
		F	9	—	—	1	1	3	3	1	—	—
2 Small-pox...	..	M	2	1	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	225	54	82	65	24	—	—	—	—	—
		F	176	30	70	55	21	—	—	—	—	—
4 Scarlet fever	..	M	30	1	3	5	18	2	1	—	—	—
		F	40	—	6	11	17	3	3	—	—	—
5 Whooping cough	..	M	120	63	38	17	2	—	—	—	—	—
		F	163	62	39	49	12	1	—	—	—	—
6 Diphtheria	..	M	187	10	20	49	99	4	3	2	—	—
		F	206	1	27	59	102	5	8	3	1	—
7 Influenza	M	241	3	1	3	7	9	36	122	32	28
		F	203	10	1	—	4	4	30	59	39	56
8 Encephalitis lethargica	..	M	33	—	—	2	4	3	7	11	4	2
		F	42	—	—	2	2	12	15	9	2	—
9 Meningococcal meningitis	..	M	39	16	7	3	5	4	3	1	—	—
		F	31	9	5	4	7	1	3	2	—	—
10 Tuberculosis of respiratory system	..	M	2,194	7	5	11	19	338	866	835	100	13
		F	1,561	8	3	10	39	429	698	329	39	6
11 Other tuberculous diseases..	..	M	343	43	39	53	66	50	44	43	5	—
		F	277	32	22	42	69	45	37	21	7	2
12 Cancer, malignant disease	M	2,899	—	1	2	9	18	178	1,336	993	362
		F	3,189	—	1	5	5	16	315	1,418	871	558
13 Rheumatic fever	M	83	—	—	6	31	17	18	7	2	2
		F	101	—	—	2	39	19	16	19	2	4
14 Diabetes	M	213	—	—	—	2	6	14	82	71	38
		F	371	—	—	—	4	10	23	128	138	68
15 Cerebral hæmorrhage, &c.	..	M	1,167	—	—	—	—	2	32	342	460	331
		F	1,416	1	—	—	—	3	31	404	471	506
16 Heart disease	..	M	4,336	—	—	4	39	88	240	1,344	1,436	1,185
		F	4,859	—	2	3	65	116	307	1,105	1,416	1,845
17 Arterio-sclerosis	M	843	—	—	—	—	—	6	175	322	340
		F	758	—	—	—	—	—	7	135	250	366
18 Bronchitis..	..	M	1,126	94	15	8	9	10	48	281	285	376
		F	1,023	69	20	9	5	3	24	138	268	487
19 Pneumonia (all forms)	M	1,869	350	155	93	45	80	276	542	212	116
		F	1,271	271	117	74	49	33	136	233	182	176
20 Other respiratory diseases..	..	M	265	9	8	7	9	10	35	110	47	30
		F	177	7	5	4	2	7	17	43	36	56
21 Ulcer of stomach or duodenum	..	M	336	—	—	—	—	7	85	190	43	11
		F	118	—	—	—	—	2	19	66	20	11
22 Diarrhœa, &c.	..	M	379	288	31	14	3	2	9	13	5	14
		F	259	169	24	10	5	8	8	13	9	13
23 Appendicitis and typhlitis..	..	M	186	1	—	8	36	34	43	49	13	2
		F	125	—	2	3	22	12	33	33	15	5
24 Cirrhosis of liver	M	119	—	—	—	1	—	9	70	31	8
		F	62	2	—	—	—	—	13	35	7	5
25 Acute and chronic nephritis	..	M	739	1	2	4	10	30	69	275	216	132
		F	690	1	2	5	9	31	88	252	188	114
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
		F	132	—	—	—	—	21	109	2	—	—
27 Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—
		F	134	—	—	—	—	17	115	2	—	—
28 Congenital debility and malformation, premature birth	M	1,236	1,212	6	3	7	4	1	3	—	—
		F	891	873	3	2	3	2	6	1	1	—
29 Suicide	M	394	—	—	—	1	19	104	200	52	18
		F	211	—	—	—	—	18	93	70	24	6
30 Other deaths from violence..	..	M	1,139	32	24	56	143	189	230	242	120	103
		F	534	30	15	36	45	33	50	97	75	153
31 Other defined diseases	M	3,815	383	39	57	124	136	364	970	753	989
		F	3,673	248	38	66	132	138	403	817	614	1,217
32 Causes ill-defined or unknown	..	M	17	—	3	1	1	—	—	7	5	—
		F	11	—	2	—	1	—	1	4	3	—

* See footnote to Table 14 page 66.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF COUNTY BOROUGH (SOUTH).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	8,519	678	153	162	240	282	868	2,384	1,920	1,832
	F	9,041	536	128	142	211	316	803	2,010	1,965	2,930
1 Enteric fever ..	M	5	—	—	—	—	—	3	2	—	—
	F	5	—	—	—	—	2	1	1	—	1
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	121	23	42	36	19	1	—	—	—	—
	F	113	20	43	33	14	—	2	—	1	—
4 Scarlet fever ..	M	14	1	1	5	4	—	2	—	1	—
	F	14	—	—	3	7	2	1	—	—	1
5 Whooping cough ..	M	15	8	4	3	—	—	—	—	—	—
	F	22	14	5	2	1	—	—	—	—	—
6 Diphtheria ..	M	65	1	6	30	26	1	1	—	—	—
	F	67	2	6	17	36	1	1	4	—	—
7 Influenza ..	M	74	1	—	—	3	1	9	28	16	16
	F	73	1	—	2	3	1	3	23	20	20
8 Encephalitis lethargica ..	M	21	—	1	2	1	7	4	4	1	1
	F	12	—	1	1	2	2	2	2	2	—
9 Meningococcal meningitis ..	M	11	4	—	1	5	—	—	1	—	—
	F	9	3	2	2	2	—	—	—	—	—
10 Tuberculosis of respiratory system	M	640	3	—	2	8	100	270	213	40	4
	F	519	2	3	3	5	139	241	107	16	3
11 Other tuberculous diseases ..	M	111	12	12	14	27	12	16	16	2	—
	F	87	6	8	15	16	16	13	7	5	1
12 Cancer, malignant disease ..	M	1,010	—	1	2	2	2	47	420	347	189
	F	1,368	3	—	1	1	2	89	539	422	311
13 Rheumatic fever ..	M	23	—	—	1	9	2	4	6	1	—
	F	22	—	—	1	7	6	6	2	—	—
14 Diabetes ..	M	84	—	—	—	2	2	6	27	29	18
	F	157	—	—	—	2	5	12	50	54	34
15 Cerebral hæmorrhage, &c. ..	M	381	—	—	—	—	—	7	99	134	141
	F	568	—	—	—	—	—	11	133	153	271
16 Heart disease ..	M	1,695	—	1	1	18	18	94	482	543	538
	F	2,046	1	—	2	14	30	83	415	594	907
17 Arterio-sclerosis ..	M	342	—	—	—	—	—	3	72	139	128
	F	377	—	—	—	—	—	—	73	110	194
18 Bronchitis ..	M	330	31	4	—	1	1	13	58	92	130
	F	362	30	2	—	4	—	9	31	65	221
19 Pneumonia (all forms) ..	M	472	71	50	18	13	13	65	126	62	54
	F	424	75	32	21	13	9	29	74	68	103
20 Other respiratory diseases ..	M	96	5	1	1	3	4	10	31	17	24
	F	92	2	1	4	4	4	8	21	22	26
21 Ulcer of stomach or duodenum ..	M	137	—	—	—	—	—	28	75	23	11
	F	47	—	—	—	—	2	3	20	15	7
22 Diarrhoea, &c. ..	M	94	68	8	1	2	—	4	4	4	3
	F	102	46	11	7	—	4	7	13	7	7
23 Appendicitis and typhlitis ..	M	62	—	—	1	9	5	15	20	9	3
	F	44	—	—	—	6	7	9	13	6	3
24 Cirrhosis of liver ..	M	43	—	—	—	—	—	2	28	11	2
	F	32	—	—	—	—	—	2	17	8	5
25 Acute and chronic nephritis ..	M	294	2	—	2	2	4	21	110	83	70
	F	293	—	—	—	3	7	27	83	84	89
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	36	—	—	—	—	11	24	1	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—
	F	42	—	—	—	—	8	34	—	—	—
28 Congenital debility and malformation, premature birth ..	M	340	328	2	4	2	2	1	1	—	—
	F	264	257	2	3	1	1	—	—	—	—
29 Suicide ..	M	157	—	—	—	—	3	42	80	25	7
	F	67	—	—	—	—	5	21	31	4	6
30 Other deaths from violence ..	M	355	13	7	16	36	56	67	88	34	38
	F	184	7	—	7	14	11	16	32	29	68
31 Other defined diseases ..	M	1,516	104	11	21	48	48	134	390	305	455
	F	1,591	66	12	18	56	41	149	318	280	651
32 Causes ill-defined or unknown ..	M	11	3	2	1	—	—	—	3	2	—
	F	2	1	—	—	—	—	—	—	—	1

* See footnote to Table 14, page 66.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.		Sex	AGGREGATE OF COUNTY BOROUGHES (WALES AND MONMOUTH).									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	3,468	363	76	89	94	174	403	1,039	739	491
		F	2,990	298	73	58	91	149	376	793	538	614
1 Enteric fever	..	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—
2 Small-pox..	..	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	23	6	10	7	—	—	—	—	—	—
		F	31	8	12	9	2	—	—	—	—	—
4 Scarlet fever	..	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
5 Whooping cough	..	M	27	11	7	8	1	—	—	—	—	—
		F	25	12	8	5	—	—	—	—	—	—
6 Diphtheria	..	M	34	3	1	13	17	—	—	—	—	—
		F	30	—	2	8	19	—	1	—	—	—
7 Influenza	M	52	—	—	1	1	1	10	23	7	9
		F	39	4	1	1	2	—	6	12	7	6
8 Encephalitis lethargica	..	M	2	—	—	—	—	1	—	—	1	—
		F	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis	..	M	2	1	1	—	—	—	—	—	—	—
		F	6	2	—	—	—	3	—	1	—	—
10 Tuberculosis of respiratory system	{	M	270	3	1	1	4	57	115	82	7	—
		F	244	—	1	3	8	74	105	45	7	1
11 Other tuberculous diseases	M	60	1	5	7	13	17	12	5	—	—
		F	42	2	3	2	7	10	11	5	2	—
12 Cancer, malignant disease	M	356	—	—	—	—	3	17	167	123	46
		F	377	—	—	2	1	2	40	193	94	45
13 Rheumatic fever ..	{	M	11	—	—	3	3	3	1	—	1	—
		F	12	—	—	—	3	1	4	3	—	1
14 Diabetes	M	30	—	—	—	1	1	4	10	11	3
		F	40	—	—	—	1	1	2	20	10	6
15 Cerebral hæmorrhage, &c.	..	M	145	—	—	—	—	1	6	41	53	44
		F	136	—	—	—	—	—	1	44	53	38
16 Heart disease	..	M	601	—	—	1	6	13	31	231	200	119
		F	637	—	—	—	15	12	46	185	184	195
17 Arterio-sclerosis ..	{	M	145	—	—	—	—	—	—	37	72	36
		F	112	—	—	—	—	—	1	30	21	60
18 Bronchitis..	..	M	208	25	6	2	—	1	13	51	56	54
		F	134	20	9	1	—	—	2	22	25	55
19 Pneumonia (all forms) ..	{	M	235	53	24	18	8	5	36	50	23	18
		F	153	36	16	10	3	8	17	27	15	21
20 Other respiratory diseases..	..	M	39	—	2	3	1	2	8	10	7	6
		F	19	1	—	2	—	—	3	7	1	5
21 Ulcer of stomach or duodenum	..	M	45	—	—	—	—	1	14	24	5	1
		F	15	—	—	—	—	—	4	8	2	1
22 Diarrhoea, &c.	..	M	38	29	3	1	1	—	2	1	1	—
		F	42	24	4	4	—	1	1	3	2	3
23 Appendicitis and typhlitis..	{	M	21	—	—	2	3	4	7	4	—	1
		F	16	—	—	—	2	3	1	7	2	1
24 Cirrhosis of liver ..	{	M	20	—	—	—	—	—	1	15	2	2
		F	7	—	—	—	—	—	—	6	1	—
25 Acute and chronic nephritis	..	M	127	—	—	1	3	1	19	50	34	19
		F	129	—	—	—	1	3	22	55	28	20
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	23	—	—	—	—	5	18	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	{	M	—	—	—	—	—	—	—	—	—	—
		F	26	—	—	—	—	2	23	1	—	—
28 Congenital debility and malformation, premature birth ..	{	M	177	175	—	—	—	1	1	—	—	—
		F	146	145	—	1	—	—	—	—	—	—
29 Suicide	M	46	—	—	—	—	2	13	25	6	—
		F	28	—	—	—	—	1	14	10	3	—
30 Other deaths from violence..	{	M	187	6	4	9	12	31	37	59	16	13
		F	59	—	3	6	8	5	8	10	10	9
31 Other defined diseases	M	566	50	12	12	20	29	55	154	114	120
		F	456	44	11	4	19	18	45	98	70	147
32 Causes ill-defined or unknown	..	M	1	—	—	—	—	—	1	—	—	—
		F	3	—	2	—	—	—	—	—	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.	SEX	AGGREGATE OF URBAN DISTRICTS (NORTH).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	26,292	2,636	509	605	820	1,104	2,818	7,612	6,034	4,154
	F	25,006	1,900	429	478	738	963	2,722	6,452	5,689	5,635
1 Enteric fever ..	M	22	—	—	—	2	4	10	4	2	—
	F	28	—	—	—	—	3	8	14	3	—
2 Small-pox ..	M	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	216	47	82	63	23	—	1	—	—	—
	F	171	35	60	52	21	1	1	1	—	—
4 Scarlet fever ..	M	41	1	1	16	20	1	1	1	—	—
	F	45	—	4	10	25	1	5	—	—	—
5 Whooping cough ..	M	93	48	25	18	2	—	—	—	—	—
	F	126	56	39	26	5	—	—	—	—	—
6 Diphtheria ..	M	143	9	7	49	68	3	4	3	—	—
	F	168	4	11	44	96	7	3	2	1	—
7 Influenza ..	M	394	3	5	8	14	27	86	156	64	31
	F	274	5	3	3	11	12	43	92	58	47
8 Encephalitis lethargica ..	M	69	1	—	3	5	10	18	24	8	—
	F	69	1	—	3	2	8	25	25	5	—
9 Meningococcal meningitis ..	M	40	10	5	7	9	6	3	—	—	—
	F	28	7	3	6	8	3	1	—	—	—
10 Tuberculosis of respiratory system	M	1,568	2	5	9	33	299	613	539	62	6
	F	1,278	3	2	11	51	419	527	217	44	4
11 Other tuberculous diseases ..	M	427	39	40	69	82	74	59	48	14	2
	F	401	32	35	55	82	62	77	42	13	3
12 Cancer, malignant disease ..	M	2,811	—	1	5	5	21	148	1,300	971	360
	F	3,235	3	3	1	1	6	306	1,525	909	481
13 Rheumatic fever ..	M	89	—	—	1	21	24	27	15	1	—
	F	99	—	—	1	22	19	27	24	5	1
14 Diabetes ..	M	280	—	—	—	3	6	30	88	108	45
	F	442	—	—	2	6	4	28	188	162	52
15 Cerebral hæmorrhage, &c. ..	M	1,443	—	—	—	1	—	34	468	588	352
	F	1,817	—	—	—	1	1	42	511	656	606
16 Heart disease ..	M	4,599	—	—	1	40	69	291	1,510	1,607	1,081
	F	5,039	—	—	5	57	87	360	1,379	1,605	1,546
17 Arterio-sclerosis ..	M	1,302	—	—	—	—	—	8	242	549	503
	F	1,074	—	—	—	—	—	9	151	381	533
18 Bronchitis ..	M	1,229	133	40	18	12	11	51	276	344	344
	F	1,224	113	27	14	11	5	38	200	336	480
19 Pneumonia (all forms) ..	M	1,948	326	154	135	98	92	308	503	213	119
	F	1,261	222	138	104	79	43	141	230	175	129
20 Other respiratory diseases ..	M	318	17	8	16	21	8	40	108	54	46
	F	221	12	4	10	11	6	32	62	28	56
21 Ulcer of stomach or duodenum ..	M	334	—	—	—	1	19	114	151	41	8
	F	99	1	—	—	—	2	20	45	22	9
22 Diarrhœa, &c. ..	M	298	190	31	13	12	8	5	12	16	11
	F	272	129	28	16	14	3	13	33	15	21
23 Appendicitis and typhlitis ..	M	164	—	1	6	36	22	38	41	14	6
	F	132	—	—	4	24	17	21	44	16	6
24 Cirrhosis of liver ..	M	117	—	—	—	—	2	5	69	31	10
	F	44	—	—	—	—	1	1	27	15	—
25 Acute and chronic nephritis ..	M	951	5	4	3	10	27	97	406	276	123
	F	936	1	—	6	13	27	117	371	260	141
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	151	—	—	—	—	29	120	2	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—
	F	260	—	—	—	—	39	220	1	—	—
28 Congenital debility and malformation, premature birth ..	M	1,358	1,332	5	6	5	6	4	—	—	—
	F	978	955	2	8	5	2	2	3	—	1
29 Suicide ..	M	398	—	—	—	2	14	101	207	57	17
	F	135	—	—	—	—	10	42	57	19	7
30 Other deaths from violence ..	M	1,347	31	26	84	136	205	333	361	109	62
	F	537	33	11	30	61	38	45	98	96	125
31 Other defined diseases ..	M	4,221	441	67	75	159	144	383	1,033	892	1,027
	F	4,413	288	55	66	131	108	443	1,086	849	1,387
32 Causes ill-defined or unknown ..	M	71	1	2	—	—	1	6	47	13	1
	F	49	—	4	1	1	—	5	22	16	—

* See footnote to Table 14, page 66.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS (MIDLANDS).*									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	28,697	2,741	485	542	867	1,262	3,130	7,784	6,311	5,575
	F	27,696	1,880	395	509	840	1,150	2,943	6,240	5,832	7,907
1 Enteric fever ..	M	26	—	2	—	4	5	7	6	2	—
	F	20	—	—	1	2	5	9	3	—	—
2 Small-pox..	M	6	—	—	—	2	—	—	3	1	—
	F	2	1	—	—	—	—	—	—	1	—
3 Measles ..	M	265	52	97	77	33	3	1	1	1	—
	F	219	49	71	58	39	—	1	1	—	—
4 Scarlet fever ..	M	41	1	2	8	18	6	6	—	—	—
	F	45	—	3	13	20	5	4	—	—	—
5 Whooping cough..	M	76	27	25	20	3	—	—	—	—	1
	F	135	57	46	25	6	—	—	1	—	—
6 Diphtheria ..	M	245	13	18	75	131	4	2	2	—	—
	F	265	7	18	70	150	13	3	4	—	—
7 Influenza ..	M	370	17	2	6	11	22	50	141	67	54
	F	268	7	3	3	8	7	36	85	58	61
8 Encephalitis lethargica ..	M	53	—	1	2	4	11	13	16	5	1
	F	54	—	—	2	5	8	18	13	7	1
9 Meningococcal meningitis ..	M	39	8	4	6	8	7	3	3	—	—
	F	40	7	1	6	13	4	8	1	—	—
10 Tuberculosis of respiratory system	M	1,956	6	5	13	20	376	839	613	74	10
	F	1,573	5	1	6	53	513	698	244	35	18
11 Other tuberculous diseases..	M	383	38	45	55	62	59	72	40	9	3
	F	340	21	28	53	78	58	56	27	13	6
12 Cancer, malignant disease ..	M	3,461	—	1	4	9	32	173	1,438	1,205	599
	F	4,016	—	—	2	9	12	349	1,707	1,111	826
13 Rheumatic fever..	M	86	—	—	—	34	18	20	15	—	1
	F	127	—	—	8	46	35	24	10	4	—
14 Diabetes ..	M	325	—	1	1	4	10	32	105	112	60
	F	391	—	—	1	6	6	24	128	147	79
15 Cerebral hæmorrhage, &c. ..	M	1,373	—	—	—	—	2	34	395	477	465
	F	1,976	—	—	1	1	2	47	508	621	796
16 Heart disease ..	M	5,153	1	—	4	59	80	277	1,528	1,691	1,513
	F	5,818	—	—	3	50	108	351	1,276	1,703	2,327
17 Arterio-sclerosis ..	M	1,119	—	—	—	—	—	7	208	419	485
	F	1,020	—	—	—	—	—	1	150	288	581
18 Bronchitis..	M	1,148	120	12	10	10	7	45	215	305	424
	F	1,041	70	12	13	7	4	15	102	270	548
19 Pneumonia (all forms) ..	M	1,894	353	140	74	58	61	287	526	215	180
	F	1,285	225	94	83	59	37	115	236	210	226
20 Other respiratory diseases..	M	325	15	5	9	5	13	44	120	65	49
	F	287	8	4	10	11	10	31	62	59	92
21 Ulcer of stomach or duodenum ..	M	427	1	—	—	—	6	110	217	71	22
	F	137	—	—	—	1	—	26	64	29	17
22 Diarrhoea, &c. ..	M	337	234	16	9	6	4	17	18	19	14
	F	295	148	27	13	6	7	23	23	17	31
23 Appendicitis and typhlitis..	M	234	—	1	8	26	34	57	76	24	8
	F	164	—	—	9	27	23	34	41	21	9
24 Cirrhosis of liver ..	M	155	—	—	—	—	1	12	82	50	10
	F	75	—	—	—	1	—	6	38	24	6
25 Acute and chronic nephritis ..	M	832	4	2	5	18	24	92	293	254	140
	F	862	2	—	3	20	38	94	295	228	182
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	150	—	—	—	—	27	122	1	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—
	F	189	—	—	—	—	21	164	4	—	—
28 Congenital debility and malformation, premature birth ..	M	1,415	1,387	4	6	7	6	4	1	—	—
	F	992	956	12	4	7	8	3	1	1	—
29 Suicide ..	M	469	—	—	—	1	32	121	232	65	18
	F	200	—	—	—	—	17	70	86	24	3
30 Other deaths from violence..	M	1,539	41	22	64	147	275	365	337	149	139
	F	674	36	18	52	68	50	64	119	92	175
31 Other defined diseases..	M	4,896	423	77	85	186	163	434	1,130	1,020	1,378
	F	5,002	279	57	70	147	131	544	993	859	1,922
32 Causes ill-defined or unknown ..	M	49	—	3	1	1	1	6	25	11	1
	F	34	2	—	—	—	1	3	17	10	1

*See footnote to Table 14, page 66.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.		SEX.	AGGREGATE OF URBAN DISTRICTS (SOUTH).*									
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	16,226	1,141	151	225	381	563	1,494	4,460	3,916	3,895
		F	16,973	800	157	186	367	512	1,556	3,851	3,802	5,742
1 Enteric fever	..	M	10	—	—	—	—	—	3	5	2	—
		F	8	—	—	—	—	2	4	2	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	93	23	30	25	15	—	—	—	—	—
		F	81	18	18	19	22	1	3	—	—	—
4 Scarlet fever	..	M	22	—	1	5	11	2	1	2	—	—
		F	20	—	1	5	8	2	3	1	—	—
5 Whooping cough	M	39	14	11	9	3	—	2	—	—	—
		F	53	17	20	12	2	—	—	1	—	1
6 Diphtheria	..	M	109	4	4	32	63	3	1	1	1	—
		F	109	5	7	21	67	4	1	4	—	—
7 Influenza	M	148	5	—	2	3	5	24	50	29	30
		F	141	2	—	1	5	2	15	37	33	46
8 Encephalitis lethargica	..	M	25	—	—	1	3	3	4	13	1	—
		F	43	—	1	—	6	4	10	15	5	2
9 Meningococcal meningitis	..	M	15	4	1	—	4	4	—	2	—	—
		F	14	4	1	3	1	1	2	2	—	—
10 Tuberculosis of respiratory system	..	M	1,044	3	2	6	6	166	460	349	44	8
		F	868	3	2	2	16	224	403	176	32	10
11 Other tuberculous diseases	M	183	14	18	26	29	31	38	19	7	1
		F	194	10	16	25	36	29	40	27	7	4
12 Cancer, malignant disease	M	2,187	1	—	3	4	9	86	846	763	475
		F	2,753	1	1	3	8	9	196	1,091	792	652
13 Rheumatic fever	M	32	—	—	1	11	7	3	8	1	1
		F	44	—	—	2	18	6	11	4	2	1
14 Diabetes	M	164	—	—	—	3	6	11	67	49	28
		F	276	—	—	1	3	11	24	73	98	66
15 Cerebral hæmorrhage, &c.	..	M	862	—	1	—	1	—	18	229	309	304
		F	1,260	—	—	1	—	1	16	283	377	582
16 Heart disease	..	M	3,331	—	2	2	18	27	133	889	1,109	1,151
		F	3,873	—	1	—	24	29	143	720	1,145	1,811
17 Arterio-sclerosis	M	685	—	—	—	—	—	3	123	253	306
		F	746	—	—	—	—	—	1	96	208	441
18 Bronchitis	M	593	43	5	3	4	3	14	98	156	267
		F	592	28	4	7	3	2	5	61	127	355
19 Pneumonia (all forms)	M	819	130	33	26	21	24	76	267	127	115
		F	655	93	39	22	19	18	58	142	101	163
20 Other respiratory diseases	M	200	3	3	3	6	8	17	66	44	50
		F	141	3	—	—	2	4	18	31	23	60
21 Ulcer of stomach or duodenum	..	M	253	—	—	—	—	3	52	144	42	12
		F	86	—	—	—	—	2	8	47	19	10
22 Diarrhœa, &c.	..	M	113	71	8	2	—	1	5	9	11	6
		F	126	43	8	5	6	1	7	12	15	29
23 Appendicitis and typhlitis	M	144	—	1	5	22	21	30	48	12	5
		F	127	—	—	5	13	11	25	44	20	9
24 Cirrhosis of liver	M	109	—	—	—	—	—	8	57	35	9
		F	56	—	—	—	—	1	6	31	12	6
25 Acute and chronic nephritis	..	M	579	—	—	2	5	13	49	204	171	135
		F	546	2	1	—	5	13	44	161	156	164
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
		F	58	—	—	—	—	10	48	—	—	—
27 Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—
		F	116	—	—	—	—	15	99	2	—	—
28 Congenital debility and malformation, premature birth	M	622	600	6	3	7	3	2	—	1	—
		F	433	417	5	4	3	2	2	—	—	—
29 Suicide	M	239	—	—	—	—	13	68	114	31	13
		F	123	—	—	—	—	3	47	56	21	1
30 Other deaths from violence	M	758	32	7	31	56	137	163	184	80	68
		F	361	23	7	12	24	29	32	64	53	117
31 Other defined diseases	M	2,828	192	18	38	86	73	220	661	630	910
		F	3,052	130	24	36	76	76	284	663	551	1,212
32 Causes ill-defined or unknown	..	M	20	2	—	—	—	1	3	5	8	1
		F	13	1	1	—	—	—	1	5	5	—

* See footnote to Table 14, page 66.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.		AGGREGATE OF URBAN DISTRICTS (WALES AND MONMOUTH).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	.. {	M 7,754 F 6,854	813 599	164 107	176 155	254 240	405 360	825 862	2,210 1,741	1,750 1,370	1,157 1,420
1 Enteric fever	.. {	M 4 F 3	— —	— —	— —	— 2	2 1	— —	2 —	— —	— —
2 Small-pox..	.. {	M 1 F 1	— —	— —	— —	— 1	— —	— —	— —	— —	1 —
3 Measles {	M 47 F 45	7 9	20 14	13 16	5 6	1 —	1 —	— —	— —	— —
4 Scarlet fever	.. {	M 7 F 10	— —	2 1	2 4	3 4	— —	— 1	— —	— —	— —
5 Whooping cough..	.. {	M 46 F 47	28 27	11 11	6 9	1 —	— —	— —	— —	— —	— —
6 Diphtheria	.. {	M 72 F 80	— 2	4 7	26 30	40 36	— 2	1 1	1 1	— 1	— —
7 Influenza {	M 127 F 119	3 1	1 1	1 3	3 3	11 7	18 22	56 40	21 23	13 19
8 Encephalitis lethargica	.. {	M 18 F 19	— —	1 —	1 1	7 1	2 3	3 9	4 5	— —	— —
9 Meningococcal meningitis	.. {	M 5 F 6	— 1	— 1	1 1	2 —	1 1	— 1	1 1	— —	— —
10 Tuberculosis of respiratory system	.. {	M 480 F 475	2 —	— —	3 1	12 17	102 172	179 198	159 77	22 6	1 4
11 Other tuberculous diseases..	.. {	M 139 F 120	7 4	14 8	14 14	25 27	34 29	29 21	15 11	1 3	— 3
12 Cancer, malignant disease {	M 754 F 808	— —	— —	3 —	4 2	2 2	47 84	339 394	265 227	94 99
13 Rheumatic fever {	M 44 F 30	— —	— —	5 —	14 10	6 7	7 5	7 5	4 1	1 2
14 Diabetes {	M 69 F 101	— —	— —	— —	— 3	7 3	8 11	29 41	19 29	6 14
15 Cerebral hæmor- rhage, &c.	.. {	M 362 F 465	— —	— —	— —	— —	— —	10 11	113 164	138 152	101 138
16 Heart disease	.. {	M 1,430 F 1,306	— 1	— —	3 4	14 26	45 35	88 127	458 353	490 412	332 348
17 Arterio-sclerosis	.. {	M 275 F 219	— —	— —	— —	— —	— —	1 4	56 31	125 69	93 115
18 Bronchitis..	.. {	M 433 F 349	42 28	6 6	9 5	4 3	6 3	20 11	111 66	150 86	85 141
19 Pneumonia (all forms) {	M 468 F 274	108 70	50 29	33 18	19 9	17 9	46 26	105 40	61 37	29 36
20 Other respiratory diseases..	.. {	M 131 F 70	6 1	4 2	6 6	3 5	5 3	17 15	56 17	21 10	13 11
21 Ulcer of stomach or duodenum	.. {	M 92 F 24	— 1	— —	— —	— —	4 1	28 5	45 15	9 1	6 1
22 Diarrhœa, &c.	.. {	M 98 F 63	61 34	11 6	2 2	1 1	1 2	1 7	8 4	6 5	7 2
23 Appendicitis and typhlitis..	.. {	M 61 F 31	1 —	— —	4 1	6 6	9 5	19 5	16 11	4 2	2 1
24 Cirrhosis of liver {	M 45 F 16	— —	— —	— —	— 1	— —	3 2	27 11	11 2	4 —
25 Acute and chronic nephritis	.. {	M 291 F 255	— —	— —	2 —	3 10	12 13	21 31	106 100	97 56	50 45
26 Puerperal sepsis {	M — F 47	— —	— —	— —	— —	— 8	— 37	— 2	— —	— —
27 Other accidents and dis- eases of pregnancy and parturition {	M — F 73	— —	— —	— —	— —	— 17	— 55	— 1	— —	— —
28 Congenital debility and malformation, pre- mature birth	.. {	M 399 F 311	389 298	3 4	2 3	2 4	1 1	2 1	— —	— —	— —
29 Suicide {	M 76 F 33	— —	— —	— —	1 —	5 3	19 8	41 20	8 1	2 1
30 Other deaths from violence..	.. {	M 487 F 144	6 12	11 6	20 17	49 11	81 7	130 14	139 24	41 20	10 33
31 Other defined diseases	.. {	M 1,274 F 1,296	153 110	22 11	20 20	36 52	51 26	126 148	306 299	254 223	306 407
32 Causes ill-defined or unknown	.. {	M 19 F 14	— —	4 —	— —	— —	— —	1 2	10 8	3 4	1 —

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF RURAL DISTRICTS (NORTH).*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	10,124	1,136	204	241	324	455	1,009	2,392	2,280	2,083
		F	9,387	825	167	176	299	378	1,051	2,107	2,028	2,356
1 Enteric fever	..	M	18	1	—	—	4	4	6	3	—	—
		F	11	—	—	1	1	2	3	2	2	—
2 Small-pox..	..	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	58	12	18	16	10	—	1	1	—	—
		F	56	13	19	9	11	—	3	1	—	—
4 Scarlet fever	..	M	21	1	—	8	9	1	2	—	—	—
		F	15	—	2	3	7	1	—	1	1	—
5 Whooping cough..	..	M	64	36	14	12	1	1	—	—	—	—
		F	65	30	19	10	5	1	—	—	—	—
6 Diphtheria	..	M	64	1	3	22	34	1	1	1	1	—
		F	63	2	4	19	35	1	1	1	—	—
7 Influenza	M	153	3	—	4	6	4	34	54	21	27
		F	129	4	1	2	3	3	16	37	32	31
8 Encephalitis lethargica	..	M	26	—	1	1	3	6	5	6	4	—
		F	26	—	1	—	1	5	8	11	—	—
9 Meningococcal meningitis	..	M	37	3	3	4	8	13	4	2	—	—
		F	19	—	—	7	8	1	—	3	—	—
10 Tuberculosis of respiratory system	..	M	464	3	4	4	7	105	178	147	12	4
		F	479	—	3	3	21	129	235	71	13	4
11 Other tuberculous diseases..	..	M	165	11	26	26	24	32	26	16	4	—
		F	147	11	9	18	37	22	30	18	2	—
12 Cancer, malignant disease	M	1,043	—	—	3	2	9	59	410	367	193
		F	1,262	—	1	—	1	7	121	538	369	225
13 Rheumatic fever	M	29	—	—	—	12	6	8	3	—	—
		F	32	—	—	—	9	2	8	9	3	1
14 Diabetes	M	109	—	—	2	5	3	11	31	38	19
		F	141	—	—	—	2	6	8	59	45	21
15 Cerebral hæmorrhage, &c.	..	M	505	—	—	—	—	1	6	142	180	176
		F	659	—	—	—	—	1	11	166	232	249
16 Heart disease	..	M	1,827	—	—	1	12	20	95	488	658	553
		F	1,910	—	—	2	14	33	110	443	610	698
17 Arterio-sclerosis	M	513	—	—	—	—	—	1	68	197	247
		F	401	—	—	—	—	—	2	54	120	225
18 Bronchitis..	..	M	405	60	16	9	5	1	12	64	94	144
		F	317	43	15	3	6	3	6	39	56	146
19 Pneumonia (all forms)	M	677	114	55	39	42	22	105	147	96	57
		F	463	102	40	33	28	6	62	76	64	52
20 Other respiratory diseases..	..	M	129	5	4	6	6	3	15	38	28	24
		F	104	5	1	7	1	5	9	25	20	31
21 Ulcer of stomach or duodenum	..	M	137	—	—	—	1	6	40	63	19	8
		F	35	1	—	—	—	2	7	16	3	6
22 Diarrhœa, &c.	..	M	141	82	12	5	7	4	3	11	9	8
		F	109	51	13	11	4	2	5	8	6	9
23 Appendicitis and typhlitis..	..	M	60	—	—	6	9	14	9	12	7	3
		F	48	—	—	2	12	9	10	8	6	1
24 Cirrhosis of liver	M	34	—	—	—	—	1	1	18	11	3
		F	16	—	—	—	—	—	3	6	4	3
25 Acute and chronic nephritis	..	M	344	1	2	4	7	8	36	106	101	79
		F	356	1	1	1	6	12	45	115	98	77
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
		F	60	—	—	—	—	14	46	—	—	—
27 Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—
		F	88	—	—	—	—	19	68	1	—	—
28 Congenital debility and malformation, premature birth	M	625	609	2	6	3	2	2	1	—	—
		F	455	444	3	3	4	—	—	1	—	—
29 Suicide	M	138	—	—	—	—	6	39	69	21	3
		F	46	—	—	—	—	4	19	18	5	—
30 Other deaths from violence..	..	M	677	15	5	33	53	128	184	169	59	31
		F	225	7	8	22	25	32	22	36	31	42
31 Other defined diseases..	..	M	1,627	179	37	30	54	52	123	302	347	503
		F	1,622	111	27	20	57	55	190	330	297	535
32 Causes ill-defined or unknown	..	M	34	—	2	—	—	2	3	20	6	1
		F	28	—	—	—	1	1	3	14	9	—

* See footnote to Table 14, page 66.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF RURAL DISTRICTS (MIDLANDS).*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	18,771	1,513	200	284	444	735	1,681	4,285	4,422	5,207
		F	17,731	1,186	207	231	395	613	1,648	3,790	3,747	5,914
1 Enteric fever	..	M	8	—	—	—	—	1	2	4	1	—
		F	13	—	—	—	2	—	1	8	2	—
2 Small-pox..	..	M	1	—	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	61	11	16	20	13	1	—	—	—	—
		F	65	11	22	16	8	—	3	3	1	1
4 Scarlet fever	..	M	23	—	—	5	8	8	2	—	—	—
		F	21	—	2	1	10	2	5	1	—	—
5 Whooping cough	..	M	57	36	13	5	3	—	—	—	—	—
		F	82	46	21	11	4	—	—	—	—	—
6 Diphtheria	..	M	90	2	2	33	45	4	4	—	—	—
		F	99	2	5	16	60	8	2	5	—	1
7 Influenza	M	241	4	—	3	4	9	37	80	68	36
		F	185	5	4	2	10	3	23	45	42	51
8 Encephalitis lethargica	..	M	31	—	3	2	—	3	11	10	1	1
		F	42	1	1	4	2	7	10	13	4	—
9 Meningococcal meningitis	..	M	15	1	1	1	6	1	3	2	—	—
		F	14	5	1	4	2	2	—	—	—	—
10 Tuberculosis of respiratory system	..	M	827	—	4	1	14	160	388	231	23	6
		F	881	1	1	2	26	256	392	173	25	5
11 Other tuberculous diseases..	..	M	227	11	16	30	41	45	50	20	11	3
		F	207	14	16	14	41	29	45	35	10	3
12 Cancer, malignant disease	M	2,327	1	2	2	3	12	99	817	874	517
		F	2,562	—	—	3	7	10	181	955	773	633
13 Rheumatic fever..	..	M	57	—	—	5	18	7	13	9	4	1
		F	53	—	—	—	15	7	14	11	5	1
14 Diabetes	M	225	—	—	1	5	15	14	62	89	39
		F	276	1	—	1	5	3	17	90	91	68
15 Cerebral hæmor- rhage, &c.	..	M	1,060	—	1	1	—	—	14	231	351	462
		F	1,327	1	1	—	1	—	20	285	416	603
16 Heart disease	..	M	3,617	—	—	3	20	31	132	785	1,239	1,407
		F	3,672	—	1	3	21	44	141	758	1,046	1,658
17 Arterio-sclerosis	..	M	880	—	—	—	—	—	6	127	282	465
		F	677	—	—	—	—	—	—	73	195	409
18 Bronchitis..	..	M	740	54	12	3	1	2	14	97	157	400
		F	739	54	13	8	1	2	2	43	161	455
19 Pneumonia (all forms	M	969	155	54	48	23	34	140	249	159	107
		F	765	127	47	43	22	23	101	143	137	122
20 Other respiratory diseases..	..	M	207	6	4	8	6	1	29	67	46	40
		F	153	4	—	1	5	3	14	38	29	59
21 Ulcer of stomach or duodenum	..	M	213	1	—	—	—	4	55	94	43	16
		F	64	—	—	—	1	—	12	38	9	4
22 Diarrhœa, &c.	..	M	168	91	12	5	3	2	10	19	9	17
		F	163	61	12	11	7	5	19	14	15	19
23 Appendicitis and typhlitis..	..	M	120	1	—	4	15	16	25	40	15	4
		F	95	—	—	7	17	7	21	28	8	7
24 Cirrhosis of liver..	..	M	73	—	—	—	—	—	7	38	20	8
		F	49	—	—	—	1	—	4	23	13	8
25 Acute and chronic nephritis	..	M	634	3	2	6	8	19	48	187	201	160
		F	540	3	2	2	11	18	55	180	151	118
26 Puerperal sepsis	..	M	—	—	—	—	—	—	—	—	—	—
		F	106	—	—	—	—	18	88	—	—	—
27 Other accidents and dis- eases of pregnancy and parturition	..	M	—	—	—	—	—	—	—	—	—	—
		F	140	—	—	—	—	18	118	4	—	—
28 Congenital debility and malformation, pre- mature birth	..	M	886	858	6	1	7	5	4	4	1	—
		F	671	652	5	6	2	4	—	1	1	—
29 Suicide	M	298	—	—	—	1	33	65	143	41	15
		F	110	—	—	—	—	12	30	56	10	2
30 Other deaths from violence..	..	M	1,128	32	20	47	80	224	261	286	96	82
		F	387	19	10	24	34	41	37	71	39	112
31 Other defined diseases..	..	M	3,534	243	31	50	119	98	242	659	674	1,418
		F	3,526	177	38	52	80	91	291	672	550	1,575
32 Causes ill-defined or unknown	..	M	54	3	1	—	1	—	6	24	16	3
		F	47	2	5	—	—	—	2	24	14	—

* See footnote to Table 14, page 66.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.		Sex	AGGREGATE OF RURAL DISTRICTS (SOUTH).*									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	11,749	816	125	128	293	393	1,036	2,810	2,799	3,349
		F	11,345	555	116	121	206	324	978	2,486	2,562	3,997
1 Enteric fever	..	M	4	—	—	—	—	—	2	1	1	—
		F	8	—	—	—	1	2	2	2	1	—
2 Small-pox..	..	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3 Measles	M	40	6	14	8	10	1	1	—	—	—
		F	32	8	10	4	6	2	—	2	—	—
4 Scarlet fever	..	M	10	—	—	4	3	1	2	—	—	—
		F	19	—	—	6	10	—	2	1	—	—
5 Whooping cough..	..	M	38	23	9	3	3	—	—	—	—	—
		F	39	17	12	5	2	—	1	—	—	2
6 Diphtheria	..	M	55	1	5	15	30	3	1	—	—	—
		F	64	1	3	13	28	8	7	4	—	—
7 Influenza	M	133	3	—	—	1	6	17	41	33	32
		F	138	3	2	1	2	3	13	31	30	53
8 Encephalitis lethargica	..	M	24	—	—	1	3	2	3	8	6	1
		F	29	—	—	—	3	3	9	10	2	2
9 Meningococcal meningitis	..	M	9	3	1	—	1	2	2	—	—	—
		F	5	—	1	1	—	1	—	2	—	—
10 Tuberculosis of respiratory system	..	M	597	—	1	—	7	93	268	187	36	5
		F	498	1	3	1	10	117	224	110	21	11
11 Other tuberculous diseases..	..	M	169	14	14	12	30	19	42	24	11	3
		F	110	6	11	9	17	17	25	16	6	3
12 Cancer, malignant disease	M	1,479	1	—	1	3	4	59	529	507	375
		F	1,752	—	—	1	1	6	111	716	510	407
13 Rheumatic fever	M	19	—	—	—	4	7	1	4	3	—
		F	18	—	—	1	3	6	3	4	1	—
14 Diabetes	M	120	—	—	—	6	2	6	38	37	31
		F	161	—	—	—	4	1	12	48	57	39
15 Cerebral hæmorrhage, &c.	..	M	617	—	—	—	—	1	12	131	218	255
		F	800	—	—	—	—	1	14	165	240	380
16 Heart disease	..	M	2,487	1	—	1	4	19	65	600	798	999
		F	2,670	—	—	—	8	29	71	491	787	1,284
17 Arterio-sclerosis	M	548	—	—	—	—	—	2	98	154	294
		F	507	—	—	—	—	—	—	68	147	292
18 Bronchitis..	..	M	447	31	8	1	3	5	13	44	96	246
		F	396	26	6	3	2	2	3	33	76	245
19 Pneumonia (all forms)	M	533	83	31	19	16	13	71	131	100	69
		F	397	50	24	23	14	12	39	77	78	80
20 Other respiratory diseases..	..	M	135	8	2	3	2	2	14	45	30	29
		F	93	6	2	2	4	4	7	21	16	31
21 Ulcer of stomach or duodenum	..	M	144	—	—	—	—	—	28	71	33	12
		F	54	—	—	—	1	—	8	30	8	7
22 Diarrhoea, &c.	..	M	79	36	9	3	3	—	6	2	7	13
		F	72	17	5	3	1	2	14	9	6	15
23 Appendicitis and typhlitis..	..	M	82	—	—	3	10	14	14	23	14	4
		F	71	—	—	1	11	8	13	20	12	6
24 Cirrhosis of liver	M	57	—	—	—	—	—	3	26	24	4
		F	19	—	—	—	—	1	1	12	3	2
25 Acute and chronic nephritis..	..	M	398	1	1	2	2	10	24	108	141	109
		F	395	2	1	1	5	6	35	107	134	104
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—
		F	61	—	—	—	—	9	52	—	—	—
27 Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—
		F	54	—	—	—	—	2	48	4	—	—
28 Congenital debility and malformation, premature birth	M	481	462	3	2	6	2	5	1	—	—
		F	340	324	6	2	3	1	1	3	—	—
29 Suicide	M	186	—	—	—	—	14	48	85	35	4
		F	59	—	—	—	—	6	15	27	10	1
30 Other deaths from violence..	..	M	627	15	7	19	60	113	159	159	50	45
		F	282	14	6	20	23	30	34	56	26	73
31 Other defined diseases..	..	M	2,207	124	19	31	86	60	166	446	456	819
		F	2,192	79	24	24	47	45	214	412	388	959
32 Causes ill-defined or unknown	..	M	24	4	1	—	—	—	2	8	9	—
		F	10	1	—	—	—	—	—	5	3	1

* See footnote to Table 14, page 66.

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATHS.	Sex.	AGGREGATE OF RURAL DISTRICTS (WALES AND MONMOUTH).									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	4,997	492	74	78	152	238	484	1,305	1,136	1,038
	F	4,768	359	68	86	147	201	506	1,069	1,040	1,292
1 Enteric fever ..	M	2	—	—	—	—	—	1	1	—	—
	F	2	—	—	—	—	—	—	2	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	14	3	6	1	4	—	—	—	—	—
	F	20	2	5	7	4	—	1	1	—	—
4 Scarlet fever ..	M	9	—	1	2	4	—	2	—	—	—
	F	10	—	—	3	5	2	—	—	—	—
5 Whooping cough..	M	28	15	7	5	1	—	—	—	—	—
	F	32	13	8	10	1	—	—	—	—	—
6 Diphtheria ..	M	50	—	3	13	25	6	2	—	1	—
	F	54	—	2	12	35	1	4	—	—	—
7 Influenza ..	M	90	3	1	1	3	6	13	31	20	12
	F	79	2	—	2	3	1	17	17	21	16
8 Encephalitis lethargica ..	M	6	—	1	—	—	1	2	2	—	—
	F	7	—	1	1	—	—	2	2	1	—
9 Meningococcal meningitis ..	M	4	—	—	—	2	1	1	—	—	—
	F	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	277	—	1	1	1	61	109	78	22	4
	F	329	2	2	—	17	87	137	64	17	3
11 Other tuberculous diseases ..	M	70	2	5	3	13	15	21	8	3	—
	F	61	4	5	3	11	13	17	6	1	1
12 Cancer, malignant disease ..	M	575	—	—	1	3	1	33	237	202	98
	F	646	—	1	—	—	3	53	300	175	114
13 Rheumatic fever..	M	14	—	—	—	5	3	4	1	1	—
	F	17	—	—	1	6	3	3	2	2	—
14 Diabetes ..	M	44	1	—	—	2	—	5	16	14	6
	F	51	—	—	—	—	1	4	17	18	11
15 Cerebral hæmorrhage, &c. ..	M	287	—	—	—	—	1	2	65	97	122
	F	354	—	—	—	—	—	10	69	123	152
16 Heart disease ..	M	928	—	—	—	8	15	42	244	332	287
	F	981	—	—	—	11	17	38	220	297	398
17 Arterio-sclerosis ..	M	193	—	—	—	—	—	—	34	72	87
	F	169	—	—	—	—	—	—	18	63	88
18 Bronchitis..	M	200	16	6	2	2	2	9	47	47	69
	F	177	10	3	2	—	1	6	18	44	93
19 Pneumonia (all forms) ..	M	249	54	25	16	9	7	28	58	35	17
	F	170	36	17	9	5	2	15	28	23	35
20 Other respiratory diseases ..	M	86	8	3	3	—	2	6	39	13	12
	F	47	—	1	5	3	1	3	11	10	13
21 Ulcer of stomach or duodenum ..	M	50	—	—	—	—	3	11	26	8	2
	F	23	—	—	—	—	—	5	8	7	3
22 Diarrhœa, &c. ..	M	47	28	2	1	—	1	2	5	4	4
	F	39	22	5	2	—	2	2	3	2	1
23 Appendicitis and typhlitis..	M	48	—	—	5	11	9	7	14	2	—
	F	25	—	—	1	11	2	4	5	2	—
24 Cirrhosis of liver ..	M	25	—	—	—	1	—	—	20	3	1
	F	9	—	—	—	1	1	1	4	2	—
25 Acute and chronic nephritis ..	M	245	1	1	—	2	6	11	90	74	60
	F	226	1	—	1	1	8	19	74	70	52
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	21	—	—	—	—	3	18	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—
	F	56	—	—	—	—	11	45	—	—	—
28 Congenital debility and malformation, premature birth ..	M	239	234	1	—	3	1	—	—	—	—
	F	197	193	2	1	—	1	—	—	—	—
29 Suicide ..	M	59	—	—	—	1	6	10	33	5	4
	F	26	—	—	—	—	4	10	9	3	—
30 Other deaths from violence..	M	309	7	4	13	30	59	96	73	19	8
	F	85	4	5	10	7	4	10	13	17	15
31 Other defined diseases..	M	825	118	7	11	22	32	64	171	156	244
	F	840	69	10	16	23	32	81	171	141	297
32 Causes ill-defined or unknown ..	M	24	2	—	—	—	—	3	12	6	1
	F	14	1	1	—	2	1	1	7	1	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	GREATER LONDON.*									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	44,108	4,011	934	833	1,211	1,921	4,828	13,173	9,438	7,759
	F	41,683	2,928	834	775	1,066	1,820	4,453	9,890	8,500	11,417
1 Enteric fever ..	M	15	—	1	—	3	1	1	5	4	—
	F	34	—	—	—	1	8	17	5	3	—
2 Small-pox..	M	7	1	—	—	2	—	—	3	1	—
	F	10	4	—	—	1	—	—	3	2	—
3 Measles ..	M	780	183	346	187	59	3	1	1	—	—
	F	667	116	301	186	59	2	2	1	—	—
4 Scarlet fever ..	M	87	3	10	31	29	6	7	1	—	—
	F	88	1	10	33	28	6	7	3	—	—
5 Whooping cough ..	M	105	47	31	24	3	—	—	—	—	—
	F	131	54	40	28	8	1	—	—	—	—
6 Diphtheria ..	M	414	28	47	130	194	7	4	4	—	—
	F	406	19	45	137	189	7	4	5	—	—
7 Influenza ..	M	368	19	3	5	5	18	51	135	75	57
	F	316	14	2	2	5	7	36	95	77	78
8 Encephalitis lethargica ..	M	54	—	1	3	4	11	13	16	5	1
	F	67	—	2	1	4	10	17	19	10	4
9 Meningococcal meningitis ..	M	85	32	9	6	15	12	7	4	—	—
	F	62	22	9	13	4	4	7	3	—	—
10 Tuberculosis of respiratory system	M	3,686	14	7	17	33	581	1,446	1,366	196	26
	F	2,541	12	8	8	62	804	1,101	455	70	21
11 Other tuberculous diseases..	M	489	45	39	70	88	92	74	61	13	7
	F	442	35	44	61	86	88	68	41	12	7
12 Cancer, malignant disease ..	M	5,530	1	2	6	8	35	318	2,494	1,788	878
	F	6,206	2	1	7	17	35	554	2,660	1,655	1,275
13 Rheumatic fever..	M	145	—	—	3	51	39	34	14	1	3
	F	185	—	—	7	72	39	40	23	3	1
14 Diabetes ..	M	386	—	1	1	2	14	26	138	145	59
	F	554	—	—	—	6	4	30	204	208	102
15 Cerebral hæmorrhage, &c. ..	M	1,607	—	1	1	—	2	55	503	574	471
	F	2,259	—	—	—	1	2	41	592	709	914
16 Heart disease ..	M	8,550	—	2	3	68	135	424	2,598	2,776	2,544
	F	9,552	—	2	5	85	210	577	2,007	2,663	4,003
17 Arterio-sclerosis ..	M	1,524	—	—	—	—	—	13	330	560	621
	F	1,516	—	—	—	—	—	9	250	468	789
18 Bronchitis..	M	1,647	115	11	7	4	9	74	453	413	561
	F	1,488	77	16	19	4	9	29	178	334	822
19 Pneumonia (all forms) ..	M	3,211	593	249	101	73	74	399	1,004	437	281
	F	2,349	477	182	91	66	65	198	440	379	451
20 Other respiratory diseases..	M	518	15	5	12	15	23	70	186	91	101
	F	394	12	4	7	14	10	29	89	76	153
21 Ulcer of stomach or duodenum ..	M	799	1	—	—	—	13	195	419	126	45
	F	263	—	—	—	—	8	45	131	48	31
22 Diarrhoea, &c. ..	M	660	524	35	11	6	7	16	25	19	17
	F	568	370	46	12	6	20	31	25	16	42
23 Appendicitis and typhlitis..	M	366	—	3	22	59	70	74	92	31	15
	F	264	—	—	14	29	36	61	73	33	18
24 Cirrhosis of liver..	M	232	1	—	—	—	—	27	127	65	12
	F	161	2	—	—	1	—	23	95	31	9
25 Acute and chronic nephritis ..	M	1,447	4	1	2	15	47	149	529	427	273
	F	1,445	2	—	3	21	49	151	525	392	302
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—
	F	244	—	—	—	—	40	202	2	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—
	F	213	—	—	—	—	32	180	1	—	—
28 Congenital debility and malformation, premature birth ..	M	1,757	1,719	12	5	6	1	10	4	—	—
	F	1,249	1,197	12	10	8	13	6	2	1	—
29 Suicide ..	M	680	—	—	—	—	42	211	317	78	32
	F	358	—	—	—	—	24	129	159	41	5
30 Other deaths from violence..	M	2,204	73	30	66	225	399	436	491	265	219
	F	1,174	61	20	44	85	77	125	239	185	338
31 Other defined diseases..	M	6,735	592	82	120	244	277	692	1,845	1,347	1,536
	F	6,467	449	88	86	204	209	734	1,565	1,080	2,052
32 Causes ill-defined or unknown ..	M	20	1	6	—	—	3	1	8	1	—
	F	10	2	2	1	—	1	—	—	4	—

* See footnote on page 62.

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHs—1930.
(Civilian population only).

CAUSES OF DEATH.		Sex.	BATTERSEA.										BERMONDSEY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M F	955 891	87 58	16 18	26 14	21 22	38 43	107 92	280 205	206 183	174 256	825 659	71 60	48 34	23 18	28 22	40 36	107 71	235 159	165 123	108 136
1 Enteric fever	..	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	1 —	1 —	— —	— —	
2 Small-pox..	..	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles	M F	23 15	6 1	10 9	6 5	1 —	— —	— —	— —	— —	— —	38 22	6 3	22 14	8 4	2 1	— —	— —	— —	— —	
4 Scarlet fever	..	M F	1 1	— —	— —	1 —	— 1	— —	— —	— —	— —	— —	5 3	1 1	1 —	2 2	1 —	— —	— —	— —	— —	
5 Whooping cough	..	M F	3 4	2 2	— 1	1 1	— —	— —	— —	— —	— —	— —	2 4	— 1	2 1	— 1	— 1	— —	— —	— —	— —	
6 Diphtheria	..	M F	11 4	— —	2 1	6 1	2 1	— —	— 1	1 —	— —	— —	7 6	— 1	4 1	2 3	1 1	— —	— —	— —	— —	
7 Influenza	M F	4 10	— —	— —	— —	— —	— —	— 2	3 2	— 2	1 4	2 2	— —	— —	— —	— —	1 —	1 1	— —	— 1	
8 Encephalitis lethargica	..	M F	— 3	— —	— —	— —	— —	— —	— 2	— 1	— —	— —	1 1	— —	— —	— —	1 —	— —	— 1	— —	— —	
9 Meningococcal meningitis	..	M F	2 —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	4 1	2 —	1 1	— —	— —	1 —	— —	— —	— —	
10 Tuberculosis of respiratory system	{	M F	77 60	1 —	— —	— —	— 3	12 21	32 24	28 11	3 —	1 1	80 54	1 —	— 2	— —	2 3	15 15	29 21	30 8	3 5	
11 Other tuberculous diseases..	{	M F	15 10	1 —	— 1	3 1	2 1	3 2	5 2	— 2	1 1	— —	7 8	1 —	1 2	2 2	3 2	— 1	— 1	— —	— —	
12 Cancer, malignant disease	M F	134 108	— —	— —	— 1	— 1	— —	8 9	64 44	49 31	13 22	95 71	— —	— —	— —	— —	8 6	46 35	34 20	7 10	
13 Rheumatic fever ..	{	M F	3 3	— —	— —	— —	1 1	— 2	1 —	1 —	— —	— —	4 2	— —	— —	— 1	1 1	1 —	— —	1 —	— —	
14 Diabetes	M F	6 5	— —	— —	— —	— —	1 —	1 —	— 2	3 2	1 1	5 10	— —	— —	— —	— —	1 —	3 1	1 8	— 1	
15 Cerebral hæmorrhage, &c.	{	M F	20 42	— —	— —	— —	— —	— 1	— 12	10 11	5 18	5 31	27 31	— —	— —	— —	— —	3 —	10 15	9 8	5 8	
16 Heart disease	..	M F	204 264	— —	— —	— —	1 2	1 6	8 13	46 50	70 73	78 120	157 155	— —	— —	— —	— 3	5 3	10 10	51 38	50 38	41 63
17 Arterio-sclerosis ..	{	M F	23 29	— —	— —	— —	— —	— —	1 —	7 4	8 11	7 14	31 14	— —	— —	— —	— —	— —	3 3	13 1	15 10	
18 Bronchitis..	..	M F	30 42	1 1	— —	1 —	— —	— —	— 3	12 7	4 12	12 19	41 27	2 2	1 —	— —	— —	— —	2 —	16 5	12 9	8 11
19 Pneumonia (all forms) ..	{	M F	66 35	10 8	4 —	1 3	1 2	1 —	8 5	26 4	10 6	5 7	80 47	13 11	9 8	4 2	4 1	1 4	12 1	22 7	8 6	7 7
20 Other respiratory diseases..	{	M F	16 7	— —	— —	1 1	1 —	— —	1 1	6 2	3 2	4 1	11 8	1 1	— —	— —	— —	1 —	3 1	— 1	5 2	1 3
21 Ulcer of stomach or duodenum	{	M F	18 10	— —	— —	— —	— —	— —	3 —	10 5	1 3	4 2	16 2	— —	— —	— —	— —	— —	6 —	8 2	2 —	— —
22 Diarrhoea, &c.	..	M F	15 12	13 7	— 1	— —	— —	— —	1 1	— —	— —	1 3	8 11	7 6	1 1	— 1	— —	1 1	— —	— 1	— —	
23 Appendicitis and typhlitis..	{	M F	6 7	— —	— —	— —	2 2	— —	— 1	2 2	2 1	— 1	5 5	— —	— —	— 1	1 4	2 —	— —	1 —	1 —	
24 Cirrhosis of liver ..	{	M F	4 4	— —	— —	— —	— —	— —	— 2	2 2	2 —	— —	3 2	— —	— —	— —	— —	1 —	2 2	— —	— —	
25 Acute and chronic nephritis	..	M F	44 37	1 —	— —	— —	— 1	— —	4 4	14 19	15 6	10 7	18 26	— —	— —	— —	1 1	1 —	2 4	5 13	7 6	2 2
26 Puerperal sepsis ..	{	M F	— 4	— —	— —	— —	— —	2 2	— 2	— —	— —	— —	5 —	— —	— —	— —	— —	1 —	4 —	— —	— —	
27 Other accidents and diseases of pregnancy and parturition ..	{	M F	— 6	— —	— —	— —	— —	2 —	— 4	— —	— —	— —	5 —	— —	— —	— —	— —	2 —	3 —	— —	— —	
28 Congenital debility and malformation, &c. premature birth ..	{	M F	44 31	44 28	— —	— 1	— 1	— 1	— —	— —	— —	— —	29 18	28 18	1 —	— —	— —	— —	— —	— —	— —	
29 Suicide	M F	12 3	— —	— —	— —	— —	1 1	3 —	4 2	3 —	1 —	15 2	— —	— —	— —	— —	1 —	3 —	8 1	2 —	2 —
30 Other deaths from violence..	{	M F	47 22	— —	— 1	1 —	5 2	9 3	13 2	7 3	8 5	4 6	38 18	1 2	3 1	1 —	8 4	8 —	7 3	6 1	2 5	2 2
31 Other defined diseases..	{	M F	127 113	7 11	— 4	5 —	4 4	10 3	18 13	37 31	19 17	27 30	95 97	8 14	1 3	4 1	4 4	5 3	17 15	23 25	15 14	18 18
32 Causes ill-defined or unknown	{	M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHs—1930.
(Civilian population only).

CAUSES OF DEATH.		Sex.	CHELSEA.										DEPTFORD.									
			All Ages.	0	1	2	5	15	25	45	65	75	All Ages.	0	1	2	5	15	25	45	65	75
ALL CAUSES	..	M	400	20	3	3	6	12	38	123	104	91	705	59	14	15	16	36	79	207	157	122
		F	383	12	7	2	8	15	34	105	92	108	545	48	9	16	13	33	60	118	97	151
1 Enteric fever	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	3	1	—	1	1	—	—	—	—	—	13	5	4	4	—	—	—	—	—	—
		F	5	—	4	—	1	—	—	—	—	—	11	2	6	3	—	—	—	—	—	—
4 Scarlet fever	..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough..	..	M	1	1	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	..	M	4	—	1	1	2	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
7 Influenza	M	3	—	1	—	—	—	—	—	1	1	4	—	—	—	—	—	1	2	1	1
		F	1	—	—	—	—	—	—	—	—	1	2	—	—	—	1	—	—	—	—	—
8 Encephalitis lethargica	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	..	M	32	—	—	—	1	5	20	5	1	59	—	—	1	2	11	22	18	5	—	—
		F	23	—	—	1	9	7	5	—	1	54	2	—	—	3	21	13	12	2	1	—
11 Other tuberculous diseases..	..	M	5	—	—	1	1	—	2	—	—	11	1	—	—	1	2	2	2	—	1	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	3	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	50	—	—	—	—	2	21	19	8	79	—	—	—	—	1	3	36	24	15	—
		F	81	—	—	—	1	8	31	21	20	77	—	—	—	—	1	13	30	16	17	—
13 Rheumatic fever..	..	M	—	—	—	—	—	—	—	—	—	4	—	—	—	1	2	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—
14 Diabetes	M	3	—	—	—	—	—	1	1	1	6	—	—	—	—	1	1	3	1	—	—
		F	2	—	—	—	—	—	—	1	1	11	—	—	—	1	—	—	4	5	1	—
15 Cerebral hæmorrhage, &c.	..	M	16	—	—	—	—	2	5	7	2	15	—	—	—	—	—	1	6	5	3	—
		F	25	—	—	—	—	—	10	6	9	30	—	—	—	—	—	1	6	8	15	—
16 Heart disease	..	M	85	—	—	—	2	5	17	31	28	163	—	—	—	2	3	5	47	50	56	—
		F	82	—	—	1	1	5	14	30	31	135	—	—	—	4	3	5	28	32	63	—
17 Arterio-sclerosis	..	M	10	—	—	—	—	—	1	6	3	45	—	—	—	—	—	—	9	26	10	—
		F	13	—	—	—	—	—	4	5	4	15	—	—	—	—	—	—	4	4	7	—
18 Bronchitis..	..	M	17	—	—	—	—	—	6	5	6	29	1	—	—	—	—	3	9	4	12	—
		F	11	—	1	—	—	—	1	1	8	18	2	—	1	—	—	—	1	4	10	—
19 Pneumonia (all forms)	..	M	22	3	—	—	—	4	7	3	5	46	8	5	2	—	3	5	15	6	2	—
		F	22	3	1	2	1	1	5	5	3	27	9	—	2	1	—	—	5	2	8	—
20 Other respiratory diseases..	..	M	5	—	—	—	—	—	3	1	1	2	—	—	—	—	—	—	2	—	—	—
		F	3	—	—	—	—	—	1	1	1	3	—	—	—	1	—	—	1	1	—	—
21 Ulcer of stomach or duodenum	..	M	5	—	—	—	—	1	4	—	—	19	—	—	—	—	1	5	11	2	—	—
		F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	2	—	1	—	—
22 Diarrhœa, &c.	..	M	2	2	—	—	—	—	—	—	—	15	14	—	1	—	—	—	—	—	—	—
		F	4	3	—	—	—	—	1	—	—	4	3	—	—	—	1	—	—	—	—	—
23 Appendicitis and typhlitis..	..	M	3	—	—	—	2	—	—	1	—	4	—	—	1	—	—	1	1	—	1	—
		F	4	—	—	1	—	2	1	—	—	2	—	—	—	1	—	—	1	—	—	—
24 Cirrhosis of liver	..	M	4	—	—	—	—	—	4	—	—	2	—	—	—	—	—	—	2	—	—	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	1	2	—	—
25 Acute and chronic nephritis	..	M	17	—	—	—	1	2	8	3	3	22	—	—	1	—	1	3	4	9	4	—
		F	13	—	—	—	1	—	4	2	6	22	—	—	—	—	2	6	5	6	3	—
26 Puerperal sepsis	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	2	—	—	—	3	—	—	—	—	—	3	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth	..	M	5	5	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—	—	—
29 Suicide	..	M	6	—	—	—	—	4	2	—	—	3	—	—	—	—	—	—	1	2	—	—
		F	5	—	—	—	—	2	2	1	—	2	—	—	—	—	—	—	2	—	—	—
30 Other deaths from violence..	..	M	24	3	—	—	2	6	5	4	4	52	2	1	1	4	7	14	14	5	4	—
		F	14	—	—	1	—	1	3	2	7	12	1	—	—	2	1	1	4	2	1	—
31 Other defined diseases..	..	M	78	5	1	—	3	7	17	17	28	86	8	2	1	3	4	14	25	16	13	—
		F	61	1	1	—	2	6	18	17	16	79	7	2	4	—	3	12	14	12	25	—
32 Causes ill-defined or unknown	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHs—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	GREENWICH.										HACKNEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	560	50	10	10	9	38	61	165	121	96	1185	97	18	40	29	50	115	363	252	221
	F	478	26	8	8	10	37	43	123	99	124	1196	77	27	19	26	60	130	289	255	313
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	12	7	2	3	—	—	—	—	—	—	26	6	5	12	3	—	—	—	—	—
	F	9	1	4	4	—	—	—	—	—	—	19	3	8	6	2	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough ..	M	1	—	—	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
6 Diphtheria ..	M	6	—	1	1	3	—	—	1	—	—	16	1	—	4	9	2	—	—	—	—
	F	7	—	1	—	4	—	1	1	—	—	18	1	4	6	6	1	—	—	—	—
7 Influenza ..	M	4	—	—	—	—	1	—	2	—	1	13	—	—	—	—	1	3	4	3	2
	F	2	—	—	—	—	—	—	1	1	—	10	—	—	—	1	—	1	2	3	3
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—
10 Tuberculosis of respiratory system	M	75	—	—	—	—	18	30	22	4	1	86	—	—	1	1	12	34	31	6	1
	F	27	—	—	—	1	9	8	7	2	—	89	1	1	—	2	25	41	16	3	—
11 Other tuberculous diseases ..	M	8	—	1	1	2	3	1	—	—	—	15	1	—	5	2	4	2	1	—	—
	F	7	—	1	—	—	4	2	—	—	—	12	1	1	1	3	2	3	1	—	—
12 Cancer, malignant disease ..	M	79	—	—	—	—	2	6	33	28	10	142	—	—	1	—	—	9	73	40	19
	F	72	—	—	—	—	2	8	24	18	20	177	—	—	—	—	1	14	76	50	36
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	1	1	3	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	1	2	2	1	—	—
14 Diabetes ..	M	4	—	—	—	—	—	—	3	—	1	11	—	—	—	—	1	—	3	6	1
	F	7	—	—	—	—	1	—	4	1	1	16	—	—	—	—	—	—	8	4	4
15 Cerebral hæmorrhage, &c. ..	M	14	—	—	—	—	—	—	3	4	7	50	—	—	—	—	—	—	11	14	25
	F	26	—	—	—	—	—	—	7	8	11	62	—	—	—	—	—	1	17	17	27
16 Heart disease ..	M	122	—	—	—	1	3	9	35	41	33	236	—	—	—	3	4	13	73	75	68
	F	125	—	—	1	—	6	10	36	36	36	299	—	—	—	3	10	21	69	91	105
17 Arterio-sclerosis ..	M	22	—	—	—	—	—	—	3	8	11	73	—	—	—	—	—	—	15	18	40
	F	9	—	—	—	—	—	—	1	2	6	60	—	—	—	—	—	—	5	19	36
18 Bronchitis ..	M	16	2	—	—	—	—	—	5	3	6	34	2	1	—	—	—	1	11	10	9
	F	24	2	—	—	1	—	—	3	7	11	46	2	—	—	—	—	4	8	7	25
19 Pneumonia (all forms) ..	M	41	10	4	1	—	—	4	12	4	6	83	18	7	4	2	—	10	29	8	5
	F	24	5	1	1	1	3	2	3	5	3	72	18	1	2	5	2	6	10	15	13
20 Other respiratory diseases ..	M	2	—	—	—	—	—	—	1	—	1	16	—	—	1	1	1	1	8	3	1
	F	1	—	—	—	—	—	—	—	—	1	6	—	—	—	—	1	1	1	1	2
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	2	4	1	—	27	—	—	—	—	—	5	18	3	1
	F	2	—	—	—	—	—	—	1	—	1	4	—	—	—	—	2	—	1	1	—
22 Diarrhoea, &c. ..	M	9	8	—	—	—	1	—	—	—	—	14	12	—	—	—	—	1	—	1	—
	F	2	2	—	—	—	—	—	—	—	—	19	12	2	—	—	1	1	—	3	—
23 Appendicitis and typhlitis ..	M	3	—	—	—	—	2	1	—	—	—	10	—	—	2	1	3	—	—	1	—
	F	5	—	—	—	1	3	—	1	—	—	7	—	—	—	—	1	2	3	—	1
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	—	2	3	1
	F	6	—	—	—	—	—	—	4	2	—	4	—	—	—	—	—	—	2	1	1
25 Acute and chronic nephritis ..	M	17	—	—	—	—	—	1	8	7	1	37	—	—	—	—	—	3	22	7	5
	F	28	—	—	—	—	3	5	9	4	7	38	—	—	—	—	—	8	13	10	7
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth ..	M	16	15	1	—	—	—	—	—	—	—	39	39	—	—	—	—	—	—	—	—
	F	9	9	—	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—	—
29 Suicide ..	M	3	—	—	—	—	—	—	2	1	—	18	—	—	—	—	2	2	9	4	1
	F	2	—	—	—	—	—	1	1	—	—	16	—	—	—	—	—	7	9	—	—
30 Other deaths from violence ..	M	29	1	—	—	2	5	4	5	10	2	56	4	1	3	2	11	8	9	10	8
	F	6	—	—	—	—	1	—	1	2	2	34	2	2	1	1	3	3	6	7	9
31 Other defined diseases ..	M	65	6	1	2	1	3	3	23	10	16	163	13	3	6	2	5	17	44	39	34
	F	72	7	1	2	1	3	4	18	11	25	139	8	5	2	1	6	11	40	23	43
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	HOLBORN.											ISLINGTON.										
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—		
ALL CAUSES .. {	M	280	19	6	3	2	10	30	98	69	43	2061	222	65	52	52	69	196	626	401	378		
	F	208	17	4	5	5	5	21	60	45	46	1809	170	63	48	38	63	159	419	369	480		
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox.. .. {	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 Measles {	M	9	2	5	2	—	—	—	—	—	—	81	22	36	20	3	—	—	—	—	—		
	F	3	—	1	1	1	—	—	—	—	—	65	9	27	25	4	—	—	—	—	—		
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	6	—	2	1	3	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	6	—	1	2	2	1	—	—	—	—		
5 Whooping cough.. {	M	—	—	—	—	—	—	—	—	—	—	6	2	2	2	—	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	8	5	2	—	1	—	—	—	—	—		
6 Diphtheria {	M	1	1	—	—	—	—	—	—	—	—	20	2	2	8	8	—	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	16	2	3	5	5	1	—	—	—	—		
7 Influenza {	M	1	—	—	—	—	—	—	—	—	1	11	1	—	1	—	—	—	6	—	3		
	F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	3	3	2		
8 Encephalitis lethargica .. {	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1	—		
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	8	3	1	1	2	1	—	—	—	—		
	F	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
10 Tuberculosis of respiratory system {	M	25	—	—	—	—	5	5	10	5	—	164	—	—	—	3	15	68	66	12	—		
	F	15	—	—	—	—	3	7	4	1	—	109	—	—	—	1	29	52	21	5	1		
11 Other tuberculous diseases.. .. {	M	3	—	1	—	—	1	—	—	1	—	18	1	1	3	4	5	3	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	16	2	3	2	4	1	2	1	1	—		
12 Cancer, malignant disease {	M	35	—	—	—	—	1	1	16	10	7	242	—	—	—	—	1	15	99	70	57		
	F	34	—	—	—	—	—	4	16	10	4	224	1	1	—	—	—	16	95	67	44		
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—	—		
	F	1	—	—	—	1	—	—	—	—	—	7	—	—	—	4	1	1	—	1	—		
14 Diabetes {	M	4	—	—	—	—	—	—	3	1	—	21	—	—	—	—	1	2	8	7	3		
	F	4	—	—	—	—	—	—	3	1	—	23	—	—	—	—	—	—	7	14	2		
15 Cerebral hæmorrhage, &c. .. {	M	16	—	—	—	—	—	2	5	6	3	79	—	—	—	—	—	—	23	37	19		
	F	15	—	—	—	—	—	—	5	5	5	98	—	—	—	—	1	1	26	29	41		
16 Heart disease {	M	49	—	—	—	—	—	3	25	17	4	379	—	—	—	2	7	14	127	117	112		
	F	25	—	—	—	1	—	4	5	8	7	412	—	—	—	3	9	25	90	121	164		
17 Arterio-sclerosis .. {	M	15	—	—	—	—	—	—	—	6	9	53	—	—	—	—	—	1	13	17	22		
	F	19	—	—	—	—	—	—	2	6	11	43	—	—	—	—	—	—	13	13	17		
18 Bronchitis.. .. {	M	19	—	—	—	—	—	—	6	8	5	92	5	—	—	—	—	6	27	22	32		
	F	11	—	—	—	—	—	—	1	4	6	70	3	2	—	—	—	—	5	19	41		
19 Pneumonia (all forms) {	M	19	3	—	—	1	—	3	3	6	3	162	34	9	5	3	4	12	62	21	12		
	F	16	6	2	—	—	—	1	2	3	2	123	19	16	9	3	3	4	21	23	25		
20 Other respiratory diseases.. .. {	M	—	—	—	—	—	—	—	—	—	—	44	1	—	1	1	2	1	12	3	23		
	F	—	—	—	—	—	—	—	—	—	—	40	—	—	—	2	—	2	3	4	29		
21 Ulcer of stomach or duodenum .. {	M	14	—	—	—	—	—	4	9	1	—	32	—	—	—	—	1	10	13	5	3		
	F	—	—	—	—	—	—	—	—	—	—	14	—	—	—	—	—	1	10	3	—		
22 Diarrhoea, &c. .. {	M	3	3	—	—	—	—	—	—	—	—	55	45	4	—	—	2	—	2	—	2		
	F	2	1	1	—	—	—	—	—	—	—	46	40	1	1	—	—	1	—	—	3		
23 Appendicitis and typhlitis .. {	M	—	—	—	—	—	—	—	—	—	—	5	—	—	1	—	1	1	2	—	—		
	F	1	—	—	1	—	—	—	—	—	—	10	—	—	—	2	1	2	3	1	1		
24 Cirrhosis of liver .. {	M	1	—	—	—	—	—	—	1	—	—	7	—	—	—	—	—	1	6	—	—		
	F	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	—	2	2	1		
25 Acute and chronic nephritis.. .. {	M	4	—	—	—	—	—	—	3	1	—	77	—	—	—	—	3	5	33	24	12		
	F	4	—	—	—	—	—	—	1	1	2	64	—	—	—	—	—	5	28	16	15		
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	—	1	—	—	—	10	—	—	—	—	3	7	—	—	—		
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	1	—	—	—	—	1	—	—	—	—	9	—	—	—	—	2	7	—	—	—		
28 Congenital debility and malformation, premature birth .. {	M	4	4	—	—	—	—	—	—	—	—	76	74	1	—	1	—	—	—	—	—		
	F	7	7	—	—	—	—	—	—	—	—	72	70	—	1	—	1	—	—	—	—		
29 Suicide {	M	7	—	—	—	—	—	4	3	—	—	25	—	—	—	—	2	9	11	2	1		
	F	1	—	—	—	—	—	1	—	—	—	11	—	—	—	—	1	2	8	—	—		
30 Other deaths from violence.. .. {	M	12	—	—	1	—	2	3	3	1	2	94	2	2	3	13	15	18	17	13	11		
	F	6	2	—	—	1	—	—	1	2	—	39	3	1	1	2	2	2	7	11	10		
31 Other defined diseases.. .. {	M	38	6	—	—	1	1	4	11	6	9	299	30	5	6	9	7	28	97	51	66		
	F	38	—	—	1	1	1	3	19	4	9	256	14	6	2	5	6	29	75	35	84		
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHS—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	POPLAR.										ST. MARYLEBONE.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	927	91	24	19	29	51	92	261	211	149	588	48	13	10	15	16	67	174	147	98
	F	756	76	24	24	21	42	73	177	142	177	583	29	12	7	9	22	66	157	121	160
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox.. .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles {	M	10	2	4	3	1	—	—	—	—	—	19	3	8	6	2	—	—	—	—	—
	F	20	4	11	4	1	—	—	—	—	—	16	3	7	4	1	1	—	—	—	—
4 Scarlet fever .. {	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough .. {	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
6 Diphtheria .. . {	M	11	2	3	3	3	—	—	—	—	—	7	1	1	3	2	—	—	—	—	—
	F	6	1	1	4	—	—	—	—	—	—	5	1	—	1	3	—	—	—	—	—
7 Influenza .. . {	M	1	—	1	—	—	—	—	—	—	—	5	—	—	—	—	—	—	1	2	2
	F	2	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	1	1	—
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	4	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	81	—	—	—	2	20	23	30	5	1	41	—	—	—	1	3	15	15	7	—
	F	51	—	1	1	1	16	23	8	—	1	34	—	—	—	1	10	11	7	5	—
11 Other tuberculous diseases.. {	M	3	—	1	1	—	1	—	—	—	—	5	—	1	—	1	2	—	—	1	—
	F	12	1	1	1	4	4	1	—	—	—	4	—	—	—	1	2	1	—	—	—
12 Cancer, malignant disease .. {	M	138	—	—	—	—	—	6	71	43	18	70	—	—	—	—	2	5	33	17	13
	F	74	—	—	—	—	3	4	34	19	14	100	—	—	—	—	—	6	46	25	23
13 Rheumatic fever .. {	M	5	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes .. . {	M	6	—	—	—	—	1	—	3	1	1	4	—	—	—	—	—	—	3	1	—
	F	15	—	—	—	—	—	—	7	6	2	13	—	—	—	—	—	3	3	6	1
15 Cerebral hæmorrhage, &c. .. {	M	10	—	—	—	—	—	1	5	2	2	19	—	—	—	—	—	—	6	7	6
	F	21	—	—	—	—	—	—	7	6	8	32	—	—	—	—	—	—	8	10	14
16 Heart disease .. {	M	201	—	—	—	2	5	5	54	76	59	119	—	—	—	1	1	10	26	48	33
	F	221	—	—	1	1	4	12	42	63	98	119	—	—	—	1	2	6	31	30	49
17 Arterio-sclerosis .. {	M	31	—	—	—	—	—	1	7	12	11	20	—	—	—	—	—	—	1	11	8
	F	26	—	—	—	—	—	—	6	8	12	14	—	—	—	—	—	—	3	7	4
18 Bronchitis.. .. {	M	30	—	—	—	—	—	1	7	8	14	19	2	—	—	—	—	—	6	7	4
	F	18	1	—	—	—	—	—	3	7	7	22	—	—	—	—	—	2	1	1	18
19 Pneumonia (all forms) .. {	M	73	20	10	4	2	—	9	13	13	2	50	8	2	—	1	—	6	23	6	4
	F	48	15	8	4	1	2	2	7	7	2	30	4	2	—	1	1	3	11	2	6
20 Other respiratory diseases.. {	M	8	1	—	—	—	—	2	—	3	2	6	—	—	—	—	—	—	4	—	2
	F	6	—	—	—	—	—	—	3	—	3	6	—	—	—	—	—	—	2	3	1
21 Ulcer of stomach or duodenum .. {	M	10	—	—	—	—	—	2	6	2	—	3	—	—	—	—	—	—	1	1	1
	F	5	—	—	—	—	1	—	4	—	—	6	—	—	—	—	—	1	2	3	—
22 Diarrhœa, &c. .. {	M	13	10	—	2	—	—	—	1	—	—	8	8	—	—	—	—	—	—	—	—
	F	9	9	—	—	—	—	—	—	—	—	10	6	—	—	—	—	1	1	—	2
23 Appendicitis and typhlitis.. {	M	6	—	1	—	1	2	1	1	—	—	5	—	—	—	—	2	—	2	1	—
	F	7	—	—	—	1	1	5	—	—	—	3	—	—	—	—	—	2	—	1	—
24 Cirrhosis of liver .. {	M	6	—	—	—	—	—	2	2	1	1	5	—	—	—	—	—	1	2	2	—
	F	3	—	—	—	—	—	1	2	—	—	2	—	—	—	—	—	1	—	—	1
25 Acute and chronic nephritis .. {	M	42	—	—	—	—	3	4	11	14	10	35	—	—	—	—	1	4	12	11	7
	F	30	—	—	—	2	1	3	12	8	4	20	—	—	—	—	—	1	7	9	3
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	43	43	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
	F	31	31	—	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—	—
29 Suicide .. . {	M	15	—	—	—	—	1	6	5	2	1	13	—	—	—	—	—	6	5	2	—
	F	3	—	—	—	—	—	2	1	—	—	6	—	—	—	—	—	2	1	3	—
30 Other deaths from violence.. {	M	57	—	—	2	7	13	9	13	5	8	21	1	—	1	4	2	3	5	2	3
	F	22	4	—	—	1	1	2	4	1	9	20	1	1	—	—	1	3	4	3	7
31 Other defined diseases.. {	M	120	9	3	3	8	4	18	32	24	19	95	7	1	—	3	3	17	28	21	15
	F	112	8	1	5	8	7	15	34	17	17	96	5	—	—	1	3	15	29	12	31
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

(Civilian population only).

CAUSES OF DEATH.		Sex.	ST. PANCRAS.										SHOREDITCH.											
			All Ages.	Ages.										All Ages.	Ages.									
				0—	1—	2—	5—	15—	25—	45—	65—	75—	0—		1—	2—	5—	15—	25—	45—	65—	75—		
ALL CAUSES ..		M	1353	114	22	22	27	58	149	427	296	238	645	65	28	13	21	19	76	213	111	99		
		F	1075	80	25	25	31	45	107	295	198	269	563	64	24	16	17	29	53	148	99	113		
1 Enteric fever ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox..		M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
3 Measles ..		M	16	2	9	4	1	—	—	—	—	—	23	5	13	3	2	—	—	—	—	—		
		F	14	1	10	2	1	—	—	—	—	—	26	8	12	5	1	—	—	—	—	—		
4 Scarlet fever ..		M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	6	—	—	1	4	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—		
5 Whooping cough..		M	2	2	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—		
		F	3	—	2	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—		
6 Diphtheria ..		M	16	1	—	7	6	—	2	—	—	—	9	—	3	2	4	—	—	—	—	—		
		F	15	—	1	9	4	1	—	—	—	—	11	2	2	3	4	—	—	—	—	—		
7 Influenza ..		M	9	2	—	—	—	—	1	1	4	1	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	—	—	3	1	—	1	—	—	—	—	1	—	—	—	—		
8 Encephalitis lethargica ..		M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	1	—	1	—	—	—	1	1	2	—	—	1	—	1	—	—	—	—		
9 Meningococcal meningitis ..		M	3	—	—	—	—	1	1	1	—	—	1	1	—	—	—	—	—	—	—	—		
		F	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
10 Tuberculosis of respiratory system		M	102	—	1	—	—	16	41	38	5	1	57	—	—	—	—	8	18	25	4	2		
		F	63	—	1	—	1	19	25	16	1	—	30	—	—	—	12	8	10	—	—	—		
11 Other tuberculous diseases..		M	11	1	2	1	3	—	—	1	2	1	8	2	—	1	2	1	2	—	—	—		
		F	13	1	—	1	3	3	4	1	—	—	5	—	1	1	—	1	—	2	—	—		
12 Cancer, malignant disease ..		M	198	—	1	—	1	—	10	92	61	33	77	—	—	—	—	7	41	19	10			
		F	161	—	—	—	—	1	19	73	37	31	56	—	—	—	—	3	32	17	4			
13 Rheumatic fever..		M	2	—	—	—	—	2	—	—	—	—	2	—	—	—	—	1	1	—	—	—		
		F	5	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
14 Diabetes ..		M	15	—	—	—	—	—	2	6	6	1	—	—	—	—	—	—	—	—	—	—		
		F	12	—	—	—	—	—	1	5	3	3	8	—	—	—	—	1	5	2	—	—		
15 Cerebral hæmorrhage, &c. ..		M	41	—	—	—	—	1	1	16	14	9	25	—	—	—	—	1	12	9	3			
		F	58	—	—	—	—	—	1	20	14	23	29	—	—	—	—	—	11	14	4			
16 Heart disease ..		M	256	—	—	1	1	5	15	81	79	74	114	—	—	—	—	3	11	34	33	33		
		F	202	—	—	—	—	3	16	50	60	73	113	—	—	2	8	9	28	28	38	38		
17 Arterio-sclerosis ..		M	48	—	—	—	—	—	—	11	18	19	23	—	—	—	—	1	8	7	7			
		F	33	—	—	—	—	—	—	5	8	20	30	—	—	—	—	1	4	9	16			
18 Bronchitis..		M	64	3	—	—	—	—	5	17	17	22	29	2	—	—	—	—	2	15	7	3		
		F	40	4	—	—	—	1	1	9	10	15	25	—	—	—	—	1	5	7	12			
19 Pneumonia (all forms) ..		M	94	19	5	3	2	4	9	24	15	13	61	14	7	4	—	2	8	15	9	2		
		F	67	14	3	2	1	1	7	13	10	16	46	14	5	—	2	2	3	12	5	3		
20 Other respiratory diseases..		M	16	1	—	—	—	1	5	5	3	1	4	—	—	—	—	—	3	—	—	1		
		F	13	—	—	—	—	—	1	4	4	4	—	—	—	—	—	—	—	—	—	—		
21 Ulcer of stomach or duodenum ..		M	29	—	—	—	—	1	10	15	3	—	6	—	—	—	—	3	3	—	—	—		
		F	8	—	—	—	—	—	1	5	2	—	1	—	—	—	—	1	—	—	—	—		
22 Diarrhœa, &c. ..		M	23	20	—	1	—	—	—	1	—	1	15	11	2	—	—	—	1	1	—	—		
		F	31	24	1	1	2	1	—	1	—	—	7	7	—	—	—	—	—	—	—	—		
23 Appendicitis and typhlitis..		M	7	—	—	1	—	3	—	3	—	—	5	—	—	2	—	—	2	1	—	—		
		F	10	—	—	2	—	2	—	2	3	1	3	—	—	—	—	2	—	1	—	—		
24 Cirrhosis of liver ..		M	8	—	—	—	—	—	—	2	5	1	5	—	—	—	—	1	4	—	—	—		
		F	6	—	—	—	—	—	—	5	1	—	—	—	—	—	—	—	—	—	—	—		
25 Acute and chronic nephritis ..		M	35	—	—	—	—	1	3	16	9	6	14	—	—	—	—	2	10	1	1			
		F	29	—	—	—	—	—	3	9	9	8	20	—	—	1	—	2	9	4	4			
26 Puerperal sepsis ..		M	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	4	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
27 Other accidents and diseases of pregnancy and parturition ..		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		F	4	—	—	—	—	—	4	—	—	—	3	—	—	—	1	2	—	—	—	—		
28 Congenital debility and malformation, premature birth ..		M	45	44	—	—	—	—	1	—	—	—	21	20	—	1	—	—	—	—	—	—		
		F	25	24	—	—	—	1	—	—	—	—	26	25	—	1	—	—	—	—	—	—		
29 Suicide ..		M	32	—	—	—	—	2	13	13	2	2	17	—	—	—	—	3	12	2	—	—		
		F	20	—	—	—	—	3	6	10	—	1	7	—	—	—	—	3	4	—	—	—		
30 Other deaths from violence..		M	66	5	2	3	6	14	10	14	7	5	31	1	2	1	5	1	6	7	4	4		
		F	41	—	1	3	4	4	2	12	4	11	30	2	1	1	1	1	6	5	3	10		
31 Other defined diseases..		M	211	14	1	—	7	6	20	70	45	48	96	8	1	2	4	3	9	21	15	33		
		F	184	10	5	1	7	4	15	51	30	61	76	5	2	4	4	3	6	21	9	22		
32 Causes ill-defined or unknown		M	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—		
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGH—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	SOUTHWARK.											STEPNEY.										
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—		
ALL CAUSES ..	M	1254	97	48	23	34	59	138	407	274	174	1479	190	51	27	60	60	142	481	289	179		
	F	978	75	39	29	20	51	97	246	178	243	1250	132	51	27	28	73	137	305	259	238		
1 Enteric fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—		
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—		
3 Measles ..	M	40	12	20	6	1	1	—	—	—	—	28	8	16	3	1	—	—	—	—	—		
	F	37	5	19	13	—	—	—	—	—	—	24	5	17	2	—	—	—	—	—	—		
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	5	—	1	3	1	—	—	—	—	—		
	F	3	—	2	1	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—		
5 Whooping cough ..	M	7	5	—	2	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—	—		
	F	3	2	1	—	—	—	—	—	—	—	5	—	2	2	1	—	—	—	—	—		
6 Diphtheria ..	M	10	—	3	3	4	—	—	—	—	—	16	1	1	4	10	—	—	—	—	—		
	F	7	—	—	4	3	—	—	—	—	—	13	—	3	6	4	—	—	—	—	—		
7 Influenza ..	M	12	1	—	—	—	1	2	5	3	—	8	—	—	—	—	1	3	3	1	—		
	F	8	—	—	—	—	1	1	1	4	1	1	—	—	—	—	—	1	—	—	—		
8 Encephalitis lethargica ..	M	2	—	—	—	—	1	—	1	—	—	4	—	—	1	—	—	—	2	1	—		
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—		
9 Meningococcal meningitis ..	M	4	1	1	1	1	—	—	—	—	—	6	4	1	—	—	1	—	—	—	—		
	F	1	—	—	1	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—	—		
10 Tuberculosis of respiratory system	M	139	1	2	—	2	22	45	60	6	1	137	—	—	—	1	14	40	70	9	3		
	F	71	1	—	—	1	18	35	14	2	—	77	—	1	2	—	27	30	14	3	—		
11 Other tuberculous diseases..	M	14	2	—	4	1	1	3	2	1	—	12	1	1	4	2	1	3	—	—	—		
	F	7	1	—	1	1	1	2	1	—	—	13	—	2	3	4	1	2	1	—	—		
12 Cancer, malignant disease ..	M	132	—	—	—	—	—	4	57	57	14	154	1	—	—	—	3	10	72	56	12		
	F	118	—	—	—	—	—	8	54	34	22	159	—	—	—	—	3	16	72	45	23		
13 Rheumatic fever..	M	3	—	—	—	1	1	1	—	—	—	5	—	—	—	3	1	1	—	—	—		
	F	4	—	—	1	1	2	—	—	—	—	7	—	—	—	3	2	2	—	—	—		
14 Diabetes ..	M	4	—	—	—	—	—	—	3	1	—	13	—	—	—	—	—	—	6	7	—		
	F	9	—	—	—	—	—	—	6	1	2	27	—	—	—	—	—	—	19	5	3		
15 Cerebral hæmorrhage, &c. ..	M	35	—	—	—	—	—	1	14	15	5	46	—	—	1	—	—	3	13	17	12		
	F	33	—	—	—	—	—	—	11	12	10	40	—	—	—	—	—	1	16	18	5		
16 Heart disease ..	M	273	—	—	—	1	8	14	78	92	80	293	—	1	—	5	8	18	105	85	71		
	F	276	—	1	—	2	11	14	52	65	131	315	—	—	—	2	15	26	76	88	108		
17 Arterio-sclerosis ..	M	41	—	—	—	—	—	—	11	16	14	39	—	—	—	—	—	—	10	19	10		
	F	24	—	—	—	—	—	—	6	9	9	36	—	—	—	—	—	—	6	13	17		
18 Bronchitis..	M	58	4	—	—	—	2	3	22	16	11	46	4	—	—	—	—	2	20	7	13		
	F	37	5	—	1	—	—	1	11	6	13	45	2	2	—	—	1	2	6	10	22		
19 Pneumonia (all forms) ..	M	99	15	16	3	4	2	12	28	15	4	140	30	18	3	3	2	14	41	23	6		
	F	61	10	10	3	1	1	5	17	6	8	88	32	6	1	4	2	6	10	18	9		
20 Other respiratory diseases..	M	16	1	1	—	1	2	1	8	—	2	21	1	1	1	—	—	2	5	6	5		
	F	9	—	2	—	—	—	2	—	2	3	7	1	—	—	1	—	—	2	3	—		
21 Ulcer of stomach or duodenum ..	M	23	—	—	—	—	1	7	12	2	1	19	—	—	—	—	1	7	7	2	2		
	F	7	—	—	—	—	1	2	1	3	—	13	—	—	—	—	2	3	3	3	2		
22 Diarrhœa, &c. ..	M	10	8	—	—	—	—	—	2	—	—	60	53	5	—	—	—	1	1	—	—		
	F	14	9	2	1	1	—	—	1	—	—	45	33	9	1	—	2	—	—	—	—		
23 Appendicitis and typhlitis..	M	7	—	—	—	3	1	1	—	2	—	13	—	—	—	7	3	1	2	—	—		
	F	2	—	—	—	—	—	—	1	—	1	9	—	—	1	—	—	2	4	2	—		
24 Cirrhosis of liver..	M	6	—	—	—	—	—	—	4	2	—	4	—	—	—	—	—	2	1	1	—		
	F	6	—	—	—	—	—	2	3	1	—	4	—	—	—	—	—	1	3	—	—		
25 Acute and chronic nephritis ..	M	48	—	1	—	—	1	2	18	15	11	39	—	—	—	2	2	2	21	8	4		
	F	61	—	—	—	1	3	3	35	11	8	51	—	—	—	1	4	4	14	17	11		
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	7	—	—	—	—	3	4	—	—	—	4	—	—	—	—	—	4	—	—	—		
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	2	—	—	—	—	—	2	—	—	—	6	—	—	—	—	1	5	—	—	—		
28 Congenital debility and malformation, premature birth ..	M	36	34	2	—	—	—	—	—	—	—	56	56	—	—	—	—	—	—	—	—		
	F	35	33	1	—	1	—	—	—	—	—	40	39	—	—	—	1	—	—	—	—		
29 Suicide ..	M	13	—	—	—	—	1	4	5	2	1	17	—	—	—	—	—	3	12	2	—		
	F	6	—	—	—	—	1	2	3	—	—	4	—	—	—	—	—	1	3	—	—		
30 Other deaths from violence..	M	64	—	—	2	7	8	15	20	5	7	78	5	—	2	17	8	6	22	10	8		
	F	19	1	—	—	3	1	2	1	3	8	31	1	—	3	3	1	3	9	9	2		
31 Other defined diseases..	M	156	13	2	1	7	6	23	57	24	23	214	26	3	5	8	13	24	67	35	33		
	F	110	8	1	3	5	8	12	27	19	27	174	16	7	3	5	11	27	46	23	36		
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—					

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in METROPOLITAN BOROUGHs—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	STOKE NEWINGTON.										WANDSWORTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	312	25	9	4	6	12	26	86	69	75	1820	151	25	22	49	85	189	543	418	338
	F	301	15	7	6	2	10	21	69	74	97	1939	103	28	27	40	72	214	483	388	584
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	—	1	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	7	—	6	—	1	—	—	—	—	—	25	4	13	5	3	—	—	—	—	—
	F	4	—	2	2	—	—	—	—	—	—	23	4	10	5	4	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	4	—	—	—	2	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	3	—	—	1	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	2	2	—	1	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	13	3	—	5	4	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	14	—	1	4	9	—	—	—	—	—
7 Influenza ..	M	6	—	—	—	—	1	—	2	2	1	7	—	—	—	—	—	2	2	1	2
	F	4	—	—	—	—	—	—	3	—	1	20	2	—	—	—	—	1	8	5	4
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	24	—	—	—	—	4	12	8	—	—	156	1	1	—	1	25	57	62	9	—
	F	10	—	—	—	—	2	6	1	1	—	108	—	—	—	1	36	50	19	2	—
11 Other tuberculous diseases..	M	1	—	—	—	1	—	—	—	—	—	21	2	—	1	4	4	4	5	—	1
	F	6	—	2	2	—	1	—	1	—	—	20	1	3	2	3	4	3	2	1	1
12 Cancer, malignant disease ..	M	33	—	—	—	—	—	19	10	4	229	—	—	—	1	—	14	103	82	28	—
	F	42	—	—	—	—	1	18	16	7	321	—	—	—	1	—	25	150	80	63	—
13 Rheumatic fever..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	9	—	—	—	3	2	1	1	2	—
14 Diabetes ..	M	2	—	—	—	—	—	—	1	1	13	—	—	—	—	—	—	—	6	7	—
	F	2	—	—	—	—	—	—	1	—	21	—	—	—	—	1	—	2	6	9	3
15 Cerebral hæmorrhage, &c. ..	M	15	—	—	—	—	—	1	1	5	8	71	—	—	—	—	—	1	16	32	22
	F	21	—	—	—	—	—	4	10	7	104	—	—	—	—	—	—	5	23	30	46
16 Heart disease ..	M	65	—	—	—	—	3	—	15	28	19	389	—	—	—	2	5	17	105	125	135
	F	71	—	—	—	—	5	10	20	36	477	—	—	—	2	4	28	86	120	237	—
17 Arterio-sclerosis ..	M	12	—	—	—	—	—	—	2	3	7	47	—	—	—	—	—	—	13	15	19
	F	18	—	—	—	—	1	1	6	10	57	—	—	—	—	—	—	1	12	14	30
18 Bronchitis..	M	10	—	—	—	—	—	—	2	1	7	63	4	—	—	—	—	5	23	14	17
	F	5	—	—	—	—	—	—	—	2	3	65	1	—	1	—	—	—	6	18	39
19 Pneumonia (all forms) ..	M	23	2	2	—	1	—	2	7	3	6	99	21	5	3	—	1	14	34	13	8
	F	22	1	1	1	—	1	1	5	5	7	93	11	5	4	1	3	15	16	15	23
20 Other respiratory diseases..	M	5	—	—	1	—	—	1	2	—	1	20	1	—	—	1	3	1	8	2	4
	F	5	—	—	—	—	—	1	2	—	2	18	2	—	—	—	1	—	5	6	4
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	2	2	1	—	30	—	—	—	—	1	5	15	9	—
	F	—	—	—	—	—	—	—	—	—	—	13	—	—	—	—	1	—	8	4	—
22 Diarrhœa, &c. ..	M	1	—	—	—	—	—	—	—	1	—	25	19	—	—	—	—	—	3	—	3
	F	6	4	—	—	—	—	—	—	—	2	19	9	3	1	—	2	2	2	—	—
23 Appendicitis and typhlitis..	M	6	—	—	1	—	2	1	2	—	—	20	—	—	2	1	3	4	6	3	1
	F	2	—	—	—	—	1	—	1	—	—	7	—	—	—	3	—	1	1	1	1
24 Cirrhosis of liver..	M	3	—	—	—	—	—	1	2	—	—	10	—	—	—	—	—	—	5	4	1
	F	2	—	—	—	—	—	—	1	1	—	7	—	—	—	—	—	1	5	1	—
25 Acute and chronic nephritis ..	M	4	—	—	—	—	—	—	2	1	1	69	—	—	—	1	1	5	30	20	12
	F	12	—	—	—	—	1	3	3	5	70	—	—	—	1	—	2	6	23	22	16
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	7	—	—	—	—	—	7	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	12	—	—	—	—	3	9	—	—	—
28 Congenital debility and malformation, premature birth ..	M	13	12	—	—	—	—	—	1	—	—	70	69	1	—	—	—	—	—	—	—
	F	6	5	—	—	—	1	—	—	—	—	54	51	1	—	—	1	1	—	—	—
29 Suicide ..	M	6	—	—	—	—	1	—	5	—	—	34	—	—	—	—	1	12	15	3	3
	F	4	—	—	—	—	—	—	3	1	—	16	—	—	—	—	1	4	9	2	—
30 Other deaths from violence..	M	11	2	—	1	1	1	1	1	2	2	78	1	—	1	11	22	15	16	7	5
	F	6	—	—	—	—	—	—	2	—	4	58	1	1	1	5	2	10	13	9	16
31 Other defined diseases..	M	59	9	1	—	2	—	5	13	11	18	318	26	5	3	14	15	32	75	71	77
	F	49	5	2	—	2	2	4	13	8	13	312	19	2	4	7	8	39	87	45	101
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGH—1930.
(Civilian population only).

CAUSES OF DEATH.	Sex.	WESTMINSTER.										WOOLWICH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	812	49	9	6	10	20	93	286	199	140	836	52	14	14	15	39	93	270	186	153
	F	689	34	5	6	11	19	82	197	149	186	711	39	15	9	19	40	78	150	149	212
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	9	2	3	2	2	—	—	—	—	—	8	—	5	2	1	—	—	—	—	—
	F	9	3	4	1	1	—	—	—	—	—	7	2	4	1	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
5 Whooping cough..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	—	1	2	—	1	—	—	—	4	—	1	1	2	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza ..	M	5	—	—	—	—	—	—	2	2	1	9	1	—	—	—	—	1	3	3	1
	F	5	—	—	—	—	—	—	3	2	—	4	1	—	—	—	—	—	1	1	1
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	—	1	—	3	—	—	—	—	—	2	1	—	—
	F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	62	—	—	—	—	5	23	31	3	—	87	—	—	—	1	9	38	33	6	—
	F	35	1	—	—	2	4	17	9	1	1	63	—	—	1	—	22	27	10	3	—
11 Other tuberculous diseases..	M	6	—	2	—	1	—	1	2	—	—	4	—	—	1	—	1	2	—	—	—
	F	4	1	—	—	—	1	1	—	—	1	11	—	2	1	2	5	1	—	—	—
12 Cancer, malignant disease ..	M	111	—	—	—	—	—	7	50	42	12	107	—	—	—	1	—	7	44	36	19
	F	113	—	—	—	1	—	10	46	32	24	94	—	—	—	—	1	10	36	31	16

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	BARNSELY.										BARROW-IN-FURNESS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	442	56	10	12	17	22	44	131	88	62	444	48	7	2	13	21	50	129	76	98
	F	369	48	6	6	16	20	56	86	72	59	354	24	4	6	7	16	36	103	81	77
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	2	1	1	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
7 Influenza ..	M	7	2	—	1	—	—	—	1	2	1	5	—	—	—	—	—	2	2	—	1
	F	9	—	—	1	1	—	2	2	2	1	2	—	—	—	—	—	2	—	—	—
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	26	—	—	—	—	5	7	12	1	1	29	—	—	—	1	7	15	6	—	—
	F	20	—	—	1	1	7	10	1	—	—	24	—	—	—	1	7	10	5	1	—
11 Other tuberculous diseases..	M	8	1	—	3	2	—	2	—	—	—	10	3	1	1	2	1	1	1	—	—
	F	5	—	—	2	2	1	—	—	—	—	8	—	—	—	3	2	1	2	—	—
12 Cancer, malignant disease ..	M	43	—	—	—	—	—	4	23	14	2	58	—	—	—	—	—	4	29	17	8
	F	56	—	—	—	—	—	10	25	17	4	57	—	—	—	—	1	4	30	12	10
13 Rheumatic fever ..	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	3	—	—	—	—	—	—	3	—	—	2	—	—	—	—	—	—	—	2	—
	F	8	—	—	—	—	—	1	5	2	—	4	—	—	—	—	—	—	2	2	—
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	5	12	7	18	—	—	—	—	—	1	8	4	5
	F	21	—	—	—	—	—	—	6	8	7	28	—	—	—	—	—	2	5	9	12
16 Heart disease ..	M	93	—	—	—	—	2	5	35	28	23	86	—	—	—	3	2	5	20	16	40
	F	76	—	—	—	—	1	10	23	19	23	71	—	—	—	—	2	2	25	23	19
17 Arterio-sclerosis ..	M	13	—	—	—	—	—	—	2	5	6	30	—	—	—	—	—	—	8	12	10
	F	14	—	—	—	—	—	—	3	3	8	18	—	—	—	—	—	—	2	10	6
18 Bronchitis..	M	24	4	—	1	1	—	1	5	5	7	21	2	—	—	—	—	—	3	8	8
	F	19	3	2	—	1	1	2	1	4	5	30	3	—	—	—	—	1	3	10	13
19 Pneumonia (all forms) ..	M	39	10	6	1	5	3	1	5	4	4	29	5	1	—	—	2	6	9	4	2
	F	26	11	3	2	2	1	1	2	3	1	18	4	3	1	1	—	1	6	2	—
20 Other respiratory diseases..	M	8	—	—	1	—	1	1	4	1	—	7	—	—	—	—	—	2	4	1	—
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	—	1	1	1
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	—	2	3	—	—	10	—	—	—	—	3	2	4	—	1
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—	—
22 Diarrhœa, &c. ..	M	9	5	1	—	1	—	1	—	1	—	3	2	1	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis..	M	2	—	—	—	—	—	1	—	1	—	4	—	—	—	—	2	—	2	—	—
	F	3	—	—	—	—	1	1	—	1	—	2	—	—	1	—	—	1	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	16	—	—	—	—	3	1	9	2	1	16	—	—	—	—	—	3	7	2	4
	F	11	—	—	—	—	1	1	6	3	—	9	—	—	—	—	1	1	5	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth ..	M	26	25	—	1	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—
	F	22	22	—	—	—	—	—	—	—	—	13	12	—	1	—	—	—	—	—	—
29 Suicide ..	M	2	—	—	—	—	—	1	—	1	—	4	—	—	—	—	1	—	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence..	M	26	—	—	—	6	6	6	8	—	—	10	1	—	—	1	2	1	2	2	1
	F	9	—	—	—	3	—	1	1	3	1	8	—	—	2	1	1	—	1	1	2
31 Other defined diseases..	M	56	7	1	3	—	1	8	15	11	10	67	10	3	1	4	—	7	18	6	18
	F	46	6	—	—	3	3	10	8	7	9	44	3	1	1	—	1	6	11	8	13
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	4	—	1	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	BIRMINGHAM.										BLACKBURN.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	5533	601	83	86	151	242	607	1766	1160	837	786	87	12	16	17	36	100	229	196	93
	F	5092	447	86	93	139	217	622	1218	1075	1195	834	49	19	15	17	33	98	205	217	181
1 Enteric fever ..	M	5	—	—	—	1	1	3	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	4	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	32	7	16	6	3	—	—	—	—	—	14	4	2	7	1	—	—	—	—	—
	F	25	4	12	6	3	—	—	—	—	—	10	2	4	3	1	—	—	—	—	—
4 Scarlet fever ..	M	8	—	—	1	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	48	30	14	3	1	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
	F	65	30	14	16	5	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
6 Diphtheria ..	M	45	2	5	12	20	2	2	2	—	—	2	—	—	—	2	—	—	—	—	—
	F	42	1	7	10	15	2	6	—	1	—	8	1	2	2	2	—	1	—	—	—
7 Influenza ..	M	66	1	1	—	2	1	9	36	9	7	10	—	—	—	1	—	3	3	3	—
	F	59	4	—	—	—	1	9	15	15	15	6	—	1	—	—	—	2	2	1	—
8 Encephalitis lethargica ..	M	6	—	—	—	2	—	1	3	—	—	3	—	—	—	—	2	1	—	—	—
	F	7	—	—	1	—	4	2	—	—	—	5	—	—	—	2	2	—	—	1	—
9 Meningococcal meningitis ..	M	9	4	2	2	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	5	1	2	—	1	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—
0 Tuberculosis of respiratory system	M	541	2	—	1	3	77	196	230	30	2	50	—	—	—	2	7	21	15	5	—
	F	336	3	3	4	10	84	155	68	9	—	53	—	1	—	3	18	23	6	2	—
1 Other tuberculous diseases ..	M	66	13	7	10	11	10	6	9	—	—	11	—	1	—	3	5	1	1	—	—
	F	52	10	7	9	9	6	6	2	2	1	10	—	—	2	3	2	2	1	—	—
2 Cancer, malignant disease ..	M	688	—	—	—	5	5	46	339	212	81	87	—	—	—	—	1	4	44	30	8
	F	715	—	—	3	—	4	68	321	190	129	105	—	—	—	—	—	7	49	35	14
3 Rheumatic fever ..	M	16	—	—	1	5	3	5	2	—	—	4	—	—	—	1	1	1	1	—	—
	F	34	—	—	—	15	7	4	6	1	1	3	—	—	—	—	1	—	2	—	—
4 Diabetes ..	M	50	—	—	—	1	1	5	23	12	8	14	—	—	—	—	1	1	10	2	—
	F	81	—	—	—	1	3	6	20	37	14	25	—	—	—	—	1	1	6	12	5
5 Cerebral hæmorrhage, &c. ..	M	250	—	—	—	—	—	2	72	101	75	30	—	—	—	—	—	2	13	11	4
	F	288	—	—	—	—	1	6	84	95	102	58	—	—	—	—	—	—	15	21	22
6 Heart disease ..	M	992	—	—	—	11	20	47	301	335	278	136	—	—	—	—	3	8	36	54	35
	F	1126	—	1	1	10	32	79	256	319	422	177	—	—	—	1	3	12	41	57	63
7 Arterio-sclerosis ..	M	179	—	—	—	—	—	1	38	72	68	48	—	—	—	—	—	1	8	24	15
	F	183	—	—	—	—	—	4	36	57	86	27	—	—	—	—	—	—	1	15	11
8 Bronchitis..	M	197	10	1	—	—	3	12	57	47	67	33	5	—	—	—	—	4	7	9	8
	F	204	13	1	1	—	1	4	29	66	89	41	—	1	—	—	—	1	4	11	24
9 Pneumonia (all forms) ..	M	488	85	24	13	3	23	81	170	62	27	59	12	2	1	3	1	3	15	8	1
	F	325	58	23	8	17	4	47	67	58	43	45	9	5	3	2	—	7	8	7	4
0 Other respiratory diseases..	M	59	1	2	4	3	1	4	30	8	6	10	—	—	—	—	—	4	2	3	1
	F	34	1	1	3	—	1	4	6	10	8	7	—	—	—	—	—	1	3	2	1
1 Ulcer of stomach or duodenum ..	M	91	—	—	—	—	1	19	58	11	2	13	—	—	—	—	2	8	2	1	—
	F	27	—	—	—	—	—	6	18	1	2	5	—	—	—	—	—	2	3	—	—
2 Diarrhœa, &c. ..	M	97	75	4	5	—	2	3	5	1	2	9	5	2	1	—	—	—	—	—	1
	F	60	49	2	1	1	1	1	1	2	2	7	4	2	—	—	—	—	—	—	1
3 Appendicitis and typhlitis..	M	40	1	—	2	7	7	9	11	2	1	1	—	—	—	—	—	—	1	—	—
	F	28	—	1	1	4	3	8	8	3	—	3	—	—	—	—	—	2	—	1	—
4 Cirrhosis of liver ..	M	33	—	—	—	—	—	3	18	11	1	2	—	—	—	—	—	—	2	—	—
	F	21	—	—	—	—	—	5	12	3	1	2	—	—	—	—	—	—	1	1	—
5 Acute and chronic nephritis ..	M	157	—	—	—	1	5	14	52	51	34	29	—	—	—	—	1	—	11	14	3
	F	138	—	2	2	1	7	19	50	41	16	41	—	—	—	—	—	6	16	15	4
6 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	29	—	—	—	—	3	26	—	—	—	1	—	—	—	—	—	1	—	—	—
7 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	25	—	—	—	—	3	22	—	—	—	8	—	—	—	—	—	8	—	—	—
8 Congenital debility and malformation, premature birth ..	M	290	285	1	1	1	1	1	—	—	—	43	43	—	—	—	—	—	—	—	—
	F	212	211	1	—	—	—	—	—	—	—	27	26	—	—	—	—	1	—	—	—
9 Suicide ..	M	97	—	—	—	—	2	22	51	16	6	20	—	—	—	—	—	7	13	—	—
	F	53	—	—	—	—	3	23	17	8	2	6	—	—	—	—	—	2	4	—	—
0 Other deaths from violence..	M	232	5	5	10	33	39	38	48	28	26	28	2	—	1	3	6	3	7	5	1
	F	150	12	2	6	12	9	15	34	19	41	18	1	1	—	2	—	3	2	3	6
1 Other defined diseases..	M	750	80	1	15	31	37	78	210	152	146	115	13	4	6	3	4	13	30	26	16
	F	761	50	7	16	32	37	93	168	137	221	132	6	2	3	1	6	16	40	32	26
2 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	9	—	—	—	—	—	1	7	1	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHs—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	BLACKPOOL.										BOLTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	648	45	6	4	6	24	67	212	195	89	1098	89	13	25	28	39	118	354	276	156
	F	695	25	5	7	10	16	65	211	189	167	1133	80	14	13	20	46	137	327	267	229
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	5	2	2	—	1	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	4	—	1	2	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	2	2	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	6	1	1	3	1	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	—	2	1	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza ..	M	2	—	—	—	—	—	1	1	—	—	25	—	—	—	—	3	7	7	6	2
	F	6	—	—	—	—	—	1	2	1	2	18	—	—	1	—	—	7	4	2	4
8 Encephalitis lethargica ..	M	2	—	—	—	—	1	—	1	—	—	2	—	—	—	—	—	2	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	4	—	—	—	1	—	1	2	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	37	—	—	—	—	1	21	12	3	—	60	—	1	—	—	10	23	23	2	1
	F	18	1	—	—	—	5	9	2	1	—	53	—	—	—	—	17	26	10	—	—
11 Other tuberculous diseases..	M	4	—	—	—	—	3	—	1	—	—	18	—	1	3	4	2	1	5	1	1
	F	6	—	2	—	—	—	—	1	3	—	19	1	3	1	2	6	2	2	1	1
12 Cancer, malignant disease ..	M	81	—	—	—	—	—	2	41	30	8	105	—	—	—	—	1	3	55	33	13
	F	111	—	—	—	—	2	13	63	25	8	133	—	—	—	—	—	10	69	34	20
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	—	—	—	3	—	1	—	—	—
14 Diabetes ..	M	12	—	—	—	—	—	—	4	5	3	13	—	—	—	—	1	1	6	2	3
	F	14	—	—	—	—	—	1	4	6	3	20	—	—	—	—	1	1	9	7	2
15 Cerebral hæmorrhage, &c. ..	M	40	—	—	—	—	—	—	11	20	9	55	—	—	—	—	—	3	19	20	13
	F	52	—	—	—	—	—	—	13	20	19	66	—	—	—	—	—	2	16	30	18
16 Heart disease ..	M	121	—	—	—	1	2	7	39	49	23	208	—	—	—	5	3	12	78	75	35
	F	166	—	—	—	—	—	6	54	59	47	253	—	—	—	2	3	21	85	79	63
17 Arterio-sclerosis ..	M	39	—	—	—	—	—	—	7	21	11	71	—	—	—	—	—	1	15	40	15
	F	32	—	—	—	—	—	—	3	9	20	84	—	—	—	—	—	2	18	28	36
18 Bronchitis..	M	22	2	—	—	—	—	1	7	6	6	45	3	—	—	1	—	—	13	12	16
	F	31	—	—	1	—	1	1	7	9	12	72	4	1	1	—	—	2	15	25	24
19 Pneumonia (all forms) ..	M	48	2	3	1	—	3	9	17	10	3	72	10	3	9	4	—	7	26	8	5
	F	24	—	—	—	1	1	3	11	4	4	51	8	3	2	1	3	7	11	10	6
20 Other respiratory diseases..	M	8	2	—	—	—	1	—	3	2	—	18	1	1	—	—	1	4	7	2	2
	F	2	—	—	—	—	—	—	1	—	1	11	—	1	—	—	—	3	3	4	—
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	4	2	1	—	12	—	—	—	—	—	4	5	3	—
	F	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	6	4	1	—	—	—	—	1	—	—	12	9	1	—	—	—	—	—	1	1
	F	6	3	—	1	—	—	—	—	1	—	19	15	—	—	—	—	1	2	—	1
23 Appendicitis and typhlitis..	M	11	—	—	—	—	4	2	3	2	—	4	—	—	—	2	1	—	1	—	—
	F	11	—	—	—	—	1	3	2	1	4	6	—	—	—	—	—	1	3	—	2
24 Cirrhosis of liver ..	M	6	—	—	—	—	—	—	3	3	—	7	—	—	—	—	—	—	4	2	1
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	1	2	—	—
25 Acute and chronic nephritis ..	M	25	—	—	—	—	—	4	12	9	—	49	—	—	—	3	3	2	19	21	1
	F	34	—	—	—	—	1	4	13	13	3	46	—	—	—	—	3	3	18	12	10
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	7	—	—	—	—	3	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	2	1	—	—	—	12	—	—	—	—	—	12	—	—	—
28 Congenital debility and malformation, premature birth ..	M	24	24	—	—	—	—	—	—	—	—	51	51	—	—	—	—	—	—	—	—
	F	16	16	—	—	—	—	—	—	—	—	34	33	—	—	—	—	—	1	—	—
29 Suicide ..	M	13	—	—	—	—	—	3	7	3	—	26	—	—	—	—	2	8	12	4	—
	F	12	—	—	—	—	1	4	3	4	—	8	—	—	—	—	3	3	2	—	—
30 Other deaths from violence..	M	28	—	—	1	1	5	5	5	6	5	46	—	—	4	2	5	14	15	2	4
	F	13	—	—	—	1	—	1	5	2	4	27	—	—	2	1	3	3	8	6	4
31 Other defined diseases..	M	100	7	—	2	1	3	8	33	25	21	186	11	6	5	5	6	24	44	42	43
	F	121	4	2	1	3	2	13	26	30	40	170	17	4	2	7	4	23	46	29	38
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.		Sex.	BOSTON.										BOURNEMOUTH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	490	82	21	12	20	29	56	108	109	53	553	33	3	6	12	11	37	126	151	174
		F	451	59	15	16	17	24	56	109	85	70	704	17	2	4	12	11	39	162	168	289
1 Enteric fever	..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox..	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	5	1	4	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	6	—	2	4	—	—	—	—	—	—	3	—	—	—	2	—	—	1	—	
4 Scarlet fever	..	M	3	—	1	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	5	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough..	..	M	5	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	12	9	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
6 Diphtheria	..	M	6	—	1	3	2	—	—	—	—	—	3	—	1	—	2	—	—	—	—	
		F	6	1	1	3	1	—	—	—	—	—	2	—	—	1	—	—	1	—	—	
7 Influenza	M	5	—	—	—	—	—	—	—	3	2	2	—	—	—	—	—	1	—	1	
		F	4	—	—	—	—	—	—	4	—	—	8	—	—	—	1	—	2	3	2	
8 Encephalitis lethargica	..	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	
		F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	1	—	
9 Meningococcal meningitis	..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	..	M	50	—	—	—	1	11	20	15	3	—	30	—	—	—	1	3	10	12	4	—
		F	40	—	—	—	2	11	16	9	1	1	33	—	—	—	—	6	16	9	1	1
11 Other tuberculous diseases..	..	M	7	1	1	1	2	2	—	—	—	—	4	—	—	—	1	1	1	—	—	—
		F	10	1	—	3	4	2	—	—	—	—	10	—	—	1	4	2	1	1	1	—
12 Cancer, malignant disease	M	44	—	—	—	—	1	3	21	17	2	77	—	—	1	—	—	—	18	30	28
		F	42	—	—	—	—	—	7	21	11	3	133	—	—	—	—	—	4	45	38	46
13 Rheumatic fever..	..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
		F	4	—	—	—	3	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
14 Diabetes	M	2	—	—	—	—	—	—	1	1	—	6	—	—	—	—	—	—	4	2	
		F	5	—	—	—	—	—	—	3	2	—	7	—	—	—	—	—	1	4	2	
15 Cerebral hæmorrhage, &c.	..	M	19	—	—	—	—	—	—	11	6	2	37	—	—	—	—	—	—	3	11	23
		F	15	—	—	—	—	—	—	7	2	6	45	—	—	—	—	—	1	11	7	26
16 Heart disease	..	M	60	—	—	—	2	2	3	11	25	17	136	—	—	—	—	—	7	27	52	50
		F	86	—	—	—	—	6	7	26	24	23	170	—	—	—	—	—	5	29	48	88
17 Arterio-sclerosis	M	11	—	—	—	—	—	—	2	5	4	21	—	—	—	—	—	—	5	8	8
		F	11	—	—	—	—	—	—	—	5	6	37	—	—	—	—	—	—	5	11	21
18 Bronchitis..	..	M	24	6	1	—	—	—	3	2	6	6	14	2	—	—	—	—	1	1	3	7
		F	20	4	—	—	—	—	—	3	6	7	23	1	—	—	—	—	—	1	2	19
19 Pneumonia (all forms)	..	M	52	20	7	2	1	3	4	8	5	2	18	1	—	1	1	—	—	6	1	8
		F	37	9	5	2	—	—	4	7	8	2	26	2	—	—	—	1	—	6	4	12
20 Other respiratory diseases..	..	M	4	1	—	—	—	—	—	—	—	3	7	1	—	—	—	—	2	2	2	—
		F	1	—	1	—	—	—	—	—	—	—	11	—	—	—	—	—	—	6	3	2
21 Ulcer of stomach or duodenum	..	M	5	—	—	—	—	—	1	1	3	—	5	—	—	—	—	—	—	1	2	2
		F	2	—	—	—	—	—	1	—	1	—	7	—	—	—	—	1	—	2	2	2
22 Diarrhœa, &c.	..	M	11	10	1	—	—	—	—	—	—	—	7	4	—	—	—	—	—	—	—	3
		F	8	5	1	1	—	—	—	—	—	—	7	1	—	—	—	—	—	2	2	2
23 Appendicitis and typhlitis..	..	M	3	—	—	—	1	1	—	1	—	—	5	—	—	—	1	2	—	1	—	1
		F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	1	—	2	—
24 Cirrhosis of liver	..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1	—
		F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	—	1	1	1
25 Acute and chronic nephritis	..	M	21	—	—	—	—	2	2	8	7	2	26	—	—	—	—	—	2	8	8	8
		F	17	—	—	—	—	—	4	7	4	2	29	—	—	—	—	—	—	6	9	14
26 Puerperal sepsis	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	—	1	—	—	—	—	—	1	—	—	—
28 Congenital debility and malformation, premature birth	..	M	25	25	—	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—
		F	20	20	—	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
29 Suicide	..	M	11	—	—	—	—	—	6	5	—	—	17	—	—	—	—	—	3	10	2	2
		F	3	—	—	—	—	2	1	—	—	—	3	—	—	—	—	—	2	1	—	—
30 Other deaths from violence..	..	M	31	—	—	3	8	3	5	9	2	1	15	—	1	—	1	4	4	3	1	1
		F	6	—	1	—	—	—	—	—	2	3	16	—	—	—	1	1	1	2	4	7
31 Other defined diseases..	..	M	79	14	3	3	1	3	8	11	24	12	97	6	1	2	4	1	7	25	22	29
		F	78	10	2	—	4	3	6	17	19	17	112	1	2	2	2	—	6	31	24	44
32 Causes ill-defined or unknown	..	M	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.		Sex.	BRADFORD.										BRIGHTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	1993	184	39	28	44	61	188	675	466	308	887	52	13	12	23	24	93	231	217	222
		F	1950	143	28	33	38	57	204	499	475	473	982	47	12	15	19	24	71	217	244	333
1	Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
2	Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	7	1	3	2	1	—	—	—	—	—	10	1	5	3	1	—	—	—	—	
		F	5	2	2	1	—	—	—	—	—	—	11	1	4	5	1	—	—	—	—	
4	Scarlet fever ..	M	12	1	—	5	4	—	2	—	—	—	1	—	—	1	—	—	—	—	—	
		F	5	—	—	2	2	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
5	Whooping cough ..	M	26	13	11	1	1	—	—	—	—	—	4	3	1	—	—	—	—	—	—	
		F	24	11	9	4	—	—	—	—	—	—	3	—	2	—	1	—	—	—	—	
6	Diphtheria ..	M	9	1	—	5	3	—	—	—	—	—	4	—	1	1	1	—	1	—	—	
		F	10	1	—	3	3	—	—	3	—	—	7	—	—	1	6	—	—	—	—	
7	Influenza ..	M	18	1	1	—	2	—	3	5	3	3	9	—	—	—	—	3	2	3	1	
		F	10	—	—	1	—	1	1	3	1	3	5	—	—	1	—	—	2	—	2	
8	Encephalitis lethargica ..	M	2	—	—	1	—	—	1	—	—	—	3	—	—	—	3	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
9	Meningococcal meningitis ..	M	4	2	—	—	1	—	1	—	—	—	1	1	—	—	—	—	—	—	—	
		F	4	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	142	—	—	—	2	18	47	71	3	1	71	1	—	—	—	9	27	29	5	
		F	81	—	—	1	5	23	35	13	4	—	44	—	1	—	—	9	21	10	3	
11	Other tuberculous diseases..	M	13	—	4	1	2	1	3	1	1	—	10	1	—	1	3	1	2	1	1	
		F	23	1	3	3	7	4	4	1	—	—	6	—	—	2	—	2	1	—	—	
12	Cancer, malignant disease ..	M	214	—	—	—	—	2	8	105	77	22	99	—	—	—	—	5	38	38	18	
		F	263	—	—	—	—	—	23	122	76	42	152	1	—	1	—	10	61	54	25	
13	Rheumatic fever ..	M	3	—	—	—	2	1	—	—	—	—	3	—	—	—	1	1	—	—	—	
		F	4	—	—	—	3	—	—	1	—	—	1	—	—	—	—	1	—	—	—	
14	Diabetes ..	M	24	—	—	—	—	—	2	13	5	4	6	—	—	—	—	—	2	2	2	
		F	35	—	—	—	—	—	2	16	10	7	14	—	—	—	—	—	7	6	1	
15	Cerebral hæmorrhage, &c. ..	M	109	—	—	—	1	—	5	36	43	24	42	—	—	—	—	2	7	17	16	
		F	125	—	—	—	—	—	7	24	52	42	67	—	—	—	—	1	15	22	29	
16	Heart disease ..	M	387	—	—	1	2	2	27	140	131	84	187	—	—	—	1	2	9	52	58	
		F	465	—	—	—	2	5	28	118	143	169	242	—	—	—	3	2	8	44	81	
17	Arterio-sclerosis ..	M	112	—	—	—	—	—	2	29	43	38	52	—	—	—	—	—	9	23	20	
		F	88	—	—	—	—	—	—	15	34	39	53	—	—	—	—	—	9	19	25	
18	Bronchitis..	M	83	6	1	—	1	—	4	24	20	27	28	2	—	—	—	2	4	11	9	
		F	59	3	—	1	—	—	3	6	17	29	25	3	1	—	—	1	3	5	12	
19	Pneumonia (all forms) ..	M	146	19	9	5	2	14	18	45	21	13	38	6	3	2	—	7	11	4	5	
		F	87	11	6	9	1	3	10	13	17	17	45	7	2	—	1	3	8	5	18	
20	Other respiratory diseases..	M	21	2	1	—	1	—	5	9	2	1	12	1	—	—	—	1	3	2	5	
		F	14	1	—	1	2	1	1	2	3	3	13	—	—	—	1	—	6	3	3	
21	Ulcer of stomach or duodenum ..	M	22	—	—	—	—	—	4	14	3	1	29	—	—	—	—	6	18	3	2	
		F	14	—	—	—	—	—	3	7	4	—	7	—	—	—	—	—	5	1	1	
22	Diarrhœa, &c. ..	M	13	8	2	1	—	1	—	—	—	1	12	6	1	—	—	2	1	2	—	
		F	20	12	3	1	—	—	1	2	—	1	11	6	2	1	—	1	—	1	—	
23	Appendicitis and typhlitis..	M	10	—	—	—	2	1	1	3	3	—	4	—	—	—	1	—	1	1	—	
		F	10	—	—	—	4	1	1	1	2	1	3	—	—	—	1	1	1	—	—	
24	Cirrhosis of liver ..	M	7	—	—	—	—	—	1	4	1	1	1	—	—	—	—	—	1	—	—	
		F	3	—	—	—	—	—	—	1	1	1	4	—	—	—	—	—	3	—	1	
25	Acute and chronic nephritis ..	M	76	—	—	1	—	2	9	39	18	7	24	—	—	—	—	2	8	10	4	
		F	60	—	—	—	1	1	14	24	14	6	27	—	—	—	—	4	8	8	7	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	15	—	—	—	—	1	14	—	—	—	2	—	—	—	1	1	—	—	—	
27	Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	8	—	—	—	—	2	6	—	—	—	5	—	—	—	1	4	—	—	—	
28	Congenital debility and malformation, premature birth ..	M	100	96	1	1	1	1	—	—	—	—	20	19	—	—	1	—	—	—	—	
		F	69	66	1	1	—	—	1	—	—	—	24	24	—	—	—	—	—	—	—	
29	Suicide ..	M	38	—	—	—	—	—	8	23	5	2	13	—	—	—	—	2	9	2	—	
		F	15	—	—	—	—	3	4	5	2	1	7	—	—	—	—	1	4	2	—	
30	Other deaths from violence..	M	70	2	1	2	5	11	11	19	7	12	42	—	1	3	10	5	8	5	6	
		F	58	5	1	3	1	4	7	17	8	12	16	—	—	2	—	1	1	3	7	
31	Other defined diseases..	M	316	32	5	2	11	7	25	88	79	67	162	11	1	1	4	2	13	30	31	
		F	366	28	2	1	7	8	37	101	82	100	186	5	—	2	5	4	14	28	31	
32	Causes ill-defined or unknown ..	M	8	—	—	—	—	—	—	7	1	—	—	—	—	—	—	—	—	—	—	
		F	9	—	—	—	—	—	1	3	5	—	—	—	—	—	—	—	—	—	—	

(Civilian population only).

CAUSES OF DEATH.		Sex.	BRISTOL.										BURNLEY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	2210	213	43	46	59	103	232	607	484	423	620	59	9	18	11	21	68	194	150	90
		F	2260	141	34	39	56	102	254	558	418	658	655	42	7	11	14	20	65	216	158	122
1 Enteric fever	..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
2 Small-pox..	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	30	2	13	10	5	—	—	—	—	—	7	—	1	5	1	—	—	—	—	
		F	18	3	6	8	1	—	—	—	—	—	3	—	1	2	—	—	—	—	—	
4 Scarlet fever	..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
5 Whooping cough..	..	M	12	4	5	3	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—	
		F	10	3	3	3	1	—	—	—	—	—	4	1	2	1	—	—	—	—	—	
6 Diphtheria	..	M	18	—	2	6	10	—	—	—	—	—	4	—	1	3	—	—	—	—	—	
		F	21	—	—	5	16	—	—	—	—	—	3	—	—	3	—	—	—	—	—	
7 Influenza	M	12	—	—	—	—	—	3	5	1	3	2	—	—	—	—	2	—	—	—	
		F	16	—	—	—	—	1	2	4	2	7	5	—	—	—	—	2	—	3	—	
8 Encephalitis lethargica	..	M	5	—	—	—	—	1	2	1	—	1	4	—	—	1	1	2	—	—	—	
		F	7	—	—	—	—	—	3	3	1	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	..	M	214	—	—	—	1	41	94	62	13	3	42	—	—	—	5	18	19	—	—	
		F	179	—	—	2	1	46	88	33	7	2	27	—	—	—	8	12	7	—	—	
11 Other tuberculous diseases..	..	M	25	—	5	3	5	4	3	4	1	—	11	1	2	2	1	2	—	1	—	
		F	32	—	1	5	5	8	8	4	—	1	12	—	1	1	2	1	3	2	—	
12 Cancer, malignant disease	M	279	—	—	—	1	2	10	116	107	43	47	—	—	—	—	2	26	15	4	
		F	316	—	—	1	—	1	37	128	91	58	105	—	—	—	—	12	49	31	13	
13 Rheumatic fever..	..	M	5	—	—	—	1	3	1	—	—	—	1	—	—	—	—	—	1	—	—	
		F	10	—	—	1	4	3	—	1	—	—	5	—	—	—	1	1	2	—	—	
14 Diabetes	M	21	—	—	—	—	—	2	10	5	4	7	—	—	—	—	1	4	1	1	
		F	43	—	—	—	1	1	2	13	14	12	14	—	—	—	—	2	6	5	—	
15 Cerebral hæmorrhage, &c.	..	M	103	—	—	—	—	1	1	19	50	32	20	—	—	—	—	2	8	7	3	
		F	147	—	—	—	—	—	4	44	38	61	36	—	—	—	—	—	12	12	12	
16 Heart disease	..	M	409	—	—	—	2	6	24	124	130	123	172	—	—	—	1	6	54	67	44	
		F	524	—	—	1	7	6	25	113	126	246	167	—	—	1	2	9	55	49	51	
17 Arterio-sclerosis	M	80	—	—	—	—	—	—	16	33	31	43	—	—	—	—	—	10	15	18	
		F	74	—	—	—	—	—	1	19	23	31	36	—	—	—	—	—	9	18	9	
18 Bronchitis..	..	M	72	8	—	3	—	—	2	13	16	30	29	—	—	—	2	1	7	11	8	
		F	78	8	3	—	—	—	—	9	15	43	25	2	1	1	—	—	7	8	6	
19 Pneumonia (all forms)	M	138	38	11	8	4	10	14	30	14	9	30	7	1	2	1	5	8	4	1	
		F	109	38	8	6	—	3	12	16	8	18	29	10	1	2	3	1	6	3	1	
20 Other respiratory diseases..	..	M	31	—	1	1	1	3	7	11	5	2	2	1	—	—	—	—	1	—	—	
		F	15	—	1	—	—	2	3	4	1	4	6	1	—	1	—	2	2	—	—	
21 Ulcer of stomach or duodenum	..	M	20	—	—	—	—	—	4	15	1	—	9	—	—	—	—	1	7	1	—	
		F	10	—	—	—	—	1	—	5	2	2	3	—	—	—	—	2	1	—	—	
22 Diarrhoea, &c.	..	M	18	12	4	—	—	—	1	1	—	—	9	8	—	—	—	—	—	1	—	
		F	17	7	3	3	—	—	—	1	1	2	9	8	—	1	—	—	—	—	—	
23 Appendicitis and typhlitis..	..	M	12	—	—	—	1	4	2	4	1	—	2	—	—	—	1	—	—	—	1	
		F	15	—	—	—	4	1	1	6	1	2	5	—	—	1	—	—	2	—	1	
24 Cirrhosis of liver	M	9	—	—	—	—	—	—	7	—	2	3	—	—	—	—	—	2	1	—	
		F	5	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis	..	M	94	—	—	1	4	2	6	43	24	14	17	—	—	—	1	3	8	3	2	
		F	88	—	—	—	1	2	7	34	28	16	15	—	—	—	1	2	6	4	2	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	8	—	—	—	—	3	5	—	—	—	5	—	—	—	1	4	—	—	—	
27 Other accidents and diseases of pregnancy and parturition	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	14	—	—	—	—	1	13	—	—	—	—	—	—	—	—	—	—	—	—	
28 Congenital debility and malformation, premature birth	..	M	108	106	—	—	1	—	—	1	—	—	28	28	—	—	—	—	—	—	—	
		F	59	56	—	—	—	1	2	—	—	—	14	14	—	—	—	—	—	—	—	
29 Suicide	M	26	—	—	—	—	1	7	12	5	1	13	—	—	—	2	3	5	3	—	
		F	25	—	—	—	—	5	8	10	1	1	7	—	—	—	—	1	5	1	—	
30 Other deaths from violence..	..	M	82	3	1	5	13	11	15	14	5	15	33	2	—	3	5	1	7	10	3	
		F	53	2	3	2	5	1	3	9	7	21	18	1	—	1	3	2	—	5	5	
31 Other defined diseases..	..	M	384	39	1	6	10	13	34	98	73	110	81	11	2	2	1	5	13	24	17	
		F	362	23	4	2	8	16	30	99	52	128	100	5	—	—	1	1	12	39	21	
32 Causes ill-defined or unknown	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.		Sex.	BURTON-UPON-TRENT.										BURY.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	311	23	2	3	11	9	32	96	74	61	370	29	2	3	7	11	51	125	82	60
			F	267	19	3	7	12	11	18	68	65	64	396	22	5	5	6	9	38	109	102	100
1 Enteric fever	..	{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 Small-pox...	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles	{	M	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—		
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
4 Scarlet fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5 Whooping cough	..	{	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			F	—	—	—	—	—	—	—	—	—	—	3	—	2	1	—	—	—			
6 Diphtheria	..	{	M	4	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—			
			F	6	—	—	2	3	1	—	—	—	—	—	—	—	—	—	—	—			
7 Influenza	{	M	5	—	—	—	—	—	2	2	1	8	8	—	—	—	1	4	2	1		
			F	4	—	—	—	—	1	2	1	—	8	—	—	—	—	1	1	2	2		
8 Encephalitis lethargica	..	{	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—		
			F	4	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—			
9 Meningococcal meningitis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
10 Tuberculosis of respiratory system	{	M	19	—	—	—	1	2	11	5	—	—	24	—	—	—	—	2	14	8	—		
		F	12	—	—	1	—	3	5	3	—	—	13	—	—	1	5	6	1	—			
11 Other tuberculous diseases..	..	{	M	4	—	—	1	1	—	1	1	—	6	—	1	1	—	1	1	1	—		
		F	5	1	1	—	1	1	1	—	—	—	5	—	—	—	1	3	—	1			
12 Cancer, malignant disease	{	M	42	—	—	—	1	—	1	21	15	4	41	—	—	—	—	2	15	18	6	
		F	39	—	—	—	—	1	1	1	22	11	4	44	—	—	—	—	2	22	13	7	
13 Rheumatic fever ..	{	M	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—		
		F	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—		
14 Diabetes	{	M	2	—	—	—	—	—	—	2	—	—	9	—	—	—	—	—	7	2	—	
		F	4	—	—	—	—	—	—	—	3	1	—	5	—	—	—	—	3	1	1		
15 Cerebral hæmorrhage, &c.	..	{	M	18	—	—	—	—	—	2	7	8	1	10	—	—	—	—	—	3	2	5	
		F	25	—	—	—	—	—	—	—	6	11	8	19	—	—	—	—	1	4	8		
16 Heart disease	..	{	M	58	—	—	—	1	1	1	22	16	17	92	—	—	—	2	3	28	31	28	
		F	53	—	—	—	3	—	2	15	18	15	109	—	—	—	—	7	25	35	42		
17 Arterio-sclerosis ..	{	M	10	—	—	—	—	—	—	1	6	3	19	—	—	—	—	—	—	8	7	4	
		F	6	—	—	—	—	—	—	1	3	2	19	—	—	—	—	—	—	3	7	9	
18 Bronchitis..	..	{	M	18	—	—	—	—	1	1	6	5	5	15	—	—	—	—	—	4	7	4	
		F	21	2	2	—	—	—	—	—	1	7	9	22	1	—	—	—	1	5	5		
19 Pneumonia (all forms) ..	{	M	13	2	1	—	—	1	1	3	4	1	27	7	1	1	—	2	4	11	1	—	
		F	8	4	—	—	1	1	—	1	—	1	21	—	1	1	2	—	1	7	4		
20 Other respiratory diseases..	..	{	M	3	—	—	—	—	—	—	2	—	1	2	—	—	—	—	—	1	—	1	
		F	1	—	—	—	—	—	—	1	—	—	4	—	—	1	—	—	—	2	1		
21 Ulcer of stomach or duodenum	..	{	M	2	—	—	—	—	1	—	1	—	—	9	—	—	—	—	3	5	1	—	
		F	1	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—	1	—	—		
22 Diarrhoea, &c.	..	{	M	1	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	1	—	—	5	3	—	1	—	—	—	—	1	—	
23 Appendicitis and typhlitis..	..	{	M	4	—	—	—	2	—	2	—	—	—	5	—	—	2	1	1	—	1	—	
		F	1	—	—	—	—	—	—	—	—	—	1	6	—	—	1	—	2	3	—		
24 Cirrhosis of liver ..	{	M	3	—	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	1	1	—	
		F	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—		
25 Acute and chronic nephritis	..	{	M	6	—	—	—	—	—	1	2	1	2	14	—	—	1	—	2	9	1	1	
		F	7	—	—	—	—	—	1	1	2	2	2	12	—	—	—	—	1	6	4		
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
27 Other accidents and diseases of pregnancy and parturition ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	5	—	—	—	—	1	4	—	—	—	—	1	—	—	—	—	1	—	—	—	
28 Congenital debility and malformation, premature birth	..	{	M	15	15	—	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	
		F	8	8	—	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—	
29 Suicide	{	M	5	—	—	—	—	—	1	3	—	1	9	—	—	—	—	1	5	3	—	
		F	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	
30 Other deaths from violence..	..	{	M	16	1	—	—	1	1	4	7	2	—	14	—	—	1	2	—	5	4	1	
		F	5	—	—	2	—	—	—	—	1	—	2	12	1	—	—	1	2	3	2	2	
31 Other defined diseases..	..	{	M	62	3	1	1	1	2	6	9	14	25	44	8	—	—	2	—	9	11	5	
		F	49	4	—	2	3	1	1	7	11	20	67	6	—	1	1	—	8	21	16	14	
32 Causes ill-defined or unknown	..	{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHs—1930
(Civilian population only).

[illegible]

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	CROYDON.										DARLINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1138	93	15	16	39	50	132	350	228	215	424	55	10	7	14	14	47	105	106	66
	F	1203	79	7	11	27	54	97	280	260	388	409	37	10	11	16	22	57	92	77	87
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	11	1	3	3	4	—	—	—	—	—	15	4	6	4	1	—	—	—	—	—
	F	11	2	2	3	4	—	—	—	—	—	12	1	5	4	2	—	—	—	—	—
4 Scarlet fever ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	9	—	—	3	6	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
	F	6	—	1	—	5	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
7 Influenza ..	M	15	1	—	—	—	1	—	12	—	1	5	—	—	—	—	1	—	2	2	—
	F	16	1	—	—	—	—	2	3	4	6	5	—	—	—	1	1	—	1	1	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	96	—	—	—	1	17	40	31	6	1	34	1	—	—	1	4	13	12	3	—
	F	59	—	—	1	2	21	20	14	1	—	29	—	—	—	4	10	10	5	—	—
11 Other tuberculous diseases..	M	13	—	1	2	4	1	1	3	1	—	3	—	—	—	1	—	2	—	—	—
	F	11	1	—	2	1	3	2	1	1	—	11	1	—	1	2	4	2	1	—	—
12 Cancer, malignant disease ..	M	146	—	—	—	—	11	73	37	25	38	—	—	—	—	1	2	18	12	5	—
	F	198	—	—	—	—	1	13	77	52	55	40	1	—	—	1	4	17	11	6	—
13 Rheumatic fever..	M	4	—	—	—	1	—	1	2	—	—	1	—	—	—	1	—	—	—	—	—
	F	7	—	—	—	3	1	1	2	—	—	2	—	—	—	—	1	—	—	—	—
14 Diabetes ..	M	16	—	—	—	—	2	—	3	4	7	5	—	—	—	—	—	1	1	1	2
	F	22	—	—	—	—	2	2	5	9	4	6	—	—	—	—	—	1	4	—	1
15 Cerebral hæmorrhage, &c. ..	M	38	—	—	—	—	—	12	14	12	24	—	—	—	—	—	—	1	4	13	6
	F	79	—	—	—	—	—	2	14	15	48	28	—	—	—	—	—	1	5	13	9
16 Heart disease ..	M	237	—	1	—	3	4	10	71	75	73	63	—	—	—	—	2	1	23	25	12
	F	282	—	—	—	4	6	8	58	85	121	67	—	—	—	1	—	5	20	15	26
17 Arterio-sclerosis ..	M	40	—	—	—	—	—	8	11	21	27	—	—	—	—	—	—	—	5	13	9
	F	53	—	—	—	—	—	15	13	25	9	—	—	—	—	—	—	—	1	3	5
18 Bronchitis..	M	36	2	1	—	—	1	—	10	8	14	10	3	—	—	—	—	—	2	3	2
	F	34	1	—	—	—	—	—	—	6	27	19	2	2	—	—	—	—	3	2	10
19 Pneumonia (all forms) ..	M	74	8	6	1	1	2	13	22	12	9	42	7	4	—	1	1	9	7	11	2
	F	53	9	3	1	—	1	6	11	14	8	22	5	1	3	—	—	2	6	4	1
20 Other respiratory diseases..	M	13	—	—	—	2	—	3	3	3	2	4	1	—	—	—	—	—	2	—	1
	F	10	—	—	—	—	1	—	1	3	5	2	—	—	—	—	—	—	—	1	1
21 Ulcer of stomach or duodenum ..	M	23	—	—	—	—	—	8	9	4	2	6	—	—	—	—	—	1	5	—	—
	F	7	—	—	—	—	—	—	2	3	2	4	—	—	—	—	—	2	2	—	—
22 Diarrhœa, &c. ..	M	14	12	—	—	1	—	—	1	—	—	3	2	—	—	1	—	—	—	—	—
	F	17	8	—	—	—	2	3	3	—	1	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis..	M	5	—	—	—	1	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	1	1	1	—	5	—	—	—	—	1	2	2	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	1	2	1	1	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	37	1	—	—	—	1	2	13	8	12	10	—	—	—	—	1	3	4	2	—
	F	38	—	—	—	—	1	6	14	6	11	9	—	—	—	—	1	1	3	2	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	7	—	—	—	—	1	5	1	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	9	—	—	—	—	—	9	—	—	—
28 Congenital debility and malformation, premature birth ..	M	53	49	—	2	—	—	1	1	—	—	25	25	—	—	—	—	—	—	—	—
	F	37	35	—	2	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—
29 Suicide ..	M	10	—	—	—	—	—	5	5	—	—	5	—	—	—	—	—	2	3	—	—
	F	10	—	—	—	—	2	2	5	1	—	4	—	—	—	—	—	1	2	1	—
30 Other deaths from violence..	M	53	4	—	1	5	13	11	14	2	3	18	—	—	—	2	3	4	6	2	—
	F	33	3	—	—	3	2	2	9	4	10	8	—	2	1	—	—	1	3	1	—
31 Other defined diseases..	M	185	13	2	3	10	8	25	51	41	32	78	12	—	1	5	1	7	9	17	26
	F	202	17	—	2	5	7	20	44	42	65	78	4	—	—	4	3	9	12	21	25
32 Causes ill-defined or unknown ..	M	1	—	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	1	3	2	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.		Sex.	DERBY.										DEWSBURY.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	834	111	18	24	34	38	91	216	170	132	364	35	5	5	9	12	26	130	102	40
		F	749	58	13	12	24	34	94	185	137	192	331	21	5	5	5	12	34	94	83	72
1 Enteric fever	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox..	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	14	8	1	2	3	—	—	—	—	—	3	3	—	—	—	—	—	—	—	
		F	4	1	2	—	1	—	—	—	—	—	2	—	2	—	—	—	—	—	—	
4 Scarlet fever	..	M	5	—	1	—	2	1	1	—	—	—	1	—	—	—	1	—	—	—	—	
		F	5	—	—	—	2	1	2	—	—	—	1	—	—	—	—	1	—	—	—	
5 Whooping cough..	..	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Diphtheria	..	M	11	—	1	4	6	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	10	—	—	4	6	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
7 Influenza	M	3	—	—	—	1	—	1	—	—	1	3	—	—	—	—	—	3	—	—	
		F	3	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
8 Encephalitis lethargica	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	..	M	66	—	1	—	—	10	27	24	4	—	23	—	—	1	1	5	6	8	2	
		F	39	1	—	—	—	14	16	6	2	—	20	—	—	2	—	6	6	6	—	
11 Other tuberculous diseases..	..	M	15	3	2	5	3	1	—	1	—	—	7	—	2	1	1	1	2	—	—	
		F	4	—	—	2	—	1	1	—	—	—	2	—	—	1	1	—	—	—	—	
12 Cancer, malignant disease	M	76	—	—	—	—	—	5	35	27	9	36	—	—	—	—	—	16	14	6	
		F	93	—	—	—	—	1	9	51	22	10	51	1	—	—	—	5	27	14	4	
13 Rheumatic fever..	..	M	7	—	—	1	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	1	—	—	1	—	—	1	—	—	—	1	—	—	—	—	
14 Diabetes	M	7	—	—	—	—	—	—	3	4	—	7	—	—	—	—	2	4	1	—	
		F	10	—	—	—	—	—	2	4	2	2	5	—	—	—	—	—	2	2	1	
15 Cerebral hæmorrhage, &c.	..	M	47	—	—	—	—	—	—	18	18	11	25	—	—	—	—	—	10	9	6	
		F	58	1	—	—	—	—	1	21	18	17	31	—	—	—	—	1	7	13	10	
16 Heart disease	..	M	162	—	—	—	1	4	16	47	53	41	51	—	—	—	1	—	3	15	27	
		F	174	—	—	—	4	4	19	44	43	60	77	—	—	—	1	4	19	28	25	
17 Arterio-sclerosis	M	21	—	—	—	—	—	—	5	9	7	35	—	—	—	—	—	9	14	12	
		F	9	—	—	—	—	—	—	—	4	5	16	—	—	—	—	—	4	1	11	
18 Bronchitis..	..	M	30	6	1	—	1	—	2	7	5	8	32	1	1	—	—	—	13	12	5	
		F	28	1	1	—	2	—	1	1	7	15	27	1	—	—	1	—	6	9	9	
19 Pneumonia (all forms)	M	52	11	6	4	3	2	6	11	4	5	36	5	2	2	2	1	2	15	6	
		F	33	6	4	2	1	1	4	6	5	4	18	3	2	1	—	2	2	3	4	
20 Other respiratory diseases..	..	M	6	—	—	—	—	—	1	4	1	—	2	—	—	—	—	1	—	1	—	
		F	11	—	—	—	1	1	3	2	—	4	5	—	—	—	—	1	1	—	2	
21 Ulcer of stomach or duodenum	..	M	8	—	—	—	—	1	3	4	—	—	4	—	—	—	—	—	4	—	—	
		F	7	—	—	—	—	—	3	3	—	1	—	—	—	—	—	—	—	—	—	
22 Diarrhoea, &c.	..	M	13	10	1	1	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	
		F	6	5	1	—	—	—	—	—	—	—	4	3	—	—	—	—	—	1	—	
23 Appendicitis and typhlitis..	..	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	
24 Cirrhosis of liver	..	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis	..	M	20	—	—	—	1	3	1	9	5	1	21	—	—	—	—	—	2	12	6	
		F	29	—	—	—	1	1	5	8	6	8	17	—	—	—	—	5	7	2	3	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	1	3	—	—	—	3	—	—	—	—	3	—	—	—	
28 Congenital debility and malformation, premature birth	..	M	59	57	—	1	1	—	—	—	—	—	22	22	—	—	—	—	—	—	—	
		F	31	31	—	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—	
29 Suicide	M	11	—	—	—	—	—	6	4	1	—	3	—	—	—	1	—	2	—	—	
		F	6	—	—	—	—	—	3	3	—	—	2	—	—	—	—	1	1	—	—	
30 Other deaths from violence..	..	M	38	—	1	3	7	7	5	7	7	1	13	—	—	1	1	1	4	4	2	
		F	15	—	1	2	—	1	1	2	3	5	7	—	—	—	1	—	2	2	1	
31 Other defined diseases..	..	M	156	14	2	3	2	7	14	34	32	48	38	3	—	—	2	1	5	15	8	
		F	155	9	4	2	5	5	16	31	22	61	33	5	1	2	1	—	2	9	8	
32 Causes ill-defined or unknown	..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	

(Civilian population only).

CAUSES OF DEATH.		Sex	DONCASTER.										DUDLEY.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	368	33	8	10	5	13	47	116	75	61	402	49	14	12	12	16	53	117	70	59
			F	299	26	3	5	9	12	32	69	76	67	286	31	14	13	14	23	32	50	48	61
1 Enteric fever	..	{	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	{	M	—	—	—	—	—	—	—	—	—	—	12	2	5	5	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	6	—	2	4	—	—	—	—	—	—
4 Scarlet fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	..	{	M	6	1	2	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
			F	4	2	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
6 Diphtheria	..	{	M	4	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	{	M	9	—	—	—	—	1	3	5	—	—	7	—	—	—	—	1	5	—	—	1
			F	3	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
8 Encephalitis lethargica	..	{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis	..	{	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	{	M	23	—	—	—	—	—	3	8	9	3	—	33	—	—	—	1	4	15	13	—	—
		F	20	—	—	1	—	—	8	11	—	—	—	21	—	—	—	2	8	9	2	—	—
11 Other tuberculous diseases..	..	{	M	2	—	—	1	—	1	—	—	—	—	4	—	—	—	1	1	2	—	—	—
		F	2	—	—	—	—	—	—	—	1	1	—	3	—	—	1	1	—	—	—	—	—
12 Cancer, malignant disease	{	M	30	—	—	—	—	1	1	14	9	5	39	—	—	—	—	5	21	10	3	
		F	50	—	—	—	—	—	—	5	21	15	9	26	—	—	—	—	4	12	4	6	
13 Rheumatic fever	..	{	M	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	—	
		F	3	—	—	—	2	—	—	1	—	—	—	2	—	—	—	1	—	—	—	—	
14 Diabetes	{	M	4	—	—	—	—	—	—	4	—	—	1	—	—	—	—	—	—	1	—	
		F	1	—	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	3	1	—	
15 Cerebral hæmorrhage, &c.	..	{	M	15	—	—	—	—	—	1	3	8	3	29	—	—	—	—	1	5	16	7	
		F	22	—	—	—	—	—	—	—	2	7	13	20	—	—	—	—	3	3	7	7	
16 Heart disease	..	{	M	77	—	—	—	—	—	6	27	21	23	37	—	—	—	—	1	2	11	12	11
		F	54	—	—	—	—	—	—	1	18	24	11	28	—	—	—	3	2	3	9	6	5
17 Arterio-sclerosis	..	{	M	11	—	—	—	—	—	1	1	6	3	12	—	—	—	—	—	3	2	7	
		F	8	—	—	—	—	—	—	—	2	3	3	9	—	—	—	—	—	—	4	5	
18 Bronchitis..	..	{	M	18	1	2	1	—	—	2	1	7	4	41	6	1	1	1	—	—	12	10	10
		F	10	1	—	—	—	—	—	1	—	4	4	15	—	—	—	—	1	2	7	5	
19 Pneumonia (all forms)	..	{	M	28	4	—	—	1	—	10	8	4	1	44	5	6	3	2	3	11	10	2	2
		F	18	1	1	2	1	—	—	1	7	3	2	26	3	6	5	1	3	1	2	—	5
20 Other respiratory diseases..	..	{	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	2	—	—	—	—
		F	2	—	—	—	—	—	—	—	1	1	—	3	—	—	—	—	1	1	1	—	—
21 Ulcer of stomach or duodenum	..	{	M	3	—	—	—	—	—	—	1	2	—	3	—	—	—	—	—	3	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	4	1	—	—
22 Diarrhœa, &c.	..	{	M	5	4	1	—	—	—	—	—	—	—	12	9	2	—	—	—	—	1	—	—
		F	4	3	—	—	—	—	—	—	—	1	—	10	5	4	—	—	—	—	—	—	—
23 Appendicitis and typhlitis..	..	{	M	2	—	—	—	2	—	—	—	—	—	3	—	—	—	1	1	—	—	—	—
		F	3	—	—	—	1	1	—	—	—	1	—	2	—	—	—	1	—	—	1	—	—
24 Cirrhosis of liver	..	{	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	..	{	M	17	—	—	1	—	1	3	5	5	2	8	—	—	—	—	1	1	3	2	1
		F	16	—	—	—	—	—	—	3	4	6	3	7	—	—	—	—	1	—	2	3	1
26 Puerperal sepsis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth	..	{	M	15	15	—	—	—	—	—	—	—	—	15	14	—	—	1	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	—	—	17	15	—	1	1	—	—	—	—	—
29 Suicide	..	{	M	10	—	—	—	—	—	4	6	—	—	1	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
30 Other deaths from violence..	..	{	M	23	1	—	2	1	3	4	10	2	—	25	4	—	—	4	3	7	4	3	—
		F	5	—	—	—	1	1	—	—	1	—	2	8	—	—	1	1	—	3	—	2	1
31 Other defined diseases..	..	{	M	59	7	3	1	—	1	2	19	7	19	66	9	—	3	—	2	5	20	10	17
		F	53	6	—	1	1	2	6	10	10	7	20	66	8	1	1	1	5	5	8	11	26
32 Causes ill-defined or unknown	..	{	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	EXETER.										GATESHEAD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	385	27	4	8	9	10	35	98	104	90	810	149	28	21	23	44	101	201	142	101
	F	374	20	4	6	10	11	41	67	84	131	738	93	24	18	19	47	97	173	139	128
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	—	—	1	—	—	—	—	—	—	16	3	3	4	6	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	6	—	1	5	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough	M	1	1	—	—	—	—	—	—	—	—	6	3	1	1	1	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	10	5	3	2	—	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	3	2	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
	F	4	—	1	1	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza ..	M	5	—	—	—	—	—	—	1	1	3	8	—	—	1	—	—	2	3	1	1
	F	5	—	—	—	—	—	—	—	3	2	4	1	—	—	—	—	1	—	1	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	27	—	—	—	—	3	13	9	2	—	68	1	1	1	1	15	27	20	2	—
	F	21	—	—	—	—	2	14	3	2	—	63	—	1	—	2	26	27	6	1	—
11 Other tuberculous diseases..	M	6	1	2	—	1	—	—	2	—	—	21	2	2	3	2	3	6	2	1	—
	F	3	1	1	1	—	—	—	—	—	—	21	5	3	2	3	5	1	1	—	1
12 Cancer, malignant disease ..	M	35	—	—	—	—	—	3	13	10	9	71	—	—	—	—	—	3	29	30	9
	F	47	—	—	—	—	—	5	14	14	14	77	—	—	—	—	—	11	36	21	9
13 Rheumatic fever..	M	1	—	—	—	—	1	—	—	—	—	3	—	—	—	1	—	2	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes ..	M	4	—	—	—	—	—	—	—	4	—	9	—	—	—	—	2	2	2	1	2
	F	8	—	—	—	—	—	—	4	4	—	8	—	—	—	—	1	2	2	3	—
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	2	14	8	51	—	—	—	1	1	1	16	19	13
	F	20	—	—	—	—	—	—	4	8	8	48	—	—	—	—	—	1	19	19	9
16 Heart disease ..	M	57	—	—	—	—	1	5	12	20	19	91	—	—	—	1	4	10	29	25	22
	F	73	—	—	—	—	—	4	13	22	34	129	—	—	—	2	5	10	41	38	33
17 Arterio-sclerosis ..	M	17	—	—	—	—	—	—	5	5	7	27	—	—	—	—	—	1	7	11	8
	F	19	—	—	—	—	—	—	2	5	12	25	—	—	—	—	—	1	6	7	11
18 Bronchitis..	M	20	4	—	—	—	—	—	2	3	11	43	8	3	—	—	1	2	9	7	13
	F	20	4	—	—	—	—	—	—	4	12	50	4	—	1	—	—	4	6	12	23
19 Pneumonia (all forms) ..	M	23	2	2	—	1	—	2	4	8	4	88	29	11	5	3	2	9	22	4	3
	F	14	2	1	—	—	—	—	2	3	6	52	13	11	4	2	—	3	13	2	4
20 Other respiratory diseases..	M	3	—	—	—	—	—	—	1	2	—	6	—	1	—	—	—	3	—	2	—
	F	3	—	—	—	—	—	1	—	1	1	6	—	—	—	—	—	—	1	3	2
21 Ulcer of stomach or duodenum ..	M	10	—	—	—	—	—	2	5	2	1	9	—	—	—	—	—	4	5	—	—
	F	2	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	1
22 Diarrhoea, &c. ..	M	2	2	—	—	—	—	—	—	—	—	16	15	—	—	—	—	—	1	—	—
	F	2	1	—	—	—	—	—	1	—	—	9	6	2	—	—	—	—	—	—	1
23 Appendicitis and typhlitis..	M	4	—	—	—	1	—	2	—	1	—	3	—	—	—	—	—	2	1	—	—
	F	3	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	26	—	—	1	—	—	2	8	9	6	29	—	—	—	2	1	4	11	7	4
	F	18	—	—	—	—	—	2	5	8	3	26	—	—	—	—	—	3	8	11	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	8	—	—	—	—	1	7	—	—	—
28 Congenital debility and malformation, premature birth ..	M	14	13	—	—	1	—	—	—	—	—	53	52	—	—	—	1	—	—	—	—
	F	9	8	—	—	1	—	—	—	—	—	43	42	—	—	—	—	1	—	—	—
29 Suicide ..	M	3	—	—	—	—	—	—	2	1	—	13	—	—	—	—	—	5	7	1	—
	F	2	—	—	—	—	1	—	1	—	—	6	—	—	—	—	1	2	2	1	—
30 Other deaths from violence..	M	15	—	—	3	—	2	3	2	1	4	30	—	—	2	2	7	8	6	2	3
	F	11	—	—	2	2	1	2	3	—	1	19	—	1	3	2	1	—	5	4	3
31 Other defined diseases..	M	79	4	—	—	3	3	2	28	21	18	127	35	4	1	3	6	7	23	25	23
	F	79	2	—	1	5	4	8	14	9	36	108	16	2	1	4	4	16	23	16	26
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	12	—	1	—	—	1	1	6	3	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—	—

(Civilian population only).

CAUSES OF DEATH.	Sex.	GRIMSBY.										HALIFAX.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	580	74	16	17	19	28	71	164	102	89	683	48	7	10	21	27	70	192	178	130
	F	522	55	11	13	23	23	60	129	96	112	712	38	4	12	10	18	73	202	178	177
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	5	4	—	1	—	—	—	—	—	—	4	1	—	—	3	—	—	—	—	—
	F	5	1	2	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
4 Scarlet fever ..	M	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
5 Whooping cough ..	M	5	3	1	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	5	—	—	1	3	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza ..	M	4	—	—	—	—	—	—	3	1	—	5	—	—	—	—	2	—	3	—	—
	F	4	—	1	—	—	—	—	1	1	1	7	—	—	—	—	—	2	1	3	1
8 Encephalitis lethargica ..	M	2	—	—	—	1	—	—	—	—	1	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	44	—	—	—	—	10	20	13	1	—	35	—	—	—	2	7	13	13	—	—
	F	43	1	—	1	4	13	17	7	—	—	28	—	—	1	—	10	13	2	2	—
11 Other tuberculous diseases..	M	13	4	1	2	1	2	3	—	—	—	5	—	—	1	—	—	2	1	—	1
	F	13	3	—	2	5	1	1	1	—	—	11	1	—	2	1	4	1	1	1	—
12 Cancer, malignant disease ..	M	67	—	—	—	—	4	40	14	9	62	—	—	—	—	—	4	29	21	8	
	F	66	—	1	—	—	1	9	28	19	8	108	—	—	—	—	10	50	36	12	
13 Rheumatic fever ..	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	5	—	—	—	—	—	2	2	1	—	8	—	—	—	—	—	2	3	1	2
	F	11	—	—	—	—	1	—	6	4	—	12	—	—	—	—	—	1	9	1	1
15 Cerebral hæmorrhage, &c. ..	M	33	—	—	—	—	—	1	14	10	8	53	—	—	—	—	—	1	16	22	14
	F	35	—	—	—	—	—	1	10	7	17	61	—	—	1	—	—	1	19	19	21
16 Heart disease ..	M	87	—	—	—	1	1	6	27	36	16	133	—	—	—	—	2	4	36	53	38
	F	85	—	—	—	—	3	8	17	30	27	175	—	—	—	1	—	7	52	55	60
17 Arterio-sclerosis ..	M	11	—	—	—	—	—	—	—	7	4	48	—	—	—	—	—	—	10	22	16
	F	16	—	—	—	—	—	—	7	5	4	35	—	—	—	—	—	—	2	13	20
18 Bronchitis..	M	22	—	—	—	1	—	3	5	4	9	24	1	—	—	—	—	1	7	5	10
	F	25	1	—	1	1	—	—	6	7	9	27	—	—	—	—	—	1	4	8	14
19 Pneumonia (all forms) ..	M	39	9	8	7	1	—	6	5	1	2	65	7	3	2	2	3	15	18	11	4
	F	32	6	5	1	3	2	2	7	3	3	36	5	3	1	1	1	3	9	5	8
20 Other respiratory diseases..	M	6	2	1	—	—	1	—	1	—	1	5	—	—	—	—	—	2	—	3	—
	F	4	—	—	1	—	—	—	1	1	1	5	—	—	1	1	—	—	1	2	—
21 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	1	3	3	—	1	13	—	—	—	—	—	4	6	2	1
	F	7	—	—	—	—	—	2	4	1	—	4	—	—	—	—	—	2	2	—	—
22 Diarrhoea, &c. ..	M	10	9	1	—	—	—	—	—	—	—	7	4	2	—	—	1	—	—	—	—
	F	8	7	—	—	—	—	—	—	—	1	2	—	—	—	—	—	1	—	1	—
23 Appendicitis and typhlitis..	M	5	—	—	—	1	1	1	—	1	1	5	—	—	—	—	3	2	—	—	—
	F	3	—	—	1	—	—	—	1	—	1	2	—	—	—	—	—	1	—	1	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	2	1	—	5	—	—	—	—	—	—	3	2	—
	F	2	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	13	—	—	—	1	2	1	4	3	2	15	—	—	—	1	—	3	4	4	3
	F	17	—	—	—	—	1	6	8	1	1	27	—	—	—	—	—	3	12	8	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	8	—	—	—
28 Congenital debility and malformation, premature birth ..	M	28	25	1	—	1	—	—	1	—	—	23	22	—	—	—	—	1	—	—	—
	F	21	21	—	—	—	—	—	—	—	—	23	22	1	—	—	—	—	—	—	—
29 Suicide ..	M	9	—	—	—	—	—	4	2	2	1	16	—	—	—	—	—	3	8	4	1
	F	2	—	—	—	—	—	1	1	—	—	5	—	—	—	—	—	2	3	—	—
30 Other deaths from violence..	M	39	2	—	3	1	4	8	9	4	8	30	1	1	1	3	5	4	8	3	4
	F	10	3	1	—	2	—	2	—	1	1	21	2	—	2	2	—	3	4	3	5
31 Other defined diseases..	M	115	15	3	2	6	6	9	32	16	26	111	12	—	5	5	3	8	26	24	28
	F	107	11	1	3	7	—	8	24	16	37	101	8	—	1	1	2	10	29	19	31
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

(Civilian population only).

CAUSES OF DEATH.		Sex.	IPSWICH.										KINGSTON-UPON-HULL.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	462	35	10	6	16	13	48	127	95	112	1989	250	74	72	62	87	218	604	322	300
		F	451	27	3	6	12	14	48	101	88	152	1852	184	42	62	58	94	218	447	362	385
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles ..	M	7	2	1	2	2	—	—	—	—	—	50	12	20	12	6	—	—	—	—	
		F	6	2	—	1	3	—	—	—	—	—	51	7	15	21	8	—	—	—	—	
4	Scarlet fever ..	M	1	—	1	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	—	
		F	1	—	—	—	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—	
5	Whooping cough ..	M	1	—	1	—	—	—	—	—	—	—	5	1	3	1	—	—	—	—	—	
		F	1	—	1	—	—	—	—	—	—	—	11	8	2	1	—	—	—	—	—	
6	Diphtheria ..	M	5	—	1	—	4	—	—	—	—	—	31	—	1	16	12	1	1	—	—	
		F	3	—	1	—	1	1	—	—	—	—	16	—	1	7	7	—	—	1	—	
7	Influenza ..	M	4	—	—	—	1	—	—	1	—	2	14	—	1	—	—	—	1	7	4	
		F	4	—	—	—	1	—	1	—	—	2	15	1	—	—	—	—	4	3	2	
8	Encephalitis lethargica ..	M	1	—	—	1	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—	
		F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—	
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	5	1	2	1	1	—	—	—	—	
		F	1	—	—	—	1	—	—	—	—	—	6	5	—	—	1	—	—	—	—	
10	Tuberculosis of respiratory system	M	34	—	—	—	—	3	15	15	1	—	180	2	2	1	2	33	61	74	5	
		F	23	—	—	—	—	1	14	5	2	1	142	1	1	—	6	44	63	23	3	
11	Other tuberculous diseases..	M	7	1	2	1	3	—	—	—	—	—	36	2	9	5	9	3	4	4	—	
		F	2	—	—	1	1	—	—	—	—	—	37	4	4	6	7	7	6	3	—	
12	Cancer, malignant disease ..	M	69	—	—	—	—	—	4	27	27	11	186	—	—	—	—	1	10	87	54	
		F	81	—	—	1	—	1	4	36	20	19	235	1	—	—	—	—	24	120	59	
13	Rheumatic fever ..	M	4	—	—	—	2	—	2	—	—	—	3	—	—	1	1	—	—	1	—	
		F	4	—	—	—	—	2	—	2	—	—	5	—	—	—	3	—	2	—	—	
14	Diabetes ..	M	4	—	—	—	—	1	—	1	—	2	22	—	—	—	1	2	1	7	8	
		F	11	—	—	—	—	—	—	1	5	5	28	—	—	—	—	1	—	13	7	
15	Cerebral hæmorrhage, &c.	M	19	—	—	—	—	—	—	3	6	10	105	—	—	—	—	—	4	32	36	
		F	33	—	—	—	—	—	—	4	12	17	140	—	—	—	—	—	5	41	48	
16	Heart disease ..	M	81	—	—	—	1	1	4	28	16	31	310	—	—	—	4	4	19	115	90	
		F	102	—	—	—	1	2	4	20	25	50	361	—	—	1	5	10	26	82	117	
17	Arterio-sclerosis ..	M	18	—	—	—	—	—	—	3	7	8	71	—	—	—	—	—	1	14	23	
		F	21	—	—	—	—	—	—	3	7	11	62	—	—	—	—	—	—	14	27	
18	Bronchitis..	M	19	—	1	—	—	—	—	2	4	12	83	9	3	3	—	—	4	23	20	
		F	17	3	1	—	—	—	—	2	2	9	65	8	—	1	2	1	—	8	13	
19	Pneumonia (all forms) ..	M	11	3	—	—	—	—	—	2	3	3	198	57	27	22	4	3	22	39	13	
		F	4	—	—	3	—	—	—	—	—	1	126	25	14	18	8	4	11	18		
20	Other respiratory diseases..	M	4	1	—	—	—	—	—	2	—	1	26	1	1	—	—	—	5	9	4	
		F	7	—	—	—	—	1	—	—	1	5	20	1	—	1	—	—	4	2		
21	Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	1	2	—	1	31	—	—	—	—	—	12	16	3	
		F	1	—	—	—	—	—	—	—	1	—	8	—	—	—	—	4	4	—		
22	Diarrhœa, &c. ..	M	4	1	1	—	—	—	—	2	—	—	27	19	2	1	—	1	1	1	1	
		F	6	3	—	—	1	—	2	—	—	—	19	12	2	2	—	—	3	—		
23	Appendicitis and typhlitis..	M	1	—	—	—	—	—	—	1	—	—	10	—	—	—	1	3	1	5	—	
		F	3	—	—	—	—	—	1	1	—	1	10	—	—	1	2	2	1	1	3	
24	Cirrhosis of liver ..	M	4	—	—	—	—	—	—	3	1	—	9	—	—	—	—	—	—	7	2	
		F	5	—	—	—	—	—	—	3	1	1	2	—	—	—	—	—	1	1	—	
25	Acute and chronic nephritis ..	M	22	—	—	—	—	—	1	9	7	5	37	—	—	—	3	2	7	14	6	
		F	10	—	—	—	—	1	2	5	1	1	43	—	—	—	1	3	3	16	12	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	—	4	—	—	—	11	—	—	—	—	—	11	—	—	
27	Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	1	2	—	—	—	13	—	—	—	—	3	10	—	—	
28	Congenital debility and malformation, premature birth ..	M	23	23	—	—	—	—	—	—	—	—	109	106	—	1	1	1	—	—	—	
		F	13	12	—	—	—	—	1	—	—	—	93	93	—	—	—	—	—	—	—	
29	Suicide ...	M	7	—	—	—	—	—	3	4	—	—	22	—	—	—	—	2	6	11	1	
		F	3	—	—	—	—	1	1	—	1	—	14	—	—	—	—	2	3	7	2	
30	Other deaths from violence..	M	24	—	1	1	2	4	5	4	4	3	102	4	1	7	9	17	25	27	5	
		F	7	—	—	—	—	1	1	—	1	4	39	1	—	1	1	3	1	8	10	
31	Other defined diseases ..	M	84	4	1	1	1	4	13	18	19	23	310	36	2	1	6	13	31	109	47	
		F	71	7	—	—	2	2	11	16	8	25	275	17	2	2	6	14	38	78	41	
32	Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHs—1930
(Civilian population only).

CAUSES OF DEATH.		Sex.	LEEDS.										LEICESTER.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	3091	297	45	63	72	139	356	1024	677	418	1398	122	19	21	28	57	155	379	355	262
		F	2839	215	39	54	84	114	311	790	626	606	1346	95	17	11	33	65	157	340	277	351
1 Enteric fever	..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—	
2 Small-pox..	..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
3 Measles	M	2	—	—	2	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	5	2	1	1	1	—	—	—	—	
4 Scarlet fever	..	M	6	—	—	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	16	1	1	7	7	—	—	—	—	—	2	—	1	1	—	—	—	—	—	
5 Whooping cough	..	M	16	10	3	3	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	
		F	16	6	6	3	1	—	—	—	—	—	6	4	2	—	—	—	—	—	—	
6 Diphtheria	..	M	22	2	—	8	10	1	1	—	—	—	3	—	—	1	2	—	—	—	—	
		F	32	—	2	8	22	—	—	—	—	—	3	—	—	1	2	—	—	—	—	
7 Influenza	M	40	—	1	1	3	1	6	11	8	9	12	—	—	—	1	—	—	4	3	
		F	20	—	—	—	1	—	1	6	9	3	16	1	—	—	1	—	1	4	6	
8 Encephalitis lethargica	..	M	5	—	—	—	—	1	3	—	1	—	5	—	—	—	1	2	—	2	—	
		F	4	—	—	—	—	2	—	2	—	—	2	—	—	1	—	1	—	—	—	
9 Meningococcal meningitis	..	M	8	3	2	—	2	—	1	—	—	—	4	2	—	1	—	—	1	—	—	
		F	4	—	2	2	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—	
10 Tuberculosis of respiratory system	{	M	265	2	1	—	—	44	89	119	10	—	136	2	1	3	2	18	60	45	3	
		F	171	3	1	3	5	52	84	21	2	—	95	1	—	—	1	30	40	21	2	
11 Other tuberculous diseases..	..	M	48	3	9	8	7	11	8	2	—	—	25	3	1	4	6	5	4	2	—	
		F	52	2	10	4	9	9	9	7	1	1	20	2	3	—	6	3	2	4	—	
12 Cancer, malignant disease	M	334	—	—	—	—	—	29	160	107	38	176	—	1	—	—	1	8	57	85	
		F	400	—	—	1	1	1	35	196	101	65	217	—	—	—	1	—	24	102	57	
13 Rheumatic fever ..	{	M	9	—	—	—	1	2	1	5	—	—	5	—	—	—	4	1	—	—	—	
		F	7	—	—	—	2	2	—	3	—	—	6	—	—	—	3	1	1	1	—	
14 Diabetes	M	27	—	—	—	1	—	5	10	10	1	21	—	—	—	—	—	8	9	4	
		F	52	—	—	—	—	—	1	22	26	3	18	—	—	—	—	1	4	8	5	
15 Cerebral hamorrhage, &c.	{	M	157	—	—	—	—	1	5	57	66	28	81	—	—	—	—	—	1	18	34	
		F	214	—	—	—	—	—	7	66	70	71	102	—	—	—	—	—	2	29	29	
16 Heart disease	..	M	513	—	—	1	7	5	34	190	163	113	194	—	—	—	2	5	12	58	59	
		F	588	—	—	1	5	14	41	173	183	171	239	—	—	—	5	9	14	59	71	
17 Arterio-sclerosis ..	{	M	229	—	—	—	—	1	1	41	101	85	43	—	—	—	—	—	1	7	19	
		F	189	—	—	—	—	—	1	28	57	103	32	—	—	—	—	—	4	10	18	
18 Bronchitis..	..	M	173	14	4	2	—	3	11	54	50	35	58	2	1	—	—	—	1	11	21	
		F	119	12	1	—	—	2	6	22	32	44	49	1	—	1	—	—	1	8	17	
19 Pneumonia (all forms)	M	254	22	13	8	9	11	48	100	33	10	103	14	6	5	1	4	19	30	18	
		F	145	28	14	8	9	2	11	34	26	13	62	7	5	4	1	2	9	10	11	
20 Other respiratory diseases..	{	M	30	1	1	2	—	4	7	11	3	1	9	—	—	—	—	—	2	2	3	
		F	17	—	—	—	2	1	—	9	—	5	9	1	—	—	—	—	1	2	2	
21 Ulcer of stomach or duodenum	..	M	43	—	—	—	—	3	6	29	4	1	19	—	—	—	—	—	2	13	3	
		F	13	—	—	—	—	—	—	8	4	1	9	—	—	—	—	—	6	3	—	
22 Diarrhoea, &c.	..	M	27	18	3	—	2	1	1	2	—	—	22	15	2	—	—	—	2	—	—	
		F	23	11	—	2	1	1	1	1	2	4	16	12	1	—	—	1	1	—	1	
23 Appendicitis and typhlitis..	{	M	20	—	—	1	2	5	6	5	—	1	12	—	—	1	—	4	4	3	—	
		F	21	—	—	—	3	1	7	8	2	—	9	—	—	—	2	3	4	—	—	
24 Cirrhosis of liver ..	{	M	6	—	—	—	—	—	1	4	1	—	10	—	—	—	—	—	5	4	1	
		F	4	—	—	—	—	—	—	3	1	—	2	—	—	—	—	2	—	—	—	
25 Acute and chronic nephritis	..	M	97	—	2	1	—	3	7	53	24	7	67	—	—	1	—	1	4	20	29	
		F	116	1	1	—	2	1	19	49	25	18	60	—	—	—	1	2	6	16	21	
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	13	—	—	—	—	2	11	—	—	—	12	—	—	—	—	3	9	—	—	
27 Other accidents and diseases of pregnancy and parturition	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	18	—	—	—	—	3	15	—	—	—	8	—	—	—	—	3	5	—	—	
28 Congenital debility and malformation, premature birth	..	M	154	153	—	—	—	—	1	—	—	—	59	56	1	—	—	2	—	—	—	
		F	103	102	—	1	—	—	—	—	—	—	49	47	—	—	1	—	—	—	1	
29 Suicide	M	47	—	—	—	—	1	15	22	8	1	28	—	—	—	—	2	8	14	3	
		F	17	—	—	—	—	1	5	10	—	1	17	—	—	—	—	1	8	5	2	
30 Other deaths from violence..	{	M	136	11	2	10	13	19	24	33	15	9	64	2	4	3	4	8	7	16	11	
		F	59	6	1	3	4	2	8	14	10	11	30	2	1	1	1	3	4	3	5	
31 Other defined diseases..	..	M	422	58	4	13	13	21	46	115	73	79	236	22	1	1	6	5	18	65	49	
		F	403	43	—	11	10	17	49	108	74	91	247	14	2	2	8	3	23	57	35	
32 Causes ill-defined or unknown	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	LINCOLN.										LIVERPOOL.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	397	37	4	9	15	15	41	110	77	89	5925	884	226	174	259	284	682	1668	1104	644
	F	384	19	4	11	7	15	38	76	97	117	5380	663	192	162	247	297	621	1280	956	962
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	92	21	39	25	7	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	81	24	34	18	5	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	17	3	2	6	4	—	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	18	—	4	3	8	1	—	1	1	—
5 Whooping cough ..	M	3	—	2	1	—	—	—	—	—	—	38	18	16	4	—	—	—	—	—	—
	F	2	—	—	2	—	—	—	—	—	—	39	19	10	9	1	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	1	2	—	—	—	—	—	120	2	8	35	73	2	—	—	—	—
	F	2	—	—	1	—	—	1	—	—	—	114	2	4	29	76	2	1	—	—	—
7 Influenza ..	M	4	—	—	—	—	—	3	1	—	—	44	2	—	2	1	1	10	15	6	7
	F	3	—	—	—	—	1	—	—	1	1	33	—	—	—	2	—	4	13	7	7
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	9	—	—	1	2	1	—	3	—	—
	F	1	—	—	—	—	—	1	—	—	—	12	—	—	—	1	1	6	1	3	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	7	3	—	1	1	—	2	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	11	4	4	1	1	1	—	—	—	—
10 Tuberculosis of respiratory system	M	26	1	—	—	1	4	12	7	1	—	619	—	7	4	17	111	224	215	37	4
	F	20	—	—	—	2	7	6	3	1	1	439	1	—	9	29	132	170	77	17	4
11 Other tuberculous diseases..	M	9	1	1	1	4	—	2	—	—	—	86	6	10	19	18	10	11	8	2	2
	F	8	—	—	3	2	3	—	—	—	—	97	8	9	22	17	16	13	10	1	1
12 Cancer, malignant disease ..	M	47	—	—	—	—	—	2	25	11	9	511	1	—	—	3	—	43	234	185	45
	F	39	—	—	—	—	1	3	18	13	4	589	—	—	—	—	3	72	273	161	80
13 Rheumatic fever ..	M	2	—	—	—	—	1	1	—	—	—	23	—	—	—	10	7	2	4	—	—
	F	1	—	—	—	—	—	—	1	—	—	23	—	—	—	8	4	5	4	1	1
14 Diabetes ..	M	3	—	—	—	—	—	—	1	1	1	43	—	—	—	1	2	7	16	13	4
	F	9	—	—	—	—	—	—	4	1	4	75	—	—	—	—	3	9	29	28	6
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	1	6	10	7	208	—	—	—	—	—	6	74	89	39
	F	33	—	—	—	—	—	—	5	14	14	246	—	—	—	—	1	7	81	83	74
16 Heart disease ..	M	67	—	—	—	—	—	—	18	21	28	877	—	—	—	11	24	52	304	288	198
	F	80	—	—	—	1	1	2	15	27	34	1006	—	—	1	18	39	92	276	278	302
17 Arterio-sclerosis ..	M	19	—	—	—	—	—	—	3	9	7	190	—	—	—	—	—	2	60	81	47
	F	21	—	—	—	—	—	—	1	5	15	148	—	—	—	—	—	1	32	51	64
18 Bronchitis..	M	24	2	1	2	1	—	1	5	3	9	278	51	9	3	—	1	18	76	65	55
	F	19	2	—	—	—	—	—	3	4	10	219	31	11	2	—	4	4	34	59	74
19 Pneumonia (all forms) ..	M	15	2	—	—	—	—	2	5	3	3	774	195	83	38	34	32	101	198	63	30
	F	18	3	1	2	—	—	1	3	3	5	484	132	65	34	18	18	40	88	48	41
20 Other respiratory diseases..	M	3	—	—	—	—	—	2	1	—	—	44	3	—	2	1	3	10	16	3	6
	F	6	—	—	—	—	—	1	1	—	4	32	2	2	2	2	—	4	9	7	4
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	1	2	1	—	—	55	—	—	—	—	1	12	32	9	1
	F	—	—	—	—	—	—	—	—	—	—	25	—	—	—	—	—	5	14	5	1
22 Diarrhoea, &c. ..	M	3	2	—	—	—	—	—	1	—	—	161	120	25	2	3	1	2	4	2	2
	F	2	1	—	—	—	—	—	—	1	—	139	104	16	2	4	—	5	2	4	2
23 Appendicitis and typhlitis..	M	4	—	—	1	1	—	—	2	—	—	33	—	—	3	8	4	10	4	4	—
	F	3	—	—	—	—	—	1	1	1	—	21	—	1	—	3	4	6	4	2	1
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	20	—	—	—	—	—	2	11	6	1
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—	—
25 Acute and chronic nephritis ..	M	16	—	—	—	—	—	—	6	5	5	191	1	—	—	1	8	17	96	45	23
	F	12	—	—	—	—	—	—	6	3	3	150	—	1	1	3	7	9	66	37	26
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	18	—	—	—	—	6	12	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	6	—	—	—	53	—	—	—	—	11	41	1	—	—
28 Congenital debility and malformation, premature birth ..	M	20	19	—	1	—	—	—	—	—	—	335	332	1	1	1	—	—	—	—	—
	F	12	11	—	—	1	—	—	—	—	—	262	257	1	—	2	1	1	—	—	—
29 Suicide ..	M	9	—	—	—	—	2	2	4	1	—	63	—	—	—	—	4	21	29	7	2
	F	3	—	—	—	—	—	2	1	—	—	33	—	—	—	—	3	13	16	1	—
30 Other deaths from violence..	M	18	1	—	2	4	3	4	3	1	—	229	13	9	15	29	32	54	39	21	17
	F	2	—	1	—	—	—	—	—	1	—	131	7	5	11	16	13	4	31	17	27
31 Other defined diseases..	M	72	9	—	—	2	4	7	19	11	20	846	113	13	13	34	39	71	225	177	161
	F	77	2	1	2	1	2	11	14	22	22	870	71	20	18	33	27	96	214	144	247
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	11	—	4	—	—	—	1	5	1	—
	F	—	—	—	—	—	—	—	—	—	—	8	1	5	—	—	—	—	1	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATHS.		SEX.	MANCHESTER.										MIDDLESBROUGH.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	5089	574	115	110	108	231	603	1723	1060	565	984	156	52	37	33	46	124	280	151	105
		F	4702	421	118	92	113	245	576	1293	975	869	785	110	49	33	29	39	101	184	131	109
1 Enteric fever	..	M	4	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	86	22	37	23	3	—	—	1	—	—	21	2	11	7	1	—	—	—	—	—
		F	61	16	25	16	4	—	—	—	—	—	22	3	10	8	1	—	—	—	—	—
4 Scarlet fever	..	M	2	—	—	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
		F	8	—	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough..	..	M	14	10	3	1	—	—	—	—	—	—	17	8	4	4	1	—	—	—	—	—
		F	22	9	8	5	—	—	—	—	—	—	21	8	6	6	1	—	—	—	—	—
6 Diphtheria	..	M	24	2	6	7	8	—	1	—	—	—	4	1	1	2	—	—	—	—	—	—
		F	33	1	6	8	18	—	—	—	—	—	4	—	1	2	—	1	—	—	—	—
7 Influenza	M	70	1	1	—	—	3	14	33	8	10	16	1	1	—	—	3	7	1	3	
		F	58	3	—	1	3	2	6	17	19	7	17	—	—	2	2	3	6	2	2	
8 Encephalitis lethargica	..	M	6	—	—	—	1	2	1	1	1	—	1	—	—	—	—	—	—	1	—	
		F	14	—	1	—	—	4	4	5	—	—	1	—	—	—	1	—	—	—	—	
9 Meningococcal meningitis	..	M	12	5	—	2	3	—	1	1	—	—	1	—	—	1	—	—	—	—	—	
		F	10	6	2	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	
10 Tuberculosis of respiratory system	..	M	524	3	—	2	6	82	182	225	22	2	125	1	2	4	5	20	40	43	10	—
		F	374	2	2	1	9	116	163	72	8	1	61	—	—	2	6	17	26	9	1	—
11 Other tuberculous diseases..	..	M	76	3	9	14	14	15	8	10	2	1	17	2	1	4	5	1	3	—	1	—
		F	87	7	9	15	13	22	13	6	—	2	17	1	2	3	5	3	2	1	—	—
12 Cancer, malignant disease	M	576	—	—	1	2	6	33	293	201	40	88	—	—	—	—	1	6	46	26	9
		F	573	—	—	1	—	4	57	283	150	78	95	—	—	—	—	10	42	25	12	—
13 Rheumatic fever..	..	M	15	—	—	—	3	6	5	—	1	—	4	—	—	—	3	—	—	1	—	—
		F	18	—	—	1	5	7	2	3	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes	M	38	—	—	—	2	1	5	19	7	4	5	—	—	—	—	1	1	3	—	—
		F	45	—	—	—	—	—	3	17	21	4	6	—	—	—	1	—	2	2	—	—
15 Cerebral hæmorrhage, &c.	..	M	144	—	—	—	1	3	6	43	64	27	39	—	—	—	—	2	18	11	8	
		F	229	—	—	—	—	—	11	85	76	57	37	—	—	—	—	—	15	16	6	—
16 Heart disease	..	M	682	—	—	1	3	9	47	264	249	109	144	—	—	—	2	1	9	43	48	41
		F	841	—	—	2	4	25	73	273	238	226	127	—	—	1	5	4	12	37	34	34
17 Arterio-sclerosis	M	230	—	—	—	—	—	2	37	100	91	35	—	—	—	—	—	8	14	13	—
		F	228	—	—	—	—	—	—	38	70	120	30	—	—	—	—	—	6	12	12	—
18 Bronchitis..	..	M	333	34	2	1	—	1	14	125	93	63	27	5	—	—	—	—	3	12	3	4
		F	314	15	6	1	1	2	10	78	93	108	28	2	5	—	—	—	2	3	6	10
19 Pneumonia (all forms)	M	519	79	32	20	9	23	88	192	57	19	124	20	20	5	7	6	19	35	5	7
		F	308	53	41	17	11	10	39	73	42	22	67	14	15	3	3	2	6	12	10	2
20 Other respiratory diseases..	..	M	59	2	1	2	2	—	11	29	7	5	13	1	1	—	—	1	1	5	1	3
		F	39	1	—	—	2	1	4	13	7	11	9	2	2	2	—	—	1	—	2	—
21 Ulcer of stomach or duodenum	..	M	51	—	—	—	—	2	12	34	2	1	14	—	—	—	—	1	5	8	—	—
		F	14	—	—	—	—	1	3	5	3	2	2	—	—	—	—	—	2	—	—	—
22 Diarrhœa, &c.	..	M	105	88	8	2	1	—	1	4	—	1	18	1	2	4	—	—	1	—	1	—
		F	79	65	5	3	—	—	2	—	1	3	19	1	1	5	1	—	—	1	1	1
23 Appendicitis and typhlitis..	..	M	29	—	—	1	7	3	6	7	4	1	8	—	—	1	2	2	2	1	—	—
		F	20	—	—	—	4	3	4	6	3	—	3	—	—	—	1	—	1	1	—	—
24 Cirrhosis of liver	M	23	—	—	—	—	—	1	14	7	1	2	—	—	—	—	—	1	1	—	—
		F	10	—	—	—	—	—	1	6	2	1	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis	..	M	145	—	—	—	3	3	24	66	39	10	22	—	—	—	2	1	4	10	4	1
		F	150	—	—	1	1	7	20	65	44	12	22	—	—	—	1	—	7	9	2	3
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	34	—	—	—	—	5	29	—	—	—	9	—	—	—	—	9	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	30	—	—	—	—	2	27	1	—	—	4	—	—	—	—	2	2	—	—	—
28 Congenital debility and malformation, premature birth	..	M	253	244	1	—	4	1	3	—	—	—	80	80	—	—	—	—	—	—	—	—
		F	192	190	—	—	1	1	—	—	—	—	55	55	—	—	—	—	—	—	—	—
29 Suicide	M	70	—	—	—	—	4	19	35	8	4	9	—	—	—	—	—	4	4	1	—
		F	38	—	—	—	—	1	19	17	1	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence..	..	M	200	4	5	14	17	37	42	43	25	13	56	2	1	2	2	8	10	22	7	2
		F	117	2	4	4	12	8	13	20	26	28	15	—	—	1	1	3	2	3	3	2
31 Other defined diseases..	..	M	799	77	10	17	19	29	76	245	163	163	91	20	6	6	2	4	10	15	14	14
		F	749	49	8	12	20	22	71	209	171	187	110	14	3	1	3	4	11	35	14	25
32 Causes ill-defined or unknown	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.		SEX.	NEWCASTLE-UPON-TYNE.										NORTHAMPTON.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	1865	206	44	37	52	89	233	567	388	249	529	38	3	6	14	28	64	144	117	115
		F	1649	173	45	32	49	90	180	416	340	324	524	30	8	6	11	13	54	123	129	150
1	Enteric fever ..	M	3	—	—	—	—	1	1	1	—	—	2	—	—	—	—	1	1	—	—	—
		F	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
2	Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles ..	M	9	3	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	2	3	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
4	Scarlet fever ..	M	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ..	M	13	7	4	2	—	—	—	—	—	—	4	3	—	—	1	—	—	—	—	—
		F	16	6	1	7	2	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—
6	Diphtheria ..	M	3	—	1	—	2	—	—	—	—	—	5	—	—	2	3	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
7	Influenza ..	M	16	—	—	2	—	—	4	8	2	—	1	—	—	—	—	—	—	1	—	—
		F	20	—	—	2	—	1	1	8	5	3	5	—	—	—	—	—	—	3	2	—
8	Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
		F	3	—	—	—	—	1	—	2	—	—	2	—	—	—	1	1	—	—	—	—
9	Meningococcal meningitis	M	11	3	1	2	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	2	—	2	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
10	Tuberculosis of respiratory system	M	176	1	—	—	4	38	76	52	5	—	37	—	—	—	—	12	16	8	1	—
		F	123	—	1	—	4	36	57	20	4	1	31	—	—	—	—	7	13	10	1	—
11	Other tuberculous diseases..	M	34	2	3	2	9	10	5	3	—	—	6	—	—	—	1	2	3	—	—	—
		F	34	4	—	3	11	9	2	3	2	—	4	—	—	—	2	1	—	1	—	—
12	Cancer, malignant disease ..	M	197	—	—	—	1	1	14	91	73	17	84	—	—	—	—	1	6	41	32	4
		F	197	—	—	1	2	2	16	93	49	34	82	—	—	—	—	—	6	37	30	9
13	Rheumatic fever ..	M	8	—	—	1	1	2	3	1	—	—	2	—	—	—	1	—	—	1	—	—
		F	8	—	—	—	2	1	1	4	—	—	2	—	—	—	1	1	—	—	—	—
14	Diabetes ..	M	22	—	—	—	1	1	1	10	6	3	8	—	—	—	—	1	2	1	1	3
		F	24	—	—	—	—	1	—	15	8	—	9	—	—	—	1	1	—	3	3	1
15	Cerebral hæmorrhage, &c.	M	62	—	—	—	—	1	2	26	20	13	40	—	—	—	—	—	2	13	11	14
		F	72	—	—	—	—	—	2	26	24	20	33	—	—	—	—	—	—	9	13	11
16	Heart disease ..	M	338	—	—	—	5	4	22	121	110	76	88	—	—	—	—	3	4	29	26	26
		F	324	—	—	1	2	5	25	91	105	95	130	—	—	—	1	1	7	27	45	49
17	Arterio-sclerosis ..	M	100	—	—	—	—	—	1	22	36	41	14	—	—	—	—	—	1	2	3	8
		F	84	—	—	—	—	—	—	20	27	37	6	—	—	—	—	—	—	1	3	2
18	Bronchitis..	M	96	14	3	—	1	1	12	20	21	24	34	4	—	—	—	1	1	7	8	13
		F	79	12	1	—	—	1	3	10	23	29	36	—	—	—	—	—	—	2	10	24
19	Pneumonia (all forms) ..	M	149	32	15	14	2	3	28	34	18	3	30	5	2	3	1	3	9	3	3	1
		F	112	31	22	7	8	2	7	18	8	9	22	6	4	2	2	—	3	3	—	2
20	Other respiratory diseases..	M	21	1	1	—	—	1	2	10	2	4	4	—	—	—	—	—	1	—	3	—
		F	14	—	1	—	—	1	2	1	5	4	4	—	—	—	—	—	—	1	1	2
21	Ulcer of stomach or duodenum ..	M	27	—	—	—	—	—	5	18	2	2	5	—	—	—	—	—	2	2	1	—
		F	7	—	—	—	—	1	3	3	—	—	—	—	—	—	—	—	—	—	—	—
22	Diarrhœa &c.	M	33	25	1	3	1	—	—	1	1	1	4	4	—	—	—	—	—	—	—	—
		F	26	14	5	1	1	1	1	2	1	—	1	1	—	—	—	—	—	—	—	—
23	Appendicitis and typhlitis..	M	10	—	—	—	1	—	4	—	4	1	1	—	—	—	—	—	—	1	—	—
		F	8	—	—	—	3	1	2	1	—	1	3	—	—	—	—	—	—	3	—	—
24	Cirrhosis of liver ..	M	5	—	—	—	—	—	—	5	—	—	1	—	—	—	—	—	—	—	1	—
		F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
25	Acute and chronic nephritis	M	67	—	—	1	1	—	8	25	20	12	17	—	—	—	—	2	3	4	4	4
		F	70	—	—	—	2	2	10	24	19	13	13	—	—	—	—	—	1	5	5	2
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	4	12	—	—	—	3	—	—	—	—	—	3	—	—	—
27	Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	4	7	—	—	—	4	—	—	—	—	—	4	—	—	—
28	Congenital debility and malformation, premature birth ..	M	73	71	1	—	—	—	1	—	—	—	15	15	—	—	—	—	—	—	—	—
		F	76	73	1	—	—	2	—	—	—	—	21	20	—	—	—	—	1	—	—	—
29	Suicide ..	M	23	—	—	—	—	—	6	12	4	1	15	—	—	—	—	—	5	8	1	1
		F	6	—	—	—	—	2	2	1	1	—	6	—	—	—	—	—	5	1	—	—
30	Other deaths from violence..	M	68	4	—	2	8	12	13	17	10	2	22	1	—	1	5	2	3	4	2	4
		F	35	—	3	2	1	2	3	8	7	9	12	—	1	—	2	—	2	3	2	2
31	Other defined diseases..	M	293	43	8	5	13	13	24	88	53	49	89	6	1	—	2	—	5	19	19	37
		F	264	31	7	2	9	10	21	63	52	69	87	2	2	—	1	—	8	14	14	46
32	Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.			SEX.	NORWICH.										NOTTINGHAM.										
				All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES ..			{	M	678	53	12	12	14	23	59	174	159	172	1764	210	42	30	48	65	184	505	391	289
			{	F	690	35	6	15	11	26	54	149	150	244	1647	129	43	29	47	78	170	419	363	369
1 Enteric fever ..			{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..			{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..			{	M	10	3	4	3	—	—	—	—	—	—	4	1	2	—	1	—	—	—	—	—
			{	F	8	2	2	3	1	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—
4 Scarlet fever ..			{	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
			{	F	2	—	—	—	1	1	—	—	—	—	5	—	1	2	2	—	—	—	—	—
5 Whooping cough ..			{	M	3	2	—	1	—	—	—	—	—	—	10	5	2	3	—	—	—	—	—	—
			{	F	6	2	—	4	—	—	—	—	—	—	14	4	6	4	—	—	—	—	—	—
6 Diphtheria ..			{	M	4	—	—	—	4	—	—	—	—	—	18	1	4	4	9	—	—	—	—	—
			{	F	3	—	—	1	1	—	—	1	—	—	16	—	4	3	8	—	1	—	—	—
7 Influenza ..			{	M	7	—	—	—	1	1	—	4	—	1	13	—	—	1	—	2	2	5	2	1
			{	F	2	—	—	—	—	—	—	1	—	1	12	—	—	—	1	—	1	4	3	3
8 Encephalitis lethargica ..			{	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..			{	M	—	—	—	—	—	—	—	—	—	—	3	1	1	—	1	—	—	—	—	—
			{	F	3	1	—	1	—	—	1	—	—	—	2	—	—	—	1	—	—	1	—	—
10 Tuberculosis of respiratory system			{	M	43	—	—	—	2	8	12	16	5	—	150	1	1	—	1	17	53	69	6	2
			{	F	35	—	—	—	—	11	18	5	1	—	114	—	—	—	3	41	40	28	2	—
11 Other tuberculous diseases..			{	M	3	—	—	1	—	2	—	—	—	—	24	2	3	2	3	1	6	6	1	—
			{	F	9	1	2	1	3	—	1	1	—	—	17	1	1	2	5	3	2	1	2	—
12 Cancer, malignant disease ..			{	M	101	—	—	—	—	1	10	37	32	21	177	—	—	—	—	2	6	83	66	20
			{	F	116	—	—	—	—	—	9	43	31	33	208	—	—	—	—	—	28	88	62	30
13 Rheumatic fever..			{	M	2	—	—	—	1	—	—	—	1	—	4	—	—	1	2	—	—	—	—	—
			{	F	4	—	—	1	1	—	1	—	—	1	6	—	—	—	2	—	3	1	—	—
14 Diabetes ..			{	M	5	—	—	—	—	—	1	—	2	2	9	—	—	—	1	—	—	4	3	1
			{	F	7	—	—	—	—	—	1	4	—	2	34	—	—	—	—	—	3	15	11	5
15 Cerebral hæmorrhage, &c.			{	M	41	—	—	—	—	—	1	9	18	13	58	—	—	—	—	1	1	19	23	14
			{	F	39	—	—	—	—	—	—	10	15	14	85	—	—	—	—	—	1	26	28	30
16 Heart disease ..			{	M	110	—	—	—	—	2	7	30	39	32	321	—	—	—	—	5	17	96	108	95
			{	F	133	—	—	—	1	2	2	25	46	57	369	—	—	—	6	6	17	100	121	119
17 Arterio-sclerosis ..			{	M	37	—	—	—	—	—	—	6	10	21	89	—	—	—	—	—	1	20	41	27
			{	F	67	—	—	—	—	—	—	7	13	47	64	—	—	—	—	—	—	17	26	21
18 Bronchitis..			{	M	34	2	1	—	—	—	1	7	6	17	129	10	—	—	2	2	7	30	37	41
			{	F	37	1	1	1	—	—	1	4	8	21	115	8	—	—	2	1	3	22	28	51
19 Pneumonia (all forms) ..			{	M	39	6	4	3	1	1	—	5	6	13	162	25	20	10	7	9	20	43	23	5
			{	F	32	3	1	2	1	1	5	3	10	6	117	16	17	7	4	5	11	23	21	13
20 Other respiratory diseases..			{	M	8	—	—	1	1	—	1	3	2	—	16	1	—	—	—	1	1	4	5	4
			{	F	4	—	—	—	—	—	—	2	—	2	15	—	—	—	—	2	3	3	6	
21 Ulcer of stomach or duodenum ..			{	M	8	—	—	—	—	2	3	2	1	20	—	—	—	—	—	3	12	4	1	
			{	F	1	—	—	—	—	—	—	1	—	12	—	—	—	—	—	1	8	3	—	
22 Diarrhœa, &c.			{	M	9	4	—	—	—	—	—	3	—	2	39	33	4	—	1	—	—	—	—	1
			{	F	4	1	—	—	—	—	—	—	1	2	29	18	3	2	—	3	—	2	—	1
23 Appendicitis and typhlitis..			{	M	4	—	—	—	2	1	—	—	1	—	12	—	—	—	2	1	2	5	2	—
			{	F	—	—	—	—	—	—	—	—	—	—	4	—	1	—	2	—	1	—	—	—
24 Cirrhosis of liver..			{	M	4	—	—	—	—	—	—	2	2	—	6	—	—	—	—	1	3	1	1	
			{	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis ..			{	M	20	—	—	—	—	—	3	8	3	6	41	—	—	—	—	3	6	19	7	6
			{	F	16	—	—	—	—	1	3	10	2	—	37	—	—	—	1	2	7	14	5	8
26 Puerperal sepsis ..			{	M	—	—	—	—	—	2	3	—	—	—	—	7	—	—	—	—	—	—	—	—
			{	F	5	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..			{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			{	F	4	—	—	—	—	2	2	—	—	—	10	—	—	—	—	2	8	—	—	—
28 Congenital debility and malformation, premature birth ..			{	M	25	25	—	—	—	—	—	—	—	—	101	100	—	—	1	—	—	—	—	—
			{	F	18	18	—	—	—	—	—	—	—	—	66	66	—	—	—	—	—	—	—	—
29 Suicide ..			{	M	14	—	—	—	—	—	4	8	1	1	29	—	—	—	—	1	8	16	4	—
			{	F	2	—	—	—	—	—	—	2	—	—	18	—	—	—	—	5	7	5	1	—
30 Other deaths from violence..			{	M	27	2	1	2	—	4	7	6	3	2	80	2	1	7	9	11	20	16	10	4
			{	F	8	—	—	—	—	—	—	1	2	5	39	1	4	5	4	2	2	9	6	6
31 Other defined diseases..			{	M	119	9	2	1	1	3	10	27	26	40	245	28	4	2	7	7	30	55	47	65
			{	F	125	6	—	1	2	6	7	30	20	53	228	13	5	4	5	12	30	47	37	75
32 Causes ill-defined or unknown ..			{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
			{	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

(Civilian population only).

CAUSES OF DEATH.	Sex.	OLDHAM.										OXFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	950	74	12	25	27	20	103	344	228	117	370	23	6	5	8	16	38	94	85	96
	F	1008	59	18	13	42	33	130	321	226	166	433	24	5	8	8	9	42	77	94	166
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	13	7	2	4	—	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
	F	9	2	2	4	1	—	—	—	—	—	7	—	3	1	3	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	2	—	3	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	6	1	1	2	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	9	—	2	2	5	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—
7 Influenza ..	M	16	1	—	1	—	—	—	10	4	—	4	—	—	—	—	—	4	—	—	—
	F	15	1	—	1	—	—	4	2	6	1	3	—	—	—	—	1	—	—	—	2
8 Encephalitis lethargica ..	M	2	—	—	—	1	—	—	1	—	—	3	—	—	—	—	1	2	—	—	—
	F	3	—	—	—	—	1	1	1	—	—	2	—	—	—	—	—	2	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	3	—	1	—	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	57	—	—	—	2	5	27	23	—	—	31	—	—	—	4	15	9	2	1	—
	F	47	—	—	—	4	10	18	9	6	—	21	—	—	—	4	12	5	—	—	—
11 Other tuberculous diseases..	M	13	1	1	—	2	3	2	3	1	—	3	—	1	—	1	—	1	—	—	—
	F	21	1	—	2	11	4	2	1	—	—	4	—	—	1	1	—	—	1	—	—
12 Cancer, malignant disease ..	M	102	—	—	—	—	1	5	53	36	7	58	—	—	—	—	2	28	17	11	—
	F	186	1	—	—	—	—	19	67	32	17	75	—	—	—	1	2	28	17	27	—
13 Rheumatic fever ..	M	3	—	—	—	2	—	1	—	—	—	3	—	—	—	1	—	2	—	—	—
	F	4	—	—	—	3	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—
14 Diabetes ..	M	11	—	—	—	—	—	5	2	3	1	6	—	—	—	—	—	—	5	1	—
	F	8	—	—	—	—	—	—	3	4	1	6	—	—	—	—	—	2	2	2	—
15 Cerebral hæmorrhage, &c. ..	M	36	—	—	—	—	—	2	20	10	4	23	—	—	—	—	2	7	4	10	—
	F	44	—	—	—	—	—	—	16	20	8	34	—	—	—	—	2	3	13	16	—
16 Heart disease ..	M	158	—	—	—	1	1	9	62	52	33	55	—	—	—	—	1	12	16	26	—
	F	212	—	—	—	4	4	26	71	62	45	96	—	—	—	1	3	10	27	55	—
17 Arterio-sclerosis ..	M	48	—	—	—	—	—	—	13	23	12	16	—	—	—	—	—	—	7	9	—
	F	40	—	—	—	—	—	—	8	10	22	21	—	—	—	—	—	3	6	12	—
18 Bronchitis..	M	62	4	1	—	1	—	3	14	25	14	11	1	—	—	—	—	—	2	8	—
	F	70	3	3	—	1	—	3	17	24	19	14	1	—	—	—	—	—	2	11	—
19 Pneumonia (all forms) ..	M	70	9	3	3	1	—	15	24	9	6	25	4	2	1	—	4	8	5	1	—
	F	59	6	6	1	1	1	6	24	8	6	20	2	1	—	—	1	5	5	6	—
20 Other respiratory diseases..	M	10	—	—	1	—	—	—	5	2	2	4	—	—	—	—	—	1	2	1	—
	F	12	1	—	—	1	2	3	4	—	1	4	—	—	—	—	1	1	—	2	—
21 Ulcer of stomach or duodenum ..	M	21	—	—	—	—	—	6	12	3	—	2	—	—	—	—	1	—	1	—	—
	F	7	—	—	—	—	1	1	4	1	—	3	—	—	—	—	—	—	1	2	—
22 Diarrhœa, &c. ..	M	4	2	—	1	—	—	—	—	—	1	3	2	—	—	—	—	—	—	1	—
	F	10	6	—	1	—	—	2	—	—	1	2	1	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis..	M	10	—	—	—	1	2	2	4	—	1	2	—	—	1	—	—	—	1	—	—
	F	5	—	—	—	—	—	2	3	—	—	2	—	—	—	—	—	1	1	—	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	55	—	—	—	2	—	2	34	14	3	21	1	—	—	—	3	5	6	6	—
	F	48	—	—	—	1	2	4	27	11	3	13	—	—	—	2	2	1	6	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	—	4	—	—	—	—	4	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth ..	M	38	36	—	—	2	—	—	—	—	—	14	13	—	1	—	—	—	—	—	—
	F	27	27	—	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
29 Suicide ..	M	13	—	—	—	—	—	2	6	3	2	2	—	—	—	—	2	—	—	—	—
	F	8	—	—	—	—	—	3	4	1	—	2	—	—	—	—	2	—	—	—	—
30 Other deaths from violence..	M	35	—	1	7	4	5	3	9	3	3	22	—	1	—	2	7	5	3	1	3
	F	21	—	1	—	2	4	3	7	1	3	7	—	—	1	—	1	1	2	2	1
31 Other defined diseases..	M	151	13	3	5	6	2	19	42	33	28	53	2	1	2	—	3	1	11	16	17
	F	156	10	1	2	5	2	19	48	34	35	75	8	—	3	2	2	10	13	10	27
32 Causes ill-defined or unknown	M	12	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—	—	—	—
	F	15	—	—	—	—	—	2	5	4	4	—	—	—	—	—	—	—	—	—	—

(Civilian population only).

CAUSES OF DEATH.	Sex.	PRESTON.										READING.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	760	88	13	9	12	40	79	234	180	105	541	41	7	4	12	16	63	148	135	115
	F	786	56	11	10	16	31	82	193	186	201	584	33	3	4	13	18	54	147	123	189
1 Enteric fever .. {	M	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox... .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles {	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	1	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria .. {	M	3	1	2	—	—	—	—	—	—	—	3	—	—	2	1	—	—	—	—	—
	F	4	—	—	3	1	—	—	—	—	—	3	—	—	—	2	—	1	—	—	—
7 Influenza {	M	3	—	—	—	—	1	—	1	1	—	6	—	—	—	1	—	1	1	1	2
	F	10	—	—	—	1	1	1	2	4	1	3	—	—	—	—	—	—	3	—	—
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	60	—	—	1	1	9	18	24	6	1	43	1	—	—	1	4	22	11	3	1
	F	40	—	—	1	1	12	16	8	2	—	49	—	—	1	—	11	23	12	2	—
11 Other tuberculous diseases.. {	M	17	1	3	2	3	3	3	1	1	—	3	—	—	1	—	—	1	1	—	—
	F	8	1	2	1	2	—	1	—	1	—	8	—	2	1	1	2	1	—	1	—
12 Cancer, malignant disease .. {	M	87	—	—	—	1	—	7	46	23	10	69	—	—	—	—	—	6	24	31	8
	F	103	—	—	—	—	2	7	43	28	23	84	—	—	—	1	—	3	28	37	15
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
	F	3	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes {	M	4	—	—	—	—	—	1	2	1	—	3	—	—	—	—	—	1	1	1	—
	F	19	—	—	—	1	—	1	8	7	2	13	—	—	—	—	—	—	8	3	2
15 Cerebral hæmorrhage, &c. .. {	M	41	—	—	—	—	1	1	19	15	5	19	—	—	—	—	—	1	7	5	6
	F	40	—	—	—	—	—	1	10	13	16	24	—	—	—	—	—	2	7	5	10
16 Heart disease .. {	M	125	—	—	—	1	3	8	43	48	22	97	—	—	—	3	—	5	27	28	34
	F	164	—	—	—	—	1	14	49	46	54	129	—	—	—	1	3	7	28	33	57
17 Arterio-sclerosis .. {	M	33	—	—	—	—	—	—	10	16	7	40	—	—	—	—	—	1	10	14	15
	F	21	—	—	—	—	—	—	5	4	12	47	—	—	—	—	—	—	7	12	28
18 Bronchitis... .. {	M	40	6	1	—	—	1	1	9	15	7	33	1	1	—	—	—	1	3	12	15
	F	39	2	1	—	—	—	—	4	16	16	33	1	—	—	—	—	—	5	4	23
19 Pneumonia (all forms) .. {	M	51	9	3	3	—	1	8	20	4	3	23	3	4	—	1	—	2	7	5	1
	F	35	5	4	1	—	3	7	5	7	3	25	8	—	—	2	—	1	5	4	5
20 Other respiratory diseases.. {	M	10	1	—	—	—	—	3	5	—	1	8	—	—	—	—	2	—	2	3	1
	F	13	—	—	—	1	1	2	3	3	3	2	—	—	—	—	—	—	1	1	—
21 Ulcer of stomach or duodenum .. {	M	3	—	—	—	—	1	—	1	1	—	3	—	—	—	—	—	—	3	—	—
	F	3	—	—	—	—	—	1	2	—	—	3	—	—	—	—	—	—	1	2	—
22 Diarrhœa, &c. .. {	M	9	9	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—
	F	5	1	1	1	—	—	1	—	1	—	2	1	—	—	—	—	—	—	1	—
23 Appendicitis and typhlitis.. {	M	6	—	—	—	1	1	2	1	1	—	3	—	—	—	—	2	1	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
24 Cirrhosis of liver .. {	M	1	—	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	3	1	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	3	1	—
25 Acute and chronic nephritis .. {	M	51	—	1	—	—	1	4	6	19	20	13	—	—	—	—	—	—	5	4	4
	F	71	—	—	—	—	2	3	10	25	31	17	—	—	—	1	—	1	9	2	4
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	47	47	—	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	—
	F	38	37	—	1	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
29 Suicide {	M	17	—	—	—	—	1	4	10	2	—	12	—	—	—	—	3	8	1	—	—
	F	3	—	—	—	—	1	—	2	—	—	5	—	—	—	1	2	2	—	—	—
30 Other deaths from violence.. {	M	38	—	1	—	4	11	6	10	5	1	25	2	1	1	2	3	7	5	3	1
	F	14	1	—	—	2	1	2	4	3	1	11	1	—	—	—	1	2	1	1	5
31 Other defined diseases.. {	M	109	11	1	3	1	6	12	26	21	28	100	5	1	—	3	7	8	27	22	27
	F	129	8	1	1	4	3	11	36	26	39	99	3	1	2	4	—	8	27	14	40
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	ST. HELENS.										SALFORD.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	682	115	28	17	33	37	81	182	130	59	1619	208	50	27	54	83	193	542	296	166
	F	564	72	18	11	32	26	81	133	106	85	1434	113	42	33	33	83	186	404	304	236
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	4	2	1	—	1	—	—	—	—	—	38	14	16	6	2	—	—	—	—	—
	F	3	—	3	—	—	—	—	—	—	—	31	9	13	8	1	—	—	—	—	—
4 Scarlet fever ..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
5 Whooping cough ..	M	4	2	1	1	—	—	—	—	—	—	11	4	5	1	1	—	—	—	—	—
	F	4	3	1	—	—	—	—	—	—	—	9	2	4	3	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	—	—	1	—	—	—	13	1	2	1	9	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	17	—	2	4	9	—	1	1	—	—
7 Influenza ..	M	22	3	—	2	—	3	—	9	4	1	17	—	—	—	1	2	6	8	—	—
	F	17	—	1	2	4	2	2	3	2	1	20	—	—	—	1	1	1	7	5	5
8 Encephalitis lethargica ..	M	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	1	—	—	1	1	1	2	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	3	2	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	41	1	—	—	1	9	15	13	2	—	174	1	—	1	4	31	58	75	4	—
	F	32	—	1	—	5	10	11	5	—	—	115	—	—	1	4	41	45	21	3	—
11 Other tuberculous diseases ..	M	13	1	3	2	3	1	2	1	—	—	28	7	2	3	2	6	3	4	1	—
	F	13	1	2	1	5	2	2	—	—	—	24	1	5	2	1	7	5	3	—	—
12 Cancer, malignant disease ..	M	42	—	—	—	—	1	2	19	16	4	178	—	—	—	—	—	8	98	51	21
	F	60	—	—	—	—	1	7	30	17	5	159	—	—	—	—	—	15	73	46	25
13 Rheumatic fever ..	M	2	—	—	—	1	—	—	1	—	—	4	—	—	—	3	—	—	—	1	—
	F	2	—	—	—	—	—	1	—	1	—	5	—	—	—	1	2	2	—	—	—
14 Diabetes ..	M	5	—	—	—	—	—	2	1	2	—	9	—	—	—	—	—	2	4	1	2
	F	7	—	—	—	—	—	—	5	2	—	22	—	—	—	—	—	1	11	9	1
15 Cerebral hæmorrhage, &c. ..	M	32	—	—	—	—	—	—	11	11	10	45	—	—	—	—	—	1	13	21	10
	F	33	—	—	—	—	—	2	11	14	6	57	—	—	—	—	—	2	18	27	10
16 Heart disease ..	M	97	—	—	—	1	3	9	45	32	7	296	—	—	—	7	3	21	115	99	51
	F	86	—	—	—	5	3	17	25	16	20	326	—	—	1	3	11	29	106	88	88
17 Arterio-sclerosis ..	M	18	—	—	—	—	—	7	9	2	45	—	—	—	—	—	—	—	11	17	17
	F	17	—	—	—	—	1	4	6	6	50	—	—	—	—	—	—	—	14	15	21
18 Bronchitis ..	M	33	2	3	—	—	1	1	7	13	6	72	2	—	1	—	1	6	28	16	18
	F	50	8	1	—	—	—	3	9	13	16	64	3	1	—	—	1	1	9	20	29
19 Pneumonia (all forms) ..	M	91	23	12	3	11	3	12	17	6	4	158	30	16	3	5	6	28	49	16	5
	F	32	7	7	2	3	—	1	8	2	2	109	24	9	6	5	5	11	28	18	3
20 Other respiratory diseases ..	M	8	—	1	1	—	—	2	3	1	—	29	2	2	1	1	3	2	12	2	4
	F	1	—	—	—	—	—	—	—	1	—	13	—	—	—	1	1	1	6	1	3
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	2	3	1	1	—	16	—	—	—	—	—	5	10	1	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	3	—	—
22 Diarrhoea, &c. ..	M	8	7	—	1	—	—	—	—	—	—	55	50	1	2	1	1	—	—	—	—
	F	9	3	—	—	—	1	—	1	3	1	18	13	2	2	—	—	1	—	—	—
23 Appendicitis and typhlitis ..	M	5	—	—	—	1	1	3	—	—	—	15	—	—	—	1	5	7	2	—	—
	F	4	—	—	—	—	—	2	2	—	—	5	—	—	—	—	1	1	2	1	—
24 Cirrhosis of liver ..	M	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	—	—	1	3	—
	F	2	—	—	—	—	—	—	2	—	—	6	—	—	—	—	—	1	5	—	—
25 Acute and chronic nephritis ..	M	12	—	—	—	—	—	2	7	2	1	40	—	—	—	1	2	4	17	15	1
	F	21	—	—	—	1	2	7	5	6	—	45	—	—	—	—	1	4	20	17	3
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	—	12	—	—	—	—	4	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	—	7	—	—	—	9	—	—	—	—	1	8	—	—	—
28 Congenital debility and malformation, premature birth ..	M	53	51	—	—	—	1	1	—	—	—	68	65	2	—	—	1	—	—	—	—
	F	41	41	—	—	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—	—
29 Suicide ..	M	3	—	—	—	—	1	—	2	—	—	18	—	—	—	—	1	5	9	3	—
	F	1	—	—	—	—	—	1	—	—	—	11	—	—	—	—	—	4	7	—	—
30 Other deaths from violence ..	M	41	1	3	2	7	4	10	6	8	—	70	6	—	2	8	11	14	23	4	2
	F	14	—	—	3	3	2	1	1	3	1	26	—	2	1	2	1	5	9	4	2
31 Other defined diseases ..	M	127	21	3	4	7	5	14	27	22	24	211	24	4	5	7	10	22	63	41	35
	F	95	9	2	1	4	2	11	20	19	27	218	16	1	2	5	5	37	59	47	46
32 Causes ill-defined or unknown ..	M	5	—	—	—	—	1	—	3	1	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	—	1	1	—	2	—	1	—	—	—	1	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.		Sex.	SHEFFIELD.										SMETHWICK.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	{ M F	3088 2588	309 213	62 57	60 39	86 73	139 127	336 266	1016 672	654 607	426 534	486 403	64 38	5 7	8 10	11 14	16 6	53 58	154 91	97 79	78 100
1 Enteric fever	..	{ M F	1 4	— —	— —	— —	— —	— 1	1 2	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 Small-pox..	..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles	{ M F	39 28	7 9	16 14	15 4	1 —	— 1	— —	— —	— —	— —	— 2	— —	— —	1 1	— —	— —	— —	— —	— —	
4 Scarlet fever	..	{ M F	2 7	— —	— 1	— 1	2 4	— 1	— —	— —	— —	— —	1 1	— —	— —	— 1	— —	— —	— —	— —	— —	
5 Whooping cough	..	{ M F	16 17	4 7	10 5	2 5	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— —	
6 Diphtheria	..	{ M F	10 10	— —	1 1	3 2	6 6	— 1	— —	— —	— —	— —	9 12	— 2	2 4	3 6	— —	1 —	— —	— —	— —	
7 Influenza	{ M F	22 25	— —	— —	— —	1 2	2 —	3 2	12 10	2 6	2 5	6 4	— —	— —	— —	— —	1 —	— 1	3 —	1 1	
8 Encephalitis lethargica	..	{ M F	10 4	— —	— —	— —	— —	1 —	1 2	8 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
9 Meningococcal meningitis	..	{ M F	6 3	— 1	1 1	— 1	3 —	2 —	— —	— —	— —	— —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	
10 Tuberculosis of respiratory system	{	M F	219 137	1 1	— 1	— —	3 4	32 48	74 51	89 28	19 3	1 1	37 20	— —	1 —	— —	— —	5 5	17 8	13 7	— —	
11 Other tuberculous diseases..	..	{ M F	45 44	2 5	3 3	8 6	10 5	6 13	10 7	5 4	1 1	— —	6 4	1 —	— 1	— 1	— 1	— 1	2 —	3 —	— —	
12 Cancer, malignant disease	{ M F	375 378	1 —	— 1	— —	— —	3 4	16 40	200 195	117 92	38 46	55 54	— —	— —	— —	— —	1 —	3 9	28 23	17 11	
13 Rheumatic fever ..	{	M F	7 16	— —	— —	— 1	4 8	— 4	1 1	1 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
14 Diabetes	{ M F	28 37	— —	— —	— —	— 2	3 1	2 2	10 13	10 15	3 4	5 5	— —	— —	— —	— —	— —	— 2	2 2	1 3	
15 Cerebral hæmorrhage, &c.	..	{ M F	81 128	— —	— —	— —	— —	— 1	1 4	30 36	25 55	25 32	30 35	— —	— —	— —	— —	— —	1 9	8 8	10 18	
16 Heart disease	..	{ M F	619 596	— —	— —	1 —	4 8	15 17	37 30	218 146	198 206	146 189	87 92	— —	— —	— —	3 —	— —	4 8	25 16	35 30	
17 Arterio-sclerosis ..	{	M F	231 192	— —	— —	— —	— —	— —	1 1	51 32	97 67	82 92	20 11	— —	— —	— —	— —	— —	1 1	6 —	5 4	
18 Bronchitis..	..	{ M F	124 78	9 10	1 1	— 2	— —	1 1	10 —	41 10	28 20	34 34	14 17	1 2	— 1	— —	— —	— —	1 —	4 2	2 4	
19 Pneumonia (all forms) ..	{	M F	256 118	39 23	18 17	17 4	8 6	17 4	42 11	64 18	38 23	13 12	46 17	8 5	— 1	2 1	— —	2 —	4 1	26 5	3 2	
20 Other respiratory diseases..	..	{ M F	25 15	2 1	— —	— 1	2 1	— —	— 2	13 4	5 2	1 4	2 4	— —	— 1	— —	— —	— —	1 —	— 1	1 1	
21 Ulcer of stomach or duodenum	..	{ M F	48 12	— —	— —	— —	— —	1 —	19 5	18 4	7 3	3 —	10 2	— —	— —	— —	— —	— —	3 2	6 —	— —	
22 Diarrhœa, &c.	..	{ M F	40 16	33 11	2 —	— 1	— 1	— 1	3 —	2 1	— —	— 1	5 6	3 5	1 —	— 1	— —	— —	— —	— —	— —	
23 Appendicitis and typhlitis..	{	M F	15 10	— —	— —	— —	2 2	2 1	5 1	5 4	1 2	— —	2 7	— —	— —	— 1	1 1	— —	— 3	1 1	— —	
24 Cirrhosis of liver ..	{	M F	8 1	— —	— —	— —	— —	1 —	— 1	6 —	1 —	— —	2 3	— —	— —	— —	— —	— —	1 1	1 1	— 1	
25 Acute and chronic nephritis	..	{ M F	85 117	1 —	— 1	— —	4 2	3 5	8 15	40 49	17 26	12 19	14 13	— —	— —	— —	1 —	— —	— 3	5 6	5 3	
26 Puerperal sepsis ..	{	M F	— 17	— —	— —	— —	— —	— 2	— 15	— —	— —	— —	— 7	— —	— —	— —	— —	— —	— 7	— —	— —	
27 Other accidents and diseases of pregnancy and parturition ..	{	M F	— 19	— —	— —	— —	— —	— 2	— 17	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
28 Congenital debility and malformation, premature birth ..	{	M F	147 104	142 100	— —	— —	2 1	2 —	1 3	— —	— —	— —	44 21	44 21	— —	— —	— —	— —	— —	— —	— —	
29 Suicide	{ M F	37 15	— —	— —	— —	— —	2 —	12 5	18 7	5 3	— —	5 4	— —	— —	— —	— —	— —	2 2	2 2	1 —	
30 Other deaths from violence..	..	{ M F	155 63	3 3	5 4	6 5	22 5	25 4	37 5	38 9	11 11	8 17	20 4	1 —	— —	1 —	2 1	5 —	5 1	4 1	— —	
31 Other defined diseases..	..	{ M F	436 377	65 42	4 7	8 6	12 16	19 15	52 44	147 98	71 71	58 78	66 56	6 4	1 1	2 —	3 —	1 —	7 13	18 13	16 10	
32 Causes ill-defined or unknown	..	{ M F	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	SOUTHAMPTON.										SOUTHEND-ON-SEA.									
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1095	95	28	28	36	43	144	323	221	177	607	32	8	9	10	18	71	189	133	137
	F	974	88	19	21	31	42	96	240	181	256	610	28	3	3	8	12	65	146	143	202
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	27	3	12	9	3	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
	F	14	6	3	3	2	—	—	—	—	—	3	1	2	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	5	3	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	10	1	1	7	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	18	—	1	6	10	1	—	—	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza ..	M	5	—	—	—	—	—	2	—	2	1	7	—	—	—	—	—	3	2	1	1
	F	2	—	—	—	—	—	—	—	2	—	4	—	—	—	—	—	1	1	—	2
8 Encephalitis lethargica ..	M	5	—	—	1	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	118	—	—	—	3	20	46	43	6	—	56	—	—	—	—	6	30	18	2	—
	F	75	1	1	—	—	16	38	18	—	1	44	—	—	—	—	5	25	14	—	—
11 Other tuberculous diseases..	M	16	1	4	1	4	2	2	2	—	—	3	—	1	2	—	—	—	—	—	—
	F	9	2	1	1	1	1	1	1	1	—	7	—	1	—	3	—	1	1	1	—
12 Cancer, malignant disease ..	M	134	—	—	—	—	1	9	61	45	18	81	—	—	—	1	—	6	33	23	18
	F	149	2	—	—	—	1	11	75	44	16	119	—	—	—	—	1	9	42	35	32
13 Rheumatic fever ..	M	4	—	—	—	2	—	—	2	—	—	2	—	—	—	—	—	1	—	—	1
	F	3	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	14	—	—	—	1	—	2	5	6	—	10	—	—	—	—	—	5	3	2	—
	F	15	—	—	—	—	1	2	4	6	2	22	—	—	—	—	2	6	9	5	—
15 Cerebral hæmorrhage, &c. ..	M	26	—	—	—	—	—	—	8	9	9	22	—	—	—	—	1	7	10	4	—
	F	59	—	—	—	—	—	1	19	18	21	43	—	—	—	—	1	12	15	15	—
16 Heart disease ..	M	208	—	—	1	2	1	11	62	64	67	142	—	—	1	—	2	3	38	44	54
	F	210	—	—	1	—	3	7	52	53	94	142	—	—	—	1	1	7	17	32	84
17 Arterio-sclerosis ..	M	33	—	—	—	—	—	1	8	11	13	30	—	—	—	—	—	—	8	9	13
	F	22	—	—	—	—	—	—	8	4	10	21	—	—	—	—	—	—	3	6	12
18 Bronchitis..	M	33	6	—	—	1	—	3	2	11	10	16	—	1	—	—	—	1	5	2	7
	F	45	7	—	—	1	—	—	2	4	31	26	—	—	1	—	—	1	5	5	14
19 Pneumonia (all forms) ..	M	53	6	5	—	2	1	11	18	7	3	15	—	—	1	1	1	2	6	3	1
	F	42	8	3	4	2	1	2	6	10	6	16	1	—	—	—	—	—	4	4	7
20 Other respiratory diseases..	M	11	1	1	—	—	—	2	5	1	1	8	—	—	—	1	1	1	1	3	1
	F	10	1	—	1	1	—	1	2	2	2	8	—	—	—	—	—	—	4	3	1
21 Ulcer of stomach or duodenum ..	M	12	—	—	—	—	—	2	8	2	—	11	—	—	—	—	—	1	8	2	—
	F	6	—	—	—	—	—	2	4	—	—	1	—	—	—	—	—	—	—	1	—
22 Diarrhoea, &c. ..	M	13	8	3	1	—	—	—	1	—	—	7	5	1	1	—	—	—	—	—	—
	F	13	4	5	—	—	—	—	1	1	2	5	2	—	—	—	1	—	1	1	—
23 Appendicitis and typhlitis..	M	12	—	—	—	4	—	3	4	—	1	10	—	—	—	1	—	3	5	1	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	1	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	4	1	—	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	2	2	—	—	—
25 Acute and chronic nephritis ..	M	50	—	—	1	—	—	4	16	15	14	21	—	—	—	—	—	2	9	5	5
	F	48	—	—	—	1	2	5	13	10	17	15	—	—	—	—	—	5	6	—	4
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	2	3	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth ..	M	49	47	1	1	—	—	—	—	—	—	21	20	1	—	—	—	—	—	—	—
	F	39	39	—	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—	—
29 Suicide ..	M	31	—	—	—	—	1	9	15	4	2	16	—	—	—	—	2	4	9	—	1
	F	11	—	—	—	—	—	4	4	1	2	4	—	—	—	—	—	1	3	—	—
30 Other deaths from violence..	M	50	4	1	1	8	7	13	11	3	2	25	—	—	—	3	4	7	7	2	2
	F	21	2	—	2	2	2	1	2	3	7	17	3	—	—	—	1	1	4	3	5
31 Other defined diseases..	M	172	17	—	4	5	9	22	45	34	36	92	7	2	1	2	2	6	24	21	27
	F	133	12	3	1	7	5	13	25	22	45	82	3	—	1	2	3	9	22	21	21
32 Causes ill-defined or unknown ..	M	2	—	—	1	—	—	—	1	—	—	4	—	—	—	—	—	—	3	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGHs—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	SOUTHPORT.										SOUTH SHIELDS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	470	36	4	5	8	15	57	139	111	95	841	136	23	21	35	50	110	206	156	104
	F	631	30	1	2	16	22	58	134	172	196	706	86	13	16	42	42	99	160	136	112
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	1	1	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	1	2	—	—	—	—	—	8	3	—	1	3	1	—	—	—	—
	F	3	—	—	1	2	—	—	—	—	—	7	—	1	3	3	—	—	—	—	—
7 Influenza ..	M	3	—	—	—	—	1	1	1	—	—	16	—	—	—	—	2	2	7	3	2
	F	5	—	—	—	—	—	1	1	3	—	12	—	—	1	1	2	1	5	2	—
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	30	—	—	—	—	5	15	9	1	—	74	—	—	—	1	21	34	18	—	—
	F	26	—	—	—	1	6	11	5	3	—	71	—	1	1	11	20	24	14	—	—
11 Other tuberculous diseases..	M	6	—	2	3	—	—	—	1	—	—	26	2	3	5	7	2	6	1	—	—
	F	7	—	1	1	3	1	—	1	—	—	23	1	4	1	9	4	3	1	—	—
12 Cancer, malignant disease ..	M	61	—	—	—	—	—	3	25	25	8	69	—	—	—	—	—	3	40	21	5
	F	95	—	—	—	1	—	5	45	24	20	52	—	—	—	1	—	11	50	22	8
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	3	—	—	—	—
14 Diabetes ..	M	10	—	—	—	—	—	2	3	4	1	4	—	—	—	—	—	1	2	1	—
	F	13	—	—	—	—	1	—	3	6	3	4	—	—	—	—	—	—	2	2	—
15 Cerebral hamorrhage, &c. ..	M	28	—	—	—	—	—	1	11	12	4	32	—	—	—	—	—	—	8	19	5
	F	64	—	—	—	—	—	1	12	21	30	17	—	—	—	—	—	1	7	5	4
16 Heart disease ..	M	95	—	—	—	—	1	8	33	29	24	111	—	—	—	1	5	6	35	38	26
	F	128	—	—	—	—	2	7	15	56	48	101	—	—	—	3	3	8	29	29	29
17 Arterio-sclerosis ..	M	27	—	—	—	—	—	—	3	10	14	47	—	—	—	—	—	1	9	16	21
	F	33	—	—	—	—	—	1	3	7	22	31	—	—	—	—	—	—	1	16	14
18 Bronchitis..	M	22	1	1	—	—	—	2	5	3	10	59	16	3	—	1	—	1	14	12	12
	F	27	1	—	—	—	—	1	5	6	14	56	10	—	2	1	—	—	7	16	20
19 Pneumonia (all forms) ..	M	21	3	—	—	1	—	5	6	2	4	67	20	6	7	2	2	10	13	5	2
	F	23	3	—	—	1	1	4	3	6	5	32	9	3	5	2	1	5	5	1	1
20 Other respiratory diseases..	M	1	—	—	—	—	—	—	—	—	1	10	1	—	1	—	—	2	4	1	1
	F	3	—	—	—	—	—	2	1	—	—	6	—	—	—	—	1	1	2	1	1
21 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	—	1	2	1	7	—	—	—	—	—	4	1	2	—
	F	3	—	—	—	—	—	—	1	2	—	3	—	—	—	—	—	1	1	1	—
22 Diarrhoea, &c. ..	M	5	3	—	—	—	—	1	1	—	—	24	15	4	1	3	1	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	11	6	1	—	—	—	2	1	1	—
23 Appendicitis and typhlitis..	M	4	—	—	—	—	1	—	2	1	—	8	—	—	—	2	1	4	—	1	—
	F	1	—	—	—	—	—	—	—	1	—	6	—	—	—	1	1	1	3	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	21	—	—	—	—	2	—	12	6	1	17	1	—	—	1	1	2	8	2	2
	F	25	—	—	—	—	1	4	7	9	4	22	—	—	—	1	—	9	6	4	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	3	—	—	—	5	—	—	—	—	2	2	1	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	2	5	—	—	—	9	—	—	—	—	—	9	—	—	—
28 Congenital debility and malformation, premature birth ..	M	22	22	—	—	—	—	—	—	—	—	57	55	—	—	1	1	—	—	—	—
	F	15	15	—	—	—	—	—	—	—	—	43	43	—	—	—	—	—	—	—	—
29 Suicide ..	M	5	—	—	—	—	—	2	2	1	—	9	—	—	—	—	2	2	3	1	1
	F	4	—	—	—	—	1	—	3	—	—	5	—	—	—	—	—	2	2	1	—
30 Other deaths from violence..	M	18	1	—	—	3	2	8	2	2	—	37	—	1	3	4	7	10	9	3	—
	F	8	1	—	—	3	—	1	2	—	1	10	—	—	—	1	—	1	4	2	2
31 Other defined diseases..	M	74	4	—	1	2	3	7	17	13	27	142	21	3	3	6	4	18	30	30	27
	F	122	6	—	—	3	4	10	24	27	48	126	16	1	3	7	5	17	16	30	31
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	8	—	2	—	—	—	2	3	1	—
	F	2	—	—	—	—	1	—	—	1	—	6	—	—	—	1	—	—	3	2	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	STOCKPORT.										STOKE-ON-TRENT.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	797	68	14	8	25	30	78	260	187	127	1769	229	50	42	61	84	200	589	331	183
	F	740	32	10	17	14	20	68	195	193	191	1456	157	35	38	52	86	208	395	278	207
1 Enteric fever ..	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	4	1	—	2	1	—	—	—	—	—	7	2	—	4	1	—	—	—	—	—
	F	6	1	1	2	2	—	—	—	—	—	5	2	1	2	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	2	—	1	—	1	—	—	—	—	—	7	2	4	1	—	—	—	—	—	—
	F	5	2	—	3	—	—	—	—	—	—	13	2	4	6	1	—	—	—	—	—
6 Diphtheria ..	M	7	—	3	2	2	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	5	—	1	2	2	—	—	—	—	—	8	—	2	2	3	1	—	—	—	—
7 Influenza ..	M	16	1	—	1	—	—	—	9	5	—	20	1	—	—	—	1	3	9	5	1
	F	13	—	1	1	—	—	—	3	5	3	18	1	—	—	1	—	5	5	3	3
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	3	—	—	—	—	—	1	2	—	—	1	—	—	1	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	—	1	—	—	—	2	1	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system	M	50	—	—	—	1	7	21	18	3	—	157	—	—	3	3	19	46	79	7	—
	F	25	—	—	—	—	6	14	4	1	—	125	—	—	2	7	36	56	21	3	—
11 Other tuberculous diseases..	M	4	—	1	—	1	—	1	1	—	—	37	3	5	5	11	4	3	6	—	—
	F	11	1	2	2	—	4	2	—	—	—	30	2	3	6	6	6	6	1	—	—
12 Cancer, malignant disease ..	M	92	—	—	—	—	1	1	45	29	16	160	—	—	1	1	—	9	87	54	8
	F	114	—	—	—	—	2	15	49	28	20	178	—	—	—	—	1	16	102	46	13
13 Rheumatic fever..	M	5	—	—	—	3	1	—	1	—	—	3	—	—	1	1	1	—	—	—	—
	F	5	—	—	—	2	—	—	3	—	—	4	—	—	—	2	1	—	1	—	—
14 Diabetes ..	M	5	—	—	—	—	1	—	—	4	—	9	—	—	—	—	2	1	—	5	1
	F	10	—	—	—	—	—	—	4	5	1	11	—	—	—	—	—	4	5	—	2
15 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	—	9	8	7	62	—	—	—	—	—	2	29	20	11
	F	53	—	—	—	—	—	1	9	18	25	79	—	—	—	—	—	3	37	27	12
16 Heart disease ..	M	180	—	—	—	—	2	10	60	66	42	328	—	—	1	6	10	23	115	118	55
	F	206	—	—	—	1	2	12	55	67	69	293	—	—	1	7	17	29	87	88	64
17 Arterio-sclerosis ..	M	60	—	—	—	—	—	—	17	18	25	64	—	—	—	—	—	—	14	19	31
	F	59	—	—	—	—	—	—	13	21	25	47	—	—	—	—	—	—	9	16	22
18 Bronchitis..	M	31	6	—	—	1	1	—	8	6	9	94	14	3	1	2	1	6	24	19	24
	F	21	—	1	—	—	—	1	—	9	10	69	11	2	—	—	—	4	14	17	21
19 Pneumonia (all forms) ..	M	47	6	4	1	2	4	9	16	4	1	167	33	19	12	4	8	32	50	6	3
	F	28	3	2	3	2	3	2	7	3	3	102	30	13	7	8	3	12	18	9	2
20 Other respiratory diseases..	M	2	—	—	—	—	—	—	2	—	—	40	—	2	—	1	1	5	24	5	2
	F	3	—	—	—	1	—	—	—	2	—	11	2	1	—	—	1	1	4	1	1
21 Ulcer of stomach or duodenum ..	M	10	—	—	—	—	—	6	4	—	—	22	—	—	—	—	—	8	11	2	1
	F	4	—	—	—	—	—	1	2	1	—	5	—	—	—	—	—	2	2	—	1
22 Diarrhœa, &c. ..	M	11	10	1	—	—	—	—	—	—	—	39	29	5	3	1	—	1	—	—	—
	F	5	3	1	—	—	—	1	—	—	—	19	13	2	2	—	—	1	1	—	—
23 Appendicitis and typhlitis..	M	8	—	—	1	—	3	2	1	1	—	16	—	—	—	5	2	2	6	1	—
	F	7	—	—	2	—	1	—	4	—	—	6	—	—	—	1	1	3	1	—	—
24 Cirrhosis of liver..	M	3	—	—	—	—	—	—	3	—	—	5	—	—	—	—	—	—	5	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis ..	M	29	—	—	—	2	1	1	12	9	4	47	—	—	1	—	3	5	19	16	3
	F	33	—	—	—	1	1	4	12	9	6	59	1	—	—	—	2	9	26	12	9
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	9	—	—	—	—	1	8	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	11	—	—	—	—	—	10	1	—	—
28 Congenital debility and malformation, premature birth ..	M	35	34	1	—	—	—	—	—	—	—	118	116	—	—	—	1	—	1	—	—
	F	14	14	—	—	—	—	—	—	—	—	76	74	1	—	—	—	1	—	—	—
29 Suicide ..	M	12	—	—	—	—	—	2	8	2	—	29	—	—	—	—	2	13	6	1	—
	F	5	—	—	—	—	—	3	1	1	—	10	—	—	—	—	3	5	2	—	—
30 Other deaths from violence..	M	38	1	1	1	3	3	4	16	7	2	83	3	4	4	12	15	15	20	5	5
	F	12	—	1	2	1	—	1	3	2	2	44	—	1	6	2	3	5	8	7	12
31 Other defined diseases..	M	116	9	2	—	7	5	17	30	25	21	242	24	8	5	8	13	31	75	41	37
	F	87	8	—	—	2	1	7	21	21	27	216	19	3	3	12	9	32	49	44	45
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	2	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	2	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	SUNDERLAND.										TYNEMOUTH.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1302	193	59	39	51	70	163	325	242	160	437	43	11	14	14	21	47	133	95	59
	F	1183	137	47	30	44	70	130	288	212	225	354	37	12	11	16	20	51	82	50	75
1 Enteric fever ..	M	7	—	—	—	—	—	6	1	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	7	3	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough..	M	6	1	3	2	—	—	—	—	—	—	4	1	2	—	1	—	—	—	—	—
	F	11	6	2	3	—	—	—	—	—	—	7	3	1	3	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	—	2	1	—	—	—	—	—	7	—	1	6	—	—	—	—	—	—
	F	10	2	1	3	4	—	—	—	—	—	4	—	1	—	3	—	—	—	—	—
7 Influenza ..	M	21	4	—	1	1	1	6	6	2	—	1	—	—	—	—	—	—	1	—	—
	F	13	—	—	—	—	2	3	4	2	2	4	—	—	—	—	—	—	2	1	1
8 Encephalitis lethargica ..	M	6	—	—	—	—	—	2	4	—	—	1	—	—	—	—	1	—	—	—	—
	F	3	—	—	—	1	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—
9 Meningococcal meningitis ..	M	4	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	63	—	3	2	1	16	28	12	1	—	37	1	—	3	2	7	10	14	—	—
	F	61	—	—	2	5	26	22	6	—	—	36	—	—	3	3	10	16	3	—	1
11 Other tuberculous diseases..	M	69	3	9	3	10	15	21	7	—	1	7	1	1	—	1	1	2	—	—	—
	F	58	4	6	6	10	14	14	4	—	—	8	1	—	1	2	3	—	1	—	—
12 Cancer, malignant disease ..	M	91	—	—	—	—	2	3	43	34	9	37	—	—	—	—	—	2	19	12	4
	F	119	—	—	—	—	—	15	58	25	21	31	—	—	—	—	—	4	16	3	8
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	—	—	1	2	—	—	—	1	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	1	—	1	—	—	—
14 Diabetes ..	M	9	—	—	—	—	—	1	4	2	2	4	—	—	—	—	1	—	1	—	2
	F	18	—	—	—	—	—	3	7	7	1	7	—	—	—	—	—	1	2	2	2
15 Cerebral hæmorrhage, &c. ..	M	46	—	—	—	—	—	2	15	15	14	18	—	—	—	—	—	—	5	8	5
	F	55	—	—	—	—	—	—	18	16	21	24	—	—	—	—	—	—	10	7	7
16 Heart disease ..	M	176	—	—	—	2	11	18	52	56	37	71	—	—	—	2	—	5	25	27	12
	F	197	—	—	—	4	4	21	48	64	56	53	—	—	—	2	1	5	15	12	18
17 Arterio-sclerosis ..	M	66	—	—	—	—	—	2	19	26	19	19	—	—	—	—	—	—	6	8	5
	F	53	—	—	—	—	—	—	9	21	23	16	—	—	—	—	—	—	1	6	9
18 Bronchitis..	M	85	25	3	2	1	—	2	14	23	15	30	2	1	—	—	—	2	9	9	7
	F	80	14	3	2	—	—	2	19	19	21	8	3	1	—	—	—	—	—	1	3
19 Pneumonia (all forms) ..	M	180	39	20	13	17	8	27	37	17	2	29	6	2	—	2	3	1	9	3	3
	F	95	22	24	4	10	3	4	16	7	5	21	3	4	—	1	1	2	3	5	2
20 Other respiratory diseases..	M	8	1	—	—	—	1	2	—	2	2	4	—	1	—	—	—	1	2	—	—
	F	9	—	—	1	—	—	1	2	3	2	3	—	—	—	—	—	—	1	1	1
21 Ulcer of stomach or duodenum ..	M	16	—	—	—	—	—	7	8	1	—	2	—	—	—	—	—	2	—	—	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhoea, &c. ..	M	21	14	4	2	1	—	—	—	—	—	9	8	1	—	—	—	—	—	—	—
	F	18	13	1	—	1	—	—	—	—	3	10	5	1	1	—	—	1	2	—	—
23 Appendicitis and typhlitis..	M	5	—	—	—	1	1	2	1	—	—	1	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	1	2	1	—	—	1	—	—	—	1	—	—	—	—	—
24 Cirrhosis of liver ..	M	6	—	—	—	—	—	—	5	1	—	5	—	—	—	—	—	—	4	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	88	—	—	—	—	2	7	31	31	17	16	—	—	—	—	—	2	5	4	5
	F	83	—	—	1	1	3	6	35	23	14	18	—	—	—	—	—	4	4	4	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	—	5	—	—	—	—	2	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	2	8	—	—	—	5	—	—	—	—	—	5	—	—	—
28 Congenital debility and malformation, premature birth ..	M	73	71	1	—	—	—	1	—	—	—	19	19	—	—	—	—	—	—	—	—
	F	52	51	1	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—	—
29 Suicide ..	M	10	—	—	—	—	4	1	5	—	—	9	—	—	—	—	1	2	5	1	—
	F	8	—	—	—	—	2	1	5	—	—	3	—	—	—	—	—	2	1	—	—
30 Other deaths from violence..	M	69	6	4	5	8	3	16	14	4	9	22	—	—	—	1	6	8	6	1	—
	F	34	2	2	1	3	4	4	1	6	11	6	—	—	—	1	2	2	—	—	1
31 Other defined diseases..	M	165	25	9	5	7	5	8	47	27	32	76	5	2	5	4	1	7	17	19	16
	F	174	22	4	5	4	4	20	51	19	45	55	4	3	3	1	—	5	16	7	16
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	—	2	2	2	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	1	—	—	—	—	4	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	WAKEFIELD.										WALLASEY.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	406	30	7	15	14	12	51	139	99	39	557	47	6	8	16	24	48	187	123	98
	F	304	28	14	7	8	14	31	83	56	63	502	29	5	5	9	19	57	125	122	131
1 Enteric fever ..	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	3	2	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	4	—	2	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	3	2	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	1	—	—	—	—	—	6	—	—	1	3	2	—	—	—	—
	F	2	—	—	1	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza ..	M	8	—	—	2	—	—	2	4	—	—	3	—	—	—	—	—	—	2	1	—
	F	5	—	—	—	—	—	1	2	—	2	4	—	—	—	—	1	—	2	—	1
8 Encephalitis lethargica ..	M	3	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	4	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0 Tuberculosis of respiratory system	M	20	—	—	1	—	2	12	5	—	—	49	—	—	—	1	7	16	23	1	1
	F	8	—	—	—	—	2	3	3	—	—	34	—	—	—	—	10	16	4	2	2
1 Other tuberculous diseases ..	M	12	3	1	2	1	—	3	2	—	—	7	1	—	2	—	1	3	—	—	—
	F	8	—	4	1	—	—	2	1	—	—	8	—	1	3	—	1	1	1	—	1
2 Cancer, malignant disease ..	M	46	—	—	—	—	—	4	18	23	1	62	—	—	—	1	1	1	27	19	13
	F	42	—	1	—	—	—	5	18	11	7	87	—	—	—	—	—	6	44	22	15
3 Rheumatic fever ..	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	1	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	2	—	—	—
4 Diabetes ..	M	4	—	—	—	—	1	1	2	—	—	8	—	—	—	—	—	—	2	5	1
	F	4	—	—	—	—	—	—	3	1	—	8	—	—	—	1	—	1	1	3	2
5 Cerebral hæmorrhage, &c. ..	M	24	—	—	—	—	—	8	11	5	—	22	—	—	—	—	—	1	7	8	6
	F	27	—	—	—	—	—	1	7	8	11	35	—	—	—	—	—	2	7	14	12
6 Heart disease ..	M	63	—	—	1	2	—	2	27	23	8	119	—	—	—	—	3	4	46	39	27
	F	54	—	—	2	3	—	2	18	18	11	97	—	—	—	2	4	4	18	33	36
7 Arterio-sclerosis ..	M	17	—	—	—	—	—	—	5	9	3	30	—	—	—	—	—	1	7	10	12
	F	6	—	—	—	—	—	—	—	2	4	27	—	—	—	—	—	—	3	14	10
8 Bronchitis ..	M	21	3	1	1	—	—	1	5	5	5	15	—	—	—	—	—	3	5	2	5
	F	12	1	1	—	1	—	—	2	2	5	16	2	—	—	—	—	1	3	3	7
9 Pneumonia (all forms) ..	M	28	1	2	—	2	2	4	12	4	1	45	7	2	3	—	1	8	15	7	2
	F	25	7	3	2	2	2	—	5	4	—	29	4	2	2	2	1	4	3	6	5
0 Other respiratory diseases ..	M	5	—	—	1	1	—	1	2	—	—	3	—	—	—	—	—	—	1	—	2
	F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	1	1	3	3	—
1 Ulcer of stomach or duodenum ..	M	4	—	—	—	—	—	1	2	1	—	6	—	—	—	—	—	1	2	2	1
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
2 Diarrhœa, &c. ..	M	2	1	—	—	—	—	—	—	1	—	6	5	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	—	1	8	4	1	—	—	—	—	1	—	2
3 Appendicitis and typhlitis ..	M	6	—	—	1	2	1	2	—	—	—	3	—	—	—	1	—	2	—	—	—
	F	2	—	—	—	—	1	—	1	—	—	4	—	—	—	—	1	2	—	1	—
4 Cirrhosis of liver ..	M	2	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	2	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Acute and chronic nephritis ..	M	10	—	—	—	—	—	2	6	2	—	18	—	—	—	—	—	—	8	7	3
	F	10	—	—	—	—	1	2	4	1	2	15	—	—	—	—	—	1	3	6	5
6 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	—	1	—	—	—	—	—	1	—	—	—
7 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	—	2	—	—	—
8 Congenital debility and malformation, premature birth ..	M	17	17	—	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—	—
	F	14	13	—	—	1	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—
9 Suicide ..	M	5	—	—	—	—	1	1	2	1	—	8	—	—	—	—	1	1	5	1	—
	F	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	1	—	—
0 Other deaths from violence ..	M	21	—	—	3	3	3	3	7	1	1	21	2	1	—	4	4	1	9	—	—
	F	6	2	—	2	—	1	1	—	—	—	10	1	—	—	—	—	1	2	3	3
1 Other defined diseases ..	M	76	1	—	1	2	2	9	28	18	15	95	9	2	1	5	4	4	27	18	25
	F	60	4	2	1	—	3	6	5	9	20	87	6	—	—	3	—	10	26	12	30
2 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	WALSALL.										WARRINGTON.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	601	83	10	8	25	35	54	184	119	83	506	57	16	18	23	37	55	172	83	45
	F	516	59	10	13	15	31	58	112	105	113	436	44	14	20	20	27	73	115	65	58
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	6	2	2	1	1	—	—	—	—	—	17	1	11	5	—	—	—	—	—	—
	F	10	1	3	4	2	—	—	—	—	—	14	4	3	5	2	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—	—
5 Whooping cough ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	3	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	6	—	—	1	5	—	—	—	—	—	7	1	—	2	4	—	—	—	—	—
	F	6	—	—	2	4	—	—	—	—	—	4	—	1	1	1	1	—	—	—	—
7 Influenza ..	M	4	—	—	—	—	—	2	2	—	—	5	—	—	—	—	—	1	3	1	—
	F	7	—	—	—	—	—	—	3	2	2	12	1	—	1	2	1	1	3	2	1
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	—	—	1	—	1	—	1	—	—
9 Meningococcal meningitis ..	M	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	56	—	—	—	1	14	15	25	1	—	53	—	—	1	—	13	14	24	1	—
	F	42	—	—	—	1	13	20	7	1	—	39	—	—	—	—	15	18	6	—	—
11 Other tuberculous diseases ..	M	10	2	—	2	3	1	1	1	—	—	9	—	1	—	3	2	3	—	—	—
	F	3	2	—	—	—	—	—	1	—	—	5	—	1	1	1	1	—	—	1	—
12 Cancer, malignant disease ..	M	59	—	—	—	—	—	4	28	20	7	47	—	—	—	—	—	1	28	15	3
	F	55	—	—	—	—	1	7	22	20	5	51	—	—	—	—	—	3	31	12	5
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	2	—	—	—	—	2	—	—	—	—	3	—	—	—	1	1	1	—	—	—
14 Diabetes ..	M	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—	—
	F	6	—	—	—	—	—	1	1	4	—	8	—	—	—	—	—	1	4	3	—
15 Cerebral hæmorrhage, &c. ..	M	30	—	—	—	—	—	1	12	7	10	13	—	—	—	—	—	—	4	8	1
	F	28	—	—	—	—	—	1	6	9	12	19	—	—	—	—	—	1	6	5	7
16 Heart disease ..	M	102	—	—	—	2	3	5	37	33	22	69	—	—	—	2	2	3	39	14	9
	F	111	—	—	—	1	3	5	27	33	42	68	—	—	—	2	2	17	21	13	13
17 Arterio-sclerosis ..	M	15	—	—	—	—	—	—	4	5	6	29	—	—	—	—	—	—	13	5	11
	F	23	—	—	—	—	—	—	3	10	10	7	—	—	—	—	—	—	4	3	—
18 Bronchitis ..	M	55	10	1	—	—	—	1	12	23	8	37	2	1	—	1	1	2	12	9	9
	F	22	1	—	—	—	—	1	2	8	10	29	3	3	—	—	—	2	3	9	9
19 Pneumonia (all forms) ..	M	51	13	3	1	4	4	2	14	5	5	35	10	1	4	1	2	6	9	2	—
	F	27	11	2	2	—	—	3	6	2	1	26	1	5	4	1	—	6	3	4	2
20 Other respiratory diseases ..	M	9	2	—	—	—	—	1	6	—	—	1	—	—	—	—	—	—	—	—	1
	F	3	—	—	—	—	—	—	1	1	1	9	—	—	—	—	—	2	—	2	5
21 Ulcer of stomach or duodenum ..	M	8	—	—	—	—	1	2	5	—	—	3	—	—	—	—	—	1	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhoea, &c. ..	M	11	10	1	—	—	—	—	—	—	—	13	11	—	1	—	—	1	—	—	—
	F	4	1	2	—	—	1	—	—	—	—	4	2	—	1	—	—	—	—	1	—
23 Appendicitis and typhlitis ..	M	6	—	—	—	1	2	3	—	—	—	3	—	—	—	1	1	—	—	1	—
	F	6	—	—	—	2	2	1	1	—	—	3	—	—	—	—	—	3	—	—	—
24 Cirrhosis of liver ..	M	4	—	—	—	1	—	—	2	1	—	4	—	—	—	—	—	—	2	2	—
	F	3	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	10	—	—	—	—	1	1	2	4	2	9	—	—	—	—	1	1	2	4	1
	F	12	—	—	—	—	2	1	6	2	1	10	—	—	—	1	1	1	5	—	2
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	2	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth ..	M	34	34	—	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—	—
	F	35	35	—	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—	—
29 Suicide ..	M	13	—	—	—	—	3	2	8	—	—	8	—	—	—	—	1	3	3	—	1
	F	5	—	—	—	—	—	2	2	1	—	3	—	—	—	—	—	1	2	—	—
30 Other deaths from violence ..	M	20	—	1	1	3	4	5	5	1	—	28	—	—	1	6	7	7	7	—	—
	F	8	1	—	1	1	2	—	1	1	1	14	1	—	3	2	—	1	2	3	2
31 Other defined diseases ..	M	86	9	—	1	4	2	9	20	18	23	76	6	—	4	4	5	10	17	21	9
	F	77	4	1	4	2	1	7	19	11	28	72	11	1	3	4	3	10	21	7	12
32 Causes ill-defined or unknown ..	M	1	—	—	1	—	—	—	—	—	—	6	—	1	—	—	—	—	5	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.	Sex.	WEST BROMWICH.										WEST HAM.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	{ M F	519 404	65 46	15 11	21 12	11 9	20 16	61 44	171 96	91 91	64 79	1745 1518	204 149	54 44	42 45	50 52	79 101	205 177	494 361	360 270	257 319
1 Enteric fever ..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —
2 Small-pox.. ..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
3 Measles	{ M F	6 3	1 1	2 1	2 1	1 —	— —	— —	— —	— —	— —	41 37	10 6	21 16	9 14	1 1	— —	— —	— —	— —	— —
4 Scarlet fever ..	{ M F	2 2	— —	— —	2 1	— —	— —	— —	— —	— —	— —	2 2	1 —	1 —	— —	2 —	— —	— —	— —	— —	— —
5 Whooping cough ..	{ M F	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	9 10	4 2	2 2	3 4	— 1	— 1	— —	— —	— —	— —
6 Diphtheria ..	{ M F	— 3	— —	— 2	— 1	— —	— —	— —	— —	— —	— —	13 21	3 —	1 6	5 7	3 8	1 —	— —	— —	— —	— —
7 Influenza	{ M F	21 4	— —	— —	1 —	1 —	2 —	3 1	13 1	1 2	— —	10 5	— 1	— —	— —	— —	— —	2 —	6 3	2 1	— —
8 Encephalitis lethargica ..	{ M F	1 2	— —	— —	— —	— —	— —	— 1	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
9 Meningococcal meningitis ..	{ M F	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	8 3	3 2	2 —	— —	2 —	1 —	— —	1 —	— —	— —
10 Tuberculosis of respiratory system ..	{ M F	44 13	— —	1 —	— —	— 1	6 2	20 4	14 5	3 1	— —	167 143	1 2	— —	2 —	1 1	29 50	74 54	57 35	3 1	— —
11 Other tuberculous diseases ..	{ M F	5 6	1 —	— —	4 2	— 3	— —	— —	— 1	— —	— —	25 21	4 4	2 —	5 1	4 5	6 4	— 5	2 2	2 —	— —
12 Cancer, malignant disease ..	{ M F	50 55	— —	— —	— —	— —	— —	5 9	26 18	13 14	6 14	221 183	— —	— —	1 —	— 2	1 2	16 16	98 87	77 45	28 31
13 Rheumatic fever ..	{ M F	— 3	— —	— —	— —	— —	— —	— 3	— —	— —	— —	15 8	— —	— —	1 —	8 3	1 —	3 3	1 1	— —	1 1
14 Diabetes	{ M F	3 4	— —	— —	— —	1 —	1 —	— —	1 —	1 1	1 1	10 22	— —	— —	— —	— —	1 —	— 3	4 10	4 7	1 2
15 Cerebral hæmorrhage, &c. ..	{ M F	18 29	— —	— —	— —	— —	— —	— —	7 7	8 16	3 6	84 92	— —	— —	— —	— —	— —	2 2	30 35	34 33	18 22
16 Heart disease ..	{ M F	86 69	— —	— 1	1 —	— 1	3 4	8 5	36 14	21 23	17 21	280 295	— —	— —	1 —	4 3	10 11	15 25	88 69	105 82	57 105
17 Arterio-sclerosis ..	{ M F	28 19	— —	— —	— —	— —	— —	— —	8 6	12 7	8 6	39 30	— —	— —	— —	— —	— —	1 —	8 5	11 12	19 13
18 Bronchitis	{ M F	30 15	3 —	1 1	— —	— —	— —	2 2	12 1	8 5	3 6	87 71	6 4	— 4	— —	— —	— 1	— 2	30 8	22 15	29 37
19 Pneumonia (all forms) ..	{ M F	60 40	10 9	6 4	8 2	1 —	3 2	8 3	18 9	3 5	3 6	134 116	35 36	19 12	4 6	2 2	1 5	13 5	33 15	15 18	12 17
20 Other respiratory diseases ..	{ M F	6 1	— —	— —	— —	— —	— —	1 —	3 1	1 —	1 —	13 6	— —	— —	1 —	1 —	2 —	2 —	4 3	2 2	1 1
21 Ulcer of stomach or duodenum ..	{ M F	9 2	— —	— —	— —	— —	— —	4 —	4 1	— 1	1 —	24 9	— —	— —	— —	— —	— —	8 3	11 5	5 —	— 1
22 Diarrhoea, &c. ..	{ M F	8 11	5 6	2 1	— 1	— —	— —	— —	— 2	1 1	— —	34 14	30 9	1 1	— —	1 —	— —	— 2	1 —	1 —	1 1
23 Appendicitis and typhlitis ..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	15 8	— —	— —	2 —	4 1	3 2	4 3	2 —	— 2	— —
24 Cirrhosis of liver ..	{ M F	3 —	— —	— —	— —	— —	— —	— —	1 —	2 —	— —	8 6	— 2	— —	— —	— —	— —	2 1	2 3	2 —	2 —
25 Acute and chronic nephritis ..	{ M F	10 16	— —	— —	1 1	— 2	— 4	3 3	4 3	3 2	3 2	35 41	— —	— —	1 1	1 2	1 3	6 5	12 11	12 12	2 7
26 Puerperal sepsis ..	{ M F	— 2	— —	— —	— —	— —	— —	2 —	— —	— —	— —	9 —	— —	— —	— —	— —	3 —	6 —	— —	— —	— —
27 Other accidents and diseases of pregnancy and parturition ..	{ M F	— 2	— —	— —	— —	— —	— —	— 2	— —	— —	— —	7 —	— —	— —	— —	— —	— —	7 —	— —	— —	— —
28 Congenital debility and malformation, premature birth ..	{ M F	31 20	31 20	— —	— —	— —	— —	— —	— —	— —	— —	76 70	76 67	— 1	— —	1 —	— —	— —	1 —	— —	— —
29 Suicide	{ M F	4 6	— —	— —	— —	— —	1 —	2 2	2 2	— 1	— —	24 17	— —	— —	— —	— —	2 2	7 7	12 6	2 2	1 —
30 Other deaths from violence ..	{ M F	19 9	1 —	1 —	1 1	3 1	4 1	3 —	5 1	— 2	1 3	82 32	2 —	1 —	3 3	12 6	14 3	19 2	19 7	8 5	4 6
31 Other defined diseases ..	{ M F	74 64	13 9	2 —	1 2	5 1	2 3	4 5	17 21	13 9	17 14	286 240	29 14	3 2	4 9	7 13	6 14	31 26	72 54	53 33	81 75
32 Causes ill-defined or unknown ..	{ M F	— 3	— —	— —	— —	— —	— —	— 1	— 2	— —	— —	2 —	— —	1 —	— —	— —	— —	— —	1 —	— —	— —

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.		Sex	WOLVERHAMPTON.										WORCESTER.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	765	90	19	19	36	32	87	227	145	110	318	27	5	6	3	15	31	84	87	60
			F	700	67	21	31	26	17	81	152	141	164	298	15	4	4	9	10	36	77	63	80
1 Enteric fever	..	{	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	{	M	11	2	3	5	1	—	—	—	—	—	8	1	3	3	1	—	—	—	—	—
			F	11	1	5	4	1	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
4 Scarlet fever	..	{	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough..	..	{	M	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	10	4	3	3	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
6 Diphtheria	..	{	M	4	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	9	—	—	7	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
7 Influenza	{	M	4	—	—	—	—	1	1	2	—	—	4	—	—	—	—	—	2	2	—	—
			F	5	—	—	—	—	—	—	2	—	3	4	—	—	—	—	2	2	—	—	—
8 Encephalitis lethargica	..	{	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	..	{	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0 Tuberculosis of respiratory system	{	M	60	—	—	1	—	9	23	23	3	—	1	21	—	—	—	5	10	4	2	—	—
		F	37	—	—	—	1	3	24	9	—	—	—	23	—	—	—	6	11	5	1	—	—
1 Other tuberculous diseases..	..	{	M	15	1	—	3	3	3	1	4	—	—	1	—	—	—	—	—	1	—	—	—
		F	10	1	—	2	4	1	2	—	—	—	—	3	—	1	—	1	—	—	—	—	—
2 Cancer, malignant disease	{	M	86	—	—	—	—	1	8	40	32	5	41	—	—	—	—	1	19	16	5	—
		F	97	—	—	—	—	1	7	43	29	17	41	—	—	—	1	—	2	21	10	7	—
3 Rheumatic fever	{	M	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—
4 Diabetes	{	M	6	—	—	—	—	—	—	5	1	—	3	—	—	—	—	—	2	1	—	—
		F	10	—	—	—	—	1	—	—	4	4	1	4	—	—	—	—	—	2	2	—	—
5 Cerebral hæmorrhage, &c.	..	{	M	32	—	—	—	—	—	1	8	12	—	15	—	—	—	—	1	5	8	1	—
		F	29	—	—	—	—	—	1	5	7	16	16	16	—	—	—	1	1	4	3	7	—
6 Heart disease	..	{	M	135	—	—	—	2	3	9	45	38	38	63	—	—	—	2	3	15	22	21	—
		F	153	—	—	—	1	4	7	35	52	54	75	75	—	—	1	—	4	21	24	25	—
7 Arterio-sclerosis	{	M	30	—	—	—	—	—	—	6	11	13	13	—	—	—	—	—	—	8	5	—
		F	20	—	—	—	—	—	—	—	3	9	8	10	—	—	—	—	—	2	2	6	—
8 Bronchitis..	..	{	M	37	4	—	—	1	—	2	7	11	12	11	—	—	—	—	—	3	2	6	—
		F	43	6	2	2	—	—	1	3	7	7	22	12	—	—	1	—	2	2	2	5	—
9 Pneumonia (all forms)	{	M	72	15	8	3	2	1	11	20	9	3	18	6	1	1	—	2	3	5	—	—
		F	42	8	6	6	2	1	4	5	5	5	13	3	—	—	1	—	2	3	2	2	—
0 Other respiratory diseases..	..	{	M	11	1	1	—	1	—	1	3	—	4	3	—	1	—	—	—	1	1	—	—
		F	7	—	1	—	—	—	—	—	—	3	3	3	1	—	—	—	—	1	1	—	—
1 Ulcer of stomach or duodenum	..	{	M	15	—	—	—	—	3	8	4	—	—	5	—	—	—	—	—	4	1	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	2	—	—	—	1	—	—	—	—	—
2 Diarrhoea, &c.	..	{	M	11	7	1	2	—	—	—	—	—	1	2	1	—	—	—	—	—	—	1	—
		F	9	5	2	—	1	—	—	—	1	—	—	2	1	—	—	—	—	1	—	—	—
3 Appendicitis and typhlitis..	..	{	M	5	—	—	—	3	1	—	1	—	—	4	—	—	—	1	2	1	—	—	—
		F	4	—	—	—	2	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—	—
4 Cirrhosis of liver	{	M	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	2	1	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5 Acute and chronic nephritis	..	{	M	22	—	2	—	1	3	2	11	2	1	5	—	—	—	—	—	4	1	—	—
		F	20	—	—	1	—	—	3	6	6	6	4	3	—	—	—	1	1	1	—	—	—
6 Puerperal sepsis	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Other accidents and diseases of pregnancy and parturition	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	—	—	3	—	—	—	—	2	1	—	—	—
8 Congenital debility and malformation, premature birth	..	{	M	39	38	1	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—	—
		F	32	32	—	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
9 Suicide	{	M	8	—	—	—	—	3	4	1	—	—	6	—	—	—	1	1	2	2	—	—
		F	4	—	—	—	—	1	1	2	—	—	—	4	—	—	—	3	—	1	—	—	—
0 Other deaths from violence..	..	{	M	46	—	1	1	13	9	10	7	2	3	26	1	—	1	1	3	9	5	4	2
		F	17	2	—	3	3	1	2	2	—	—	4	5	—	—	1	—	—	—	—	—	4
1 Other defined diseases..	..	{	M	104	18	—	1	7	—	12	30	18	18	52	5	—	1	1	3	11	10	19	—
		F	115	8	2	2	9	4	16	28	19	27	59	3	1	—	1	1	5	11	13	24	—
2 Causes ill-defined or unknown	..	{	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in COUNTY BOROUGH—1930
(Civilian population only).

CAUSES OF DEATH.		Sex	YORK.										CARDIFF.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	M	492	61	9	13	21	19	47	131	98	93	1366	146	19	29	40	68	158	415	288	203
		F	476	26	10	15	6	20	47	129	97	126	1178	126	18	18	37	47	151	324	205	252
1 Enteric fever	..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	11	5	1	4	1	—	—	—	—	—	4	2	1	1	—	—	—	—	—	
		F	11	1	4	5	1	—	—	—	—	—	4	1	2	1	—	—	—	—	—	
4 Scarlet fever	..	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough	M	5	1	3	1	—	—	—	—	—	—	12	3	2	6	1	—	—	—	—	
		F	5	3	—	1	1	—	—	—	—	—	10	6	1	3	—	—	—	—	—	
6 Diphtheria	..	M	1	—	—	—	1	—	—	—	—	—	16	2	—	4	10	—	—	—	—	
		F	1	—	—	1	—	—	—	—	—	—	13	—	2	2	8	—	1	—	—	
7 Influenza	M	4	—	—	—	—	1	2	—	1	16	—	—	—	—	1	3	8	2	2	
		F	4	—	—	1	—	—	2	1	—	7	1	—	—	—	2	1	1	2	1	
8 Encephalitis lethargica	..	M	2	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	1	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	..	M	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	..	M	22	—	—	—	1	4	11	5	1	115	1	1	—	2	18	57	34	2	—	
		F	30	—	—	—	—	7	18	5	—	98	—	1	1	1	21	47	23	3	1	
11 Other tuberculous diseases	M	8	—	—	1	4	1	1	—	1	27	1	2	1	7	9	6	1	—	—	
		F	6	1	1	—	1	1	1	—	1	18	1	2	—	3	4	4	2	2	—	
12 Cancer, malignant disease	M	48	—	—	—	—	1	26	13	8	136	—	—	—	—	1	5	62	48	20	
		F	66	—	—	—	—	3	35	17	11	163	—	—	—	—	—	18	85	37	23	
13 Rheumatic fever	M	1	—	—	—	—	—	1	—	—	6	—	—	2	2	1	—	—	1	—	
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	
14 Diabetes	M	9	—	—	—	—	1	1	1	5	14	—	—	—	—	—	2	5	5	2	
		F	10	—	—	—	—	1	1	2	5	12	—	—	—	—	—	—	4	5	3	
15 Cerebral hæmorrhage, &c.	..	M	27	—	—	—	—	1	6	9	11	38	—	—	—	—	—	2	10	10	16	
		F	25	—	—	—	—	—	6	7	12	41	—	—	—	—	—	—	14	13	14	
16 Heart disease	..	M	91	—	—	—	1	2	7	25	34	22	228	—	—	1	2	4	11	95	72	43
		F	133	—	1	—	—	3	4	33	41	51	252	—	—	—	5	5	11	70	75	86
17 Arterio-sclerosis	M	7	—	—	—	—	—	—	3	2	2	62	—	—	—	—	—	17	33	12	
		F	9	—	—	—	—	—	—	1	2	6	50	—	—	—	—	—	16	8	26	
18 Bronchitis	M	18	3	—	—	—	—	4	6	5	88	10	2	1	—	—	3	19	30	23	
		F	14	—	—	—	—	—	4	4	6	49	13	2	—	—	—	1	9	8	16	
19 Pneumonia (all forms)	M	28	8	1	2	1	1	1	7	3	4	80	22	7	8	2	2	9	14	7	9
		F	21	2	2	2	1	1	3	2	2	6	46	10	1	2	1	4	5	10	4	9
20 Other respiratory diseases	M	6	—	—	—	—	1	3	1	1	—	18	—	—	1	1	1	4	6	4	1
		F	4	—	—	—	—	—	1	2	—	1	11	1	—	1	—	—	2	3	1	3
21 Ulcer of stomach or duodenum	..	M	5	—	—	—	—	2	3	—	—	14	—	—	—	—	—	2	10	1	1	
		F	1	—	—	—	—	—	—	—	—	1	7	—	—	—	—	3	3	—	1	
22 Diarrhœa, &c.	..	M	7	4	1	—	—	—	—	2	—	—	18	15	1	—	—	1	1	—	—	
		F	4	2	—	1	—	—	—	1	—	—	21	13	1	3	—	—	2	1	1	
23 Appendicitis and typhlitis	M	2	—	—	1	—	—	—	1	—	9	—	—	—	3	2	2	2	—	—	
		F	5	—	—	—	—	1	4	—	—	7	—	—	—	1	—	1	4	—	1	
24 Cirrhosis of liver	M	4	—	—	—	—	—	—	3	1	—	7	—	—	—	—	1	5	1	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
25 Acute and chronic nephritis	..	M	26	—	—	—	—	4	10	4	8	56	—	—	1	2	1	8	23	11	10	
		F	11	—	—	1	—	1	6	3	—	62	—	—	—	1	1	10	27	14	9	
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	2	—	—	—	—	1	1	—	—	10	—	—	—	—	1	9	—	—	—	
27 Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	5	—	—	—	—	2	3	—	—	10	—	—	—	—	1	8	1	—	—	
28 Congenital debility and malformation, premature birth	..	M	30	30	—	—	—	—	—	—	—	68	67	—	—	—	1	—	—	—	—	
		F	16	15	—	1	—	—	—	—	—	59	58	—	1	—	—	—	—	—	—	
29 Suicide	M	3	—	—	—	—	1	1	—	1	19	—	—	—	—	1	6	8	4	—	
		F	6	—	—	—	—	2	4	—	—	11	—	—	—	—	1	4	4	2	—	
30 Other deaths from violence	M	24	2	—	—	3	4	4	5	2	4	69	4	—	—	2	14	15	24	5	5
		F	12	—	—	1	1	—	2	2	1	5	29	—	2	2	6	1	4	6	4	4
31 Other defined diseases	M	100	8	3	3	6	5	9	25	15	26	243	18	2	3	6	12	21	71	51	59
		F	75	2	2	1	1	3	8	20	13	25	182	20	4	2	9	8	21	39	25	54
32 Causes ill-defined or unknown	..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	

BUCKINGHAM—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	612	42	6	14	18	22	60	180	137	133	795	51	8	13	14	37	67	163	200	242
	F	619	37	10	8	16	18	60	147	123	200	750	36	7	13	17	28	73	167	161	248
1 Enteric fever .. {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	7	3	1	2	—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	
	F	4	1	2	1	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	
5 Whooping cough .. {	M	2	1	—	1	—	—	—	—	—	—	4	1	2	—	1	—	—	—	—	
	F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Diphtheria .. {	M	9	—	—	3	6	—	—	—	—	—	6	—	—	3	3	—	—	—	—	
	F	6	—	—	—	5	—	—	1	—	—	6	—	—	2	4	—	—	—	—	
7 Influenza .. {	M	9	—	—	—	1	1	1	2	7	2	6	—	—	—	—	—	1	3	—	
	F	4	—	—	—	—	—	—	3	—	1	5	—	—	1	—	1	—	1	2	
8 Encephalitis lethargica .. {	M	1	—	—	—	—	—	1	—	—	—	3	—	—	1	—	1	—	—	—	
	F	1	—	—	—	—	—	1	—	—	—	3	—	1	1	—	—	—	1	—	
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
	F	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	39	—	—	—	—	4	17	17	—	1	34	—	—	1	—	7	17	7	1	
	F	33	—	—	—	—	9	18	6	—	—	36	—	—	—	1	13	13	8	—	
11 Other tuberculous diseases .. {	M	6	—	—	3	—	2	1	—	—	—	8	—	2	1	1	1	1	1	—	
	F	7	—	1	1	2	—	1	—	2	—	13	1	2	—	4	—	3	2	—	
12 Cancer, malignant disease .. {	M	78	—	—	1	—	2	2	34	24	15	104	—	—	—	—	1	6	28	41	
	F	81	—	—	—	—	—	8	36	17	20	119	—	—	—	—	7	48	33	28	
13 Rheumatic fever .. {	M	1	—	—	—	—	—	—	1	—	—	3	—	—	1	1	—	—	1	—	
	F	2	—	—	—	1	1	—	—	—	—	2	—	—	—	—	1	—	1	—	
14 Diabetes .. {	M	8	—	—	—	—	—	—	2	5	1	10	—	—	—	1	—	—	2	4	
	F	8	—	—	—	—	—	—	5	2	1	10	—	—	—	1	1	—	5	1	
15 Cerebral hæmorrhage, &c. .. {	M	26	—	—	—	—	—	—	7	14	5	45	—	1	—	—	—	1	10	9	
	F	46	—	—	—	1	—	—	10	14	21	54	—	—	—	—	—	1	9	16	
16 Heart disease .. {	M	93	—	—	1	1	1	6	25	31	28	153	—	—	—	—	2	7	28	63	
	F	114	—	—	1	—	—	7	24	33	49	156	—	—	—	1	1	9	29	50	
17 Arterio-sclerosis .. {	M	34	—	—	—	—	—	—	8	8	18	41	—	—	—	—	—	—	7	16	
	F	33	—	—	—	—	—	—	10	7	16	20	—	—	—	—	—	—	4	5	
18 Bronchitis.. {	M	27	2	—	—	—	—	1	6	9	9	45	1	—	—	—	—	—	6	8	
	F	28	1	3	—	1	—	—	3	7	13	26	2	—	—	—	—	—	2	8	
19 Pneumonia (all forms) .. {	M	37	2	3	2	2	1	7	9	7	4	31	3	2	1	—	—	5	10	4	
	F	35	6	—	—	1	—	5	7	9	7	33	6	2	2	—	1	4	6	5	
20 Other respiratory diseases .. {	M	8	—	—	—	—	—	1	3	1	3	11	—	—	—	—	—	—	4	5	
	F	7	—	—	—	—	1	—	—	2	4	13	—	—	1	1	—	1	2	1	
21 Ulcer of stomach or duodenum .. {	M	11	—	—	—	—	—	2	8	—	1	8	—	—	—	—	—	2	4	2	
	F	5	—	—	—	—	—	—	4	1	—	3	—	—	—	—	—	—	2	1	
22 Diarrhœa, &c. .. {	M	5	2	—	—	—	—	1	—	1	1	4	4	—	—	—	—	—	—	—	
	F	4	1	—	—	—	—	—	2	—	1	5	1	—	—	—	2	1	1	—	
23 Appendicitis and typhlitis .. {	M	9	—	—	—	2	1	3	1	2	—	7	—	—	—	1	2	2	1	—	
	F	2	—	—	—	—	—	—	1	1	—	6	—	—	—	1	—	1	4	—	
24 Cirrhosis of liver .. {	M	5	—	—	—	—	—	—	1	3	1	2	—	—	—	—	—	—	2	—	
	F	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	—	1	
25 Acute and chronic nephritis .. {	M	23	—	—	—	—	—	3	11	7	2	23	2	—	—	—	—	2	5	8	
	F	18	—	—	—	—	—	2	7	3	6	23	—	—	—	1	—	2	6	7	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	1	4	—	—	—	4	—	—	—	—	1	3	—	—	
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	—	2	—	—	—	9	—	—	—	—	1	7	1	—	
28 Congenital debility and malformation, premature birth .. {	M	27	26	1	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—	
	F	17	17	—	—	—	—	—	—	—	—	17	16	1	—	—	—	—	—	—	
29 Suicide .. {	M	7	—	—	—	—	—	1	3	2	1	9	—	—	—	—	—	4	3	2	
	F	5	—	—	—	—	1	—	3	1	—	10	—	—	—	—	1	1	8	—	
30 Other deaths from violence.. {	M	26	1	—	1	1	5	5	11	1	1	63	2	1	4	2	16	10	13	7	
	F	16	2	1	1	—	1	1	4	2	4	13	—	—	1	—	1	4	—	1	
31 Other defined diseases .. {	M	111	5	1	—	5	5	8	28	19	40	144	11	—	—	4	7	8	26	29	
	F	129	8	2	3	4	4	10	20	21	57	156	10	—	4	1	4	15	30	25	
32 Causes ill-defined or unknown .. {	M	2	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CAMBRIDGE—1930 (Civilian population only).

CAUSES OF DEATH.		SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	321	22	5	8	11	11	34	85	61	84	415	23	4	2	8	19	37	94	98	130
			F	358	9	2	6	11	8	30	62	85	145	413	23	1	4	9	3	38	79	97	159
1 Enteric fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	
2 Small-pox..	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
4 Scarlet fever	..	{	M	2	—	—	1	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough	..	{	M	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
6 Diphtheria	..	{	M	4	—	—	1	2	1	—	—	—	—	2	—	—	—	2	—	—	—	—	
			F	3	—	1	—	1	—	1	—	—	—	3	—	—	3	—	—	—	—	—	
7 Influenza	{	M	3	—	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	1	—	
			F	2	—	—	—	—	—	1	—	—	1	3	—	—	—	—	2	—	—	1	
8 Encephalitis lethargica	..	{	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
			F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system	{	M	18	—	—	—	—	4	6	8	—	—	17	—	—	—	—	4	7	4	1	1	
		F	12	—	—	—	2	3	6	1	—	—	14	—	—	—	1	2	8	2	1	—	
11 Other tuberculous diseases	..	{	M	3	—	—	—	1	—	1	1	—	—	2	—	—	—	—	2	—	—	—	
		F	4	—	—	2	1	1	—	—	—	—	4	1	—	—	2	—	—	—	1	—	
12 Cancer, malignant disease	..	{	M	31	—	—	—	—	—	11	7	13	65	—	—	—	—	1	4	19	25	16	
		F	56	—	—	—	—	—	3	14	15	24	66	—	—	—	—	—	4	20	21	21	
13 Rheumatic fever	..	{	M	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	—	
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14 Diabetes	{	M	—	—	—	—	—	—	—	—	—	7	—	—	—	—	1	—	3	2	1	
		F	9	—	—	—	—	—	1	2	3	3	4	—	—	—	—	—	2	—	1	1	
15 Cerebral hæmorrhage, &c.	..	{	M	15	—	—	—	—	—	3	4	8	27	—	—	—	—	—	—	5	9	13	
		F	39	—	—	—	—	—	—	12	12	15	35	—	—	—	—	—	—	2	11	22	
16 Heart disease	..	{	M	58	—	—	—	—	1	2	18	21	16	84	—	—	—	—	5	21	22	36	
		F	78	—	—	—	—	3	1	12	19	43	75	—	—	—	1	—	1	17	21	35	
17 Arterio-sclerosis	..	{	M	5	—	—	—	—	—	—	—	2	3	23	—	—	—	—	—	4	3	16	
		F	13	—	—	—	—	—	—	1	4	8	14	—	—	—	—	—	2	3	9	—	
18 Bronchitis..	..	{	M	10	—	1	—	—	—	1	2	2	4	11	—	—	—	—	—	—	4	7	
		F	15	1	—	—	—	—	—	—	1	3	10	32	4	—	—	—	—	3	8	17	
19 Pneumonia (all forms)	..	{	M	17	4	1	1	—	—	3	4	2	2	22	3	2	1	—	2	2	6	5	1
		F	14	2	1	—	—	—	—	2	—	3	6	11	1	—	—	—	2	2	3	2	3
20 Other respiratory diseases	..	{	M	3	—	—	—	—	—	2	—	—	1	4	—	—	—	1	—	1	—	2	—
		F	3	—	—	—	—	1	—	—	—	—	2	3	1	—	—	—	1	—	—	1	
21 Ulcer of stomach or duodenum	..	{	M	8	—	—	—	—	—	2	2	3	1	3	—	—	—	—	2	—	—	1	
		F	2	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—	
22 Diarrhœa, &c.	..	{	M	3	1	—	1	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—	
		F	2	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—	
23 Appendicitis and typhlitis	..	{	M	3	—	—	—	1	1	1	—	—	—	2	—	—	—	1	—	1	—	—	
		F	3	—	—	—	—	—	1	1	—	—	1	6	—	—	—	—	2	1	—	3	
24 Cirrhosis of liver	..	{	M	2	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis	..	{	M	12	—	—	—	1	—	1	2	5	3	12	—	—	—	1	—	—	2	6	3
		F	9	—	—	—	—	—	—	1	2	5	1	17	—	—	—	—	2	7	5	3	
26 Puerperal sepsis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	—	
27 Other accidents and diseases of pregnancy and parturition	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	3	—	—	—	—	—	—	3	—	—	—	4	—	—	—	—	3	1	—	—	
28 Congenital debility and malformation, premature birth	..	{	M	14	14	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	
		F	3	3	—	—	—	—	—	—	—	—	—	15	13	—	2	—	—	—	—	—	
29 Suicide	..	{	M	9	—	—	—	—	2	3	4	—	—	3	—	—	—	—	—	2	1	—	
		F	4	—	—	—	—	—	—	1	2	1	—	3	—	—	—	—	—	3	—	—	
30 Other deaths from violence..	..	{	M	23	—	—	1	3	2	7	7	2	1	26	—	—	—	1	7	7	6	2	3
		F	11	—	—	2	2	—	—	1	1	2	3	9	—	—	1	1	—	1	1	2	3
31 Other defined diseases	..	{	M	74	3	—	3	1	—	6	19	11	31	80	5	2	1	1	4	6	16	15	30
		F	70	1	—	2	4	—	—	7	13	16	27	82	2	—	1	1	1	7	13	17	40
32 Causes ill-defined or unknown	..	{	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CHESTER—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	2715	235	53	58	74	76	299	829	611	480	1126	111	17	24	17	46	97	284	294	236
	F	2630	152	39	53	65	80	256	690	611	684	1048	66	16	6	21	21	117	252	245	304
1 Enteric fever ..	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	1	—	—	1	—	2	—	—	—	—	—	1	1	—	
2 Small-pox..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ..	M	30	7	9	12	1	—	1	—	—	—	8	1	3	4	—	—	—	—	—	
	F	27	4	8	11	4	—	—	—	—	—	8	3	2	2	—	—	1	—	—	
4 Scarlet fever ..	M	2	—	—	1	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	
	F	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough ..	M	14	6	5	3	—	—	—	—	—	—	5	3	—	1	—	1	—	—	—	
	F	9	3	5	1	—	—	—	—	—	—	5	3	1	—	—	1	—	—	—	
6 Diphtheria ..	M	22	—	1	6	11	3	1	—	—	—	6	—	—	3	2	—	1	—	—	
	F	27	1	1	8	15	2	—	—	—	—	10	—	1	1	7	—	1	—	—	
7 Influenza ..	M	51	1	—	2	2	1	11	24	6	4	12	—	—	—	—	1	3	7	1	
	F	33	1	—	—	1	—	4	10	9	8	17	—	—	—	—	1	3	4	6	
8 Encephalitis lethargica ..	M	5	—	—	—	—	2	—	1	2	—	2	—	—	—	—	—	—	1	—	
	F	9	—	—	—	—	3	1	2	3	—	2	—	—	—	—	—	2	—	—	
9 Meningococcal meningitis ..	M	3	—	1	1	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	
	F	2	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
10 Tuberculosis of respiratory system	M	145	—	1	1	1	14	59	60	9	—	45	—	1	—	—	8	17	17	2	
	F	104	—	—	1	4	32	44	18	3	2	53	—	1	—	2	6	32	9	1	
11 Other tuberculous diseases ..	M	28	2	3	6	4	6	3	3	1	—	15	1	1	5	2	2	4	—	—	
	F	37	3	4	8	7	6	4	2	3	—	11	1	2	1	—	2	1	4	—	
12 Cancer, malignant disease ..	M	335	—	—	—	—	1	22	167	99	46	146	—	—	1	—	2	6	55	62	
	F	382	—	—	—	1	1	33	172	116	59	160	—	—	—	1	1	10	72	39	
13 Rheumatic fever ..	M	8	—	—	—	—	3	4	1	—	—	3	—	—	—	2	1	—	—	—	
	F	8	—	—	—	3	—	3	2	—	—	3	—	—	—	1	—	1	1	—	
14 Diabetes ..	M	35	—	—	—	—	2	1	10	15	7	10	—	—	—	—	—	1	5	3	
	F	47	—	—	—	1	—	2	15	20	9	24	—	—	—	—	1	1	9	11	
15 Cerebral hæmorrhage, &c. ..	M	126	—	—	—	1	—	2	35	54	34	50	—	—	—	—	—	1	18	18	
	F	163	—	—	—	—	—	2	46	49	66	56	—	—	—	—	—	1	12	17	
16 Heart disease ..	M	494	—	—	—	4	1	30	162	165	132	226	—	—	—	2	1	54	79	81	
	F	589	—	—	—	6	7	36	154	181	205	242	—	—	—	1	2	35	89	103	
17 Arterio-sclerosis ..	M	158	—	—	—	—	—	1	34	58	65	57	—	—	—	—	—	—	6	26	
	F	134	—	—	—	—	—	2	22	37	73	49	—	—	—	—	—	1	8	10	
18 Bronchitis..	M	104	9	2	1	1	—	5	30	25	31	37	5	—	—	2	—	2	4	9	
	F	100	5	2	—	—	—	2	15	24	52	25	3	1	—	1	—	1	3	4	
19 Pneumonia (all forms) ..	M	211	29	14	7	7	6	43	60	26	19	66	10	8	3	—	2	8	18	9	
	F	125	23	11	9	3	6	19	22	18	14	38	8	4	—	1	—	6	5	8	
20 Other respiratory diseases ..	M	30	1	2	1	1	1	4	11	7	2	11	1	—	—	—	1	3	3	2	
	F	27	1	—	2	—	1	6	8	4	5	8	—	—	—	—	—	2	2	1	
21 Ulcer of stomach or duodenum ..	M	31	—	—	—	—	1	14	13	3	—	13	—	—	—	—	1	2	7	1	
	F	5	—	—	—	—	—	1	1	1	2	2	—	—	—	—	—	—	1	—	
22 Diarrhœa, &c. ..	M	19	13	2	—	—	1	1	1	1	—	15	8	1	1	—	—	—	4	1	
	F	26	12	3	4	1	—	—	2	2	2	7	3	—	—	—	—	1	1	2	
23 Appendicitis and typhlitis ..	M	21	—	—	—	3	2	2	8	3	3	9	—	—	2	1	1	—	3	1	
	F	11	—	—	—	1	1	2	3	3	1	4	—	—	—	1	—	—	2	1	
24 Cirrhosis of liver ..	M	15	—	—	—	—	—	1	10	2	2	5	—	—	—	—	—	—	2	2	
	F	8	—	—	—	—	1	—	4	3	—	2	—	—	—	—	—	—	2	—	
25 Acute and chronic nephritis ..	M	100	—	—	1	1	4	9	39	26	20	44	—	—	—	—	3	4	15	14	
	F	85	—	—	1	—	2	7	35	34	6	50	—	—	1	1	—	6	17	14	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	12	—	—	—	—	2	10	—	—	—	6	—	—	—	—	—	6	—	—	
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	19	—	—	—	—	4	15	—	—	—	9	—	—	—	—	1	8	—	—	
28 Congenital debility and malformation, premature birth ..	M	126	125	—	1	—	—	—	—	—	—	66	65	—	1	—	—	—	—	—	
	F	70	70	—	—	—	—	—	—	—	—	40	40	—	—	—	—	—	—	—	
29 Suicide ..	M	39	—	—	—	—	1	13	21	3	1	19	—	—	—	—	1	3	11	4	
	F	24	—	—	—	—	—	8	13	1	2	8	—	—	—	—	1	1	4	2	
30 Other deaths from violence..	M	123	2	4	9	19	13	30	35	5	6	62	3	—	2	2	15	13	15	8	
	F	52	3	1	4	2	3	1	11	11	16	25	—	2	—	2	2	—	7	6	
31 Other defined diseases..	M	435	40	9	6	17	13	40	103	99	108	191	14	3	1	1	6	19	39	51	
	F	486	25	4	4	13	8	54	130	86	162	181	5	2	1	3	3	21	50	34	
32 Causes ill-defined or unknown ..	M	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	
	F	5	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CORNWALL—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	938	59	13	16	27	36	81	240	228	238	1059	78	11	13	29	35	83	244	270	296
	F	1094	47	5	13	19	26	83	234	251	416	1201	54	6	14	16	37	102	262	269	441
1 Enteric fever .. {	M	2	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
2 Small-pox.. .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles {	M	8	3	2	2	1	—	—	—	—	—	4	1	1	1	1	—	—	—	—	—
	F	6	2	1	2	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
4 Scarlet fever .. {	M	4	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough .. {	M	2	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria .. {	M	6	1	—	1	4	—	—	—	—	—	4	—	—	2	2	—	—	—	—	—
	F	6	—	—	2	3	—	—	1	—	—	3	—	—	—	—	1	1	1	—	—
7 Influenza {	M	4	—	—	—	—	—	1	3	—	—	11	—	—	—	—	1	3	3	3	1
	F	10	—	—	—	—	—	—	5	1	4	9	—	—	—	—	—	2	2	3	2
8 Encephalitis lethargica .. {	M	3	—	—	—	—	—	—	3	—	—	3	—	—	—	1	—	—	2	—	—
	F	3	—	—	—	—	1	1	1	—	—	3	—	—	—	—	—	3	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	71	—	—	1	—	16	21	25	7	1	65	—	—	—	1	14	21	25	4	—
	F	48	—	—	—	—	14	22	11	—	1	53	—	1	1	3	14	21	12	1	—
11 Other tuberculous diseases .. {	M	13	—	1	3	4	2	2	1	—	—	17	—	1	—	6	4	3	1	2	—
	F	18	1	1	1	5	1	4	5	—	—	14	1	—	1	2	3	3	2	1	1
12 Cancer, malignant disease .. {	M	115	—	—	—	—	1	6	44	37	27	127	—	—	—	—	1	6	37	52	31
	F	175	—	—	—	—	1	12	61	54	47	157	—	—	—	—	—	12	66	48	31
13 Rheumatic fever .. {	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes {	M	12	—	—	—	—	—	2	1	5	4	23	—	—	—	—	—	1	6	10	6
	F	28	—	—	—	—	—	4	8	10	6	26	—	—	—	—	—	1	9	12	4
15 Cerebral hæmorrhage, &c. .. {	M	63	—	—	—	—	—	1	13	24	25	61	—	—	—	—	—	1	7	24	29
	F	88	—	—	—	—	—	1	18	29	40	89	—	—	—	—	1	1	19	36	32
16 Heart disease .. {	M	203	—	—	—	—	2	8	50	68	80	215	—	—	1	—	—	4	53	80	77
	F	256	—	—	—	1	1	6	44	72	132	302	—	—	—	—	3	8	54	87	150
17 Arterio-sclerosis .. {	M	25	—	—	—	—	—	—	5	10	10	31	—	—	—	—	—	—	7	10	14
	F	42	—	—	—	—	—	—	9	11	22	49	—	—	—	—	—	—	10	15	24
18 Bronchitis {	M	30	4	—	—	1	—	1	5	6	13	42	4	2	—	—	—	—	4	13	19
	F	47	1	—	—	1	—	—	7	12	26	55	5	—	—	1	1	1	5	9	33
19 Pneumonia (all forms) .. {	M	34	5	2	2	—	4	3	7	7	4	41	6	2	—	2	1	6	12	5	7
	F	29	4	2	1	—	—	1	4	6	11	35	6	1	3	3	1	5	3	6	7
20 Other respiratory diseases .. {	M	17	1	—	—	1	—	3	7	5	—	17	1	1	—	—	—	2	8	5	—
	F	9	1	—	—	—	—	1	—	3	4	7	—	—	—	—	—	—	1	2	4
21 Ulcer of stomach or duodenum .. {	M	21	—	—	—	—	—	4	11	5	1	9	—	—	—	—	—	2	4	2	1
	F	5	—	—	—	—	—	—	3	—	2	3	—	—	—	—	—	1	1	—	1
22 Diarrhœa, &c. .. {	M	8	3	2	—	—	—	1	1	1	—	8	5	—	—	—	—	1	—	1	1
	F	5	2	—	—	—	—	—	2	1	—	7	2	—	1	—	—	1	1	1	1
23 Appendicitis and typhlitis .. {	M	10	—	—	—	1	3	3	2	1	—	10	—	—	—	2	1	—	5	2	—
	F	8	—	—	—	3	2	1	1	—	1	3	—	—	—	—	1	—	2	—	—
24 Cirrhosis of liver .. {	M	6	—	—	—	—	—	—	1	4	1	4	—	—	—	—	—	—	2	1	1
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis .. {	M	41	—	—	—	—	—	5	17	9	10	30	1	—	—	—	—	1	5	12	11
	F	38	—	—	—	—	3	4	9	9	13	40	1	—	—	—	1	6	12	10	10
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—	1	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	12	—	—	—	—	1	11	—	—	—	6	—	—	—	—	1	5	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	38	34	3	—	1	—	—	—	—	—	46	46	—	—	—	—	—	—	—	—
	F	24	23	—	1	—	—	—	—	—	—	33	30	1	—	1	—	—	1	—	—
29 Suicide ' {	M	9	—	—	—	—	—	1	6	1	1	20	—	—	—	—	—	1	1	13	4
	F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence .. {	M	38	2	1	3	4	6	5	8	3	6	49	—	—	4	7	7	16	9	4	2
	F	13	1	—	—	1	—	1	2	6	2	25	1	1	3	2	4	3	2	—	9
31 Other defined diseases .. {	M	148	6	2	2	5	2	13	29	35	54	214	12	4	5	7	4	12	39	36	95
	F	213	10	1	6	3	2	11	40	35	105	270	6	2	2	3	5	26	58	36	132
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	—	—	1	4	1	—	—	—	—	1	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—

CUMBERLAND—1930 (Civilian population only).

CAUSES OF DEATH.		SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	F	727 709	87 54	14 16	8 21	14 30	30 33	75 67	177 163	186 136	136 189	560 555	47 26	6 5	8 7	17 18	26 14	59 52	132 135	130 134	135 164
1 Enteric fever .. {	M	F	1 2	— —	— —	— —	— —	— —	1 1	— 1	— —	— —	1 1	— —	— —	— —	— —	— —	1 —	— 1	— —	— —
2 Small-pox .. {	M	F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
3 Measles .. {	M	F	3 3	— 1	3 2	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —
4 Scarlet fever .. {	M	F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —
5 Whooping cough .. {	M	F	5 7	2 1	2 3	1 3	— —	— —	— —	— —	— —	— —	2 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —
6 Diphtheria .. {	M	F	4 6	1 —	— —	1 3	2 3	— —	— —	— —	— —	— —	2 2	— —	— —	1 —	— 2	— —	— —	— —	— —	— —
7 Influenza .. {	M	F	7 3	— —	— —	— —	— —	2 —	2 —	2 2	— —	1 1	7 14	— 1	— —	— —	— —	1 2	1 —	— 4	2 5	3 2
8 Encephalitis lethargica .. {	M	F	1 1	— —	— —	— —	— —	— —	— —	— 1	1 —	— —	1 —	— —	— —	— —	— —	— —	— 1	— —	— —	— —
9 Meningococcal meningitis .. {	M	F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— 1	— —	1 —	— —	— —	— —	— —
10 Tuberculosis of respiratory system {	M	F	37 46	— —	— —	— 1	2 4	9 18	18 14	8 8	— 1	— —	23 29	— —	— —	— —	1 2	6 6	11 13	3 4	2 4	— —
11 Other tuberculous diseases .. {	M	F	12 15	1 1	— 2	1 —	2 6	3 2	2 2	— 1	3 1	— —	3 7	1 1	— —	— 1	— 2	— 1	2 —	— 2	— —	— —
12 Cancer, malignant disease .. {	M	F	91 94	— —	— —	— —	— —	1 1	3 11	34 37	42 27	11 18	59 82	— —	— —	— —	— —	1 —	1 2	29 42	17 22	11 16
13 Rheumatic fever .. {	M	F	3 —	— —	— —	— —	— —	1 —	1 —	— —	1 —	— —	3 3	— —	— —	— —	2 —	— —	1 —	— —	— 2	— 1
14 Diabetes .. {	M	F	8 12	— —	— —	— —	— —	— —	— 1	4 4	1 6	3 1	8 6	— —	— —	1 —	1 —	— —	1 —	— 5	5 1	— —
15 Cerebral hæmorrhage, &c. .. {	M	F	57 61	— —	— —	— —	— —	— —	2 —	15 18	23 21	17 22	34 48	— —	— —	— —	— —	— —	— —	8 8	13 19	13 21
16 Heart disease .. {	M	F	115 121	— —	— —	— —	1 —	2 4	5 7	36 25	37 34	34 51	110 116	— —	— —	— —	— —	1 —	6 8	27 28	33 29	43 51
17 Arterio-sclerosis .. {	M	F	38 15	— —	— —	— —	— —	— —	1 —	5 2	16 4	16 9	33 32	— —	— —	— —	— —	— —	— —	2 3	13 8	18 21
18 Bronchitis .. {	M	F	40 52	10 9	2 2	2 2	— 2	— 1	3 2	8 7	6 11	9 16	21 19	2 3	— —	— —	1 —	— —	— —	5 2	4 5	9 9
19 Pneumonia (all forms) .. {	M	F	42 32	9 8	3 3	1 3	1 3	3 —	6 2	10 3	7 3	2 7	24 16	5 2	— 2	1 —	— 1	1 1	7 5	4 4	3 1	3 —
20 Other respiratory diseases .. {	M	F	12 9	1 —	— —	— 1	— —	— 1	2 1	2 2	2 2	4 2	11 4	1 —	1 —	— —	— —	— —	1 1	1 —	3 2	4 1
21 Ulcer of stomach or duodenum .. {	M	F	15 3	— —	— —	— —	— —	2 1	5 —	5 2	3 —	— —	10 1	— —	— —	— —	— —	— —	2 1	5 —	3 —	— —
22 Diarrhoea, &c. .. {	M	F	20 8	15 4	2 1	— —	— —	— —	— 1	— 2	1 —	2 —	11 3	4 1	2 —	— —	1 —	1 —	— —	1 —	1 2	1 —
23 Appendicitis and typhlitis .. {	M	F	2 2	— —	— —	— —	— 2	1 —	— —	1 —	— —	— —	1 5	— —	— —	— —	1 1	— —	— 2	— —	2 —	— —
24 Cirrhosis of liver .. {	M	F	2 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— 1
25 Acute and chronic nephritis .. {	M	F	19 21	— —	— —	— —	— —	— 3	1 3	9 9	7 5	2 1	20 20	— —	— —	— —	— —	— —	4 6	9 7	6 7	1 7
26 Puerperal sepsis .. {	M	F	— 2	— —	— —	— —	— —	— 1	— 1	— —	— —	— —	— 2	— —	— —	— —	— —	— —	2 —	— —	— —	— —
27 Other accidents and diseases of pregnancy and parturition .. {	M	F	— 8	— —	— —	— —	— —	— —	— 8	— —	— —	— —	— 3	— —	— —	— —	— —	— 3	— —	— —	— —	— —
28 Congenital debility and malformation, premature birth .. {	M	F	35 22	33 21	— —	— 1	— —	— —	— 2	— —	— —	— —	24 15	24 14	— —	— 1	— —	— —	— —	— —	— —	— —
29 Suicide .. {	M	F	8 2	— —	— —	— —	— —	— —	— 1	5 1	2 —	1 —	13 4	— —	— —	— —	— —	— 1	6 1	7 2	— —	— —
30 Other deaths from violence .. {	M	F	27 14	2 1	1 —	1 2	2 3	— —	8 2	5 2	4 1	2 3	42 9	— —	— —	4 2	6 3	9 —	10 —	7 2	4 2	2 —
31 Other defined diseases .. {	M	F	115 141	12 8	1 3	1 4	3 7	4 1	13 9	21 32	28 19	32 58	89 109	9 4	1 2	1 3	3 6	5 2	5 16	18 20	20 22	27 34
32 Causes ill-defined or unknown .. {	M	F	8 6	1 —	— —	— 1	— —	— —	— 1	4 4	3 —	— —	6 2	— —	— —	— —	— —	— —	— —	5 1	1 —	— —

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DERBY—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	1781	227	32	45	61	75	189	473	388	291	1590	165	31	39	53	73	149	378	362	340
	F	1579	124	37	34	65	72	139	385	362	361	1389	133	39	32	42	49	140	324	295	335
1 Enteric fever .. {	M	3	—	1	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox... .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	14	5	5	3	1	—	—	—	—	—	11	3	3	4	1	—	—	—	—	—
	F	13	4	7	1	1	—	—	—	—	—	18	3	9	5	1	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	5	—	—	1	2	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough .. {	M	3	—	—	3	—	—	—	—	—	—	8	3	4	1	—	—	—	—	—	—
	F	8	3	4	—	1	—	—	—	—	—	13	8	4	1	—	—	—	—	—	—
6 Diphtheria .. {	M	14	—	—	6	8	—	—	—	—	—	11	—	—	4	7	—	—	—	—	—
	F	17	—	2	4	9	2	—	—	—	—	18	—	1	4	10	2	—	1	—	—
7 Influenza .. {	M	25	—	—	1	1	—	2	9	5	7	21	—	—	1	1	1	4	7	6	1
	F	16	—	—	—	1	—	3	6	4	2	18	—	2	—	—	—	2	6	2	6
8 Encephalitis lethargica .. {	M	6	—	—	—	1	2	2	1	—	—	6	—	1	—	—	1	3	1	—	—
	F	5	—	—	—	—	1	2	1	1	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis .. {	M	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	94	—	1	1	2	14	38	36	2	—	63	—	2	—	2	16	20	21	2	—
	F	68	—	—	—	5	27	27	9	—	—	40	1	—	—	1	9	20	8	1	—
11 Other tuberculous diseases .. {	M	40	4	5	6	6	7	9	3	—	—	21	1	1	2	8	3	3	2	—	1
	F	27	1	2	2	10	8	1	3	—	—	15	1	1	4	3	3	2	1	—	—
12 Cancer, malignant disease .. {	M	176	—	—	1	1	3	4	76	72	19	177	—	—	—	—	—	8	81	58	30
	F	194	—	—	—	—	—	11	95	64	24	174	—	—	2	—	2	16	74	57	23
13 Rheumatic fever.. {	M	7	—	—	—	5	1	1	—	—	—	4	—	—	—	2	1	1	—	—	—
	F	9	—	—	2	2	4	—	—	1	—	5	—	—	—	—	—	4	1	—	—
14 Diabetes .. {	M	14	—	—	—	—	1	4	3	5	1	15	—	—	—	—	3	—	6	5	1
	F	26	—	—	—	1	—	3	7	13	2	18	—	—	—	—	—	—	8	7	3
15 Cerebral hæmorrhage, &c. .. {	M	87	—	—	—	—	—	1	19	35	32	89	—	—	—	—	—	2	16	35	36
	F	155	—	—	—	—	—	5	52	55	43	103	—	—	—	1	—	2	32	29	39
16 Heart disease .. {	M	330	1	—	1	9	6	23	91	116	83	285	—	—	2	4	6	12	76	98	87
	F	300	—	—	—	4	8	21	84	91	92	280	—	—	—	5	8	13	69	91	94
17 Arterio-sclerosis .. {	M	76	—	—	—	—	—	1	26	28	21	67	—	—	—	—	—	2	13	27	25
	F	44	—	—	—	—	—	—	8	14	22	46	—	—	—	—	—	—	10	17	19
18 Bronchitis.. {	M	77	11	1	1	1	1	4	13	22	23	63	10	4	—	—	—	3	11	12	23
	F	65	6	2	1	—	—	—	7	23	26	62	11	4	—	1	—	—	6	15	25
19 Pneumonia (all forms) .. {	M	116	26	11	7	3	7	15	35	8	4	128	24	7	13	4	6	22	24	18	10
	F	82	18	12	8	6	2	6	14	12	4	61	8	7	8	1	2	12	8	10	5
20 Other respiratory diseases .. {	M	15	1	—	1	—	—	2	8	1	2	15	—	—	—	2	—	2	6	4	1
	F	23	2	1	2	2	1	4	4	3	4	8	—	—	—	—	—	2	4	2	—
21 Ulcer of stomach or duodenum .. {	M	26	—	—	—	—	—	8	14	3	1	15	—	—	—	—	—	5	8	2	—
	F	5	—	—	—	—	—	2	2	1	—	6	—	—	—	—	—	—	6	—	—
22 Diarrhoea, &c. .. {	M	22	15	1	1	—	—	3	2	—	—	17	9	2	1	1	—	2	—	—	2
	F	15	8	1	—	2	—	—	3	—	1	23	16	1	—	1	—	—	1	1	3
23 Appendicitis and typhlitis .. {	M	12	—	—	1	—	3	4	3	1	—	10	—	—	1	1	2	1	4	1	—
	F	7	—	—	—	2	1	3	—	1	—	10	—	—	—	2	1	1	3	3	—
24 Cirrhosis of liver .. {	M	7	—	—	—	—	—	1	3	3	—	5	—	—	—	—	—	—	3	2	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—	1
25 Acute and chronic nephritis .. {	M	53	1	—	—	—	1	7	24	13	7	54	—	—	2	—	3	4	11	22	12
	F	52	—	—	—	1	3	4	20	18	6	36	—	1	—	1	3	5	10	11	5
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	3	2	—	—	—	13	—	—	—	—	2	11	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	15	—	—	—	—	3	12	—	—	—	11	—	—	—	—	2	9	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	119	118	—	—	1	—	—	—	—	—	84	84	—	—	—	—	—	—	—	—
	F	73	70	2	—	—	1	—	—	—	—	51	51	—	—	—	—	—	—	—	—
29 Suicide .. {	M	19	—	—	—	—	2	4	12	1	—	25	—	—	—	—	3	3	15	3	1
	F	7	—	—	—	—	—	3	3	1	—	12	—	—	—	—	1	3	6	1	1
30 Other deaths from violence.. {	M	102	2	—	6	7	16	29	30	7	5	113	2	3	3	8	19	33	30	8	7
	F	28	—	1	6	4	1	4	5	4	3	43	7	1	2	6	4	5	6	2	10
31 Other defined diseases.. {	M	314	41	7	5	14	10	26	61	64	86	280	28	4	5	12	8	18	43	59	103
	F	308	12	3	6	12	4	26	59	54	132	296	26	8	5	8	10	33	59	46	101
32 Causes ill-defined or unknown .. {	M	8	—	—	1	—	—	1	4	2	—	1	1	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	—	2	2	—	4	1	—	—	—	—	—	3	—	—

DEVON—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	1380	75	10	15	22	43	112	363	351	389	1351	104	16	19	36	53	122	311	307	383
	F	1657	56	6	12	32	38	147	352	392	622	1280	55	13	17	18	46	114	297	284	436
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	4	1	2	—	1	—	—	—	—	—	6	2	1	—	3	—	—	—	—	—
	F	3	3	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
4 Scarlet fever .. {	M	2	—	—	—	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	6	4	—	1	—	—	1	—	—	—	9	5	3	—	1	—	—	—	—	—
	F	3	1	2	—	—	—	—	—	—	—	7	3	2	—	—	—	1	—	—	1
6 Diphtheria .. {	M	10	—	—	6	4	—	—	—	—	—	11	—	—	3	6	1	1	—	—	—
	F	8	1	—	3	4	—	—	—	—	—	11	—	—	4	4	1	1	1	—	—
7 Influenza .. {	M	19	2	—	—	—	2	—	5	4	6	22	—	—	—	—	—	6	5	7	4
	F	14	1	—	—	—	—	1	3	4	5	20	—	—	—	1	1	1	9	3	5
8 Encephalitis lethargica .. {	M	3	—	—	—	—	1	1	1	—	—	2	—	—	—	—	—	1	—	1	—
	F	4	—	—	—	1	—	2	1	—	—	1	—	—	—	—	—	1	—	—	—
9 Meningococcal meningitis .. {	M	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	76	—	1	—	—	13	31	25	5	1	64	—	—	—	1	13	35	14	1	—
	F	100	—	—	—	2	23	40	27	7	1	71	—	—	—	2	17	33	14	2	3
11 Other tuberculous diseases .. {	M	10	—	—	1	—	2	5	2	—	—	20	3	2	—	2	3	6	1	3	—
	F	18	—	1	3	4	3	4	2	1	—	11	—	1	1	2	2	2	2	—	1
12 Cancer, malignant disease .. {	M	165	—	—	—	—	—	6	65	51	43	157	—	—	1	—	1	8	67	40	40
	F	252	—	—	—	2	1	15	84	76	74	199	—	—	—	1	—	6	91	57	44
13 Rheumatic fever .. {	M	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—
	F	4	—	—	—	1	1	—	1	1	—	2	—	—	—	—	—	1	—	1	—
14 Diabetes .. {	M	20	—	—	—	—	—	1	10	6	3	11	—	—	—	1	—	—	2	4	4
	F	26	—	—	—	—	—	1	9	10	6	14	—	—	—	—	—	1	3	7	3
15 Cerebral hæmorrhage, &c. .. {	M	77	—	—	—	—	—	1	25	24	27	78	—	—	—	—	—	4	14	24	36
	F	135	—	—	—	—	—	2	30	26	77	87	—	—	—	—	—	3	23	25	36
16 Heart disease .. {	M	315	—	—	—	2	—	14	82	103	114	269	—	—	—	—	4	6	69	89	101
	F	370	—	—	—	—	2	11	61	116	180	280	—	—	—	2	5	15	48	83	127
17 Arterio-sclerosis .. {	M	94	—	—	—	—	—	—	9	35	50	62	—	—	—	—	—	—	7	16	39
	F	101	—	—	—	—	—	—	6	27	68	58	—	—	—	—	—	—	8	17	33
18 Bronchitis .. {	M	60	1	1	1	1	—	1	13	16	26	70	6	3	1	1	—	1	9	16	33
	F	72	7	1	—	1	1	—	7	15	40	59	3	2	—	—	—	—	4	8	42
19 Pneumonia (all forms) .. {	M	64	7	5	4	2	1	4	20	8	13	58	4	2	4	—	5	7	14	12	10
	F	58	4	—	2	2	—	3	18	13	16	43	1	1	3	1	2	2	14	11	8
20 Other respiratory diseases .. {	M	14	—	—	—	—	1	—	4	3	6	19	—	—	2	—	1	1	6	6	3
	F	14	—	—	—	1	—	4	2	2	5	9	1	1	—	1	1	—	—	2	2
21 Ulcer of stomach or duodenum .. {	M	16	—	—	—	—	—	4	8	2	2	11	—	—	—	—	—	2	4	3	2
	F	7	—	—	—	—	—	—	5	1	1	5	—	—	—	—	—	—	4	1	—
22 Diarrhœa, &c. .. {	M	4	2	—	—	—	—	—	1	1	—	7	2	3	—	1	—	—	—	1	—
	F	12	2	1	—	2	—	1	—	—	6	8	2	—	1	—	—	3	—	—	2
23 Appendicitis and typhlitis .. {	M	14	—	—	—	1	3	2	5	2	1	11	—	—	—	1	2	2	5	—	1
	F	10	—	—	—	—	—	4	3	3	—	10	—	—	—	1	1	1	4	3	—
24 Cirrhosis of liver .. {	M	7	—	—	—	—	—	—	3	4	—	6	—	—	—	—	—	2	2	2	—
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis .. {	M	47	—	—	—	2	2	4	15	17	7	52	—	—	—	—	1	6	17	15	13
	F	44	—	—	—	—	2	4	9	15	14	49	—	—	1	—	—	2	13	14	19
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	7	1	—	—	6	—	—	—	—	1	4	1	—	—
28 Congenital debility and malformation, premature birth .. {	M	45	45	—	—	—	—	—	—	—	—	70	64	—	1	2	2	1	—	—	—
	F	28	27	—	—	1	—	—	—	—	—	41	39	1	—	1	—	—	—	—	—
29 Suicide .. {	M	16	—	—	—	—	—	4	7	3	2	22	—	—	—	—	—	6	9	7	—
	F	8	—	—	—	—	—	2	6	—	—	10	—	—	—	—	2	2	6	—	—
30 Other deaths from violence .. {	M	60	2	—	1	3	13	13	12	9	7	47	3	—	1	4	12	8	11	4	4
	F	34	1	—	1	1	1	3	6	8	13	26	2	1	1	—	3	4	4	6	5
31 Other defined diseases .. {	M	222	10	1	1	4	4	19	48	54	81	260	15	2	6	13	7	18	53	53	93
	F	315	9	1	3	10	4	38	69	65	116	234	4	3	4	1	8	24	42	43	105
32 Causes ill-defined or unknown .. {	M	7	—	—	—	—	1	1	1	4	—	5	—	—	—	—	—	—	2	3	—
	F	4	—	—	—	—	—	1	2	1	—	5	—	—	—	—	—	—	4	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DORSET—1930 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	826	46	6	12	19	24	79	232	222	186	687	51	10	7	17	17	55	156	167	207
			F	784	41	6	8	18	26	70	177	167	271	678	36	13	5	16	18	62	123	159	246
1 Enteric fever	..	{	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	{	M	4	1	1	2	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
			F	3	1	1	1	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
4 Scarlet fever	..	{	M	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
5 Whooping cough	{	M	—	—	—	—	—	—	—	—	—	—	7	4	1	1	1	—	—	—	—	—
			F	4	2	1	1	—	—	—	—	—	—	4	—	3	1	—	—	—	—	—	—
6 Diphtheria	..	{	M	8	—	—	1	7	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
			F	8	—	—	1	6	1	—	—	—	—	6	—	—	1	4	—	1	—	—	—
7 Influenza	{	M	10	—	—	—	1	—	2	4	—	3	3	—	—	—	—	—	—	—	2	1
			F	9	—	—	—	1	—	—	2	2	4	11	—	—	—	—	1	2	1	7	
8 Encephalitis lethargica	..	{	M	4	—	—	1	—	—	1	2	—	—	1	—	—	—	—	—	—	1	—	
			F	7	—	—	—	—	1	1	3	1	1	2	—	—	—	—	2	—	—	—	
9 Meningococcal meningitis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	{	M	59	—	—	1	—	7	27	21	3	—	32	—	—	—	—	4	19	7	2	—	—
		F	41	—	—	—	—	12	16	9	3	1	27	—	—	—	1	7	13	4	1	1	—
11 Other tuberculous diseases	..	{	M	7	—	—	1	2	2	2	—	—	19	—	1	1	6	—	4	5	2	—	—
		F	13	—	—	1	1	3	5	2	1	—	5	—	1	—	1	—	—	2	—	1	—
12 Cancer, malignant disease	{	M	114	1	—	—	—	5	41	41	26	78	—	—	—	—	—	3	32	29	14	—
		F	142	—	—	—	—	—	6	57	42	37	100	—	—	—	—	2	9	34	34	21	—
13 Rheumatic fever	{	M	1	—	—	—	—	—	—	1	—	1	1	—	—	1	—	—	—	—	—	—
			F	3	—	—	—	1	—	1	—	—	1	1	—	—	—	1	—	—	—	—	—
14 Diabetes	{	M	7	—	—	—	—	—	3	3	1	5	—	—	—	—	—	—	2	2	1	—
		F	10	—	—	—	—	1	3	2	2	2	5	—	—	—	—	—	2	—	1	2	
15 Cerebral hæmorrhage, &c.	..	{	M	64	—	—	—	—	1	23	24	16	39	—	—	—	—	—	—	7	18	14	—
		F	77	—	—	—	—	—	—	12	23	42	50	—	—	—	—	—	—	8	21	21	—
16 Heart disease	..	{	M	172	—	—	1	—	6	46	65	54	160	—	—	—	—	—	2	30	53	75	—
		F	157	—	—	2	—	8	29	54	64	155	—	—	—	1	1	2	30	44	77	—	
17 Arterio-sclerosis	{	M	25	—	—	—	—	—	4	11	10	36	—	—	—	—	—	—	6	6	24	—
		F	25	—	—	—	—	—	—	2	6	17	34	—	—	—	—	—	—	4	9	21	—
18 Bronchitis..	..	{	M	27	—	1	—	—	—	4	9	13	26	5	—	—	—	1	1	2	7	10	—
		F	18	—	—	—	—	—	—	5	3	10	21	1	2	—	—	—	1	1	7	10	
19 Pneumonia (all forms)	{	M	32	4	1	1	—	2	3	9	6	28	6	3	—	1	1	2	4	7	4	—
		F	25	6	3	1	2	—	1	1	4	7	25	4	2	1	1	—	—	8	4	5	—
20 Other respiratory diseases	..	{	M	13	—	—	1	—	—	2	3	4	7	2	—	—	—	—	—	2	1	2	—
		F	3	—	—	—	—	—	1	—	—	2	4	—	—	—	—	—	1	—	1	2	
21 Ulcer of stomach or duodenum	..	{	M	7	—	—	—	—	1	6	—	—	8	—	—	—	—	—	2	5	1	—	
		F	5	—	—	—	—	—	2	2	1	—	4	—	—	—	—	1	2	—	—	—	
22 Diarrhœa, &c.	..	{	M	4	2	—	—	—	—	—	1	1	7	4	—	1	—	—	1	—	—	1	—
		F	5	2	—	1	—	—	—	1	—	1	2	1	—	—	—	—	1	—	—	—	
23 Appendicitis and typhlitis	..	{	M	—	—	—	—	—	—	—	—	—	3	—	—	1	—	1	—	—	—	—	—
		F	9	—	—	—	2	1	—	4	—	2	2	—	—	1	—	1	—	—	—	—	
24 Cirrhosis of liver	{	M	5	—	—	—	—	—	3	1	1	3	—	—	—	—	—	—	2	1	—	—
		F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	1	
25 Acute and chronic nephritis	..	{	M	25	—	—	1	1	—	7	11	5	20	—	—	—	—	1	1	6	4	8	—
		F	24	—	—	—	1	1	—	7	4	12	22	1	—	—	—	1	3	7	7	3	
26 Puerperal sepsis	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	2	1	—	—	—	5	—	—	—	—	1	4	—	—	—	
27 Other accidents and diseases of pregnancy and parturition	..	{	M	—	—	—	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	6	—	—	—	
28 Congenital debility and malformation, premature birth	..	{	M	35	33	1	—	—	—	—	—	1	23	21	1	—	—	—	1	—	—	—	—
		F	21	20	—	1	—	—	—	—	—	—	27	26	1	—	—	—	—	—	—	—	
29 Suicide	{	M	16	—	—	—	—	6	7	3	—	5	—	—	—	—	—	1	2	2	—	—
		F	5	—	—	—	—	—	2	3	—	—	1	—	—	—	—	—	—	—	1	—	
30 Other deaths from violence..	..	{	M	48	—	—	3	3	8	15	10	7	30	—	2	1	4	4	7	12	—	—	—
		F	11	—	—	1	1	3	1	1	1	3	11	—	1	1	—	1	2	3	—	3	
31 Other defined diseases	..	{	M	136	5	2	1	4	3	8	37	31	45	137	8	1	2	2	5	9	30	27	53
		F	146	9	1	—	2	1	15	34	19	65	140	1	2	1	5	4	13	17	27	70	
32 Causes ill-defined or unknown	..	{	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	2	2	—	—
		F	2	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DURHAM—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	3269	494	114	112	127	177	376	795	629	445	2445	335	65	81	106	136	259	589	474	400
	F	2776	359	91	80	112	139	337	624	537	497	2033	259	61	56	93	111	264	467	384	328
1 Enteric fever .. {	M	1	—	—	—	—	—	1	—	—	—	5	—	—	—	2	2	1	—	—	—
	F	4	—	—	—	—	—	1	3	—	—	3	—	—	1	1	1	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	32	6	11	10	5	—	—	—	—	—	17	5	3	6	3	—	—	—	—	—
	F	22	6	10	4	2	—	—	—	—	—	15	3	6	2	4	—	—	—	—	—
4 Scarlet fever .. {	M	4	—	1	2	1	—	—	—	—	—	5	1	—	1	3	—	—	—	—	—
	F	7	—	1	1	4	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough .. {	M	18	11	5	1	1	—	—	—	—	—	23	12	6	4	1	—	—	—	—	—
	F	25	10	8	6	1	—	—	—	—	—	30	14	9	5	2	—	—	—	—	—
6 Diphtheria .. {	M	18	2	2	9	5	—	—	—	—	—	12	—	—	3	8	—	—	—	1	—
	F	17	—	2	8	6	1	—	—	—	—	14	1	2	5	6	—	—	—	—	—
7 Influenza .. {	M	35	—	1	—	1	—	13	13	5	2	45	1	—	2	2	1	13	12	6	8
	F	27	2	—	—	1	2	4	9	4	5	22	—	—	—	2	—	4	8	4	4
8 Encephalitis lethargica .. {	M	5	—	—	—	1	1	2	1	—	—	7	—	—	—	—	2	1	3	1	—
	F	8	—	—	—	—	1	2	5	—	—	10	—	—	—	—	2	5	3	—	—
9 Meningococcal meningitis .. {	M	4	1	—	—	2	1	—	—	—	—	4	—	—	—	2	1	1	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	226	—	1	3	8	62	89	59	4	—	144	1	1	4	4	40	45	45	3	1
	F	198	1	—	2	10	64	85	32	4	—	151	—	1	1	10	49	73	16	1	—
11 Other tuberculous diseases .. {	M	99	10	15	16	19	18	12	6	3	—	58	1	11	7	8	12	10	7	2	—
	F	77	7	8	11	15	12	19	5	—	—	45	1	1	5	15	11	9	3	—	—
12 Cancer, malignant disease .. {	M	283	—	—	1	2	4	13	144	94	25	228	—	—	2	2	1	14	105	74	30
	F	285	—	—	1	—	—	22	134	95	33	234	—	—	—	—	4	26	99	67	38
13 Rheumatic fever .. {	M	8	—	—	—	2	3	2	1	—	—	6	—	—	—	2	3	1	—	—	—
	F	15	—	—	—	6	4	2	3	—	—	9	—	—	—	4	—	2	3	—	—
14 Diabetes .. {	M	33	—	—	—	—	—	5	6	15	7	16	—	—	1	—	1	3	5	3	3
	F	40	—	—	—	—	—	4	17	17	2	22	—	—	—	—	—	2	10	7	3
15 Cerebral hæmorrhage, &c. .. {	M	173	—	—	—	—	—	8	53	71	41	112	—	—	—	—	—	3	37	40	32
	F	168	—	—	—	—	—	4	50	66	48	123	—	—	—	—	—	2	42	44	35
16 Heart disease .. {	M	454	—	—	1	7	8	34	145	155	104	360	—	—	—	3	6	24	108	131	88
	F	481	—	—	—	8	10	40	146	143	134	342	—	—	—	5	13	25	108	111	80
17 Arterio-sclerosis .. {	M	163	—	—	—	—	—	—	35	64	64	140	—	—	—	—	—	—	26	54	60
	F	110	—	—	—	—	—	—	8	38	64	74	—	—	—	—	—	—	13	24	37
18 Bronchitis .. {	M	159	35	8	3	1	3	6	25	43	35	111	24	9	4	1	1	7	17	20	28
	F	143	33	7	2	4	1	2	25	26	43	83	16	9	1	2	2	4	13	15	21
19 Pneumonia (all forms) .. {	M	275	70	36	22	12	16	34	52	21	12	183	43	22	17	20	6	28	32	10	5
	F	177	34	35	23	14	8	16	22	10	15	112	30	13	14	6	1	16	18	8	6
20 Other respiratory diseases .. {	M	32	3	3	2	2	1	6	9	2	4	33	1	—	2	1	1	2	13	9	4
	F	24	2	1	1	4	—	4	4	4	4	31	2	1	5	—	1	3	8	5	6
21 Ulcer of stomach or duodenum .. {	M	34	—	—	—	1	1	14	12	6	—	29	—	—	—	—	1	12	11	5	—
	F	7	—	—	—	—	—	1	3	3	—	5	1	—	—	—	—	3	1	—	—
22 Diarrhoea, &c. .. {	M	52	27	8	5	4	1	—	1	3	3	36	23	2	1	2	1	1	—	5	1
	F	51	35	6	2	—	—	2	3	2	1	32	13	5	4	2	—	2	2	—	4
23 Appendicitis and typhlitis .. {	M	10	—	—	—	4	1	3	2	—	—	13	—	—	1	2	3	3	3	1	—
	F	13	—	—	1	4	2	—	5	1	—	13	—	—	1	4	6	—	2	—	—
24 Cirrhosis of liver .. {	M	15	—	—	—	—	—	—	8	4	3	6	—	—	—	—	—	—	5	1	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	3	—	—
25 Acute and chronic nephritis .. {	M	98	1	3	—	2	6	15	37	23	11	62	—	1	—	5	—	6	19	18	13
	F	83	1	—	2	2	1	12	34	23	8	85	1	1	—	1	2	19	30	22	9
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	29	—	—	—	—	7	22	—	—	—	15	—	—	—	—	5	10	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	33	—	—	—	—	5	28	—	—	—	18	—	—	—	—	4	13	1	—	—
28 Congenital debility and malformation, premature birth .. {	M	248	242	1	2	2	1	—	—	—	—	174	172	—	—	1	1	—	—	—	—
	F	162	161	—	—	—	—	—	—	—	1	144	140	—	—	4	—	—	—	—	—
29 Suicide .. {	M	33	—	—	—	—	1	15	12	5	—	30	—	—	—	—	1	10	15	4	—
	F	14	—	—	—	—	3	2	5	3	1	8	—	—	—	—	1	6	1	—	—
30 Other deaths from violence .. {	M	203	3	5	20	18	28	49	51	20	9	187	2	3	11	19	36	49	49	12	6
	F	61	3	1	5	9	9	5	9	7	13	47	3	2	5	9	4	5	7	4	8
31 Other defined diseases .. {	M	540	83	14	15	27	20	54	111	91	125	387	49	7	15	15	14	23	70	73	121
	F	477	63	10	10	22	9	57	97	84	125	328	34	11	6	14	15	34	69	68	77
32 Causes ill-defined or unknown .. {	M	14	—	—	—	—	1	1	12	—	—	12	—	—	—	—	2	2	7	1	—
	F	15	—	2	—	—	—	2	4	7	—	13	—	—	—	1	—	1	10	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
ESSEX—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	M	4168	393	82	95	153	176	481	1147	896	745	1598	98	16	25	48	58	159	395	396	403
	F	3864	268	72	86	168	168	473	832	755	1042	1409	91	14	15	27	56	139	315	297	455
1 Enteric fever	M	4	—	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	72	18	28	16	10	—	—	—	—	—	5	—	2	1	2	—	—	—	—	—
	F	65	8	19	19	18	—	1	—	—	—	3	1	1	—	1	—	—	—	—	—
4 Scarlet fever	M	10	—	—	2	6	—	2	—	—	—	4	—	—	1	1	2	—	—	—	—
	F	7	—	—	3	3	1	—	—	—	—	3	—	—	—	2	—	1	—	—	—
5 Whooping cough	M	7	2	3	1	—	—	—	—	—	1	2	2	—	—	—	—	—	—	—	—
	F	15	7	5	2	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
6 Diphtheria	M	60	2	4	22	30	1	—	1	—	—	11	—	—	4	5	1	1	—	—	—
	F	68	2	5	20	39	1	1	—	—	—	7	—	1	—	5	1	—	—	—	—
7 Influenza	M	54	3	1	1	3	—	11	16	11	8	9	—	—	—	—	—	1	4	2	2
	F	31	2	—	—	—	—	8	8	8	5	10	—	1	1	—	—	—	3	1	4
8 Encephalitis lethargica	M	4	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	3	3	1	1	—	3	—	—	—	—	—	1	1	1	—
9 Meningococcal meningitis	M	4	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	1	—	2	3	1	2	—	—	—	2	1	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	319	1	—	3	2	57	143	102	11	—	85	—	—	—	3	17	42	23	—	—
	F	213	1	—	1	9	65	103	27	4	3	87	—	—	—	1	27	40	15	4	—
11 Other tuberculous diseases	M	47	5	4	9	5	9	9	4	2	—	26	1	4	5	5	5	4	1	1	—
	F	45	4	3	5	10	8	10	3	2	—	11	—	2	—	1	4	2	1	1	—
12 Cancer, malignant disease	M	530	—	1	—	1	4	25	243	175	81	218	—	—	—	1	—	13	75	87	42
	F	582	—	—	—	4	2	64	249	158	105	210	—	—	—	2	1	16	76	58	57
13 Rheumatic fever	M	13	—	—	—	5	4	4	—	—	—	5	—	—	1	—	—	2	1	1	—
	F	28	—	—	2	11	8	4	2	1	—	4	—	—	—	1	—	2	—	1	—
14 Diabetes	M	44	—	—	—	1	2	3	14	18	6	20	—	—	—	1	1	—	6	4	8
	F	47	—	—	—	1	—	3	17	14	12	16	—	—	—	—	1	1	5	6	3
15 Cerebral hæmorrhage, &c.	M	198	—	—	—	—	—	5	59	65	69	91	—	—	—	—	—	1	20	37	33
	F	241	—	—	—	—	—	10	62	78	91	103	—	—	—	—	—	4	20	40	39
16 Heart disease	M	737	—	—	—	6	14	41	215	231	230	324	—	—	—	4	4	15	92	108	101
	F	816	—	—	1	7	15	54	172	234	333	267	—	—	—	—	3	6	68	86	104
17 Arterio-sclerosis	M	110	—	—	—	—	—	1	25	40	44	69	—	—	—	—	—	—	15	23	31
	F	102	—	—	—	—	—	—	11	32	59	62	—	—	—	—	—	—	3	20	39
18 Bronchitis	M	134	11	2	2	1	—	9	24	44	41	47	3	1	—	—	1	1	10	10	21
	F	140	5	—	1	1	1	3	12	28	89	62	5	—	1	—	—	1	3	9	43
19 Pneumonia (all forms)	M	251	47	20	12	10	3	39	66	31	23	58	6	2	—	3	2	5	16	16	8
	F	178	32	20	11	12	5	16	34	20	28	48	9	2	2	—	2	6	10	8	9
20 Other respiratory diseases	M	44	1	2	2	2	1	7	22	6	1	20	3	—	1	—	—	5	7	2	2
	F	33	—	1	1	2	1	2	7	8	11	12	1	—	—	—	—	2	1	4	4
21 Ulcer of stomach or duodenum	M	67	1	—	—	—	1	16	30	12	7	16	—	—	—	—	—	6	4	3	3
	F	17	—	—	—	1	—	3	7	5	1	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c.	M	54	33	3	3	—	—	4	2	3	6	14	7	3	—	—	—	—	—	2	2
	F	43	20	1	—	—	2	5	5	3	7	15	5	—	—	—	—	1	3	—	6
23 Appendicitis and typhlitis	M	37	—	—	2	5	8	7	10	4	1	11	—	—	—	3	1	2	3	2	—
	F	25	—	—	4	6	5	2	6	1	1	6	—	—	—	1	1	2	1	1	—
24 Cirrhosis of liver	M	15	—	—	—	—	1	—	6	6	2	3	—	—	—	—	—	—	1	2	—
	F	13	—	—	—	—	—	3	9	1	—	5	—	—	—	—	—	—	2	2	1
25 Acute and chronic nephritis	M	118	1	1	—	2	3	13	36	38	24	49	—	—	1	1	—	6	14	17	10
	F	133	—	—	—	3	6	15	46	42	21	40	—	—	—	—	2	7	19	7	5
26 Puerperal sepsis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	24	—	—	—	—	5	19	—	—	—	9	—	—	—	—	2	7	—	—	—
27 Other accidents and diseases of pregnancy and parturition	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	41	—	—	—	—	5	36	—	—	—	16	—	—	—	—	1	15	—	—	—
28 Congenital debility and malformation, premature birth	M	203	202	—	—	—	—	—	1	—	—	61	59	—	—	1	—	—	—	1	—
	F	148	139	2	1	2	1	2	—	1	—	59	57	1	1	—	—	—	—	—	—
29 Suicide	M	72	—	—	—	—	4	25	34	6	3	25	—	—	—	—	3	4	11	4	3
	F	26	—	—	—	—	2	9	9	5	1	8	—	—	—	—	—	4	3	1	—
30 Other deaths from violence	M	226	4	5	9	27	36	53	46	24	22	95	3	1	6	5	15	25	22	11	7
	F	90	8	6	4	10	10	6	14	8	24	27	—	2	4	2	5	—	5	2	7
31 Other defined diseases	M	728	61	7	10	34	25	63	186	166	176	328	14	3	5	13	6	26	70	61	130
	F	667	39	10	9	24	21	87	127	99	251	308	12	3	4	11	6	21	73	44	134
32 Causes ill-defined or unknown	M	5	—	—	—	—	—	1	3	1	—	2	—	—	—	—	—	—	—	2	—
	F	6	—	—	—	—	—	1	3	2	—	3	—	1	—	—	—	—	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of GLOUCESTER—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	649	51	4	4	17	19	59	175	149	171	1320	87	9	13	16	45	120	351	322	357
	F	769	42	4	5	11	25	46	165	200	271	1273	67	14	8	29	38	112	259	311	435
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	1	—	—	—	1	—	—	—	—	—	3	—	2	1	—	—	—	—	—	—
	F	4	2	—	1	1	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	2	1	—	—	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
	F	7	4	1	1	1	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
6 Diphtheria .. {	M	3	—	—	—	3	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	3	—	—	—	2	1	—	—	—	—	13	—	1	2	6	2	—	1	—	1
7 Influenza .. {	M	7	—	—	—	—	—	—	3	1	3	18	—	—	—	—	—	4	6	5	3
	F	8	—	—	1	—	—	—	3	1	3	19	1	—	—	1	—	1	7	5	4
8 Encephalitis lethargica .. {	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	1	2	1	1	—	—
9 Meningococcal meningitis .. {	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	36	—	—	—	1	5	14	16	—	—	66	—	1	—	1	10	29	20	3	2
	F	37	—	—	1	—	8	16	11	—	1	61	—	—	—	1	12	33	13	2	—
11 Other tuberculous diseases .. {	M	8	1	—	—	2	—	4	1	—	—	7	—	—	—	—	2	4	1	—	—
	F	9	—	—	1	2	3	1	1	1	—	11	—	1	—	2	3	1	2	2	—
12 Cancer, malignant disease .. {	M	85	—	—	—	—	1	3	34	30	17	160	—	1	—	—	1	5	62	54	37
	F	115	—	—	—	—	—	8	44	46	17	181	—	—	—	—	1	12	65	62	41
13 Rheumatic fever .. {	M	2	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	—	—	—	2	1	1	1	1	1
14 Diabetes .. {	M	7	—	—	—	—	1	1	2	1	2	17	—	—	—	—	2	1	3	8	3
	F	11	—	—	—	—	—	—	4	6	1	27	—	—	—	—	—	2	6	11	8
15 Cerebral hæmorrhage, &c. .. {	M	33	—	—	—	—	—	1	9	11	12	74	—	—	1	—	—	1	20	25	27
	F	69	—	—	—	—	1	1	15	21	31	105	1	—	—	—	—	2	23	36	43
16 Heart disease .. {	M	140	—	—	—	1	1	5	37	42	54	271	—	—	—	—	3	8	62	95	103
	F	192	—	—	—	—	3	2	34	64	89	302	—	—	—	—	3	9	51	89	150
17 Arterio-sclerosis .. {	M	33	—	—	—	—	—	—	6	11	16	83	—	—	—	—	—	—	16	29	38
	F	51	—	—	—	—	—	—	9	18	24	67	—	—	—	—	—	—	4	20	43
18 Bronchitis .. {	M	22	—	—	—	—	—	3	5	4	10	51	5	—	1	—	—	2	8	8	27
	F	15	1	—	—	—	—	—	3	3	8	41	2	2	1	—	—	—	2	8	26
19 Pneumonia (all forms) .. {	M	39	12	2	2	—	—	4	6	3	10	52	12	—	2	1	2	8	11	7	9
	F	24	5	1	—	1	—	—	4	4	9	39	7	3	1	2	2	8	9	5	2
20 Other respiratory diseases .. {	M	2	—	—	—	—	—	—	—	1	1	14	—	—	—	—	—	3	8	3	—
	F	11	—	—	—	—	1	—	2	2	6	8	—	—	—	—	1	1	1	3	2
21 Ulcer of stomach or duodenum .. {	M	7	—	—	—	—	—	1	4	1	1	21	—	—	—	—	—	5	7	7	2
	F	3	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
22 Diarrhoea, &c. .. {	M	3	3	—	—	—	—	—	—	—	—	10	5	1	—	—	—	1	1	1	1
	F	4	2	—	—	—	—	—	—	1	1	11	3	—	2	2	—	1	1	1	1
23 Appendicitis and typhlitis .. {	M	4	—	—	—	—	1	—	2	—	1	6	—	—	—	—	—	1	4	—	1
	F	5	—	—	—	—	1	—	2	1	1	14	—	—	1	3	1	3	4	—	2
24 Cirrhosis of liver .. {	M	4	—	—	—	—	—	—	1	3	—	7	—	—	—	—	—	1	6	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis .. {	M	29	—	—	—	—	—	2	13	11	3	70	—	—	—	—	3	3	26	19	19
	F	29	—	—	—	—	1	3	9	8	8	61	1	—	—	3	—	6	22	17	12
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	5	—	—	—	—	2	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	4	—	—	—	7	—	—	—	—	1	6	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	26	26	—	—	—	—	—	—	—	—	49	48	1	—	—	—	—	—	—	—
	F	26	24	—	—	1	1	—	—	—	—	40	39	1	—	—	—	—	—	—	—
29 Suicide .. {	M	13	—	—	—	—	—	4	8	1	—	32	—	—	—	—	5	10	12	4	1
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	1	1	1	—
30 Other deaths from violence .. {	M	26	1	1	1	1	6	3	9	4	—	60	2	2	1	3	10	14	20	4	4
	F	15	—	—	—	—	1	—	4	3	7	20	2	—	—	2	1	2	3	2	8
31 Other defined diseases .. {	M	114	7	1	—	5	4	14	18	24	41	235	14	—	7	9	7	18	52	48	80
	F	121	4	2	—	3	3	7	18	20	64	217	8	4	1	4	6	17	41	45	91
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	3	2	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
HEREFORD—1930 (Civilian population only).

CAUSES OF DEATH.	Sex	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	265	16	3	4	7	7	26	74	67	61	503	23	6	5	8	25	30	125	128	153
	F	267	16	1	2	7	9	20	56	61	95	456	29	3	5	11	20	44	96	88	160
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	3	1	—	1	—	1	—	—	—	—	5	—	1	2	2	—	—	—	—	—
	F	2	1	—	1	—	—	—	—	—	—	3	—	—	—	1	—	—	2	—	—
4 Scarlet fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough ..	M	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	3	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza ..	M	5	1	—	—	—	—	—	2	1	1	11	—	—	—	—	1	1	5	4	—
	F	2	—	—	—	1	—	—	—	1	—	6	—	—	—	—	—	1	1	3	1
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	1	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	14	—	—	—	1	6	6	1	—	—	24	—	—	—	1	4	12	6	1	—
	F	17	—	—	2	4	3	6	1	1	1	22	—	—	—	1	6	11	3	1	—
11 Other tuberculous diseases ..	M	3	—	—	2	—	1	—	—	—	—	7	—	—	1	1	3	2	—	—	—
	F	5	—	1	—	2	1	—	—	1	1	5	—	—	1	1	—	3	—	—	—
12 Cancer, malignant disease ..	M	37	—	—	—	—	1	18	13	5	42	—	—	—	—	—	1	15	16	10	—
	F	32	—	—	—	—	1	12	11	8	63	—	—	—	—	1	6	25	21	10	—
13 Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes ..	M	5	—	—	—	—	—	3	1	1	7	—	—	—	—	1	—	—	5	1	—
	F	5	—	—	—	—	—	—	1	4	12	—	—	—	—	—	—	6	2	4	—
15 Cerebral hæmorrhage, &c. ..	M	20	—	—	—	—	—	2	9	9	32	—	—	—	—	—	—	10	7	15	—
	F	30	—	—	—	—	1	7	13	9	31	—	—	—	—	—	—	4	8	19	—
16 Heart disease ..	M	49	—	—	—	1	3	9	17	19	106	—	—	—	—	—	—	19	35	52	—
	F	63	—	—	—	—	3	10	16	34	121	—	—	—	1	1	3	20	26	70	—
17 Arterio-sclerosis ..	M	11	—	—	—	—	—	2	6	3	35	—	—	—	—	—	—	5	12	18	—
	F	8	—	—	—	—	—	2	1	5	14	—	—	—	—	—	—	2	3	9	—
18 Bronchitis ..	M	6	—	—	—	—	—	—	2	4	22	—	—	—	—	—	—	4	4	14	—
	F	12	2	—	—	—	—	—	1	1	8	14	1	—	—	—	—	—	1	12	—
19 Pneumonia (all forms) ..	M	14	2	2	—	—	1	4	3	2	28	1	4	1	—	—	2	9	8	3	—
	F	14	1	1	—	1	1	2	3	5	16	—	1	2	1	1	1	2	4	4	—
20 Other respiratory diseases ..	M	9	—	—	—	1	1	3	1	3	10	—	—	—	—	—	—	6	1	3	—
	F	3	—	—	—	—	—	—	1	2	5	—	—	—	—	—	1	2	—	2	—
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	1	—	2	—	—	13	—	—	—	—	—	2	8	2	1	—
	F	3	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhoea, &c. ..	M	5	3	—	—	—	1	1	—	—	4	3	—	—	—	—	—	1	—	—	—
	F	1	1	—	—	—	—	—	—	—	4	2	—	1	—	—	—	—	—	—	—
23 Appendicitis and typhlitis ..	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	2	1	—	—
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—	—
25 Acute and chronic nephritis ..	M	12	—	—	1	—	2	4	3	2	28	—	—	—	—	—	1	9	10	8	—
	F	8	—	—	—	—	1	2	—	5	15	—	—	—	—	—	3	5	7	—	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	4	—	—	—	—	1	3	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1	—	—
28 Congenital debility and malformation, premature birth ..	M	5	5	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—	—	—
	F	8	8	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—	—	—
29 Suicide ..	M	2	—	—	—	—	—	2	—	—	7	—	—	—	—	2	1	4	—	—	—
	F	1	—	—	—	1	—	—	—	—	5	—	—	—	—	1	2	1	—	1	—
30 Other deaths from violence ..	M	15	—	—	1	1	2	5	4	1	1	25	1	—	1	1	9	3	7	3	—
	F	4	—	—	—	—	—	1	2	—	1	4	—	—	—	—	1	—	2	1	—
31 Other defined diseases ..	M	36	2	—	—	1	—	2	11	9	11	77	7	—	—	3	4	3	13	19	28
	F	41	3	—	—	2	—	4	10	10	12	79	5	1	—	3	7	9	18	9	27
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—

HUNTINGDON—1930 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	124	13	1	1	4	5	16	28	31	25	216	13	2	2	6	5	11	50	57	70
			F	134	9	1	1	8	6	10	22	37	40	202	11	1	2	7	2	17	48	38	76
1	Enteric fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever	..	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough	..	{	M	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
			F	1	1	—	—	—	—	—	—	—	—	5	4	—	—	1	—	—	—	—	
6	Diphtheria	..	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
			F	3	—	—	—	3	—	—	—	—	—	2	—	—	—	2	—	—	—	—	
7	Influenza	..	{	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	—	2	2	
			F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—	
8	Encephalitis lethargica	..	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
			F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	Meningococcal meningitis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	{	M	12	—	—	—	1	1	8	1	1	—	6	—	—	—	2	1	3	—	—	
			F	10	—	—	—	—	3	5	1	—	1	9	—	—	—	1	7	—	—	1	
11	Other tuberculous diseases	..	{	M	2	1	—	—	—	—	—	1	—	2	—	—	—	—	2	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	3	1	—	—	2	—	—	—	—	
12	Cancer, malignant disease	..	{	M	16	—	—	—	—	1	7	5	3	27	—	—	—	—	1	11	8	7	
			F	17	—	—	—	—	—	1	8	6	2	29	—	—	—	—	2	10	8	9	
13	Rheumatic fever	..	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
			F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14	Diabetes	..	{	M	3	—	—	—	—	—	—	1	2	2	—	—	—	—	—	1	—	1	
			F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	—	5	—	3	
15	Cerebral hæmorrhage, &c.	..	{	M	6	—	—	—	—	—	1	2	3	7	—	—	—	—	—	3	1	3	
			F	5	—	—	—	—	—	—	1	1	3	12	—	—	—	—	1	1	3	7	
16	Heart disease	..	{	M	21	—	—	—	1	2	5	8	5	43	—	—	—	—	1	3	20	19	
			F	27	—	—	—	—	—	1	1	0	15	31	—	—	—	1	1	7	8	14	
17	Arterio-sclerosis	..	{	M	2	—	—	—	—	—	—	2	—	14	—	—	—	—	—	1	2	11	
			F	9	—	—	—	—	—	—	2	2	5	11	—	—	—	—	—	3	3	5	
18	Bronchitis	..	{	M	9	3	—	—	—	—	2	2	2	8	—	—	1	—	—	1	—	6	
			F	10	—	—	—	—	—	—	—	6	4	5	—	—	—	—	—	1	2	2	
19	Pneumonia (all forms)	..	{	M	6	1	1	—	—	1	1	1	1	12	2	—	—	1	—	4	1	3	
			F	5	1	—	1	—	—	1	1	1	—	10	—	—	1	—	—	4	4	1	
20	Other respiratory diseases	..	{	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—	
			F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	2	—	
21	Ulcer of stomach or duodenum	..	{	M	4	—	—	—	—	1	2	1	—	3	—	—	—	—	1	1	1	—	
			F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
22	Diarrhoea, &c.	..	{	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
			F	1	—	—	—	—	—	—	—	1	—	2	1	—	—	—	1	—	—	—	
23	Appendicitis and typhlitis	..	{	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
			F	3	—	—	—	1	1	—	1	—	—	1	—	—	—	—	—	—	—	1	
24	Cirrhosis of liver	..	{	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25	Acute and chronic nephritis	..	{	M	3	—	—	—	—	—	—	—	3	1	—	—	—	—	—	1	—	—	
			F	4	—	—	—	—	—	—	1	3	—	5	—	—	1	—	1	2	1	—	
26	Puerperal sepsis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27	Other accidents and diseases of pregnancy and parturition	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
28	Congenital debility and malformation, premature birth	..	{	M	6	6	—	—	—	—	—	—	—	9	8	1	—	—	—	—	—	—	
			F	5	5	—	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—	
29	Suicide	..	{	M	4	—	—	—	1	—	3	—	—	3	—	—	—	—	1	1	1	—	
			F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
30	Other deaths from violence	..	{	M	7	—	—	2	3	1	1	—	—	14	1	1	1	2	1	4	2	1	
			F	6	—	1	—	2	—	1	—	2	—	6	—	1	—	—	1	2	—	2	
31	Other defined diseases	..	{	M	19	2	—	—	—	2	3	6	6	46	1	—	—	—	—	9	16	19	
			F	23	2	—	—	—	1	1	4	5	10	49	—	—	—	1	2	9	6	31	
32	Causes ill-defined or unknown	..	{	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

LANCASTER—1930 (Civilian population only).

CAUSES OF DEATH.		SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {		M	9360	785	156	193	283	374	967	2912	2316	1374	1416	123	21	20	35	55	119	386	360	297
		F	9294	626	141	152	233	325	1024	2520	2269	2004	1379	88	17	12	30	45	159	328	344	356
1 Enteric fever .. {		M	5	—	—	—	—	1	2	2	—	—	2	—	—	—	1	—	—	1	—	—
		F	7	—	—	—	—	—	2	5	—	—	2	—	—	—	—	1	—	1	—	—
2 Small-pox .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {		M	109	20	46	31	12	—	—	—	—	—	8	2	2	1	3	—	—	—	—	—
		F	80	18	28	25	6	1	1	1	—	—	6	2	3	—	1	—	—	—	—	—
4 Scarlet fever .. {		M	18	1	—	5	10	1	—	1	—	—	2	—	—	1	—	1	—	—	—	—
		F	17	—	2	3	10	—	2	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough .. {		M	22	11	5	6	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
		F	33	13	11	7	2	—	—	—	—	—	5	3	1	—	1	—	—	—	—	—
6 Diphtheria .. {		M	48	2	—	11	29	—	3	3	—	—	7	—	—	2	4	—	—	1	—	—
		F	64	1	4	11	43	1	3	1	—	—	5	—	—	3	1	—	—	1	—	—
7 Influenza .. {		M	168	2	3	3	3	11	32	74	31	9	24	—	—	—	2	—	7	9	4	2
		F	131	1	2	1	3	7	21	44	28	24	18	—	—	1	—	1	1	7	5	3
8 Encephalitis lethargica .. {		M	39	1	—	2	2	6	12	13	3	—	2	—	—	—	—	—	1	1	—	—
		F	34	1	—	2	1	2	17	11	—	—	4	—	—	—	—	1	3	—	—	—
9 Meningococcal meningitis .. {		M	8	2	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	2	1	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {		M	505	—	—	2	5	89	195	188	24	2	56	—	—	—	—	14	19	23	—	—
		F	433	1	1	3	13	135	174	84	20	2	52	—	—	—	1	9	28	12	2	—
11 Other tuberculous diseases .. {		M	105	5	9	15	18	22	16	16	3	1	14	1	2	2	5	3	—	—	1	—
		F	115	10	8	13	18	18	26	14	6	2	19	2	1	2	3	3	4	3	1	—
12 Cancer, malignant disease .. {		M	1029	—	1	2	1	5	64	479	355	122	151	—	—	—	—	1	5	66	52	27
		F	1190	2	—	—	—	2	119	574	315	178	194	—	—	—	—	—	24	71	63	36
13 Rheumatic fever .. {		M	35	—	—	—	11	8	10	6	—	—	2	—	—	—	1	—	1	—	—	—
		F	40	—	—	—	6	9	12	8	4	1	5	—	—	—	—	1	3	1	—	—
14 Diabetes .. {		M	99	—	—	—	3	1	11	36	36	12	17	—	—	—	1	—	2	4	4	6
		F	168	—	—	2	2	2	9	78	57	18	22	—	—	—	—	1	2	6	7	6
15 Cerebral hæmorrhage, &c. .. {		M	498	—	—	—	—	—	11	187	201	99	84	—	—	—	—	1	1	22	34	26
		F	688	—	—	—	1	—	13	201	260	213	98	—	—	—	—	—	2	24	39	33
16 Heart disease .. {		M	1710	—	—	—	16	24	102	572	645	351	303	—	—	—	1	2	12	85	116	87
		F	1920	—	—	2	23	34	153	556	643	509	297	—	—	—	2	1	16	70	106	102
17 Arterio-sclerosis .. {		M	440	—	—	—	—	—	3	83	212	142	65	—	—	—	—	—	—	12	25	28
		F	395	—	—	—	—	—	4	62	156	173	74	—	—	—	—	—	1	13	26	34
18 Bronchitis .. {		M	481	35	13	4	8	5	20	110	152	134	56	6	2	1	—	—	1	12	15	19
		F	521	32	6	3	3	1	23	94	164	195	57	6	2	—	—	1	1	7	13	27
19 Pneumonia (all forms) .. {		M	679	77	42	48	44	35	120	207	66	40	91	9	5	1	3	2	11	29	24	7
		F	455	72	49	34	25	13	51	96	79	36	76	11	5	2	6	—	11	21	13	7
20 Other respiratory diseases .. {		M	121	5	2	8	5	2	18	40	21	20	14	1	—	1	1	—	—	5	4	2
		F	90	5	2	2	2	1	11	30	13	24	11	—	—	1	—	1	1	3	1	4
21 Ulcer of stomach or duodenum .. {		M	120	—	—	—	—	6	38	65	10	1	14	—	—	—	—	—	2	11	1	—
		F	41	1	—	—	—	—	10	17	12	1	5	—	—	—	—	—	1	4	—	—
22 Diarrhœa, &c. .. {		M	102	69	8	5	3	3	—	4	6	4	21	12	3	—	2	—	1	2	—	1
		F	90	41	9	3	7	—	4	11	7	8	11	5	2	—	—	—	1	1	—	2
23 Appendicitis and typhlitis .. {		M	69	—	1	4	14	12	18	16	4	—	15	—	—	2	2	5	2	1	1	2
		F	63	—	—	1	7	10	13	21	8	3	11	—	—	—	3	1	3	1	2	1
24 Cirrhosis of liver .. {		M	38	—	—	—	—	1	2	23	11	1	5	—	—	—	—	1	—	3	1	—
		F	15	—	—	—	—	—	1	8	6	—	3	—	—	—	—	—	1	2	—	—
25 Acute and chronic nephritis .. {		M	358	2	—	—	5	9	33	169	103	37	57	1	—	—	—	2	7	18	13	16
		F	327	—	—	2	4	11	43	129	93	45	43	—	—	—	1	2	3	10	16	11
26 Puerperal sepsis .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	39	—	—	—	—	8	31	—	—	—	11	—	—	—	—	1	10	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	96	—	—	—	—	16	80	—	—	—	11	—	—	—	—	6	5	—	—	—
28 Congenital debility and malformation, premature birth .. {		M	428	417	—	2	3	4	2	—	—	—	73	71	1	1	—	—	—	—	—	—
		F	337	324	1	4	3	2	1	2	—	—	46	44	1	1	—	—	—	—	—	—
29 Suicide .. {		M	172	—	—	—	1	6	33	95	29	8	31	—	—	—	—	2	9	11	7	2
		F	46	—	—	—	—	3	19	16	5	3	8	—	—	—	—	—	4	4	—	—
30 Other deaths from violence .. {		M	449	6	8	21	40	69	94	134	51	26	86	1	1	5	7	15	23	20	9	5
		F	201	9	2	9	16	9	19	42	47	48	40	1	1	2	4	9	6	5	7	5
31 Other defined diseases .. {		M	1483	130	16	23	48	53	126	373	349	365	210	18	5	2	2	6	16	47	47	67
		F	1641	93	15	24	34	40	161	410	343	521	241	14	1	—	7	7	29	59	39	85
32 Causes ill-defined or unknown .. {		M	22	—	1	—	—	—	1	16	4	—	4	—	—	—	—	—	—	3	1	—
		F	9	—	—	—	—	—	1	5	3	—	3	—	—	—	—	—	—	—	3	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
LEICESTER—1930 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	{	M 641 F 615	51 57	8 9	10 12	14 20	24 22	69 75	205 139	131 129	129 152	945 874	99 71	11 6	12 8	37 26	29 38	113 93	219 193	199 159	226 280
1 Enteric fever	..	{	M — F 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	2 1	— —	— —	— —	1 1	— —	— —	2 —	— —	— —
2 Small-pox..	..	{	M — F 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	— —
3 Measles	{	M 2 F —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	1 3	1 1	— 1	— —	1 1	— —	— —	— —	— —	— —
4 Scarlet fever	..	{	M 1 F 2	— —	1 —	— —	2 2	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
5 Whooping cough	{	M 3 F 5	1 —	2 3	— 2	— —	— —	— —	— —	— —	— —	3 5	3 5	— —	— —	— —	— —	— —	— —	— —	— —
6 Diphtheria	..	{	M 3 F 3	— —	— —	1 1	2 2	— —	— —	— —	— —	— —	5 3	— —	— —	4 —	1 3	— —	— —	— —	— —	— —
7 Influenza	{	M 3 F 3	1 —	— —	— —	— —	— —	— 1	2 1	— 1	— —	21 12	— 2	— —	— —	— 2	1 —	4 —	6 3	8 4	2 1
8 Encephalitis lethargica	..	{	M — F 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 1	— —	— —	1 —	— —	— —	— —	1 —	— —	— —
9 Meningococcal meningitis	..	{	M 2 F 1	— —	— —	1 —	1 1	— —	— —	— —	— —	— —	3 3	— 1	— 1	— —	1 —	— 1	1 —	1 —	— —	— —
10 Tuberculosis of respiratory system	{	{	M 41 F 40	— —	— —	— —	— —	8 14	17 20	16 5	— —	— 1	39 63	— —	— —	— 1	1 1	9 25	17 27	11 9	1 —	— —
11 Other tuberculous diseases	..	{	M 8 F 6	— 1	— —	2 1	— —	4 —	— 3	2 1	— —	— —	13 12	1 1	— —	2 —	3 2	3 2	3 3	— 3	1 1	— —
12 Cancer, malignant disease	{	M 81 F 90	— —	— —	— —	— —	— —	6 12	36 36	24 23	15 19	96 132	1 —	— —	— —	— 2	— —	4 7	37 52	39 36	15 35
13 Rheumatic fever	{	M 2 F 3	— —	— —	— —	1 1	— 1	1 —	— 1	— —	— —	3 4	— —	— —	— —	2 2	— 1	— —	1 1	— —	— —
14 Diabetes	{	M 7 F 10	— —	— —	— —	— —	— 1	— 3	3 3	4 3	— —	16 11	— —	— —	— —	— 1	— —	1 1	8 4	5 4	2 1
15 Cerebral hæmorrhage, &c.	..	{	M 23 F 46	— —	— —	— —	— —	— —	1 1	15 12	4 15	8 18	61 62	— —	— —	— —	— —	— —	2 1	11 17	18 22	30 22
16 Heart disease	..	{	M 113 F 103	— —	— —	— —	— 2	1 2	5 5	51 29	35 34	21 34	166 174	— —	— —	— 1	3 2	— —	13 11	37 37	54 45	59 78

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
LINCOLN: PARTS OF HOLLAND—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	264	28	8	7	8	17	28	44	57	67	264	30	2	9	8	12	20	57	52	74
	F	231	18	2	2	3	6	23	43	44	90	264	26	3	9	6	9	22	58	43	88
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
5 Whooping cough ..	M	1	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—	—
6 Diphtheria ..	M	4	—	—	1	3	—	—	—	—	—	5	—	1	1	3	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	—	—	1	2	—	—	1	—	—
7 Influenza ..	M	3	—	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1	—
	F	3	—	—	—	—	—	1	1	1	—	5	1	—	—	—	2	—	1	1	—
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
10 Tuberculosis of respiratory system ..	M	21	—	—	2	—	5	9	3	2	—	15	—	—	—	1	3	7	4	—	—
	F	10	—	—	—	1	2	6	1	—	—	16	—	—	—	—	6	5	5	—	—
11 Other tuberculous diseases ..	M	5	—	1	1	1	—	1	1	—	—	3	—	—	1	1	—	—	1	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—
12 Cancer, malignant disease ..	M	36	—	—	—	—	—	5	7	16	8	37	—	—	—	—	—	1	10	14	12
	F	32	—	—	—	—	—	3	12	10	7	35	—	—	—	—	—	3	12	11	9
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	3	—	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	—	—	—	1	3	—	—	—	—	1	—	—	—	1
15 Cerebral hæmorrhage, &c. ..	M	17	—	—	—	—	—	—	3	3	11	14	—	—	—	—	—	—	4	2	8
	F	21	—	—	—	—	—	1	3	6	11	14	—	—	—	—	—	—	4	5	5
16 Heart disease ..	M	31	—	—	—	—	1	2	7	9	12	41	—	—	—	—	—	2	9	15	15
	F	39	—	—	—	—	—	2	7	10	20	29	—	—	—	—	—	3	7	6	13
17 Arterio-sclerosis ..	M	7	—	—	—	—	—	—	—	3	4	6	—	—	—	—	—	—	1	1	4
	F	5	—	—	—	—	—	—	—	—	5	7	—	—	—	—	—	—	1	2	4
18 Bronchitis ..	M	9	1	—	—	—	—	—	2	4	2	10	4	—	—	—	—	—	—	3	3
	F	12	—	1	—	—	—	—	1	4	6	15	3	—	1	—	—	—	2	3	6
19 Pneumonia (all forms) ..	M	16	5	1	—	—	1	4	1	1	3	14	2	—	1	—	1	—	4	4	1
	F	10	2	—	—	—	—	1	4	1	2	10	2	1	1	—	—	—	2	2	2
20 Other respiratory diseases ..	M	3	—	—	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	—	2	—	2
21 Ucer of stomach or duodenum ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
22 Diarrhoea, &c. ..	M	5	3	1	—	1	—	—	—	—	—	5	4	—	1	—	—	—	—	—	—
	F	4	2	—	—	—	—	—	—	2	—	6	2	—	1	—	—	1	2	—	—
23 Appendicitis and typhlitis ..	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	7	—	—	—	—	1	1	—	4	1	12	—	—	—	—	—	—	4	2	6
	F	13	—	—	—	—	1	2	3	3	4	4	—	—	—	—	—	—	3	—	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth ..	M	15	14	—	—	—	1	—	—	—	—	15	15	—	—	—	—	—	—	—	—
	F	9	9	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	—
29 Suicide ..	M	3	—	—	—	—	1	1	1	—	—	5	—	—	—	—	—	—	4	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence ..	M	12	1	—	1	1	5	3	—	1	—	15	—	—	3	1	5	4	1	—	1
	F	3	—	—	—	—	1	—	1	—	1	6	—	—	1	—	2	1	2	—	—
31 Other defined diseases ..	M	61	4	3	—	2	2	2	13	11	24	57	5	1	1	2	3	3	13	7	22
	F	59	5	—	—	1	1	5	8	6	33	73	1	—	1	2	—	2	10	13	44
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
LINCOLN: PARTS OF KESTEVEN—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	{ M	235	20	3	2	6	14	18	62	55	55	396	41	1	4	6	16	38	79	79	132
	{ F	246	22	4	—	7	9	25	45	56	78	382	34	3	4	9	8	32	81	76	135
1 Enteric fever ..	{ M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	{ M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	{ M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	{ M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	{ F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	{ M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	{ F	2	1	1	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
6 Diphtheria ..	{ M	3	—	—	—	3	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	{ F	2	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza ..	{ M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	2	2	2	—
	{ F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
8 Encephalitis lethargica ..	{ M	2	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—
	{ F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	{ M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	{ M	13	—	—	—	—	5	4	4	—	—	17	—	—	—	—	4	9	4	—	—
	{ F	16	—	—	—	1	5	5	5	—	—	15	—	—	1	1	5	6	2	—	—
11 Other tuberculous diseases ..	{ M	5	1	2	—	—	—	—	—	2	—	3	—	—	—	—	—	2	—	1	—
	{ F	2	—	—	—	—	—	2	—	—	—	6	—	1	—	2	—	1	1	1	—
12 Cancer, malignant disease ..	{ M	33	—	—	—	—	—	1	12	12	8	44	—	—	—	—	—	4	20	11	9
	{ F	26	—	—	—	—	1	2	9	7	7	56	—	—	—	1	—	3	18	13	21
13 Rheumatic fever ..	{ M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
14 Diabetes ..	{ M	2	—	—	—	—	—	1	1	—	—	3	—	—	—	—	—	—	2	1	—
	{ F	4	—	—	—	—	—	—	1	2	1	7	—	—	—	—	—	2	2	3	—
15 Cerebral hæmorrhage, &c. ..	{ M	14	—	—	—	—	1	—	7	2	4	35	—	—	—	—	—	—	4	14	17
	{ F	27	—	—	—	—	—	—	8	7	12	39	—	—	—	—	—	1	13	12	13
16 Heart disease ..	{ M	37	—	—	—	—	—	1	12	12	12	84	—	—	—	1	—	1	13	25	44
	{ F	55	—	—	—	—	—	3	10	20	22	76	—	—	1	—	1	3	11	14	46
17 Arterio-sclerosis ..	{ M	21	—	—	—	—	—	—	2	8	11	12	—	—	—	—	—	—	3	1	8
	{ F	14	—	—	—	—	—	—	—	1	13	7	—	—	—	—	—	—	1	2	4
18 Bronchitis..	{ M	11	1	—	—	—	—	1	1	2	6	15	1	1	—	—	—	—	2	3	8
	{ F	10	1	—	—	—	—	—	—	3	6	15	—	—	—	—	—	—	2	5	8
19 Pneumonia (all forms) ..	{ M	16	2	1	—	1	—	1	3	3	5	17	5	—	—	—	1	1	4	4	2
	{ F	12	5	2	—	—	—	2	2	1	—	24	5	1	—	—	—	3	5	5	5
20 Other respiratory diseases ..	{ M	3	—	—	—	—	1	—	1	1	—	5	—	—	—	—	—	1	2	1	1
	{ F	2	—	—	—	1	—	1	—	—	—	3	—	—	—	—	—	—	1	—	2
21 Ulcer of stomach or duodenum ..	{ M	2	—	—	—	—	—	1	—	1	—	9	—	—	—	—	1	4	2	1	1
	{ F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—	—
22 Diarrhœa, &c. ..	{ M	4	—	—	—	1	—	—	1	1	1	4	3	—	—	—	—	—	—	—	1
	{ F	2	1	1	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—
23 Appendicitis and typhlitis ..	{ M	1	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
	{ F	2	—	—	—	1	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—
24 Cirrhosis of liver ..	{ M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	{ M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	1	—	—	1
	{ F	6	—	—	—	—	—	1	4	1	—	12	—	—	—	—	—	2	5	3	2
26 Puerperal sepsis ..	{ M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	{ M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	—	3	—	—	—
28 Congenital debility and malformation, premature birth ..	{ M	15	14	—	—	—	1	—	—	—	—	23	21	—	—	—	2	—	—	—	—
	{ F	12	12	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
29 Suicide ..	{ M	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	1	2	—	1
	{ F	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	2	1	—
30 Other deaths from violence..	{ M	6	—	—	1	—	2	1	1	1	—	20	1	—	1	1	5	5	4	3	—
	{ F	3	—	—	—	—	—	1	1	1	—	8	—	—	—	2	1	1	1	3	—
31 Other defined diseases ..	{ M	41	2	—	1	—	3	6	12	9	8	84	9	—	1	1	1	6	15	12	39
	{ F	39	2	—	—	—	2	4	4	10	17	72	5	—	1	2	—	5	13	12	34
32 Causes ill-defined or unknown ..	{ M	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	4	—	1	—	—	—	—	2	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
LINCOLN : PARTS OF LINDSEY—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	737	70	9	10	25	33	70	191	183	146	823	62	9	13	25	43	67	148	191	265
	F	708	48	9	9	23	21	86	166	151	195	783	55	10	12	12	26	80	174	155	259
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	2	—	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	2	—	—	—	—	2	—	—	—	—	2	—	—	—	1	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	4	2	1	—	1	—	—	—	—	—	8	7	1	—	—	—	—	—	—	—
	F	5	2	2	1	—	—	—	—	—	—	8	3	3	2	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	—
7 Influenza ..	M	9	2	—	1	—	1	—	4	—	1	13	—	—	—	1	1	1	2	4	4
	F	13	—	—	1	—	—	—	3	3	6	9	—	—	—	1	—	1	4	1	2
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	2	—	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system ..	M	49	—	1	—	1	9	25	11	2	—	39	—	—	—	1	6	19	9	4	—
	F	40	—	—	—	4	7	21	8	—	—	46	—	—	—	1	10	24	9	2	—
11 Other tuberculous diseases ..	M	16	1	2	1	5	5	—	1	1	—	11	—	—	1	1	2	4	2	—	1
	F	12	3	1	1	1	1	3	1	—	1	14	1	1	1	1	2	5	2	1	—
12 Cancer, malignant disease ..	M	85	—	—	—	1	—	3	29	34	18	103	—	—	—	—	2	5	31	40	25
	F	111	—	—	—	—	—	9	51	30	21	114	—	—	—	—	6	50	25	33	—
13 Rheumatic fever ..	M	2	—	—	—	—	1	—	1	—	—	4	—	—	—	—	2	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	2	—	—	—
14 Diabetes ..	M	10	—	—	—	—	1	1	4	3	1	10	—	—	—	—	—	—	3	6	1
	F	6	—	—	—	—	1	1	1	3	—	8	—	—	—	—	—	—	5	1	2
15 Cerebral hæmorrhage, &c. ..	M	42	—	—	—	—	—	2	11	15	14	49	—	—	—	—	—	1	11	12	25
	F	56	—	—	—	—	—	—	12	20	24	43	—	—	—	—	—	1	10	15	17
16 Heart disease ..	M	131	—	—	—	2	3	4	42	47	33	164	—	—	—	1	1	4	24	60	74
	F	140	—	—	—	1	2	9	33	39	56	175	—	—	—	1	1	7	35	59	72
17 Arterio-sclerosis ..	M	25	—	—	—	—	—	—	5	14	6	17	—	—	—	—	—	—	3	6	8
	F	17	—	—	—	—	—	—	3	4	10	15	—	—	—	—	—	—	1	6	8
18 Bronchitis ..	M	38	2	1	—	—	—	2	7	11	15	33	1	—	—	1	—	—	5	9	17
	F	18	4	1	—	—	—	1	2	1	9	32	2	1	—	—	—	—	1	5	23
19 Pneumonia (all forms) ..	M	44	4	1	2	3	4	12	9	7	2	31	9	2	4	1	—	1	7	6	1
	F	24	4	2	1	1	—	3	1	6	6	41	13	1	3	1	1	5	6	2	9
20 Other respiratory diseases ..	M	3	—	1	—	—	—	—	2	—	—	8	—	1	—	1	1	1	1	1	2
	F	8	1	—	—	—	1	1	2	1	2	6	—	—	—	—	1	1	1	—	3
21 Ulcer of stomach or duodenum ..	M	7	—	—	—	—	—	2	2	2	1	5	—	—	—	—	1	—	3	1	—
	F	3	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	1	—	—
22 Diarrhoea, &c. ..	M	10	9	—	—	—	—	—	—	1	—	10	3	—	2	—	—	1	1	1	2
	F	4	2	1	—	—	—	—	1	—	—	5	1	—	1	—	—	—	2	1	—
23 Appendicitis and typhlitis ..	M	3	—	—	—	—	—	1	1	1	—	8	—	—	1	—	2	1	4	—	—
	F	4	—	—	—	1	1	1	—	1	—	3	—	—	—	1	—	1	1	—	—
24 Cirrhosis of liver ..	M	5	—	—	—	—	—	—	5	—	—	3	—	—	—	—	—	1	1	—	1
	F	2	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	1	1	1
25 Acute and chronic nephritis ..	M	12	—	—	—	—	1	2	3	4	2	19	—	—	—	1	2	2	2	7	5
	F	22	—	—	—	1	2	2	7	7	3	19	—	—	—	—	—	2	6	6	5
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	3	1	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	—	1	6	—	—	—	9	—	—	—	—	2	7	—	—	—
28 Congenital debility and malformation, premature birth ..	M	37	35	—	1	—	1	—	—	—	—	33	32	—	—	—	1	—	—	—	—
	F	24	23	1	—	—	—	—	—	—	—	31	30	—	—	—	1	—	—	—	—
29 Suicide ..	M	10	—	—	—	—	—	2	7	1	—	9	—	—	—	—	1	2	6	—	—
	F	5	—	—	—	—	—	4	—	1	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence ..	M	24	1	—	1	3	1	4	7	3	4	36	2	1	1	2	8	13	6	2	1
	F	13	—	—	—	6	2	1	3	—	1	14	1	1	2	—	1	—	4	1	4
31 Other defined diseases ..	M	164	14	2	2	9	3	9	39	37	49	204	8	2	4	13	11	10	26	32	98
	F	164	9	1	4	6	2	20	34	33	55	174	3	2	2	6	6	14	32	29	80
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	2	—	1	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
MIDDLESEX*—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	7165	686	124	139	203	344	831	2010	1504	1324	224	25	1	7	11	9	28	59	40	44
	F	7062	461	102	121	193	304	802	1610	1444	2025	207	18	1	3	4	7	21	42	43	68
1 Enteric fever ..	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	2	4	2	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	77	11	32	24	7	2	—	1	—	—	1	1	—	—	—	—	—	—	—	—
	F	57	14	20	13	9	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	13	—	—	2	7	2	2	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	17	—	3	5	6	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	17	5	4	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	27	13	8	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	69	4	4	20	40	—	—	1	—	—	3	—	—	1	1	1	—	—	—	—
	F	77	2	5	19	47	2	—	2	—	—	2	—	—	1	1	—	—	—	—	—
7 Influenza ..	M	78	3	—	—	2	4	12	30	15	12	2	—	—	—	—	—	—	—	1	1
	F	54	—	1	—	2	4	7	17	9	14	3	1	—	—	—	—	—	—	1	1
8 Encephalitis lethargica ..	M	12	—	—	1	1	2	3	3	1	1	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	—	2	1	7	4	2	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	14	3	2	—	2	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	3	—	2	2	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	527	2	1	5	4	89	232	167	22	5	14	—	—	—	—	2	7	5	—	—
	F	432	3	1	2	9	148	195	61	9	4	8	—	—	—	—	4	2	2	—	—
11 Other tuberculous diseases ..	M	91	8	9	14	14	13	15	16	2	—	4	—	—	2	1	1	—	—	—	—
	F	87	8	11	15	13	16	12	8	3	1	1	1	—	—	—	—	—	—	—	—
12 Cancer, malignant disease ..	M	847	—	—	—	2	9	49	352	286	149	37	—	—	—	—	1	3	14	10	9
	F	1070	—	—	1	2	4	94	453	289	227	36	—	—	—	—	—	3	13	7	13
13 Rheumatic fever ..	M	23	—	—	—	7	7	6	2	—	1	2	—	—	—	1	—	1	—	—	—
	F	39	—	—	1	17	6	12	3	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	71	—	1	1	—	1	8	21	23	16	—	—	—	—	—	—	—	—	—	—
	F	91	—	—	—	—	—	4	27	36	24	1	—	—	—	—	—	—	—	1	—
15 Cerebral hæmorrhage, &c. ..	M	304	—	—	—	—	1	13	98	101	91	11	—	—	—	—	—	—	6	3	2
	F	428	—	—	—	—	—	10	97	134	187	14	—	—	—	—	—	—	1	4	9
16 Heart disease ..	M	1339	—	—	—	14	12	55	412	427	419	40	—	—	1	—	—	1	5	14	19
	F	1561	—	—	—	11	33	105	331	418	663	44	—	—	—	1	—	2	9	11	21
17 Arterio-sclerosis ..	M	260	—	—	—	—	—	4	54	104	98	10	—	—	—	—	—	—	3	5	2
	F	294	—	—	—	—	—	—	52	81	161	6	—	—	—	—	—	—	—	3	3
18 Bronchitis ..	M	244	23	1	2	3	2	11	59	42	101	3	1	—	—	—	—	1	—	—	1
	F	225	13	1	5	3	—	3	17	56	127	10	1	—	—	—	—	—	1	2	6
19 Pneumonia (all forms) ..	M	544	85	40	16	11	18	79	170	65	60	13	4	1	—	—	—	2	4	—	2
	F	330	49	21	15	9	8	26	60	62	80	15	3	—	1	—	1	1	3	5	1
20 Other respiratory diseases ..	M	81	4	1	3	1	5	13	20	17	17	2	—	—	—	—	—	—	2	—	—
	F	82	2	—	3	4	2	8	19	14	30	—	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	145	—	—	—	—	1	33	79	28	4	3	—	—	—	—	—	—	2	—	1
	F	50	—	—	—	—	—	8	23	8	11	1	—	—	—	—	—	—	1	—	—
22 Diarrhœa, &c. ..	M	91	69	4	—	1	2	5	4	4	2	1	—	—	—	1	—	—	—	—	—
	F	83	46	11	5	1	3	6	2	3	6	2	—	1	—	—	—	—	—	—	1
23 Appendicitis and typhlitis ..	M	67	—	—	4	5	14	17	15	8	4	5	—	—	—	1	—	3	1	—	—
	F	41	—	—	1	3	4	11	13	7	2	1	—	—	—	1	—	—	—	—	—
24 Cirrhosis of liver ..	M	37	—	—	—	—	—	2	25	10	—	—	—	—	—	—	—	—	—	—	—
	F	22	—	—	—	1	—	2	12	7	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	214	—	—	—	2	9	32	67	70	34	3	—	—	—	—	—	—	2	1	—
	F	193	1	—	—	3	9	20	70	47	43	6	1	—	—	—	—	—	1	3	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	52	—	—	—	—	5	47	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	44	—	—	—	—	6	37	1	—	—	4	—	—	—	—	—	4	—	—	—
28 Congenital debility and malformation, premature birth ..	M	342	335	1	2	1	—	3	—	—	—	15	14	—	—	1	—	—	—	—	—
	F	223	211	3	2	3	3	1	—	—	—	8	8	—	—	—	—	—	—	—	—
29 Suicide ..	M	125	—	—	—	—	9	43	56	14	3	4	—	—	—	—	—	—	3	1	—
	F	58	—	—	—	—	3	25	25	5	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	408	15	5	12	37	87	85	78	47	42	14	1	—	1	2	3	4	2	—	1
	F	194	9	4	12	13	13	17	33	34	59	8	—	—	—	—	—	—	3	2	2
31 Other defined diseases ..	M	1119	119	19	26	40	51	107	275	217	265	35	4	—	—	3	1	6	10	5	6
	F	1195	87	13	14	33	31	137	276	218	386	32	2	—	1	—	2	6	7	4	10
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

* For the Administrative County of London, see p. 243.

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
NORFOLK—1930 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	325	23	2	4	11	8	26	74	95	82	1489	118	17	13	32	32	119	284	391	483
	F	343	7	3	7	6	9	24	78	76	133	1560	83	19	18	31	50	117	320	320	602
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	7	1	2	—	4	—	—	—	—	—
	F	3	—	1	1	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	6	3	2	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	7	3	—	2	2	—	—	—	—	—
6 Diphtheria ..	M	5	—	—	1	4	—	—	—	—	—	3	—	—	1	2	—	—	—	—	—
	F	6	—	—	1	5	—	—	—	—	—	2	—	1	—	1	—	—	—	—	—
7 Influenza ..	M	2	—	—	—	1	—	—	—	1	—	17	1	—	1	1	—	2	3	5	4
	F	3	—	—	—	—	—	—	1	2	—	10	—	—	—	—	—	2	1	2	5
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	3	—	—
9 Meningococcal meningitis ..	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	20	—	—	—	1	3	12	3	1	—	57	—	—	—	1	10	33	12	1	1
	F	12	—	—	—	—	4	3	4	—	1	95	—	—	—	2	27	37	22	5	2
11 Other tuberculous diseases ..	M	6	1	—	1	1	—	2	1	—	—	20	3	3	3	2	2	5	1	1	—
	F	6	—	1	3	—	—	1	1	—	—	18	—	2	2	6	2	—	6	—	—
12 Cancer, malignant disease ..	M	44	—	—	—	—	—	—	15	22	7	201	—	—	—	—	1	6	59	89	46
	F	63	—	—	—	—	—	5	23	18	17	230	—	—	1	—	1	17	91	66	54
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	2	—	—	2	—	—
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	2	1	—	—	1	—
14 Diabetes ..	M	9	—	—	—	—	—	2	5	2	—	21	—	—	—	1	1	1	2	11	5
	F	5	—	—	—	—	—	—	2	2	1	28	1	—	—	1	1	2	8	10	5
15 Cerebral hæmorrhage, &c. ..	M	13	—	—	—	—	—	—	2	5	6	71	—	—	—	—	—	1	14	27	29
	F	22	—	—	—	—	—	1	4	5	12	97	—	—	—	—	—	—	12	28	57
16 Heart disease ..	M	66	—	—	—	—	—	1	12	30	23	312	—	—	—	—	2	8	49	107	146
	F	63	—	—	—	—	1	1	18	15	28	358	—	—	—	—	2	10	64	100	182
17 Arterio-sclerosis ..	M	20	—	—	—	—	—	—	3	5	12	109	—	—	—	—	—	—	10	31	68
	F	32	—	—	—	—	—	—	3	8	21	88	—	—	—	—	—	—	7	20	61
18 Bronchitis ..	M	12	—	—	—	—	—	—	1	7	4	59	5	1	—	—	—	—	2	10	41
	F	22	—	—	—	—	—	—	1	5	16	65	1	1	1	—	—	—	4	10	48
19 Pneumonia (all forms) ..	M	15	3	2	—	—	—	—	3	1	6	56	6	3	1	—	—	12	18	12	4
	F	15	2	—	—	—	—	1	3	2	7	64	3	7	—	1	2	9	16	12	14
20 Other respiratory diseases ..	M	4	—	—	—	—	—	—	1	1	2	18	—	—	1	1	—	1	3	7	5
	F	5	—	—	1	—	—	1	1	2	—	17	1	—	—	—	—	1	6	5	4
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	—	3	—	—	9	—	—	—	—	—	—	6	2	1
	F	1	—	—	—	—	—	—	1	—	—	7	—	—	—	—	—	2	4	1	—
22 Diarrhoea, &c. ..	M	2	1	—	—	—	—	—	1	—	—	9	7	—	—	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	15	7	2	1	—	—	2	—	2	1
23 Appendicitis and typhlitis ..	M	2	—	—	—	—	1	—	1	—	—	10	—	—	—	1	1	—	5	3	—
	F	1	—	—	—	—	—	—	—	1	—	3	—	—	1	—	—	1	1	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	1	—	2	—	3	—	—	—	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	1
25 Acute and chronic nephritis ..	M	13	—	—	—	—	1	—	6	4	2	43	—	—	—	2	—	7	9	18	7
	F	10	—	—	1	—	—	—	1	3	5	33	—	—	—	1	—	2	9	13	8
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	2	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	1	3	—	—	—	6	—	—	—	—	—	6	—	—	—
	F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth ..	M	13	13	—	—	—	—	—	—	—	—	78	76	2	—	—	—	—	—	—	—
	F	3	2	1	—	—	—	—	—	—	—	49	48	—	—	1	—	—	—	—	—
29 Suicide ..	M	3	—	—	—	—	—	1	1	1	—	23	—	—	—	—	2	7	11	2	1
	F	1	—	—	—	—	—	—	—	1	—	6	—	—	—	—	1	2	3	—	—
30 Other deaths from violence ..	M	15	—	—	1	1	2	3	5	1	2	76	2	2	3	8	8	17	27	6	3
	F	3	—	—	—	—	—	—	—	—	3	29	1	—	1	5	3	1	2	6	10
31 Other defined diseases ..	M	53	4	—	1	3	1	4	10	12	18	273	14	2	2	7	5	18	50	55	120
	F	60	3	—	—	—	3	8	12	12	22	313	18	6	8	8	8	16	61	38	150
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	—	2	1
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
NORTHAMPTON—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	573	34	6	10	14	30	67	153	139	120	668	33	10	9	10	16	51	147	163	229
	F	572	28	8	16	11	27	52	144	132	154	677	31	5	8	10	30	46	126	171	250
1 Enteric fever .. {	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	3	—	—	1	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	5	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	2	—	—	1	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
6 Diphtheria .. {	M	7	—	2	4	1	—	—	—	—	—	3	1	—	—	2	—	—	—	—	—
	F	5	—	—	1	2	1	—	1	—	—	3	—	—	1	2	—	—	—	—	—
7 Influenza .. {	M	8	—	—	—	—	—	1	1	2	4	5	—	—	—	—	—	—	1	4	—
	F	8	—	—	—	—	—	1	4	2	1	7	—	—	—	1	—	1	2	1	2
8 Encephalitis lethargica .. {	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	—	1
	F	3	—	—	—	—	—	1	1	—	1	2	—	—	—	—	1	1	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	56	—	—	—	—	18	23	12	3	—	32	—	—	—	4	18	8	1	1	—
	F	31	—	—	—	—	16	12	2	1	—	31	—	1	—	13	13	4	—	—	—
11 Other tuberculous diseases .. {	M	8	2	—	2	1	—	2	1	—	—	9	1	1	—	1	1	1	3	—	—
	F	6	—	—	4	2	—	—	—	—	—	8	—	—	—	1	2	4	—	1	—
12 Cancer, malignant disease .. {	M	67	—	—	—	—	—	8	25	24	10	93	—	—	—	—	4	25	35	29	—
	F	94	—	—	—	—	—	6	42	28	18	103	—	—	—	—	1	4	27	41	30
13 Rheumatic fever.. {	M	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	6	—	—	—	2	1	—	2	1	—
14 Diabetes .. {	M	7	—	—	—	—	—	1	—	4	2	4	—	—	—	—	—	—	—	3	1
	F	8	—	—	—	—	—	1	3	3	1	4	—	—	—	—	—	—	2	1	1
15 Cerebral hæmorrhage, &c. .. {	M	34	—	—	—	—	—	1	10	10	13	38	—	—	—	—	—	13	12	13	—
	F	42	—	—	—	—	—	—	11	13	18	82	—	—	—	—	—	15	28	39	—
16 Heart disease .. {	M	105	—	—	—	—	1	7	36	32	29	124	—	—	—	1	—	2	29	42	50
	F	124	—	—	—	1	3	10	22	44	44	127	—	—	1	1	3	2	26	38	56
17 Arterio-sclerosis .. {	M	26	—	—	—	—	—	—	5	10	11	25	—	—	—	—	1	3	9	12	—
	F	16	—	—	—	—	—	—	3	4	9	20	—	—	—	—	—	2	5	13	—
18 Bronchitis.. {	M	19	1	—	—	—	—	1	3	6	8	31	—	—	—	—	—	3	7	21	—
	F	23	1	1	—	—	—	—	2	6	13	34	1	—	—	—	—	—	16	17	—
19 Pneumonia (all forms) .. {	M	29	4	2	—	2	2	3	7	4	5	34	3	3	3	—	1	6	8	7	3
	F	24	3	2	3	1	—	—	5	3	7	29	4	—	3	1	1	3	6	4	7
20 Other respiratory diseases .. {	M	10	—	—	—	—	1	1	3	3	2	8	—	1	—	—	—	—	2	2	3
	F	8	—	—	1	—	—	2	1	2	2	6	—	—	—	—	—	1	3	2	—
21 Ulcer of stomach or duodenum .. {	M	7	—	—	—	—	—	3	3	1	—	10	—	—	—	—	1	5	4	—	—
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—	—
22 Diarrhœa, &c. .. {	M	3	1	—	—	—	—	1	—	—	1	2	—	—	—	—	—	1	—	1	—
	F	5	—	2	—	—	—	1	1	1	—	8	4	1	—	—	—	1	—	1	1
23 Appendicitis and typhlitis .. {	M	5	—	—	—	—	—	—	4	1	—	3	—	—	—	1	2	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	4	—	—	1	—	2	—	—	—	—
24 Cirrhosis of liver.. {	M	5	—	—	—	—	—	—	2	1	2	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis .. {	M	18	—	—	—	—	—	2	6	8	2	26	—	1	—	—	2	—	7	6	10
	F	15	—	—	—	1	1	1	4	5	3	17	—	—	—	—	3	5	4	2	3
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	22	22	—	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—	—
	F	20	20	—	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—	—
29 Suicide .. {	M	12	—	—	—	—	1	2	4	4	1	12	—	—	—	—	3	2	4	1	2
	F	7	—	—	—	—	1	1	3	2	—	3	—	—	—	—	1	1	1	—	—
30 Other deaths from violence.. {	M	17	—	—	1	—	4	2	6	1	3	35	—	1	2	3	4	8	11	4	2
	F	11	1	—	1	—	—	1	2	2	4	11	—	—	2	—	1	1	2	1	4
31 Other defined diseases .. {	M	95	4	2	1	7	2	7	22	23	27	138	5	2	3	—	1	6	20	22	79
	F	105	3	—	3	3	4	12	32	15	33	141	2	—	—	2	5	7	22	29	74
32 Causes ill-defined or unknown .. {	M	4	—	—	—	—	—	1	1	2	—	6	—	—	—	—	—	—	4	1	1
	F	4	—	—	—	—	—	1	3	—	—	2	—	—	—	—	—	—	2	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
NORTHUMBERLAND—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	1788	220	35	47	62	101	230	451	357	285	552	42	5	4	17	17	58	133	133	143
	F	1602	138	33	28	59	85	195	411	327	326	574	41	2	10	12	27	51	124	133	174
1 Enteric fever .. {	M	2	—	—	—	1	—	1	—	—	—	2	—	—	—	—	1	—	1	—	—
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	9	1	2	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever .. {	M	2	—	—	1	1	—	—	—	—	—	3	—	—	—	2	—	1	—	—	—
	F	3	—	—	2	1	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
5 Whooping cough.. {	M	6	2	1	3	—	—	—	—	—	—	4	2	1	1	—	—	—	—	—	—
	F	4	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria.. {	M	5	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	1	7	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
7 Influenza .. {	M	19	—	—	—	1	4	5	3	3	3	6	1	—	—	—	1	1	1	—	2
	F	12	1	—	1	1	1	1	4	3	—	7	—	—	—	—	—	—	1	1	5
8 Encephalitis lethargica .. {	M	5	—	—	—	—	1	—	4	—	—	2	—	—	1	—	1	—	—	—	—
	F	2	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
9 Meningococcal meningitis .. {	M	3	1	1	1	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—
10 Tuberculosis of respiratory system {	M	150	2	—	—	8	38	60	38	4	—	27	—	—	—	—	4	12	7	1	3
	F	112	—	1	2	6	46	44	11	2	—	32	—	1	1	1	8	11	7	2	1
11 Other tuberculous diseases .. {	M	39	4	6	7	9	6	6	1	—	—	6	1	1	—	2	—	2	—	—	—
	F	38	3	4	5	11	3	8	4	—	—	6	—	1	—	1	1	3	—	—	—
12 Cancer, malignant disease .. {	M	173	—	—	—	—	1	10	67	66	29	61	—	—	—	—	1	5	20	21	14
	F	227	—	—	—	—	—	28	107	61	31	74	—	—	—	—	1	6	29	31	7
13 Rheumatic fever.. {	M	4	—	—	—	—	1	1	1	1	—	3	—	—	—	2	—	1	—	—	—
	F	10	—	—	—	4	3	2	1	—	—	3	—	—	—	1	1	1	—	—	—
14 Diabetes .. {	M	11	—	—	—	—	—	3	2	4	2	5	—	—	—	—	—	—	1	2	2
	F	29	—	—	—	1	—	3	10	13	2	12	—	—	—	—	2	—	3	3	4
15 Cerebral hæmorrhage, &c. ... {	M	80	—	—	—	—	—	1	23	32	24	38	—	—	—	—	—	—	14	6	18
	F	120	—	—	—	—	—	2	42	36	40	45	—	—	—	—	—	—	12	17	16
16 Heart disease .. {	M	269	—	—	—	4	8	25	76	88	68	93	—	—	—	—	1	4	26	36	26
	F	271	—	—	1	3	5	27	75	88	72	104	—	—	—	1	3	6	24	27	43
17 Arterio-sclerosis .. {	M	68	—	—	—	—	—	—	11	27	30	30	—	—	—	—	—	—	2	12	16
	F	70	—	—	—	—	—	—	11	28	31	16	—	—	—	—	—	—	2	5	9
18 Bronchitis.. {	M	69	11	2	1	—	—	4	16	16	19	16	3	1	1	—	—	1	1	4	5
	F	58	12	4	—	—	—	1	5	14	22	11	1	—	—	—	—	—	—	3	7
19 Pneumonia (all forms) .. {	M	124	23	15	11	5	6	19	25	12	8	25	5	1	—	2	1	1	5	5	5
	F	75	14	12	3	3	—	12	18	4	9	25	5	—	2	1	—	1	4	4	8
20 Other respiratory diseases .. {	M	32	2	—	2	5	3	2	10	5	3	9	—	—	—	—	—	2	1	3	3
	F	16	1	—	1	2	—	2	3	2	5	11	—	—	—	—	—	—	2	5	4
21 Ulcer of stomach or duodenum .. {	M	29	—	—	—	—	3	9	11	4	2	15	—	—	—	—	1	7	3	2	2
	F	7	—	—	—	—	—	1	2	1	3	5	—	—	—	—	—	1	3	1	—
22 Diarrhoea, &c. .. {	M	28	21	2	1	2	—	—	—	1	1	4	1	1	—	—	—	—	—	—	2
	F	23	14	1	1	—	—	2	2	—	3	2	—	—	1	—	—	—	1	—	—
23 Appendicitis and typhlitis .. {	M	12	—	—	—	3	1	5	—	1	2	4	—	—	—	1	—	1	2	—	—
	F	3	—	—	1	—	—	—	2	—	—	3	—	—	—	1	—	1	1	—	—
24 Cirrhosis of liver .. {	M	10	—	—	—	—	—	—	4	5	1	2	—	—	—	—	—	—	—	2	—
	F	10	—	—	—	—	—	—	9	1	—	1	—	—	—	—	—	—	—	—	1
25 Acute and chronic nephritis .. {	M	68	1	—	—	—	4	7	30	17	9	27	—	—	—	1	—	2	10	9	5
	F	68	—	—	—	2	5	4	27	16	14	32	—	—	—	—	1	9	10	10	12
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	2	8	1	—	—	6	—	—	—	—	4	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	—	—	—	—	4	16	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	112	111	—	—	—	1	—	—	—	—	22	22	—	—	—	—	—	—	—	—
	F	73	73	—	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—	—
29 Suicide .. {	M	16	—	—	—	—	1	6	6	3	—	4	—	—	—	—	—	1	3	—	—
	F	3	—	—	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence.. {	M	110	—	—	7	11	17	36	32	6	1	31	—	—	—	2	4	9	13	1	2
	F	36	4	2	—	5	4	2	5	8	6	14	—	—	3	—	1	2	—	1	7
31 Other defined diseases .. {	M	322	41	5	5	9	6	30	83	60	83	105	7	—	1	5	1	8	19	27	37
	F	282	14	7	7	12	11	30	65	48	88	125	10	—	2	3	5	13	22	20	50
32 Causes ill-defined or unknown .. {	M	11	—	1	—	—	—	—	8	2	—	6	—	—	—	—	—	—	3	2	1
	F	7	—	—	—	1	—	1	3	2	—	5	—	—	—	—	1	—	2	2	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
NOTTINGHAM—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1446	188	25	20	44	76	174	390	278	251	849	108	9	18	19	39	98	183	198	177
	F	1349	116	24	33	33	83	194	330	234	302	841	70	19	16	14	32	98	176	197	219
1 Enteric fever ..	M	5	—	—	—	1	1	2	1	—	—	2	—	—	—	—	—	1	1	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
2 Small-pox ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	14	4	4	2	4	—	—	—	—	—	5	1	—	4	—	—	—	—	—	—
	F	7	—	3	2	2	—	—	—	—	—	7	1	3	3	—	—	—	—	—	—
4 Scarlet fever ..	M	5	1	—	—	2	1	1	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	4	—	—	—	3	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough ..	M	2	—	1	1	—	—	—	—	—	—	4	1	1	1	1	—	—	—	—	—
	F	14	3	6	4	1	—	—	—	—	—	7	3	1	3	—	—	—	—	—	—
6 Diphtheria ..	M	7	—	1	1	5	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—
	F	8	—	1	6	1	—	—	—	—	—	3	1	—	1	1	—	—	—	—	—
7 Influenza ..	M	24	3	—	—	1	5	1	9	4	1	17	—	—	—	—	—	4	8	1	4
	F	12	1	—	1	—	—	3	5	1	1	12	—	1	—	1	—	1	2	4	3
8 Encephalitis lethargica ..	M	1	—	—	—	—	1	—	—	—	—	2	—	1	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—
9 Meningococcal meningitis ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	1	—	—	1	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system ..	M	100	2	—	—	1	31	38	26	1	1	36	—	—	—	—	9	16	10	1	—
	F	104	—	—	—	1	41	47	11	3	1	45	—	—	—	3	13	18	9	2	—
11 Other tuberculous diseases ..	M	21	1	5	4	2	2	6	—	—	1	12	1	—	—	5	2	1	3	—	—
	F	20	—	1	1	5	3	7	2	—	1	7	—	—	—	—	2	4	1	—	—
12 Cancer, malignant disease ..	M	163	—	—	—	—	2	8	82	44	27	84	—	—	—	—	—	6	25	38	15
	F	169	—	—	1	—	1	22	75	42	28	129	—	—	—	—	—	14	42	51	22
13 Rheumatic fever ..	M	4	—	—	—	1	—	2	1	—	—	1	—	—	—	—	—	—	—	1	—
	F	4	—	—	—	—	2	2	—	—	—	3	—	—	—	—	—	2	1	—	—
14 Diabetes ..	M	15	—	—	—	—	—	2	4	6	3	12	—	—	—	—	2	2	4	4	—
	F	22	—	—	—	—	1	3	6	9	3	17	—	—	1	—	—	1	4	6	5
15 Cerebral hæmorrhage, &c. ..	M	63	—	—	—	—	—	2	13	28	20	43	—	—	—	—	—	1	12	14	16
	F	109	—	—	—	—	1	5	41	28	34	50	—	—	—	—	—	—	8	20	22
16 Heart disease ..	M	227	—	—	—	6	5	20	80	62	54	150	—	—	—	—	6	6	37	58	43
	F	217	—	—	—	5	10	14	71	53	64	149	—	—	—	3	2	9	41	46	48
17 Arterio-sclerosis ..	M	53	—	—	—	—	—	—	10	20	23	27	—	—	—	—	—	—	4	8	15
	F	32	—	—	—	—	—	—	3	14	15	34	—	—	—	—	—	—	6	16	12
18 Bronchitis ..	M	79	10	—	—	—	1	3	9	27	29	44	3	1	1	—	—	2	8	9	20
	F	56	1	—	1	—	1	1	7	14	31	30	6	2	1	—	—	—	2	6	13
19 Pneumonia (all forms) ..	M	107	35	6	3	1	4	15	27	11	5	65	12	3	5	1	3	14	15	8	4
	F	85	24	4	7	1	4	9	18	11	7	47	9	4	2	—	—	6	7	6	13
20 Other respiratory diseases ..	M	26	2	—	—	—	1	4	11	6	2	8	—	—	1	—	—	1	3	2	1
	F	8	—	—	—	—	—	—	2	4	2	6	1	—	—	2	—	—	2	—	1
21 Ulcer of stomach or duodenum ..	M	21	—	—	—	—	2	8	9	1	1	13	—	—	—	—	—	4	5	3	1
	F	8	—	—	—	—	—	3	4	—	1	8	—	—	—	—	—	3	4	1	—
22 Diarrhoea, &c. ..	M	15	14	1	—	—	—	—	—	—	—	13	7	1	—	—	1	2	2	—	—
	F	19	7	3	2	1	1	1	2	2	—	8	3	1	—	—	—	—	—	2	2
23 Appendicitis and typhlitis ..	M	10	—	—	—	—	1	4	4	1	—	2	—	—	—	1	—	—	—	1	—
	F	3	—	—	—	—	1	—	2	—	—	3	—	—	1	—	1	—	1	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	3	—	—	4	—	—	—	—	—	1	1	1	1
	F	4	—	—	—	—	—	—	1	2	1	2	—	—	—	—	—	—	1	1	—
25 Acute and chronic nephritis ..	M	35	—	—	—	4	4	1	10	11	5	21	—	—	—	—	—	3	5	9	4
	F	36	1	—	—	3	3	5	11	6	7	31	1	1	—	—	1	6	9	7	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	—	—	—	—	—	9	—	—	—	7	—	—	—	—	1	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	8	—	—	—	8	—	—	—	—	2	6	—	—	—
28 Congenital debility and malformation, premature birth ..	M	88	88	—	—	—	—	—	—	—	—	63	63	—	—	—	—	—	—	—	—
	F	58	58	—	—	—	—	—	—	—	—	39	38	—	—	—	1	—	—	—	—
29 Suicide ..	M	23	—	—	—	—	—	5	13	4	1	9	—	—	—	—	—	3	4	2	—
	F	7	—	—	—	—	—	2	4	1	—	8	—	—	—	—	2	2	1	3	—
30 Other deaths from violence ..	M	86	2	3	1	8	11	27	26	3	5	56	2	2	1	6	9	15	13	3	5
	F	31	2	—	5	6	1	5	4	4	4	17	2	—	1	1	3	1	4	—	5
31 Other defined diseases ..	M	242	26	4	8	8	4	24	46	49	73	147	18	—	2	5	6	14	21	33	48
	F	289	19	6	3	3	13	46	58	39	102	154	5	5	3	2	4	17	28	23	67
32 Causes ill-defined or unknown ..	M	5	—	—	—	—	—	1	4	—	—	4	—	—	—	—	—	1	1	2	—
	F	3	—	—	—	—	—	—	2	1	—	6	—	1	—	—	—	—	3	2	—

OXFORD—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	221	12	—	1	2	8	17	51	60	70	584	32	4	4	7	19	56	130	150	182
	F	219	12	—	3	3	11	18	49	51	72	539	20	1	6	10	13	41	115	119	214
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
2 Small-pox.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Whooping cough.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Diphtheria .. {	M	1	—	—	1	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 Influenza .. {	M	2	—	—	—	—	—	—	—	2	—	4	—	—	—	—	—	1	1	2	
	F	2	—	—	—	—	—	—	—	—	2	7	—	—	1	—	2	3	—	1	
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	12	—	—	—	—	1	6	3	2	—	29	—	—	—	4	15	9	1	—	
	F	14	—	—	—	—	3	8	3	—	—	18	—	—	2	4	9	3	—	—	
11 Other tuberculous diseases... {	M	1	—	—	—	—	1	—	—	—	—	6	—	—	—	1	2	2	1	—	
	F	2	—	—	1	—	1	—	—	—	—	12	—	1	1	2	4	3	1	—	
12 Cancer, malignant disease .. {	M	22	—	—	—	—	1	9	6	6	81	—	—	—	1	1	3	29	36	11	
	F	41	—	—	—	—	2	17	15	7	82	—	—	—	—	—	5	26	29	22	
13 Rheumatic fever.. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14 Diabetes .. {	M	4	—	—	—	—	—	—	1	1	2	7	—	—	—	—	1	4	2	—	
	F	2	—	—	—	—	—	—	1	—	1	6	—	—	—	—	—	1	2	2	
15 Cerebral hæmorrhage, &c. {	M	16	—	—	—	—	—	—	—	9	7	43	—	—	—	—	—	4	17	22	
	F	19	—	—	—	—	2	5	3	9	40	—	—	—	—	—	1	7	14	18	
16 Heart disease .. {	M	45	—	—	—	—	2	—	8	14	21	109	—	—	—	1	—	8	16	36	
	F	49	—	—	—	—	3	—	8	16	22	136	—	—	2	—	2	23	31	78	
17 Arterio-sclerosis .. {	M	5	—	—	—	—	—	—	—	2	3	26	—	—	—	—	1	1	7	17	
	F	8	—	—	—	—	—	—	1	3	4	24	—	—	—	—	—	4	4	16	
18 Bronchitis.. {	M	12	2	—	—	—	—	—	—	4	6	21	—	—	—	—	—	3	6	12	
	F	11	—	—	—	—	—	—	1	4	6	28	—	—	—	—	—	2	7	19	
19 Pneumonia (all forms) .. {	M	7	—	—	—	—	3	2	1	1	32	6	1	—	1	1	3	9	3	8	
	F	7	—	—	1	—	2	1	2	1	21	2	—	1	—	1	4	5	5	3	
20 Other respiratory diseases... {	M	4	—	—	—	—	—	—	2	1	1	3	—	—	—	—	1	—	1	1	
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1	
21 Ulcer of stomach or duodenum .. {	M	3	—	—	—	—	1	—	1	1	—	4	—	—	—	—	1	1	2	—	
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	
22 Diarrhœa, &c. {	M	1	—	—	—	—	—	—	1	—	—	6	1	1	—	—	1	—	—	3	
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	
23 Appendicitis and typhlitis .. {	M	1	—	—	—	—	—	—	1	—	—	3	1	—	—	1	—	1	—	—	
	F	1	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	
24 Cirrhosis of liver .. {	M	6	—	—	—	—	—	—	4	1	1	5	—	—	—	—	—	2	3	—	
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	1	
25 Acute and chronic nephritis .. {	M	6	—	—	—	—	—	—	3	3	—	28	—	—	—	—	2	8	8	10	
	F	8	—	—	—	—	2	—	3	2	1	15	—	—	—	3	1	3	5	3	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—	
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
28 Congenital debility and malformation, premature birth .. {	M	9	9	—	—	—	—	—	—	—	—	17	16	—	—	—	—	—	—	—	
	F	6	6	—	—	—	—	—	—	—	—	17	16	—	1	—	—	—	—	—	
29 Suicide .. {	M	3	—	—	—	—	1	1	1	—	—	10	—	—	—	1	1	6	2	—	
	F	2	—	—	—	—	1	1	—	—	—	3	—	—	—	—	—	3	—	—	
30 Other deaths from violence... {	M	11	—	—	—	—	2	1	4	1	3	38	—	1	3	—	7	9	13	2	
	F	6	—	—	2	—	—	1	1	1	1	9	—	—	—	1	1	3	1	3	
31 Other defined diseases .. {	M	50	1	—	—	2	2	4	11	11	19	104	8	1	—	2	3	5	20	20	
	F	35	3	—	—	2	1	1	7	4	17	104	1	—	2	1	2	10	24	17	
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	

RUTLAND—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	22	4	—	—	1	2	—	6	5	4	77	5	3	3	1	—	4	12	26	23
	F	19	—	—	—	2	1	1	4	3	8	82	3	1	1	—	1	9	18	15	34
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	2	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	6	—	—	—	—	4	2	—	—	—
11 Other tuberculous diseases .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease .. {	M	2	—	—	—	—	—	—	1	1	—	9	—	—	—	—	—	3	4	2	—
	F	1	—	—	—	—	—	—	1	—	—	18	—	—	—	—	1	3	8	6	—
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Cerebral hæmorrhage, &c. .. {	M	—	—	—	—	—	—	—	—	—	—	9	—	—	—	—	—	1	3	5	—
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	1	4	—
16 Heart disease .. {	M	4	—	—	—	—	—	1	—	2	2	10	—	—	—	—	1	—	5	4	—
	F	7	—	—	—	—	—	—	1	2	3	15	—	—	—	—	1	2	2	10	—
17 Arterio-sclerosis .. {	M	3	—	—	—	—	—	—	—	2	1	6	—	—	—	—	—	1	—	5	—
	F	2	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—	—	1	3	—
18 Bronchitis .. {	M	—	—	—	—	—	—	—	—	—	—	4	1	1	—	—	—	—	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	2	—
19 Pneumonia (all forms) .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	1	1	—	—
	F	3	—	—	—	—	—	—	1	—	2	5	—	—	1	—	1	2	1	—	—
20 Other respiratory diseases .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
21 Ulcer of stomach or duodenum .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhoea, &c. .. {	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis .. {	M	1	—	—	—	—	—	—	1	—	—	5	—	—	—	—	—	2	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	2	—
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	2	2	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
29 Suicide .. {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence .. {	M	1	—	—	—	1	—	—	—	—	—	5	—	—	1	—	—	3	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Other defined diseases .. {	M	5	1	—	—	—	1	—	2	—	1	16	1	1	—	—	—	2	7	5	—
	F	4	—	—	—	1	—	—	1	1	1	17	2	—	—	1	1	5	2	6	—
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
SALOP—1930 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {		M	738	81	7	12	17	27	57	190	187	160	798	87	10	15	8	28	40	178	182	250
		F	716	36	5	11	14	18	69	153	179	231	697	31	8	9	15	25	55	147	147	260
1 Enteric fever .. {		M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	1	1	—
2 Small-pox .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {		M	3	—	2	—	1	—	—	—	—	—	2	1	—	—	—	1	—	—	—	—
		F	4	2	1	—	1	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
4 Scarlet fever .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
5 Whooping cough .. {		M	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
		F	3	2	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
6 Diphtheria .. {		M	3	—	—	—	3	—	—	—	—	—	5	—	—	3	2	—	—	—	—	—
		F	4	—	—	1	2	1	—	—	—	—	4	—	1	—	3	—	—	—	—	—
7 Influenza .. {		M	17	1	—	—	1	—	2	4	4	5	13	—	—	1	—	1	2	5	2	2
		F	12	—	—	—	1	—	1	4	3	3	8	—	—	—	—	—	3	2	2	3
8 Encephalitis lethargica .. {		M	2	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—	—
9 Meningococcal meningitis .. {		M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system {		M	36	—	—	—	1	10	12	12	1	—	21	—	—	—	—	5	9	7	—	—
		F	20	—	—	—	—	6	10	3	1	—	29	—	—	—	1	9	10	9	—	—
11 Other tuberculous diseases .. {		M	7	1	—	2	1	1	1	1	—	—	8	—	—	3	—	2	3	—	—	—
		F	8	1	—	1	1	2	1	1	—	1	11	1	1	2	4	1	2	—	—	—
12 Cancer, malignant disease .. {		M	81	—	—	1	—	—	5	40	20	15	85	—	1	—	—	—	—	29	31	24
		F	98	—	—	—	—	—	4	34	36	24	91	—	—	—	—	—	7	37	24	23
13 Rheumatic fever .. {		M	1	—	—	—	—	1	—	—	—	—	2	—	—	1	—	—	—	—	—	1
		F	2	—	—	—	—	1	1	—	—	—	2	—	—	—	2	—	—	—	—	—
14 Diabetes .. {		M	10	—	—	—	1	2	1	2	2	2	13	—	—	—	1	—	1	5	4	2
		F	7	—	—	—	—	1	1	1	2	2	16	—	—	—	1	—	2	4	5	4
15 Cerebral hæmorrhage, &c. .. {		M	44	—	—	—	—	—	—	9	22	13	47	—	—	—	—	—	—	8	14	25
		F	59	—	—	—	—	—	4	18	14	23	54	—	—	—	—	—	1	14	10	29
16 Heart disease .. {		M	144	—	—	—	5	4	4	43	55	33	162	—	—	—	—	1	1	36	55	69
		F	156	—	—	—	1	1	9	32	49	64	166	—	—	—	—	2	5	31	48	80
17 Arterio-sclerosis .. {		M	36	—	—	—	—	—	—	1	14	21	42	—	—	—	—	—	—	6	12	24
		F	17	—	—	—	—	—	1	1	7	8	19	—	—	—	—	—	—	1	8	10
18 Bronchitis .. {		M	37	4	—	—	—	—	3	3	13	14	36	3	—	—	—	—	—	2	9	22
		F	30	—	—	—	—	—	—	4	10	16	32	1	—	—	—	—	—	6	25	25
19 Pneumonia (all forms) .. {		M	45	10	1	3	1	1	4	15	7	3	28	6	2	1	—	2	1	7	3	6
		F	26	5	1	3	1	—	2	7	5	2	34	3	3	2	1	—	6	6	5	8
20 Other respiratory diseases .. {		M	7	—	—	—	—	—	—	2	2	3	9	—	—	1	1	—	3	1	—	3
		F	6	1	—	—	—	1	1	1	—	2	3	—	—	—	—	—	—	—	2	1
21 Ulcer of stomach or duodenum .. {		M	8	—	—	—	—	—	4	3	—	1	8	—	—	—	—	—	3	4	1	—
		F	3	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	2	—	—
22 Diarrhæa, &c. .. {		M	9	6	—	—	—	—	—	—	3	—	8	3	1	—	—	—	1	1	1	1
		F	14	6	—	—	—	—	3	1	2	2	3	—	1	1	—	—	—	1	—	—
23 Appendicitis and typhlitis .. {		M	4	—	—	—	1	—	—	2	—	1	4	—	—	—	1	—	1	2	—	—
		F	9	—	—	—	2	1	2	2	2	—	2	—	—	1	—	—	—	—	1	—
24 Cirrhosis of liver .. {		M	5	—	—	—	—	—	—	2	3	—	3	—	—	—	—	—	3	—	—	—
		F	6	—	—	—	—	—	1	—	3	2	4	—	—	—	—	—	1	2	1	—
25 Acute and chronic nephritis .. {		M	26	1	—	—	—	—	1	13	10	1	33	1	—	—	—	—	1	13	11	7
		F	26	—	—	—	—	1	3	8	7	7	23	—	—	—	—	—	2	7	8	6
26 Puerperal sepsis .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	5	—	—	—	—	2	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {		M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	1	7	1	—	—	6	—	—	—	—	2	4	—	—	—
28 Congenital debility and malformation, premature birth .. {		M	42	40	1	1	—	—	—	—	—	—	55	54	1	—	—	—	—	—	—	—
		F	14	14	—	—	—	—	—	—	—	—	20	17	—	1	1	—	—	—	—	—
29 Suicide .. {		M	15	—	—	—	—	1	—	11	2	1	8	—	—	—	—	1	3	3	1	—
		F	6	—	—	—	—	—	2	4	—	—	1	—	—	—	—	1	—	—	—	—
30 Other deaths from violence .. {		M	32	1	—	2	2	3	8	9	3	4	39	4	—	1	—	12	4	12	1	5
		F	17	1	—	2	1	—	1	2	5	5	14	—	—	1	—	2	1	2	2	6
31 Other defined diseases .. {		M	120	16	1	3	—	4	12	16	25	43	159	15	5	3	2	2	6	31	36	59
		F	153	4	3	3	3	1	13	26	30	70	133	8	—	—	1	4	9	25	22	64
32 Causes ill-defined or unknown .. {		M	3	—	1	—	—	—	—	1	1	—	5	—	—	—	—	—	1	3	1	—
		F	4	—	—	—	—	1	—	1	2	—	4	—	—	—	—	—	—	3	1	—

SOMERSET—1930 (Civilian population only).

CAUSES OF DEATH.	Sex	AGGREGATE OF URBAN DISTRICTS.											AGGREGATE OF RURAL DISTRICTS.										
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—		
ALL CAUSES .. {	M	965	62	3	10	21	34	99	257	249	230	1386	93	6	9	28	42	127	341	314	426		
	F	1021	42	9	8	22	30	87	230	260	333	1361	69	16	8	19	35	119	282	332	481		
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—			
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—			
	F	2	—	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—			
5 Whooping cough .. {	M	2	—	1	—	—	—	1	—	—	—	3	3	—	—	—	—	—	—	—			
	F	1	—	—	1	—	—	—	—	—	—	8	5	3	—	—	—	—	—	—			
6 Diphtheria .. {	M	10	—	—	3	7	—	—	—	—	—	2	—	—	2	—	—	—	—	—			
	F	8	—	1	2	5	—	—	—	—	—	8	1	1	—	3	2	1	—	—			
7 Influenza .. {	M	11	1	—	—	—	—	4	2	3	1	26	—	—	—	1	1	3	9	5	7		
	F	9	—	—	—	—	—	—	1	5	3	19	1	—	1	—	2	2	5	5	3		
8 Encephalitis lethargica .. {	M	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	1	3	2	—		
	F	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	1	—	—	—			
9 Meningococcal meningitis .. {	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—			
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—			
10 Tuberculosis of respiratory system {	M	42	—	—	—	—	9	20	10	3	—	65	—	—	—	3	8	29	22	3	—		
	F	49	—	—	1	2	12	21	9	4	—	60	—	1	—	—	11	25	18	4	1		
11 Other tuberculous diseases .. {	M	4	—	—	1	—	—	2	1	—	—	11	2	—	1	1	3	3	1	—	—		
	F	12	2	—	2	4	1	2	1	—	—	10	2	1	—	—	—	3	3	1	—		
12 Cancer, malignant disease .. {	M	124	—	—	—	—	1	7	30	58	28	180	—	—	—	—	—	6	67	55	52		
	F	156	—	—	—	—	—	9	60	45	42	192	—	—	—	—	2	15	74	58	43		
13 Rheumatic fever .. {	M	2	—	—	—	—	1	1	—	—	—	2	—	—	—	—	—	—	1	1	—		
	F	1	—	—	—	—	—	1	—	—	—	3	—	—	1	1	—	—	1	—	—		
14 Diabetes .. {	M	11	—	—	—	—	—	1	5	2	3	17	—	—	—	2	2	—	5	4	4		
	F	22	—	—	—	—	1	2	7	5	7	19	—	—	—	—	—	1	4	8	6		
15 Cerebral hæmorrhage, &c. .. {	M	47	—	—	—	—	—	—	14	14	19	73	—	—	—	—	—	1	15	28	29		
	F	69	—	—	—	—	—	—	19	23	27	100	—	—	—	—	—	3	13	24	60		
16 Heart disease .. {	M	185	—	—	—	—	2	10	48	69	56	274	—	—	—	—	3	11	66	86	108		
	F	206	—	—	—	2	—	6	41	70	87	317	—	—	—	2	3	7	62	109	134		
17 Arterio-sclerosis .. {	M	48	—	—	—	—	—	—	9	18	21	52	—	—	—	—	—	—	11	15	26		
	F	44	—	—	—	—	—	—	10	17	17	55	—	—	—	—	—	—	8	16	31		
18 Bronchitis.. {	M	32	1	—	—	—	—	—	6	6	19	68	4	1	—	—	3	2	5	14	39		
	F	43	2	—	—	—	—	—	6	14	21	51	5	1	—	—	—	—	6	14	25		
19 Pneumonia (all forms) .. {	M	52	11	1	—	—	3	7	15	8	7	53	10	1	1	—	1	14	11	7	8		
	F	37	4	5	—	1	1	8	8	4	6	36	2	3	1	—	1	6	6	11	6		
20 Other respiratory diseases .. {	M	11	—	—	1	—	—	—	4	2	4	16	—	—	—	—	—	2	9	2	3		
	F	6	—	—	—	—	1	—	3	1	1	12	—	—	—	—	—	2	3	3	4		
21 Ulcer of stomach or duodenum .. {	M	19	—	—	—	—	—	4	11	2	2	21	—	—	—	—	—	4	9	6	2		
	F	9	—	—	—	—	1	—	6	2	—	8	—	—	—	—	—	1	4	2	1		
22 Diarrhoea, &c. .. {	M	4	3	—	—	—	—	—	—	1	—	10	5	—	—	—	—	1	—	2	2		
	F	8	2	—	—	—	—	—	2	1	3	9	1	—	—	—	—	3	2	1	2		
23 Appendicitis and typhlitis .. {	M	13	—	—	—	2	1	2	7	1	—	8	—	—	1	2	2	1	—	1	1		
	F	8	—	—	—	2	1	2	2	—	1	7	—	—	—	1	1	—	2	2	1		
24 Cirrhosis of liver .. {	M	6	—	—	—	—	—	—	4	1	1	10	—	—	—	—	—	—	4	5	1		
	F	7	—	—	—	—	—	2	3	2	—	—	—	—	—	—	—	—	—	—	—		
25 Acute and chronic nephritis .. {	M	51	—	—	—	—	—	7	20	17	7	83	—	—	1	—	1	3	25	25	28		
	F	33	—	—	—	1	—	2	11	9	10	54	—	—	—	1	1	5	13	17	17		
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	3	—	—	—	—	—	3	—	—	—	9	—	—	—	—	1	8	—	—	—		
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	F	6	—	—	—	—	1	5	—	—	—	7	—	—	—	—	—	6	1	—	—		
28 Congenital debility and malformation, premature birth .. {	M	35	34	—	—	—	1	—	—	—	—	50	49	—	—	—	—	—	1	—	—		
	F	20	19	1	—	—	—	—	—	—	—	37	36	—	—	—	—	—	1	—	—		
29 Suicide .. {	M	15	—	—	—	—	1	5	6	3	—	15	—	—	—	—	—	4	10	1	—		
	F	8	—	—	—	—	—	3	4	—	1	7	—	—	—	—	1	3	3	—	—		
30 Other deaths from violence.. {	M	51	1	1	4	7	10	8	10	4	6	80	7	2	3	5	9	15	25	9	5		
	F	28	2	1	1	1	—	2	1	5	15	40	1	1	3	2	3	8	5	3	14		
31 Other defined diseases .. {	M	186	11	—	1	5	4	20	53	36	56	259	12	—	2	11	9	28	43	43	111		
	F	225	11	1	—	3	11	19	35	53	92	285	15	5	2	8	6	19	44	53	133		
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	1	—	—		
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—		

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
SOUTHAMPTON—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1059	85	16	15	33	26	76	307	256	245	1437	103	21	16	39	51	140	335	346	386
	F	1032	71	18	26	31	39	111	226	206	304	1344	77	19	25	18	38	113	282	296	476
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles ..	M	14	2	7	1	4	—	—	—	—	—	7	1	2	1	3	—	—	—	—	
	F	27	4	7	8	8	—	—	—	—	—	10	2	5	2	1	—	—	—	—	
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
	F	5	—	1	2	2	—	—	—	—	—	2	—	—	1	1	—	—	—	—	
5 Whooping cough ..	M	6	3	2	1	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—	
	F	9	6	1	2	—	—	—	—	—	—	4	1	1	2	—	—	—	—	—	
6 Diphtheria ..	M	2	—	—	—	2	—	—	—	—	—	9	—	3	—	4	2	—	—	—	
	F	6	1	1	1	2	—	—	1	—	—	5	—	—	1	2	—	2	—	—	
7 Influenza ..	M	9	—	—	—	—	—	1	4	4	—	9	1	—	—	—	—	1	6	1	
	F	6	—	—	—	—	—	—	3	2	1	15	—	—	—	—	—	2	4	2	
8 Encephalitis lethargica ..	M	1	—	—	—	1	—	—	—	—	—	2	—	—	1	—	—	—	—	—	
	F	2	—	—	—	2	—	—	—	—	—	3	—	—	—	—	—	1	1	1	
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	3	—	1	1	—	—	1	—	—	
10 Tuberculosis of respiratory system	M	54	—	—	1	1	6	19	19	4	4	72	—	—	—	1	10	39	20	1	
	F	59	—	—	—	—	22	28	7	1	1	53	—	—	—	1	16	24	11	—	
11 Other tuberculous diseases ..	M	10	—	2	1	4	1	—	1	1	—	25	—	3	3	5	1	4	4	3	
	F	12	2	1	2	2	2	3	—	—	—	16	—	1	3	4	3	4	1	—	
12 Cancer, malignant disease ..	M	164	—	—	—	—	3	7	73	45	36	174	—	—	—	1	—	6	51	71	
	F	143	—	—	—	2	—	11	56	41	33	220	—	—	—	—	—	13	90	62	
13 Rheumatic fever ..	M	4	—	—	—	1	1	—	2	—	—	3	—	—	—	1	—	—	—	1	
	F	5	—	—	—	4	—	1	—	—	—	4	—	—	—	3	—	—	1	—	
14 Diabetes ..	M	7	—	—	—	—	—	—	3	4	—	18	—	—	—	2	—	2	6	5	
	F	16	—	—	1	—	2	1	2	5	5	17	—	—	—	—	2	2	6	7	
15 Cerebral hæmorrhage, &c. ..	M	62	—	—	—	—	—	1	20	21	20	63	—	—	—	—	—	17	19	32	
	F	80	—	—	—	—	—	2	21	24	33	70	—	—	—	—	2	13	19	36	
16 Heart disease ..	M	204	—	—	1	—	1	4	57	73	68	314	1	—	—	2	1	7	76	99	
	F	233	—	—	—	1	1	13	45	56	117	323	—	—	—	2	1	10	58	87	
17 Arterio-sclerosis ..	M	40	—	—	—	—	—	—	14	12	14	79	—	—	—	—	—	1	15	25	
	F	31	—	—	—	—	—	—	3	11	17	73	—	—	—	—	—	—	4	27	
18 Bronchitis..	M	34	3	1	—	—	—	—	8	7	15	43	1	—	—	—	1	3	3	13	
	F	26	1	1	1	—	—	1	2	6	14	40	—	—	2	—	—	1	4	6	
19 Pneumonia (all forms) ..	M	51	10	1	1	2	—	6	18	8	5	77	14	6	4	3	1	12	20	11	
	F	37	8	4	1	1	—	2	13	5	3	58	11	4	4	—	2	5	8	9	
20 Other respiratory diseases	M	17	—	—	—	1	—	2	5	5	4	18	1	—	—	—	1	1	7	4	
	F	10	—	—	—	—	—	1	3	—	6	14	—	—	1	—	1	2	5	2	
21 Ulcer of stomach or duodenum ..	M	11	—	—	—	—	—	3	6	1	1	19	—	—	—	—	—	5	10	3	
	F	8	—	—	—	—	—	1	5	2	—	6	—	—	—	—	1	2	1	2	
22 Diarrhœa, &c. ..	M	9	6	—	—	—	—	1	2	—	—	7	2	1	2	—	—	—	—	2	
	F	11	7	—	—	—	—	2	1	—	1	5	1	2	—	—	—	—	1	1	
23 Appendicitis and typhlitis ..	M	8	—	—	1	1	—	1	4	1	—	4	—	—	1	—	1	—	1	—	
	F	8	—	—	—	—	1	—	5	2	—	11	—	—	—	3	1	2	1	2	
24 Cirrhosis of liver ..	M	6	—	—	—	—	—	1	3	2	—	5	—	—	—	—	1	2	2	—	
	F	4	—	—	—	—	1	—	2	1	—	1	—	—	—	—	—	1	—	—	
25 Acute and chronic nephritis ..	M	31	—	—	1	—	1	3	8	11	7	55	—	—	—	1	1	1	17	21	
	F	34	1	—	—	1	—	6	9	12	5	66	—	—	—	1	—	3	12	33	
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	1	2	—	—	—	8	—	—	—	—	1	7	—	—	
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	15	—	—	—	—	1	13	1	—	—	3	—	—	—	—	—	3	—	—	
28 Congenital debility and malformation, premature birth ..	M	44	43	1	—	—	—	—	—	—	—	62	61	—	—	1	—	—	—	—	
	F	26	26	—	—	—	—	—	—	—	—	53	50	2	—	—	—	1	—	—	
29 Suicide ..	M	13	—	—	—	—	1	3	8	1	—	24	—	—	—	—	3	8	8	5	
	F	6	—	—	—	—	—	5	—	1	—	7	—	—	—	—	1	3	1	2	
30 Other deaths from violence..	M	55	4	—	2	7	8	17	9	4	4	81	1	—	1	5	18	25	21	4	
	F	23	1	—	2	2	1	3	4	5	5	39	—	—	5	2	5	5	8	4	
31 Other defined diseases ..	M	201	14	2	4	9	4	7	43	51	67	254	17	4	3	10	8	23	51	56	
	F	186	13	2	6	4	7	16	43	32	63	214	12	3	3	1	4	21	47	31	
32 Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
STAFFORD—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	2932	354	87	84	101	134	358	763	616	435	1168	130	19	22	24	54	106	292	251	270
	F	2555	255	52	71	89	118	294	605	515	556	1117	109	17	17	30	45	114	245	233	307
1 Enteric fever .. {	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	41	6	15	18	2	—	—	—	—	—	7	2	2	1	2	—	—	—	—	
	F	24	7	7	8	2	—	—	—	—	—	8	2	3	2	1	—	—	—	—	
4 Scarlet fever .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	1	1	1	—	—	—	—	2	—	1	—	1	—	—	—	—	
5 Whooping cough.. {	M	13	5	4	4	—	—	—	—	—	—	4	3	1	—	—	—	—	—	—	
	F	26	10	9	6	—	—	—	1	—	—	4	3	1	—	—	—	—	—	—	
6 Diphtheria .. {	M	15	2	2	6	4	1	—	—	—	—	4	—	1	2	1	—	—	—	—	
	F	22	1	1	3	14	2	1	—	—	—	5	—	—	—	5	—	—	—	—	
7 Influenza .. {	M	60	1	—	2	1	6	12	26	9	3	21	—	—	—	—	3	2	11	3	
	F	36	1	1	—	3	1	4	15	7	4	14	—	—	—	1	1	3	4	4	
8 Encephalitis lethargica .. {	M	5	—	—	—	1	1	—	2	1	—	1	—	—	—	—	1	—	—	—	
	F	2	—	—	—	—	—	1	1	—	—	3	—	—	—	2	1	—	—	—	
9 Meningococcal meningitis .. {	M	2	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
	F	3	2	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	192	1	1	1	3	38	89	50	8	1	47	—	—	—	—	8	18	19	2	
	F	168	—	—	2	3	50	85	24	3	1	69	—	—	—	3	23	32	10	1	
11 Other tuberculous diseases .. {	M	47	9	8	5	8	6	8	3	—	—	16	2	1	3	2	2	4	1	1	
	F	30	—	2	6	7	5	5	3	2	—	11	1	1	—	3	4	—	2	—	
12 Cancer, malignant disease .. {	M	306	—	—	1	1	2	18	132	113	39	157	—	—	1	—	—	9	66	47	
	F	320	—	—	—	2	—	35	156	80	47	129	—	—	—	—	—	10	56	43	
13 Rheumatic fever.. {	M	9	—	—	—	4	—	2	3	—	—	10	—	—	—	3	2	4	1	—	
	F	12	—	—	2	3	5	1	—	1	—	2	—	—	—	—	1	1	—	—	
14 Diabetes .. {	M	27	—	—	—	—	2	3	13	5	4	8	—	—	—	—	1	1	2	2	
	F	36	—	—	—	—	1	2	16	13	4	15	—	—	—	—	—	6	6	3	
15 Cerebral hæmorrhage, &c. {	M	130	—	—	—	—	—	1	41	52	36	64	—	—	—	—	—	1	20	23	
	F	154	—	—	—	—	—	2	41	54	57	83	—	1	—	—	—	2	21	23	
16 Heart disease .. {	M	470	—	—	1	7	9	40	142	158	113	182	—	—	—	1	—	9	40	65	
	F	493	—	—	—	7	14	42	132	160	138	221	—	—	—	—	5	15	57	54	
17 Arterio-sclerosis .. {	M	103	—	—	—	—	—	—	21	46	36	53	—	—	—	—	—	1	4	20	
	F	86	—	—	—	—	—	—	15	27	44	45	—	—	—	—	—	5	15	25	
18 Bronchitis.. {	M	153	20	4	1	3	2	4	37	44	38	38	4	—	—	—	—	1	7	10	
	F	116	17	—	1	1	—	5	16	36	40	45	2	1	—	—	—	3	15	16	
19 Pneumonia (all forms) .. {	M	257	51	32	18	11	13	43	54	22	13	87	18	8	6	1	2	13	22	13	
	F	177	35	15	17	11	9	15	31	30	14	67	16	5	2	2	2	6	11	19	
20 Other respiratory diseases {	M	37	2	1	1	—	1	4	20	5	3	16	1	1	1	—	—	2	6	3	
	F	28	1	1	1	—	1	4	7	5	8	11	—	—	—	1	1	1	2	1	
21 Ulcer of stomach or duodenum {	M	33	—	—	—	—	1	11	18	3	—	19	—	—	—	—	1	4	8	6	
	F	8	—	—	—	—	—	3	5	—	—	2	—	—	—	—	—	1	1	—	
22 Diarrhœa, &c. {	M	47	39	1	2	2	—	—	1	2	—	14	7	1	1	1	1	—	1	—	
	F	39	24	6	2	2	—	3	—	—	2	19	8	3	1	1	—	1	2	2	
23 Appendicitis and typhlitis {	M	17	—	—	—	4	—	8	5	—	—	6	—	—	—	1	1	—	1	1	
	F	17	—	—	2	5	2	2	6	—	—	2	—	—	—	—	—	2	—	—	
24 Cirrhosis of liver {	M	16	—	—	—	—	—	2	8	6	—	8	—	—	—	—	1	—	3	2	
	F	8	—	—	—	—	—	—	6	2	—	4	—	—	—	—	—	4	—	—	
25 Acute and chronic nephritis {	M	73	1	1	3	3	3	10	30	14	8	44	—	—	—	—	1	23	15	5	
	F	84	—	—	2	2	4	10	31	21	14	30	—	—	—	1	1	9	9	10	
26 Puerperal sepsis {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	14	—	—	—	—	2	12	—	—	—	8	—	—	—	—	8	—	—	—	
27 Other accidents and diseases of pregnancy and parturition {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	14	—	—	—	—	—	14	—	—	—	9	—	—	—	—	8	1	—	—	
28 Congenital debility and malformation, premature birth. {	M	163	160	—	1	1	—	1	—	—	—	72	70	—	—	1	—	—	—	—	
	F	123	120	2	—	—	1	—	—	—	—	51	51	—	—	—	—	—	—	—	
29 Suicide .. {	M	38	—	—	—	1	—	6	19	9	3	11	—	—	—	1	1	2	4	2	
	F	17	—	—	—	—	1	9	6	1	—	6	—	—	—	2	2	2	—	—	
30 Other deaths from violence.. {	M	180	5	3	6	25	35	50	28	16	12	71	2	2	4	4	21	18	12	6	
	F	66	5	1	8	12	7	3	13	7	10	40	5	1	3	4	2	1	9	6	
31 Other defined diseases {	M	492	51	14	14	18	13	44	110	102	126	205	20	2	3	5	11	12	41	33	
	F	425	31	7	9	13	12	36	79	65	173	211	21	—	8	7	2	24	39	34	
32 Causes ill-defined or unknown {	M	3	—	1	—	—	1	—	—	1	—	2	—	—	—	1	—	1	—	—	
	F	3	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS OF LIFE in the ADMINISTRATIVE COUNTY of
SUFFOLK, EAST—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	482	34	7	7	15	13	42	122	128	114	671	39	1	9	14	25	56	139	167	221
	F	517	31	3	6	18	18	38	117	116	170	655	47	6	6	13	25	57	129	157	215
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	7	5	1	1	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	—
6 Diphtheria .. {	M	3	—	2	—	1	—	—	—	—	—	4	—	—	1	1	1	—	—	—	—
	F	3	—	1	2	—	—	—	—	—	—	5	—	—	—	2	2	1	—	—	—
7 Influenza .. {	M	3	—	—	—	—	—	—	3	—	—	6	—	—	—	—	—	—	3	2	1
	F	5	1	—	—	—	—	—	1	—	3	5	—	—	—	—	—	—	—	2	3
8 Encephalitis lethargica .. {	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	30	—	—	—	—	4	14	11	—	1	31	—	—	—	1	7	19	3	1	—
	F	41	—	—	—	3	10	14	10	4	—	32	—	—	—	1	8	17	5	1	—
11 Other tuberculous diseases .. {	M	4	—	—	—	2	—	1	1	—	—	6	—	—	1	2	1	1	—	—	—
	F	6	1	—	—	4	—	—	1	—	—	10	—	1	1	—	2	4	1	—	1
12 Cancer, malignant disease .. {	M	55	—	—	—	—	—	22	24	9	102	—	—	—	—	—	2	3	33	40	24
	F	86	—	—	—	—	1	5	33	21	26	96	—	—	—	—	1	7	33	31	24
13 Rheumatic fever .. {	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1	—	1	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
14 Diabetes .. {	M	14	—	—	—	1	—	—	5	6	2	13	—	—	—	—	—	3	1	9	—
	F	6	—	—	—	1	—	—	2	—	3	7	—	—	—	—	—	—	1	5	1
15 Cerebral hæmorrhage, &c. .. {	M	17	—	—	—	—	—	1	4	3	9	46	—	—	—	—	—	2	10	12	22
	F	36	—	—	—	—	—	—	5	10	21	51	—	—	—	—	—	—	13	12	26
16 Heart disease .. {	M	98	—	—	—	2	2	6	26	36	26	126	—	—	—	—	—	1	22	44	59
	F	101	—	—	—	1	—	5	19	33	43	139	—	—	—	—	3	5	25	48	58
17 Arterio-sclerosis .. {	M	24	—	—	—	—	—	—	2	10	12	21	—	—	—	—	—	—	2	6	13
	F	22	—	—	—	—	—	—	3	9	10	25	—	—	—	—	—	—	6	6	13
18 Bronchitis .. {	M	25	2	—	1	—	—	—	4	7	11	32	3	—	—	—	—	—	5	5	19
	F	21	—	—	—	—	—	—	2	3	16	31	1	—	2	—	1	—	1	9	17
19 Pneumonia (all forms) .. {	M	19	2	1	2	1	—	3	7	1	2	25	3	—	1	2	1	1	5	5	7
	F	25	4	—	—	1	1	1	7	8	3	20	2	—	1	—	—	2	2	9	4
20 Other respiratory diseases .. {	M	11	2	—	—	—	2	—	1	3	3	10	—	—	1	—	—	2	2	3	2
	F	4	—	—	—	1	—	1	—	—	2	6	—	—	—	—	—	—	1	3	2
21 Ulcer of stomach or duodenum .. {	M	5	—	—	—	—	—	4	1	—	—	5	—	—	—	—	—	1	3	—	1
	F	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	2	1	1
22 Diarrhoea, &c. .. {	M	3	1	—	1	—	—	—	—	1	—	3	—	—	—	—	—	1	2	—	—
	F	2	—	—	—	—	—	—	2	—	—	7	3	1	1	1	—	1	—	—	—
23 Appendicitis and typhlitis .. {	M	6	—	—	—	1	—	—	4	1	—	2	—	—	—	—	1	—	1	—	—
	F	4	—	—	—	—	1	—	2	—	1	5	—	—	—	1	—	—	3	1	—
24 Cirrhosis of liver .. {	M	4	—	—	—	—	—	—	1	3	—	5	—	—	—	—	—	2	1	1	1
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—	5	1	—
25 Acute and chronic nephritis .. {	M	16	—	—	—	—	—	—	5	9	2	20	—	—	—	—	1	5	5	2	7
	F	21	—	—	—	—	—	2	3	10	6	17	—	—	—	—	1	2	4	5	5
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	2	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	24	24	—	—	—	—	—	—	—	—	30	27	—	—	2	—	1	—	—	—
	F	13	13	—	—	—	—	—	—	—	—	34	34	—	—	—	—	—	—	—	—
29 Suicide .. {	M	10	—	—	—	—	—	4	3	2	1	7	—	—	—	—	2	—	3	2	—
	F	4	—	—	—	—	—	1	2	—	1	1	—	—	—	—	—	—	—	1	—
30 Other deaths from violence .. {	M	16	1	—	2	2	2	4	4	1	—	39	1	—	1	1	8	5	9	6	8
	F	8	2	—	1	1	1	—	1	1	1	11	—	—	—	1	—	4	1	1	4
31 Other defined diseases .. {	M	86	2	—	1	3	2	3	18	21	36	133	5	—	3	5	1	7	28	27	57
	F	97	4	1	2	4	4	9	23	16	34	125	6	1	1	5	5	7	23	21	56
32 Causes ill-defined or unknown .. {	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
SUFFOLK, WEST—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	249	6	3	4	5	7	18	61	72	73	401	20	4	3	9	15	22	83	114	131
	F	254	9	1	5	4	4	22	52	60	97	385	14	4	4	2	7	35	76	80	163
1 Enteric fever .. {	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever .. {	M	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
6 Diphtheria .. {	M	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza .. {	M	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	1	—	4	1	
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	—	1	1	
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	18	—	—	—	—	1	8	8	1	—	12	—	—	—	3	2	6	1	—	
	F	9	—	—	—	—	3	4	1	1	—	10	—	—	—	1	5	4	—	—	
11 Other tuberculous diseases .. {	M	2	—	—	—	1	1	—	—	—	—	7	—	2	1	1	2	1	—	—	
	F	2	—	—	1	—	—	1	—	—	—	5	—	1	—	1	3	—	—	—	
12 Cancer, malignant disease .. {	M	32	—	—	—	—	—	—	7	16	9	60	—	—	—	—	3	19	26	12	
	F	33	—	—	—	—	—	4	12	9	8	63	—	—	—	—	5	23	15	20	
13 Rheumatic fever .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14 Diabetes .. {	M	2	—	—	—	—	—	—	—	2	—	5	—	—	—	—	—	—	5	—	
	F	3	—	—	—	—	—	—	1	1	1	4	—	—	—	—	—	—	1	3	
15 Cerebral hæmorrhage, &c. .. {	M	18	—	—	—	—	—	—	6	7	5	22	—	—	—	—	—	3	10	9	
	F	19	—	—	—	—	—	—	3	6	10	30	—	—	—	—	—	6	12	12	
16 Heart disease .. {	M	52	—	—	—	—	—	2	6	22	22	83	—	—	—	—	3	15	31	34	
	F	60	—	—	—	—	—	3	10	20	27	91	—	—	—	—	2	17	21	51	
17 Arterio-sclerosis .. {	M	19	—	—	—	—	—	—	2	6	11	23	—	—	—	—	—	5	5	13	
	F	11	—	—	—	—	—	—	—	1	10	18	—	—	—	—	—	1	3	14	
18 Bronchitis.. {	M	9	1	1	1	—	—	—	—	1	5	13	—	1	—	1	—	—	3	8	
	F	8	—	—	—	—	—	—	—	3	5	15	1	—	—	1	—	—	1	12	
19 Pneumonia (all forms) .. {	M	12	1	—	1	—	—	1	5	3	1	18	1	—	—	1	2	3	6	3	
	F	11	1	1	2	1	—	1	2	2	1	13	4	1	2	1	—	3	—	2	
20 Other respiratory diseases .. {	M	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	1	1	1	1	
	F	3	—	—	—	—	—	—	1	2	—	3	—	—	—	—	—	—	1	2	
21 Ulcer of stomach or duodenum .. {	M	6	—	—	—	—	—	—	4	2	—	4	—	—	—	—	1	2	1	—	
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—	
22 Diarrhœa, &c. .. {	M	1	—	—	—	—	—	1	—	—	—	3	2	—	—	—	—	1	—	—	
	F	2	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1	
23 Appendicitis and typhlitis .. {	M	4	—	—	—	—	1	1	2	—	—	3	—	—	1	1	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
24 Cirrhosis of liver .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—	
	F	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—	
25 Acute and chronic nephritis .. {	M	6	—	—	—	—	—	—	2	1	3	15	—	—	—	—	1	4	4	6	
	F	8	—	—	—	1	—	—	3	1	3	14	—	—	—	—	—	3	6	5	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—	
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	4	—	—	—	
	F	2	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	
28 Congenital debility and malformation, premature birth .. {	M	2	1	—	—	1	—	—	—	—	—	13	12	—	—	1	—	—	—	—	
	F	6	5	—	1	—	—	—	—	—	—	8	7	1	—	—	—	—	—	—	
29 Suicide .. {	M	3	—	—	—	—	—	—	3	—	—	11	—	—	—	1	2	6	—	2	
	F	4	—	—	—	—	1	1	1	1	—	1	—	—	—	—	—	1	—	—	
30 Other deaths from violence.. {	M	11	1	—	1	1	2	3	1	1	1	17	—	—	—	4	4	4	2	1	
	F	8	1	—	—	—	—	—	2	2	3	6	—	1	—	1	1	2	1	—	
31 Other defined diseases .. {	M	43	2	1	—	1	2	2	11	8	16	77	4	1	1	1	—	1	14	14	
	F	59	2	—	1	—	—	4	14	10	28	85	2	—	2	—	1	7	16	40	
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	

SUSSEX, EAST—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	793	44	6	10	10	18	54	215	224	212	751	49	3	6	17	25	55	197	182	217
	F	968	23	8	5	9	24	71	238	227	363	772	22	4	8	16	19	65	185	177	276
1 Enteric fever .. {	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	
2 Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles .. {	M	6	1	3	—	2	—	—	—	—	—	2	—	2	—	—	—	—	—	—	
	F	4	1	—	1	1	—	1	—	—	—	3	1	1	—	1	—	—	—	—	
4 Scarlet fever .. {	M	2	—	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	
5 Whooping cough .. {	M	2	—	1	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	
	F	2	—	1	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
6 Diphtheria .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	3	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
7 Influenza .. {	M	3	—	—	—	—	—	1	1	1	—	2	—	—	—	—	—	1	—	1	
	F	12	—	—	—	—	—	1	2	3	6	12	—	—	—	—	3	1	3	5	
8 Encephalitis lethargica .. {	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of .. {	M	50	—	—	—	7	20	21	2	—	30	—	—	—	7	9	11	2	1		
respiratory system	F	48	—	—	1	11	22	11	2	1	33	—	—	—	3	17	10	1	2		
11 Other tuberculous diseases .. {	M	10	1	1	3	1	1	1	1	1	—	8	1	—	—	2	5	—	—		
	F	9	—	2	1	1	—	2	3	—	—	9	—	—	1	1	5	2	—		
12 Cancer, malignant disease .. {	M	112	—	—	—	—	—	1	44	37	30	123	1	—	—	—	9	44	46	23	
	F	157	—	—	—	—	—	11	70	43	33	140	—	—	—	1	5	58	42	34	
13 Rheumatic fever .. {	M	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	1	—	—	—	
14 Diabetes .. {	M	9	—	—	—	—	—	1	4	4	—	8	—	—	—	—	—	4	2	2	
	F	22	—	—	—	—	1	—	5	9	7	6	—	—	—	—	—	3	1	2	
15 Cerebral hæmorrhage, &c. .. {	M	49	—	—	—	—	—	—	13	23	13	34	—	—	—	—	—	9	11	14	
	F	97	—	—	—	—	—	1	18	33	45	63	—	—	—	—	—	13	13	37	
16 Heart disease .. {	M	176	—	—	—	1	1	3	37	68	66	187	—	—	—	3	3	47	59	75	
	F	219	—	—	—	—	1	4	46	61	107	187	—	—	—	3	2	33	60	89	
17 Arterio-sclerosis .. {	M	35	—	—	—	—	—	—	5	11	19	30	—	—	—	—	—	5	4	21	
	F	55	—	—	—	—	—	—	3	18	34	31	—	—	—	—	—	3	7	21	
18 Bronchitis .. {	M	22	2	—	—	—	—	1	2	6	11	30	2	—	1	—	1	2	2	22	
	F	27	1	—	—	—	—	—	2	8	16	24	1	—	1	—	—	2	4	16	
19 Pneumonia (all forms) .. {	M	32	1	—	—	1	—	3	10	6	11	35	6	1	1	1	3	8	9	6	
	F	34	1	1	1	—	—	4	9	4	14	31	4	2	2	1	3	7	5	5	
20 Other respiratory diseases .. {	M	12	—	—	—	—	—	—	3	5	4	9	2	—	—	—	—	3	4	—	
	F	8	1	—	—	—	—	2	1	—	4	9	1	—	1	—	1	2	1	3	
21 Ulcer of stomach or duodenum .. {	M	12	—	—	—	—	—	1	4	7	—	7	—	—	—	—	—	3	2	2	
	F	7	—	—	—	—	—	1	2	3	1	1	—	—	—	—	—	1	—	—	
22 Diarrhœa, &c. .. {	M	6	3	—	1	—	—	—	2	—	—	5	1	—	—	—	—	2	1	1	
	F	4	1	1	—	—	—	—	1	1	—	3	1	—	—	—	—	—	—	2	
23 Appendicitis and typhlitis .. {	M	4	—	—	—	1	—	2	—	1	—	9	—	—	1	—	1	4	3	—	
	F	7	—	—	—	—	1	3	2	1	—	9	—	—	1	—	2	3	1	2	
24 Cirrhosis of liver .. {	M	4	—	—	—	—	—	—	2	2	—	4	—	—	—	—	—	4	—	—	
	F	3	—	—	—	—	—	1	1	—	1	3	—	—	—	—	—	2	1	—	
25 Acute and chronic nephritis .. {	M	30	—	—	—	—	2	2	11	10	5	15	—	—	—	—	3	4	4	4	
	F	24	—	—	—	—	—	1	9	6	8	21	—	—	1	1	3	7	5	4	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	1	1	—	—	—	5	—	—	—	1	4	—	—	—	
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	4	—	—	—	—	2	2	—	—	—	5	—	—	—	—	4	1	—	—	
28 Congenital debility and malformation, premature birth .. {	M	30	30	—	—	—	—	—	—	—	—	27	26	—	—	—	1	—	—	—	
	F	13	13	—	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—	
29 Suicide ' .. {	M	8	—	—	—	—	—	2	5	—	1	11	—	—	—	1	3	6	1	—	
	F	8	—	—	—	—	—	3	3	2	—	5	—	—	—	—	—	2	3	—	
30 Other deaths from violence .. {	M	25	1	—	1	1	2	6	8	4	2	45	—	—	3	6	7	13	8	4	
	F	14	1	1	—	—	2	—	4	2	4	12	1	1	—	2	1	—	4	2	
31 Other defined diseases .. {	M	147	5	1	4	1	5	8	38	35	50	123	8	—	2	6	5	7	26	28	
	F	183	4	2	1	5	5	11	42	31	82	142	3	—	3	7	3	15	31	29	
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
SUSSEX, WEST—1930 (Civilian population only).

[illegible]

WARWICK—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	983	76	17	9	31	42	96	277	213	222	1016	87	9	24	26	51	112	270	203	234
	F	947	59	7	18	25	35	100	199	207	297	919	74	10	18	30	35	108	191	169	284
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—	—
2 Small-pox .. {	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles .. {	M	7	2	5	—	—	—	—	—	—	—	5	—	1	4	—	—	—	—	—	—
	F	14	5	3	5	1	—	—	—	—	—	4	1	—	—	—	—	1	1	—	1
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
5 Whooping cough .. {	M	2	—	2	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—
6 Diphtheria .. {	M	8	2	1	1	4	—	—	—	—	—	9	—	—	4	4	—	1	—	—	—
	F	6	—	—	2	4	—	—	—	—	—	4	—	—	1	2	—	—	1	—	—
7 Influenza .. {	M	10	—	—	—	—	1	2	4	1	2	17	2	—	—	1	—	2	7	4	1
	F	9	—	—	—	—	—	3	2	2	2	8	—	—	—	1	—	3	1	2	1
8 Encephalitis lethargica .. {	M	5	—	—	—	1	1	1	2	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	1	1	—	—	—
9 Meningococcal meningitis .. {	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory system {	M	56	—	—	1	2	13	23	13	4	—	39	—	1	—	1	5	17	15	—	—
	F	52	—	—	—	6	15	18	10	2	1	38	—	—	—	—	14	15	7	1	1
11 Other tuberculous diseases .. {	M	10	1	1	1	1	3	2	—	—	1	16	—	—	2	3	6	3	—	1	1
	F	8	—	1	3	1	2	1	—	—	—	9	3	—	—	—	2	3	1	—	—
12 Cancer, malignant disease .. {	M	132	—	—	—	1	3	4	58	43	23	105	—	—	—	1	1	4	47	30	22
	F	143	—	—	—	—	—	10	49	45	39	133	—	—	—	1	1	12	51	35	33
13 Rheumatic fever .. {	M	5	—	—	—	2	—	2	1	—	—	4	—	—	2	1	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
14 Diabetes .. {	M	16	—	—	—	—	—	1	4	7	4	9	—	—	—	—	1	1	5	1	1
	F	27	—	—	—	—	1	—	7	11	8	18	—	—	—	—	—	2	5	6	5
15 Cerebral hæmorrhage, &c. .. {	M	52	—	—	—	—	—	2	15	16	19	53	—	—	—	—	—	—	12	23	18
	F	74	—	—	—	—	—	—	16	27	31	70	—	—	—	—	—	2	13	22	33
16 Heart disease .. {	M	166	—	—	—	1	3	10	40	51	61	180	—	—	—	1	4	10	51	51	63
	F	188	—	—	1	2	1	20	30	49	85	164	—	—	—	1	1	11	41	42	68
17 Arterio-sclerosis .. {	M	43	—	—	—	—	—	—	10	14	19	43	—	—	—	—	—	—	10	11	22
	F	38	—	—	—	—	—	—	4	12	22	33	—	—	—	—	—	—	4	9	20
18 Bronchitis .. {	M	31	3	—	—	—	—	—	5	9	14	34	1	—	—	—	—	1	3	9	20
	F	25	2	—	—	1	1	2	4	3	12	28	1	1	1	—	—	—	2	8	15
19 Pneumonia (all forms) .. {	M	63	12	5	—	1	1	7	22	9	6	64	7	4	3	2	3	14	22	5	4
	F	35	5	2	3	2	2	3	7	4	7	47	9	4	4	7	1	8	5	6	3
20 Other respiratory diseases .. {	M	9	—	—	—	—	—	1	4	4	—	7	1	—	1	—	—	—	2	1	2
	F	12	—	—	—	—	—	3	2	1	6	6	—	—	—	—	—	1	1	—	4
21 Ulcer of stomach or duodenum .. {	M	12	—	—	—	—	—	3	8	1	—	17	1	—	—	—	—	3	10	2	1
	F	6	—	—	—	—	—	1	2	2	1	3	—	—	—	—	—	1	2	—	—
22 Diarrhœa, &c. .. {	M	10	5	—	—	—	1	—	2	—	2	8	7	—	—	—	—	—	—	—	1
	F	10	5	—	2	—	—	1	—	—	2	9	1	1	2	1	1	2	—	—	1
23 Appendicitis and typhlitis .. {	M	7	—	—	—	—	1	1	3	1	1	12	—	—	—	1	2	2	4	3	—
	F	7	—	—	—	1	1	3	—	2	—	6	—	—	1	1	1	1	2	—	—
24 Cirrhosis of liver .. {	M	11	—	—	—	—	—	—	7	3	1	5	—	—	—	—	—	—	4	1	—
	F	3	—	—	—	—	—	—	1	1	1	3	—	—	—	—	—	1	—	1	1
25 Acute and chronic nephritis .. {	M	32	—	—	—	1	—	4	11	11	5	34	—	—	—	1	5	3	8	11	6
	F	44	—	—	—	—	1	2	21	10	10	29	—	—	—	—	—	—	12	10	7
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	3	1	—	—	—	6	—	—	—	—	—	6	—	—	—
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	12	—	—	—	—	1	11	—	—	—
28 Congenital debility and malformation, premature birth .. {	M	39	37	—	—	—	2	—	—	—	—	51	49	—	—	—	2	—	—	—	—
	F	36	36	—	—	—	—	—	—	—	—	50	49	—	—	—	1	—	—	—	—
29 Suicide .. {	M	16	—	—	—	—	2	2	9	3	—	25	—	—	—	—	2	6	15	2	—
	F	6	—	—	—	—	—	1	4	1	—	7	—	—	—	—	1	3	3	—	—
30 Other deaths from violence .. {	M	64	—	1	4	6	9	18	10	7	9	85	2	—	2	7	18	23	23	6	4
	F	22	2	—	—	3	1	3	6	2	5	26	—	1	2	7	4	2	5	1	4
31 Other defined diseases .. {	M	174	14	1	2	10	2	13	49	28	55	186	12	2	5	3	4	20	31	41	68
	F	169	4	—	2	3	5	24	34	32	65	192	8	2	5	6	6	22	30	26	87
32 Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
WESTMORLAND—1930 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {	M	179	11	2	1	3	7	15	46	47	47	221	20	3	—	3	6	17	55	59	58
	F	186	13	1	—	7	7	14	35	60	49	214	16	4	3	2	5	17	47	38	82
1 Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Small-pox.. .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
5 Whooping cough .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Diphtheria {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
7 Influenza {	M	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	3	—	1	1	
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	
8 Encephalitis lethargica .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Meningococcal meningitis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Tuberculosis of respiratory system {	M	12	—	—	—	—	5	3	4	—	—	5	—	—	—	1	1	2	1	—	
	F	8	—	—	—	—	3	4	1	—	—	7	—	—	—	1	4	2	—	—	
11 Other tuberculous diseases .. {	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	—	
	F	7	—	—	—	1	2	1	2	—	1	1	—	—	—	—	1	—	—	—	
12 Cancer, malignant disease .. {	M	20	—	—	—	—	—	—	9	7	4	25	—	—	—	—	2	5	9	9	
	F	32	—	—	—	—	—	1	12	12	7	29	—	—	—	—	2	9	8	10	
13 Rheumatic fever .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
14 Diabetes {	M	5	—	—	—	—	—	—	—	3	2	6	—	—	—	—	—	3	2	1	
	F	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	—	3	2	—	
15 Cerebral hæmorrhage, &c. .. {	M	14	—	—	—	—	—	—	3	7	4	21	—	—	—	—	—	5	7	9	
	F	24	—	—	—	—	—	—	2	16	6	16	—	—	—	—	—	3	5	8	
16 Heart disease .. {	M	46	—	—	—	—	1	13	12	20	46	—	—	—	—	—	1	13	23	9	
	F	34	—	—	—	—	1	6	14	13	49	—	—	—	—	—	2	12	10	25	
17 Arterio-sclerosis .. {	M	11	—	—	—	—	—	—	1	7	3	9	—	—	—	—	—	2	2	5	
	F	4	—	—	—	—	—	—	—	2	2	9	—	—	—	—	—	—	2	7	
18 Bronchitis.. .. {	M	6	1	—	—	—	—	—	2	1	2	5	1	—	—	—	—	—	3	1	
	F	1	—	—	—	—	—	—	—	1	—	7	—	1	—	—	—	—	—	6	
19 Pneumonia (all forms) .. {	M	4	—	—	—	—	—	1	2	—	1	12	1	—	—	—	1	—	5	2	
	F	6	1	1	—	1	—	—	1	1	1	8	1	2	1	—	—	—	3	1	
20 Other respiratory diseases, .. {	M	2	—	—	—	1	—	—	—	—	1	4	—	—	—	—	1	2	1	—	
	F	1	1	—	—	—	—	—	—	—	—	5	—	—	—	2	—	2	1	—	
21 Ulcer of stomach or duodenum .. {	M	1	—	—	—	—	—	1	—	—	—	5	—	—	—	1	2	1	—	1	
	F	2	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1	
22 Diarrhœa, &c. .. {	M	3	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	
	F	1	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	
23 Appendicitis and typhlitis .. {	M	3	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
24 Cirrhosis of liver .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25 Acute and chronic nephritis .. {	M	10	—	—	—	—	—	—	4	5	1	11	—	—	—	—	1	5	2	3	
	F	10	—	—	—	—	—	1	2	2	5	13	—	—	—	—	1	5	2	5	
26 Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	
27 Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—	3	—	—	—	
28 Congenital debility and malformation, premature birth .. {	M	5	5	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	
	F	9	8	—	—	—	—	1	—	—	—	11	10	—	1	—	—	—	—	—	
29 Suicide {	M	4	—	—	—	—	—	2	1	1	—	2	—	—	—	—	1	1	—	—	
	F	4	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	
30 Other deaths from violence.. .. {	M	5	—	—	—	—	1	1	2	1	—	10	—	—	—	—	1	1	4	3	
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	—	1	2	
31 Other defined diseases .. {	M	28	3	1	1	1	1	4	5	3	9	32	4	2	—	1	—	6	3	14	
	F	32	2	—	—	4	2	1	4	7	12	39	4	1	—	1	2	2	4	15	
32 Causes ill-defined or unknown .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

WIGHT, ISLE OF—1930 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES	..	{ M F	346 406	13 12	2 2	10 8	5 5	9 9	33 22	88 83	79 83	107 182	158 126	5 3	— 1	1 —	3 3	5 7	12 8	46 32	42 36	44 36
1 Enteric fever	..	{ M F	— 1	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 Small-pox...	..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
3 Measles	{ M F	3 1	— —	1 —	2 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	
4 Scarlet fever	..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
5 Whooping cough	{ M F	3 1	2 —	— —	1 1	— —	— —	— —	— —	— —	— —	1 1	1 1	— —	— —	— —	— —	— —	— —	— —	
6 Diphtheria	..	{ M F	1 3	— —	1 —	— 1	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
7 Influenza	{ M F	2 3	— —	— —	— —	— —	— —	1 —	2 —	— 1	— 1	3 4	— —	— —	— —	— —	— —	— 1	1 2	2 1	
8 Encephalitis lethargica	..	{ M F	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	
9 Meningococcal meningitis	..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
10 Tuberculosis of respiratory system	{	M F	25 17	— —	— —	— —	— —	3 4	14 7	7 6	1 —	— —	7 5	— —	— —	— —	— 3	4 1	2 1	1 —	— —	
11 Other tuberculous diseases	{ M F	7 4	— 1	— —	1 1	2 —	— —	2 1	1 —	— —	1 —	1 3	— —	— —	— 1	1 1	— —	— 1	— —	— —	
12 Cancer, malignant disease	{ M F	57 66	— —	— —	— —	— —	1 —	— 1	19 29	22 22	15 14	20 30	— —	— —	— —	— —	— 2	9 12	10 9	1 7	
13 Rheumatic fever ..	{	M F	1 1	— —	— —	— —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
14 Diabetes	{ M F	3 4	— —	— —	— —	— —	— —	1 —	— 1	2 2	— 1	1 3	— —	— —	— —	— —	— —	1 2	— 1	— —	
15 Cerebral hæmorrhage, &c.	..	{ M F	21 48	— —	— —	— —	— —	— —	2 —	4 9	7 13	8 26	12 13	— —	— —	— —	— —	1 —	1 3	5 4	5 6	
16 Heart disease	..	{ M F	63 92	— —	— —	— —	— —	— —	1 2	20 15	15 18	27 57	38 24	— —	— —	— —	— 1	1 1	13 4	9 10	15 8	
17 Arterio-sclerosis ..	{	M F	19 9	— —	— —	— —	— —	— —	— —	1 2	8 3	10 4	4 1	— —	— —	— —	— —	— —	— —	1 —	3 1	
18 Bronchitis..	..	{ M F	19 16	2 —	— —	1 1	1 —	— —	— 1	— 2	2 2	13 10	2 1	— —	— —	— —	— —	— —	— —	1 1	1 —	
19 Pneumonia (all forms) ..	{	M F	14 14	— 2	— 1	2 1	1 —	— 2	2 1	4 3	2 —	3 4	6 3	— —	— —	— —	1 1	— —	1 1	3 1	1 —	
20 Other respiratory diseases	..	{ M F	4 3	— 1	— —	— —	— —	1 —	1 —	1 —	1 1	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	
21 Ulcer of stomach or duodenum	..	{ M F	4 2	— —	— —	— —	— —	— —	1 —	3 1	— 1	— —	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	
22 Diarrhœa, &c.	..	{ M F	— 5	— —	— —	1 —	— —	— —	— —	— —	— 1	— 3	1 2	— —	— —	— —	— —	1 —	— —	1 —	— 1	
23 Appendicitis and typhlitis	..	{ M F	4 —	— —	— —	— —	— —	— —	2 —	1 —	— —	1 —	2 —	— —	— —	— —	— —	1 —	1 —	— —	— —	
24 Cirrhosis of liver ..	{	M F	2 1	— —	— —	— —	— —	— —	— —	1 —	1 —	— 1	2 1	— —	— —	— —	— —	— —	1 —	1 1	— —	
25 Acute and chronic nephritis	..	{ M F	15 15	— —	— —	— —	— —	— —	1 —	10 1	2 5	2 9	2 5	— —	— —	— —	— —	— —	— 1	1 2	1 2	
26 Puerperal sepsis ..	{	M F	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	
27 Other accidents and diseases of pregnancy and parturition ..	{	M F	— 2	— —	— —	— —	— —	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
28 Congenital debility and malformation, premature birth	..	{ M F	7 4	7 4	— —	— —	— —	— —	— —	— —	— —	— —	2 2	2 2	— —	— —	— —	— —	— —	— —	— —	
29 Suicide	{ M F	3 3	— —	— —	— —	— —	— —	1 —	1 2	1 1	— —	3 1	— —	— —	— —	— —	1 —	— 1	2 —	— —	
30 Other deaths from violence..	..	{ M F	8 5	— —	— —	1 —	— 1	2 1	2 1	2 —	1 —	— 2	5 4	— —	— —	— —	1 —	1 —	2 1	1 1	— 2	
31 Other defined diseases	..	{ M F	61 84	2 4	— —	2 2	1 1	1 1	3 4	11 11	14 12	27 49	42 22	2 —	— 1	— —	3 2	2 —	3 3	13 4	6 3	
32 Causes ill-defined or unknown	..	{ M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
WILTS—1930 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	824	66	10	9	33	31	86	205	197	187	886	68	6	12	29	21	86	186	228	250
			F	821	57	9	13	28	31	66	211	159	247	858	51	9	12	17	18	76	168	196	311
1 Enteric fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
2 Small-pox..	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	{	M	4	—	3	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
			F	3	—	—	2	1	—	—	—	—	—	3	—	1	—	1	—	—	1	—	—
4 Scarlet fever	..	{	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
5 Whooping cough	..	{	M	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—	—
			F	5	—	4	—	1	—	—	—	—	—	5	2	1	1	1	—	—	—	—	—
6 Diphtheria	..	{	M	15	—	—	3	10	2	—	—	—	—	8	1	—	2	5	—	—	—	—	—
			F	14	—	—	1	11	1	1	—	—	—	6	—	—	4	1	1	—	—	—	—
7 Influenza	{	M	13	—	—	—	1	1	3	6	1	1	7	1	—	—	—	1	—	1	3	1
			F	8	—	—	—	2	—	—	2	2	2	12	1	—	—	—	—	—	2	3	6
8 Encephalitis lethargica	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	—	—	—	1	—	—	—	3	—	—	—	—	1	—	2	—	—
9 Meningococcal meningitis	..	{	M	2	—	—	—	—	1	—	1	—	—	4	1	1	—	1	1	—	—	—	—
			F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	..	{	M	46	—	—	—	—	5	28	11	2	—	34	—	1	—	—	1	22	8	2	—
			F	31	—	—	1	—	10	14	4	1	1	35	—	—	—	—	6	19	7	3	—
11 Other tuberculous diseases	..	{	M	13	—	3	—	3	2	4	—	1	—	7	—	1	—	3	—	2	1	—	—
			F	8	—	—	1	1	3	2	1	—	—	8	—	2	1	1	1	1	—	2	—
12 Cancer, malignant disease	{	M	119	—	—	—	—	—	3	44	48	24	112	—	—	—	1	—	5	40	39	27
			F	130	—	—	1	1	1	5	68	23	31	137	—	—	—	—	—	10	48	45	34
13 Rheumatic fever	..	{	M	3	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
			F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes	{	M	9	—	—	—	—	1	1	3	1	3	7	—	—	—	—	—	1	3	—	2
			F	14	—	—	—	—	1	1	3	5	4	7	—	—	—	—	—	2	1	3	1
15 Cerebral hæmorrhage, &c.	..	{	M	45	—	—	—	—	—	1	11	13	20	60	—	—	—	—	—	1	13	23	23
			F	59	—	—	—	—	—	—	21	15	23	61	—	—	—	—	—	2	12	15	32
16 Heart disease	..	{	M	176	—	1	—	2	1	6	42	62	62	198	—	—	—	—	1	10	39	69	79
			F	199	—	1	—	4	1	6	39	70	78	211	—	—	—	1	2	7	36	53	112
17 Arterio-sclerosis	..	{	M	27	—	—	—	—	—	—	4	8	15	59	—	—	—	—	—	—	6	19	34
			F	30	—	—	—	—	—	—	10	4	16	29	—	—	—	—	—	—	6	9	14
18 Bronchitis..	..	{	M	27	4	—	—	—	—	—	6	7	10	27	3	—	—	—	—	—	2	8	14
			F	28	3	—	—	—	—	—	2	3	20	13	—	—	—	—	—	—	—	2	11
19 Pneumonia (all forms)	..	{	M	34	3	1	—	1	4	4	13	7	1	33	9	—	3	2	—	5	8	6	—
			F	26	7	2	2	2	3	2	4	3	1	27	3	3	—	1	—	6	2	6	6
20 Other respiratory diseases..	..	{	M	12	1	—	—	1	1	1	5	3	—	6	—	—	—	—	—	1	—	3	2
			F	12	—	—	—	—	1	—	3	3	5	4	—	—	—	—	1	—	2	1	—
21 Ulcer of stomach or duodenum	..	{	M	7	—	—	—	—	—	—	4	3	—	12	—	—	—	—	—	3	3	4	2
			F	3	—	—	—	—	—	—	1	1	1	3	—	—	—	—	—	1	2	—	—
22 Diarrhoea, &c.	..	{	M	8	4	1	1	—	1	—	—	1	—	5	2	—	—	1	—	1	—	—	1
			F	7	2	—	1	—	—	1	—	2	1	3	—	—	1	—	—	—	1	1	—
23 Appendicitis and typhlitis..	..	{	M	10	—	—	—	2	2	2	3	1	—	7	—	—	—	—	3	2	2	—	—
			F	2	—	—	—	—	—	—	1	1	—	5	—	—	1	2	1	—	1	—	—
24 Cirrhosis of liver	..	{	M	2	—	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	2	2	—
			F	4	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	..	{	M	31	—	—	1	—	1	4	9	9	7	23	—	—	—	—	—	5	6	6	6
			F	27	—	—	—	—	—	4	8	8	7	35	—	—	—	1	—	3	5	18	8
26 Puerperal sepsis	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	6	—	—	—	—	1	5	—	—	—	3	—	—	—	—	—	3	—	—	—
27 Other accidents and diseases of pregnancy and parturition	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	4	—	—	—	—	—	4	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth	..	{	M	46	44	—	—	2	—	—	—	—	—	37	36	—	—	1	—	—	—	—	—
			F	43	41	1	—	—	1	—	—	—	—	33	32	—	1	—	—	—	—	—	—
29 Suicide	..	{	M	16	—	—	—	—	2	4	8	1	1	15	—	—	—	—	3	4	5	2	1
			F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—	—
30 Other deaths from violence..	..	{	M	27	1	—	2	3	4	6	6	3	2	46	—	—	1	9	8	7	15	4	2
			F	13	1	—	2	—	2	—	1	2	5	23	1	—	—	2	2	4	6	1	7
31 Other defined diseases	..	{	M	131	9	1	2	5	2	19	27	25	41	169	14	2	4	4	3	17	31	38	56
			F	141	3	—	2	4	6	19	39	16	52	184	12	2	4	6	2	13	33	32	80
32 Causes ill-defined or unknown	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—

WORCESTER—1930 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.										
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	
ALL CAUSES	..	{	M	1176	100	21	20	33	56	134	327	254	231	679	42	5	7	21	24	54	169	162	195
			F	1123	67	17	17	37	53	116	241	240	335	670	39	6	3	14	22	66	138	133	249
1 Enteric fever	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox..	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	{	M	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	..	{	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	—	—
			F	1	—	—	1	—	—	—	—	—	—	3	—	—	1	—	1	1	—	—	—
5 Whooping cough	..	{	M	3	2	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
			F	3	2	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
6 Diphtheria	..	{	M	4	1	1	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
			F	8	1	2	3	2	—	—	—	—	—	2	—	—	1	—	—	1	—	—	—
7 Influenza	{	M	23	—	—	1	—	4	5	10	2	1	12	—	—	—	—	—	3	2	4	3
			F	12	1	—	—	—	2	2	1	3	3	12	—	—	—	—	1	2	1	3	5
8 Encephalitis lethargica	..	{	M	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—	—
			F	2	—	—	—	1	—	—	1	—	—	4	—	—	—	—	1	2	1	—	—
9 Meningococcal meningitis	..	{	M	3	—	—	1	1	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
			F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	{	M	83	—	1	—	—	23	31	24	3	1	33	—	—	—	1	9	18	4	1	—	—
		F	70	1	—	—	3	27	25	13	—	1	25	—	—	—	1	6	13	5	—	—	
11 Other tuberculous diseases	..	{	M	16	1	3	4	3	2	3	—	—	—	6	—	—	1	2	1	1	1	—	—
		F	18	1	2	1	9	2	—	1	2	—	8	1	—	1	2	1	1	1	—	1	
12 Cancer, malignant disease	{	M	160	—	—	—	1	14	64	48	33	74	—	—	—	—	—	—	27	27	20	
		F	152	—	—	—	1	1	10	74	36	30	83	—	—	—	—	1	5	31	22	24	
13 Rheumatic fever ..	{	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	
		F	10	—	—	—	4	3	—	2	—	—	2	—	—	—	—	—	2	—	—	—	
14 Diabetes	{	M	13	—	—	—	—	1	5	4	3	6	—	—	—	—	—	—	3	2	1	
		F	18	—	—	—	1	—	2	8	7	—	12	—	—	—	—	—	1	4	5	2	
15 Cerebral hæmorrhage, &c.	..	{	M	59	—	—	—	—	2	19	17	21	38	—	—	—	—	—	1	7	11	19	
		F	85	—	—	1	—	—	2	20	32	30	44	—	—	—	—	—	—	12	11	21	
16 Heart disease	..	{	M	216	—	—	1	1	8	9	70	76	51	152	—	—	3	1	2	39	56	51	
		F	277	—	—	—	3	3	13	56	87	115	140	—	—	1	3	4	25	44	63		
17 Arterio-sclerosis ..	{	M	56	—	—	—	—	—	1	6	18	31	25	—	—	—	—	—	—	2	12	11	
		F	30	—	—	—	—	—	—	3	8	19	26	—	—	—	—	—	—	2	7	17	
18 Bronchitis...	..	{	M	56	5	—	1	—	1	13	13	22	29	2	—	—	—	—	1	5	5	16	
		F	50	1	2	—	—	—	—	6	16	25	35	2	1	—	—	—	—	1	4	27	
19 Pneumonia (all forms)	..	{	M	90	17	4	2	5	3	21	24	11	3	45	7	3	2	2	—	6	15	6	
		F	51	8	5	4	5	—	4	7	9	9	26	5	2	—	2	1	4	5	6	4	
20 Other respiratory diseases	..	{	M	8	1	—	—	—	2	1	2	2	8	—	—	—	—	—	—	6	1	—	
		F	9	1	—	—	—	—	1	4	1	2	5	—	—	—	—	—	1	3	—	—	
21 Ulcer of stomach or duodenum	..	{	M	11	—	—	—	—	2	6	2	1	5	—	—	—	1	2	1	1	—	—	
		F	5	—	—	—	—	—	2	1	2	—	3	—	—	—	—	1	1	1	—	—	
22 Diarrhœa, &c.	..	{	M	11	7	3	1	—	—	—	—	—	7	5	—	—	—	—	—	1	1	—	
		F	10	5	1	1	—	—	—	—	—	3	5	1	—	1	—	1	—	—	1	—	
23 Appendicitis and typhlitis	..	{	M	11	—	—	—	2	1	8	—	—	4	—	—	—	—	—	1	3	—	—	
		F	5	—	—	—	1	2	1	1	—	—	5	—	—	—	—	2	2	1	—	—	
24 Cirrhosis of liver ..	{	M	8	—	—	—	—	—	2	4	1	1	3	—	—	—	—	—	1	1	—	—	
		F	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—	—	
25 Acute and chronic nephritis	..	{	M	37	—	—	—	2	3	17	8	7	25	—	—	1	—	1	1	7	7	8	
		F	31	—	—	—	1	2	4	11	4	9	27	—	—	1	3	2	—	11	6	4	
26 Puerperal sepsis ..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	10	—	—	—	—	1	9	—	—	—	7	—	—	—	—	—	7	—	—	—	
27 Other accidents and diseases of pregnancy and parturition	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	5	—	—	—	—	—	5	—	—	—	6	—	—	—	2	—	4	—	—	—	
28 Congenital debility and malformation, premature birth	..	{	M	50	50	—	—	—	—	—	—	—	21	19	—	—	1	—	1	—	—	—	
		F	36	36	—	—	—	—	—	—	—	—	25	25	—	—	—	—	—	—	—	—	
29 Suicide	{	M	27	—	—	—	1	2	13	8	3	15	—	—	—	—	1	—	9	5	—	
		F	9	—	—	—	—	3	2	3	1	—	6	—	—	—	1	—	4	1	—	—	
30 Other deaths from violence..	..	{	M	55	2	1	5	8	8	16	7	5	43	1	1	3	4	8	6	14	3	—	
		F	27	1	1	2	2	3	6	2	1	9	13	—	1	—	—	—	2	6	1	—	
31 Other defined diseases	..	{	M	171	13	6	2	9	6	17	34	36	48	119	7	1	—	3	3	8	21	20	
		F	186	9	2	3	4	4	27	26	31	80	141	4	1	1	2	4	13	18	19	7	
32 Causes ill-defined or unknown	..	{	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
YORK, EAST RIDING—1930 (Civilian population only).

CAUSES OF DEATH.	SEX.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	444	23	3	4	9	18	47	104	110	126	535	54	6	7	13	16	40	113	118	168
	F	464	25	3	6	6	12	45	104	102	161	561	39	10	10	13	24	48	109	130	178
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	4	3	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
6 Diphtheria ..	M	2	—	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	2	—	—	1	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—
7 Influenza ..	M	5	—	—	—	1	—	1	2	—	1	6	—	—	—	—	—	—	3	1	2
	F	5	—	—	—	—	—	1	1	2	1	13	2	—	—	—	—	—	5	3	3
8 Encephalitis lethargica ..	M	2	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
9 Meningococcal meningitis ..	M	2	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	33	—	—	—	—	4	17	10	1	1	17	—	—	—	—	3	10	4	—	—
	F	19	—	—	—	—	5	12	2	—	—	29	—	—	1	1	7	13	6	1	—
11 Other tuberculous diseases ..	M	5	—	—	—	—	2	2	—	1	—	6	—	—	1	1	2	1	—	1	—
	F	4	1	—	1	—	1	1	—	—	—	2	—	—	—	1	—	—	—	1	—
12 Cancer, malignant disease ..	M	64	—	—	—	1	—	2	16	32	13	62	—	—	—	—	2	13	22	25	—
	F	64	—	—	—	—	—	7	27	21	9	73	—	—	—	—	4	33	21	15	—
13 Rheumatic fever ..	M	3	—	—	—	—	1	—	2	—	—	2	—	—	—	1	—	—	—	—	—
	F	2	—	—	—	—	1	1	—	—	—	3	—	—	—	—	1	2	—	—	—
14 Diabetes ..	M	6	—	—	—	—	—	1	2	1	2	6	—	—	—	—	1	—	2	2	1
	F	12	—	—	—	—	1	1	5	4	1	9	—	—	—	—	1	—	1	6	1
15 Cerebral hæmorrhage, &c. ..	M	35	—	—	—	—	—	—	8	12	15	34	—	—	—	—	—	7	13	14	—
	F	39	—	—	—	—	—	1	6	14	18	45	—	—	—	—	—	11	15	19	—
16 Heart disease ..	M	77	—	—	—	—	3	1	14	24	35	110	—	—	—	1	1	1	29	31	47
	F	94	—	—	—	—	—	6	20	26	42	117	—	—	1	1	2	5	20	41	47
17 Arterio-sclerosis ..	M	23	—	—	—	—	—	—	5	5	13	20	—	—	—	—	—	—	—	5	15
	F	28	—	—	—	—	—	—	3	5	20	31	—	—	—	—	—	—	—	11	20
18 Bronchitis ..	M	15	—	—	1	—	1	—	1	3	9	23	5	1	—	—	—	1	3	2	11
	F	21	1	—	—	1	—	—	6	3	10	14	1	1	—	—	—	—	—	1	11
19 Pneumonia (all forms) ..	M	16	1	1	1	1	—	1	1	8	2	29	4	1	1	1	1	3	5	7	6
	F	19	1	1	—	—	1	1	4	4	7	27	5	1	1	2	—	3	4	7	4
20 Other respiratory diseases ..	M	7	1	—	—	—	—	—	2	2	2	9	1	—	—	—	—	2	—	—	6
	F	1	—	—	—	—	—	—	1	—	—	6	1	—	1	—	—	—	1	—	3
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	3	3	—	—	11	—	—	—	—	—	2	6	2	1
	F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	—	1
22 Diarrhoea, &c. ..	M	1	—	—	—	—	—	1	—	—	—	6	4	1	—	—	—	1	—	—	—
	F	4	2	—	—	1	—	—	1	—	—	8	6	1	—	—	—	—	—	—	1
23 Appendicitis and typhlitis ..	M	3	—	—	—	1	—	1	1	—	—	2	—	—	—	—	—	1	1	—	—
	F	6	—	—	—	—	1	1	3	1	—	1	—	—	1	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	17	—	—	—	—	—	2	7	3	5	14	—	—	—	—	—	1	3	6	4
	F	19	—	—	—	—	—	3	7	6	3	16	—	—	—	2	3	4	5	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	6	—	—	—	—	1	5	—	—	—
28 Congenital debility and malformation, premature birth ..	M	13	12	1	—	—	—	—	—	—	—	34	32	1	—	1	—	—	—	—	—
	F	13	12	1	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
29 Suicide ..	M	7	—	—	—	1	1	2	2	1	—	7	—	—	—	—	—	2	3	2	—
	F	2	—	—	—	—	1	—	1	—	—	2	—	—	—	—	—	—	2	—	—
30 Other deaths from violence ..	M	16	1	—	—	1	3	6	5	—	—	32	—	—	2	3	5	8	10	2	2
	F	5	—	1	—	—	—	—	—	1	3	17	1	—	3	—	5	2	2	1	3
31 Other defined diseases ..	M	83	7	1	—	2	3	7	20	15	28	97	7	2	2	4	2	24	20	34	—
	F	96	5	—	3	2	1	9	14	15	47	112	7	4	—	7	6	8	16	16	48
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—

YORKS, NORTH RIDING—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	1220	113	24	33	46	60	119	311	270	244	872	71	12	13	16	38	72	157	230	263
	F	1066	92	19	20	36	38	100	285	194	282	809	43	10	6	8	24	76	166	189	287
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	9	2	3	1	3	—	—	—	—	—	5	—	2	—	2	—	—	1	—	—
	F	10	3	3	2	2	—	—	—	—	—	4	—	2	—	1	—	1	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	13	5	4	3	1	—	—	—	—	—	6	5	1	—	—	—	—	—	—	—
	F	12	5	3	3	1	—	—	—	—	—	6	1	3	1	1	—	—	—	—	—
6 Diphtheria ..	M	8	1	1	4	2	—	—	—	—	—	4	1	1	1	1	—	—	—	—	—
	F	4	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza ..	M	25	—	—	—	—	1	8	8	4	4	15	—	—	—	—	—	2	4	4	5
	F	4	—	—	—	1	—	—	1	1	1	10	—	—	1	—	—	1	2	3	3
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	1	—	—	—	—
	F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
	F	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	82	—	3	1	3	16	32	21	5	1	38	1	—	—	—	10	19	7	1	—
	F	63	—	—	1	—	17	25	20	—	—	32	—	—	—	—	8	18	4	1	1
11 Other tuberculous diseases ..	M	19	3	1	2	6	2	2	3	—	—	7	—	—	2	1	2	2	—	—	—
	F	15	1	1	1	3	2	4	2	1	—	13	1	—	—	3	1	6	2	—	—
12 Cancer, malignant disease ..	M	131	—	—	1	1	1	7	50	51	20	96	—	—	—	—	1	4	28	38	25
	F	124	—	—	—	—	—	8	62	31	23	119	—	—	—	—	—	6	50	36	27
13 Rheumatic fever ..	M	6	—	—	—	2	1	1	2	—	—	1	—	—	—	—	—	1	—	—	—
	F	5	—	—	1	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	10	—	—	—	—	—	1	5	4	—	11	—	—	—	—	1	—	1	7	2
	F	14	—	—	—	1	—	2	5	4	2	11	—	—	—	—	1	3	6	—	1
15 Cerebral hæmorrhage, &c. ..	M	88	—	—	—	—	—	3	23	34	28	49	—	—	—	—	—	—	5	18	26
	F	90	—	—	—	—	—	5	26	34	25	76	—	—	—	—	—	—	9	23	44
16 Heart disease ..	M	221	—	—	—	—	4	10	63	80	64	166	—	—	1	—	1	9	32	52	71
	F	200	—	—	—	3	6	4	53	47	87	191	—	—	—	—	1	7	40	58	85
17 Arterio-sclerosis ..	M	54	—	—	—	—	—	1	6	22	25	58	—	—	—	—	—	—	5	19	34
	F	46	—	—	—	—	—	1	7	10	28	44	—	—	—	—	—	—	4	11	29
18 Bronchitis ..	M	63	8	1	2	1	—	—	12	11	28	36	2	—	—	—	—	—	2	12	20
	F	43	5	3	1	—	1	2	3	7	21	22	1	—	—	—	—	—	—	5	16
19 Pneumonia (all forms) ..	M	106	20	4	10	5	5	11	33	11	7	53	6	2	2	2	1	6	16	12	6
	F	40	9	4	4	6	2	2	6	2	5	33	2	1	1	—	—	7	8	6	8
20 Other respiratory diseases ..	M	4	1	—	—	—	—	—	—	2	1	10	—	1	2	1	—	2	2	—	2
	F	9	—	—	1	1	—	2	2	2	1	14	1	—	—	—	—	—	2	4	7
21 Ulcer of stomach or duodenum ..	M	11	—	—	—	—	1	6	2	2	—	9	—	—	—	—	—	2	5	2	—
	F	7	—	—	—	—	1	1	3	2	—	2	—	—	—	—	—	—	—	1	1
22 Diarrhoea, &c.	M	11	7	—	1	1	—	—	—	2	—	9	3	—	1	—	1	—	3	1	—
	F	17	4	2	—	1	—	—	8	—	2	8	2	2	—	—	1	—	2	1	—
23 Appendicitis and typhlitis ..	M	3	—	—	—	2	—	—	1	—	—	3	—	—	—	—	1	—	—	1	1
	F	10	—	—	—	4	—	1	3	—	2	3	—	—	—	—	1	2	—	—	—
24 Cirrhosis of liver ..	M	7	—	—	—	—	1	—	4	—	2	5	—	—	—	—	—	1	2	1	1
	F	4	—	—	—	—	—	—	2	2	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	31	—	—	—	1	—	4	12	9	5	37	—	—	—	—	1	1	4	16	15
	F	53	—	—	—	1	—	5	24	11	12	28	—	—	—	—	2	4	9	5	8
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	1	7	—	—	—	3	—	—	—	—	2	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	2	8	—	—	—	7	—	—	—	—	2	5	—	—	—
28 Congenital debility and malformation, premature birth ..	M	39	38	1	—	—	—	—	—	—	—	40	39	—	1	—	—	—	—	—	—
	F	48	47	—	1	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—	—
29 Suicide ..	M	16	—	—	—	—	3	3	9	1	—	11	—	—	—	—	1	1	7	1	1
	F	6	—	—	—	—	—	1	4	—	1	6	—	—	—	—	—	2	2	2	—
30 Other deaths from violence ..	M	71	4	4	5	7	19	14	14	1	3	52	4	1	2	5	9	14	10	6	1
	F	25	3	—	—	4	2	2	4	4	6	15	—	1	1	1	3	1	2	3	3
31 Other defined diseases ..	M	187	24	2	2	11	6	16	40	30	56	140	10	4	—	—	8	6	20	39	53
	F	190	15	—	3	4	4	17	46	35	66	128	4	1	2	2	2	12	22	29	54
32 Causes ill-defined or unknown ..	M	3	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	2	—	—
	F	4	—	1	—	—	—	—	2	1	—	2	—	—	—	—	—	—	1	1	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of YORK, WEST RIDING—1930 (Civilian population only).

CAUSES OF DEATH.	Sex	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	6590	668	108	149	202	261	690	1987	1508	1017	2397	333	69	84	100	115	288	543	482	383
	F	6279	441	86	118	190	244	684	1620	1453	1443	2214	247	42	66	102	97	267	479	431	483
1 Enteric fever ..	M	11	—	—	—	1	3	4	2	1	—	4	1	—	—	1	1	1	—	—	—
	F	10	—	—	—	—	1	4	3	2	—	3	—	—	—	—	1	1	—	1	—
2 Small-pox ..	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	24	11	8	4	1	—	—	—	—	—	20	4	8	5	2	—	1	—	—	—
	F	26	3	8	9	6	—	—	—	—	—	19	5	3	5	4	—	1	1	—	—
4 Scarlet fever ..	M	14	—	—	6	7	—	1	—	—	—	5	—	—	3	1	—	1	—	—	—
	F	15	—	1	4	7	1	2	—	—	—	9	—	1	3	5	—	—	—	—	—
5 Whooping cough ..	M	15	11	3	1	—	—	—	—	—	—	20	11	4	5	—	—	—	—	—	—
	F	31	18	8	5	—	—	—	—	—	—	18	9	5	3	1	—	—	—	—	—
6 Diphtheria ..	M	36	3	3	14	16	—	—	—	—	—	32	—	1	13	17	1	—	—	—	—
	F	39	2	3	10	20	3	—	—	1	—	28	1	1	8	17	1	—	—	—	—
7 Influenza ..	M	84	—	1	3	6	8	14	30	15	7	32	1	—	2	2	—	4	17	2	4
	F	59	—	1	1	4	2	12	21	11	7	26	1	1	—	1	1	5	6	5	6
8 Encephalitis lethargica ..	M	11	—	—	1	2	—	4	3	1	—	7	—	1	—	2	2	2	—	—	—
	F	13	—	—	—	1	2	4	4	2	—	7	—	1	—	1	3	—	2	—	—
9 Meningococcal meningitis ..	M	20	5	2	3	5	3	2	—	—	—	26	3	3	4	3	9	3	1	—	—
	F	13	3	1	3	2	3	1	—	—	—	13	—	—	5	6	1	—	1	—	—
10 Tuberculosis of respiratory system	M	378	—	—	2	6	62	140	151	15	2	109	1	2	—	1	19	43	40	3	—
	F	295	1	—	1	14	99	125	41	14	—	94	—	—	—	4	35	43	11	1	—
11 Other tuberculous diseases ..	M	120	14	6	22	24	15	16	19	3	1	53	6	11	9	5	9	5	8	—	—
	F	93	6	8	16	21	16	12	12	2	—	43	5	4	9	12	3	6	4	—	—
12 Cancer, malignant disease ..	M	685	—	—	1	—	8	27	334	225	90	215	—	—	—	—	2	20	89	72	32
	F	837	1	3	—	—	2	77	400	231	123	297	—	1	—	—	1	41	133	82	39
13 Rheumatic fever ..	M	22	—	—	1	6	6	8	1	—	—	8	—	—	—	1	2	2	3	—	—
	F	18	—	—	—	2	2	5	8	1	—	5	—	—	—	3	—	—	1	1	—
14 Diabetes ..	M	73	—	—	—	—	3	8	23	29	10	30	—	—	—	3	—	4	10	10	3
	F	118	—	—	—	1	1	6	53	40	17	30	—	—	—	2	—	—	16	8	4
15 Cerebral hæmorrhage, &c. ..	M	372	—	—	—	—	—	7	121	154	90	83	—	—	—	—	—	1	26	31	25
	F	464	—	—	—	—	1	15	120	160	168	152	—	—	—	—	1	6	45	53	47
16 Heart disease ..	M	1213	—	—	—	8	19	83	429	401	273	413	—	—	—	5	7	29	114	157	101
	F	1329	—	—	2	14	21	86	344	429	433	452	—	—	1	4	11	29	106	139	162
17 Arterio-sclerosis ..	M	347	—	—	—	—	—	2	62	138	145	101	—	—	—	—	—	1	13	41	46
	F	272	—	—	—	—	—	2	36	101	133	72	—	—	—	—	—	—	11	23	38
18 Bronchitis ..	M	292	24	12	4	1	2	13	72	87	77	100	12	3	3	1	—	—	20	25	36
	F	285	16	3	6	1	1	6	45	86	121	79	12	1	2	3	—	—	14	10	37
19 Pneumonia (all forms) ..	M	491	97	39	35	23	21	73	113	62	28	194	31	16	14	14	7	41	33	24	14
	F	332	60	22	28	24	13	38	58	54	35	128	38	12	12	11	4	13	12	14	12
20 Other respiratory diseases ..	M	78	3	1	3	6	1	8	34	13	9	28	—	2	1	3	1	2	11	6	2
	F	44	2	1	2	2	3	6	12	1	15	14	1	—	—	1	1	2	5	1	3
21 Ulcer of stomach or duodenum ..	M	87	—	—	—	—	5	24	40	13	5	31	—	—	—	1	2	9	14	3	2
	F	26	—	—	—	—	—	6	16	3	1	12	—	—	—	—	2	2	5	1	2
22 Diarrhœa, &c. ..	M	62	36	8	1	2	3	3	6	2	1	38	27	2	2	2	1	—	1	1	2
	F	52	17	6	6	4	3	4	4	3	5	37	20	3	6	2	1	1	1	1	2
23 Appendicitis and typhlitis ..	M	41	—	—	2	8	5	7	12	6	1	13	—	—	1	2	4	2	2	2	—
	F	22	—	—	1	6	3	4	6	2	—	8	—	—	—	2	1	2	2	1	—
24 Cirrhosis of liver ..	M	27	—	—	—	—	—	2	16	8	1	11	—	—	—	—	—	—	6	4	1
	F	5	—	—	—	—	—	—	3	2	—	5	—	—	—	—	—	2	1	1	1
25 Acute and chronic nephritis ..	M	250	1	1	2	1	4	26	99	83	33	72	—	1	4	1	2	10	23	17	14
	F	270	—	—	1	4	5	39	104	70	47	69	—	—	—	3	4	8	25	17	12
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	49	—	—	—	—	8	40	1	—	—	14	—	—	—	—	2	12	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	70	—	—	—	—	8	61	1	—	—	29	—	—	—	—	2	27	—	—	—
28 Congenital debility and malformation, premature birth ..	M	352	349	2	1	—	—	—	—	—	—	178	170	—	3	1	1	2	1	—	—
	F	244	239	—	2	2	—	—	1	—	—	127	124	2	—	—	—	—	1	—	—
29 Suicide ..	M	103	—	—	—	—	1	27	56	12	7	21	—	—	—	—	1	6	11	3	—
	F	34	—	—	—	—	3	10	13	8	—	9	—	—	—	—	1	4	3	1	—
30 Other deaths from violence ..	M	343	13	4	21	38	53	95	83	21	15	175	5	—	7	9	34	57	41	14	8
	F	143	10	4	10	22	11	14	25	17	30	54	2	2	6	6	8	5	11	6	8
31 Other defined diseases ..	M	1028	101	18	22	41	38	93	277	217	221	376	61	13	8	23	10	42	59	67	93
	F	1068	63	16	11	33	32	105	288	212	308	359	29	5	6	14	13	55	62	65	110
32 Causes ill-defined or unknown ..	M	10	—	—	—	—	—	3	4	2	1	2	—	2	—	—	—	—	—	—	—
	F	3	—	1	—	—	—	—	1	1	—	2	—	—	—	—	—	2	—	—	—

ANGLESEY—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	133	14	3	2	—	6	11	39	35	23	214	15	3	3	2	13	13	43	60	62
	F	129	10	—	—	1	6	14	27	27	44	231	12	2	3	5	8	20	54	46	81
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	4	2	2	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
6 Diphtheria ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
7 Influenza ..	M	3	—	—	—	—	1	—	2	—	—	3	—	—	—	—	1	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	2	1	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	11	—	—	—	—	—	5	6	—	—	14	—	—	—	1	5	5	2	1	—
	F	11	—	—	—	—	5	2	2	1	1	19	—	—	—	1	5	7	5	1	—
11 Other tuberculous diseases ..	M	2	—	1	—	—	1	—	—	—	—	3	—	—	1	1	—	—	—	—	—
	F	2	—	—	—	—	—	1	—	—	1	2	—	1	—	1	—	—	—	—	—
12 Cancer, malignant disease ..	M	13	—	—	—	—	—	1	3	7	2	20	—	—	—	—	—	5	11	4	—
	F	20	—	—	—	—	—	1	7	9	3	44	—	—	—	—	2	19	10	13	—
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	2	—	—	—	—	—	—	2	—	—	4	—	—	—	—	1	—	3	—	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—
15 Cerebral hæmorrhage, &c. ..	M	7	—	—	—	—	—	1	3	2	1	15	—	—	—	—	—	2	6	7	—
	F	9	—	—	—	—	—	—	3	3	3	25	—	—	—	—	—	2	7	16	—
16 Heart disease ..	M	24	—	—	—	—	—	1	3	16	4	41	—	—	—	—	1	10	16	14	—
	F	18	—	—	—	—	1	4	4	3	6	49	—	—	—	—	2	13	13	21	—
17 Arterio-sclerosis ..	M	14	—	—	—	—	—	—	6	1	7	9	—	—	—	—	—	—	3	6	—
	F	12	—	—	—	—	—	—	1	—	11	6	—	—	—	—	—	2	1	3	—
18 Bronchitis ..	M	2	—	—	—	—	—	—	2	—	—	6	1	1	—	—	—	1	1	2	—
	F	4	1	—	—	—	—	—	—	—	3	10	—	1	—	—	—	1	2	6	—
19 Pneumonia (all forms) ..	M	7	2	—	1	—	1	—	1	—	2	5	1	1	—	—	1	—	1	—	1
	F	6	2	—	—	—	—	2	1	1	—	2	—	—	1	—	—	—	—	—	—
20 Other respiratory diseases ..	M	2	—	—	—	—	—	—	1	—	1	1	1	—	—	—	—	—	—	—	2
	F	2	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—	—
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—	—
	F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhœa, &c. ..	M	2	2	—	—	—	—	—	—	—	—	4	3	—	—	—	—	—	—	—	1
	F	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	—	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	10	—	—	—	—	—	—	3	5	2	16	—	—	—	1	1	3	6	5	—
	F	5	—	—	—	—	—	—	1	2	2	10	—	—	1	—	2	2	3	2	—
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth ..	M	6	6	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	7	6	—	1	—	—	—	—	—	—
29 Suicide ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
30 Other deaths from violence ..	M	5	—	—	1	—	1	1	1	—	1	5	—	—	—	—	—	1	—	—	1
	F	4	—	—	—	—	—	—	1	—	3	3	—	—	1	—	—	—	—	—	—
31 Other defined diseases ..	M	16	2	—	—	—	2	2	4	4	2	48	5	—	1	—	1	10	9	21	—
	F	21	2	—	—	1	—	1	2	5	10	38	4	—	—	1	3	4	5	6	15
32 Causes ill-defined or unknown ..	M	2	—	—	—	—	—	—	1	—	1	5	1	—	—	—	—	2	1	1	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—	—

CAERNARVON—1930 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..		M	400	32	4	6	8	12	33	114	96	95	429	37	2	4	9	26	47	126	105	73
		F	455	13	4	6	7	15	44	115	14	137	420	29	5	5	7	21	36	88	98	131
1	Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles	M	4	1	1	1	—	1	—	—	—	—	1	1	—	1	—	—	—	—	—	
		F	4	—	—	3	1	—	—	—	—	—	3	—	1	1	1	—	—	—	—	
4	Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough ..	M	4	2	1	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	3	1	2	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
6	Diphtheria ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
		F	1	—	—	1	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—	
7	Influenza	M	9	1	—	1	1	—	2	3	—	1	3	—	—	—	—	1	—	—	2	
		F	6	—	—	—	—	1	—	1	4	—	5	—	—	—	1	—	—	2	2	
8	Encephalitis lethargica ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	
		F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	—	
9	Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system	M	29	—	—	—	—	5	9	12	3	—	37	—	—	—	10	12	10	5	—	
		F	29	—	—	—	—	5	17	7	—	—	37	—	—	3	11	11	7	4	1	
11	Other tuberculous diseases ..	M	8	1	1	1	1	2	2	—	—	—	3	—	—	—	—	2	1	—	—	
		F	5	—	—	1	—	—	1	1	2	—	5	—	—	1	2	2	—	—	—	
12	Cancer, malignant disease ..	M	48	—	—	—	—	—	2	21	19	6	60	—	—	1	—	3	24	22	10	
		F	79	—	—	—	1	—	3	39	25	11	67	—	—	—	1	6	35	16	9	
13	Rheumatic fever ..	M	3	—	—	—	1	—	1	—	1	—	—	—	—	—	—	1	—	1	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
14	Diabetes	M	4	—	—	—	—	—	—	1	2	1	3	—	—	—	—	2	—	—	1	
		F	8	—	—	—	—	1	1	1	3	2	7	—	—	—	—	—	4	1	2	
15	Cerebral hæmorrhage, &c. ..	M	22	—	—	—	—	—	—	5	6	11	20	—	—	—	—	—	8	3	9	
		F	40	—	—	—	—	—	2	13	8	17	28	—	—	—	—	—	3	10	15	
16	Heart disease ..	M	78	—	—	1	1	—	2	19	29	27	94	—	—	—	1	—	5	37	23	
		F	86	—	—	—	1	1	1	15	36	32	65	—	—	—	—	3	11	24	27	
17	Arterio-sclerosis ..	M	15	—	—	—	—	—	—	3	1	11	14	—	—	—	—	—	5	4	5	
		F	23	—	—	—	—	—	—	2	5	16	14	—	—	—	—	—	1	4	9	
18	Bronchitis	M	12	—	—	—	—	—	—	2	3	7	11	—	1	—	—	—	3	5	2	
		F	14	—	—	—	—	—	1	1	2	10	11	—	—	—	—	—	—	3	8	
19	Pneumonia (all forms) ..	M	17	5	—	—	—	—	3	4	3	2	24	8	1	—	—	1	8	3	2	
		F	19	1	—	—	—	1	3	3	5	6	12	4	2	1	—	—	1	2	2	
20	Other respiratory diseases ..	M	4	—	—	—	—	—	—	—	3	1	5	—	—	—	—	—	3	1	1	
		F	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—	
21	Ulcer of stomach or duodenum ..	M	5	—	—	—	—	1	—	3	—	1	4	—	—	—	—	2	2	—	—	
		F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	
22	Diarrhoea, &c. ...	M	2	—	1	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—	—	
		F	2	—	—	—	—	1	—	—	—	—	7	5	—	1	—	—	—	—	—	
23	Appendicitis and typhlitis ..	M	3	—	—	—	—	—	—	1	2	—	7	—	—	1	2	2	1	—	—	
		F	3	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—	
24	Cirrhosis of liver ..	M	2	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	1	—	—	
		F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—	
25	Acute and chronic nephritis ..	M	18	—	—	—	2	—	1	6	3	6	28	—	—	—	—	1	12	10	5	
		F	20	—	—	—	—	2	2	6	6	4	35	—	—	—	—	2	8	12	13	
26	Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27	Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	4	—	—	—	—	2	2	—	—	—	4	—	—	—	1	3	—	—	—	
28	Congenital debility and malformation, premature birth ..	M	16	16	—	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—	
		F	6	6	—	—	—	—	—	—	—	—	17	16	1	—	—	—	—	—	—	
29	Suicide	M	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	1	5	—	—	
		F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
30	Other deaths from violence ..	M	13	—	—	—	2	3	3	4	1	—	24	—	—	—	2	9	9	3	1	
		F	8	1	—	—	2	—	—	2	1	2	6	—	—	—	1	—	1	—	2	
31	Other defined diseases ..	M	80	6	—	1	—	—	7	27	20	19	66	13	—	2	3	3	7	12	13	
		F	86	4	1	—	3	1	11	15	16	35	85	4	1	—	—	4	6	13	16	
32	Causes ill-defined or unknown ..	M	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CARDIGAN—1930 (Civilian population only).

CAUSES OF DEATH.		Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES .. {		M	125	5	—	—	2	6	2	40	40	30	262	19	2	1	4	7	23	60	80	66
		F	152	3	—	—	2	7	15	30	41	54	330	18	4	1	3	14	23	72	91	104
1	Enteric fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	Small-pox .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	Measles .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	Scarlet fever .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	Whooping cough.. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	
6	Diphtheria .. {	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	Influenza ... {	M	1	—	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	2	1	
		F	2	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	1	—	—	
8	Encephalitis lethargica .. {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	
9	Meningococcal meningitis .. {	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	Tuberculosis of respiratory system {	M	5	—	—	—	—	1	1	3	—	—	18	—	—	—	—	2	9	5	1	
		F	9	—	—	—	—	1	5	1	1	1	17	1	—	—	—	7	2	4	2	
11	Other tuberculous diseases .. {	M	3	—	—	—	1	1	—	1	—	—	9	1	1	—	1	—	4	1	1	
		F	2	—	—	—	—	1	1	—	—	—	3	—	—	—	—	—	2	—	—	
12	Cancer, malignant disease .. {	M	13	—	—	—	—	—	—	3	4	6	35	—	—	—	—	—	1	10	13	
		F	19	—	—	—	—	—	1	9	2	7	65	—	—	—	—	—	5	29	16	
13	Rheumatic fever.. {	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	—	1	—	
14	Diabetes .. {	M	2	—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	2	
		F	4	—	—	—	—	—	—	—	2	2	1	—	—	—	1	—	—	—	—	
15	Cerebral hæmorrhage, &c. .. {	M	8	—	—	—	—	—	—	4	3	1	10	—	—	—	—	—	—	5	5	
		F	15	—	—	—	—	—	—	2	11	2	18	—	—	—	—	—	—	5	8	
16	Heart disease .. {	M	32	—	—	—	—	—	1	9	10	12	56	—	—	—	—	—	11	21	24	
		F	35	—	—	—	—	—	—	9	10	16	87	—	—	—	1	—	2	13	30	
17	Arterio-sclerosis .. {	M	3	—	—	—	—	—	—	1	1	1	9	—	—	—	—	—	—	5	4	
		F	14	—	—	—	—	—	—	—	6	8	13	—	—	—	—	—	—	6	7	
18	Bronchitis... {	M	2	—	—	—	—	—	—	—	2	—	7	—	—	—	—	—	—	1	4	
		F	5	—	—	—	—	—	—	1	1	3	15	—	—	—	—	—	1	1		
19	Pneumonia (all forms) ... {	M	1	—	—	—	—	—	—	—	1	—	14	3	1	1	—	—	2	2		
		F	6	—	—	—	—	2	—	2	—	2	12	2	1	—	—	—	3	1		
20	Other respiratory diseases .. {	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
21	Ulcer of stomach or duodenum .. {	M	1	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	2	—	
		F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1			
22	Diarrhœa, &c. ... {	M	1	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	
23	Appendicitis and typhlitis.. {	M	3	—	—	—	—	—	—	1	1	1	2	—	—	—	—	—	1	1	—	
		F	1	—	—	—	1	—	—	—	—	—	3	—	—	1	—	—	—	2	—	
24	Cirrhosis of liver .. {	M	4	—	—	—	—	—	—	1	2	1	2	—	—	—	—	—	—	2	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	
25	Acute and chronic nephritis .. {	M	15	—	—	—	—	1	—	6	6	2	21	—	—	—	—	—	—	6	8	
		F	8	—	—	—	—	—	2	1	4	1	22	—	—	—	—	—	—	6	11	
26	Puerperal sepsis .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
27	Other accidents and diseases of pregnancy and parturition .. {	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	
28	Congenital debility and malformation, premature birth ... {	M	3	3	—	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—	
		F	1	1	—	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—	
29	Suicide .. {	M	3	—	—	—	—	1	—	2	—	—	2	—	—	—	—	—	—	2	—	
		F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	
30	Other deaths from violence.. {	M	4	—	—	—	1	—	—	1	2	—	6	—	—	—	1	2	1	1	—	
		F	2	—	—	—	—	—	—	—	—	2	3	—	1	—	—	—	1	—	—	
31	Other defined diseases .. {	M	17	1	—	—	—	—	—	4	7	5	48	5	—	—	2	1	3	16	11	
		F	24	1	—	—	1	1	4	4	3	10	44	4	—	1	1	3	2	9	9	
32	Causes ill-defined or unknown .. {	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
CARMARTHEN—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	474	28	5	15	13	25	50	143	118	77	697	82	8	15	19	33	59	183	150	148
	F	405	33	4	7	10	17	50	111	93	80	613	56	12	14	29	25	55	140	129	153
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox. .	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	4	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
4 Scarlet fever ..	M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Whooping cough ..	M	1	1	—	—	—	—	—	—	—	—	3	2	—	1	—	—	—	—	—	—
	F	4	3	1	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—	—
6 Diphtheria ..	M	8	—	—	4	3	—	1	—	—	—	6	—	1	2	3	—	—	—	—	—
	F	2	—	—	—	1	—	—	—	—	—	9	—	1	2	6	—	—	—	—	—
7 Influenza ..	M	10	—	—	—	—	1	1	4	2	2	21	1	1	—	—	3	2	6	6	2
	F	9	—	1	—	—	—	3	2	2	1	15	—	—	1	—	—	4	4	3	3
8 Encephalitis lethargica ..	M	2	—	—	—	1	—	—	1	—	—	2	—	—	—	—	1	1	—	—	—
	F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	23	1	—	—	—	7	8	7	—	—	39	—	—	—	—	8	12	13	6	—
	F	20	—	—	—	1	7	9	3	—	—	51	—	—	—	2	12	19	13	4	1
11 Other tuberculous diseases ..	M	8	—	—	2	2	2	1	1	—	—	6	—	—	1	2	—	2	1	—	—
	F	7	—	1	—	3	2	—	1	—	—	8	2	3	—	—	1	2	—	—	—
12 Cancer, malignant disease ..	M	50	—	—	—	—	—	4	21	19	6	61	—	—	—	—	—	2	33	14	11
	F	47	—	—	—	—	1	6	22	14	4	69	—	1	—	—	—	4	32	22	10
13 Rheumatic fever ..	M	1	—	—	—	—	1	—	—	—	—	2	—	—	—	1	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
14 Diabetes ..	M	8	—	—	—	—	1	—	5	1	1	3	1	—	—	—	—	—	2	—	—
	F	9	—	—	—	—	—	—	8	1	—	8	—	—	—	—	—	—	1	6	1
15 Cerebral hæmorrhage, &c. ..	M	20	—	—	—	—	—	—	10	5	5	37	—	—	—	—	—	—	10	11	16
	F	12	—	—	—	—	—	—	6	5	1	35	—	—	—	—	—	1	8	14	12
16 Heart disease ..	M	80	—	—	—	—	3	9	30	24	14	133	—	—	—	3	3	4	30	55	38
	F	73	—	—	1	1	1	8	20	27	15	121	—	—	—	4	4	4	36	33	40
17 Arterio-sclerosis ..	M	31	—	—	—	—	—	1	5	13	12	35	—	—	—	—	—	—	5	11	19
	F	29	—	—	—	—	—	—	4	11	14	26	—	—	—	—	—	—	2	10	14
18 Bronchitis. .	M	27	2	—	—	1	1	3	7	8	5	27	1	—	1	—	—	3	7	5	10
	F	15	—	—	—	—	—	1	4	4	6	21	1	1	—	—	—	—	—	7	12
19 Pneumonia (all forms) ..	M	27	6	2	—	1	—	3	8	4	3	45	12	4	5	1	—	2	7	7	7
	F	18	5	1	1	—	—	1	4	4	2	32	7	4	2	3	—	2	6	1	7
20 Other respiratory diseases ..	M	6	—	—	—	—	—	1	2	1	2	14	1	—	—	—	1	—	8	3	1
	F	2	—	—	—	—	—	—	—	1	1	10	—	—	2	2	1	1	1	2	1
21 Ulcer of stomach or duodenum ..	M	6	—	—	—	—	—	4	1	1	—	4	—	—	—	—	—	2	2	—	—
	F	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	2	2	—
22 Diarrhoea, &c. ..	M	1	—	—	—	—	—	—	—	1	—	2	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	2	—	1	—	—	—	—	—	1
23 Appendicitis and typhlitis ..	M	6	—	—	—	2	—	2	1	1	—	9	—	—	2	3	1	2	1	—	—
	F	2	—	—	1	—	—	—	1	—	—	6	—	—	—	6	—	—	—	—	—
24 Cirrhosis of liver ..	M	3	—	—	—	—	—	—	2	1	—	3	—	—	—	—	—	—	3	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
25 Acute and chronic nephritis ..	M	31	—	—	1	—	—	2	11	13	4	37	—	—	—	—	1	1	15	11	9
	F	25	—	—	—	—	2	2	10	6	5	34	1	—	1	—	—	2	9	10	11
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	—	9	—	—	—	—	2	7	—	—	—
28 Congenital debility and malformation, premature birth ..	M	11	11	—	—	—	—	—	—	—	—	46	44	—	—	1	1	—	—	—	—
	F	15	15	—	—	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—	—
29 Suicide ..	M	4	—	—	—	—	—	1	2	—	1	9	—	—	—	—	1	3	3	1	1
	F	5	—	—	—	—	—	1	4	—	—	4	—	—	—	—	1	1	1	1	—
30 Other deaths from violence. .	M	21	1	2	3	—	4	4	3	3	1	45	—	—	1	2	9	15	17	1	—
	F	8	—	—	2	—	1	1	—	2	2	9	—	—	1	1	1	1	1	2	2
31 Other defined diseases. .	M	83	6	—	2	2	5	5	21	21	21	103	17	2	2	1	4	7	18	18	34
	F	90	9	—	1	3	2	12	19	16	28	91	8	—	1	3	2	6	21	12	38
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	2	1	—
	F	4	—	—	—	—	—	2	2	—	—	5	—	—	—	1	1	1	2	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
DENBIGH—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	{ M	334	26	2	5	15	6	29	75	103	73	631	67	10	15	30	28	66	173	138	104
	{ F	395	24	3	6	12	17	34	92	105	102	583	44	12	13	30	24	72	136	114	138
1 Enteric fever ..	{ M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	{ M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	{ M	—	—	—	—	—	—	—	—	—	—	4	2	—	1	1	—	—	—	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—
4 Scarlet fever ..	{ M	2	—	—	—	2	—	—	—	—	—	5	—	1	2	2	—	—	—	—	—
	{ F	2	—	—	1	1	—	—	—	—	—	8	—	—	1	5	2	—	—	—	—
5 Whooping cough ..	{ M	1	1	—	—	—	—	—	—	—	—	7	4	1	2	—	—	—	—	—	—
	{ F	2	1	—	1	—	—	—	—	—	—	9	4	3	2	—	—	—	—	—	—
6 Diphtheria ..	{ M	7	—	—	1	6	—	—	—	—	—	17	—	—	4	12	1	—	—	—	—
	{ F	4	—	1	1	2	—	—	—	—	—	17	—	1	2	12	—	2	—	—	—
7 Influenza ..	{ M	2	—	—	—	—	—	1	1	—	—	6	—	—	—	—	—	1	4	1	—
	{ F	2	—	—	—	—	1	1	—	—	—	6	1	—	—	—	—	2	—	3	—
8 Encephalitis lethargica ..	{ M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—	—
	{ F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	{ M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—	—
	{ F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	{ M	14	—	—	—	1	1	10	2	—	—	25	—	—	—	—	7	9	9	—	—
	{ F	22	—	—	—	—	7	8	6	1	—	33	—	—	—	3	6	18	5	1	—
11 Other tuberculous diseases ..	{ M	—	—	—	—	—	—	—	—	—	—	5	—	1	1	—	1	1	—	—	—
	{ F	7	—	1	1	2	2	1	—	—	—	13	—	—	2	1	5	5	—	—	—
12 Cancer, malignant disease ..	{ M	47	—	—	—	—	—	3	18	15	11	90	—	—	—	—	—	5	36	35	14
	{ F	56	—	—	—	—	—	4	24	14	14	59	—	—	—	—	—	5	32	11	11
13 Rheumatic fever ..	{ M	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
	{ F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
14 Diabetes ..	{ M	8	—	—	—	—	1	—	1	5	1	3	—	—	—	—	—	—	2	1	—
	{ F	6	—	—	—	1	—	—	1	2	2	3	—	—	—	—	—	1	1	1	—
15 Cerebral hæmorrhage, &c. ..	{ M	21	—	—	—	—	—	—	3	14	4	39	—	—	—	—	—	1	7	17	14
	{ F	33	—	—	—	—	—	1	12	11	9	44	—	—	—	—	—	1	12	13	18
16 Heart disease ..	{ M	69	—	—	—	—	1	2	14	31	21	125	—	—	—	1	—	9	39	41	35
	{ F	97	—	—	—	2	3	3	19	38	32	138	—	—	—	1	1	6	35	37	58
17 Arterio-sclerosis ..	{ M	19	—	—	—	—	—	—	3	13	3	21	—	—	—	—	—	—	2	10	9
	{ F	30	—	—	—	—	—	—	3	15	12	20	—	—	—	—	—	—	4	11	5
18 Bronchitis ..	{ M	11	1	—	—	—	1	—	—	5	4	24	5	1	—	—	—	2	6	4	6
	{ F	15	—	—	—	—	1	—	4	1	9	18	1	1	—	—	—	—	2	5	9
19 Pneumonia (all forms) ..	{ M	18	2	2	1	—	1	3	5	3	1	34	5	2	1	2	2	6	10	5	1
	{ F	12	3	1	—	1	—	2	1	2	2	22	8	2	1	1	—	—	4	5	1
20 Other respiratory diseases ..	{ M	5	1	—	—	—	—	—	3	—	1	9	—	1	—	—	—	—	5	—	3
	{ F	3	—	—	—	—	—	—	2	1	—	7	—	—	—	—	—	—	3	—	4
21 Ulcer of stomach or duodenum ..	{ M	5	—	—	—	—	—	—	3	1	1	6	—	—	—	—	—	2	3	1	—
	{ F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	2	2	—	1
22 Diarrhoea, &c. ..	{ M	5	4	—	—	—	—	—	—	—	1	6	3	1	1	—	—	—	1	—	—
	{ F	3	—	—	—	—	—	1	—	2	—	3	2	—	—	—	—	—	1	—	—
23 Appendicitis and typhlitis ..	{ M	1	—	—	—	—	—	—	—	—	1	5	—	—	—	1	—	—	3	—	—
	{ F	1	—	—	—	1	—	—	—	—	—	3	—	—	—	2	—	—	1	—	—
24 Cirrhosis of liver ..	{ M	2	—	—	—	—	—	1	1	—	—	4	—	—	—	1	—	—	3	—	—
	{ F	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—	—
25 Acute and chronic nephritis ..	{ M	14	—	—	—	—	—	2	2	7	3	15	—	—	—	—	3	—	4	4	4
	{ F	13	—	—	—	—	—	1	6	3	3	28	—	—	—	—	4	3	10	7	4
26 Puerperal sepsis ..	{ M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	2	—	—	—	—	1	1	—	—	—	4	—	—	—	—	—	4	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	{ M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	{ F	2	—	—	—	—	—	2	—	—	—	7	—	—	—	—	1	6	—	—	—
28 Congenital debility and malformation, premature birth ..	{ M	13	13	—	—	—	—	—	—	—	—	33	33	—	—	—	—	—	—	—	—
	{ F	14	14	—	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—	—
29 Suicide ..	{ M	2	—	—	—	—	—	—	1	1	—	8	—	—	—	—	2	1	4	1	—
	{ F	2	—	—	—	—	1	1	—	—	—	5	—	—	—	—	—	2	2	1	—
30 Other deaths from violence ..	{ M	15	1	—	—	4	1	1	5	2	1	45	3	—	1	5	7	14	13	2	—
	{ F	5	1	—	—	—	—	1	—	1	2	9	—	—	1	—	1	2	1	2	2
31 Other defined diseases ..	{ M	51	3	—	2	2	—	6	12	6	20	86	12	2	2	4	3	12	18	15	18
	{ F	58	4	—	2	1	1	7	13	13	17	99	11	3	4	5	4	12	21	14	25
32 Causes ill-defined or unknown ..	{ M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
	{ F	1	—	—	—	—	—	—	—	1	—	2	1	1	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
FLINT—1930 (Civilian population only).

CAUSES OF DEATH.	Sex	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	255	19	5	4	9	9	29	62	72	46	383	38	6	5	9	18	40	102	93	72
	F	244	14	4	3	6	14	22	59	66	56	364	23	6	12	11	15	42	88	78	89
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	3	—	1	1	—	—	1	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	2	1	—	—	1	—
	F	2	—	—	—	2	—	—	—	—	—	6	—	—	1	4	—	1	—	—	—
7 Influenza ..	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	—	1	2	—	1	6	—	—	1	—	—	—	3	2	—
8 Encephalitis lethargica ..	M	1	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	1	—	—	—	—	1	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	16	—	—	—	1	—	6	9	—	—	19	—	—	1	—	2	9	5	2	—
	F	12	—	—	—	1	7	1	3	—	—	21	—	1	—	3	6	7	3	1	—
11 Other tuberculous diseases ..	M	2	—	—	1	—	1	—	—	—	—	5	—	—	—	1	1	1	1	1	—
	F	2	—	—	1	1	—	—	—	—	—	3	—	—	—	1	—	—	2	—	—
12 Cancer, malignant disease ..	M	33	—	—	—	1	—	3	11	14	4	53	—	—	—	—	—	5	22	16	10
	F	32	—	—	—	—	—	2	13	13	4	49	—	—	—	—	2	6	25	8	8
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—	—
14 Diabetes ..	M	5	—	—	—	—	1	1	1	2	—	2	—	—	—	—	—	—	1	1	—
	F	1	—	—	—	—	—	—	1	—	—	6	—	—	—	—	—	—	3	1	2
15 Cerebral hæmorrhage, &c. ..	M	16	—	—	—	—	—	3	4	6	3	24	—	—	—	—	—	—	6	10	8
	F	25	—	—	—	—	—	—	8	11	6	30	—	—	—	—	—	1	5	9	15
16 Heart disease ..	M	47	—	—	—	—	3	1	9	19	15	56	—	—	—	—	—	3	14	25	14
	F	41	—	—	—	—	—	2	13	16	10	71	—	—	—	—	1	6	12	26	26
17 Arterio-sclerosis ..	M	9	—	—	—	—	—	—	2	6	1	19	—	—	—	—	—	—	5	5	9
	F	5	—	—	—	—	—	—	1	2	2	6	—	—	—	—	—	—	—	3	3
18 Bronchitis ..	M	12	1	—	—	—	1	—	2	2	6	12	—	—	—	1	1	1	1	4	4
	F	7	1	—	—	—	1	—	1	2	2	11	1	—	—	—	—	—	3	3	4
19 Pneumonia (all forms) ..	M	17	2	2	1	4	—	3	1	3	1	21	3	4	1	—	—	3	6	3	1
	F	10	—	1	—	1	1	2	2	3	—	19	3	1	2	—	—	2	4	2	5
20 Other respiratory diseases ..	M	5	1	—	—	—	—	—	1	3	—	3	—	—	1	—	—	—	2	—	—
	F	3	—	—	1	—	—	1	1	—	—	4	—	—	—	—	—	—	1	1	2
21 Ulcer of stomach or duodenum ..	M	2	—	—	—	—	1	1	—	—	—	5	—	—	—	—	—	—	3	1	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
22 Diarrhoea, &c. ..	M	7	2	—	—	—	—	—	2	2	1	6	2	—	—	—	—	1	1	1	1
	F	2	2	—	—	—	—	—	—	—	—	4	1	—	—	—	—	1	1	1	—
23 Appendicitis and typhlitis ..	M	3	—	—	—	1	—	—	2	—	—	6	—	—	—	1	—	1	3	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—
24 Cirrhosis of liver ..	M	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	—
25 Acute and chronic nephritis ..	M	10	—	—	—	—	—	1	2	3	4	13	—	—	—	—	—	2	7	3	1
	F	6	—	—	—	—	1	—	2	1	2	14	—	—	—	—	1	3	6	3	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	—	3	—	—	—	—	1	2	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	—	4	—	—	—	—	1	3	—	—	—
28 Congenital debility and malformation, premature birth ..	M	10	10	—	—	—	—	—	—	—	—	21	21	—	—	—	—	—	—	—	—
	F	5	5	—	—	—	—	—	—	—	—	12	11	—	—	—	1	—	—	—	—
29 Suicide ..	M	3	—	—	—	—	—	1	2	—	—	7	—	—	—	—	—	1	4	1	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
30 Other deaths from violence ..	M	7	—	—	—	—	2	3	2	—	—	31	1	1	2	4	10	6	4	2	1
	F	7	—	1	—	—	—	1	1	2	2	8	—	2	4	—	—	—	1	—	1
31 Other defined diseases ..	M	44	2	1	1	2	—	6	11	11	10	68	11	—	—	—	3	6	13	14	21
	F	66	5	1	—	1	3	6	7	16	27	74	6	1	1	2	1	8	17	16	22
32 Causes ill-defined or unknown ..	M	1	—	1	—	—	—	—	—	—	—	6	—	—	—	—	—	1	3	2	—
	F	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
MERIONETH—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	165	12	1	2	2	10	22	46	41	29	171	23	2	4	4	9	11	44	33	41
	F	166	7	5	3	6	3	15	32	38	57	160	5	1	—	4	8	12	30	40	60
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza ..	M	4	—	—	—	—	—	1	—	2	1	7	2	—	—	—	—	1	1	2	1
	F	3	—	—	—	—	—	—	1	2	—	5	—	—	—	—	—	—	1	—	4
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	22	—	—	—	—	3	9	6	4	—	12	—	—	—	—	3	5	2	1	1
	F	10	—	—	—	—	2	5	1	1	1	10	—	—	—	—	4	5	1	—	—
11 Other tuberculous diseases ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1	—
	F	4	—	1	—	2	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—
12 Cancer, malignant disease ..	M	24	—	—	—	—	—	—	14	9	1	20	—	—	—	—	—	—	13	4	3
	F	21	—	—	—	—	—	2	8	7	4	28	—	—	—	—	1	9	12	6	6
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—
	F	5	—	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—
15 Cerebral hæmorrhage, &c. ..	M	5	—	—	—	—	—	—	3	1	1	6	—	—	—	—	—	—	1	2	3
	F	6	—	—	—	—	—	—	1	4	1	11	—	—	—	—	—	1	3	4	3
16 Heart disease ..	M	27	—	—	—	—	1	1	5	13	7	39	—	—	—	—	—	1	12	10	16
	F	34	—	—	—	—	—	4	5	12	13	37	—	—	—	—	2	—	6	11	18
17 Arterio-sclerosis ..	M	10	—	—	—	—	—	—	1	2	7	4	—	—	—	—	—	—	—	3	1
	F	14	—	—	—	—	—	—	1	1	12	7	—	—	—	—	—	—	—	2	5
18 Bronchitis ..	M	3	1	—	—	—	—	—	1	—	—	4	1	—	—	—	—	—	2	—	1
	F	7	1	—	—	—	—	—	—	—	6	9	—	—	—	—	—	—	1	3	5
19 Pneumonia (all forms) ..	M	7	2	1	—	—	—	—	3	1	—	9	2	2	1	—	—	—	1	2	1
	F	6	—	2	—	—	—	—	1	—	3	3	—	—	—	—	—	1	—	—	2
20 Other respiratory diseases ..	M	3	—	—	1	—	—	2	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	1	2	1
21 Ulcer of stomach or duodenum ..	M	5	—	—	—	—	1	2	2	—	—	2	—	—	—	—	1	—	1	—	—
	F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
22 Diarrhoea, &c. ..	M	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis ..	M	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	8	—	—	—	—	—	1	—	4	3	9	1	—	—	—	—	—	3	2	3
	F	11	—	—	—	—	—	—	4	3	4	12	—	—	—	—	—	—	2	4	6
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—	—
28 Congenital debility and malformation, premature birth ..	M	6	5	—	—	—	1	—	—	—	—	7	7	—	—	—	—	—	—	—	—
	F	4	2	—	1	—	1	—	—	—	—	3	3	—	—	—	—	—	—	—	—
29 Suicide ..	M	1	—	—	—	—	—	—	1	—	—	3	—	—	—	—	1	1	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	13	—	—	1	1	2	4	3	1	1	5	—	—	—	—	3	1	—	1	—
	F	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
31 Other defined diseases ..	M	25	4	—	—	1	2	2	5	4	7	30	6	—	1	2	1	2	4	3	11
	F	31	4	—	—	3	—	2	6	3	13	23	2	1	—	—	—	2	6	2	10
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
MONTGOMERY—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	121	9	2	3	—	2	11	28	39	27	209	25	—	2	6	7	7	45	49	68
	F	116	8	1	2	1	1	5	30	36	32	198	12	2	1	5	5	23	38	46	66
1 Enteric fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
7 Influenza ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	10	—	—	—	—	—	4	5	1	—	10	—	—	—	—	2	4	3	—	1
	F	4	—	—	—	—	—	1	3	—	—	8	—	—	—	—	1	3	3	1	—
11 Other tuberculous diseases ..	M	1	—	—	—	—	—	1	—	—	—	4	—	—	—	2	2	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	3	1	—	—	—	1	1	—	—	—
12 Cancer, malignant disease ..	M	16	—	—	—	—	—	—	6	7	3	26	—	—	—	—	—	—	8	12	6
	F	20	—	—	—	—	—	—	9	8	3	36	—	—	—	—	—	4	16	10	6
13 Rheumatic fever ..	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	2	1	—	—	—	—
14 Diabetes ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
	F	3	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
15 Cerebral hæmorrhage, &c. ..	M	6	—	—	—	—	—	—	3	2	1	18	—	—	—	—	—	—	2	6	10
	F	9	—	—	—	—	—	1	2	3	3	18	—	—	—	—	—	—	4	6	8
16 Heart disease ..	M	23	—	—	—	—	—	—	5	12	6	40	—	—	—	—	1	1	8	13	17
	F	25	—	—	—	—	—	—	4	10	11	46	—	—	—	1	—	1	8	13	23
17 Arterio-sclerosis ..	M	9	—	—	—	—	—	—	1	2	6	8	—	—	—	—	—	—	1	3	4
	F	2	—	—	—	—	—	—	2	—	—	3	—	—	—	—	—	—	—	1	2
18 Bronchitis ..	M	7	—	—	—	—	—	—	—	4	3	5	—	—	—	—	—	—	1	—	4
	F	8	—	—	—	—	—	—	1	2	5	7	—	—	—	—	—	1	—	1	5
19 Pneumonia (all forms) ..	M	4	1	—	1	—	—	1	1	—	—	4	—	—	1	—	—	—	2	—	1
	F	6	2	—	1	—	—	—	1	—	2	2	—	—	—	—	—	—	1	1	—
20 Other respiratory diseases ..	M	1	—	—	1	—	—	—	—	—	—	5	2	—	—	—	—	—	2	—	1
	F	2	—	—	—	—	—	1	—	1	—	2	—	—	—	—	—	1	—	—	1
21 Ulcer of stomach or duodenum ..	M	3	—	—	—	—	—	1	1	1	—	5	—	—	—	—	—	—	4	—	1
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
22 Diarrhœa, &c. ..	M	1	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	6	—	—	—	—	—	2	—	3	1	12	—	—	—	—	1	—	4	1	6
	F	4	—	—	—	—	—	1	—	3	—	8	—	—	—	—	—	1	1	5	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
28 Congenital debility and malformation, premature birth ..	M	5	5	—	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—	—
	F	4	4	—	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—	—
29 Suicide ..	M	1	—	—	—	—	—	—	1	—	—	2	—	—	—	1	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	4	—	—	—	—	2	—	1	1	—	6	—	—	—	—	1	1	2	2	—
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	—
31 Other defined diseases ..	M	14	1	—	—	—	—	2	1	3	7	40	7	—	—	2	—	1	5	10	15
	F	21	2	—	—	—	—	—	6	5	8	43	3	2	1	—	2	6	5	4	20
32 Causes ill-defined or unknown ..	M	4	—	—	—	—	—	—	1	3	—	1	—	—	—	—	—	—	1	—	—
	F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 20—*contd.*

CAUSES of DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
PEMBROKE—1930 (Civilian population only).

[illegible]

CAUSES OF DEATH at DIFFERENT PERIODS of LIFE in the ADMINISTRATIVE COUNTY of
RADNOR—1930 (Civilian population only).

CAUSES OF DEATH.	Sex.	AGGREGATE OF URBAN DISTRICTS.										AGGREGATE OF RURAL DISTRICTS.									
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	75—
ALL CAUSES ..	M	38	1	1	—	—	1	5	14	7	9	119	12	1	—	3	2	7	15	32	47
	F	26	1	1	—	—	1	4	2	9	8	90	6	1	1	4	4	4	19	18	33
1 Enteric fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ..	M	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza ..	M	2	—	—	—	—	—	—	1	1	—	5	—	—	—	—	—	2	—	2	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
8 Encephalitis lethargica ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory system	M	5	—	—	—	—	—	1	4	—	—	5	—	—	—	—	1	1	2	1	—
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	2	2	—	—	—
11 Other tuberculous diseases ..	M	1	—	—	—	—	—	1	—	—	—	3	—	—	—	1	1	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	—	—	1
12 Cancer, malignant disease ..	M	7	—	—	—	—	—	1	3	2	1	11	—	—	—	—	—	1	4	3	3
	F	5	—	—	—	—	—	—	2	2	1	16	—	—	—	—	—	—	9	7	—
13 Rheumatic fever ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Diabetes ..	M	2	—	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Cerebral hæmorrhage, &c. ..	M	1	—	—	—	—	—	—	—	1	—	5	—	—	—	—	—	—	1	3	1
	F	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	2	—	3
16 Heart disease ..	M	3	—	—	—	—	—	—	1	—	2	24	—	—	—	—	—	—	1	10	13
	F	9	—	—	—	—	1	—	—	4	4	21	—	—	—	1	2	—	6	2	10
17 Arterio-sclerosis ..	M	—	—	—	—	—	—	—	—	—	—	7	—	—	—	—	—	—	1	2	4
	F	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	4
18 Bronchitis ..	M	1	—	—	—	—	—	—	1	—	—	8	1	1	—	—	—	1	—	2	3
	F	1	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1	—
19 Pneumonia (all forms) ..	M	2	—	—	—	—	—	—	1	—	1	2	2	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1
20 Other respiratory diseases ..	M	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	—	—	3
	F	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—
21 Ulcer of stomach or duodenum ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22 Diarrhoea, &c. ..	M	2	1	1	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
23 Appendicitis and typhlitis ..	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—
24 Cirrhosis of liver ..	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis ..	M	4	—	—	—	—	1	—	1	1	1	5	—	—	—	—	—	—	1	1	3
	F	1	—	—	—	—	—	—	—	—	1	4	—	—	—	—	—	2	1	—	1
26 Puerperal sepsis ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Congenital debility and malformation, premature birth ..	M	—	—	—	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	6	6	—	—	—	—	—	—	—	—
29 Suicide ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Other deaths from violence ..	M	—	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	1	1
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Other defined diseases ..	M	7	—	—	—	—	—	1	1	1	4	23	2	—	—	—	—	—	3	5	13
	F	6	—	1	—	—	—	2	—	1	2	16	—	—	1	—	—	—	1	3	11
32 Causes ill-defined or unknown ..	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only).

NOTE.—This table relates to Municipal Boroughs, other Urban Districts and Rural Districts which, as now constituted, had civilian populations exceeding 10,000 at the Census of 1921. The corresponding statistics for Districts not shown in this table are available for reference in the General Register Office, Somerset House, London.

BEDFORDSHIRE.

Causes of Death.	Bedford M.B.		Luton M.B.		Ampt-hill R.D.		Bedford R.D.		Biggles-wade R.D.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	211	223	320	344	114	124	134	116	100	101						
1 Enteric fever	—	—	1	—	—	—	1	—	—	—						1
2 Small-pox	—	—	—	—	—	—	—	—	—	—						2
3 Measles	1	—	—	1	—	—	1	—	—	1						3
4 Scarlet fever	—	—	2	1	1	—	1	—	—	—						4
5 Whooping cough	—	1	—	1	1	—	1	—	—	—						5
6 Diphtheria	1	—	2	4	1	—	—	1	—	—						6
7 Influenza	2	6	3	3	2	—	—	1	2	—						7
8 Encephalitis lethargica	1	—	2	2	2	—	—	1	—	—						8
9 Meningococcal meningitis	—	—	2	1	—	—	—	—	—	—						9
10 Tuberculosis of respiratory sys.	12	8	35	26	6	9	7	6	6	8						10
11 Other tuberculous diseases	2	1	6	6	1	1	—	3	3	2						11
12 Cancer, malignant disease	28	43	37	51	16	20	17	19	15	16						12
13 Rheumatic fever	—	—	2	4	—	—	—	—	—	1						13
14 Diabetes	2	3	3	3	1	1	3	2	—	1						14
15 Cerebral hæmorrhage, &c.	5	15	15	23	5	11	7	16	3	9						15
16 Heart disease	33	38	63	69	23	19	23	19	22	26						16
17 Arterio-sclerosis	31	23	3	4	4	2	11	9	3	4						17
18 Bronchitis	8	6	15	13	3	4	10	6	2	2						18
19 Pneumonia (all forms)	6	5	12	15	2	4	3	3	7	5						19
20 Other respiratory diseases	3	3	2	3	1	—	1	—	2	—						20
21 Ulcer of stomach or duodenum	1	1	2	1	1	—	1	—	1	3						21
22 Diarrhœa, &c. (under 2 years)	2	—	2	1	—	—	—	—	1	—						22
23 Appendicitis and typhlitis	1	2	6	4	2	1	1	—	1	1						23
24 Cirrhosis of liver	4	—	1	1	—	—	1	—	—	—						24
25 Acute and chronic nephritis	8	10	10	8	2	3	2	5	2	1						25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	1						26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	1	—	—	—	—	—	—						27
28 Congenital debility and malformation, premature birth	8	5	14	16	1	5	11	4	8	1						28
29 Suicide	3	2	7	4	2	—	1	—	—	2						29
30 Other deaths from violence	8	6	21	7	7	3	13	1	7	2						30
31 Other defined diseases	40	42	52	70	27	39	17	19	15	15						31
32 Causes ill-defined or unknown	1	—	—	—	3	2	1	—	—	—						32

BERKSHIRE.

Causes of Death.	Maiden-head M.B.		Newbury M.B.		New Windsor M.B.				Abingdon R.D.		Bradfield R.D.		Cookham R.D.					
	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.				
All Causes	115	96	78	88	115	112			51	47	75	71	92	73				
1 Enteric fever	—	—	—	—	—	—			—	—	—	—	—	—				1
2 Small-pox	—	—	—	—	—	—			—	—	—	—	—	—				2
3 Measles	—	—	—	—	2	—			—	—	—	—	—	1				3
4 Scarlet fever	—	—	—	—	—	1			—	—	—	—	—	—				4
5 Whooping cough	—	—	—	1	2	—			—	—	—	1	1	—				5
6 Diphtheria	—	—	2	3	1	2			1	—	2	—	—	—				6
7 Influenza	—	1	—	—	2	—			—	1	—	—	1	1				7
8 Encephalitis lethargica	—	—	—	—	—	—			—	—	—	—	—	—				8
9 Meningococcal meningitis	—	—	—	—	—	—			—	—	—	—	—	—				9
10 Tuberculosis of respiratory sys.	9	9	2	2	9	10			1	3	4	2	2	2				10
11 Other tuberculous diseases	—	2	1	1	1	—			2	—	2	—	2	1				11
12 Cancer, malignant disease	17	20	15	8	13	20			2	7	14	15	13	11				12
13 Rheumatic fever	—	1	—	—	—	1			—	1	—	—	—	—				13
14 Diabetes	1	1	1	3	1	—			—	—	—	2	—	—				14
15 Cerebral hæmorrhage, &c.	9	5	6	10	6	8			2	5	3	2	2	9				15
16 Heart disease	15	17	19	14	11	21			14	8	8	13	14	20				16
17 Arterio-sclerosis	7	4	6	15	8	7			—	2	7	7	3	2				17
18 Bronchitis	3	4	4	3	7	10			1	2	4	1	4	1				18
19 Pneumonia (all forms)	10	4	1	2	11	2			2	—	1	1	7	2				19
20 Other respiratory diseases	—	1	—	2	1	—			—	—	1	1	1	2				20
21 Ulcer of stomach or duodenum	—	—	1	1	—	—			—	—	1	—	1	—				21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	—	—			—	—	—	—	1	2				22
23 Appendicitis and typhlitis	1	—	—	—	—	1			—	—	—	—	2	1				23
24 Cirrhosis of liver	—	—	—	—	1	—			—	—	—	—	2	—				24
25 Acute and chronic nephritis	10	2	6	5	1	3			3	—	6	2	4	1				25
26 Puerperal sepsis	—	1	—	1	—	—			—	2	—	—	—	—				26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—			—	—	—	—	—	—				27
28 Congenital debility and malformation, premature birth	8	3	3	—	3	4			2	3	5	2	4	2				28
29 Suicide	—	1	—	—	—	—			1	1	—	—	1	2				29
30 Other deaths from violence	3	—	3	—	7	3			2	1	3	1	5	2				30
31 Other defined diseases	21	19	7	17	28	19			17	11	14	21	22	11				31
32 Causes ill-defined or unknown	—	—	1	—	—	—			1	—	—	—	—	—				32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***BERKSHIRE—*cont.***

Causes of Death.	East hamp- stead R.D.		Faring- don* (pt.) R.D.		New- bury R.D.		Wan- tage R.D.		Woking- ham R.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	77	86	63	52	83	59	60	66	105	92					
1 Enteric fever	—	1	—	—	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—					2
3 Measles	—	—	—	—	—	—	1	—	—	—					3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	1					4
5 Whooping cough	—	—	—	—	—	—	—	—	—	—					5
6 Diphtheria	—	1	—	—	—	1	—	—	—	1					6
7 Influenza	—	—	—	—	—	—	—	—	1	—					7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	—	—					8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	5	5	2	3	3	1	1	1	5	4					10
11 Other tuberculous diseases	—	1	—	—	1	—	1	—	2	2					11
12 Cancer, malignant disease	10	9	6	8	15	10	12	13	14	21					12
13 Rheumatic fever	1	—	—	—	—	—	—	—	—	—					13
14 Diabetes	1	2	—	—	—	2	—	—	—	3					14
15 Cerebral hæmorrhage, &c.	4	5	5	3	6	4	1	7	5	4					15
16 Heart disease	15	26	20	18	15	8	8	11	18	16					16
17 Arterio-sclerosis	5	3	2	—	6	4	1	—	8	5					17
18 Bronchitis	3	1	7	4	6	5	—	4	2	3					18
19 Pneumonia (all forms)	5	1	2	1	7	4	3	3	7	3					19
20 Other respiratory diseases	2	—	—	—	—	—	2	2	1	—					20
21 Ulcer of stomach or duodenum	2	—	1	—	1	1	—	1	1	—					21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	1	—	—	1	—	—					22
23 Appendicitis and typhlitis	—	2	—	1	3	—	—	—	—	—					23
24 Cirrhosis of liver	—	—	—	—	—	—	1	1	1	1					24
25 Acute and chronic nephritis	2	2	2	1	1	2	3	3	2	4					25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	1					26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—	—	—					27
28 Congenital debility and malformation, premature birth	1	2	4	2	2	2	3	2	2	3					28
29 Suicide	1	—	—	—	1	—	—	1	4	1					29
30 Other deaths from violence	2	3	5	—	3	1	2	1	7	1					30
31 Other defined diseases	17	22	6	8	10	13	20	15	25	18					31
32 Causes ill defined or unknown	—	—	—	1	2	—	1	—	—	—					32

BUCKINGHAMSHIRE.

Causes of Death.	Ayles- bury M.B.		Chepping Wy- combe M.B.		Slough U.D.		Wol- verton U.D.		Amer- sham R.D.		Ayles- bury R.D.		Eton R.D.		New- port Pag- nell R.D.		Wy- combe R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	62	74	131	142	123	130	77	78	124	129	110	93	177	151	87	83	148	142	
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	1	3	3	—	—	—	1	—	—	—	—	1	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—	—	4
5 Whooping cough	—	1	—	—	2	—	—	—	—	—	2	—	2	—	—	—	—	—	5
6 Diphtheria	—	—	1	—	4	1	—	1	—	1	—	—	2	—	—	—	1	—	6
7 Influenza	—	—	3	2	2	1	—	—	—	2	—	2	4	1	—	—	—	—	7
8 Encephalitis lethargica	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	2	1	1	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	3	3	10	13	6	8	5	5	5	2	5	7	10	10	2	2	9	9	10
11 Other tuberculous diseases	—	1	—	1	4	2	—	1	1	2	2	1	2	1	—	—	2	5	11
12 Cancer, malignant disease	11	10	16	21	19	14	7	12	23	22	12	15	13	29	15	13	23	18	12
13 Rheumatic fever	—	—	—	—	1	1	—	1	—	—	—	—	2	1	1	—	—	—	13
14 Diabetes	1	3	1	1	2	1	2	2	3	1	1	2	2	—	—	3	2	1	14
15 Cerebral hæmorrhage, &c.	3	6	6	7	6	15	5	5	8	7	3	9	7	13	4	2	13	15	15
16 Heart disease	14	9	15	19	18	28	9	15	21	37	21	14	31	25	16	20	27	30	16
17 Arterio-sclerosis	2	3	7	9	7	4	4	6	9	3	10	6	8	3	2	1	9	2	17
18 Bronchitis	3	2	2	10	5	5	4	2	7	2	7	6	8	8	8	3	6	6	18
19 Pneumonia (all forms)	8	9	12	5	3	7	3	4	5	8	5	3	10	7	2	5	2	4	19
20 Other respiratory diseases	3	2	—	2	—	1	—	—	2	4	—	3	3	2	2	1	—	—	20
21 Ulcer of stomach or duodenum	—	1	3	1	3	1	—	1	—	—	1	—	4	1	—	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	1	1	—	—	—	—	—	—	4	1	—	—	—	—	22
23 Appendicitis and typhlitis	—	—	1	—	2	1	1	—	1	3	—	—	2	1	1	—	2	1	23
24 Cirrhosis of liver	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	2	—	24
25 Acute and chronic nephritis	1	2	5	1	4	2	4	4	3	3	1	2	4	5	2	2	6	5	25
26 Puerperal sepsis	—	1	—	1	—	—	—	—	—	—	—	2	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	—	4	—	—	—	2	—	1	—	2	27
28 Congenital debility and malformation, premature birth	—	3	13	6	3	4	4	1	7	6	6	1	6	5	3	1	2	2	28
29 Suicide	—	—	3	2	1	1	1	—	—	1	1	1	1	2	2	—	4	3	29
30 Other deaths from violence	1	1	6	4	6	4	5	1	12	1	13	2	15	1	7	2	11	6	30
31 Other defined diseases	11	17	25	33	19	25	22	16	15	19	16	19	35	27	16	24	26	23	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	32

* The remainder of Faringdon R.D. is in Gloucestershire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

CAMBRIDGESHIRE.

Causes of Death.	Cambridge M.B.		Chester-ton R.D.		New-market R.D.						
	M.	F.	M.	F.	M.	F.					
All Causes	321	358	133	137	123	110					
1 Enteric fever	—	—	—	1	—	1					1
2 Small pox	—	—	—	—	—	—					2
3 Measles	—	—	—	—	—	—					3
4 Scarlet fever	2	—	1	—	—	—					4
5 Whooping cough	3	1	—	—	—	1					5
6 Diphtheria	4	3	—	2	1	1					6
7 Influenza	3	2	1	1	—	2					7
8 Encephalitis lethargica ..	—	1	1	—	—	—					8
9 Meningococcal meningitis ..	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	18	12	7	4	5	3					10
11 Other tuberculous diseases ..	3	4	—	—	2	1					11
12 Cancer, malignant disease ..	31	56	18	25	15	12					12
13 Rheumatic fever	1	1	1	—	1	—					13
14 Diabetes	—	9	5	1	—	2					14
15 Cerebral hæmorrhage, &c. ..	15	39	9	8	6	7					15
16 Heart disease	58	78	22	23	27	22					16
17 Arterio-sclerosis	5	13	8	5	6	6					17
18 Bronchitis	10	15	4	17	4	6					18
19 Pneumonia (all forms) ..	17	14	7	1	7	4					19
20 Other respiratory diseases ..	3	3	3	2	—	—					20
21 Ulcer of stomach or duodenum	8	2	1	—	1	—					21
22 Diarrhoea, &c. (under 2 years)	1	1	—	—	—	—					22
23 Appendicitis and typhlitis ..	3	3	1	1	1	1					23
24 Cirrhosis of liver	2	—	—	—	1	—					24
25 Acute and chronic nephritis ..	12	9	3	6	6	5					25
26 Puerperal sepsis	—	—	—	1	—	2					26
27 Other accidents and diseases of pregnancy and parturition ..	—	3	—	4	—	—					27
28 Congenital debility and mal-formation, premature birth	14	3	4	5	6	4					28
29 Suicide	9	4	1	—	1	1					29
30 Other deaths from violence ..	23	11	7	3	5	4					30
31 Other defined diseases ..	76	71	28	27	28	25					31
32 Causes ill-defined or unknown	—	—	1	—	—	—					32

CHESHIRE.

Causes of Death.	Altrincham U.D.		Bebington & Bromborough. U.D.		Cheadle & Gatley U.D.		Congleton M.B.		Crewe M.B.		Dukinfield M.B.		Ellesmere Port & Whitby U.D.		Hazel Grove & Bramhall U.D.		Hoylake & West Kirby U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	127	111	112	118	75	84	67	77	295	262	136	128	96	82	78	56	92	104	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	1	—	—	1	—	1	—	3	5	2	6	—	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough	—	—	—	1	1	—	—	—	—	—	2	1	—	—	—	—	3	—	5
6 Diphtheria	3	3	4	4	—	—	1	1	1	2	1	—	2	5	1	—	1	—	6
7 Influenza	4	1	—	2	2	—	1	2	11	7	—	—	3	—	2	—	—	2	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	2	2	—	—	—	1	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	8	7	9	3	2	4	2	16	12	6	8	3	3	3	2	1	2	10
11 Other tuberculous diseases	1	2	—	4	—	3	—	—	5	6	—	1	2	3	—	3	3	—	11
12 Cancer, malignant disease	11	24	12	16	8	17	5	12	44	38	11	15	13	9	9	8	14	20	12
13 Rheumatic fever	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	13
14 Diabetes	2	—	3	5	2	4	—	—	5	3	1	1	1	2	—	—	—	4	14
15 Cerebral hæmorrhage, &c.	5	5	8	8	—	3	1	4	20	16	7	10	7	4	6	3	4	8	15
16 Heart disease	24	22	22	25	18	21	12	20	45	51	35	29	12	19	15	13	20	23	16
17 Arterio-sclerosis	9	5	1	1	5	6	4	5	12	10	6	2	2	5	3	4	8	6	17
18 Bronchitis	5	5	3	3	5	2	4	3	13	13	6	5	2	1	7	2	—	2	18
19 Pneumonia (all forms)	14	3	11	4	3	2	3	4	11	13	14	12	11	7	9	3	8	2	19
20 Other respiratory diseases	4	—	—	—	1	2	—	—	6	5	—	—	2	1	—	—	1	4	20
21 Ulcer of stomach or duodenum	—	—	—	—	2	1	1	—	3	—	3	—	1	—	—	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	2	1	1	—	—	2	1	1	3	—	2	—	—	—	—	—	22
23 Appendicitis and typhlitis	1	1	1	—	—	—	1	—	1	1	2	—	—	—	—	—	2	2	23
24 Cirrhosis of liver	1	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	2	24
25 Acute and chronic nephritis	3	6	1	2	2	—	3	3	13	9	8	6	4	2	2	1	6	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	—	—	1	—	2	—	2	—	2	—	—	—	—	27
28 Congenital debility and malformation, premature birth	5	2	11	6	5	2	5	—	18	4	7	2	3	6	1	2	3	—	28
29 Suicide	1	—	1	2	2	2	1	—	4	5	3	2	3	—	2	1	2	1	29
30 Other deaths from violence	5	1	2	3	3	2	—	3	14	5	5	2	8	2	4	1	4	4	30
31 Other defined diseases	21	20	22	20	12	15	18	13	42	49	13	22	14	10	14	13	10	20	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

CHESHIRE—*cont.*

Causes of Death.	Hyde M.B.		Macclesfield. M.B.		Northwich U.D.		Run-corn U.D.		Sale* U.D.		Staly-bridge M.B.		Winsford U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	232	215	206	237	138	111	83	93	154	151	149	147	83	49
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	1	1	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	2	—	5	1	3	5	—	—	—	—	3	5	1	—
4 Scarlet fever	—	—	—	—	—	1	1	—	—	—	—	—	—	—
5 Whooping cough	—	—	—	2	—	—	—	—	1	—	—	—	3	3
6 Diphtheria	3	6	1	2	—	—	—	—	1	—	—	—	—	—
7 Influenza	9	7	2	3	—	—	—	1	3	1	—	1	—	1
8 Encephalitis lethargica	—	2	1	—	1	—	—	1	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys. ..	20	11	11	6	5	3	4	9	9	4	8	5	4	1
11 Other tuberculous diseases	3	1	2	3	3	3	—	—	—	3	1	—	3	—
12 Cancer, malignant disease	27	28	24	35	13	12	11	12	17	34	26	14	5	8
13 Rheumatic fever	—	1	1	—	2	3	—	—	—	—	1	—	1	1
14 Diabetes	2	7	3	2	1	—	—	2	5	1	2	2	1	—
15 Cerebral hæmorrhage, &c.	6	10	10	14	9	6	5	9	4	8	9	17	4	2
16 Heart disease	41	57	32	61	35	23	11	15	26	27	23	26	20	14
17 Arterio-sclerosis	14	13	21	13	5	2	8	5	10	12	6	2	10	3
18 Bronchitis	9	11	11	10	3	3	3	5	7	8	9	4	1	—
19 Pneumonia (all forms)	19	14	22	7	10	9	6	5	15	9	13	6	5	2
20 Other respiratory diseases	2	1	3	4	—	1	2	—	—	1	6	—	—	1
21 Ulcer of stomach or duodenum	4	—	3	2	1	1	—	—	3	—	—	1	—	—
22 Diarrhœa, &c. (under 2 years)	1	—	—	2	2	1	—	—	1	1	1	5	—	—
23 Appendicitis and typhlitis	—	—	2	2	—	—	—	1	2	2	1	1	—	—
24 Cirrhosis of liver	—	—	4	2	—	—	—	—	2	1	—	—	2	—
25 Acute and chronic nephritis	10	6	2	9	7	4	5	1	6	3	2	6	3	1
26 Puerperal sepsis	—	—	—	—	—	1	—	1	—	—	—	1	—	2
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	1	—	—	—	—	—	1	—	—
28 Congenital debility and malformation, premature birth	7	2	11	5	10	6	3	6	5	6	6	3	2	2
29 Suicide	3	2	1	1	5	—	1	—	2	1	—	2	2	—
30 Other deaths from violence	12	—	6	6	4	3	9	—	6	2	7	5	5	—
31 Other defined diseases	38	35	27	42	19	23	14	17	29	27	25	39	10	8
32 Causes ill-defined or unknown	—	—	—	1	—	—	—	3	—	—	—	—	—	—

* See note * Table 14, page 69.

CHESHIRE—cont.

Causes of Death.	Bucklow R.D.		Chester R.D.		Congleton R.D.		Macclesfield R.D.		Nantwich R.D.		Northwich R.D.		Runcorn R.D.		Tarvin R.D.		Wirral R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	124	126	63	90	77	71	106	97	156	145	154	114	192	145	66	73	136	125
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	2	1	—	—	1	1	—	—	2	1	3	1	—	1	—	1	—	1
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
5 Whooping cough	—	—	—	—	1	—	1	—	—	4	2	—	1	—	—	—	—	1
6 Diphtheria	—	1	—	3	—	—	—	—	—	1	—	1	2	1	—	—	3	2
7 Influenza	1	2	2	3	—	1	—	6	2	—	2	—	2	1	1	2	2	1
8 Encephalitis lethargica	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1	1	—
9 Meningococcal meningitis	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	6	7	2	4	2	3	3	2	6	11	4	5	9	8	6	1	5	10
11 Other tuberculous diseases	2	2	1	1	1	—	2	2	2	2	2	1	2	—	1	2	2	1
12 Cancer, malignant disease	7	17	6	7	14	10	13	11	25	15	26	21	22	26	5	20	18	22
13 Rheumatic fever	—	—	—	—	—	—	—	—	1	—	—	1	2	—	—	1	—	1
14 Diabetes	—	3	1	5	2	3	1	2	2	2	1	3	2	1	—	—	1	2
15 Cerebral hæmorrhage, &c.	7	5	3	3	1	5	6	6	8	8	3	7	9	6	4	5	4	6
16 Heart disease	23	29	15	22	16	12	23	25	38	38	27	31	32	25	8	17	29	33
17 Arterio-sclerosis	10	6	3	2	—	2	7	7	3	1	11	7	7	13	6	2	7	4
18 Bronchitis	11	4	1	3	3	2	2	2	5	6	5	—	5	2	2	—	3	5
19 Pneumonia (all forms)	2	3	5	2	4	1	4	2	9	5	8	9	19	7	4	3	9	3
20 Other respiratory diseases	1	1	1	1	1	1	2	1	—	—	1	1	2	1	—	1	1	—
21 Ulcer of stomach or duodenum	2	—	1	—	2	—	1	—	—	1	—	—	4	—	1	—	1	1
22 Diarrhœa, &c. (under 2 years)	2	—	—	—	1	—	—	—	1	—	2	—	1	3	1	—	1	—
23 Appendicitis and typhlitis	1	—	2	—	—	—	1	1	1	2	—	—	2	—	—	—	1	1
24 Cirrhosis of liver	2	—	—	—	—	—	2	—	—	—	—	—	—	2	1	—	—	—
25 Acute and chronic nephritis	4	9	1	7	1	6	4	5	5	5	9	2	10	8	3	1	6	5
26 Puerperal sepsis	—	1	—	—	—	—	—	2	—	—	—	2	—	1	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—	—	4	—	—	—	—	—	1	—	2
28 Congenital debility and malformation, premature birth	9	12	7	1	3	3	6	3	8	7	5	2	9	4	4	2	12	4
29 Suicide	—	1	—	1	—	—	4	2	4	—	6	—	3	1	—	—	1	2
30 Other deaths from violence	11	2	3	1	6	2	5	3	7	6	10	—	11	6	5	3	4	1
31 Other defined diseases	20	19	9	22	18	19	18	15	27	25	27	19	35	28	13	11	25	16
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

CORNWALL.

Causes of Death.	Cam- borne U.D.		Fal- mouth M.B.		Pen- zance M.B.		Truro M.B.				Bod- min R.D.		Hel- ston R.D.		Lis- keard R.D.		Red- ruth R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	81	105	90	97	81	112	73	74			72	62	84	115	100	97	121	133	
1 Enteric fever	—	—	—	—	—	—	—	—			—	1	—	1	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	—	—			—	—	—	—	—	—	3	2	3
4 Scarlet fever	—	—	1	—	—	—	—	—			—	—	—	—	—	2	—	—	4
5 Whooping cough	—	1	—	—	1	—	—	—			—	—	—	—	—	—	—	—	5
6 Diphtheria	—	—	2	3	1	—	—	1			1	1	—	—	1	—	—	—	6
7 Influenza	—	—	1	1	1	2	—	—			—	1	1	1	2	—	—	2	7
8 Encephalitis lethargica	—	—	—	—	—	2	1	1			—	—	—	—	1	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	12	3	7	3	7	7	2	4			6	2	7	7	3	6	12	9	10
11 Other tuberculous diseases	1	2	2	1	1	1	—	1			—	—	1	1	3	3	3	—	11
12 Cancer, malignant disease	12	21	11	9	13	17	10	13			10	9	10	13	13	17	14	13	12
13 Rheumatic fever	—	1	—	—	1	—	—	—			—	—	—	—	—	—	1	—	13
14 Diabetes	1	5	—	2	1	3	1	2			1	2	5	2	3	1	1	5	14
15 Cerebral hæmorrhage, &c.	4	8	10	8	6	15	4	3			2	4	3	12	4	5	8	4	15
16 Heart disease	14	33	24	30	20	16	16	13			17	15	18	28	21	20	20	35	16
17 Arterio-sclerosis	2	1	1	5	1	2	1	1			1	1	5	7	4	4	1	4	17
18 Bronchitis	3	1	5	5	3	6	4	7			3	4	1	5	7	10	2	2	18
19 Pneumonia (all forms)	—	2	4	4	3	5	4	1			4	3	4	2	3	2	5	6	19
20 Other respiratory diseases	3	—	1	3	—	—	—	1			—	1	—	1	—	1	5	2	20
21 Ulcer of stomach or duodenum	1	—	3	—	3	1	—	—			1	—	—	1	2	—	1	—	21
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	—	—	1	—			—	—	—	—	—	—	3	—	22
23 Appendicitis and typhlitis	1	—	—	—	—	1	1	—			—	—	1	—	1	—	1	1	23
24 Cirrhosis of liver	—	—	—	—	1	—	—	1			—	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	3	3	1	5	2	2	3	1			4	4	—	3	4	3	5	4	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—			—	—	—	2	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	—			—	—	—	—	—	—	—	1	27
28 Congenital debility and mal-formation, premature birth	7	5	4	—	2	2	4	3			6	3	1	2	4	2	4	6	28
29 Suicide	—	1	—	—	1	—	1	—			1	—	2	—	2	—	1	—	29
30 Other deaths from violence	2	2	3	—	3	1	5	—			3	2	2	2	3	2	6	—	30
31 Other defined diseases	14	15	10	15	10	29	15	21			12	9	23	25	19	19	24	36	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	32

CORNWALL—cont.

Causes of Death.	St. Austell R.D.		St. Columb Major R.D.		St. Germans R.D.		Truro R.D.		West Penwith R.D.						
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
All Causes	165	179	70	72	65	66	110	155	67	100					
1 Enteric fever	—	—	—	—	—	—	—	—	—	—					1
2 Small-pox	—	—	—	—	—	—	—	—	—	—					2
3 Measles	—	—	—	—	—	—	—	—	—	—					3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—					4
5 Whooping cough	1	1	—	—	—	—	—	—	—	—					5
6 Diphtheria	—	—	—	—	—	—	1	2	—	—					6
7 Influenza	2	1	1	1	1	2	2	—	—	—					7
8 Encephalitis lethargica ..	—	1	—	—	—	—	1	1	—	—					8
9 Meningococcal meningitis ..	—	—	—	—	—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	18	8	1	3	5	4	3	1	1	5					10
11 Other tuberculous diseases ..	1	2	1	1	2	2	2	3	1	1					11
12 Cancer, malignant disease ..	18	25	6	5	9	5	17	20	5	12					12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—					13
14 Diabetes	4	3	2	2	—	2	1	3	3	2					14
15 Cerebral hæmorrhage, &c. ..	9	18	4	7	4	2	7	16	5	7					15
16 Heart disease	37	41	12	14	15	24	23	44	15	24					16
17 Arterio-sclerosis	2	4	3	5	3	6	1	5	4	5					17
18 Bronchitis	7	10	5	4	2	1	5	3	1	5					18
19 Pneumonia (all forms) ..	5	3	4	1	2	3	3	2	3	7					19
20 Other respiratory diseases ..	2	—	4	—	—	—	2	—	1	1					20
21 Ulcer of stomach or duodenum ..	—	1	1	—	2	—	1	—	1	—					21
22 Diarrhoea, &c. (under 2 years)	1	—	—	2	1	—	—	—	—	—					22
23 Appendicitis and typhlitis ..	3	1	1	—	1	—	—	—	1	—					23
24 Cirrhosis of liver	1	—	—	—	1	—	1	—	—	—					24
25 Acute and chronic nephritis ..	5	9	1	2	1	1	2	5	3	5					25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—					26
27 Other accidents and diseases of pregnancy and parturition ..	—	3	—	—	—	—	—	—	—	—					27
28 Congenital debility and malformation, premature birth ..	10	7	1	2	4	1	4	4	2	2					28
29 Suicide	3	—	2	—	1	—	4	—	2	—					29
30 Other deaths from violence ..	4	1	4	1	1	1	7	6	2	4					30
31 Other defined diseases	32	40	15	22	10	12	22	40	17	20					31
32 Causes ill-defined or unknown ..	—	—	2	—	—	—	1	—	—	—					32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

CUMBERLAND.

Causes of Death.	Mary- port U.D.		White- haven M.B.		Working- ton M.B.		Carlisle R.D.		Cocker- mouth R.D.		Penrith R.D.		White- haven R.D.		Wigton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	63	76	126	131	180	151	63	83	138	127	64	62	63	74	68	76	
1 Enteric fever	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	—	—	—	1	4	3	—	—	2	—	—	—	—	—	—	—	5
6 Diphtheria	1	—	—	2	—	—	—	—	1	—	—	—	—	—	—	1	6
7 Influenza	1	—	2	1	1	1	2	1	2	—	—	1	3	2	5	—	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	9
10 Tuberculosis of respiratory sys.	6	3	7	16	10	6	1	6	4	6	1	4	3	2	3	1	10
11 Other tuberculous diseases	2	2	—	3	5	3	1	1	—	2	2	1	—	2	—	1	11
12 Cancer, malignant disease	8	9	13	11	22	27	5	11	14	15	8	11	3	10	9	13	12
13 Rheumatic fever	—	—	—	—	1	—	—	1	2	1	—	—	1	—	—	—	13
14 Diabetes	1	2	1	7	1	2	—	2	3	2	—	—	—	1	1	—	14
15 Cerebral hæmorrhage, &c.	5	6	5	8	12	13	6	5	9	17	2	3	2	6	6	4	15
16 Heart disease	9	12	21	27	24	17	23	22	23	19	12	17	6	12	6	17	16
17 Arterio-sclerosis	3	1	6	3	9	4	3	6	7	5	6	6	3	3	3	5	17
18 Bronchitis	5	8	6	8	10	14	—	1	5	6	—	1	5	4	2	3	18
19 Pneumonia (all forms)	3	3	11	4	9	9	2	2	8	2	4	2	3	4	4	1	19
20 Other respiratory diseases	1	—	1	4	2	2	4	—	2	—	—	—	1	2	1	—	20
21 Ulcer of stomach or duodenum	3	1	1	—	4	—	—	—	1	—	2	—	4	—	3	—	21
22 Diarrhœa, &c. (under 2 years)	2	1	4	2	6	1	2	1	2	—	—	—	—	—	2	—	22
23 Appendicitis and typhlitis	1	—	—	—	1	—	—	—	—	2	1	—	—	3	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	1	6	3	—	13	9	—	1	6	5	3	4	1	—	4	2	25
26 Puerperal sepsis	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	2	—	2	—	—	—	—	—	1	—	—	27
28 Congenital debility and malformation, premature birth	1	1	12	8	4	6	1	3	6	2	2	2	4	3	5	3	28
29 Suicide	1	—	2	—	2	1	—	2	4	—	1	—	2	1	3	1	29
30 Other deaths from violence	—	4	8	2	5	1	7	3	12	3	6	—	9	1	1	1	30
31 Other defined diseases	7	14	22	20	29	25	8	11	25	35	13	11	12	15	11	16	31
32 Causes ill-defined or unknown	2	—	1	3	3	—	—	—	2	2	—	—	2	—	1	—	32

DERBYSHIRE.

Causes of Death.	Alfreton U.D.		Belper U.D.		Bols- over U.D.		Bux- ton M.B.		Chester- field M.B.		Glossop M.B.		Heanor U.D.		Ilkeston M.B.		Long Eaton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	113	106	66	56	55	51	90	82	385	306	125	128	119	103	189	151	103	109	
1 Enteric fever	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	3	2	—	—	5	7	—	—	1	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	2	—	—	1	1	—	—	1	3	—	—	—	1	5
6 Diphtheria	1	2	—	1	1	—	—	1	7	8	—	1	—	—	—	—	—	—	6
7 Influenza	1	1	—	—	—	—	2	2	3	1	1	1	4	3	4	1	1	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	2	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
10 Tuberculosis of respiratory sys.	3	5	6	2	2	1	6	4	20	14	8	2	6	10	7	6	12	6	10
11 Other tuberculous diseases	1	5	1	1	6	—	—	1	11	7	1	1	4	2	3	2	4	3	11
12 Cancer, malignant disease	14	12	5	8	3	8	8	14	34	32	13	23	14	15	20	12	10	19	12
13 Rheumatic fever	1	—	2	1	—	1	—	—	1	—	—	—	1	—	1	—	—	—	13
14 Diabetes	—	1	—	3	—	—	1	1	2	6	1	1	2	—	2	2	2	3	14
15 Cerebral hæmorrhage, &c.	6	10	2	6	4	4	5	5	18	40	10	7	4	10	7	20	5	7	15
16 Heart disease	19	16	14	14	6	7	15	15	85	57	19	24	20	21	30	24	14	17	16
17 Arterio-sclerosis	6	2	6	1	3	—	9	4	4	5	4	11	5	—	14	6	5	2	17
18 Bronchitis	4	1	1	2	1	5	1	1	17	13	5	8	7	5	12	7	2	5	18
19 Pneumonia (all forms)	8	12	3	2	3	3	7	5	32	18	11	3	4	1	17	6	4	4	19
20 Other respiratory diseases	3	—	—	—	2	3	—	—	5	2	1	1	1	1	1	3	1	4	20
21 Ulcer of stomach or duodenum	—	—	—	—	1	—	1	—	5	1	4	—	1	—	3	2	2	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	1	—	1	—	—	1	2	3	3	1	1	—	3	1	1	1	22
23 Appendicitis and typhlitis	—	—	—	—	1	—	1	—	3	3	1	—	—	—	—	2	1	—	23
24 Cirrhosis of liver	—	—	3	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	24
25 Acute and chronic nephritis	3	1	2	2	3	5	7	5	5	6	6	6	3	2	8	6	4	—	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	3	—	—	1	—	1	—	1	—	3	—	1	27
28 Congenital debility and malformation, premature birth	9	4	8	3	3	3	6	3	28	17	7	1	12	3	10	9	6	3	28
29 Suicide	—	1	—	—	—	1	1	1	5	—	3	—	—	—	2	2	—	—	29
30 Other deaths from violence	10	1	4	2	2	—	8	3	24	8	1	6	8	1	5	1	4	2	30
31 Other defined diseases	23	28	6	8	10	6	14	10	65	52	24	27	18	23	36	34	23	30	31
32 Causes ill-defined or unknown	1	1	—	—	—	—	—	—	3	1	1	2	—	—	1	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

DERBYSHIRE—*cont.*

Causes of Death.	Ripley U.D.		Swad- lincote District U.D.		The Mat- locks U.D.		Ash- bourne R.D.		Bake- well R.D.		Belper R.D.		Black- well R.D.		Chapel- en-le- Frith R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	59	56	108	97	69	62	62	54	121	98	128	127	215	168	94	82
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	2	1	1	—	2	—	—	1	2	3	5	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
5 Whooping cough	—	—	—	—	1	—	—	—	—	—	1	—	1	3	—	—
6 Diphtheria	—	1	—	—	1	1	2	—	1	—	—	—	3	—	—	—
7 Influenza	2	2	1	1	2	—	—	—	3	6	1	3	2	3	5	1
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
9 Meningococcal meningitis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys. ..	—	1	8	5	4	1	—	2	3	1	6	1	10	9	4	5
11 Other tuberculous diseases	—	1	4	1	—	—	—	—	1	1	2	3	3	1	1	—
12 Cancer, malignant disease	10	5	10	13	5	3	9	8	8	18	22	16	19	17	9	14
13 Rheumatic fever	—	1	—	1	—	—	—	—	—	1	—	—	2	—	—	2
14 Diabetes	—	—	1	3	1	2	—	1	4	2	2	—	2	4	—	1
15 Cerebral hæmorrhage, &c.	2	5	4	10	1	2	7	5	5	8	8	8	13	9	8	8
16 Heart disease	15	11	24	24	16	16	13	6	30	20	22	28	28	32	21	12
17 Arterio-sclerosis	3	2	—	—	4	5	—	2	10	2	11	8	5	1	3	2
18 Bronchitis	—	2	9	1	5	3	—	—	2	3	3	3	8	10	1	4
19 Pneumonia (all forms)	3	1	7	4	1	6	2	2	7	4	4	1	27	10	9	2
20 Other respiratory diseases	—	1	—	—	—	2	—	2	—	—	1	1	3	1	2	—
21 Ulcer of stomach or duodenum	1	—	2	—	2	—	—	—	1	—	1	2	4	1	—	—
22 Diarrhoea, &c. (under 2 years)	—	—	1	—	—	—	—	1	1	—	—	2	4	3	2	—
23 Appendicitis and typhlitis	—	—	1	—	1	—	—	—	—	—	1	—	2	1	2	3
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—
25 Acute and chronic nephritis	3	—	3	2	2	4	2	2	5	4	6	5	5	5	2	2
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	1	—	—	—	3	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	6	5	4	9	6	2	6	2	1	2	6	4	18	9	2	2
29 Suicide	—	—	2	—	1	—	1	—	3	1	2	1	3	2	2	1
30 Other deaths from violence	4	—	5	1	2	1	3	2	14	2	8	5	14	6	5	2
31 Other defined diseases	8	18	22	19	13	12	17	17	21	21	20	31	36	32	15	21
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—

DERBYSHIRE—*cont.*

DEVONSHIRE.

Causes of Death.	Chester- field R.D.		Clowne R.D.		Repton R.D.		Shard- low R.D.		Barn- staple M.B.		Ex- mouth U.D.		Ilfra- combe U.D.		New- ton Abbot U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	455	387	76	69	91	94	211	158	71	97	69	115	59	63	112	108
1 Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	7	8	—	—	—	—	—	1	—	—	—	—	—	—	2	1
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	5	8	1	—	1	—	—	—	1	—	—	—	—	—	2	1
6 Diphtheria	2	15	—	—	1	—	2	1	1	—	1	—	1	—	—	—
7 Influenza	3	2	1	—	1	2	1	—	1	—	3	2	—	4	3	—
8 Encephalitis lethargica	3	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys. ..	15	10	8	4	6	—	10	6	7	10	3	6	3	2	5	5
11 Other tuberculous diseases	10	7	—	3	2	—	1	—	—	—	1	1	—	1	1	1
12 Cancer, malignant disease	44	43	6	7	11	10	22	16	5	8	11	16	7	10	15	16
13 Rheumatic fever	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—	1
14 Diabetes	1	4	1	3	1	—	3	2	1	1	1	—	—	2	2	4
15 Cerebral hæmorrhage, &c.	22	20	1	11	8	8	7	16	1	8	5	11	2	2	10	9
16 Heart disease	85	78	7	4	15	33	37	30	10	27	13	27	24	17	19	19
17 Arterio-sclerosis	20	12	1	1	3	4	8	3	3	4	4	7	6	5	8	8
18 Bronchitis	25	22	7	3	2	5	9	8	3	2	3	6	—	—	7	8
19 Pneumonia (all forms)	44	24	5	3	9	5	13	5	7	1	5	3	6	2	2	5
20 Other respiratory diseases	4	2	1	1	1	—	3	1	2	—	2	—	1	—	2	1
21 Ulcer of stomach or duodenum	3	2	—	—	1	1	3	—	—	—	—	—	—	—	1	2
22 Diarrhoea, &c. (under 2 years)	3	8	—	1	—	—	1	2	—	—	—	—	—	—	—	1
23 Appendicitis and typhlitis	2	—	2	1	—	2	1	—	2	—	1	1	—	1	—	—
24 Cirrhosis of liver	1	—	—	—	—	—	2	1	—	—	—	—	—	—	2	—
25 Acute and chronic nephritis	20	9	1	1	6	2	3	3	4	1	1	7	1	2	2	2
26 Puerperal sepsis	—	6	—	1	—	1	—	1	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	5	—	1	—	2	—	2	—	2	—	1	—	—	—	—
28 Congenital debility and malformation, premature birth	22	14	6	4	6	2	12	7	4	—	—	—	—	1	6	2
29 Suicide	6	1	1	1	—	—	4	4	—	—	—	—	—	—	3	1
30 Other deaths from violence	32	10	12	2	1	4	17	7	3	4	2	2	3	1	—	2
31 Other defined diseases	73	72	15	16	16	13	50	41	15	28	13	25	5	13	19	19
32 Causes ill-defined or unknown	1	1	—	1	—	—	—	1	1	—	—	—	—	—	1	—

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*DEVONSHIRE—*cont.*

Causes of Death.	Paignton U.D.		Teignmouth U.D.		Torquay M.B.		Barnstaple R.D.		Crediton R.D.		Kingsbridge R.D.		Newton Abbot R.D.		Okehampton R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	116	135	62	70	265	349	106	120	65	49	90	64	146	128	86	87
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	1	—	—	1	—	1	—	—	—	—	1	—	1	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—
5 Whooping cough	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—
6 Diphtheria	—	—	—	—	3	3	2	2	—	—	—	—	1	—	—	—
7 Influenza	2	—	2	1	—	—	2	1	—	—	2	1	4	5	—	3
8 Encephalitis lethargica	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	9	4	6	8	11	18	3	7	3	5	2	4	7	9	7	4
11 Other tuberculous diseases	—	1	—	1	1	4	1	—	1	1	—	1	3	2	—	—
12 Cancer, malignant disease	13	17	10	12	33	48	11	13	4	8	17	5	14	20	6	11
13 Rheumatic fever	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
14 Diabetes	1	4	2	2	5	7	3	3	—	—	1	2	1	2	—	1
15 Cerebral hæmorrhage, &c.	4	11	4	5	9	29	6	4	9	6	6	6	5	5	6	3
16 Heart disease	19	42	11	17	65	77	19	25	14	12	14	13	31	30	19	24
17 Arterio-sclerosis	10	7	3	2	26	36	12	13	2	2	1	2	10	10	2	4
18 Bronchitis	4	5	1	3	21	17	3	10	4	1	1	3	9	5	8	5
19 Pneumonia (all forms)	8	6	1	2	15	16	1	6	2	1	2	5	9	7	1	4
20 Other respiratory diseases	2	—	—	—	—	3	1	1	—	—	2	—	4	1	1	—
21 Ulcer of stomach or duodenum	4	1	—	—	3	—	—	—	—	—	1	—	—	—	2	2
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	—
23 Appendicitis and typhlitis	1	1	1	—	1	1	—	2	—	—	1	—	2	—	1	—
24 Cirrhosis of liver	2	—	—	—	1	1	1	1	—	—	—	—	1	—	—	—
25 Acute and chronic nephritis	3	3	3	1	11	2	5	5	1	1	2	2	4	6	3	1
26 Puerperal sepsis	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1
28 Congenital debility and malformation, premature birth	4	3	2	1	11	9	5	5	3	1	4	1	6	1	5	3
29 Suicide	2	—	—	1	2	3	1	—	2	—	2	1	1	—	3	—
30 Other deaths from violence	4	2	3	2	7	6	6	1	4	2	3	—	3	4	2	2
31 Other defined diseases	22	27	13	9	37	64	24	21	14	7	27	17	28	19	18	13
32 Causes ill-defined or unknown	—	—	—	—	1	1	—	—	1	—	—	—	—	1	1	2

DEVONSHIRE—*cont.*

Causes of Death.	Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Totnes R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	152	152	146	132	60	51	89	93	82	93	74	62
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	3	—	—	1	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—
5 Whooping cough	—	1	—	—	1	1	1	1	—	—	—	—
6 Diphtheria	—	—	2	6	—	1	1	—	4	—	—	—
7 Influenza	—	2	2	1	—	1	—	2	—	—	1	—
8 Encephalitis lethargica	—	—	1	1	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	4	6	7	7	3	1	4	5	4	5	5	4
11 Other tuberculous diseases	2	—	6	1	1	—	1	—	—	1	2	1
12 Cancer, malignant disease	22	27	15	24	10	6	15	16	8	15	9	9
13 Rheumatic fever	—	1	—	—	—	—	—	—	—	—	—	—
14 Diabetes	1	2	2	—	1	—	—	—	1	1	—	1
15 Cerebral hæmorrhage, &c.	9	12	5	10	3	6	4	10	6	3	8	8
16 Heart disease	32	34	23	20	16	11	22	20	12	13	16	10
17 Arterio-sclerosis	8	5	13	5	4	—	1	1	2	—	—	3
18 Bronchitis	10	6	5	4	4	4	3	5	6	4	3	2
19 Pneumonia (all forms)	7	5	7	2	3	1	4	5	5	1	7	1
20 Other respiratory diseases	—	2	4	2	1	—	2	—	1	—	—	1
21 Ulcer of stomach or duodenum	1	2	1	—	—	—	2	—	2	—	—	—
22 Diarrhoea, &c. (under 2 years)	—	—	2	—	—	—	—	—	1	1	—	—
23 Appendicitis and typhlitis	3	—	—	1	—	3	—	—	1	—	—	1
24 Cirrhosis of liver	—	—	2	—	—	—	—	—	—	—	—	—
25 Acute and chronic nephritis	6	2	7	5	—	1	2	5	7	12	1	1
26 Puerperal sepsis	—	1	—	—	—	1	—	2	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	2	—	—	—	—
28 Congenital debility and malformation, premature birth	8	5	5	4	1	3	6	3	5	2	5	1
29 Suicide	1	4	4	—	2	—	—	—	—	1	2	2
30 Other deaths from violence	3	4	3	3	1	—	5	—	7	3	1	—
31 Other defined diseases	32	30	30	34	9	11	14	14	11	28	16	10
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	1	—	—	—	1

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

DORSETSHIRE.

DURHAM.

Causes of Death.	Poole M.B.		Portland U.D.		Wey- mouth & Melcombe Regis M.B.		Ware- ham & Purbeck R.D.		Wim- borne & Cran- borne R.D.		Annfield Plain U.D.		Bishop Auck- land U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	361	339	64	48	140	145	71	74	102	104	86	93	78	91	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	3	2	—	—	—	—	1	1	—	—	—	—	7	4	4
4 Scarlet fever	1	—	—	—	—	—	1	—	—	—	1	—	1	—	5
5 Whooping cough	—	3	—	—	—	—	1	1	—	—	—	—	—	1	6
6 Diphtheria	5	4	—	3	2	—	1	1	—	—	1	3	—	—	7
7 Influenza	5	3	2	—	1	—	—	—	2	—	—	2	—	1	8
8 Encephalitis lethargica	1	4	1	—	—	—	1	1	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	3	1	—	—	10
10 Tuberculosis of respiratory sys.	28	19	9	4	7	8	1	5	9	6	2	8	5	1	11
11 Other tuberculous diseases	2	5	1	1	1	2	4	—	1	—	2	1	2	1	12
12 Cancer, malignant disease	45	59	12	6	20	30	6	9	12	17	9	7	9	14	13
13 Rheumatic fever	—	2	1	1	—	—	—	—	—	1	—	—	—	—	14
14 Diabetes	2	6	1	—	1	3	—	—	—	1	—	1	—	—	15
15 Cerebral hæmorrhage, &c.	22	24	4	8	14	12	7	4	4	8	1	8	5	4	16
16 Heart disease	89	64	10	9	28	30	20	19	20	21	20	18	13	26	17
17 Arterio-sclerosis	15	17	—	2	2	2	4	1	4	3	2	4	5	6	18
18 Bronchitis	6	4	1	2	6	2	—	2	5	4	3	7	2	4	19
19 Pneumonia (all forms)	17	14	2	2	5	6	1	3	5	4	3	6	5	—	20
20 Other respiratory diseases	7	1	1	—	3	2	—	—	1	1	2	—	—	—	21
21 Ulcer of stomach or duodenum	4	4	—	—	1	1	1	1	—	—	1	—	1	—	22
22 Diarrhœa, &c. (under 2 years)	—	2	—	—	1	—	—	—	—	—	3	—	1	—	23
23 Appendicitis and typhlitis	—	5	—	—	—	1	—	—	—	—	—	—	—	—	24
24 Cirrhosis of liver	—	1	—	—	3	—	—	1	—	—	2	—	—	—	25
25 Acute and chronic nephritis	9	9	1	1	3	7	1	4	5	3	6	3	1	1	26
26 Puerperal sepsis	—	3	—	—	—	—	—	1	—	—	—	2	—	1	27
27 Other accidents and diseases of pregnancy and parturition	—	5	—	1	—	—	—	—	—	—	—	2	—	1	28
28 Congenital debility and mal- formation, premature birth	22	8	3	1	7	6	3	1	4	7	9	4	2	2	29
29 Suicide	5	3	—	1	2	1	—	—	1	1	1	—	1	—	30
30 Other deaths from violence	22	7	5	—	7	2	5	4	2	3	3	—	1	1	31
31 Other defined diseases	51	59	10	6	26	30	15	15	27	22	12	14	17	23	32
32 Causes ill-defined or unknown	—	2	—	—	—	—	—	—	1	—	1	1	—	—	

DURHAM—*cont.*

Causes of Death.	Blay- don U.D.		Brandon & By- shottles U.D.		Ches- ter le- Street U.D.		Consett U.D.		Crook U.D.		Durham M.B.		Felling U.D.		Hartle- pool M.B.		Hebburn U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	169	155	127	83	96	84	78	72	87	57	105	110	171	139	145	131	178	128	1
1 Enteric fever	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	2	3	4
4 Scarlet fever	—	—	1	—	1	—	—	—	—	—	—	—	1	1	—	1	—	—	5
5 Whooping cough	1	—	1	—	1	1	1	1	2	—	—	2	1	1	—	1	—	—	6
6 Diphtheria	1	1	1	1	2	—	2	1	—	1	—	—	2	1	—	1	1	1	7
7 Influenza	1	2	—	—	3	1	1	—	2	1	1	—	2	3	1	—	4	4	8
8 Encephalitis lethargica	—	1	—	—	—	—	1	—	—	—	—	1	1	—	—	1	2	—	9
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	9	11	9	4	7	4	2	7	5	4	4	7	22	14	8	7	15	14	11
11 Other tuberculous diseases	4	5	5	2	3	1	1	2	3	1	6	3	6	5	3	5	4	6	12
12 Cancer, malignant disease	7	15	10	7	12	5	5	9	11	4	11	11	11	13	8	15	15	6	13
13 Rheumatic fever	1	1	1	1	—	—	—	—	—	—	1	1	—	—	—	2	—	1	14
14 Diabetes	2	3	—	3	1	1	1	—	—	1	2	1	—	4	5	1	3	2	15
15 Cerebral hæmorrhage, &c.	12	13	11	7	6	8	5	4	3	1	7	8	7	7	7	11	3	2	16
16 Heart disease	22	25	17	18	21	21	16	15	18	13	10	12	28	22	25	24	17	14	17
17 Arterio-sclerosis	6	6	—	—	4	3	5	2	5	6	2	3	4	2	1	1	12	5	18
18 Bronchitis	8	8	7	2	4	—	3	—	4	3	5	7	8	9	13	7	10	5	19
19 Pneumonia (all forms)	18	10	17	7	6	6	5	4	7	—	10	7	14	8	25	6	19	7	20
20 Other respiratory diseases	—	—	2	—	—	1	1	—	2	1	1	—	—	2	—	1	1	2	21
21 Ulcer of stomach or duodenum	2	—	1	—	—	1	1	1	—	—	1	1	1	1	2	—	3	—	22
22 Diarrhœa, &c. (under 2 years)	—	4	2	2	—	—	—	2	—	1	2	1	2	4	1	—	4	7	23
23 Appendicitis and typhlitis	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	24
24 Cirrhosis of liver	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	25
25 Acute and chronic nephritis	3	2	3	1	3	3	6	4	2	5	6	4	4	3	2	8	3	5	26
26 Puerperal sepsis	—	3	—	—	—	—	—	—	—	1	—	—	—	1	—	3	—	1	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1	—	—	—	4	—	4	—	—	—	4	28
28 Congenital debility and mal- formation, premature birth	12	11	10	6	8	6	5	4	3	2	6	5	13	5	14	7	14	11	29
29 Suicide	3	1	—	—	2	2	1	—	—	—	1	—	1	2	1	1	1	—	30
30 Other deaths from violence	13	6	3	—	5	2	5	2	7	—	6	5	10	2	8	4	12	4	31
31 Other defined diseases	41	27	23	22	8	15	11	12	10	12	22	25	34	22	20	25	29	21	32
32 Causes ill-defined or unknown	—	—	1	—	—	2	—	—	1	—	1	1	—	1	—	—	4	2	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***DURHAM**—*cont.*

Causes of Death	Hetton U.D.		Hough- ton-le- Spring U.D.		Jarrow M.B.		Ryton U.D.		Seaham Harbour U.D.		Shil- don U.D.		Spenny- moor U.D.		Stanley U.D.		Stock- ton-on- Tees M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	104	67	68	64	244	192	73	69	119	98	80	68	113	88	145	129	469	369	
1 Enteric fever	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	4	1	—	—	2	—	1	2	—	—	—	—	10	2	3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	2	—	—	—	2	5	—	—	1	—	—	—	1	—	2	2	—	5	5
6 Diphtheria	—	—	2	—	1	1	—	—	3	—	1	—	—	1	—	2	—	—	6
7 Influenza	—	—	2	—	—	1	1	—	1	2	1	—	1	—	1	2	7	2	7
8 Encephalitis lethargica	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	8	4	2	3	23	16	1	7	8	6	6	5	15	6	12	6	36	25	10
11 Other tuberculous diseases	5	3	1	1	8	13	—	—	4	3	2	—	5	7	3	3	17	5	11
12 Cancer, malignant disease	7	10	6	7	18	20	6	5	12	11	6	12	5	7	19	17	42	39	12
13 Rheumatic fever	2	1	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	3	13
14 Diabetes	3	—	2	1	2	3	1	1	2	1	1	2	—	—	1	2	3	6	14
15 Cerebral hæmorrhage, &c.	4	3	4	8	2	9	5	2	7	2	12	9	7	3	10	7	27	28	15
16 Heart disease	9	2	5	9	26	29	12	16	15	20	11	10	10	8	15	26	71	66	16
17 Arterio-sclerosis	3	1	7	5	14	8	6	9	4	5	5	4	8	3	13	5	11	7	17
18 Bronchitis	5	8	4	3	17	12	3	2	7	2	4	6	6	7	9	9	11	16	18
19 Pneumonia (all forms)	3	3	6	3	20	14	4	9	10	5	1	—	8	9	10	6	51	33	19
20 Other respiratory diseases	—	1	—	1	4	—	—	1	2	1	2	—	3	2	4	—	3	5	20
21 Ulcer of stomach or duodenum	—	—	—	—	6	1	1	—	1	—	—	—	—	—	2	—	5	1	21
22 Diarrhoea, &c. (under 2 years)	—	1	—	1	7	3	—	1	3	1	2	—	—	—	1	3	4	3	22
23 Appendicitis and typhlitis	—	—	—	1	—	—	1	—	—	1	—	—	—	1	—	—	5	4	23
24 Cirrhosis of liver	—	—	1	—	1	—	—	—	—	—	1	—	—	—	2	—	2	—	24
25 Acute and chronic nephritis	2	1	2	1	6	7	1	—	5	—	—	—	1	2	5	21	11	—	25
26 Puerperal sepsis	—	1	—	1	—	1	—	1	—	—	—	—	5	—	3	—	2	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	3	—	—	—	—	—	1	—	—	—	1	—	4	27
28 Congenital debility and malformation, premature birth	12	3	4	7	14	14	9	—	9	16	4	3	3	1	12	10	34	18	28
29 Suicide	3	—	—	—	4	1	—	—	—	—	1	—	2	1	—	—	8	2	29
30 Other deaths from violence	10	1	5	—	14	3	7	1	12	5	3	1	12	1	5	4	25	8	30
31 Other defined diseases	25	19	14	10	50	25	13	14	14	12	15	12	25	24	21	15	75	71	31
32 Causes ill-defined or unknown	—	1	1	—	1	2	1	—	—	1	1	—	1	—	—	—	1	2	32

DURHAM—*cont.*

Causes of Death.	Tan- field U.D.		Wash- ington. U.D.		Whick- ham U.D.		Auck- land R.D.		Bar- nard Castle R.D.		Chester- le- Street R.D.		Durham R.D.		Easing- ton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	44	51	82	97	116	118	337	294	82	69	345	255	202	162	497	406	
1 Enteric fever	—	—	—	1	—	—	1	—	—	—	1	1	—	—	1	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	2	4	9	10	3	—	1	—	2	—	—	1	3
4 Scarlet fever	—	—	—	—	—	3	1	—	—	—	2	—	1	—	1	—	4
5 Whooping cough	—	—	2	2	2	2	1	3	—	—	4	—	2	—	8	8	5
6 Diphtheria	2	—	—	—	—	1	2	3	—	1	4	1	1	—	—	5	6
7 Influenza	—	—	3	4	1	2	5	5	4	1	5	—	—	1	4	2	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	—	1	—	1	1	3	6	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	9
10 Tuberculosis of respiratory sys.	1	3	4	7	9	14	14	20	3	1	22	23	9	6	35	37	10
11 Other tuberculous diseases	—	1	2	3	4	2	11	8	—	1	12	11	6	—	12	9	11
12 Cancer, malignant disease	8	8	3	8	12	10	35	29	9	13	35	35	9	14	44	42	12
13 Rheumatic fever	—	1	—	—	—	2	1	1	—	—	1	—	—	1	1	1	13
14 Diabetes	2	1	—	—	1	1	1	1	—	—	—	1	2	—	5	11	14
15 Cerebral hæmorrhage, &c.	6	2	5	8	6	8	18	20	4	5	11	16	8	15	22	22	15
16 Heart disease	7	10	12	14	9	19	60	57	17	13	64	43	19	34	64	60	16
17 Arterio-sclerosis	1	1	8	2	13	8	21	12	9	8	29	14	9	1	29	13	17
18 Bronchitis	2	1	6	9	6	7	11	13	1	1	13	8	16	7	23	22	18
19 Pneumonia (all forms)	3	2	5	12	4	6	17	9	6	2	29	20	20	8	39	22	19
20 Other respiratory diseases	—	1	1	2	2	2	8	9	2	1	3	5	2	2	7	3	20
21 Ulcer of stomach or duodenum	—	—	—	—	5	—	8	1	1	—	3	1	2	—	6	—	21
22 Diarrhoea, &c. (under 2 years)	1	—	—	3	1	2	3	3	—	—	2	3	1	—	9	8	22
23 Appendicitis and typhlitis	—	—	—	—	1	1	—	1	1	—	—	—	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	4	2	5	2	3	4	3	9	4	8	6	4	7	11	11	10	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	6	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	1	—	1	—	3	—	1	—	6	27
28 Congenital debility and malformation, premature birth	3	5	7	6	11	4	17	22	6	2	27	10	13	17	49	32	28
29 Suicide	—	—	1	—	1	2	4	1	—	—	3	—	2	1	10	2	29
30 Other deaths from violence	1	—	8	4	6	—	23	4	3	1	27	7	20	6	35	14	30
31 Other defined diseases	3	13	10	9	17	11	57	46	8	10	41	39	48	33	75	57	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	4	6	1	—	2	2	1	2	2	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

DURHAM—*cont.*

Causes of Death.	Hough- ton-le- Spring R.D.		Lan- chester R.D.		Sedgefield R.D.		South Shields R.D.		Sunder- land R.D.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	171	134	181	163	217	180	111	96	131	118						
1 Enteric fever	—	—	1	—	1	1	—	—	—	—						1
2 Small-pox	—	—	—	—	—	—	—	—	—	—						2
3 Measles	1	—	—	1	—	—	—	—	—	1						3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—						4
5 Whooping cough	2	—	1	1	6	9	1	2	2	2						5
6 Diphtheria	—	—	—	—	1	2	1	1	1	—						6
7 Influenza	5	1	4	1	8	2	6	7	2	1						7
8 Encephalitis lethargica	—	—	—	—	—	2	—	—	—	1						8
9 Meningococcal meningitis	—	—	2	—	—	—	—	—	1	—						9
10 Tuberculosis of respiratory sys.	7	7	10	12	9	17	13	7	10	13						10
11 Other tuberculous diseases	3	4	4	2	3	2	3	3	3	3						11
12 Cancer, malignant disease	12	15	19	19	25	19	10	12	12	14						12
13 Rheumatic fever	—	—	1	4	2	1	—	—	—	1						13
14 Diabetes	2	—	—	2	1	1	1	3	2	1						14
15 Cerebral hæmorrhage, &c.	14	7	10	7	10	8	2	8	4	6						15
16 Heart disease	18	17	21	29	39	24	17	19	14	15						16
17 Arterio-sclerosis	4	7	15	7	4	2	6	4	5	2						17
18 Bronchitis	12	5	7	7	6	9	5	2	11	5						18
19 Pneumonia (all forms)	8	9	13	10	15	15	8	6	17	4						19
20 Other respiratory diseases	1	3	3	—	2	2	2	2	1	—						20
21 Ulcer of stomach or duodenum	1	—	2	—	—	1	2	—	—	1						21
22 Diarrhoea, &c. (under 2 years)	3	1	1	1	1	1	2	—	1	1						22
23 Appendicitis and typhlitis	4	1	—	1	3	—	1	—	1	2						23
24 Cirrhosis of liver	1	—	1	1	—	—	1	—	—	—						24
25 Acute and chronic nephritis	2	11	9	10	5	3	5	2	7	8						25
26 Puerperal sepsis	—	1	—	1	—	2	—	—	—	1						26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	2	—	—	—	1						27
28 Congenital debility and malformation, premature birth	14	13	13	12	13	11	1	4	10	13						28
29 Suicide	1	—	3	—	2	2	1	—	—	1						29
30 Other deaths from violence	18	4	12	1	22	4	10	3	7	3						30
31 Other defined diseases	38	27	29	30	38	37	13	11	20	18						31
32 Causes ill-defined or unknown	—	—	—	1	1	1	—	—	—	—						32

ELY, ISLE OF.

ESSEX.

Causes of Death.	Wis- bech M.B.		Ely R.D.		Wisbech R.D.				Barking Town U.D.		Chelms- ford M.B.		Clacton U.D.		Colches- ter M.B.			
	M.	F.	M.	F.	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	79	86	80	74	72	49			218	217	146	104	86	87	227	215		
1 Enteric fever	4	1	—	—	—	—			—	—	—	—	—	—	—	—		1
2 Small-pox	—	—	—	—	—	—			—	—	—	—	—	—	—	—		2
3 Measles	1	—	—	—	—	—			13	11	—	2	—	—	1	3		3
4 Scarlet fever	—	—	—	—	—	1			1	1	—	—	—	1	—	—		4
5 Whooping cough	—	—	—	—	—	—			1	1	—	—	—	—	1	4		5
6 Diphtheria	—	—	2	1	—	1			5	8	1	—	1	1	1	2		6
7 Influenza	2	—	—	—	1	1			4	2	—	1	—	—	3	1		7
8 Encephalitis lethargica	—	—	—	—	—	—			—	—	—	—	1	—	—	1		8
9 Meningococcal meningitis	—	2	—	—	—	—			—	—	—	—	—	—	—	—		9
10 Tuberculosis of respiratory sys.	4	5	1	3	3	—			12	22	8	5	4	3	17	17		10
11 Other tuberculous diseases	1	2	—	1	3	—			1	1	2	1	—	3	3	4		11
12 Cancer, malignant disease	13	12	14	16	9	10			24	30	22	15	14	16	27	24		12
13 Rheumatic fever	1	—	1	—	—	—			—	4	—	—	—	—	—	1		13
14 Diabetes	1	1	2	1	—	2			2	3	4	1	—	4	2	2		14
15 Cerebral hæmorrhage, &c.	3	6	6	4	1	2			7	10	7	6	11	7	9	14		15
16 Heart disease	9	18	13	11	16	10			46	32	24	18	12	16	42	50		16
17 Arterio-sclerosis	4	7	2	1	5	1			5	4	7	3	7	11	9	7		17
18 Bronchitis	7	4	7	3	3	1			12	8	6	2	1	2	9	9		18
19 Pneumonia (all forms)	4	4	3	4	1	4			4	7	8	2	3	2	10	7		19
20 Other respiratory diseases	2	—	1	—	—	—			3	2	3	1	—	—	2	2		20
21 Ulcer of stomach or duodenum	—	—	—	—	1	1			3	1	—	—	1	—	5	1		21
22 Diarrhoea, &c. (under 2 years)	1	2	1	—	—	—			1	3	2	—	—	—	—	1		22
23 Appendicitis and typhlitis	—	1	1	1	1	—			—	2	—	—	—	—	2	—		23
24 Cirrhosis of liver	—	1	—	1	—	—			—	—	—	—	—	1	1	—		24
25 Acute and chronic nephritis	2	2	2	2	4	—			7	15	3	3	5	1	13	14		25
26 Puerperal sepsis	—	—	—	—	—	—			—	—	—	3	—	—	—	—		26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—			—	2	—	—	—	—	—	4		27
28 Congenital debility and malformation, premature birth	4	2	1	5	5	4			7	14	6	8	2	1	8	9		28
29 Suicide	2	—	1	1	1	1			5	4	2	—	3	1	4	1		29
30 Other deaths from violence	2	2	2	1	6	2			13	2	8	2	5	4	16	4		30
31 Other defined diseases	12	14	20	16	12	8			42	28	33	31	15	12	42	33		31
32 Causes ill-defined or unknown	—	—	—	—	—	—			—	—	—	—	1	1	—	—		32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

ESSEX—*cont.*

Causes of Death.	Grays Thur- rock U.D.		Har- wich M.B.		Horn- church U.D.		Ilford M.B.		Leyton M.B.		Romford U.D.		Wal- tham- stow M.B.		Wan- stead U.D.		Wood- ford U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	90	74	63	60	127	107	457	523	618	604	159	135	623	537	103	98	114	124	
1 Enteric fever	—	—	—	—	2	—	1	—	—	2	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	4	—	5	4	15	11	1	1	14	14	1	—	3	3	3
4 Scarlet fever	—	—	1	—	—	—	1	—	1	1	1	—	1	1	—	—	—	—	4
5 Whooping cough	—	1	1	—	1	—	—	2	—	1	—	—	—	2	—	—	—	1	5
6 Diphtheria	—	—	1	—	1	5	5	7	7	5	5	2	9	13	2	2	2	1	6
7 Influenza	2	—	1	—	1	—	7	4	6	5	—	2	6	6	1	—	3	1	7
8 Encephalitis lethargica	—	—	1	—	—	—	1	—	—	3	—	1	1	2	—	—	—	—	8
9 Meningococcal meningitis	—	1	—	—	—	—	1	1	—	2	1	—	—	2	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	8	4	2	3	6	6	41	20	45	36	8	9	57	23	7	4	6	4	10
11 Other tuberculous diseases	—	1	3	—	—	1	3	5	5	14	1	1	6	3	—	2	—	—	11
12 Cancer, malignant disease	15	16	11	12	17	11	65	89	89	94	13	18	86	81	13	13	20	23	12
13 Rheumatic fever	2	—	—	—	1	2	3	8	1	3	—	2	4	2	1	—	—	2	13
14 Diabetes	—	—	—	1	2	1	10	5	3	15	1	—	6	8	2	1	2	3	14
15 Cerebral hæmorrhage, &c.	5	7	4	4	6	10	19	36	39	42	7	10	31	20	4	8	5	11	15
16 Heart disease	15	15	7	8	19	23	90	128	119	137	40	32	106	118	22	21	21	27	16
17 Arterio-sclerosis	3	1	1	1	4	2	6	19	8	7	5	2	19	14	5	3	4	3	17
18 Bronchitis	1	9	1	3	2	1	10	14	28	30	6	1	20	22	3	1	4	1	18
19 Pneumonia (all forms)	5	2	3	4	6	6	33	18	33	24	8	3	48	33	4	3	7	5	19
20 Other respiratory diseases	1	—	—	1	2	2	5	7	11	6	—	—	6	2	2	1	2	—	20
21 Ulcer of stomach or duodenum	1	—	1	—	2	—	9	4	6	3	3	1	14	5	3	1	—	—	21
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	1	2	6	3	4	3	—	—	6	2	—	—	1	—	22
23 Appendicitis and typhlitis	—	—	3	—	2	1	5	5	7	1	2	1	5	3	—	3	1	1	23
24 Cirrhosis of liver	—	—	—	—	1	—	2	1	1	1	1	1	2	5	1	—	—	—	24
25 Acute and chronic nephritis	1	2	2	5	3	1	9	20	22	13	2	2	14	23	5	5	2	6	25
26 Puerperal sepsis	—	—	—	—	—	1	—	2	—	—	—	2	—	6	—	1	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	5	—	6	—	3	—	3	—	1	—	—	27
28 Congenital debility and mal-formation, premature birth	2	3	4	3	11	9	16	11	24	16	12	7	24	21	4	1	8	3	28
29 Suicide	2	—	4	1	1	2	4	—	9	7	2	1	10	4	1	—	1	—	29
30 Other deaths from violence	2	3	4	—	11	4	16	7	29	16	13	5	24	10	6	5	5	3	30
31 Other defined diseases	25	9	8	13	21	16	84	98	106	100	27	27	102	89	16	22	17	25	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	32

ESSEX—cont.

Causes of Death.	Billericay R.D.		Braintree R.D.		Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	201	167	118	119	174	149	110	91	100	94	113	91	101	88	67	67	97	94	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	1	—	3
4 Scarlet fever	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5
6 Diphtheria	4	—	—	—	—	—	1	—	1	1	3	—	—	—	—	—	—	2	6
7 Influenza	1	1	1	—	—	1	2	2	—	1	1	—	—	1	—	—	2	1	7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys. ..	21	10	3	7	9	14	2	5	3	5	5	8	2	5	4	4	4	5	10
11 Other tuberculous diseases	4	1	4	1	—	2	—	—	1	—	3	2	3	1	1	—	—	1	11
12 Cancer, malignant disease	25	33	20	19	22	19	27	17	15	6	15	9	15	9	13	10	14	13	12
13 Rheumatic fever	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	13
14 Diabetes	—	1	2	—	4	—	2	1	1	1	1	2	1	3	—	—	2	2	14
15 Cerebral hæmorrhage, &c.	5	8	8	3	8	10	7	12	4	10	6	7	8	12	5	6	8	6	15
16 Heart disease	33	22	21	20	35	19	24	16	20	32	28	25	22	10	17	13	14	16	16
17 Arterio-sclerosis	10	8	5	9	7	8	4	7	6	3	4	4	4	3	2	1	1	1	17
18 Bronchitis	6	7	4	9	8	6	5	4	4	2	2	3	3	4	2	2	2	1	18
19 Pneumonia (all forms)	8	6	4	4	1	5	7	2	4	4	1	2	3	—	7	4	6	4	19
20 Other respiratory diseases	3	3	1	2	4	—	1	—	1	—	—	—	1	—	2	1	—	2	20
21 Ulcer of stomach or duodenum	1	—	3	1	5	—	1	—	—	—	—	—	1	—	2	—	—	—	21
22 Diarrhoea, &c. (under 2 years)	—	1	—	2	—	—	—	—	1	1	1	—	—	—	—	1	1	—	22
23 Appendicitis and typhlitis	2	1	—	—	—	2	1	—	1	—	—	—	1	1	—	—	—	—	23
24 Cirrhosis of liver	1	—	—	1	—	—	1	—	—	2	1	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	12	6	1	6	2	3	4	2	2	1	4	1	3	2	2	1	3	4	25
26 Puerperal sepsis	—	3	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	2	—	2	—	—	—	—	—	2	—	2	—	—	—	1	27
28 Congenital debility and malformation, premature birth	8	6	8	9	6	7	1	3	1	7	3	1	4	6	3	1	5	5	28
29 Suicide	—	2	1	—	5	—	2	1	2	2	1	1	3	—	2	—	—	—	29
30 Other deaths from violence	13	2	7	6	13	4	6	1	8	2	5	—	6	2	2	2	9	1	30
31 Other defined diseases	41	40	22	16	43	42	14	16	24	25	24	21	18	15	10	17	27	26	31
32 Causes ill-defined or unknown	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*ESSEX—*cont.*

GLOUCESTERSHIRE.

Causes of Death.	Rochford R.D.		Saffron Walden R.D.		Tend- ring R.D.		Chelten- ham M.B.		Kings- wood U.D.		Mangots- field U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	103	82	56	53	125	118	299	374	67	78	58	57
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	2	—	3	—	—	1	—
4 Scarlet fever	—	—	—	—	2	1	—	—	—	—	—	—
5 Whooping cough	—	—	—	—	—	—	2	4	—	2	—	1
6 Diphtheria	—	1	—	—	—	—	—	—	1	2	1	1
7 Influenza	—	—	—	—	—	—	4	4	—	3	—	—
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory sys.	10	6	6	—	4	7	13	22	6	2	5	5
11 Other tuberculous diseases	3	—	3	3	2	—	6	5	—	—	—	—
12 Cancer, malignant disease	12	18	7	9	11	17	41	54	7	13	6	12
13 Rheumatic fever	1	—	—	—	—	1	1	—	—	—	—	—
14 Diabetes	2	—	1	—	1	3	6	7	—	—	—	—
15 Cerebral hæmorrhage, &c.	8	5	1	7	8	9	17	37	—	4	4	—
16 Heart disease	28	23	12	6	20	23	58	71	23	23	10	19
17 Arterio-sclerosis	2	1	7	4	5	5	14	23	1	9	4	2
18 Bronchitis	3	6	3	4	2	9	9	5	4	2	3	1
19 Pneumonia (all forms)	6	2	1	3	5	1	20	12	6	1	6	—
20 Other respiratory diseases	—	1	1	—	2	1	—	8	—	—	1	1
21 Ulcer of stomach or duodenum	—	—	1	—	1	1	5	3	1	—	—	—
22 Diarrhoea, &c. (under 2 years)	2	—	1	—	—	—	2	—	—	1	—	—
23 Appendicitis and typhlitis	—	—	—	—	2	—	2	2	1	—	—	1
24 Cirrhosis of liver	—	—	—	—	—	2	3	—	—	—	—	—
25 Acute and chronic nephritis	4	3	2	1	4	3	14	19	1	1	3	4
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	2	—	—
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	2	—	3	—	—	—	—
28 Congenital debility and malformation, premature birth	1	3	—	1	12	4	5	12	6	3	1	2
29 Suicide	1	—	1	—	4	—	5	1	2	—	1	1
30 Other deaths from violence	4	2	1	1	7	1	11	8	—	—	2	—
31 Other defined diseases	16	9	8	11	32	26	60	70	8	10	10	7
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	—	—

GLOUCESTERSHIRE—*cont.*

Causes of Death.	Chipping Sodbury R.D.		Ciren- cester R.D.		Durs- ley R.D.		East Dean & United Parishes R.D.		Faring- don (Part of)* R.D.		Glou- cester R.D.		Stroud R.D.		Thorn- bury R.D.		West Dean R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	128	120	78	77	72	79	121	129	6	4	87	74	146	178	110	101	79	62
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	2	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	—	2	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1	2
7 Influenza	4	1	—	2	1	1	2	1	—	—	1	—	1	6	1	—	—	1
8 Encephalitis lethargica	—	1	—	1	1	1	—	—	—	—	—	—	1	1	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
10 Tuberculosis of respiratory sys.	7	5	6	3	9	7	6	5	—	—	6	6	6	8	4	6	3	2
11 Other tuberculous diseases	—	1	1	2	2	—	—	1	—	—	—	1	—	2	—	1	1	—
12 Cancer, malignant disease	20	16	11	11	12	11	10	15	2	1	8	15	20	24	6	13	8	8
13 Rheumatic fever	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—
14 Diabetes	—	2	—	2	—	2	3	9	—	—	2	1	3	1	3	—	—	3
15 Cerebral hæmorrhage, &c.	12	11	4	2	5	8	10	13	—	—	4	4	8	15	6	13	1	3
16 Heart disease	28	24	11	17	6	21	25	27	3	—	17	11	26	53	17	24	17	16
17 Arterio-sclerosis	3	10	3	2	4	3	9	1	—	—	3	3	11	18	14	6	6	4
18 Bronchitis	7	6	1	2	1	—	11	7	—	—	5	5	4	—	5	3	4	4
19 Pneumonia (all forms)	7	2	2	2	1	—	7	9	—	—	6	3	4	3	7	3	2	3
20 Other respiratory diseases	1	—	—	—	1	1	3	1	—	—	1	1	2	—	1	—	1	—
21 Ulcer of stomach or duodenum	—	—	3	—	—	—	2	—	—	—	1	—	3	—	—	1	—	—
22 Diarrhoea, &c. (under 2 years)	—	—	1	—	—	—	1	1	—	—	2	—	1	—	—	1	—	—
23 Appendicitis and typhlitis	—	—	—	2	—	—	1	1	—	—	2	—	—	3	—	—	—	1
24 Cirrhosis of liver	—	—	—	—	2	—	—	—	—	—	—	1	2	—	1	—	—	—
25 Acute and chronic nephritis	9	9	3	3	3	6	4	8	—	—	7	7	7	4	13	6	4	4
26 Puerperal sepsis	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	1	—	—	—	—	—	—	—	1	—	—
28 Congenital debility and malformation, premature birth	2	5	6	1	4	6	5	2	—	—	4	2	4	6	—	—	1	1
29 Suicide	1	—	—	—	1	—	2	—	1	—	5	—	5	1	3	—	—	—
30 Other deaths from violence	7	1	3	1	6	2	3	3	—	—	2	—	9	3	8	1	3	1
31 Other defined diseases	19	21	21	22	13	8	16	22	—	3	11	13	26	27	21	19	24	8
32 Causes ill-defined or unknown	—	—	2	1	—	—	—	—	—	—	—	—	3	1	—	—	—	—

* The remainder of Faringdon R.D. is in Berkshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

HEREFORDSHIRE.

Causes of Death.	Hereford M.B.		Hereford R.D.		Leominster and Wigmore R.D.*		Ross R.D.													
	M.	F.	M.	F.	M.	F.	M.	F.												
All Causes	138	143	83	76	77	69	72	68												1
1 Enteric fever	—	—	—	—	—	—	—	—												2
2 Small-pox	—	—	—	—	—	—	—	—												3
3 Measles	1	—	—	—	1	—	2	1												4
4 Scarlet fever	—	—	—	—	—	—	—	—												5
5 Whooping cough	—	—	—	—	—	1	—	—												6
6 Diphtheria	2	—	—	—	—	—	—	1												7
7 Influenza	3	—	2	—	1	3	3	—												8
8 Encephalitis lethargica	—	—	—	—	—	—	—	—												9
9 Meningococcal meningitis	—	1	1	—	—	—	—	—												10
10 Tuberculosis of respiratory sys.	10	9	6	5	6	2	1	3												11
11 Other tuberculous diseases	2	3	2	2	1	1	1	1												12
12 Cancer, malignant disease	16	17	10	16	5	9	6	6												13
13 Rheumatic fever	1	1	—	1	—	—	—	—												14
14 Diabetes	1	3	2	1	3	3	—	1												15
15 Cerebral hæmorrhage, &c.	10	18	3	4	4	6	2	3												16
16 Heart disease	20	33	15	15	20	20	17	24												17
17 Arterio-sclerosis	6	4	9	3	1	1	2	4												18
18 Bronchitis	—	3	3	3	3	2	4	2												19
19 Pneumonia (all forms)	11	10	1	1	4	4	4	1												20
20 Other respiratory diseases	6	2	1	1	2	—	5	—												21
21 Ulcer of stomach or duodenum	2	2	2	—	3	—	—	—												22
22 Diarrhœa, &c. (under 2 years)	3	1	1	1	2	—	—	—												23
23 Appendicitis and typhlitis	1	1	—	—	—	—	—	—												24
24 Cirrhosis of liver	—	1	—	—	—	1	—	—												25
25 Acute and chronic nephritis	6	3	6	2	2	1	4	4												26
26 Puerperal sepsis	—	—	—	—	—	—	—	—												27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	—												28
28 Congenital debility and malformation, premature birth	2	3	1	3	2	4	3	—												29
29 Suicide	1	1	—	2	1	1	4	1												30
30 Other deaths from violence	11	2	5	—	5	1	3	—												31
31 Other defined diseases	23	24	13	16	10	8	11	16												32
32 Causes ill-defined or unknown	—	—	—	—	1	1	—	—												

* See note * Table 14, page 79.

HERTFORDSHIRE.

Causes of Death.	Barnet U.D.		Cheshunt U.D.		East Barnet Valley U.D.		Hemel Hempstead M.B.		Hertford M.B.		Hitchin U.D.		Letchworth U.D.		St. Albans M.B.		Watford M.B.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	66	105	93	77	72	91	85	84	45	68	83	84	39	55	158	151	273	262		1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		3
3 Measles	—	1	—	—	2	1	—	1	—	—	1	2	2	—	2	1	1	—		4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1		5
5 Whooping cough	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—		6
6 Diphtheria	—	1	1	—	—	—	1	—	—	—	—	—	—	—	1	—	8	3		7
7 Influenza	1	—	—	—	—	1	2	3	1	—	—	—	—	—	2	2	5	3		8
8 Encephalitis lethargica	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	1		9
9 Meningococcal meningitis	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		10
10 Tuberculosis of respiratory sys.	2	4	5	3	4	4	10	4	—	3	2	1	2	3	14	6	21	19		11
11 Other tuberculous diseases	1	1	—	1	1	1	—	—	1	—	2	1	2	2	1	2	2	4		12
12 Cancer, malignant disease	13	11	11	7	10	18	13	15	6	7	9	14	3	9	28	22	40	43		13
13 Rheumatic fever	—	1	—	1	2	1	—	—	—	—	1	1	—	—	1	—	—	—		14
14 Diabetes	3	1	—	1	—	—	1	1	1	—	2	—	—	2	—	4	1	6		15
15 Cerebral hæmorrhage, &c.	2	7	4	1	3	12	2	2	2	6	9	15	1	1	8	10	20	24		16
16 Heart disease	16	25	20	22	13	14	23	33	14	25	15	15	6	16	38	47	48	56		17
17 Arterio-sclerosis	1	6	7	7	3	4	1	7	—	2	1	—	3	5	2	4	9	5		18
18 Bronchitis	2	3	2	2	1	4	1	—	—	1	2	3	1	4	2	5	7	11		19
19 Pneumonia (all forms)	6	7	5	2	4	3	6	1	2	1	2	3	—	1	6	4	10	5		20
20 Other respiratory diseases	—	1	2	—	—	1	1	1	—	—	1	1	—	—	2	4	4	2		21
21 Ulcer of stomach or duodenum	2	—	4	—	—	—	2	—	1	1	1	1	—	—	—	—	3	1		22
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	1	—	—	—	—	1	1	—	—	—	—	2	1	1		23
23 Appendicitis and typhlitis	—	1	1	2	—	1	—	—	—	—	1	2	2	—	1	2	—	—		24
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—		25
25 Acute and chronic nephritis	2	5	3	1	3	8	1	4	1	3	2	1	3	2	1	3	10	4		26
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	1	—	2		27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	—	—	1	—	2	—	—	—	2	—	—		28
28 Congenital debility and malformation, premature birth	3	3	1	3	4	4	—	2	3	2	2	1	4	—	9	4	19	10		29
29 Suicide	—	1	2	—	1	—	—	1	—	—	1	—	—	—	4	—	7	5		30
30 Other deaths from violence	—	5	6	7	5	—	7	1	3	4	6	2	2	—	8	4	11	10		31
31 Other defined diseases	11	19	15	16	13	14	13	7	8	11	20	18	6	7	28	21	46	42		32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	1		

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*HERTFORDSHIRE—*cont.*

HUNTS.

Causes of Death.	Hitchin R.D.		St. Albans R.D.		Ware R.D.		Wat- ford R.D.		Thrap- ston (part of) R.D.*		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	75	83	80	68	73	59	63	74	6	4	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	1	1	1	—	1	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	5
6 Diphtheria	1	—	—	—	—	—	1	1	—	—	6
7 Influenza	—	1	—	—	1	—	—	—	—	—	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	4	7	5	2	5	4	4	1	1	10
11 Other tuberculous diseases	—	—	2	—	—	1	—	—	—	—	11
12 Cancer, malignant disease	9	10	16	13	12	8	6	10	—	—	12
13 Rheumatic fever	1	—	1	—	—	1	—	—	—	—	13
14 Diabetes	2	—	3	2	1	—	1	1	—	—	14
15 Cerebral hæmorrhage, &c.	5	9	3	5	3	8	2	7	1	1	15
16 Heart disease	11	13	16	21	16	9	11	10	—	—	16
17 Arterio-sclerosis	3	2	1	—	4	2	3	3	1	—	17
18 Bronchitis	5	4	3	1	5	4	1	2	1	—	18
19 Pneumonia (all forms)	5	7	—	1	4	—	3	4	—	—	19
20 Other respiratory diseases	—	1	1	—	1	1	—	1	—	—	20
21 Ulcer of stomach or duodenum	1	1	2	—	—	—	2	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	—	—	1	—	2	—	—	—	22
23 Appendicitis and typhlitis	1	1	1	—	1	—	—	2	—	—	23
24 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	1	2	2	4	3	1	5	4	—	1	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	1	—	—	27
28 Congenital debility and mal-formation, premature birth	3	2	2	—	—	1	3	3	1	—	28
29 Suicide	2	—	3	1	2	—	1	—	—	—	29
30 Other deaths from violence	7	2	5	2	5	1	7	4	1	—	30
31 Other defined diseases	13	22	11	10	11	16	11	14	—	1	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	32

KENT.

Causes of Death.	Ashford U.D.		Becken- ham U.D.		Bexley U.D.		Broad- stairs & St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Cray- ford U.D.		Dartford U.D.		Deal M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	98	79	164	209	146	150	67	76	200	229	270	183	65	58	105	122	89	75	
1 Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	—	1	1	—	—	2	1	1	—	—	1	1	1	—	—	3
4 Scarlet fever	—	—	1	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	5
6 Diphtheria	—	—	—	—	1	1	—	—	—	—	1	—	2	1	—	4	—	—	6
7 Influenza	—	1	3	2	1	—	—	1	2	1	1	—	—	—	1	1	—	—	7
8 Encephalitis lethargica	1	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	4	5	6	4	11	7	5	3	22	12	21	14	3	5	10	9	3	2	10
11 Other tuberculous diseases	2	1	2	1	2	3	1	—	2	5	6	2	2	1	1	4	1	1	11
12 Cancer, malignant disease	20	14	24	38	21	18	10	11	31	38	31	24	8	9	14	14	11	14	12
13 Rheumatic fever	—	—	1	—	—	1	—	—	—	1	—	1	—	—	1	1	—	—	13
14 Diabetes	2	2	3	1	—	4	—	1	3	3	1	1	1	2	1	3	—	3	14
15 Cerebral hæmorrhage, &c.	2	7	3	13	3	9	5	10	7	4	3	1	—	—	4	11	7	2	15
16 Heart disease	21	15	44	67	30	31	12	21	47	57	64	53	14	11	28	29	16	16	16
17 Arterio-sclerosis	5	3	10	9	4	7	—	1	9	5	8	11	1	1	3	1	6	1	17
18 Bronchitis	2	6	5	7	7	4	1	2	3	2	6	10	6	—	2	3	4	2	18
19 Pneumonia (all forms)	3	4	4	14	10	15	6	7	13	9	21	13	4	3	8	5	4	1	19
20 Other respiratory diseases	1	—	2	—	4	2	—	1	2	2	3	1	—	2	1	1	1	—	20
21 Ulcer of stomach or duodenum	2	—	4	—	1	—	3	—	1	2	7	—	1	—	2	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	1	—	—	—	1	3	4	—	1	3	1	—	1	—	22
23 Appendicitis and typhlitis	—	3	2	2	1	1	4	—	4	5	1	1	—	—	2	1	—	—	23
24 Cirrhosis of liver	1	—	1	2	1	—	1	—	—	—	2	1	—	—	2	2	1	—	24
25 Acute and chronic nephritis	4	2	8	6	4	3	2	5	4	7	6	6	1	2	4	3	1	4	25
26 Puerperal sepsis	—	—	—	2	—	1	—	—	—	1	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	1	—	1	—	2	—	2	—	—	27
28 Congenital debility and mal-formation, premature birth	3	2	6	6	4	8	1	3	5	11	13	5	5	4	4	5	1	—	28
29 Suicide	1	—	3	—	2	1	1	—	4	3	5	4	2	—	—	—	1	1	29
30 Other deaths from violence	6	2	3	3	10	3	1	—	11	8	14	2	1	—	4	3	4	—	30
31 Other defined diseases	18	12	27	29	27	26	14	9	26	47	50	28	12	10	12	17	25	28	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

* The remainder of Thrapston R.D. is in Northamptonshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only).—*cont.***KENT**—*cont.*

Causes of Death.	Dover M.B.		Erith U.D.		Faver- sham M.B.		Folke- stone M.B.		Gilling- ham M.B.		Graves- end M.B.		Herne Bay U.D.		Maid- stone M.B.		Margate M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	215	211	205	143	62	58	168	208	348	286	193	182	70	71	234	242	145	180	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	—	—	—	2	—	2	—	—	—	1	1	1	—	3
4 Scarlet fever	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	—	—	1	2	5	1	—	—	—	—	2	—	—	5
6 Diphtheria	2	—	1	—	—	—	2	1	2	—	—	—	1	—	—	—	—	2	6
7 Influenza	1	1	3	—	—	—	—	—	4	2	2	3	2	—	3	2	2	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	3	—	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	20	18	19	10	3	4	5	14	28	24	18	14	4	—	21	18	10	8	10
11 Other tuberculous diseases	3	2	1	—	—	1	2	2	2	3	5	2	2	3	6	4	1	2	11
12 Cancer, malignant disease	26	30	25	18	8	12	29	33	49	52	26	23	7	13	28	25	30	45	12
13 Rheumatic fever	1	—	—	1	1	1	—	—	—	1	—	—	—	—	—	1	—	—	13
14 Diabetes	2	1	—	4	—	1	3	3	4	3	2	3	—	2	4	5	2	3	14
15 Cerebral hæmorrhage, &c.	25	31	9	4	7	4	7	12	11	13	13	16	6	9	10	14	8	12	15
16 Heart disease	43	50	52	42	9	13	39	53	75	76	29	31	17	19	51	65	21	36	16
17 Arterio-sclerosis	6	3	5	4	3	—	4	10	10	13	6	7	—	4	14	13	4	7	17
18 Bronchitis	12	13	6	5	3	5	7	6	10	9	14	10	2	1	11	11	3	1	18
19 Pneumonia (all forms)	9	7	13	8	3	2	7	7	19	7	9	10	3	3	13	7	7	9	19
20 Other respiratory diseases	2	—	1	—	1	1	2	2	6	3	2	3	—	—	1	1	1	—	20
21 Ulcer of stomach or duodenum	2	1	3	—	1	1	6	2	8	—	6	—	—	—	1	—	—	2	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	—	1	1	1	2	2	3	2	—	—	5	2	1	2	22
23 Appendicitis and typhlitis	—	2	—	1	—	1	1	1	2	3	3	2	1	1	—	1	1	2	23
24 Cirrhosis of liver	2	1	1	—	2	—	2	—	1	2	3	—	—	—	—	2	3	1	24
25 Acute and chronic nephritis	2	4	11	5	1	1	9	10	9	3	—	4	2	1	5	4	10	12	25
26 Puerperal sepsis	—	1	—	2	—	—	—	—	—	3	—	—	—	—	—	2	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	1	—	—	—	3	—	4	—	—	—	—	—	1	27
28 Congenital debility and mal-formation, premature birth	9	9	11	3	1	1	5	6	11	7	7	7	—	—	9	11	1	2	28
29 Suicide	3	3	3	4	1	—	7	1	13	3	4	—	—	—	1	—	2	2	29
30 Other deaths from violence	10	9	6	3	2	—	6	7	13	6	9	12	7	3	14	9	7	2	30
31 Other defined diseases	35	22	33	27	16	8	24	36	64	42	27	29	15	11	36	38	30	27	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	32

KENT—*cont.*

Causes of Death.	North- fleet U.D.		Penge U.D.		Ramsgate M.B.		Rochester M.B.		Royal Tun- bridge Wells M.B.		Sheerness U.D.		Sitting- bourne and Milton Regis U.D.*		Ton- bridge U.D.		Bridge R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	86	85	145	163	171	198	184	147	217	279	101	84	102	82	107	84	72	50	
1 Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	1	1	1	—	—	4	—	—	—	—	1	—	—	—	—	3
4 Scarlet fever	—	—	—	—	1	—	—	1	—	2	—	—	2	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	5
6 Diphtheria	1	—	1	1	1	2	—	1	—	3	2	1	3	2	—	—	—	1	6
7 Influenza	1	1	1	—	—	—	5	1	—	4	—	—	1	—	1	1	4	2	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	1	1	—	—	1	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	1	—	—	3	—	—	—	—	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	13	1	12	5	18	9	12	10	11	10	8	9	12	6	6	5	6	2	10
11 Other tuberculous diseases	—	—	1	1	4	1	2	—	2	4	1	1	1	3	2	3	—	1	11
12 Cancer, malignant disease	10	12	18	27	18	36	27	17	32	47	7	21	11	12	10	11	10	5	12
13 Rheumatic fever	—	—	1	1	1	2	1	—	—	—	—	—	—	—	—	1	—	1	13
14 Diabetes	1	1	2	3	2	3	—	4	1	1	2	3	—	—	2	—	—	1	14
15 Cerebral hæmorrhage, &c.	3	4	1	13	8	12	7	10	15	18	4	3	7	5	3	8	3	4	15
16 Heart disease	19	27	30	38	22	27	32	45	49	80	28	13	17	20	25	20	20	16	16
17 Arterio-sclerosis	3	1	4	5	10	3	11	10	12	12	4	2	3	2	6	6	2	1	17
18 Bronchitis	9	4	1	5	8	6	8	9	8	4	4	3	3	—	2	—	1	—	18
19 Pneumonia (all forms)	6	2	10	7	10	9	10	4	5	14	5	1	3	3	9	3	1	4	19
20 Other respiratory diseases	—	2	3	5	3	2	4	1	1	6	—	—	2	—	—	—	—	1	20
21 Ulcer of stomach or duodenum	1	1	2	1	2	1	3	—	3	3	4	—	—	1	2	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	1	1	1	—	1	1	—	—	1	1	—	—	—	—	22
23 Appendicitis and typhlitis	—	1	1	—	2	1	—	1	3	1	—	—	1	—	1	1	—	1	23
24 Cirrhosis of liver	—	—	2	4	2	—	2	—	—	—	—	—	1	1	1	—	—	—	24
25 Acute and chronic nephritis	1	6	9	7	4	12	4	5	7	5	4	4	4	5	2	2	1	1	25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	1	—	2	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	1	—	1	—	—	—	—	3	—	—	—	—	27
28 Congenital debility and mal-formation, premature birth	1	4	5	2	8	5	14	2	7	8	5	2	4	3	4	3	5	2	28
29 Suicide	—	—	3	1	1	3	2	1	3	3	1	2	—	—	3	2	2	—	29
30 Other deaths from violence	4	2	11	6	5	2	7	3	4	4	5	3	6	1	6	2	4	1	30
31 Other defined diseases	13	15	23	28	38	56	29	20	47	47	15	14	19	9	22	14	12	6	31
32 Causes ill-defined or unknown	—	—	—	—	1	4	—	—	1	—	—	—	—	—	—	—	—	—	32

* Created 31st March, 1930.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***KENT**—*cont.*

Causes of Death.	Bromley R.D.		Cran- brook R.D.		Dartford R.D.		East Ashford R.D.		Eastry R.D.		Faver- sham R.D.		Holling- bourne R.D.		Isle of Thanet R.D.		Maid- stone R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	142	147	81	88	148	141	93	85	97	103	85	75	103	88	72	59	97	113	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	2	—	—	—	—	1	—	—	1	—	—	—	1	—	1	—	3
4 Scarlet fever	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	1	—	—	1	—	—	2	—	—	—	—	—	—	5
6 Diphtheria	—	1	—	1	1	2	—	1	1	2	1	1	—	1	—	—	—	—	6
7 Influenza	1	—	2	3	—	—	1	—	2	1	1	—	—	1	—	—	—	1	7
8 Encephalitis lethargica	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	16	8	6	2	12	8	4	7	4	3	2	3	—	3	2	3	3	12	10
11 Other tuberculous diseases	3	2	—	—	4	2	1	—	2	—	3	—	3	—	3	—	1	1	11
12 Cancer, malignant disease	21	20	14	12	14	13	10	16	10	11	13	9	11	14	8	14	15	23	12
13 Rheumatic fever	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	13
14 Diabetes	—	3	2	1	—	1	2	2	2	1	1	—	—	1	—	—	—	2	14
15 Cerebral hæmorrhage, &c.	4	10	6	9	7	9	8	5	9	11	3	8	5	7	2	3	2	3	15
16 Heart disease	30	42	7	22	27	39	21	17	12	15	11	10	31	21	12	15	15	34	16
17 Arterio-sclerosis	6	4	2	2	4	2	3	1	4	3	3	2	11	6	4	3	11	10	17
18 Bronchitis	2	3	3	7	2	3	4	2	2	6	5	4	4	3	3	2	5	1	18
19 Pneumonia (all forms)	9	9	5	3	11	14	2	2	7	6	3	5	10	3	5	1	6	5	19
20 Other respiratory diseases	1	1	1	—	3	—	3	3	—	—	1	1	1	3	—	—	—	3	20
21 Ulcer of stomach or duodenum	3	2	1	1	2	2	2	—	3	—	—	—	—	—	1	—	1	—	21
22 Diarrhoea, &c. (under 2 years)	1	—	—	—	1	—	—	1	1	—	2	—	1	—	1	—	2	—	22
23 Appendicitis and typhlitis	1	—	1	1	—	1	1	—	1	1	1	1	—	—	1	—	—	1	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	2	—	24
25 Acute and chronic nephritis	4	3	2	—	7	2	1	3	4	5	3	3	—	1	7	3	3	—	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	27
28 Congenital debility and malformation, premature birth	7	4	4	2	7	11	4	3	4	5	3	—	7	3	1	—	5	3	28
29 Suicide	3	2	—	—	4	1	2	1	1	2	3	—	2	1	—	—	4	2	29
30 Other deaths from violence	11	7	3	2	12	4	4	2	8	3	7	5	3	1	4	5	6	4	30
31 Other defined diseases	17	22	19	18	26	24	20	17	19	27	17	18	11	17	16	10	14	8	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	32

KENT—*cont.***LANCASHIRE.**

Causes of Death.	Malling R.D.		Seven- oaks R.D.		Strood R.D.		Ton- bridge R.D.					Accring- ton M.B.		Ashton- in-Maker- field U.D.		Ashton under- Lynne M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.				M.	F.	M.	F.	M.	F.	
All Causes	140	150	146	119	82	58	130	103				270	292	119	130	313	329	
1 Enteric fever	—	—	—	—	1	—	—	—				—	—	—	—	1	1	1
2 Small-pox	—	—	—	—	—	—	—	—				—	—	—	—	—	—	2
3 Measles	—	—	1	1	1	—	—	—				—	—	5	7	7	4	3
4 Scarlet fever	—	—	—	—	—	—	—	—				1	1	—	—	1	1	4
5 Whooping cough	—	—	—	—	—	—	—	—				1	1	—	7	—	1	5
6 Diphtheria	1	—	—	—	2	—	—	—				4	—	—	2	2	1	6
7 Influenza	1	3	1	3	5	—	3	1				3	4	3	4	2	3	7
8 Encephalitis lethargica	—	—	2	1	—	—	1	—				2	1	—	—	—	3	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—				—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	25	13	3	6	5	3	11	2				21	11	4	7	18	18	10
11 Other tuberculous diseases	4	2	1	1	2	—	3	4				1	5	—	3	4	3	11
12 Cancer, malignant disease	12	22	20	18	11	10	22	12				27	45	12	12	37	44	12
13 Rheumatic fever	—	—	2	1	—	—	1	—				1	—	1	—	—	1	13
14 Diabetes	—	2	1	1	—	2	1	3				2	10	2	2	2	11	14
15 Cerebral hæmorrhage, &c.	6	11	5	10	3	5	4	8				19	22	6	4	17	17	15
16 Heart disease	25	28	27	18	14	16	24	29				57	62	17	28	51	77	16
17 Arterio-sclerosis	6	10	4	9	5	1	5	4				7	10	2	1	18	17	17
18 Bronchitis	5	5	4	7	1	2	5	3				12	17	12	11	19	14	18
19 Pneumonia (all forms)	5	5	8	2	5	2	7	4				15	10	13	13	21	14	19
20 Other respiratory diseases	4	—	1	3	—	1	1	1				9	4	2	2	1	3	20
21 Ulcer of stomach or duodenum	3	—	1	2	1	—	1	—				4	1	1	—	6	1	21
22 Diarrhoea, &c. (under 2 years)	1	1	—	—	—	—	—	—				1	—	—	2	2	1	22
23 Appendicitis and typhlitis	—	1	—	—	—	—	1	—				1	2	—	—	1	4	23
24 Cirrhosis of liver	1	—	2	1	2	—	—	1				3	—	—	—	1	1	24
25 Acute and chronic nephritis	7	9	4	3	2	2	2	4				10	12	3	1	12	10	25
26 Puerperal sepsis	—	2	—	—	—	—	—	1				—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	4	—	—	—	1				—	1	—	2	—	3	27
28 Congenital debility and malformation, premature birth	8	2	5	2	2	4	8	—				7	6	3	4	13	14	28
29 Suicide	3	3	4	—	4	—	1	1				4	2	2	—	9	2	29
30 Other deaths from violence	5	3	8	3	7	1	11	7				14	4	6	—	21	8	30
31 Other defined diseases	17	28	42	23	9	9	18	17				44	60	24	17	46	52	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	—				—	1	1	—	1	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

LANCASHIRE—cont.

Causes of Death.	Atherton U.D.		Bacup M.B.		Chadder- ton U.D.		Chorley M.B.		Clith- eroe M.B.		Colne M.B.		Cromp- ton U.D.		Dalton- in- Furness U.D.		Darwen M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	100	115	125	158	163	189	216	194	58	62	163	169	98	104	69	63	238	236	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	3	2	—	—	1	3	3	1	—	—	2	1	—	1	—	—	2	2	3
4 Scarlet fever	—	—	—	—	—	—	2	3	—	—	—	2	—	—	—	—	1	—	4
5 Whooping cough	—	—	2	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	5
6 Diphtheria	—	—	2	3	—	—	2	5	—	—	1	—	1	—	—	—	—	3	6
7 Influenza	3	2	2	2	—	—	6	10	—	—	—	2	7	5	3	—	4	3	7
8 Encephalitis lethargica	—	—	2	1	2	—	1	—	—	—	1	—	1	—	1	—	—	1	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	2	4	5	6	9	6	13	8	2	4	11	12	3	3	2	7	5	4	10
11 Other tuberculous diseases	2	2	1	1	2	3	4	1	2	3	—	3	2	1	—	1	—	1	11
12 Cancer, malignant disease	6	12	5	12	19	27	31	20	5	6	18	18	15	9	8	6	22	37	12
13 Rheumatic fever	1	—	—	—	1	3	2	1	—	—	1	1	—	1	—	—	—	—	13
14 Diabetes	3	1	2	2	—	4	1	3	3	2	6	5	—	3	—	1	3	2	14
15 Cerebral hæmorrhage, &c.	8	7	7	12	5	9	11	14	2	3	5	12	4	8	4	8	13	14	15
16 Heart disease	23	23	31	33	35	44	39	41	17	16	43	40	11	20	16	13	42	55	16
17 Arterio-sclerosis	5	3	3	4	7	7	13	11	—	2	5	6	6	2	—	—	22	18	17
18 Bronchitis	2	4	10	14	15	14	11	10	3	—	5	11	5	13	4	4	10	12	18
19 Pneumonia (all forms)	11	14	4	4	14	14	8	9	4	3	11	6	11	6	2	3	26	7	19
20 Other respiratory diseases	—	2	5	2	—	—	1	4	2	1	6	—	—	—	3	—	4	—	20
21 Ulcer of stomach or duodenum	3	—	1	3	2	—	3	—	1	1	3	—	2	—	1	1	3	2	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	3	—	2	3	—	—	4	1	1	—	1	1	1	1	22
23 Appendicitis and typhlitis	1	1	1	1	1	1	—	1	—	—	3	2	—	—	1	—	1	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	3	1	—	—	1	—	1	—	24
25 Acute and chronic nephritis	2	3	3	1	4	13	6	10	2	6	2	5	7	7	5	3	14	9	25
26 Puerperal sepsis	—	1	—	1	—	1	—	1	—	1	—	1	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	3	—	2	—	2	—	—	—	1	—	2	27
28 Congenital debility and mal-formation, premature birth	3	7	5	6	7	8	14	7	3	—	5	2	2	1	6	3	9	8	28
29 Suicide	2	1	1	—	4	1	8	1	—	1	1	2	1	—	2	—	3	—	29
30 Other deaths from violence	7	2	4	3	6	3	8	1	—	2	4	4	2	2	3	—	11	7	30
31 Other defined diseases	13	22	29	44	25	27	26	23	12	9	23	30	16	20	8	9	37	45	31
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	32

LANCASHIRE—cont.

Causes of Death.	Denton U.D.		Droyles- den U.D.		Eccles M.B.		Fails- worth U.D.		Farn- worth U.D.		Fleet- wood U.D.		Great Crosby U.D.		Great Har- wood U.D.		Has- lingden M.B.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	110	110	59	76	261	279	92	95	174	163	121	117	85	94	76	81	108	109
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	3	6	3	1	—	5	1	2	2	1	1	—	—	1	3
4 Scarlet fever	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	4
5 Whooping cough	—	—	—	—	—	2	1	1	—	—	1	1	—	1	—	—	—	5
6 Diphtheria	—	1	—	—	—	1	1	1	—	—	—	—	1	3	1	—	—	6
7 Influenza	—	1	1	—	1	1	—	—	10	6	5	1	1	3	—	1	1	7
8 Encephalitis lethargica	—	—	—	1	2	—	—	1	1	—	1	—	—	—	—	1	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	5	5	8	7	21	16	4	6	11	10	8	4	5	2	3	4	7	2
11 Other tuberculous diseases	1	—	—	1	3	4	—	3	3	—	2	3	1	—	2	—	—	11
12 Cancer, malignant disease	20	23	11	15	34	42	12	9	26	21	11	12	10	10	11	8	11	12
13 Rheumatic fever	1	—	—	—	1	4	—	1	—	1	—	—	—	—	—	1	1	13
14 Diabetes	2	3	1	3	3	4	3	—	—	5	2	1	1	1	1	1	3	14
15 Cerebral hæmorrhage, &c.	3	4	1	4	18	17	11	9	8	5	8	13	3	13	2	12	5	15
16 Heart disease	18	23	8	15	34	56	8	18	28	27	21	23	13	22	14	18	33	16
17 Arterio-sclerosis	7	8	3	3	4	11	5	—	14	15	2	4	3	2	4	1	1	17
18 Bronchitis	5	1	1	2	18	24	4	6	10	6	5	15	2	4	2	5	1	18
19 Pneumonia (all forms)	7	4	4	3	21	15	9	3	7	13	10	3	10	4	7	3	2	19
20 Other respiratory diseases	1	3	2	1	4	3	—	3	—	—	—	—	—	1	1	2	3	20
21 Ulcer of stomach or duodenum	—	1	1	2	4	—	1	—	1	—	1	1	2	—	2	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	1	1	3	—	1	1	2	2	3	2	1	—	—	—	22
23 Appendicitis and typhlitis	1	1	—	—	1	1	2	—	—	—	2	—	1	—	—	—	1	23
24 Cirrhosis of liver	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25 Acute and chronic nephritis	9	3	4	3	9	4	5	3	6	9	7	—	3	5	1	2	3	25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	2	—	1	—	3	—	—	—	—	—	27
28 Congenital debility and mal- formation, premature birth	5	4	2	1	16	7	5	4	7	10	9	6	5	1	5	1	7	28
29 Suicide	3	1	—	—	2	2	—	—	3	—	—	—	1	—	1	—	1	29
30 Other deaths from violence	4	2	2	—	15	9	5	5	8	5	8	4	2	3	3	2	3	30
31 Other defined diseases	18	20	8	8	43	48	15	18	25	24	13	18	18	17	15	18	22	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***LANCASHIRE**—*cont.*

Causes of Death.	Haydock U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.		Ince in Makerfield U.D.		Lancaster M.B.		Leigh M.B.		Litherland U.D.		Littleboro' U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	58	53	156	180	133	138	89	74	145	134	267	258	259	236	98	95	99	80	
1 Enteric fever	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	5	4	4	2	2	4	4	3	4	1	1	1	1	—	3
4 Scarlet fever	—	—	1	1	—	1	—	—	2	1	2	—	—	—	—	—	—	—	4
5 Whooping cough	2	—	—	—	—	—	—	—	2	2	—	—	1	—	—	1	—	—	5
6 Diphtheria	—	2	—	—	1	1	—	1	—	—	1	—	2	—	1	4	—	1	6
7 Influenza	—	—	1	2	1	4	1	1	2	2	3	2	6	4	—	—	11	3	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	1	—	1	1	—	1	—	—	—	2	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	5	7	6	1	11	6	6	9	8	10	8	17	19	12	4	2	3	10
11 Other tuberculous diseases	1	—	2	5	—	2	2	2	4	2	3	5	6	3	6	1	—	—	11
12 Cancer, malignant disease	3	2	19	24	12	19	9	8	11	12	26	39	25	29	8	12	14	13	12
13 Rheumatic fever	—	—	—	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—	13
14 Diabetes	1	—	1	4	1	2	—	—	4	1	1	10	1	6	—	2	1	1	14
15 Cerebral hæmorrhage, &c.	4	8	6	9	8	3	7	7	5	6	16	21	22	24	4	12	5	10	15
16 Heart disease	6	8	39	49	21	20	18	13	13	22	46	48	33	27	13	13	18	16	16
17 Arterio-sclerosis	2	—	13	15	5	4	6	1	9	7	17	10	2	7	1	1	7	2	17
18 Bronchitis	4	6	12	9	10	8	2	—	12	12	11	11	17	18	3	2	7	8	18
19 Pneumonia (all forms)	11	2	10	6	21	17	7	6	17	14	17	15	31	17	6	12	2	4	19
20 Other respiratory diseases	—	—	1	1	1	1	3	—	—	—	3	8	3	1	4	—	2	—	20
21 Ulcer of stomach or duodenum	—	—	1	1	2	—	—	—	1	—	4	2	1	—	1	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	—	—	—	—	1	—	6	4	2	1	3	1	—	—	22
23 Appendicitis and typhlitis	—	—	—	—	—	1	—	—	1	2	2	2	1	—	1	1	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	1	1	—	24
25 Acute and chronic nephritis	3	2	4	9	3	3	1	1	3	—	16	8	16	11	3	1	1	3	25
26 Puerperal sepsis	—	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	3	—	4	—	2	—	2	—	2	—	3	—	1	27
28 Congenital debility and malformation, premature birth	1	8	5	11	5	10	2	2	17	12	12	4	12	11	3	3	7	—	28
29 Suicide	—	—	3	2	1	—	—	—	1	2	9	—	7	1	—	—	2	—	29
30 Other deaths from violence	9	—	6	1	9	2	1	5	6	2	11	4	14	7	8	2	6	1	30
31 Other defined diseases	7	8	24	24	22	20	19	15	21	18	46	49	32	42	19	15	12	12	31
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	1	1	—	—	2	—	—	1	—	—	32

LANCASHIRE—*cont.*

Causes of Death.	Lytham St. Anne's M.B.		Middleton M.B.		Morecambe & Heysham M.B.		Mossley M.B.		Nelson M.B.		Newton in Makerfield U.D.		Oswaldtwistle U.D.		Padiham U.D.		Prestwich U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	135	196	171	166	152	179	80	86	230	253	132	94	86	97	59	77	109	106	
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	1	—	1	2	1	3	2	—	2	1	—	—	—	1	1	3
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	5
6 Diphtheria	—	1	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	6
7 Influenza	—	3	2	1	5	2	—	2	5	1	4	1	5	4	5	1	—	1	7
8 Encephalitis lethargica	—	3	1	1	—	—	—	—	3	1	—	1	—	—	—	—	2	—	8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	9
10 Tuberculosis of respiratory sys.	6	5	5	13	7	6	2	1	12	8	11	7	2	8	5	3	10	3	10
11 Other tuberculous diseases	1	2	2	—	2	2	1	1	1	1	1	2	—	2	—	1	2	—	11
12 Cancer, malignant disease	17	27	26	21	14	18	8	17	22	27	11	8	13	11	6	10	11	16	12
13 Rheumatic fever	1	—	1	—	—	1	—	—	—	2	—	2	—	—	—	—	1	3	13
14 Diabetes	3	3	3	—	4	5	—	1	3	5	—	1	1	2	—	—	—	1	14
15 Cerebral hæmorrhage, &c.	5	18	4	9	5	11	2	5	10	26	2	7	2	7	1	6	4	10	15
16 Heart disease	31	50	37	41	43	49	15	16	38	65	27	30	16	18	13	21	15	17	16
17 Arterio-sclerosis	6	11	7	7	7	14	7	10	15	8	5	3	2	6	4	7	2	2	17
18 Bronchitis	3	7	8	12	10	12	3	3	14	11	4	2	5	4	2	5	4	4	18
19 Pneumonia (all forms)	12	3	17	6	3	3	3	2	13	5	9	2	4	4	1	3	7	6	19
20 Other respiratory diseases	3	1	1	—	2	1	—	1	—	—	3	—	—	—	1	—	3	—	20
21 Ulcer of stomach or duodenum	2	1	1	—	1	2	1	—	3	1	—	1	2	1	1	1	4	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	1	2	—	3	—	2	1	2	1	3	—	—	—	1	1	22
23 Appendicitis and typhlitis	2	3	2	2	1	2	—	—	1	2	1	—	—	—	1	—	1	—	23
24 Cirrhosis of liver	—	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	2	—	24
25 Acute and chronic nephritis	13	18	7	13	8	3	7	6	12	5	3	1	2	4	3	2	2	6	25
26 Puerperal sepsis	—	—	—	1	—	—	—	1	—	2	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	2	—	2	—	1	—	1	—	—	—	2	—	2	—	—	27
28 Congenital debility and malformation, premature birth	2	1	8	4	7	3	4	—	14	10	5	4	3	—	2	3	9	8	28
29 Suicide	2	—	6	1	2	—	2	1	7	2	3	—	4	1	—	—	2	1	29
30 Other deaths from violence	4	2	4	4	6	4	8	1	15	6	14	6	4	2	4	3	3	4	30
31 Other defined diseases	22	32	22	26	21	38	12	16	36	59	21	13	14	19	10	8	23	20	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

LANCASHIRE—*cont.*

Causes of Death.	Radcliffe U.D.		Rams- bottom U.D.		Rawten- stall M.B.		Royton U.D.		Stretford U.D.		Swinton & Pen- dlebury U.D.		Turton U.D.		Tydes- ley with Shaker- ley U.D.		Ulver- ston U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	168	170	97	118	220	189	129	105	310	295	195	201	87	92	92	98	70	71	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	1	1	1	1	1	—	2	1	2	1	4	4	—	—	1	1	—	—	4
4 Scarlet fever	—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	1	1	—	—	2	1	—	1	—	—	—	—	—	6
6 Diphtheria	—	—	—	—	—	2	—	—	2	1	—	2	1	—	—	—	—	2	7
7 Influenza	2	2	1	—	5	3	1	3	8	—	5	1	—	1	3	—	1	—	8
8 Encephalitis lethargica	—	1	1	—	2	1	1	1	1	1	—	—	—	—	1	—	2	—	9
9 Meningococcal meningitis	—	—	—	—	2	—	2	—	1	1	—	—	—	—	—	—	—	—	8
10 Tuberculosis of respiratory sys. ..	13	8	6	6	4	7	7	2	25	13	5	9	3	4	2	2	3	3	10
11 Other tuberculous diseases	3	2	1	—	6	3	1	1	1	3	2	1	—	1	2	1	—	—	11
12 Cancer, malignant disease	19	16	12	13	26	23	17	12	40	42	19	39	13	12	12	9	6	8	12
13 Rheumatic fever	1	—	—	—	1	2	—	—	2	1	1	1	1	—	—	—	—	—	13
14 Diabetes	1	3	4	2	—	2	1	3	3	6	2	3	2	1	—	—	1	—	14
15 Cerebral hæmorrhage, &c.	9	14	5	13	14	13	6	4	17	22	10	28	3	7	1	4	7	6	15
16 Heart disease	33	37	19	23	49	37	26	29	45	65	40	19	19	26	15	16	17	22	16
17 Arterio-sclerosis	6	5	9	8	11	10	5	—	13	10	10	7	6	8	6	8	5	2	17
18 Bronchitis	8	10	1	10	6	8	11	4	11	12	16	15	4	5	4	8	2	2	18
19 Pneumonia (all forms)	8	7	3	4	14	6	7	7	19	20	10	7	—	2	12	5	3	2	19
20 Other respiratory diseases	1	7	1	1	3	1	—	1	4	7	4	2	1	—	1	—	—	—	20
21 Ulcer of stomach or duodenum ..	7	—	3	—	—	—	1	1	6	1	3	1	—	—	—	—	—	1	21
22 Diarrhœa, &c. (under 2 years) ..	—	—	—	—	1	2	2	—	3	1	3	1	1	—	1	—	—	1	22
23 Appendicitis and typhilitis	1	1	3	—	2	1	2	3	1	1	1	—	—	—	1	—	—	—	23
24 Cirrhosis of liver	—	1	2	—	—	—	—	—	2	—	1	1	1	2	—	—	—	—	24
25 Acute and chronic nephritis	8	7	9	2	10	9	4	1	11	6	5	4	3	1	4	4	6	2	25
26 Puerperal sepsis	—	2	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	5	—	—	—	5	—	3	—	—	—	2	—	—	27
28 Congenital debility and mal- formation, premature birth	2	7	2	4	6	8	5	4	15	13	9	5	4	2	6	10	3	2	28
29 Suicide	2	2	1	1	5	1	—	2	3	3	4	1	4	—	1	1	2	—	29
30 Other deaths from violence	7	2	4	2	13	11	6	—	20	6	11	3	2	—	4	2	5	—	30
31 Other defined diseases	35	35	8	26	37	30	21	25	54	51	29	44	18	19	15	24	9	16	31
32 Causes ill-defined or unknown ..	1	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—	—	32

LANCASHIRE—*cont.*

Causes of Death.	Walton-le-Dale U.D.		Waterloo with Seaforth U.D.		West-houghton U.D.		Widnes M.B.		Worsley U.D.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	95	71	179	190	89	98	249	210	99	77						
1 Enteric fever	—	—	—	—	—	—	—	—	—	—						1
2 Small-pox	—	—	—	—	—	—	—	—	—	—						2
3 Measles	—	—	4	—	2	3	1	—	—	—						3
4 Scarlet fever	—	—	—	2	—	—	—	—	—	—						4
5 Whooping cough	—	—	—	1	—	—	1	2	—	—						5
6 Diphtheria	1	1	3	4	5	1	—	—	—	—						6
7 Influenza	1	—	1	1	5	3	4	4	—	1						7
8 Encephalitis lethargica	—	—	—	—	1	1	1	—	1	—						8
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	—	—						9
10 Tuberculosis of respiratory sys. ..	6	7	14	10	1	6	26	17	3	4						10
11 Other tuberculous diseases	2	1	1	2	—	—	3	1	1	1						11
12 Cancer, malignant disease	7	15	15	28	7	12	20	25	11	10						12
13 Rheumatic fever	—	2	1	—	—	1	1	—	—	—						13
14 Diabetes	—	—	1	2	—	1	3	3	—	—						14
15 Cerebral hæmorrhage, &c.	8	7	14	9	2	4	12	12	11	14						15
16 Heart disease	14	12	28	32	12	11	43	45	24	15						16
17 Arterio-sclerosis	3	3	6	6	3	4	4	4	7	3						17
18 Bronchitis	4	2	6	6	6	4	11	16	5	6						18
19 Pneumonia (all forms)	7	2	13	15	4	5	28	13	7	4						19
20 Other respiratory diseases	2	—	1	4	1	1	4	2	1	—						20
21 Ulcer of stomach or duodenum	1	1	3	1	4	1	—	—	1	—						21
22 Diarrhœa, &c. (under 2 years)	—	—	2	1	—	—	3	3	—	—						22
23 Appendicitis and typhlitis	2	—	1	3	1	1	4	—	—	—						23
24 Cirrhosis of liver	2	—	—	—	—	—	—	—	—	—						24
25 Acute and chronic nephritis	1	3	6	9	4	5	4	6	—	2						25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	2						26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—	—	3	—	1						27
28 Congenital debility and malformation, premature birth	6	2	12	8	4	4	14	10	4	1						28
29 Suicide	3	—	8	—	2	1	2	1	3	1						29
30 Other deaths from violence	7	3	9	2	4	1	10	7	3	1						30
31 Other defined diseases	18	10	27	42	21	28	46	34	17	11						31
32 Causes ill-defined or unknown	—	—	3	—	—	—	4	1	—	—						32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***LEICESTERSHIRE—*cont.***

Causes of Death.	Ashby-de-la-Zouch R.D.		Barrow-upon-Soar R.D.		Blaby R.D.		Hinckley R.D.		Lutterworth R.D.		Market Bosworth R.D.		Melton Mowbray R.D.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	107	105	160	148	132	124	78	71	66	58	108	111	94	73			
1 Enteric fever	—	—	2	—	—	1	—	—	—	—	—	—	—	—			1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	1	—	—	—			2
3 Measles	—	1	—	—	—	1	—	—	—	—	—	—	—	—			3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—			4
5 Whooping cough	—	1	2	—	—	2	—	—	1	—	—	1	—	—			5
6 Diphtheria	1	1	—	—	1	1	1	1	—	—	—	—	—	1			6
7 Influenza	2	1	4	6	5	1	2	1	—	—	2	—	2	—			7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	—	—	—	—			8
9 Meningococcal meningitis	1	—	—	—	—	1	—	—	—	—	1	2	1	—			9
10 Tuberculosis of respiratory sys.	3	9	11	7	7	13	1	5	—	1	8	9	1	8			10
11 Other tuberculous diseases	3	—	—	1	2	1	3	3	—	2	1	2	—	3			11
12 Cancer, malignant disease	10	22	14	29	9	17	10	8	6	10	10	8	12	13			12
13 Rheumatic fever	—	1	—	—	—	1	—	—	—	—	1	1	—	—			13
14 Diabetes	1	3	2	1	1	1	4	—	—	—	1	2	4	—			14
15 Cerebral hæmorrhage, &c.	5	6	7	10	15	12	4	4	1	4	10	6	7	8			15
16 Heart disease	27	24	24	29	18	15	13	11	12	12	14	25	24	15			16
17 Arterio-sclerosis	3	2	7	9	4	3	3	1	6	5	13	5	7	1			17
18 Bronchitis	2	1	4	4	6	3	1	2	2	3	3	4	1	4			18
19 Pneumonia (all forms)	4	4	6	8	9	2	2	4	11	3	10	8	3	3			19
20 Other respiratory diseases	3	—	1	2	2	1	2	1	—	2	1	—	—	1			20
21 Ulcer of stomach or duodenum	3	—	1	2	4	—	1	1	—	—	—	—	—	1			21
22 Diarrhoea, &c. (under 2 years)	—	—	4	1	2	—	—	—	—	—	—	—	1	—			22
23 Appendicitis and typhlitis	—	—	1	2	1	1	3	—	—	1	—	—	—	—			23
24 Cirrhosis of liver	1	1	1	—	—	—	1	—	1	—	—	1	—	—			24
25 Acute and chronic nephritis	—	2	5	6	4	7	1	1	1	—	1	6	2	2			25
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	1	—	—			26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	—	—	—	—	1	—	1			27
28 Congenital debility and malformation, premature birth	10	6	13	7	10	9	3	4	5	1	6	5	3	4			28
29 Suicide	4	—	2	1	2	1	1	1	2	—	1	2	1	1			29
30 Other deaths from violence	11	3	17	4	3	3	2	2	4	—	4	1	7	3			30
31 Other defined diseases	13	16	32	16	26	24	20	21	13	14	18	20	18	4			31
32 Causes ill-defined or unknown	—	—	—	1	—	1	—	—	—	—	2	1	—	—			32

LINCOLNSHIRE : PARTS OF HOLLAND**LINCOLNSHIRE : PARTS OF KESTEVEN**

Causes of Death.	Boston M.B.		Spalding U.D.		Boston R.D.		Spalding (part of) R.D.*		Grantham M.B.		Bourne R.D.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes	108	99	88	72	132	136	69	79	103	128	87	66			
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—			1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—			2
3 Measles	—	—	—	—	—	1	—	1	—	—	—	—			3
4 Scarlet fever	—	—	—	—	—	1	—	—	—	1	—	—			4
5 Whooping cough	1	1	—	—	1	4	—	—	—	1	—	—			5
6 Diphtheria	1	—	2	1	2	3	1	1	2	—	—	—			6
7 Influenza	1	1	—	1	—	1	1	2	—	—	1	—			7
8 Encephalitis lethargica	1	—	—	—	—	1	—	1	—	1	2	—			8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—			9
10 Tuberculosis of respiratory sys.	11	7	5	1	7	8	7	5	1	7	4	3			10
11 Other tuberculous diseases	2	1	1	—	2	—	1	—	3	1	1	1			11
12 Cancer, malignant disease	7	9	17	14	18	16	8	10	17	14	8	13			12
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—			13
14 Diabetes	1	1	1	—	1	1	1	1	2	2	1	3			14
15 Cerebral hæmorrhage, &c.	5	8	2	6	10	9	1	4	8	18	9	4			15
16 Heart disease	12	13	12	14	18	16	13	7	13	28	14	13			16
17 Arterio-sclerosis	2	—	4	2	3	3	1	3	16	8	1	1			17
18 Bronchitis	4	6	3	5	5	12	3	1	5	4	2	2			18
19 Pneumonia (all forms)	9	5	4	2	8	4	2	3	5	5	2	3			19
20 Other respiratory diseases	—	1	1	—	—	1	—	3	1	2	1	1			20
21 Ulcer of stomach or duodenum	1	1	—	—	1	—	—	1	1	1	2	—			21
22 Diarrhoea, &c. (under 2 years)	1	1	3	1	2	1	1	1	—	1	3	1			22
23 Appendicitis and typhlitis	—	1	1	1	1	1	—	—	1	1	1	—			23
24 Cirrhosis of liver	—	—	—	—	2	—	—	—	—	—	—	—			24
25 Acute and chronic nephritis	5	7	1	2	7	2	2	2	1	5	1	2			25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—			26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	1	—	—	—	1	—	—			27
28 Congenital debility and malformation, premature birth	8	5	7	2	11	12	1	1	6	4	4	2			28
29 Suicide	—	—	2	—	1	—	3	1	1	2	1	—			29
30 Other deaths from violence	5	1	1	—	7	1	2	2	3	1	4	1			30
31 Other defined diseases	31	30	20	19	25	35	21	29	14	19	25	14			31
32 Causes ill-defined or unknown	—	—	1	—	—	1	—	—	2	—	—	2			32

* Prior to 31st March, 1930, the remainder of Spalding R.D. was in Lincolnshire: Parts of Kesteven.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***LINCOLNSHIRE : PARTS OF
KESTEVEN—*cont.*****LINCOLNSHIRE : PARTS OF
LINDSEY**

Causes of Death.	Branston R.D.		Gran- tham R.D.		Sleaford R.D.		Spalding (part of) R.D.*		Clee- thorpes U.D.		Gains- borough U.D.		Scun- thorpe & Frod- ing- ham U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	83	85	71	72	84	94	—	1	130	135	118	107	181	146	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	1	—	—	—	—	—	—	—	—	2	—	3
4 Scarlet fever	1	—	—	—	—	—	—	—	—	—	1	—	1	—	4
5 Whooping cough	—	3	—	2	1	2	—	—	2	—	—	—	2	4	5
6 Diphtheria	1	—	—	—	2	—	—	—	—	—	—	—	—	—	6
7 Influenza	2	—	—	—	1	—	—	—	—	—	1	1	3	7	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	1	—	9
10 Tuberculosis of respiratory sys.	2	3	3	3	1	2	—	—	7	7	10	7	10	7	10
11 Other tuberculous diseases	1	2	—	1	1	1	—	—	4	3	3	1	6	2	11
12 Cancer, malignant disease	17	13	5	6	10	15	—	—	13	28	18	16	17	16	12
13 Rheumatic fever	—	—	—	1	—	—	—	—	1	—	—	—	—	—	13
14 Diabetes	2	2	—	1	—	—	—	—	2	—	2	1	5	1	14
15 Cerebral hæmorrhage, &c.	3	10	8	10	6	9	—	—	8	7	10	17	6	12	15
16 Heart disease	13	10	19	18	20	19	—	1	24	26	28	20	28	19	16
17 Arterio-sclerosis	1	2	4	—	5	3	—	—	5	—	3	2	3	—	17
18 Bronchitis	3	4	5	1	2	3	—	—	11	3	2	2	10	6	18
19 Pneumonia (all forms)	5	7	2	6	3	6	—	—	6	5	1	4	20	6	19
20 Other respiratory diseases	1	1	—	—	2	1	—	—	—	3	—	—	2	2	20
21 Ulcer of stomach or duodenum	2	—	2	1	2	—	—	—	1	1	1	—	1	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	—	—	2	1	2	1	4	—	22
23 Appendicitis and typhlitis	—	—	—	1	—	1	—	—	—	—	—	—	1	1	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	2	—	—	—	1	—	24
25 Acute and chronic nephritis	—	4	1	2	1	4	—	—	—	1	—	4	1	8	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	1	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	2	—	1	—	1	27
28 Congenital debility and mal- formation, premature birth	6	4	5	1	5	4	—	—	8	7	5	5	11	7	28
29 Suicide	2	1	—	1	1	1	—	—	3	2	—	—	1	2	29
30 Other deaths from violence	2	1	4	2	5	3	—	—	2	5	3	1	10	2	30
31 Other defined diseases	19	18	13	13	16	18	—	—	29	34	27	22	35	40	31
32 Causes ill-defined or unknown	—	—	—	1	—	1	—	—	—	—	1	—	—	—	32

**LINCOLNSHIRE : PARTS OF
LINDSEY—*cont.***

Causes of Death.	Cais- tor R.D.		Gains- borough R.D.		Glanford Brigg R.D.		Horn- castle R.D.		Louth R.D.		Spilsby R.D.		Welton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	81	64	91	85	158	147	68	93	118	106	133	111	78	81	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4
5 Whooping cough	—	1	—	1	4	4	1	1	—	1	—	—	2	—	5
6 Diphtheria	—	—	—	—	—	1	1	—	—	—	—	—	—	—	6
7 Influenza	3	—	1	1	2	1	—	1	—	—	2	2	2	1	7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	1	2	8	7	6	8	2	8	10	5	6	7	2	4	10
11 Other tuberculous diseases	1	1	1	2	1	7	—	—	4	—	3	3	1	—	11
12 Cancer, malignant disease	8	14	14	12	15	22	8	13	11	16	20	12	8	13	12
13 Rheumatic fever	—	—	1	1	1	1	—	—	—	—	2	—	—	—	13
14 Diabetes	1	1	1	1	3	1	—	2	2	—	3	2	—	1	14
15 Cerebral hæmorrhage, &c.	9	1	2	4	4	6	8	6	10	7	7	7	6	7	15
16 Heart disease	14	15	18	21	25	31	16	17	22	25	27	26	20	13	16
17 Arterio-sclerosis	2	—	3	3	4	4	2	4	1	2	1	1	3	—	17
18 Bronchitis	3	1	8	3	5	5	2	3	5	10	5	4	3	5	18
19 Pneumonia (all forms)	—	8	3	2	13	8	1	—	4	4	2	7	1	6	19
20 Other respiratory diseases	1	1	—	1	2	1	1	—	1	1	2	2	—	—	20
21 Ulcer of stomach or duodenum	3	—	—	—	1	—	—	—	—	—	1	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	—	—	—	1	—	—	—	—	1	—	22
23 Appendicitis and typhlitis	2	—	—	—	1	—	—	—	1	—	3	—	1	—	23
24 Cirrhosis of liver	—	1	—	1	1	—	—	—	1	—	1	1	—	—	24
25 Acute and chronic nephritis	1	—	1	3	6	5	3	2	2	2	3	—	2	3	25
26 Puerperal sepsis	—	—	—	—	—	2	—	1	—	—	—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	1	—	1	—	1	—	1	—	3	27
28 Congenital debility and mal- formation, premature birth	2	3	4	2	11	6	2	4	2	2	3	5	4	4	28
29 Suicide	1	—	—	—	1	1	1	—	1	—	3	—	1	—	29
30 Other deaths from violence	1	—	7	1	7	5	3	2	9	1	4	1	3	—	30
31 Other defined diseases	28	15	17	17	43	27	17	26	32	29	34	28	17	18	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	1	—	—	—	1	—	—	32

* Subsequent to 31st March, 1930, the whole of Spalding R.D. is in Lincolnshire: Parts of Holland.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

MIDDLESEX.

Causes of Death.	Acton M.B.		Brent- ford and Chiswick U.D.		Ealing M.B.		Edmon- ton U.D.		Enfield U.D.		Fel- tham U.D.		Finchley U.D.		Friern Barnet U.D.		Hamp- ton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	357	336	342	326	559	580	388	330	329	310	55	41	261	296	93	79	66	55	1
1 Enteric fever	—	—	—	1	—	—	—	2	—	1	—	—	—	—	—	—	—	1	2
2 Small-pox	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	3
3 Measles	4	4	1	3	6	1	3	2	3	5	—	—	3	2	—	—	—	—	4
4 Scarlet fever	1	—	1	—	2	1	—	—	1	5	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	1	1	1	—	4	4	2	—	1	1	1	—	1	—	—	—	—	6
6 Diphtheria	3	6	1	1	4	4	3	—	4	—	—	1	2	1	—	1	—	1	7
7 Influenza	3	2	4	—	7	4	2	1	1	1	—	1	1	2	—	1	1	1	8
8 Encephalitis lethargica	2	2	—	2	—	1	2	1	—	2	—	—	1	—	—	—	—	—	9
9 Meningococcal meningitis	5	—	1	2	—	1	—	—	—	—	—	—	1	—	—	1	—	—	10
10 Tuberculosis of respiratory sys.	32	25	20	22	32	39	29	29	24	18	4	2	17	12	5	2	3	1	11
11 Other tuberculous diseases	8	2	2	3	10	6	6	6	4	3	1	1	1	3	3	2	—	—	12
12 Cancer, malignant disease	34	53	43	45	85	86	44	33	46	31	8	7	35	53	13	13	10	5	13
13 Rheumatic fever	2	1	—	2	3	1	—	6	1	1	1	2	1	1	1	—	—	—	14
14 Diabetes	3	2	4	3	4	8	3	2	2	4	1	—	3	5	3	2	2	4	15
15 Cerebral hæmorrhage, &c.	14	17	16	13	25	26	20	15	17	23	—	2	8	26	4	7	4	5	16
16 Heart disease	55	81	74	69	91	142	77	89	63	61	8	7	51	64	15	15	12	18	17
17 Arterio-sclerosis	17	13	15	24	22	31	12	9	14	14	3	2	10	9	4	7	—	1	18
18 Bronchitis	16	13	21	20	18	23	13	10	8	7	6	1	5	5	2	5	—	—	19
19 Pneumonia (all forms)	35	14	20	18	35	28	26	21	32	23	8	—	16	11	4	3	3	1	20
20 Other respiratory diseases	4	2	4	—	7	6	7	2	4	10	1	2	1	3	—	—	—	—	21
21 Ulcer of stomach or duodenum	9	2	7	5	6	—	7	2	11	3	2	—	4	6	1	1	2	—	22
22 Diarrhœa, &c. (under 2 years)	4	2	1	4	3	3	8	4	4	2	—	—	6	1	—	1	—	—	23
23 Appendicitis and typhlitis	2	—	5	1	6	2	1	1	3	2	—	—	1	3	—	—	—	1	24
24 Cirrhosis of liver	1	1	—	2	2	1	3	1	2	—	1	—	2	2	—	—	—	—	25
25 Acute and chronic nephritis	13	11	13	5	18	16	7	5	7	9	2	1	11	11	2	2	4	2	26
26 Puerperal sepsis	—	2	—	4	—	4	—	4	—	1	—	—	—	3	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	2	—	2	—	2	—	1	—	4	—	—	—	1	—	—	—	2	28
28 Congenital debility and mal-formation, premature birth	16	17	9	14	22	14	19	10	12	13	—	4	14	5	9	2	1	—	29
29 Suicide	3	3	5	1	8	6	5	4	3	3	—	2	5	2	2	—	—	—	30
30 Other deaths from violence	15	9	19	8	41	16	21	13	15	5	2	3	15	8	5	—	4	—	31
31 Other defined diseases	54	49	55	51	101	104	66	55	46	57	6	2	47	56	17	16	15	9	32
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	

MIDDLESEX—*cont.*

Causes of Death.	Harrow- on-the- Hill U.D.		Hendon U.D.		Heston & Isle- worth U.D.		Hornsey M.B.		Southall Norwood U.D.		South- gate U.D.		Staines U.D.		Tedd- ington U.D.		Totten- ham U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	98	99	441	405	328	319	494	556	136	139	232	266	91	71	115	149	823	744	1
1 Enteric fever	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	6	2	3	5	2	2	—	1	1	1	—	—	1	2	15	9	4
4 Scarlet fever	—	—	—	2	2	2	—	1	—	—	—	—	1	—	1	—	1	—	5
5 Whooping cough	—	—	3	—	—	—	—	—	1	—	—	1	—	—	—	—	3	2	6
6 Diphtheria	—	—	5	2	5	14	1	3	1	1	1	1	—	—	2	17	16	—	7
7 Influenza	1	1	6	2	2	2	5	5	—	2	8	2	1	1	1	3	7	6	8
8 Encephalitis lethargica	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—	2	3	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	10
10 Tuberculosis of respiratory sys.	7	2	33	26	27	13	35	18	5	11	18	16	6	4	6	9	72	48	11
11 Other tuberculous diseases	1	—	7	3	4	4	6	7	1	2	2	2	3	1	2	4	11	10	12
12 Cancer, malignant disease	14	25	45	60	25	50	70	89	17	29	29	43	14	13	11	29	94	120	13
13 Rheumatic fever	—	—	2	3	1	2	1	1	—	2	—	—	—	—	—	—	1	4	14
14 Diabetes	—	—	3	12	2	2	9	2	—	3	2	5	3	2	3	—	2	11	15
15 Cerebral hæmorrhage, &c.	1	6	22	19	10	18	32	50	5	9	5	13	7	7	7	9	25	37	16
16 Heart disease	25	26	76	90	66	81	103	128	22	24	55	67	14	12	22	29	166	169	17
17 Arterio-sclerosis	7	6	16	13	11	6	20	23	7	5	13	12	1	1	4	4	22	22	18
18 Bronchitis	3	2	10	10	10	4	20	21	5	2	5	4	1	1	7	4	39	27	19
19 Pneumonia (all forms)	5	7	44	26	21	17	29	25	12	6	14	9	—	1	6	78	23	19	20
20 Other respiratory diseases	4	—	6	4	5	3	7	7	2	1	3	2	1	—	—	3	4	10	21
21 Ulcer of stomach or duodenum	2	—	16	5	5	2	5	3	4	—	5	1	—	—	2	1	17	9	22
22 Diarrhœa, &c. (under 2 years)	—	—	8	1	7	7	2	5	2	2	1	1	—	—	1	—	6	5	23
23 Appendicitis and typhlitis	—	—	3	1	1	3	6	10	3	—	4	—	1	—	3	1	8	3	24
24 Cirrhosis of liver	—	1	1	1	2	—	3	1	—	—	3	—	—	—	2	—	1	3	25
25 Acute and chronic nephritis	1	3	7	13	9	12	23	13	8	2	7	10	4	3	1	4	30	19	26
26 Puerperal sepsis	—	1	—	—	—	6	—	2	—	1	—	3	—	3	—	1	—	3	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	3	—	2	—	3	—	1	—	1	—	1	—	3	—	2	28
28 Congenital debility and mal-formation, premature birth	2	1	18	18	20	6	11	8	4	4	6	9	7	—	3	6	40	17	29
29 Suicide	3	—	12	4	5	3	11	4	—	1	6	3	4	—	2	1	14	3	30
30 Other deaths from violence	6	4	30	18	21	10	15	14	9	3	4	4	13	3	3	3	44	21	31
31 Other defined diseases	16	13	61	66	64	43	78	110	27	26	40	54	11	16	27	23	99	138	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

MIDDLESEX—*cont.*

Causes of Death.	Twicken- ham M.B.		Ux- bridge U.D.		Weald- stone U.D.		Wemb- ley U.D.		Willes- den U.D.		Wood Green U.D.							
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.						
All Causes	181	175	121	107	88	93	152	163	863	867	254	280						
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—						1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—						2
3 Measles	—	—	3	3	2	—	4	1	15	11	4	—						3
4 Scarlet fever	—	—	1	—	—	—	1	1	1	2	—	—						4
5 Whooping cough	1	1	—	1	—	1	—	2	2	3	—	1						5
6 Diphtheria	3	5	—	2	—	—	2	1	9	10	2	2						6
7 Influenza	3	—	3	—	3	2	3	2	13	12	1	1						7
8 Encephalitis lethargica	1	1	—	—	—	—	—	—	3	—	—	—						8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	3	3	—	—						9
10 Tuberculosis of respiratory sys.	11	10	7	5	8	5	12	13	73	53	16	26						10
11 Other tuberculous diseases	2	3	—	3	—	4	2	3	6	8	1	2						11
12 Cancer, malignant disease	19	26	9	11	11	17	19	33	96	120	26	36						12
13 Rheumatic fever	—	3	1	—	—	—	—	—	4	3	—	2						13
14 Diabetes	2	2	1	—	1	1	—	1	13	9	3	7						14
15 Cerebral hæmorrhage, &c.	7	5	4	7	3	5	4	6	38	65	17	22						15
16 Heart disease	41	43	21	26	18	11	23	30	137	163	57	73						16
17 Arterio-sclerosis	5	14	4	7	2	7	6	10	27	33	12	15						17
18 Bronchitis	4	4	3	2	5	2	1	7	18	35	8	12						18
19 Pneumonia (all forms)	17	6	8	6	4	5	10	6	75	43	19	12						19
20 Other respiratory diseases	4	5	2	2	1	1	2	1	5	12	4	2						20
21 Ulcer of stomach or duodenum	4	1	1	—	1	—	2	1	19	5	9	2						21
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	—	—	—	2	17	11	1	1						22
23 Appendicitis and typhlitis	2	2	1	1	1	—	1	1	9	5	4	3						23
24 Cirrhosis of liver	—	1	2	1	—	1	2	—	5	4	3	2						24
25 Acute and chronic nephritis	1	2	5	6	—	2	4	3	26	27	7	2						25
26 Puerperal sepsis	—	—	—	1	—	1	—	4	—	4	—	—						26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	2	—	1	—	7	—	1						27
28 Congenital debility and malformation, premature birth	10	4	11	4	5	5	10	7	53	31	10	4						28
29 Suicide	5	1	3	—	2	—	5	1	12	11	5	2						29
30 Other deaths from violence	12	4	9	2	3	4	10	3	54	18	9	9						30
31 Other defined diseases	27	30	22	16	17	17	29	23	130	157	35	41						31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	1	—	—						32

MIDDLESEX—*cont.*

NORFOLK.

Causes of Death.	Hen- don R.D.				King's Lynn M.B.		Aylsham R.D.		Blofield R.D.		Dep- wade R.D.		Docking R.D.		Down- ham R.D.					
	M.	F.			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
All Causes	160	126			110	102	101	104	59	75	124	107	102	95	91	99				
1 Enteric fever	—	—			—	—	—	—	—	—	—	—	—	—	—	—				1
2 Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	—	—				2
3 Measles	—	—			—	2	1	—	—	—	1	—	—	1	1	—				3
4 Scarlet fever	—	1			—	—	—	—	—	—	—	—	—	—	—	—				4
5 Whooping cough	—	—			—	—	2	1	—	—	—	—	1	1	—	—				5
6 Diphtheria	2	2			5	5	—	—	—	—	—	—	—	—	1	—				6
7 Influenza	2	1			—	1	—	—	1	—	—	—	1	—	1	2				7
8 Encephalitis lethargica	—	—			—	—	—	—	—	—	—	—	—	—	—	—				8
9 Meningococcal meningitis	—	—			1	—	—	—	—	—	—	—	—	—	—	—				9
10 Tuberculosis of respiratory sys.	10	5			3	4	3	7	2	7	1	5	3	4	5	4				10
11 Other tuberculous diseases	2	—			3	2	—	—	1	1	2	—	1	2	1	1				11
12 Cancer, malignant disease	29	26			14	16	15	9	12	13	16	16	16	12	9	19				12
13 Rheumatic fever	2	1			—	—	—	—	—	—	—	—	—	—	—	—				13
14 Diabetes	—	1			2	1	2	2	1	1	1	1	—	3	1	3				14
15 Cerebral hæmorrhage, &c.	8	7			3	5	6	7	1	2	2	6	2	14	4	7				15
16 Heart disease	26	28			21	20	14	17	14	13	37	33	19	21	18	23				16
17 Arterio-sclerosis	8	5			10	12	13	6	—	3	6	3	6	7	8	5				17
18 Bronchitis	—	2			4	9	3	3	4	4	4	5	5	5	2	4				18
19 Pneumonia (all forms)	8	9			5	4	3	6	3	7	8	6	2	3	4	2				19
20 Other respiratory diseases	2	—			—	1	—	—	1	—	2	3	1	2	1	1				20
21 Ulcer of stomach or duodenum	3	1			1	—	—	1	—	1	—	—	1	—	—	—				21
22 Diarrhœa, &c. (under 2 years)	—	—			—	—	—	2	—	—	2	—	—	—	1	—				22
23 Appendicitis and typhlitis	4	1			1	1	—	—	1	—	1	—	1	—	—	—				23
24 Cirrhosis of liver	—	—			1	—	—	—	1	—	—	—	1	—	—	—				24
25 Acute and chronic nephritis	1	3			5	4	5	1	3	—	5	6	2	1	3	2				25
26 Puerperal sepsis	—	3			—	—	—	—	—	—	1	—	—	—	—	—				26
27 Other accidents and diseases of pregnancy and parturition	—	2			—	1	—	—	—	1	—	—	—	—	—	—				27
28 Congenital debility and malformation, premature birth	10	6			4	—	6	1	3	2	5	3	6	4	8	5				28
29 Suicide	3	—			2	—	1	—	—	2	2	—	1	—	1	—				29
30 Other deaths from violence	10	7			6	2	2	2	2	2	7	—	7	1	5	1				30
31 Other defined diseases	29	16			19	12	25	39	8	16	22	20	25	13	17	19				31
32 Causes ill-defined or unknown	—	—			—	—	—	—	1	—	—	—	1	1	—	—				32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

NORFOLK—*cont.*

Causes of Death.	East & West Flegg R.D.		Erpingham R.D.		Forehoe R.D.		Free-bridge Lynn R.D.		Loddon & Clavering R.D.		Marshland R.D.		Mitford & Launditch R.D.		St. Faith's R.D.		Small-burgh R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	68	67	105	102	69	80	70	73	63	69	53	75	99	109	53	78	72	58	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	—	—	—	1	—	—	—	2	1	—	—	—	2	5
6 Diphtheria	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	6
7 Influenza	2	2	1	2	—	—	2	—	—	—	2	—	1	1	1	1	—	—	7
8 Encephalitis lethargica	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	2	7	7	4	8	1	4	1	4	3	4	—	5	—	6	5	1	10
11 Other tuberculous diseases	1	2	2	—	2	—	—	—	1	1	1	—	2	5	—	1	1	1	11
12 Cancer, malignant disease	8	6	11	10	6	15	10	15	12	14	5	9	14	13	10	9	13	15	12
13 Rheumatic fever	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14 Diabetes	2	—	2	2	—	1	1	—	1	1	—	1	2	2	1	2	1	1	14
15 Cerebral hæmorrhage, &c.	2	2	7	4	3	3	2	2	5	7	4	4	6	10	3	5	3	4	15
16 Heart disease	25	33	22	21	17	27	20	17	9	11	5	11	16	25	17	22	7	7	16
17 Arterio-sclerosis	6	3	3	4	9	4	3	—	9	11	6	4	7	3	5	1	1	1	17
18 Bronchitis	2	1	6	4	1	3	1	5	—	4	5	3	1	5	1	4	5	3	18
19 Pneumonia (all forms)	1	—	4	8	1	3	3	4	3	2	2	3	5	2	2	1	2	5	19
20 Other respiratory diseases	1	—	1	—	2	1	1	1	—	—	1	2	1	1	—	1	1	—	20
21 Ulcer of stomach or duodenum	—	—	1	1	1	—	—	—	1	—	2	—	2	—	—	1	—	2	21
22 Diarrhœa, &c. (under 2 years)	—	2	—	—	—	—	—	—	—	—	1	—	2	2	—	—	1	—	22
23 Appendicitis and typhilitis	1	—	1	—	—	2	1	—	—	—	1	—	2	—	—	—	—	—	23
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	24
25 Acute and chronic nephritis	—	3	2	1	2	—	2	1	2	2	—	3	2	5	1	1	2	1	25
26 Puerperal sepsis	—	1	—	1	—	—	—	—	—	1	—	1	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	2	4	5	3	7	2	7	—	3	3	5	4	5	3	3	4	2	1	28
29 Suicide	1	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	2	—	29
30 Other deaths from violence	1	1	4	—	6	1	4	3	1	—	3	1	6	4	2	2	4	1	30
31 Other defined diseases	9	4	23	28	6	9	12	21	13	7	6	24	20	21	6	16	22	13	31
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	32

NORFOLK—*cont.*

NORTHAMPTONSHIRE.

Causes of Death.	Walsingham R.D.		Wayland R.D.						Kettering U.D.		Rushden U.D.		Wellingborough U.D.						
	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.					
All Causes	103	97	72	84					178	168	63	58	122	129					
1 Enteric fever	—	—	—	—					—	—	—	—	—	—					1
2 Small-pox	—	—	—	—					—	—	—	—	—	—					2
3 Measles	—	—	—	—					—	—	1	2	1	2					3
4 Scarlet fever	—	—	—	—					—	—	—	—	1	—					4
5 Whooping cough	—	—	—	—					—	—	—	—	—	1					5
6 Diphtheria	—	—	—	—					2	2	—	—	—	—					6
7 Influenza	2	—	1	—					2	2	1	—	2	3					7
8 Encephalitis lethargica	—	1	—	—					1	—	—	1	—	—					8
9 Meningococcal meningitis	—	—	—	—					—	—	—	—	—	—					9
10 Tuberculosis of respiratory sys.	5	5	2	9					15	8	5	2	15	6					10
11 Other tuberculous diseases	1	1	3	—					2	3	1	—	—	—					11
12 Cancer, malignant disease	12	14	12	8					19	33	4	7	17	20					12
13 Rheumatic fever	—	—	—	—					1	1	—	—	—	—					13
14 Diabetes	2	2	3	2					2	3	2	—	1	3					14
15 Cerebral hæmorrhage, &c.	3	8	3	3					10	14	2	2	6	6					15
16 Heart disease	23	27	15	17					35	37	14	17	24	24					16
17 Arterio-sclerosis	6	7	8	16					7	2	2	5	8	3					17
18 Bronchitis	8	5	3	2					6	6	5	2	3	8					18
19 Pneumonia (all forms)	4	4	1	5					17	6	3	2	3	8					19
20 Other respiratory diseases	3	2	1	—					3	1	2	2	1	2					20
21 Ulcer of stomach or duodenum	—	—	—	—					3	1	—	—	—	1					21
22 Diarrhœa, &c. (under 2 years)	—	1	—	—					—	—	—	1	1	—					22
23 Appendicitis and typhilitis	—	—	—	—					1	1	—	—	—	—					23
24 Cirrhosis of liver	—	—	—	—					3	1	—	—	—	—					24
25 Acute and chronic nephritis	4	1	2	1					5	5	1	—	1	1					25
26 Puerperal sepsis	—	—	—	2					—	—	—	—	—	—					26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1					—	—	—	—	—	—					27
28 Congenital debility and malformation, premature birth	2	2	4	1					9	5	3	3	5	4					28
29 Suicide	1	1	2	2					2	3	3	—	3	2					29
30 Other deaths from violence	8	—	1	—					7	2	2	1	2	3					30
31 Other defined diseases	19	16	11	15					25	32	12	11	26	30					31
32 Causes ill-defined or unknown	—	—	—	—					1	—	—	—	2	2					32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*NORTHAMPTONSHIRE—*cont.*

NORTHUMBERLAND.

Causes of Death.	Brixworth R.D.		Daventry R.D.		Thrapston (part of) R.D.*		Wellingborough R.D.						Ashington U.D.		Bedlingtonshire U.D.		Berwick upon Tweed M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.					M.	F.	M.	F.	M.	F.	
All Causes	67	74	94	85	66	56	71	69					162	147	187	140	85	76	1
1 Enteric fever	—	—	—	—	—	—	—	—					—	—	1	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—					—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	1	—					2	1	1	—	—	—	4
4 Scarlet fever	—	—	1	—	—	—	—	—					—	—	—	—	—	—	5
5 Whooping cough	—	—	1	—	—	—	—	—					—	—	2	—	1	1	6
6 Diphtheria	—	—	—	1	1	1	1	—					2	1	1	1	—	—	7
7 Influenza	—	—	1	—	—	—	1	1					2	—	1	1	—	—	8
8 Encephalitis lethargica	1	—	—	—	—	—	—	—					1	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—					—	—	1	—	—	—	10
10 Tuberculosis of respiratory sys.	6	2	2	5	3	5	7	5					16	13	15	6	4	4	11
11 Other tuberculous diseases	1	1	1	2	1	—	—	—					9	3	2	5	1	—	12
12 Cancer, malignant disease	3	10	13	10	15	4	10	17					15	19	20	14	8	13	13
13 Rheumatic fever	—	—	—	—	1	—	—	2					—	1	1	1	—	—	14
14 Diabetes	—	1	1	1	1	—	—	—					1	4	2	2	—	2	15
15 Cerebral hæmorrhage, &c.	5	11	4	10	4	12	3	2					9	16	3	2	6	4	16
16 Heart disease	12	12	17	12	13	11	12	21					14	18	23	22	12	17	17
17 Arterio-sclerosis	5	2	1	3	—	3	2	1					6	7	8	9	2	2	18
18 Bronchitis	2	5	7	3	3	2	2	2					11	13	5	5	1	4	19
19 Pneumonia (all forms)	5	4	5	4	5	2	3	3					11	6	13	13	11	4	20
20 Other respiratory diseases	1	—	—	—	1	—	1	2					4	1	3	2	1	1	21
21 Ulcer of stomach or duodenum	2	—	—	1	1	—	—	1					3	—	3	—	—	1	22
22 Diarrhœa, &c. (under 2 years)	—	—	—	1	—	—	—	—					6	1	2	1	1	—	23
23 Appendicitis and typhlitis	—	1	2	—	—	1	—	—					2	—	3	—	1	—	24
24 Cirrhosis of liver	—	—	—	—	—	—	—	—					1	—	1	2	—	—	25
25 Acute and chronic nephritis	3	—	3	6	4	1	2	—					3	5	8	7	5	2	26
26 Puerperal sepsis	—	1	—	—	—	—	—	—					—	—	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—					—	—	—	2	—	2	28
28 Congenital debility and malformation, premature birth	4	2	—	3	—	1	5	2					13	13	16	6	2	3	29
29 Suicide	3	—	1	—	3	—	2	—					—	—	1	—	—	—	30
30 Other deaths from violence	—	1	4	3	6	—	4	—					10	2	15	6	6	2	31
31 Other defined diseases	14	21	29	20	3	13	14	9					21	23	35	29	21	14	32
32 Causes ill-defined or unknown	—	—	1	—	1	—	1	1					—	—	1	2	1	—	32

NORTHUMBERLAND—*cont.*

Causes of Death.	Blyth M.B.		Earsdon U.D.		Gosforth U.D.		Longbenton U.D.		Newburn U.D.		Wallsend M.B.		Whitley & Monks-eaton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	189	154	74	63	87	70	68	85	117	98	264	227	117	141	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	2	—	—	—	—	—	1	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	2	1	—	1	—	5
5 Whooping cough	1	—	1	—	—	—	—	—	—	1	2	—	—	—	6
6 Diphtheria	—	—	—	—	—	—	—	—	—	1	2	1	—	—	7
7 Influenza	3	4	1	—	2	—	1	—	1	1	3	—	—	—	8
8 Encephalitis lethargica	—	—	—	1	—	1	—	—	—	1	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	18	11	7	3	9	5	1	3	11	11	37	33	8	2	11
11 Other tuberculous diseases	8	5	1	3	1	—	2	3	4	4	6	4	2	2	12
12 Cancer, malignant disease	17	21	6	5	12	16	6	11	11	14	25	25	12	29	13
13 Rheumatic fever	1	1	—	—	—	—	1	—	—	—	—	1	—	2	14
14 Diabetes	2	3	—	—	1	2	1	—	1	3	2	5	—	2	15
15 Cerebral hæmorrhage, &c.	4	10	3	9	3	5	6	5	10	13	6	21	6	9	16
16 Heart disease	32	32	8	11	21	14	4	18	22	8	33	32	25	32	17
17 Arterio-sclerosis	4	4	2	3	6	7	5	4	2	7	4	5	12	—	18
18 Bronchitis	6	5	3	—	2	1	1	3	9	4	14	7	2	4	19
19 Pneumonia (all forms)	10	6	6	6	5	3	7	6	7	6	17	6	8	2	20
20 Other respiratory diseases	5	2	3	—	1	1	—	1	2	3	3	3	—	—	21
21 Ulcer of stomach or duodenum	2	—	2	1	1	—	3	—	1	—	6	1	3	1	22
22 Diarrhœa, &c. (under 2 years)	2	4	1	—	—	—	1	—	1	5	3	—	—	—	23
23 Appendicitis and typhlitis	1	—	—	—	1	—	—	1	—	—	1	1	1	—	24
24 Cirrhosis of liver	2	1	—	—	1	1	2	1	—	—	1	—	2	—	25
25 Acute and chronic nephritis	11	4	—	3	5	1	4	6	2	2	7	11	5	6	26
26 Puerperal sepsis	—	1	—	2	—	—	—	—	—	—	2	—	2	—	27
27 Other accidents and diseases of pregnancy and parturition	—	4	—	3	—	—	—	—	5	—	1	—	—	—	28
28 Congenital debility and malformation, premature birth	18	9	8	3	3	1	1	2	8	3	17	14	3	2	29
29 Suicide	3	—	—	1	2	—	1	1	—	5	1	—	—	—	30
30 Other deaths from violence	9	2	5	—	2	1	6	1	6	7	17	3	8	3	31
31 Other defined diseases	30	24	13	10	13	12	16	16	19	11	50	38	24	27	32
32 Causes ill-defined or unknown	—	1	—	—	1	—	1	—	—	—	1	2	1	1	32

* The remainder of Thrapston R.D. is in Huntingdonshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*NORTHUMBERLAND—*cont.*

NOTTINGHAMSHIRE.

Causes of Death.	Alnwick R.D.		Castle Ward R.D.		Hexham R.D.		Morpeth R.D.		Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	94	71	62	66	110	144	91	78	81	71	90	92	110	109	93	94	
1 Enteric fever	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	2	—	—	—	—	—	—	—	—	—	—	—	2	—	4
5 Whooping cough	1	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	5
6 Diphtheria	—	—	—	—	—	2	—	—	1	1	1	1	1	—	—	—	6
7 Influenza	1	—	2	—	1	3	—	1	1	—	—	—	—	—	4	—	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	2	4	5	3	6	6	4	4	2	5	13	9	8	6	7	10
11 Other tuberculous diseases	1	1	—	—	—	1	3	2	1	1	1	4	—	1	—	1	11
12 Cancer, malignant disease	11	7	8	9	11	25	7	5	6	12	12	6	11	14	7	8	12
13 Rheumatic fever	1	—	1	—	—	—	—	2	—	—	—	—	—	—	—	1	13
14 Diabetes	1	2	1	2	2	—	—	2	—	2	1	2	—	1	1	—	14
15 Cerebral hæmorrhage, &c.	7	13	4	5	9	10	7	7	5	1	5	10	9	10	4	9	15
16 Heart disease	17	14	7	11	24	34	13	12	16	16	9	11	15	19	13	12	16
17 Arterio-sclerosis	3	1	1	4	8	2	10	3	—	2	4	1	6	3	8	2	17
18 Bronchitis	—	2	4	1	7	—	—	3	12	8	6	4	5	7	2	1	18
19 Pneumonia (all forms)	4	2	2	4	5	5	6	3	13	3	7	5	6	5	6	7	19
20 Other respiratory diseases	1	—	1	—	1	6	1	—	2	1	2	—	5	2	2	2	20
21 Ulcer of stomach or duodenum	2	1	1	—	3	2	4	—	—	—	1	1	1	2	2	2	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	—	—	1	1	1	2	2	1	—	1	22
23 Appendicitis and typhlitis	—	1	2	—	1	1	1	—	—	1	—	—	2	—	1	—	23
24 Cirrhosis of liver	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1	1	24
25 Acute and chronic nephritis	5	3	3	4	4	16	3	4	3	1	1	8	4	2	—	3	25
26 Puerperal sepsis	—	—	—	2	—	2	—	1	—	1	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	27
28 Congenital debility and malformation, premature birth	3	3	3	1	5	6	1	7	2	1	6	2	7	1	9	3	28
29 Suicide	—	—	1	—	1	—	—	—	3	1	2	2	—	—	—	—	29
30 Other deaths from violence	3	2	4	3	7	2	5	3	4	1	8	1	12	8	8	2	30
31 Other defined diseases	24	15	10	13	13	20	21	18	5	15	18	17	15	23	19	28	31
32 Causes ill-defined or unknown	2	2	—	1	—	—	1	—	1	—	—	—	—	—	—	—	32

NOTTINGHAMSHIRE—*cont.*

Causes of Death.	Huck- nall U.D.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Wood- house U.D.		Newark M.B.		Sutton in Ashfield U.D.		West Bridg- ford U.D.		Work- sop U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	127	90	103	80	235	209	62	71	115	92	138	105	74	110	123	136	
1 Enteric fever	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
3 Measles	1	—	2	1	4	3	2	1	2	1	1	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	1	—	—	—	2	2	—	—	1	—	—	—	4
5 Whooping cough	—	2	—	2	—	2	—	2	—	—	1	—	—	—	1	3	5
6 Diphtheria	2	2	—	—	—	—	—	—	1	—	2	1	—	—	—	1	6
7 Influenza	—	1	3	—	3	2	1	—	4	2	3	1	—	1	1	2	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	6	4	10	8	21	14	3	10	9	6	7	12	6	1	8	12	10
11 Other tuberculous diseases	3	1	—	—	2	1	—	—	1	—	3	3	2	1	6	6	11
12 Cancer, malignant disease	12	16	13	13	30	22	9	11	12	14	15	10	8	22	19	13	12
13 Rheumatic fever	1	—	1	—	—	1	—	—	—	—	1	2	—	—	1	—	13
14 Diabetes	2	4	—	1	2	5	—	—	2	—	—	—	2	1	1	6	14
15 Cerebral hæmorrhage, &c.	9	9	3	6	13	16	1	6	1	5	6	9	1	8	4	16	15
16 Heart disease	21	13	17	9	30	37	10	9	26	21	24	19	16	24	17	16	16
17 Arterio-sclerosis	8	1	4	2	4	4	4	—	9	5	1	3	1	3	3	5	17
18 Bronchitis	10	4	5	3	12	5	4	4	5	2	3	7	4	2	6	4	18
19 Pneumonia (all forms)	9	9	6	9	14	18	3	3	8	5	13	4	5	5	10	5	19
20 Other respiratory diseases	2	—	—	—	4	1	2	—	—	—	2	—	—	2	3	—	20
21 Ulcer of stomach or duodenum	—	—	1	—	7	1	—	—	2	1	2	—	—	1	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	1	4	—	—	—	1	1	—	—	2	2	1	—	—	—	22
23 Appendicitis and typhlitis	—	—	—	—	2	—	2	—	1	—	—	—	—	1	2	1	23
24 Cirrhosis of liver	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	24
25 Acute and chronic nephritis	6	1	3	2	4	4	—	2	2	3	4	2	4	3	2	2	25
26 Puerperal sepsis	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	3	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	2	27
28 Congenital debility and malformation, premature birth	6	2	7	6	12	13	9	5	6	7	4	3	5	3	10	6	28
29 Suicide	3	—	1	—	4	1	2	—	1	—	2	1	2	2	2	—	29
30 Other deaths from violence	5	2	4	—	13	5	3	2	3	—	15	1	3	3	1	4	30
31 Other defined diseases	20	17	18	16	50	48	6	15	16	18	25	24	9	24	24	29	31
32 Causes ill-defined or unknown	—	—	—	—	2	1	—	—	—	—	—	—	2	1	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*NOTTINGHAMSHIRE—*cont.*

OXFORDSHIRE.

Causes of Death.	Basford R.D.		Bingham R.D.		East Retford R.D.		Southwell R.D.		Staple- ford R.D.		Banbury M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	252	239	85	73	86	75	153	160	60	57	84	80	
1 Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	—	—	—	—	3	1	—	—	—	3
4 Scarlet fever	1	1	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	3	4	—	—	—	—	1	1	—	—	—	—	5
6 Diphtheria	1	2	—	—	—	—	—	1	—	—	—	—	6
7 Influenza	6	3	1	—	3	2	2	3	—	2	—	1	7
8 Encephalitis lethargica	1	—	—	—	1	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	10	9	1	7	5	2	6	5	3	8	6	6	10
11 Other tuberculous diseases	4	4	1	1	1	1	3	—	1	1	—	1	11
12 Cancer, malignant disease	23	42	15	17	8	17	14	21	3	5	7	17	12
13 Rheumatic fever	—	—	1	1	—	—	—	—	—	—	—	—	13
14 Diabetes	1	6	1	—	1	1	3	3	1	—	2	—	14
15 Cerebral hæmorrhage, &c.	13	18	3	3	4	8	6	8	5	3	6	8	15
16 Heart disease	43	45	16	12	13	13	38	33	6	8	18	18	16
17 Arterio-sclerosis	7	6	2	3	6	4	6	9	1	1	1	2	17
18 Bronchitis	20	9	2	1	5	3	4	7	5	3	7	8	18
19 Pneumonia (all forms)	14	10	6	2	3	2	12	12	9	3	3	2	19
20 Other respiratory diseases	2	1	—	1	—	—	4	4	—	—	—	—	20
21 Ulcer of stomach or duodenum	4	3	1	1	2	—	2	—	—	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	—	2	1	—	—	—	—	22
23 Appendicitis and typhlitis	1	—	—	—	—	—	1	1	—	2	—	—	23
24 Cirrhosis of liver	3	2	1	—	—	—	—	—	—	—	2	—	24
25 Acute and chronic nephritis	6	6	3	4	2	2	2	7	2	2	5	3	25
26 Puerperal sepsis	—	2	—	—	—	—	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	19	8	1	2	8	7	15	8	5	3	1	1	28
29 Suicide	7	2	1	1	—	2	—	3	—	—	1	—	29
30 Other deaths from violence	15	1	7	2	7	—	10	6	3	—	5	4	30
31 Other defined diseases	44	51	21	14	17	9	21	23	14	13	20	9	31
32 Causes ill-defined or unknown	2	3	—	1	—	—	—	—	1	1	—	—	32

OXFORDSHIRE—*cont.*PETERBOROUGH,
SOKE OF.

Causes of Death.	Banbury R.D.		Chipping Norton R.D.		Henley R.D.		Witney R.D.		Peter- borough M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	79	72	56	72	70	55	118	101	250	242	
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	—	—	3	1	5
6 Diphtheria	—	—	—	—	—	—	—	—	2	2	6
7 Influenza	—	1	1	2	—	—	—	—	4	7	7
8 Encephalitis lethargica	—	1	—	—	—	—	1	—	2	2	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	1	—	1	9
10 Tuberculosis of respiratory sys.	1	4	9	1	4	3	5	3	7	7	10
11 Other tuberculous diseases	—	1	—	—	1	3	1	1	—	—	11
12 Cancer, malignant disease	9	11	7	9	11	5	16	15	39	35	12
13 Rheumatic fever	—	—	—	—	1	—	—	—	—	1	13
14 Diabetes	—	1	—	1	1	2	2	—	2	7	14
15 Cerebral hæmorrhage, &c.	5	9	2	3	13	4	10	6	15	23	15
16 Heart disease	18	15	12	20	12	12	25	30	41	49	16
17 Arterio-sclerosis	3	—	4	9	3	3	2	3	8	7	17
18 Bronchitis	7	2	4	6	1	2	2	6	17	10	18
19 Pneumonia (all forms)	5	2	2	3	5	3	4	3	11	5	19
20 Other respiratory diseases	1	1	—	—	1	—	1	—	4	1	20
21 Ulcer of stomach or duodenum	2	1	—	—	—	1	1	—	5	1	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	1	—	2	3	22
23 Appendicitis and typhlitis	1	—	1	1	—	—	1	—	1	1	23
24 Cirrhosis of liver	1	—	1	1	—	—	2	1	1	1	24
25 Acute and chronic nephritis	6	—	1	1	—	1	10	2	7	8	25
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—	—	—	27
28 Congenital debility and malformation, premature birth	1	3	3	—	—	4	3	3	12	13	28
29 Suicide	2	1	1	—	1	—	1	1	3	1	29
30 Other deaths from violence	4	1	3	—	4	—	8	1	8	6	30
31 Other defined diseases	13	17	5	15	11	10	22	23	54	50	31
32 Causes ill-defined or unknown	—	—	—	—	—	2	—	—	2	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

SHROPSHIRE.

Causes of Death.				Oaken-gates U.D.		Shrews-bury M.B.		Wen-lock M.B.		Atcham R.D.		Oswes-try R.D.		Wellington R.D.				
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.			
All Causes				89	56	187	181	102	102	131	113	115	98	62	62			
1 Enteric fever				—	—	—	—	—	—	—	—	—	—	1	2			1
2 Small-pox				—	—	—	—	—	—	—	—	—	—	—	—			2
3 Measles				—	—	1	3	—	1	1	1	—	1	—	—			3
4 Scarlet fever				—	—	—	—	—	—	—	—	—	—	—	—			4
5 Whooping cough				—	—	—	1	—	1	—	—	—	—	—	—			5
6 Diphtheria				—	—	—	2	—	—	—	—	1	—	3	—			6
7 Influenza				7	2	—	—	5	2	—	2	2	—	—	1			7
8 Encephalitis lethargica				—	—	1	—	—	—	—	—	—	—	—	—			8
9 Meningococcal meningitis				—	—	—	—	—	—	—	—	—	—	—	—			9
10 Tuberculosis of respiratory sys.				3	2	12	7	4	1	5	4	2	2	3	3			10
11 Other tuberculous diseases				1	—	1	3	2	1	1	2	1	2	1	2			11
12 Cancer, malignant disease				6	7	24	19	8	9	14	17	8	17	8	5			12
13 Rheumatic fever				—	—	—	1	—	—	1	—	—	—	—	1			13
14 Diabetes				1	2	3	1	2	1	6	4	2	1	—	3			14
15 Cerebral hæmorrhage, &c.				1	3	5	11	11	9	8	13	2	8	6	3			15
16 Heart disease				18	9	45	49	22	25	21	22	28	29	11	13			16
17 Arterio-sclerosis				2	1	15	6	3	2	4	2	5	3	3	2			17
18 Bronchitis				2	3	8	6	8	6	5	4	4	3	1	2			18
19 Pneumonia (all forms)				11	2	11	12	3	4	3	5	5	2	3	3			19
20 Other respiratory diseases				1	2	1	1	—	1	2	1	2	1	2	—			20
21 Ulcer of stomach or duodenum				—	—	3	1	1	—	2	—	2	—	—	1			21
22 Diarrhœa, &c. (under 2 years)				—	—	3	1	—	1	1	—	1	—	—	1			22
23 Appendicitis and typhlitis				1	—	—	3	3	2	1	—	—	—	—	—			23
24 Cirrhosis of liver				—	—	—	—	—	—	—	1	1	1	—	—			24
25 Acute and chronic nephritis				4	—	3	4	3	3	2	1	10	8	4	2			25
26 Puerperal sepsis				—	1	—	1	—	—	—	1	—	—	—	—			26
27 Other accidents and diseases of pregnancy and parturition				—	1	—	1	—	4	—	2	—	—	—	1			27
28 Congenital debility and mal-formation, premature birth				6	2	10	5	5	2	9	1	9	1	4	2			28
29 Suicide				4	—	—	4	1	—	3	—	—	—	—	—			29
30 Other deaths from violence				6	1	10	6	5	3	9	1	5	4	2	—			30
31 Other defined diseases				15	17	29	33	16	23	32	27	25	14	9	15			31
32 Causes ill-defined or unknown				—	1	2	—	—	1	1	2	—	1	1	—			32

SOMERSETSHIRE.

Causes of Death.	Bridg- water M.B.		Frome U.D.		Taunton M.B.		Weston- super- Mare U.D.		Yeovil M.B.		Axbridge R.D.		Bath R.D.		Bridg- water R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	111	100	63	62	147	148	136	165	85	92	142	148	92	80	97	85	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	1	—	—	—	—	—	—	2	—	1	2	—	—	1	1	6
6 Diphtheria	2	1	1	—	—	—	—	2	1	2	—	1	—	—	—	—	7
7 Influenza	—	—	1	—	—	—	1	3	1	1	—	—	5	2	2	1	8
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	4	10	2	2	9	9	6	7	5	4	9	10	—	—	9	5	11
11 Other tuberculous diseases	—	2	—	1	1	1	—	3	—	2	—	—	—	—	—	—	12
12 Cancer, malignant disease	15	13	7	17	21	23	19	18	3	13	22	20	16	18	10	12	13
13 Rheumatic fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	14
14 Diabetes	—	1	—	—	1	3	2	5	1	3	3	2	2	1	2	2	15
15 Cerebral hæmorrhage, &c.	10	8	2	5	4	6	7	12	6	6	12	10	1	3	7	4	16
16 Heart disease	15	18	14	14	25	30	34	34	17	19	26	40	19	19	14	19	17
17 Arterio-sclerosis	5	3	4	—	8	4	5	2	5	4	3	12	5	1	5	3	18
18 Bronchitis	4	5	1	1	5	9	2	9	3	2	8	4	5	4	3	4	19
19 Pneumonia (all forms)	4	4	6	2	6	4	12	9	5	3	5	3	7	4	4	1	20
20 Other respiratory diseases	—	2	—	—	3	—	4	—	1	—	1	1	2	1	1	1	21
21 Ulcer of stomach or duodenum	3	1	2	—	3	1	3	6	4	—	—	3	—	—	1	—	22
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	1	—	1	—	—	—	—	2	—	—	—	—	23
23 Appendicitis and typhlitis	1	—	—	—	4	3	—	1	2	—	—	2	1	1	—	—	24
24 Cirrhosis of liver	—	—	1	1	1	—	—	2	2	—	2	—	1	—	1	—	25
25 Acute and chronic nephritis	3	2	1	2	8	6	11	9	2	2	8	3	7	6	5	3	26
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	1	—	1	—	1	—	2	—	—	—	—	28
28 Congenital debility and mal-formation, premature birth	4	2	3	1	5	1	3	2	2	4	3	5	1	—	2	2	29
29 Suicide	2	1	2	—	2	1	1	1	1	1	3	1	—	—	2	—	30
30 Other deaths from violence	13	3	5	—	7	11	3	5	2	3	7	2	5	3	9	4	31
31 Other defined diseases	26	19	11	16	32	35	21	34	18	21	29	25	15	15	18	21	32
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***SOMERSETSHIRE—*cont.***

Causes of Death.	Chard R.D.		Clutton R.D.		Frome R.D.		Keyn- sham R.D.		Langport R.D.		Long Ashton R.D.		Taunton R.D.		Wells R.D.		Williton R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	65	83	82	85	75	63	62	61	95	86	80	111	112	101	64	48	85	52	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5
5 Whooping cough	—	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	6
6 Diphtheria	—	—	—	—	1	3	—	—	—	—	—	—	1	—	1	—	—	1	7
7 Influenza	1	1	—	—	3	1	3	—	4	3	—	1	2	2	1	2	—	1	8
8 Encephalitis lethargica	—	—	1	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	4	2	5	2	3	1	5	3	2	4	5	11	4	10	3	1	4	2	11
11 Other tuberculous diseases	—	2	1	—	1	—	3	1	1	—	1	—	1	—	—	—	—	—	12
12 Cancer, malignant disease	9	17	9	8	7	12	11	10	14	13	9	18	21	12	4	4	6	6	13
13 Rheumatic fever	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	14
14 Diabetes	—	—	2	—	—	—	—	4	1	—	3	—	2	1	1	—	1	1	15
15 Cerebral hæmorrhage, &c.	4	5	5	9	1	6	2	6	6	9	2	12	10	5	1	3	4	3	16
16 Heart disease	12	20	19	23	11	14	11	15	21	13	14	22	17	22	17	14	23	12	17
17 Arterio-sclerosis	2	1	3	6	4	2	3	1	1	1	5	2	4	1	3	2	5	5	18
18 Bronchitis	5	2	3	7	3	2	4	—	6	5	2	3	4	1	2	2	9	2	19
19 Pneumonia (all forms)	2	2	1	1	3	—	2	—	3	3	6	6	1	2	7	1	2	3	20
20 Other respiratory diseases	2	—	—	—	3	1	—	1	2	1	1	1	1	2	—	—	1	—	21
21 Ulcer of stomach or duodenum	4	—	2	1	1	—	—	1	—	—	1	2	4	—	1	1	2	—	22
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	2	—	—	—	—	—	—	—	2	1	1	—	—	—	23
23 Appendicitis and typhlitis	1	—	—	2	—	—	—	1	—	—	—	—	1	—	1	—	1	—	24
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	25
25 Acute and chronic nephritis	—	2	3	5	4	1	3	3	14	4	6	5	7	2	5	1	4	—	26
26 Puerperal sepsis	—	2	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	28
28 Congenital debility and malformation, premature birth	3	2	3	2	3	—	1	2	1	3	10	3	5	5	4	1	3	1	29
29 Suicide	3	—	1	—	—	1	—	—	—	1	1	—	—	—	1	3	1	—	30
30 Other deaths from violence	4	3	8	3	5	1	3	3	4	1	4	3	6	5	5	1	5	—	31
31 Other defined diseases	9	21	18	9	20	17	9	10	14	22	9	18	19	28	6	9	18	9	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	

SOMERSETSHIRE—*cont.***SOUTHAMPTON.**

Causes of Death.	Wincan- ton R.D.		Yeovil R.D.		Aldershot M.B.		Basing- stoke M.B.		East- leigh & Bishop- stoke U.D.		Fareham U.D.		Farn- borough U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	123	112	96	114	124	133	71	53	85	80	51	55	56	55	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	2	7	—	—	1	—	3	1	1	2	4
4 Scarlet fever	—	—	1	—	1	3	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	2	—	—	3	3	—	2	—	—	—	—	1	—	6
6 Diphtheria	—	—	1	—	1	—	—	—	1	—	—	—	1	—	7
7 Influenza	2	2	2	—	1	1	—	—	1	1	1	—	1	1	8
8 Encephalitis lethargica	—	—	—	1	1	—	—	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	6	3	3	3	4	12	4	3	8	5	4	1	3	3	11
11 Other tuberculous diseases	2	4	1	3	3	3	1	1	—	—	1	1	—	1	12
12 Cancer, malignant disease	16	13	10	14	23	15	10	8	11	8	6	11	5	4	13
13 Rheumatic fever	1	—	—	—	1	—	—	—	—	—	1	—	—	—	14
14 Diabetes	—	—	1	3	—	3	—	2	—	2	—	—	1	2	15
15 Cerebral hæmorrhage, &c.	9	9	5	6	4	12	5	7	4	6	5	6	1	2	16
16 Heart disease	22	23	17	20	16	23	9	9	18	28	6	10	13	15	17
17 Arterio-sclerosis	1	6	3	6	5	2	3	3	—	1	—	5	4	2	18
18 Bronchitis	7	6	5	6	5	2	2	3	4	1	2	1	—	1	19
19 Pneumonia (all forms)	2	1	4	4	5	5	3	1	4	6	2	1	—	—	20
20 Other respiratory diseases	—	2	2	1	2	—	—	—	1	1	1	2	1	—	21
21 Ulcer of stomach or duodenum	1	—	3	—	2	2	1	—	4	—	—	—	—	—	22
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	—	4	—	—	2	1	1	—	—	—	23
23 Appendicitis and typhlitis	—	1	—	—	1	—	—	—	—	—	—	—	1	2	24
24 Cirrhosis of liver	2	—	2	—	—	—	—	—	—	—	2	—	—	2	25
25 Acute and chronic nephritis	9	5	2	5	—	4	4	—	1	4	1	1	1	3	26
26 Puerperal sepsis	—	—	—	1	—	1	—	1	—	—	—	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	2	—	1	—	1	—	—	—	2	28
28 Congenital debility and malformation, premature birth	3	3	1	4	10	4	2	—	4	4	—	—	5	3	29
29 Suicide	1	—	—	1	5	—	1	—	—	—	—	—	2	1	30
30 Other deaths from violence	7	2	7	2	6	5	6	—	7	—	1	—	4	2	31
31 Other defined diseases	32	29	26	34	23	20	20	12	15	9	13	15	11	7	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	1	—	—	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

SOUTHAMPTON—*cont.*

Causes of Death.	Gosport M.B.		Win- chester M.B.			Alton R.D.		And- over R.D.		Basing- stoke R.D.		Droxford R.D.		Fareham R.D.		Hartley Wintney R.D.		
	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	190	163	151	130		84	88	69	48	76	67	98	82	85	80	107	131	
1 Enteric fever	—	—	—	—		—	1	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	6	4	3		—	2	—	—	—	—	1	1	3	2	—	1	3
4 Scarlet fever	—	1	—	—		—	1	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	—	—	—		—	—	—	—	1	—	—	—	1	—	—	—	5
6 Diphtheria	—	—	—	4		1	—	1	1	—	—	—	—	1	—	—	—	6
7 Influenza	—	1	1	—		1	—	—	—	1	1	1	1	1	—	1	4	7
8 Encephalitis lethargica	—	—	—	—		—	1	—	—	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—		—	1	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	10	8	8	5		2	4	5	1	1	2	5	3	5	3	7	8	10
11 Other tuberculous diseases	3	2	—	1		4	1	2	—	1	1	2	1	—	1	—	1	11
12 Cancer, malignant disease	29	32	18	15		5	12	11	5	10	17	9	13	4	14	16	20	12
13 Rheumatic fever	—	3	2	—		1	—	—	—	—	1	—	—	1	—	—	1	13
14 Diabetes	3	1	1	1		2	2	2	—	—	—	3	1	—	2	—	—	14
15 Cerebral hæmorrhage, &c.	12	15	8	8		2	2	1	3	3	2	6	2	3	5	3	5	15
16 Heart disease	30	22	33	34		25	28	13	13	21	12	20	23	20	16	30	34	16
17 Arterio-sclerosis	9	1	4	4		4	2	2	1	3	4	7	3	3	5	5	11	17
18 Bronchitis	8	5	2	9		5	3	2	1	4	—	8	3	2	1	2	2	18
19 Pneumonia (all forms)	15	8	10	5		4	1	2	2	5	—	4	9	3	6	3	5	19
20 Other respiratory diseases	6	2	6	—		1	—	1	1	—	1	2	—	2	1	1	1	20
21 Ulcer of stomach or duodenum	2	1	1	2		1	—	—	—	—	—	—	—	2	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	3	—	—	—		—	—	—	—	1	—	—	—	1	—	—	—	22
23 Appendicitis and typhlitis	1	3	1	1		—	1	1	—	—	1	—	—	—	—	—	2	23
24 Cirrhosis of liver	1	—	—	1		—	—	1	—	—	—	—	—	1	—	1	—	24
25 Acute and chronic nephritis	6	5	7	2		1	1	3	3	2	3	1	2	7	5	4	5	25
26 Puerperal sepsis	—	—	—	—		—	—	—	—	—	—	—	—	—	2	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	3	—	—		—	—	—	—	—	—	—	—	—	—	—	—	27
28 Congenital debility and mal- formation, premature birth	9	4	8	6		6	7	5	4	2	4	4	6	7	6	6	6	28
29 Suicide	—	—	1	—		—	—	—	—	—	—	1	1	1	—	1	—	29
30 Other deaths from violence	6	3	8	1		1	2	3	1	3	3	7	2	3	—	8	3	30
31 Other defined diseases	35	37	28	28		18	16	14	12	19	14	20	9	13	13	15	19	31
32 Causes ill-defined or unknown	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	32

SOUTHAMPTON—cont.

STAFFORDSHIRE.

Causes of Death.	New Forest R.D.		Petersfield R.D.		South Stoneham R.D.		Winchester R.D.					Audley U.D.		Bilston U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.				M.	F.	M.	F.	
All Causes	129	109	58	73	78	59	71	58				86	89	200	176	
1 Enteric fever	—	—	—	—	—	—	—	—				—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—				—	—	—	—	2
3 Measles	1	2	—	—	—	—	—	—				—	—	6	1	3
4 Scarlet fever	—	—	—	—	1	—	—	—				—	—	—	—	4
5 Whooping cough	1	1	—	—	—	—	—	—				—	1	5	3	5
6 Diphtheria	2	—	—	—	—	—	—	—				—	3	4	—	6
7 Influenza	—	2	1	—	1	1	—	1				2	5	2	4	7
8 Encephalitis lethargica	2	—	—	—	—	—	—	—				—	—	—	—	8
9 Meningococcal meningitis	—	1	—	—	1	—	—	—				—	—	—	1	9
10 Tuberculosis of respiratory sys.	4	3	6	2	6	4	4	2				3	5	21	14	10
11 Other tuberculous diseases	1	1	1	2	2	1	3	1				—	1	3	3	11
12 Cancer, malignant disease	17	10	4	17	14	12	6	8				6	12	14	16	12
13 Rheumatic fever	—	1	—	—	1	—	—	1				—	2	—	—	13
14 Diabetes	—	—	1	—	1	—	2	—				1	4	1	—	14
15 Cerebral hæmorrhage, &c.	7	9	3	7	2	3	—	4				2	5	5	5	15
16 Heart disease	19	19	9	23	14	11	17	12				16	17	21	29	16
17 Arterio-sclerosis	5	3	8	4	1	6	2	2				5	2	5	5	17
18 Bronchitis	6	7	—	2	2	1	1	1				4	2	14	5	18
19 Pneumonia (all forms)	7	7	3	1	4	1	5	3				5	1	32	23	19
20 Other respiratory diseases	1	2	—	1	—	1	1	1				4	—	—	2	20
21 Ulcer of stomach or duodenum	3	2	1	1	2	—	1	1				1	—	2	1	21
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	1	1	—	—				1	1	7	6	22
23 Appendicitis and typhlitis	1	—	2	—	—	2	—	—				1	—	—	2	23
24 Cirrhosis of liver	2	—	—	—	—	—	—	—				—	—	1	1	24
25 Acute and chronic nephritis	9	6	1	1	4	3	—	5				1	5	2	9	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—				—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	—	—	1	—	—	—	—				—	1	—	1	27
28 Congenital debility and malformation, premature birth	8	6	3	2	—	1	4	—				5	3	15	9	28
29 Suicide	3	1	3	—	3	—	1	1				1	—	1	3	29
30 Other deaths from violence	9	2	3	3	4	2	5	2				4	4	5	5	30
31 Other defined diseases	21	23	9	6	14	8	19	13				24	15	34	28	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—				—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

STAFFORDSHIRE—*cont.*

Causes of Death.	Brierley Hill U.D.		Brown-hills U.D.		Can-nock U.D.		Cose-ley U.D.		Dar-laston U.D.		Leek U.D.		New-castle under Lyme M.B.		Rowley Regis U.D.		Sedg-ley U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	71	62	108	86	201	139	161	134	106	115	111	107	147	116	242	221	108	80	1
1 Enteric fever	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	2	2	—	—	—	4	2	—	—	—	—	—	—	4	4	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	1	1	—	3	2	2	—	1	—	—	1	1	—	—	—	—	—	—	6
6 Diphtheria	1	—	—	1	—	1	—	—	2	—	—	—	2	—	4	—	2	—	7
7 Influenza	2	1	2	—	2	1	2	—	2	—	3	1	2	—	7	9	2	2	8
8 Encephalitis lethargica	1	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	4	—	3	3	8	7	8	13	8	16	5	5	4	8	15	17	7	6	11
11 Other tuberculous diseases	1	—	3	2	3	3	1	3	2	—	1	1	2	1	2	—	4	2	12
12 Cancer, malignant disease	15	10	11	9	17	22	19	19	12	7	12	14	16	17	23	33	13	11	13
13 Rheumatic fever	1	1	—	—	2	—	—	—	—	—	—	1	—	1	1	1	1	—	14
14 Diabetes	—	—	—	1	1	1	1	3	1	3	2	2	1	2	4	4	—	2	15
15 Cerebral hæmorrhage, &c.	3	5	3	8	14	6	6	7	7	6	5	4	5	10	13	14	6	4	16
16 Heart disease	8	9	13	19	26	10	23	19	14	22	28	23	44	30	33	42	19	15	17
17 Arterio-sclerosis	4	—	3	3	18	13	2	—	1	2	5	10	8	1	8	7	1	—	18
18 Bronchitis	7	12	2	4	8	2	6	5	6	8	6	4	7	1	11	7	6	3	19
19 Pneumonia (all forms)	4	—	6	5	11	12	22	12	7	7	6	5	9	9	21	8	6	6	20
20 Other respiratory diseases	—	1	1	1	5	1	1	1	3	4	1	—	2	1	2	1	1	2	21
21 Ulcer of stomach or duodenum	—	—	—	—	2	2	3	—	2	—	6	1	—	1	5	1	1	—	22
22 Diarrhoea, &c. (under 2 years)	1	1	1	—	4	1	4	3	1	2	1	3	3	1	1	1	1	1	23
23 Appendicitis and typhlitis	—	—	2	—	—	—	1	1	—	—	—	—	2	1	3	2	2	1	24
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	4	—	1	1	—	—	—	2	1	—	25
25 Acute and chronic nephritis	1	4	6	3	8	6	2	5	1	—	8	7	2	1	4	11	—	1	26
26 Puerperal sepsis	—	1	—	1	—	—	—	2	—	—	—	—	—	—	3	—	—	—	27
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	—	—	2	—	1	—	—	—	—	—	1	—	1	—	—	—	—	28
28 Congenital debility and mal-formation, premature birth	2	4	13	10	14	10	7	3	10	8	6	2	3	3	16	10	12	3	29
29 Suicide	1	—	1	1	3	—	4	3	1	1	1	—	5	—	5	2	2	—	30
30 Other deaths from violence	3	—	22	1	15	4	9	3	4	2	4	6	10	4	14	5	3	3	31
31 Other defined diseases	9	10	14	9	38	34	33	29	20	24	9	15	21	20	48	33	20	16	32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	

STAFFORDSHIRE—*cont.*

Causes of Death.	Stafford M.B.		Tipton U.D.		Wednes-bury M.B.		Willen-hall U.D.		Wol-stanton United U.D.		Can-nock R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	175	158	250	207	184	171	131	119	154	168	116	102	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	—	15	11	3	2	1	2	—	—	—	—	4
4 Scarlet fever	—	—	—	1	1	—	—	2	—	—	—	—	5
5 Whooping cough	—	—	3	2	—	1	—	1	1	6	3	1	6
6 Diphtheria	—	—	—	1	—	1	2	—	2	1	1	—	7
7 Influenza	5	3	10	1	2	2	5	1	3	1	1	—	8
8 Encephalitis lethargica	1	1	—	1	—	—	—	—	—	—	—	—	9
9 Meningococcal meningitis	—	—	—	—	1	—	—	1	—	—	—	—	10
10 Tuberculosis of respiratory sys.	12	7	17	13	13	10	14	11	11	10	7	8	11
11 Other tuberculous diseases	5	3	5	2	6	1	1	1	1	3	2	—	12
12 Cancer, malignant disease	33	20	16	21	23	17	11	12	13	21	12	10	13
13 Rheumatic fever	1	1	—	—	—	—	—	1	1	2	1	—	14
14 Diabetes	2	—	1	1	—	3	2	2	2	2	—	2	15
15 Cerebral hæmorrhage, &c.	9	14	10	8	7	14	2	6	7	19	7	8	16
16 Heart disease	27	36	27	36	31	37	19	22	39	42	13	20	17
17 Arterio-sclerosis	5	3	3	1	3	10	4	5	2	5	4	1	18
18 Bronchitis	10	8	8	10	14	13	11	9	9	5	5	4	19
19 Pneumonia (all forms)	11	3	44	26	20	13	16	6	12	11	6	7	20
20 Other respiratory diseases	1	4	3	1	2	—	—	2	2	1	1	—	21
21 Ulcer of stomach or duodenum	2	—	2	—	—	1	1	—	1	—	1	—	22
22 Diarrhoea, &c. (under 2 years)	1	1	7	3	—	2	1	—	—	—	1	1	23
23 Appendicitis and typhlitis	1	—	1	2	—	—	1	—	—	1	—	1	24
24 Cirrhosis of liver	1	2	—	—	—	—	—	1	1	—	1	—	25
25 Acute and chronic nephritis	2	7	1	1	8	5	5	5	5	4	4	9	26
26 Puerperal sepsis	—	—	—	—	—	2	—	1	—	1	—	2	27
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	1	—	—	—	—	—	—	—	2	—	1	28
28 Congenital debility and mal-formation, premature birth	2	10	11	13	11	8	5	6	10	6	8	3	29
29 Suicide	2	—	5	1	1	1	1	—	2	2	2	1	30
30 Other deaths from violence	13	4	19	4	10	5	3	2	11	7	10	1	31
31 Other defined diseases	27	29	40	47	27	23	25	20	19	15	25	21	32
32 Causes ill-defined or unknown	—	1	—	—	1	—	1	—	—	—	1	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***STAFFORDSHIRE—*cont.***

Causes of Death.	Cheadle R.D.		Kings- winford R.D.		Leek R.D.		Lich- field R.D.		Seisdon R.D.		Staff- ford R.D.		Stone R.D.		Tam- worth (part of) R.D.*		Wal- sall R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	144	126	131	124	96	96	145	153	90	80	45	48	75	74	34	46	84	89	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	1	2	3	—	—	1	—	—	—	—	—	—	—	—	—	2	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4
5 Whooping cough	—	—	—	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—	5
6 Diphtheria	1	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	3	—	6
7 Influenza	1	6	5	1	3	—	3	3	—	1	1	—	3	—	1	1	1	1	7
8 Encephalitis lethargica	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	8	10	10	3	8	1	8	—	2	3	3	1	3	1	1	5	10	10
11 Other tuberculous diseases	3	1	2	2	2	2	1	—	—	1	—	1	—	1	1	1	3	2	11
12 Cancer, malignant disease	20	12	11	13	11	8	20	19	27	12	6	6	9	7	2	3	11	8	12
13 Rheumatic fever	2	—	3	—	1	—	2	1	—	—	—	—	—	1	—	—	—	—	13
14 Diabetes	1	2	—	2	1	2	2	2	—	—	1	—	1	1	—	1	—	2	14
15 Cerebral hæmorrhage, &c.	2	2	12	15	7	6	4	10	8	5	—	4	6	8	3	6	7	7	15
16 Heart disease	26	30	17	19	17	18	24	35	12	22	7	11	10	15	4	5	11	11	16
17 Arterio-sclerosis	9	11	5	3	5	5	6	10	4	2	1	2	4	2	—	—	2	1	17
18 Bronchitis	3	4	5	8	3	3	8	4	—	4	—	1	2	5	—	3	6	5	18
19 Pneumonia (all forms)	10	8	11	6	6	4	15	9	5	6	—	2	5	7	5	2	5	4	19
20 Other respiratory diseases	5	1	—	3	2	3	2	—	—	—	1	2	—	—	1	—	—	2	20
21 Ulcer of stomach or duodenum	2	1	4	—	1	—	2	—	3	—	—	1	—	—	1	—	1	—	21
22 Diarrhœa, &c. (under 2 years)	1	—	2	4	1	—	1	1	—	1	—	1	1	—	1	—	1	—	22
23 Appendicitis and typhlitis	1	—	—	—	1	—	1	—	1	—	1	1	—	—	—	—	—	—	23
24 Cirrhosis of liver	—	—	2	1	2	—	—	2	—	—	—	—	1	—	—	—	—	—	24
25 Acute and chronic nephritis	13	4	4	5	2	2	4	3	2	1	1	—	3	1	3	—	2	1	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	2	—	—	1	—	2	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	27
28 Congenital debility and mal-formation, premature birth	6	9	3	3	3	3	20	9	2	4	4	3	7	4	4	3	6	6	28
29 Suicide	—	—	1	1	—	1	2	1	—	2	2	—	1	—	—	—	1	—	29
30 Other deaths from violence	7	3	6	7	6	4	7	5	3	5	5	—	5	2	3	4	8	3	30
31 Other defined diseases	23	20	25	15	18	26	19	30	22	12	11	8	14	15	6	13	12	18	31
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	32

SUFFOLK, EAST.

Causes of Death.	Felix- stowe U.D.		Lowes- toft M.B.								Blyth- ing R.D.		Bosmere & Claydon R.D.		Hartismere R.D.		Mutford & Lothling- land R.D.		Plomes- gate R.D.		
	M.	F.	M.	F.							M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	65	50	209	256							116	98	62	74	69	72	67	55	91	87	
1 Enteric fever	—	—	—	—							—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—							—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	—	1							—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—							1	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	3	7							—	—	—	—	—	—	—	—	—	—	5
6 Diphtheria	—	—	3	3							—	—	2	2	1	—	1	1	1	—	6
7 Influenza	—	—	2	3							1	—	2	—	—	1	1	—	—	—	7
8 Encephalitis lethargica	1	—	1	—							—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	—	1	1							—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	5	5	17	24							5	7	4	2	1	1	6	3	3	4	10
11 Other tuberculous diseases	—	1	2	4							—	1	—	—	—	—	1	2	1	—	11
12 Cancer, malignant disease	4	10	21	40							21	18	11	8	12	14	7	8	15	8	12
13 Rheumatic fever	—	—	1	1							—	1	1	—	—	—	1	—	—	—	13
14 Diabetes	2	1	5	3							3	1	2	—	2	2	1	—	1	—	14
15 Cerebral hæmorrhage, &c.	—	4	10	19							6	6	4	9	8	12	—	3	9	6	15
16 Heart disease	15	14	41	49							21	17	13	15	15	13	14	11	17	21	16
17 Arterio-sclerosis	4	—	10	7							2	5	4	—	3	4	1	4	1	4	17
18 Bronchitis	1	5	8	8							5	5	3	4	6	1	2	2	4	4	18
19 Pneumonia (all forms)	6	2	6	14							8	6	6	1	—	—	3	1	2	—	19
20 Other respiratory diseases	2	—	6	2							1	1	1	—	1	—	1	—	1	—	20
21 Ulcer of stomach or duodenum	1	1	2	1							2	—	—	1	—	—	—	2	3	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—							—	1	—	—	—	1	—	—	—	—	22
23 Appendicitis and typhlitis	2	—	2	1							2	—	—	—	—	—	1	—	2	—	23
24 Cirrhosis of liver	—	—	3	—							—	1	1	2	—	—	—	1	—	—	24
25 Acute and chronic nephritis	4	1	5	4							7	1	—	5	1	2	—	3	5	—	25
26 Puerperal sepsis	—	—	—	—							—	3	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—							—	—	—	—	—	—	1	—	—	—	27
28 Congenital debility and mal-formation, premature birth	3	3	11	4							7	4	4	7	1	4	4	3	3	5	28
29 Suicide	1	—	2	2							—	—	—	—	1	—	2	—	1	—	29
30 Other deaths from violence	2	—	9	1							3	4	1	3	5	—	6	—	8	—	30
31 Other defined diseases	11	3	37	57							21	16	7	13	11	15	19	10	16	21	31
32 Causes ill-defined or unknown	—	—	—	—							—	—	—	—	—	—	—	—	1	1	32

* The remainder of Tamworth R.D. is in Warwickshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

SUFFOLK, EAST—*cont.*

SUFFOLK, WEST.

Causes of Death.	Samford R.D.		Wood-bridge R.D.		Bury St. Edmunds M.B.		Cosford R.D.		Melford R.D.		Thingoe R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	66	74	88	89	94	97	63	56	79	77	73	74
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	1	1	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—
5 Whooping cough	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	—	—	1	—	—	—	—	—	—	—	—	—
7 Influenza	1	2	—	—	—	—	—	—	1	1	—	—
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys.	3	7	3	2	7	1	3	4	4	2	2	2
11 Other tuberculous diseases	—	1	2	3	1	1	—	1	—	2	3	—
12 Cancer, malignant disease	8	14	15	7	6	13	8	11	14	9	12	9
13 Rheumatic fever	—	—	—	1	1	—	—	—	—	—	—	—
14 Diabetes	3	1	—	—	1	1	—	—	1	1	2	1
15 Cerebral hæmorrhage, &c.	5	2	3	8	2	8	4	3	4	4	8	6
16 Heart disease	16	17	16	28	34	28	15	10	11	21	17	20
17 Arterio-sclerosis	3	3	4	2	6	3	5	3	5	1	—	6
18 Bronchitis	2	3	2	2	3	2	3	1	5	7	1	—
19 Pneumonia (all forms)	—	1	6	3	3	6	4	2	2	2	3	5
20 Other respiratory diseases	1	1	2	2	1	2	—	1	—	—	—	1
21 Ulcer of stomach or duodenum	—	—	—	—	3	—	—	—	2	—	1	1
22 Diarrhœa, &c. (under 2 years)	—	1	—	—	—	—	—	—	—	—	—	—
23 Appendicitis and typhlitis	—	1	—	—	1	—	—	—	—	—	2	1
24 Cirrhosis of liver	—	1	2	—	—	—	1	1	1	—	—	—
25 Acute and chronic nephritis	—	1	7	4	—	4	—	2	1	3	3	2
26 Puerperal sepsis	—	1	—	—	—	—	—	2	—	—	—	—
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	—	—	1	—	—	—	2	—	2	—	—
28 Congenital debility and malformation, premature birth	3	3	2	5	1	2	5	2	—	—	1	—
29 Suicide	1	—	1	—	—	—	1	—	4	—	3	—
30 Other deaths from violence	4	—	6	2	9	3	3	1	4	3	6	1
31 Other defined diseases	15	13	16	18	14	22	10	9	20	19	9	19
32 Causes ill-defined or unknown	—	—	—	1	1	1	—	1	—	—	—	—

SURREY.

Causes of Death.	Barnes U.D.		Bedding- ton & Wal- lington U.D.		Car- shalton U.D.		Caterham and War- lingham U.D.		Chertsey U.D.		Coulsdon & Purley U.D.		Egham U.D.		Epsom U.D.		Esher and The Dittoes U.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	197	229	105	144	97	97	88	79	105	68	126	133	84	72	99	68	65	73
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	1	—	1	1	1	1	—	—	1	—	—	—	1	—	—	1	1	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
5 Whooping cough	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria	3	1	—	—	—	1	—	—	—	1	—	1	1	—	—	—	—	—
7 Influenza	2	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Encephalitis lethargica	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	1	—	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—
10 Tuberculosis of respiratory sys.	13	14	9	5	9	3	4	7	5	2	7	5	4	2	7	5	6	5
11 Other tuberculous diseases	3	3	1	—	1	1	1	1	2	—	1	3	—	—	1	—	1	1
12 Cancer, malignant disease	27	42	11	24	12	21	8	9	17	13	12	25	10	12	10	17	7	18
13 Rheumatic fever	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—
14 Diabetes	1	3	1	—	2	—	—	—	3	2	3	—	1	—	—	—	1	2
15 Cerebral hæmorrhage, &c.	7	20	3	12	2	10	4	3	8	1	5	7	5	7	5	2	2	2
16 Heart disease	29	45	22	36	22	22	29	21	24	19	26	33	14	12	23	12	11	13
17 Arterio-sclerosis	6	8	3	5	3	6	8	8	1	3	10	8	3	3	7	4	3	6
18 Bronchitis	10	8	4	5	2	1	4	4	4	3	4	4	6	5	1	2	3	—
19 Pneumonia (all forms)	5	7	5	7	5	6	1	2	3	1	7	6	6	6	7	4	7	1
20 Other respiratory diseases	2	2	—	2	2	—	2	—	—	—	—	—	1	—	1	—	2	—
21 Ulcer of stomach or duodenum	9	—	—	—	1	1	3	—	—	—	3	1	3	1	1	1	2	—
22 Diarrhœa, &c. (under 2 years)	1	1	—	—	—	—	1	—	2	2	2	—	1	1	—	1	—	—
23 Appendicitis and typhlitis	2	4	2	—	2	2	—	—	1	—	1	2	1	—	—	1	—	2
24 Cirrhosis of liver	4	3	—	—	—	—	1	1	3	1	—	1	—	1	—	—	—	—
25 Acute and chronic nephritis	6	11	2	2	2	2	6	4	3	2	4	3	3	7	5	3	2	2
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—
27 Other accidents and diseases of pregnancy and parturition.. .. .	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	2	—
28 Congenital debility and mal- formation, premature birth	6	2	11	3	6	6	2	3	3	—	5	5	3	2	2	2	—	1
29 Suicide	9	3	2	1	1	1	2	1	3	1	3	—	2	—	—	4	2	2
30 Other deaths from violence	7	8	10	2	3	—	3	1	5	6	7	3	5	1	9	2	8	4
31 Other defined diseases	42	41	16	31	18	11	8	10	22	10	27	23	14	8	20	7	6	9
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***SURREY—*cont.***

Causes of Death.	Farnham U.D.		Frimley & Camberley U.D.		Godalming U.D.		Guildford M.B.		Kingston-on-Thames M.B.		Merton & Morden U.D.		Mitcham U.D.		Reigate M.B.		Richmond M.B.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	95	96	70	81	57	61	144	146	220	203	128	113	265	215	155	178	209	237	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
3 Measles	3	1	—	1	—	—	—	—	1	—	3	—	6	4	—	2	—	1	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
5 Whooping cough	—	1	—	—	—	—	—	—	1	—	1	2	2	2	—	—	—	1	5
6 Diphtheria	—	—	—	—	—	—	—	—	2	1	4	2	1	—	4	2	2	7	6
7 Influenza	—	—	1	—	1	—	4	3	2	—	3	3	2	5	2	—	1	—	7
8 Encephalitis lethargica	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	2	6	3	1	2	4	5	16	13	12	4	27	13	4	6	11	6	10
11 Other tuberculous diseases	—	1	2	1	—	—	1	1	—	—	5	—	6	2	2	5	—	2	11
12 Cancer, malignant disease	16	12	12	11	3	4	17	28	28	22	13	29	33	40	24	35	31	47	12
13 Rheumatic fever	1	1	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	13
14 Diabetes	2	—	1	1	1	2	1	3	—	3	1	2	1	2	2	2	2	4	14
15 Cerebral hæmorrhage, &c.	5	4	2	5	3	2	9	11	9	13	7	9	9	2	10	11	10	12	15
16 Heart disease	20	38	13	21	15	17	30	33	32	46	14	20	53	47	28	32	44	53	16
17 Arterio-sclerosis	6	2	5	10	2	6	6	3	6	4	4	3	7	4	4	5	15	22	17
18 Bronchitis	4	1	—	3	1	3	8	8	10	8	1	1	13	3	8	8	7	8	18
19 Pneumonia (all forms)	6	4	3	4	3	5	10	6	17	13	7	3	15	16	6	5	9	10	19
20 Other respiratory diseases	—	2	—	—	1	2	3	1	1	1	2	1	2	—	4	2	1	4	20
21 Ulcer of stomach or duodenum	2	—	—	—	4	1	3	—	3	1	3	—	3	—	2	1	5	—	21
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	1	—	1	—	2	—	1	1	3	—	—	—	1	1	22
23 Appendicitis and typhlitis	—	—	—	1	—	—	1	1	2	—	—	—	3	—	2	2	4	1	23
24 Cirrhosis of liver	—	—	—	—	—	1	1	—	2	—	—	—	—	1	2	—	6	1	24
25 Acute and chronic nephritis	5	4	1	2	2	2	3	4	16	5	2	10	12	5	2	5	5	9	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	—	—	—	—	1	—	2	—	1	—	1	—	1	—	1	27
28 Congenital debility and malformation, premature birth	2	—	4	1	2	1	6	4	8	5	8	3	13	12	2	7	5	4	28
29 Suicide	1	—	3	2	—	—	3	3	4	2	1	1	5	4	1	—	5	2	29
30 Other deaths from violence	3	2	1	3	5	1	9	3	15	10	11	3	17	9	11	2	6	6	30
31 Other defined diseases	17	20	14	12	13	11	24	27	42	51	24	15	31	38	34	45	39	34	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	32

SURREY—*cont.*

Causes of Death.	Surbiton U.D.		Sutton & Cheam U.D.		The Maldens & Coombe U.D.		Walton upon Thames U.D.		Wimbledon M.B.		Woking U.D.								
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.							
All Causes	134	154	176	197	102	101	85	74	317	331	129	121							1
1 Enteric fever	1	—	—	—	—	—	—	—	—	1	—	—							2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—							3
3 Measles	—	1	—	—	2	—	1	—	2	8	—	—							4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—							5
5 Whooping cough	—	1	1	1	3	1	—	—	1	1	1	—							6
6 Diphtheria	1	—	—	2	1	1	—	1	1	3	4	1							7
7 Influenza	3	3	1	4	—	—	2	2	—	3	1	1							8
8 Encephalitis lethargica	—	—	—	1	—	1	—	1	—	1	—	1							9
9 Meningococcal meningitis	—	—	—	1	—	1	1	—	1	—	—	—							10
10 Tuberculosis of respiratory sys.	4	2	15	9	7	2	1	4	21	13	7	9							11
11 Other tuberculous diseases	1	—	—	2	1	—	2	1	6	1	1	1							12
12 Cancer, malignant disease	14	29	26	31	11	22	17	12	50	56	14	21							13
13 Rheumatic fever	—	—	—	—	—	—	—	—	2	4	—	—							14
14 Diabetes	3	1	—	1	—	—	1	1	4	4	1	1							15
15 Cerebral hæmorrhage, &c.	1	6	4	10	7	10	6	3	14	21	7	8							16
16 Heart disease	32	36	30	46	12	16	17	20	53	75	30	33							17
17 Arterio-sclerosis	7	9	10	9	5	6	2	1	8	17	7	3							18
18 Bronchitis	3	5	1	6	6	4	4	3	9	14	3	—							19
19 Pneumonia (all forms)	10	10	14	6	9	7	4	2	24	20	6	3							20
20 Other respiratory diseases	5	1	2	5	2	1	—	1	7	5	5	—							21
21 Ulcer of stomach or duodenum	2	2	3	—	2	1	—	1	5	3	2	—							22
22 Diarrhoea, &c. (under 2 years)	1	—	—	—	1	—	—	—	2	—	1	1							23
23 Appendicitis and typhlitis	1	1	5	5	—	1	1	1	6	1	4	1							24
24 Cirrhosis of liver	2	—	1	—	1	—	—	—	3	1	—	—							25
25 Acute and chronic nephritis	4	1	8	7	2	2	1	2	10	9	5	6							26
26 Puerperal sepsis	—	3	—	1	—	1	—	—	—	2	—	—							27
27 Other accidents and diseases of pregnancy and parturition	—	2	—	3	—	—	—	—	—	3	—	2							28
28 Congenital debility and malformation, premature birth	4	4	8	6	5	3	—	1	8	5	9	3							29
29 Suicide	4	—	3	2	—	1	—	1	7	3	1	2							30
30 Other deaths from violence	10	6	9	3	8	3	4	2	16	8	6	2							31
31 Other defined diseases	21	31	35	36	17	17	21	14	57	49	14	22							32
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	—	—							

Causes of Death.				Chertsey R.D.		Dorchester R.D.		Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		Hambleton R.D.		Reigate R.D.			
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	67	49	55	57	161	142	61	68	108	105	110	111	146	122	129	114		
1 Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—		3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2		4
5 Whooping cough	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—		5
6 Diphtheria	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	3		6
7 Influenza	—	—	—	—	1	2	1	1	3	—	1	2	1	1	7	5		7
8 Encephalitis lethargica	—	—	—	—	—	—	1	2	1	—	1	2	—	—	—	—		8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		9
10 Tuberculosis of respiratory sys.	5	2	—	1	10	3	12	5	4	3	4	6	6	4	9	1		10
11 Other tuberculous diseases	1	1	—	—	5	1	1	1	—	—	—	1	2	—	1	—		11
12 Cancer, malignant disease	9	10	11	10	23	23	6	12	15	21	19	14	22	21	11	13		12
13 Rheumatic fever	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—		13
14 Diabetes	—	—	1	—	2	3	—	—	—	—	1	6	3	3	—	4		14
15 Cerebral hæmorrhage, &c.	4	5	—	3	6	9	2	4	6	8	2	3	4	3	6	8		15
16 Heart disease	19	10	16	16	30	36	9	9	26	33	34	26	37	29	23	22		16
17 Arterio-sclerosis	5	—	9	4	10	7	3	5	6	7	4	6	6	10	5	5		17
18 Bronchitis	4	1	1	2	3	3	3	4	3	1	1	3	4	2	5	1		18
19 Pneumonia (all forms)	—	4	5	4	6	2	4	4	4	4	4	4	3	2	7	9		19
20 Other respiratory diseases	2	—	—	—	1	3	—	1	—	—	—	—	1	1	1	1		20
21 Ulcer of stomach or duodenum	1	—	1	—	2	1	—	—	—	—	—	—	—	2	3	—		21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	3		22
23 Appendicitis and typhlitis	—	1	—	—	—	—	1	1	—	—	2	2	2	—	—	2		23
24 Cirrhosis of liver	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1		24
25 Acute and chronic nephritis	1	1	—	1	7	1	1	4	2	—	4	2	3	2	2	4		25
26 Puerperal sepsis																		

Causes of Death.	Bexhill M.B.		Hove M.B.		Lewes M.B.		Chailey R.D.		Cuck- field R.D.		East Grinstead R.D.		Hailsham R.D.		Ticehurst R.D.		Uckfield R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	110	139	320	438	61	58	61	70	89	113	98	81	106	122	68	71	146	143
1 Enteric fever	—	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	—	—	—	1	2	2	—	—	—	1	—	—	1	—	—	—	1	1
4 Scarlet fever	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2
5 Whooping cough	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	1	1	—
6 Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
7 Influenza	—	6	2	4	—	—	—	2	—	3	—	—	1	2	—	1	1	2
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Tuberculosis of respiratory sys. ..	4	6	24	20	5	4	2	6	3	4	3	5	6	4	2	4	8	1
11 Other tuberculous diseases	—	—	3	2	1	—	—	3	2	1	—	1	—	2	—	—	2	1
12 Cancer, malignant disease	17	18	46	72	6	10	15	8	6	13	18	18	17	21	8	14	25	29
13 Rheumatic fever	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
14 Diabetes	3	3	3	13	1	1	1	—	—	1	—	1	—	2	2	—	4	—
15 Cerebral hæmorrhage, &c.	5	14	15	49	5	5	1	1	6	10	6	5	7	18	1	1	4	11
16 Heart disease	31	28	77	93	13	10	15	18	18	32	26	21	22	21	17	13	44	44
17 Arterio-sclerosis	6	16	14	20	3	6	3	1	4	8	2	4	5	5	6	2	1	3
18 Bronchitis	2	4	10	11	1	1	2	2	3	2	3	2	6	4	2	3	9	5
19 Pneumonia (all forms)	2	1	10	17	6	5	3	2	7	2	7	2	2	7	3	6	6	3
20 Other respiratory diseases	4	3	6	4	—	—	2	—	1	2	—	—	3	1	1	1	1	3
21 Ulcer of stomach or duodenum	4	1	2	3	—	—	—	—	1	—	—	1	—	—	2	—	2	—
22 Diarrhoea, &c. (under 2 years)	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
23 Appendicitis and typhlitis	—	2	2	1	—	—	—	1	2	1	1	1	2	1	—	1	2	2
24 Cirrhosis of liver	1	2	1	1	—	—	—	—	—	—	1	—	2	2	—	—	1	24
25 Acute and chronic nephritis	2	6	17	15	—	2	—	2	4	1	3	1	1	4	1	3	2	7
26 Puerperal sepsis	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	2
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	1	—	2	—	—	—	1	—	—	—	1
28 Congenital debility and mal-formation, premature birth	2	—	12	6	2	—	2	2	3	1	2	1	4	1	5	2	3	2
29 Suicide	1	—	2															

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***SUSSEX, WEST.**

Causes of Death.	Bognor Regis U.D.		Chiches- ter M.B.		Horsham U.D.		Little- hampton U.D.		Worthing M.B.									
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.								
All Causes	68	78	72	81	67	86	72	55	269	371								
1 Enteric fever	—	—	—	—	—	—	—	—	—	—								1
2 Small-pox	—	—	—	—	—	—	—	—	—	—								2
3 Measles	—	—	1	1	—	—	—	—	—	—								3
4 Scarlet fever	—	—	—	1	1	—	—	—	—	—								4
5 Whooping cough	—	—	—	—	—	—	—	—	—	—								5
6 Diphtheria	—	1	—	—	—	—	—	—	1	2								6
7 Influenza	—	—	—	—	—	1	1	—	—	2								7
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	3								8
9 Meningococcal meningitis	1	—	—	—	—	—	—	—	—	—								9
10 Tuberculosis of respiratory sys.	7	4	2	1	10	1	1	2	13	15								10
11 Other tuberculous diseases	—	—	1	—	—	1	1	—	3	6								11
12 Cancer, malignant disease	6	15	15	14	8	18	10	14	35	69								12
13 Rheumatic fever	—	—	—	—	—	1	—	—	—	—								13
14 Diabetes	—	1	2	1	1	2	1	1	3	6								14
15 Cerebral hæmorrhage, &c.	4	3	2	11	5	4	4	6	17	40								15
16 Heart disease	16	15	4	13	12	22	24	16	71	76								16
17 Arterio-sclerosis	2	7	5	3	3	3	—	1	10	18								17
18 Bronchitis	3	—	5	2	2	1	4	—	6	13								18
19 Pneumonia (all forms)	4	3	6	7	1	3	1	4	11	8								19
20 Other respiratory diseases	—	1	1	—	—	—	—	—	2	1								20
21 Ulcer of stomach or duodenum	5	—	—	1	3	—	—	—	4	3								21
22 Diarrhoea, &c. (under 2 years)	—	1	—	—	1	1	1	—	—	—								22
23 Appendicitis and typhlitis	1	—	—	—	1	—	—	1	4	5								23
24 Cirrhosis of liver	1	—	—	—	—	—	—	—	1	1								24
25 Acute and chronic nephritis	4	5	6	5	2	—	2	—	17	14								25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—								26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	2	—	—	—	—	—	2								27
28 Congenital debility and mal-formation, premature birth	3	5	2	5	2	3	3	—	6	4								28
29 Suicide	—	1	1	—	—	—	1	—	3	4								29
30 Other deaths from violence	1	1	2	1	4	5	2	2	9	8								30
31 Other defined diseases	10	14	17	13	11	19	16	8	50	71								31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	2	—								32

SUSSEX, WEST—*cont.***WARWICKSHIRE.**

Causes of Death.	Horsham R.D.		Midhurst R.D.		Steving West R.D.		West- hamp- nett R.D.			Bed- worth U.D.		Nuneaton M.B.		Royal Leam- ington Spa M.B.		Rugby U.D.					
	M.	F.	M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.				
All Causes	112	115	94	76	65	54	118	121		63	49	245	212	191	203	108	131				
1 Enteric fever	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—				1
2 Small-pox	—	—	—	—	—	—	—	—		—	—	1	—	—	—	—	—				2
3 Measles	—	—	—	1	—	—	—	1		2	4	3	8	2	—	—	—				3
4 Scarlet fever	—	—	—	1	—	—	—	—		—	—	—	—	—	—	—	—				4
5 Whooping cough	—	—	—	—	1	—	—	—		—	—	1	—	—	—	—	—				5
6 Diphtheria	—	1	—	—	—	—	1	—		—	—	3	3	—	—	3	1				6
7 Influenza	3	1	—	—	—	—	1	2		—	—	3	4	1	—	—	1				7
8 Encephalitis lethargica	1	—	—	—	—	1	—	—		4	—	—	—	—	—	—	—				8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—		—	—	—	—	1	—	—	2				9
10 Tuberculosis of respiratory sys.	2	4	3	3	5	4	6	3		7	5	16	20	7	8	7	7				10
11 Other tuberculous diseases	—	2	—	—	1	1	2	1		—	2	4	1	1	—	1	1				11
12 Cancer, malignant disease	16	22	10	12	3	9	15	20		10	5	23	25	35	36	16	16				12
13 Rheumatic fever	1	—	—	—	—	—	—	—		2	—	2	—	—	—	—	—				13
14 Diabetes	—	1	1	3	2	1	1	1		—	3	6	8	3	6	1	4				14
15 Cerebral hæmorrhage, &c.	7	14	8	11	3	5	10	10		2	2	8	17	9	11	4	12				15
16 Heart disease	30	33	21	13	19	6	23	25		10	3	45	39	31	48	14	24				16
17 Arterio-sclerosis	3	3	8	1	2	7	5	9		3	2	10	5	11	14	4	4				17
18 Bronchitis	5	2	6	9	2	4	6	4		2	1	7	6	11	8	2	3				18
19 Pneumonia (all forms)	3	2	2	3	4	1	8	—		5	2	19	8	7	6	6	3				19
20 Other respiratory diseases	2	—	1	—	1	—	2	1		—	—	1	2	2	1	1	2				20
21 Ulcer of stomach or duodenum	2	—	3	1	1	—	3	2		—	—	3	1	3	1	1	2				21
22 Diarrhoea, &c. (under 2 years)	—	—	—	1	1	—	—	1		1	—	2	—	—	1	—	2				22
23 Appendicitis and typhlitis	2	—	—	1	—	—	2	2		—	—	—	3	2	3	1	1				23
24 Cirrhosis of liver	—	1	—	—	—	—	2	1		—	—	2	—	4	1	3	1				24
25 Acute and chronic nephritis	2	1	—	2	2	3	3	1		2	4	6	4	7	10	3	6				25
26 Puerperal sepsis	—	—	—	—	—	2	—	—		—	—	—	1	—	—	—	—				26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	1		—	1	—	1	—	1	—	—				27
28 Congenital debility and mal-formation, premature birth	3	2	5	2	4	—	2	3		1	3	16	15	2	5	5	4				28
29 Suicide	3	—	—	—	1	—	1	—		—	—	3	1	3	—	3	1				29
30 Other deaths from violence	9	5	7	—	5	—	2	4		1	2	15	3	15	3	8	4				30
31 Other defined diseases	18	21	19	12	8	10	23	29		11	10	46	37	32	40	25	30				31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—		—	—	—	—	1	—	—	—				32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

WARWICKSHIRE—*cont.*

Causes of Death.	Stratford on Avon M.B.		Sutton Coldfield M.B.		Warwick M.B.		Alcester R.D.		Atherstone R.D.		Foleshill R.D.		Meriden R.D.		Rugby R.D.		Solihull R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	80	75	133	147	96	62	86	81	107	99	85	71	99	86	104	96	156	146	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	1	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	1	6
6 Diphtheria	—	—	1	1	—	—	—	—	—	—	1	1	1	1	2	1	—	1	7
7 Influenza	—	1	3	1	1	1	2	1	2	1	1	—	1	—	—	1	5	3	8
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	9
9 Meningococcal meningitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	3	2	5	5	7	3	5	3	3	3	6	2	8	7	3	6	6	3	11
11 Other tuberculous diseases	—	1	1	3	3	—	—	1	4	2	2	2	1	—	2	—	1	1	12
12 Cancer, malignant disease	6	14	15	31	13	9	9	13	6	12	7	3	11	15	8	12	24	29	13
13 Rheumatic fever	—	—	1	—	—	—	—	2	—	—	—	—	1	—	—	—	—	1	14
14 Diabetes	1	—	3	1	1	2	1	1	3	5	—	2	1	1	—	1	1	2	15
15 Cerebral hæmorrhage, &c.	9	11	7	13	8	5	2	10	7	11	3	2	2	4	10	10	11	10	16
16 Heart disease	12	12	17	30	22	13	13	9	16	22	10	15	18	13	19	20	34	21	17
17 Arterio-sclerosis	5	4	6	6	3	3	4	11	6	2	3	1	9	3	2	3	8	5	18
18 Bronchitis	5	3	2	1	1	1	1	2	3	1	2	1	2	5	2	3	2	3	19
19 Pneumonia (all forms)	3	4	17	8	4	3	8	3	9	7	7	5	3	3	8	6	7	7	20
20 Other respiratory diseases	—	1	4	3	1	2	1	1	1	—	—	—	—	—	—	—	1	—	21
21 Ulcer of stomach or duodenum	1	—	—	1	3	1	1	—	—	—	—	—	4	—	2	—	4	2	22
22 Diarrhoea, &c. (under 2 years)	1	—	—	2	—	—	1	—	2	—	1	1	—	—	1	—	—	1	23
23 Appendicitis and typhlitis	—	—	2	—	1	—	1	—	1	—	1	2	1	1	4	—	1	1	24
24 Cirrhosis of liver	—	—	2	1	—	—	1	—	—	—	—	1	—	1	3	—	—	1	25
25 Acute and chronic nephritis	5	4	8	8	1	2	3	2	3	3	3	—	3	4	3	3	5	6	26
26 Puerperal sepsis	—	—	—	—	—	1	—	—	1	—	—	3	—	—	—	—	—	1	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	1	—	3	—	—	—	—	—	—	—	3	28
28 Congenital debility and malformation, premature birth	3	—	5	2	6	—	2	3	7	10	10	8	6	4	5	3	8	8	29
29 Suicide	1	1	4	2	1	—	5	—	5	—	—	1	1	2	5	1	1	—	30
30 Other deaths from violence	5	1	10	3	6	3	5	—	9	3	14	3	10	4	5	3	7	5	31
31 Other defined diseases	20	13	20	24	14	12	20	20	16	11	12	16	17	17	20	21	29	30	32
32 Causes ill-defined or unknown	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	

WARWICKSHIRE—*cont.*

WESTMORLAND.

Causes of Death.	Southam R.D.		Tamworth (part of) R.D.*		Warwick R.D.		Kendal M.B.		East Westmorland R.D.		South Westmorland R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	53	67	77	68	74	74	102	101	93	69	89	115	1
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	1	—	—	—	—	—	—	—	3
3 Measles	—	—	—	1	—	—	—	—	—	1	—	—	4
4 Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	5
5 Whooping cough	—	—	—	—	—	—	—	—	1	—	—	—	6
6 Diphtheria	2	—	1	—	—	—	—	—	—	—	1	—	7
7 Influenza	2	—	2	1	—	—	—	—	4	2	2	—	8
8 Encephalitis lethargica	—	—	—	—	—	—	—	—	1	—	1	—	9
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys.	1	5	1	3	—	3	10	6	3	2	—	4	11
11 Other tuberculous diseases	2	—	1	—	1	2	—	7	1	—	2	1	12
12 Cancer, malignant disease	4	9	8	9	12	11	11	18	10	6	14	18	13
13 Rheumatic fever	1	—	—	—	1	—	—	—	1	1	—	—	14
14 Diabetes	—	1	1	1	2	2	3	1	3	—	2	4	15
15 Cerebral hæmorrhage, &c.	4	3	4	5	4	4	9	17	11	5	6	9	16
16 Heart disease	9	9	12	8	16	24	21	16	10	11	26	29	17
17 Arterio-sclerosis	1	—	3	1	2	2	6	3	2	5	4	4	18
18 Bronchitis	4	3	8	6	4	1	3	—	2	4	1	2	19
19 Pneumonia (all forms)	1	5	8	3	3	4	2	5	5	2	5	6	20
20 Other respiratory diseases	1	2	—	2	2	—	2	—	2	3	2	2	21
21 Ulcer of stomach or duodenum	—	—	—	—	4	1	1	2	2	1	2	—	22
22 Diarrhoea, &c. (under 2 years)	—	—	1	—	—	—	3	—	—	—	—	1	23
23 Appendicitis and typhlitis	1	—	2	—	—	—	2	1	—	—	—	—	24
24 Cirrhosis of liver	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Acute and chronic nephritis	6	3	2	1	2	3	7	8	6	4	3	6	26
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	2	—	1	—	1	28
28 Congenital debility and malformation, premature birth	2	2	3	6	1	1	3	3	8	5	2	5	29
29 Suicide	1	—	1	1	1	1	4	2	—	—	1	—	30
30 Other deaths from violence	4	—	8	1	6	2	2	—	6	1	3	3	31
31 Other defined diseases	7	25	11	17	11	11	13	9	15	14	13	19	32
32 Causes ill-defined or unknown	—	—	—	—	1	—	—	—	—	—	—	—	

* The remainder of Tamworth R.D. is in Staffordshire.

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

WIGHT, ISLE OF.

WILTSHIRE.

Causes of Death.	Cowes. U.D.		Newport M.B.		Ryde M.B.		I. of Wight R.D.					Salis- bury M.B.		Swin- don M.B.		Trow- bridge U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.				M.	F.	M.	F.	M.	F.	
All Causes	61	53	69	83	76	92	158	126				166	152	350	318	89	74	
1 Enteric fever	—	—	—	—	—	1	—	—				—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—				—	—	—	—	—	—	2
3 Measles	—	—	2	—	—	1	1	—				1	—	3	3	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—				—	—	—	—	—	—	4
5 Whooping cough	—	—	3	1	—	—	1	1				—	—	—	5	—	—	5
6 Diphtheria	—	—	1	2	—	—	—	—				2	3	5	3	6	5	6
7 Influenza	1	2	—	—	—	—	3	4				1	1	6	3	1	1	7
8 Encephalitis lethargica	—	1	—	—	—	—	1	—				—	—	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—				—	—	1	—	—	—	9
10 Tuberculosis of respiratory sys.	5	6	3	2	7	1	7	5				9	4	22	15	2	2	10
11 Other tuberculous diseases	2	1	—	—	2	1	1	3				1	1	10	5	—	—	11
12 Cancer, malignant disease	13	8	9	11	19	16	20	30				20	33	56	41	12	15	12
13 Rheumatic fever	—	—	—	1	—	—	—	—				—	—	3	1	—	—	13
14 Diabetes	1	—	1	—	—	1	1	3				1	3	3	7	1	2	14
15 Cerebral hæmorrhage, &c.	4	6	5	10	4	8	12	13				8	15	14	16	8	6	15
16 Heart disease	5	8	12	18	14	27	38	24				39	39	81	81	13	12	16
17 Arterio-sclerosis	5	1	2	2	4	2	4	1				2	2	10	4	4	1	17
18 Bronchitis	5	3	5	6	2	2	2	1				6	1	10	7	4	6	18
19 Pneumonia (all forms)	1	—	3	5	4	4	6	3				7	6	16	9	4	3	19
20 Other respiratory diseases	—	—	2	2	—	—	1	—				—	1	7	7	1	—	20
21 Ulcer of stomach or duodenum	—	—	1	2	1	—	1	—				3	—	—	1	4	2	21
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	—	—	—	—				—	—	3	2	2	—	22
23 Appendicitis and typhlitis	1	—	—	—	1	—	2	—				2	—	5	1	—	1	23
24 Cirrhosis of liver	—	—	—	—	1	1	2	1				—	1	—	1	—	—	24
25 Acute and chronic nephritis	1	2	2	1	3	3	2	5				8	4	9	15	3	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	1				—	—	—	2	—	2	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—				—	1	—	—	—	1	27
28 Congenital debility and malformation, premature birth	2	1	2	—	—	—	2	2				11	6	19	26	2	1	28
29 Suicide	—	1	2	—	—	1	3	1				3	—	10	—	—	1	29
30 Other deaths from violence	1	1	3	1	2	1	5	4				9	3	6	1	3	1	30
31 Other defined diseases	14	12	11	19	12	22	43	24				33	28	51	62	19	9	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—				—	—	—	—	—	—	32

WILTSHIRE—*cont.*

[illegible]

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

WORCESTERSHIRE.

[illegible]

WORCESTERSHIRE—cont.

Causes of Death.	Broms-grove R.D.		Droit-wich R.D.		Martley R.D.		Pershore R.D.		Upton on Severn R.D.					
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
All Causes	91	86	92	86	84	93	78	79	78	81				
1 Enteric fever	—	—	—	—	—	—	—	—	—	—				1
2 Small-pox	—	—	—	—	—	—	—	—	—	—				2
3 Measles	—	—	—	—	—	—	—	—	—	—				3
4 Scarlet fever	1	—	—	1	—	1	—	—	1	—				4
5 Whooping cough	—	—	1	—	—	1	—	—	—	—				5
6 Diphtheria	1	1	—	—	—	—	—	—	—	—				6
7 Influenza	3	1	3	—	1	—	1	—	1	3				7
8 Encephalitis lethargica	—	1	—	—	1	1	—	—	1	1				8
9 Meningococcal meningitis	—	—	—	—	1	—	—	—	—	—				9
10 Tuberculosis of respiratory sys. ..	4	3	5	3	2	8	4	2	2	2				10
11 Other tuberculous diseases	—	3	2	1	—	1	1	—	—	1				11
12 Cancer, malignant disease	9	14	12	11	6	12	7	14	6	7				12
13 Rheumatic fever	—	—	1	—	—	1	—	—	—	—				13
14 Diabetes	—	1	—	2	1	1	2	—	—	2				14
15 Cerebral hæmorrhage, &c.	6	6	5	7	1	6	4	5	5	6				15
16 Heart disease	14	17	17	18	32	21	19	18	18	16				16
17 Arterio-sclerosis	5	4	—	5	6	3	1	3	4	2				17
18 Bronchitis	5	2	5	6	3	5	4	4	1	5				18
19 Pneumonia (all forms)	13	6	4	4	5	7	3	—	7	3				19
20 Other respiratory diseases	1	1	3	—	1	—	—	—	1	1				20
21 Ulcer of stomach or duodenum	1	—	—	—	—	—	1	—	—	—				21
22 Diarrhoea, &c. (under 2 years)	3	—	—	1	—	—	—	—	—	—				22
23 Appendicitis and typhlitis	2	1	2	—	—	1	—	—	—	1				23
24 Cirrhosis of liver	—	1	1	—	—	1	—	—	—	—				24
25 Acute and chronic nephritis	3	4	2	5	1	4	7	2	3	5				25
26 Puerperal sepsis	—	—	—	1	—	2	—	1	—	1				26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—	—	1				27
28 Congenital debility and malformation, premature birth	3	3	1	2	2	3	3	4	4	4				28
29 Suicide	1	2	1	1	4	1	1	—	1	—				29
30 Other deaths from violence	2	1	8	3	5	—	5	1	9	3				30
31 Other defined diseases	14	14	19	15	12	13	15	25	14	17				31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—				32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***YORKSHIRE, EAST RIDING.**

Causes of Death.	Bever- ley M.B.		Brid- lington M.B.		Bever- ley R.D.		Driffield R.D.		Howden R.D.		Pock- lington R.D.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	96	79	129	136	69	58	60	64	54	82	69	68		
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	—	—	—	1	—	—	—	—	—	—	—	1		3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	1		4
5 Whooping cough	—	1	—	1	—	—	1	1	—	—	—	—		5
6 Diphtheria	—	—	1	—	—	—	—	—	—	—	—	—		6
7 Influenza	1	—	—	1	—	—	2	4	—	2	1	2		7
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	—	—	—	—		8
9 Meningococcal meningitis	—	—	1	—	—	—	—	—	—	—	—	—		9
10 Tuberculosis of respiratory sys.	6	6	10	4	5	5	1	2	—	3	2	4		10
11 Other tuberculous diseases	2	1	2	1	2	—	1	—	—	—	—	—		11
12 Cancer, malignant disease	15	8	21	24	11	3	8	7	7	11	8	13		12
13 Rheumatic fever	—	—	1	2	—	1	—	—	—	1	1	—		13
14 Diabetes	1	1	3	5	—	—	2	—	—	1	1	1		14
15 Cerebral hæmorrhage, &c.	6	5	8	7	6	3	4	7	1	7	5	2		15
16 Heart disease	17	25	20	22	16	17	10	12	10	10	21	18		16
17 Arterio-sclerosis	6	5	3	9	4	3	3	6	2	7	1	1		17
18 Bronchitis	8	3	4	8	2	—	4	3	7	3	2	2		18
19 Pneumonia (all forms)	7	1	3	6	7	5	3	2	4	5	1	3		19
20 Other respiratory diseases	—	1	2	—	—	1	—	—	3	1	2	1		20
21 Ulcer of stomach or duodenum	1	—	2	1	1	2	1	—	1	—	1	—		21
22 Diarrhoea, &c. (under 2 years)	—	1	—	1	—	2	1	1	—	3	1	—		22
23 Appendicitis and typhlitis	—	—	1	1	—	—	—	—	—	—	2	—		23
24 Cirrhosis of liver	—	—	3	—	—	—	—	—	—	—	—	—		24
25 Acute and chronic nephritis	2	5	7	6	3	1	1	2	2	2	1	—		25
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	—	—	—		26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	2	—	—	—	—	—	1		27
28 Congenital debility and malformation, premature birth	5	2	1	—	3	1	3	—	3	5	5	4		28
29 Suicide	1	1	2	—	—	—	1	—	1	—	2	—		29
30 Other deaths from violence	5	1	3	2	2	1	5	1	2	4	2	3		30
31 Other defined diseases	13	12	31	33	7	11	11	12	11	17	8	10		31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	1	1		32

YORKSHIRE, NORTH RIDING.

Causes of Death.	Eston U.D.		Redcar M.B.		Scar- borough M.B.		Skelton & Brotton U.D.		Thornaby on Tees M.B.		Whitby U.D.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
All Causes	231	195	103	94	276	281	101	79	173	135	86	76		
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—		1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—		2
3 Measles	1	1	2	1	1	2	1	—	3	6	—	—		3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	1		4
5 Whooping cough	5	7	—	1	—	—	1	—	2	4	—	—		5
6 Diphtheria	1	1	—	—	—	—	—	—	1	3	—	—		6
7 Influenza	6	1	2	1	2	—	3	—	4	—	1	1		7
8 Encephalitis lethargica	—	—	—	2	—	—	—	—	—	—	1	—		8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	1		9
10 Tuberculosis of respiratory sys.	19	23	7	4	15	19	4	1	25	6	7	3		10
11 Other tuberculous diseases	5	1	—	1	3	6	2	—	5	1	—	4		11
12 Cancer, malignant disease	24	12	12	13	37	40	16	11	12	15	8	8		12
13 Rheumatic fever	—	4	—	—	2	1	—	—	2	—	—	—		13
14 Diabetes	1	1	2	—	1	5	1	3	1	—	2	1		14
15 Cerebral hæmorrhage, &c.	14	8	11	6	17	23	5	7	11	12	12	16		15
16 Heart disease	26	29	12	11	65	63	20	20	34	28	15	6		16
17 Arterio-sclerosis	4	3	6	8	14	22	6	1	4	—	6	6		17
18 Bronchitis	20	14	4	2	14	13	6	1	6	3	4	2		18
19 Pneumonia (all forms)	27	6	10	4	17	10	2	3	19	7	7	3		19
20 Other respiratory diseases	—	2	2	—	—	3	1	2	—	1	—	1		20
21 Ulcer of stomach or duodenum	2	—	2	1	2	—	—	2	2	2	—	—		21
22 Diarrhoea, &c. (under 2 years)	3	3	2	1	1	1	—	1	1	—	—	—		22
23 Appendicitis and typhlitis	1	—	—	1	1	2	1	2	—	2	—	1		23
24 Cirrhosis of liver	1	1	1	—	3	2	—	1	1	—	—	—		24
25 Acute and chronic nephritis	5	12	2	5	10	8	2	4	2	10	1	4		25
26 Puerperal sepsis	—	1	—	1	—	3	—	—	—	1	—	1		26
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	1	—	1	—	2	—	1		27
28 Congenital debility and malformation, premature birth	8	17	5	7	8	4	3	2	5	8	—	1		28
29 Suicide	3	—	—	1	4	2	2	1	2	1	2	1		29
30 Other deaths from violence	20	3	7	3	8	2	7	3	6	5	6	1		30
31 Other defined diseases	32	42	14	19	46	49	18	13	25	17	13	13		31
32 Causes ill-defined or unknown	3	2	—	—	—	—	—	—	—	1	—	—		32

Causes of Death.				Adwick- le-Street U.D.		Barn- oldswick U.D.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		Bolton upon Dearn U.D.	
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	101	72	74	65	201	232	74	57	102	129	85	58
1 Enteric fever	—	—	—	—	1	1	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	2	1	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	—	—	—	—	—	—	—	—	—	2	—	—
5 Whooping cough	3	2	—	—	—	—	—	—	—	1	—	2
6 Diphtheria	1	—	—	—	2	2	—	—	—	—	1	—
7 Influenza	5	3	1	—	—	1	1	1	1	1	1	—
8 Encephalitis lethargica	1	1	—	—	—	—	—	—	—	3	—	—
9 Meningococcal meningitis	—	—	—	—	—	—	1	1	—	—	—	—
10 Tuberculosis of respiratory sys.	5	4	5	3	7	6	6	3	8	4	8	7
11 Other tuberculous diseases	6	1	1	1	2	—	1	1	—	—	1	5
12 Cancer, malignant disease	6	9	10	6	34	23	8	6	15	23	6	3
13 Rheumatic fever	1	1	—	—	1	—	—	1	—	—	2	—
14 Diabetes	—	2	—	3	3	10	1	2	1	4	1	—
15 Cerebral hæmorrhage, &c.	3	2	4	5	11	20	2	3	3	13	2	1
16 Heart disease	11	10	23	16	36	54	11	10	17	29	10	7
17 Arterio-sclerosis	1	—	3	2	20	12	2	1	3	4	1	2
18 Bronchitis	8	3	—	3	13	14	—	3	7	5	2	1
19 Pneumonia (all forms)	7	4	1	4	9	13	4	7	8	6	10	6
20 Other respiratory diseases	2	—	1	1	1	—	1	1	1	1	—	—
21 Ulcer of stomach or duodenum	—	—	2	—	3	1	—	1	4	—	3	—
22 Diarrhoea, &c. (under 2 years)	1	—	—	—	—	—	1	—	—	—	4	2
23 Appendicitis and typhlitis	—	—	2	2	3	—	—	1	—	—	2	2
24 Cirrhosis of liver	1	—	1	1	—	1	—	—	—	—	—	—
25 Acute and chronic nephritis	2	3	2	3	13	13	1	3	6	4	1	3
26 Puerperal sepsis	—	1	—	—	—	—	—	1	—	—	—	2
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	3	—	—	—	1	—	1
28 Congenital debility and malformation, premature birth	10	7	4	—	8	14	13	4	6	4	8	4
29 Suicide	3	—	2	2	5	—	3	—	1	—	—	—
30 Other deaths from violence	10	2	2									

Causes of Death.				Brig- house M.B.		Castle- ford U.D.		Conis- brough U.D.		Darton U.D.		Elland U.D.		Feather- stone U.D.		Golcar U.D.		Goole U.D.	
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	128	138	149	120	107	73	60	57	66	68	95	84	61	80	139	94			
1 Enteric fever	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—			
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3 Measles	—	—	1	1	—	—	—	—	—	—	1	4	—	—	—	—			
4 Scarlet fever	2	—	1	—	2	—	1	1	—	—	—	—	—	—	—	—			
5 Whooping cough	—	2	—	—	—	1	—	1	—	2	1	—	—	—	—	—			
6 Diphtheria	1	—	—	3	—	2	—	1	—	1	—	—	—	1	—	—			
7 Influenza	1	2	6	1	2	—	1	1	1	2	2	—	2	2	2	1			
8 Encephalitis lethargica	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—			
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	—	—	—	—	1	—	1	1			
10 Tuberculosis of respiratory sys.	6	4	9	10	8	9	5	1	2	2	3	1	6	8	13	7			
11 Other tuberculous diseases	1	2	5	—	2	2	2	—	2	1	2	6	1	—	4	2			
12 Cancer, malignant disease	16	21	11	18	6	4	5	4	3	6	11	9	7	10	15	12			
13 Rheumatic fever	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—			
14 Diabetes	1	1	1	2	—	2	1	—	3	2	2	—	—	2	2	—			
15 Cerebral hæmorrhage, &c.	7	15	3	10	2	3	2	4	3	8	3	1	4	7	8	—			
16 Heart disease	30	27	33	31	13	6	5	9	17	13	18	15	15	24	30	21			
17 Arterio-sclerosis	9	13	3	1	—	—	5	2	3	2	1	2	3	3	7	2			
18 Bronchitis	7	6	5	4	7	5	3	3	2	3	7	10	2	—	3	2			
19 Pneumonia (all forms)	11	7	13	7	20	6	5	4	4	1	13	10	1	2	9	1			
20 Other respiratory diseases	1	1	3	1	1	—	1	—	1	—	2	2	1	—	4	1			
21 Ulcer of stomach or duodenum	2	1	4	—	2	1	1	—	2	—	1	—	1	—	—	—			
22 Diarrhoea, &c. (under 2 years)	—	—	—	—	6	2	—	1	—	2	—	—	1	—	—	1			
23 Appendicitis and typhlitis	2	—	1	—	—	—	1	—	—	1	—	—	1	—	1	—			
24 Cirrhosis of liver	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—			
25 Acute and chronic nephritis	3	4	6	3	1	4	—	4	4	5	2	2	—	4	1	4			
26 Puerperal sepsis	—	—	—	2	—	2	—	2	—	—	—	1	—	1	—	1			
27 Other accidents and diseases of pregnancy and parturition	—	2	—	3	—	2	—	2	—	—	—	2	—	—	—	3			
28 Congenital debility and mal-formation, premature birth	4	1	7	1	11	6	2	3	3	3	6	2	4	1	8	6			
29 Suicide	2	1	1	1	1	—	—	1	4	1	—	—	1	1	—	1			
30 Other deaths from violence	4	7	20	1	14	2	7	2											

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Harrogate M.B.		Hemsworth U.D.		Holmfirth U.D.		Hoyland Nether U.D.		Keighley M.B.		Mexborough U.D.		Mirfield U.D.		Morley M.B.		Normanton U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	230	283	69	50	54	71	85	70	260	238	90	78	71	78	121	132	102	81	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	2	1	—	—	1	1	1	1	1	1	—	1	—	—	—	—	3
4 Scarlet fever	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	4
5 Whooping cough	—	2	—	—	—	—	—	—	3	—	—	—	—	—	—	1	1	2	5
6 Diphtheria	1	1	1	1	—	—	—	—	1	—	3	1	—	—	1	1	1	—	6
7 Influenza	—	—	1	—	—	1	1	4	—	—	3	1	—	—	4	1	—	—	7
8 Encephalitis lethargica	—	1	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	8
9 Meningococcal meningitis	—	—	1	1	—	—	3	2	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	9	15	6	—	4	1	4	6	13	12	9	8	4	5	7	1	10	9	10
11 Other tuberculous diseases	3	—	1	—	1	—	2	1	3	2	3	3	2	2	1	4	2	2	11
12 Cancer, malignant disease	32	46	7	6	4	11	7	7	28	45	10	11	10	15	11	11	7	8	12
13 Rheumatic fever	—	1	—	1	—	—	—	—	3	—	—	—	1	—	—	—	—	—	13
14 Diabetes	2	3	—	2	2	—	—	3	3	8	1	—	1	—	1	4	1	—	14
15 Cerebral hæmorrhage, &c.	14	17	4	5	1	2	2	5	20	21	1	2	10	13	5	13	7	5	15
16 Heart disease	48	73	5	4	10	19	11	8	58	51	10	11	10	16	22	27	16	15	16
17 Arterio-sclerosis	17	19	4	2	6	7	4	1	4	10	7	6	2	6	18	10	10	4	17
18 Bronchitis	9	18	2	2	—	1	7	3	19	14	6	3	3	3	6	3	3	5	18
19 Pneumonia (all forms)	14	11	6	6	1	1	7	6	17	10	5	5	5	1	12	5	6	8	19
20 Other respiratory diseases	4	4	1	—	—	—	—	—	2	—	1	—	1	2	2	2	—	—	20
21 Ulcer of stomach or duodenum	4	3	1	—	—	1	3	—	6	—	1	—	1	—	2	2	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	1	—	—	—	—	3	—	1	—	—	—	—	—	1	—	22
23 Appendicitis and typhlitis	1	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	23
24 Cirrhosis of liver	3	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	24
25 Acute and chronic nephritis	5	12	3	3	7	3	1	2	15	18	4	3	7	6	8	10	5	2	25
26 Puerperal sepsis	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	3	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	2	—	1	—	3	—	1	—	—	—	—	—	2	27
28 Congenital debility and malformation, premature birth	13	5	3	2	5	2	9	3	10	2	8	3	—	2	3	2	3	2	28
29 Suicide	3	3	1	—	2	—	3	—	4	1	1	—	—	—	—	1	—	1	29
30 Other deaths from violence	13	6	7	2	2	—	7	—	10	6	6	4	3	—	6	4	5	3	30
31 Other defined diseases	31	41	11	10	9	20	13	17	38	30	9	14	10	5	9	29	20	10	31
32 Causes ill-defined or unknown	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	32

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Ossett M.B.		Pontefract M.B.		Pudsey M.B.		Rawmarsh U.D.		Rothwell U.D.		Saddleworth U.D.		Shipley U.D.		Skipton U.D.		Sowerby U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	99	104	130	104	97	109	117	85	80	70	76	90	180	197	77	74	101	101	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	1	—	3	4	—	—	—	—	—	—	—	1	—	2	—	—	—	1	3
4 Scarlet fever	—	—	—	—	1	—	—	—	—	—	—	—	1	2	—	—	—	—	4
5 Whooping cough	1	—	1	2	—	1	—	—	—	—	—	—	1	—	—	—	—	—	5
6 Diphtheria	—	3	—	—	—	1	1	—	2	—	—	—	4	1	—	—	—	—	6
7 Influenza	—	—	2	—	1	3	2	—	2	—	—	1	1	5	1	2	1	—	7
8 Encephalitis lethargica	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	—	1	1	—	—	—	1	—	2	—	—	—	—	—	—	—	—	1	9
10 Tuberculosis of respiratory sys. ..	6	4	10	5	2	7	4	5	4	4	4	3	8	8	2	—	7	1	10
11 Other tuberculous diseases	2	—	5	2	1	—	—	2	2	2	2	—	—	4	—	1	—	3	11
12 Cancer, malignant disease	9	19	13	13	11	16	12	13	10	6	7	13	17	37	8	10	13	13	12
13 Rheumatic fever	1	—	—	—	—	1	1	—	—	—	1	1	—	—	1	1	1	—	13
14 Diabetes	2	—	—	3	1	3	2	—	2	1	1	1	1	4	1	—	—	—	14
15 Cerebral hæmorrhage, &c.	5	10	11	6	3	4	8	6	5	4	2	7	8	10	3	6	7	8	15
16 Heart disease	19	20	25	23	19	27	19	8	12	21	14	27	50	55	12	23	19	23	16
17 Arterio-sclerosis	11	4	3	2	9	2	2	—	2	2	9	2	14	4	8	4	5	6	17
18 Bronchitis	1	3	8	8	5	4	9	5	3	2	3	3	7	4	4	1	4	7	18
19 Pneumonia (all forms)	7	5	10	7	9	5	5	4	7	5	2	2	15	13	9	4	8	6	19
20 Other respiratory diseases	1	—	1	—	2	—	2	—	1	1	1	1	1	3	2	1	—	—	20
21 Ulcer of stomach or duodenum	1	—	1	—	2	—	1	1	2	—	—	3	4	—	—	1	—	1	21
22 Diarrhœa, &c. (under 2 years)	1	—	1	—	—	—	—	—	1	2	—	—	2	3	1	—	—	—	22
23 Appendicitis and typhlitis	—	1	1	—	1	—	—	—	1	—	1	1	2	—	—	—	—	1	23
24 Cirrhosis of liver	—	—	1	—	1	—	—	—	1	—	—	—	1	—	—	—	1	—	24
25 Acute and chronic nephritis	9	9	5	3	5	6	—	—	3	3	7	5	3	3	3	6	4	3	25
26 Puerperal sepsis	—	4	—	2	—	1	—	3	—	—	—	—	—	—	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	3	—	1	—	2	—	1	—	1	—	1	—	—	—	1	27
28 Congenital debility and malformation, premature birth	6	2	5	6	5	2	9	4	1	1	3	5	9	10	3	2	1	5	28
29 Suicide	1	1	3	1	2	1	—	—	2	—	1	—	3	—	—	—	3	1	29
30 Other deaths from violence	5	2	4	3	2	4	6	2	3	3	2	2	4	—	6	2	3	3	30
31 Other defined diseases	10	14	16	11	14	21	32	28	17	9	14	11	24	28	11	9	23	17	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Spen- borough U.D.		Stanley U.D.		Swin- ton U.D.		Tod- morden M.B.		Wath- upon- Dearne U.D.		Womb- well U.D.		Wors- boro- ugh U.D.		Don- caster R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	160	153	90	69	75	77	159	171	90	58	116	88	54	56	238	198	1
1 Enteric fever	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	—	—	—	1	—	—	1	1	1	2	—	—	—	—	4
4 Scarlet fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
5 Whooping cough	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	6
6 Diphtheria	1	2	—	—	2	—	2	—	1	—	—	1	2	—	2	2	7
7 Influenza	—	1	1	1	—	1	1	2	1	1	1	3	—	1	3	4	8
8 Encephalitis lethargica	—	—	—	—	1	—	—	—	—	—	1	—	—	1	1	1	9
9 Meningococcal meningitis	—	—	—	—	—	—	1	—	1	—	2	4	—	—	4	3	10
10 Tuberculosis of respiratory sys.	9	10	1	2	3	6	8	6	7	4	7	9	1	3	13	15	11
11 Other tuberculous diseases	2	1	2	1	—	—	2	—	3	1	4	1	—	—	10	7	12
12 Cancer, malignant disease	21	18	10	13	4	11	20	21	7	4	8	5	7	7	15	21	13
13 Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	14
14 Diabetes	2	5	1	—	1	2	2	3	—	—	1	1	1	2	4	—	15
15 Cerebral hæmorrhage, &c.	11	10	11	6	3	4	16	16	7	4	5	3	4	5	7	10	16
16 Heart disease	24	39	14	14	9	15	31	23	9	8	19	14	7	11	32	29	17
17 Arterio-sclerosis	8	6	4	—	8	3	8	13	4	3	3	1	4	3	4	3	18
18 Bronchitis	5	7	7	3	2	3	4	9	4	2	7	3	7	2	11	5	19
19 Pneumonia (all forms)	11	4	11	8	4	5	11	4	11	9	8	10	4	3	30	21	20
20 Other respiratory diseases	1	1	1	1	—	2	—	1	1	—	1	—	—	—	2	1	21
21 Ulcer of stomach or duodenum	3	—	2	—	—	—	1	3	2	—	—	—	—	—	2	1	22
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	—	—	—	—	—	—	3	1	—	—	8	5	23
23 Appendicitis and typhlitis	2	3	—	1	1	—	1	—	—	—	1	—	—	—	—	3	24
24 Cirrhosis of liver	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	25
25 Acute and chronic nephritis	4	6	1	—	2	1	7	11	3	—	5	4	2	1	9	8	26
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	1	—	2	—	1	—	5	27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	1	—	1	—	1	—	2	—	—	—	—	28
28 Congenital debility and malformation, premature birth	7	3	5	6	6	10	7	3	9	2	4	10	6	7	23	18	29
29 Suicide	3	1	1	1	—	—	5	2	2	—	3	—	2	—	1	—	30
30 Other deaths from violence	7	4	3	3	8	—	7	8	9	5	10	2	1	1	22	3	31
31 Other defined diseases	36	29	14	7	20	11	27	43	9	11	22	10	6	8	33	32	32
32 Causes ill-defined or unknown	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	

YORKSHIRE, WEST RIDING—*cont.*

Causes of Death.	Great Ouse- burn R.D.		Hems- worth R.D.		Kiveton Park R.D.		Ponte- fract R.D.		Rother- ham R.D.		Settle R.D.		Skipton R.D.		Tad- caster R.D.		Thorne R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	67	93	259	188	78	64	116	118	202	162	85	91	140	141	157	180	178	165	1
1 Enteric fever	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	—	—	3	5	—	—	3	—	—	2	—	—	—	1	—	—	11	5	4
4 Scarlet fever	—	—	—	—	1	—	—	2	—	2	—	1	—	—	1	2	—	—	5
5 Whooping cough	2	—	2	2	2	4	—	4	—	4	—	—	—	—	—	—	—	—	6
6 Diphtheria	—	—	3	3	—	4	2	—	12	8	—	—	1	—	4	4	2	1	7
7 Influenza	1	1	3	3	1	1	1	2	5	1	—	1	2	1	2	2	2	—	8
8 Encephalitis lethargica	—	—	1	1	—	—	—	—	—	—	1	1	—	—	1	—	1	—	9
9 Meningococcal meningitis	—	—	—	1	—	—	—	—	4	—	—	—	—	—	1	—	16	9	10
10 Tuberculosis of respiratory sys.	—	2	18	13	4	2	8	6	14	6	3	1	3	7	5	8	9	6	11
11 Other tuberculous diseases	—	3	7	4	5	1	2	1	4	2	2	2	3	2	3	4	8	4	12
12 Cancer, malignant disease	9	15	19	25	9	4	10	13	15	18	6	14	13	25	12	27	16	12	13
13 Rheumatic fever	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—	1	14
14 Diabetes	2	1	2	5	1	1	1	3	2	1	—	3	2	5	—	1	—	—	15
15 Cerebral hæmorrhage, &c.	3	7	10	7	—	1	2	8	7	10	—	4	5	11	5	10	5	18	16
16 Heart disease	16	28	31	29	18	11	21	21	22	27	19	21	42	39	23	30	20	24	17
17 Arterio-sclerosis	5	3	7	1	1	1	2	3	8	2	10	9	9	7	9	10	—	—	18
18 Bronchitis	1	6	17	5	3	—	5	4	6	10	2	2	2	1	6	10	6	7	19
19 Pneumonia (all forms)	1	3	29	17	4	3	8	8	18	14	—	3	9	3	16	11	16	12	20
20 Other respiratory diseases	—	—	4	1	1	—	—	—	1	—	—	—	1	1	5	2	1	2	21
21 Ulcer of stomach or duodenum	2	—	2	—	1	1	—	2	1	—	2	—	4	—	3	1	2	—	22
22 Diarrhœa, &c. (under 2 years)	—	—	2	3	—	1	1	3	2	3	—	1	1	—	2	2	5	3	23
23 Appendicitis and typhlitis	—	1	3	1	2	—	2	1	2	—	1	1	—	—	1	—	—	—	24
24 Cirrhosis of liver	1	—	1	1	—	1	—	—	—	—	—	—	3	1	1	1	—	—	25
25 Acute and chronic nephritis	3	5	4	6	2	4	4	5	3	4	3	—	8	2	1	4	4	4	26
26 Puerperal sepsis	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	1	—	4	—	3	—	1	—	4	—	2	—	2	—	—	—	4	28
28 Congenital debility and malformation, premature birth	2	—	14	10	7	3	13	11	13	16	6	5	3	3	11	10	27	18	29
29 Suicide	1	1	2	2	—	1	1	—	7	1	—	—	1	2	—	—	2	1	30
30 Other deaths from violence	5	2	20	8	6	4	11	4	15	1	3	2	5	2	17	3	13	7	31
31 Other defined diseases	13	14	53	31	9	14	14	18	33	25	27	18	22	26	28	34	11	27	32
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

YORKSHIRE, WEST RIDING—*cont.*

ANGLESEY.

Causes of Death.	Wake- field R.D.		Wether- by R.D.		Wortley R.D.								Holy- head U.D.		Valley R.D.		
	M.	F.	M.	F.	M.	F.							M.	F.	M.	F.	
All Causes	118	96	88	91	142	119							82	72	67	69	
1 Enteric fever	—	1	—	—	—	—							—	—	—	—	1
2 Small-pox	—	—	—	—	—	—							—	—	—	—	2
3 Measles	—	1	—	1	1	2							—	—	—	—	3
4 Scarlet fever	—	—	—	—	1	—							—	—	—	—	4
5 Whooping cough	1	2	1	—	—	2							2	—	1	—	5
6 Diphtheria	5	2	1	—	—	1							1	—	—	—	6
7 Influenza	—	1	1	2	5	—							1	—	—	—	7
8 Encephalitis lethargica	—	—	1	—	—	—							—	—	—	—	8
9 Meningococcal meningitis	—	—	—	—	1	—							—	—	—	—	9
10 Tuberculosis of respiratory sys.	3	10	3	2	5	4							8	8	6	6	10
11 Other tuberculous diseases	2	1	—	3	1	4							2	—	—	1	11
12 Cancer, malignant disease	13	13	16	15	15	10							7	8	8	16	12
13 Rheumatic fever	—	—	—	2	2	—							—	—	1	—	13
14 Diabetes	—	1	2	1	2	1							2	1	2	1	14
15 Cerebral hæmorrhage, &c.	7	9	1	7	4	7							3	6	4	10	15
16 Heart disease	17	18	19	20	22	26							14	7	8	13	16
17 Arterio-sclerosis	3	1	12	8	10	7							12	11	5	1	17
18 Bronchitis	5	4	2	2	6	3							1	4	3	3	18
19 Pneumonia (all forms)	12	5	7	2	11	6							5	2	1	—	19
20 Other respiratory diseases	2	1	1	1	2	4							1	—	—	1	20
21 Ulcer of stomach or duodenum	—	—	—	—	—	2							—	2	—	—	21
22 Diarrhœa, &c. (under 2 years)	2	1	2	—	1	—							—	1	1	—	22
23 Appendicitis and typhlitis	1	—	—	—	1	—							—	1	—	—	23
24 Cirrhosis of liver	—	—	1	—	—	—							—	1	—	—	24
25 Acute and chronic nephritis	2	1	4	2	6	3							6	3	9	3	25
26 Puerperal sepsis	—	1	—	—	—	3							—	—	—	1	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	4							—	1	—	1	27
28 Congenital debility and mal-formation, premature birth	12	7	2	4	15	6							2	3	—	1	28
29 Suicide	1	—	—	—	1	—							—	—	—	1	29
30 Other deaths from violence	9	1	2	5	11	3							3	2	3	2	30
31 Other defined diseases	21	13	10	14	19	21							11	10	10	8	31
32 Causes ill-defined or unknown	—	—	—	—	—	—							1	1	5	—	32

BRECKNOCKSHIRE.

CAERNARVONSHIRE.

Causes of Death.	Ystrad- gynlais R.D.				Bangor M.B.		Llan- dudno U.D.				Gwyrfai R.D.		Lleyn R.D.		
	M.	F.			M.	F.	M.	F.			M.	F.	M.	F.	
All Causes	67	69			69	87	69	81			182	206	123	106	
1 Enteric fever	1	—			—	—	—	—			—	1	—	—	1
2 Small-pox	—	—			—	—	—	—			—	—	—	—	2
3 Measles	1	2			1	—	1	2			1	1	—	—	3
4 Scarlet fever	—	—			—	—	—	—			—	—	—	—	4
5 Whooping cough	1	2			—	—	—	—			1	—	—	—	5
6 Diphtheria	—	1			—	—	—	1			—	—	1	1	6
7 Influenza	1	—			2	—	2	3			—	3	—	1	7
8 Encephalitis lethargica	—	—			—	—	—	1			—	1	—	1	8
9 Meningococcal meningitis	—	—			—	—	—	—			—	—	—	—	9
10 Tuberculosis of respiratory sys.	2	3			6	7	2	—			22	25	4	4	10
11 Other tuberculous diseases	2	—			1	1	—	—			1	1	2	1	11
12 Cancer, malignant disease	6	7			8	15	10	16			23	33	18	19	12
13 Rheumatic fever	1	1			1	—	1	—			—	—	—	1	13
14 Diabetes	—	—			—	1	2	3			—	5	2	1	14
15 Cerebral hæmorrhage, &c.	4	4			3	16	6	7			6	6	5	11	15
16 Heart disease	10	10			12	14	13	13			40	31	25	14	16
17 Arterio-sclerosis	1	1			2	3	1	3			8	4	5	6	17
18 Bronchitis	6	6			3	3	1	—			6	6	4	3	18
19 Pneumonia (all forms)	5	3			3	1	6	5			10	5	6	3	19
20 Other respiratory diseases	4	1			—	—	1	—			2	—	1	1	20
21 Ulcer of stomach or duodenum	—	—			1	—	1	1			2	1	—	—	21
22 Diarrhœa, &c. (under 2 years)	1	—			—	—	—	—			1	3	—	—	22
23 Appendicitis and typhlitis	—	1			2	—	—	1			1	—	5	1	23
24 Cirrhosis of liver	1	—			1	1	1	1			1	1	—	—	24
25 Acute and chronic nephritis	3	2			—	3	—	3			11	20	13	10	25
26 Puerperal sepsis	—	—			—	—	—	—			—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	1			—	1	—	1			—	2	—	1	27
28 Congenital debility and mal-formation, premature birth	—	4			3	1	3	1			2	6	6	9	28
29 Suicide	—	—			—	—	—	1			3	—	—	—	29
30 Other deaths from violence	5	2			1	—	3	2			12	3	8	2	30
31 Other defined diseases	12	18			19	19	15	16			28	48	18	16	31
32 Causes ill-defined or unknown	—	—			—	1	—	—			1	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

CARDIGANSHIRE.

CARMARTHENSHIRE.

Causes of Death.	Aberyst- wyth M.B.		Aberyst- wyth North R.D.		Aberyst- wyth South R.D.		Carmar- then M.B.		Llanelly M.B.		Carmar- then R.D.		Llandilo Fawr R.D.		Llanelly R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	60	70	52	60	29	34	71	56	230	210	172	161	129	132	231	168	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5 Whooping cough	—	—	—	—	—	—	—	—	—	3	—	1	1	1	2	1	5
6 Diphtheria	—	—	1	—	—	—	—	—	4	—	—	3	2	—	3	4	6
7 Influenza	—	1	—	—	1	—	1	1	2	4	4	3	6	4	7	3	7
8 Encephalitis lethargica	1	1	—	—	—	—	—	—	1	1	—	—	1	—	1	—	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys. ..	4	7	7	3	3	4	2	1	12	15	6	16	8	14	14	11	10
11 Other tuberculous diseases	2	1	4	1	2	—	1	—	3	5	1	—	1	2	3	4	11
12 Cancer, malignant disease	3	9	5	11	5	7	10	8	23	21	20	18	14	14	13	16	12
13 Rheumatic fever	1	—	—	3	1	—	—	—	1	—	1	1	—	—	—	—	13
14 Diabetes	1	3	—	—	—	—	2	1	5	7	1	3	—	2	2	2	14
15 Cerebral hæmorrhage, &c.	2	4	4	5	1	1	1	—	7	7	7	8	6	9	13	7	15
16 Heart disease	14	14	9	13	3	10	12	9	48	34	33	28	15	29	49	29	16
17 Arterio-sclerosis	2	5	1	1	1	—	7	12	15	10	12	6	6	7	4	9	17
18 Bronchitis	—	2	—	3	—	1	3	3	10	8	5	8	2	5	12	5	18
19 Pneumonia (all forms)	—	3	4	3	1	2	4	3	12	11	18	13	11	4	9	10	19
20 Other respiratory diseases	—	1	—	—	1	—	—	—	4	1	5	3	3	—	1	6	20
21 Ulcer of stomach or duodenum	1	—	—	—	—	—	1	—	2	—	2	—	—	2	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	22
23 Appendicitis and typhlitis	1	1	1	2	—	—	1	—	4	2	1	—	2	1	3	2	23
24 Cirrhosis of liver	1	—	—	—	—	—	—	—	1	—	2	1	—	—	1	—	24
25 Acute and chronic nephritis	12	5	9	2	—	4	7	7	14	9	15	18	5	2	10	4	25
26 Puerperal sepsis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	—	—	—	—	4	—	1	—	4	—	4	27
28 Congenital debility and mal-formation, premature birth	1	—	1	3	—	1	3	3	4	5	8	6	6	8	24	15	28
29 Suicide	3	—	—	—	—	—	1	1	1	1	3	1	—	—	4	2	29
30 Other deaths from violence	1	1	1	1	1	—	1	—	11	8	7	3	13	3	19	2	30
31 Other defined diseases	9	11	5	9	9	3	13	5	44	53	19	18	24	20	36	31	31
32 Causes ill-defined or unknown	1	—	—	—	—	1	—	2	—	1	—	1	3	—	1	—	32

DENBIGHSHIRE.

Causes of Death.	Colwyn Bay U.D.		Wrex-ham M.B.		Wrex-ham R.D.	
	M.	F.	M.	F.	M.	F.
All Causes	96	140	111	121	408	371
1 Enteric fever	—	—	—	—	—	—
2 Small-pox	—	—	—	—	—	—
3 Measles	—	—	—	—	2	—
4 Scarlet fever	—	—	2	1	5	7
5 Whooping cough	—	—	1	1	5	8
6 Diphtheria	—	—	5	2	14	14
7 Influenza	—	1	2	—	4	2
8 Encephalitis lethargica	—	—	—	—	2	—
9 Meningococcal meningitis	—	—	—	—	2	—
10 Tuberculosis of respiratory sys.	5	6	6	8	15	20
11 Other tuberculous diseases	—	1	—	2	2	9
12 Cancer, malignant disease	17	19	14	19	54	37
13 Rheumatic fever	—	—	1	—	1	1
14 Diabetes	2	4	2	—	2	2
15 Cerebral hæmorrhage, &c.	5	10	5	10	26	32
16 Heart disease	22	38	24	31	81	84
17 Arterio-sclerosis	7	19	4	5	6	10
18 Bronchitis	1	1	3	7	23	13
19 Pneumonia (all forms)	6	7	5	3	20	16
20 Other respiratory diseases	1	1	—	1	6	2
21 Ulcer of stomach or duodenum	4	—	1	—	4	3
22 Diarrhœa, &c. (under 2 years)	—	—	2	—	4	2
23 Appendicitis and typhlitis	—	—	—	1	5	1
24 Cirrhosis of liver	—	—	1	1	3	1
25 Acute and chronic nephritis	2	5	4	4	8	16
26 Puerperal sepsis	—	—	—	2	—	2
27 Other accidents and diseases of pregnancy and parturition	—	—	—	—	—	6
28 Congenital debility and mal-formation, premature birth	4	3	7	4	27	12
29 Suicide	—	1	1	—	5	3
30 Other deaths from violence	1	2	5	2	32	8
31 Other defined diseases	19	22	15	16	49	59
32 Causes ill-defined or unknown	—	—	1	1	1	1

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.***FLINTSHIRE.**

Causes of Death.	Rhyl U.D.		Hawar- den R.D.		Holywell R.D.														
	M.	F.	M.	F.	M.	F.													
All Causes	70	96	132	131	163	158													1
1 Enteric fever	—	—	—	—	—	—													2
2 Small-pox	—	—	—	—	—	—													3
3 Measles	—	—	—	3	—	—													4
4 Scarlet fever	—	—	—	—	—	—													5
5 Whooping cough	—	1	—	—	—	—													6
6 Diphtheria	—	—	1	3	1	2													7
7 Influenza	—	1	—	3	—	2													8
8 Encephalitis lethargica	—	—	—	1	—	—													9
9 Meningococcal meningitis	—	—	—	—	—	—													10
10 Tuberculosis of respiratory sys. ..	4	4	8	7	6	9													11
11 Other tuberculous diseases	—	2	1	—	4	1													12
12 Cancer, malignant disease	12	12	19	16	25	22													13
13 Rheumatic fever	—	1	—	1	—	1													14
14 Diabetes	2	1	—	5	1	—													15
15 Cerebral hæmorrhage, &c.	11	11	4	10	15	15													16
16 Heart disease	12	18	18	26	18	27													17
17 Arterio-sclerosis	—	2	6	1	5	4													18
18 Bronchitis	5	3	3	5	7	5													19
19 Pneumonia (all forms)	1	3	9	8	6	8													20
20 Other respiratory diseases	2	1	—	1	2	3													21
21 Ulcer of stomach or duodenum	2	—	2	—	2	1													22
22 Diarrhœa, &c. (under 2 years)	—	2	1	1	1	—													23
23 Appendicitis and typhlitis	1	—	1	1	2	—													24
24 Cirrhosis of liver	—	—	—	1	1	—													25
25 Acute and chronic nephritis	2	—	3	3	6	8													26
26 Puerperal sepsis	—	1	—	2	—	—													27
27 Other accidents and diseases of pregnancy and parturition	—	—	—	2	—	2													28
28 Congenital debility and malformation, premature birth	2	1	14	3	4	5													29
29 Suicide	—	—	2	—	5	1													30
30 Other deaths from violence	2	5	11	2	15	5													31
31 Other defined diseases	12	27	25	25	35	37													32
32 Causes ill-defined or unknown	—	—	4	1	2	—													

GLAMORGANSHIRE.

Causes of Death.	Aber- dare U.D.		Barry U.D.		Caer- philly U.D.		Gelli- gaer U.D.		Glyn- corwg U.D.		Llwch- wr* U.D.		Maesteg U.D.		Moun- tain Ash U.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	317	303	255	169	220	174	227	219	51	41	110	85	160	130	249	208	1
1 Enteric fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
3 Measles	2	1	—	—	3	2	4	3	—	—	—	1	—	—	3	3	4
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	5
5 Whooping cough	3	1	—	—	2	3	—	—	—	—	—	2	—	—	1	1	6
6 Diphtheria	3	6	—	2	7	1	—	3	—	—	—	2	4	4	4	5	7
7 Influenza	14	11	—	5	5	1	3	10	1	3	2	1	3	2	4	3	8
8 Encephalitis lethargica	1	1	—	1	—	1	—	1	—	—	—	—	2	1	—	—	9
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
10 Tuberculosis of respiratory sys. ..	20	20	23	14	17	17	10	16	3	6	6	6	7	10	12	14	11
11 Other tuberculous diseases	6	4	6	3	5	2	4	5	4	—	5	2	2	2	5	4	12
12 Cancer, malignant disease	23	28	23	29	15	19	19	26	7	3	11	10	12	13	23	25	13
13 Rheumatic fever	6	2	—	1	2	—	1	2	—	—	—	—	2	—	1	3	14
14 Diabetes	3	2	1	1	2	3	1	2	—	—	—	3	—	—	1	4	15
15 Cerebral hæmorrhage, &c.	24	34	6	10	4	11	7	8	—	1	10	6	11	8	9	12	16
16 Heart disease	46	34	38	20	37	28	40	41	6	3	19	7	32	23	56	37	17
17 Arterio-sclerosis	3	2	7	6	3	2	6	3	2	1	3	2	8	3	3	1	18
18 Bronchitis	28	34	16	4	5	3	11	14	3	3	1	2	11	12	19	12	19
19 Pneumonia (all forms)	13	9	21	9	17	6	16	12	2	4	6	4	6	4	17	7	20
20 Other respiratory diseases	4	1	5	3	3	2	1	1	4	1	3	1	4	3	2	—	21
21 Ulcer of stomach or duodenum	4	3	2	1	—	1	3	1	—	—	1	—	1	1	7	2	22
22 Diarrhœa, &c. (under 2 years)	—	1	2	1	2	1	3	3	—	—	—	2	4	1	1	1	23
23 Appendicitis and typhlitis	2	—	2	—	—	1	1	2	1	—	1	—	—	3	3	2	24
24 Cirrhosis of liver	—	2	—	—	—	—	2	—	—	—	—	1	1	—	1	1	25
25 Acute and chronic nephritis	14	17	5	4	9	12	11	10	—	1	5	5	2	3	6	7	26
26 Puerperal sepsis	—	—	—	1	—	1	—	4	—	—	—	1	—	2	—	—	27
27 Other accidents and diseases of pregnancy and parturition	—	6	—	2	—	1	—	1	—	1	—	1	—	2	—	3	28
28 Congenital debility and malformation, premature birth	11	16	14	8	11	12	21	15	6	3	12	9	14	6	9	10	29
29 Suicide	2	—	1	3	2	1	3	—	—	1	—	—	1	—	2	1	30
30 Other deaths from violence	28	5	25	9	25	4	21	3	5	—	14	3	11	—	19	7	31
31 Other defined diseases	57	63	57	32	44	39	39	32	7	6	11	15	22	26	41	41	32
32 Causes ill-defined or unknown	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

GLAMORGANSHIRE—*cont.*

Causes of Death.	Neath M.B.		Ogmore & Garw U.D.		Penarth U.D.		Pontypridd U.D.		Port Talbot M.B.		Rhondda U.D.		Cardiff R.D.		Llantrisant & Llantwiffardre R.D.		Neath R.D.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Causes	229	182	176	101	96	85	255	216	265	216	938	778	141	142	122	128	232	204
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	3	2	2	4	—	—	2	—	8	8	4	7	—	—	—	1	1	—
4 Scarlet fever	—	—	—	—	—	—	1	—	—	1	2	2	1	—	—	—	1	4
5 Whooping cough	—	—	—	—	1	—	—	5	1	1	11	8	—	1	3	2	—	2
6 Diphtheria	—	1	1	1	—	—	4	—	9	2	13	20	—	—	2	1	3	2
7 Influenza	11	6	2	1	2	3	—	1	5	6	13	16	2	—	4	4	5	7
8 Encephalitis lethargica	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
9 Meningococcal meningitis	—	—	—	—	—	1	—	—	1	—	—	2	—	—	1	—	—	8
10 Tuberculosis of respiratory sys. ..	18	17	10	5	5	4	9	17	17	16	70	54	7	12	7	6	16	10
11 Other tuberculous diseases	3	1	3	2	—	—	9	10	3	2	17	17	1	2	3	3	4	5
12 Cancer, malignant disease	24	22	18	16	9	9	18	24	24	17	62	68	12	16	7	18	21	21
13 Rheumatic fever	1	1	2	1	1	1	2	2	1	2	6	7	—	—	1	1	1	1
14 Diabetes	3	1	2	1	1	4	2	3	—	4	7	7	1	2	1	2	—	7
15 Cerebral hæmorrhage, &c.	6	6	2	4	4	6	16	15	14	18	40	51	7	10	7	9	7	14
16 Heart disease	36	38	32	15	11	12	41	44	56	43	209	166	23	23	18	20	38	35
17 Arterio-sclerosis	8	1	4	2	7	3	6	2	5	2	18	20	8	12	3	4	9	8
18 Bronchitis	16	12	12	4	3	4	20	13	19	15	69	45	9	4	3	9	17	9
19 Pneumonia (all forms)	21	9	10	4	7	2	18	8	27	13	51	26	6	3	7	5	25	7
20 Other respiratory diseases	3	5	3	1	1	1	2	2	5	1	14	9	1	—	3	—	8	3
21 Ulcer of stomach or duodenum	1	—	3	—	—	—	2	—	4	—	10	1	2	—	2	1	2	—
22 Diarrhoea, &c. (under 2 years)	1	3	1	1	—	—	3	—	2	1	13	10	3	1	2	2	3	2
23 Appendicitis and typhlitis	2	1	2	—	3	—	3	1	2	1	8	4	—	1	2	1	2	1
24 Cirrhosis of liver	1	1	1	—	1	—	2	—	—	—	6	2	2	—	—	—	1	—
25 Acute and chronic nephritis	7	8	5	8	3	4	9	8	6	7	21	17	6	6	4	4	9	6
26 Puerperal sepsis	—	2	—	1	—	—	—	3	—	1	—	6	—	1	—	1	—	—
27 Other accidents and diseases of pregnancy and parturition	—	1	—	1	—	—	—	3	—	8	—	6	—	3	—	4	—	2
28 Congenital debility and malformation, premature birth	10	4	12	8	7	3	21	7	6	10	50	42	6	8	7	6	9	14
29 Suicide	4	—	4	—	1	—	3	—	1	3	14	3	5	3	1	—	2	2
30 Other deaths from violence	2	4	13	3	5	1	12	2	14	5	62	19	13	3	15	6	19	3
31 Other defined diseases	48	36	32	18	24	27	48	46	35	28	148	143	25	31	19	17	29	42
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—

GLAMORGANSHIRE—cont.

MONMOUTHSHIRE.

Causes of Death.	Peny-bont R.D.		Pon-tar-dawe R.D.					Aber-carn U.D.		Aber-sychan U.D.		Aber-tillery U.D.		Bed-wellyty U.D.		Blaen-avon U.D.		
	M.	F.	M.	F.				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	155	155	213	193				110	88	127	121	160	136	168	150	69	80	
1 Enteric fever	—	—	—	—				—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—				—	—	—	—	—	—	1	—	—	—	2
3 Measles	—	2	1	2				—	1	—	—	—	—	2	1	—	—	3
4 Scarlet fever	—	1	—	—				—	—	—	—	—	1	—	2	—	—	4
5 Whooping cough	—	2	5	1				—	2	—	—	3	—	—	—	—	—	5
6 Diphtheria	—	1	5	4				—	2	2	1	2	2	1	4	—	—	6
7 Influenza	—	3	5	7				1	2	4	3	2	1	4	5	1	2	7
8 Encephalitis lethargica	—	—	—	—				1	—	—	—	3	—	—	—	1	—	8
9 Meningococcal meningitis	—	—	—	—				—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	7	11	14	20				4	4	3	15	8	11	9	13	3	7	10
11 Other tuberculous diseases	1	1	1	1				5	2	2	4	6	1	3	5	1	2	11
12 Cancer, malignant disease	22	24	20	28				7	9	13	15	15	16	9	10	7	4	12
13 Rheumatic fever	—	—	—	—				1	—	—	1	—	—	2	—	2	—	13
14 Diabetes	3	3	3	4				—	2	1	2	1	5	3	—	—	—	14
15 Cerebral hæmorrhage, &c.	15	10	19	16				4	7	6	8	9	9	5	7	2	10	15
16 Heart disease	25	26	23	27				13	20	13	19	35	38	29	24	14	18	16
17 Arterio-sclerosis	2	3	4	3				3	3	1	2	3	3	4	3	2	—	17
18 Bronchitis	6	3	14	6				10	5	16	14	6	2	15	7	1	5	18
19 Pneumonia (all forms)	5	3	7	7				12	3	7	3	10	4	14	10	2	2	19
20 Other respiratory diseases	3	1	6	1				4	2	6	—	2	—	9	1	7	1	20
21 Ulcer of stomach or duodenum	2	—	4	1				—	1	1	—	4	—	1	—	—	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	1				—	—	3	—	2	1	5	3	—	—	22
23 Appendicitis and typhlitis	1	2	1	—				—	2	3	1	1	—	—	—	1	—	23
24 Cirrhosis of liver	2	—	—	—				—	—	—	—	4	1	1	—	2	—	24
25 Acute and chronic nephritis	2	1	13	5				—	—	2	1	3	5	2	3	2	5	25
26 Puerperal sepsis	—	2	—	2				—	2	—	—	—	1	—	1	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	6	—	2				—	1	—	1	—	1	—	2	—	—	27
28 Congenital debility and mal-formation, premature birth	15	6	15	13				13	3	13	6	12	10	11	19	1	1	28
29 Suicide	—	—	2	—				—	1	3	—	2	—	—	—	—	2	29
30 Other deaths from violence	15	8	18	5				12	—	8	1	11	5	16	5	3	1	30
31 Other defined diseases	23	31	33	41				20	14	20	24	16	19	22	25	17	20	31
32 Causes ill-defined or unknown	—	1	1	—				—	—	—	—	—	—	—	—	—	—	32

TABLE 21.—CAUSES OF DEATH IN CERTAIN ADMINISTRATIVE AREAS, 1930
(Civilian population only)—*cont.*

MONMOUTHSHIRE—*cont.*

Causes of Death.	Ebbw Vale U.D.		Mynyddislwyn U.D.		Nant-y-glo & Blaina U.D.		Panteg U.D.		Rhydney U.D.		Risca U.D.		Tredegar U.D.		St. Melons R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	223	158	92	58	78	59	77	55	73	59	92	78	134	118	102	55	
1 Enteric fever	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2 Small-pox	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	2	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	4
5 Whooping cough	7	3	1	1	—	—	1	1	—	—	—	—	—	—	—	—	5
6 Diphtheria	1	1	1	1	—	—	1	1	—	—	—	1	1	—	—	1	6
7 Influenza	3	1	1	—	1	2	—	—	2	—	2	3	—	—	2	1	7
8 Encephalitis lethargica	2	1	—	—	1	3	—	1	—	—	—	—	—	—	—	—	8
9 Meningococcal meningitis	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	19	19	5	7	6	6	3	3	3	5	4	9	6	5	5	4	10
11 Other tuberculous diseases	4	3	3	3	1	1	—	3	—	1	1	1	4	3	—	—	11
12 Cancer, malignant disease	23	22	6	7	8	6	8	5	10	4	6	6	9	7	16	7	12
13 Rheumatic fever	—	1	—	—	—	—	—	—	2	—	—	1	—	1	—	—	13
14 Diabetes	2	1	—	—	3	2	—	—	1	—	1	—	—	2	—	2	14
15 Cerebral hæmorrhage, &c.	9	3	3	2	1	2	3	4	1	5	5	5	13	11	6	2	15
16 Heart disease	26	25	12	11	29	12	9	6	13	11	10	8	34	31	18	11	16
17 Arterio-sclerosis	13	2	—	—	4	3	5	1	5	1	6	1	6	3	4	3	17
18 Bronchitis	8	4	4	3	4	1	6	2	3	2	5	13	11	2	3	2	18
19 Pneumonia (all forms)	10	2	19	5	4	5	4	1	5	6	6	4	7	7	1	3	19
20 Other respiratory diseases	4	5	6	—	—	1	1	2	1	—	2	2	2	3	2	—	20
21 Ulcer of stomach or duodenum	4	—	—	—	—	1	—	—	—	—	1	1	—	—	—	1	21
22 Diarrhœa, &c. (under 2 years)	3	2	1	1	—	—	1	—	1	1	1	—	2	1	—	—	22
23 Appendicitis and typhlitis	1	1	—	—	—	—	—	—	—	—	2	1	1	—	3	—	23
24 Cirrhosis of liver	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	24
25 Acute and chronic nephritis	6	3	—	1	5	1	3	2	7	6	3	1	5	5	6	3	25
26 Puerperal sepsis	—	—	—	—	—	—	—	2	—	2	—	—	—	2	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	2	—	—	—	2	—	2	—	2	—	2	—	4	—	—	27
28 Congenital debility and malformation, premature birth	15	9	8	5	2	4	7	1	1	3	5	1	6	7	3	3	28
29 Suicide	1	—	—	—	1	1	1	1	—	—	—	—	1	—	3	—	29
30 Other deaths from violence	14	7	6	1	4	1	5	3	6	—	14	1	14	1	10	3	30
31 Other defined diseases	40	38	16	9	4	5	18	14	10	9	17	17	10	23	17	9	31
32 Causes ill-defined or unknown	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	32

MONTGOMERYSHIRE.

PEMBROKESHIRE.

Causes of Death.	Llan-fyllin R.D.		New-town & Llan-idloes R.D.		Pembroke M.B.		Haver-ford-west R.D.		Nar-berth R.D.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
All Causes	69	68	74	67	93	86	127	114	57	77	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough	—	—	—	1	—	—	1	1	—	—	5
6 Diphtheria	1	—	—	—	—	1	—	2	—	—	6
7 Influenza	—	—	1	1	1	—	—	—	1	1	7
8 Encephalitis lethargica	—	—	—	—	1	1	—	—	—	1	8
9 Meningococcal meningitis	—	—	—	—	—	—	—	—	—	—	9
10 Tuberculosis of respiratory sys.	6	2	2	3	2	2	6	13	5	6	10
11 Other tuberculous diseases	1	1	—	1	2	—	3	1	—	—	11
12 Cancer, malignant disease	7	16	6	6	10	16	17	10	6	12	12
13 Rheumatic fever	—	3	—	—	—	1	—	—	—	—	13
14 Diabetes	—	—	—	—	—	2	1	—	1	—	14
15 Cerebral hæmorrhage, &c.	7	4	6	10	6	6	4	4	1	5	15
16 Heart disease	15	16	15	20	16	12	27	36	7	11	16
17 Arterio-sclerosis	3	1	4	—	7	2	5	6	5	12	17
18 Bronchitis	1	1	3	1	1	5	6	1	—	5	18
19 Pneumonia (all forms)	1	1	—	1	2	2	9	6	1	1	19
20 Other respiratory diseases	2	1	2	—	1	1	2	1	—	1	20
21 Ulcer of stomach or duodenum	2	—	2	—	1	—	—	—	2	—	21
22 Diarrhœa, &c. (under 2 years)	—	—	1	—	2	—	1	—	—	—	22
23 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	1	23
24 Cirrhosis of liver	1	—	—	—	—	—	1	—	—	1	24
25 Acute and chronic nephritis	4	3	3	4	9	2	8	2	5	5	25
26 Puerperal sepsis	—	—	—	—	—	1	—	—	—	—	26
27 Other accidents and diseases of pregnancy and parturition	—	—	—	1	—	—	—	3	—	1	27
28 Congenital debility and malformation, premature birth	6	2	4	4	3	6	4	2	2	4	28
29 Suicide	—	—	—	—	2	—	1	1	—	1	29
30 Other deaths from violence	1	1	4	1	3	5	6	3	2	—	30
31 Other defined diseases	10	16	21	13	22	21	25	21	19	8	31
32 Causes ill-defined or unknown	1	—	—	—	2	—	—	1	—	—	32

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1930.

The deaths in this table include those of non-civilians and have been classified to the several forms of violence, (e.g., suicide, accident, etc.,) in accordance with the information furnished by H.M. Coroners.

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Total	{ M. 15480 F. 6719	345	736	711	453	974	1327	1972	1710	2257	2363	1617	1015
			264	450	347	118	236	282	517	528	803	846	956	1372
165-174	Suicide	{ M. 3527 F. 1524	—	—	—	7	52	161	400	548	861	869	482	147
			—	—	—	—	40	82	250	276	383	289	167	37
	Murder	{ M. 55 F. 57	18	13	5	2	1	3	1	5	1	5	1	—
			13	3	2	2	3	8	8	8	5	4	—	1
	Manslaughter	{ M. 49 F. 21	2	1	—	2	2	4	7	11	7	9	4	—
			3	—	3	1	—	3	3	2	2	1	3	—
197-199	"Infanticide"	{ M. 8 F. 4	8	—	—	—	—	—	—	—	—	—	—	—
			4	—	—	—	—	—	—	—	—	—	—	—
	Justifiable Homicide	{ M. — F. —	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—
190	Wounds of War	{ M. 74 F. —	—	—	—	—	—	—	21	31	19	3	—	—
			—	—	—	—	—	—	—	—	—	—	—	—
202 pt	Execution	{ M. 3 F. —	—	—	—	—	—	1	2	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—
	Accident	{ M. 10922 F. 4838	288	714	697	432	887	1112	1458	987	1199	1279	1030	839
			219	441	342	112	172	171	209	204	369	512	766	1321
	"Open Verdicts"*	{ M. 788 F. 258	28	7	8	8	28	38	67	122	162	193	98	29
			19	5	—	2	21	15	44	38	43	38	20	13
	Others†	{ M. 54 F. 17	1	1	1	2	4	8	16	6	8	5	2	—
			6	1	—	1	—	3	3	—	1	2	—	—
165-174	Suicide :—													
165 & 166	By Solid or Liquid Poisons and Corrosive Substances	{ M. 406 F. 309	—	—	—	—	8	20	60	86	86	93	45	8
			—	—	—	—	9	26	60	58	75	49	28	4
	Hydrochloric acid	{ M. 33 F. 20	—	—	—	—	—	2	3	6	6	12	4	—
			—	—	—	—	—	1	5	1	6	4	3	—
	Potassium cyanide	{ M. 38 F. 5	—	—	—	—	4	2	1	7	12	9	3	—
			—	—	—	—	1	1	1	1	—	—	1	—
	Prussic acid, hydrocyanic acid	{ M. 28 F. 1	—	—	—	—	3	1	7	7	5	4	1	—
			—	—	—	—	—	—	1	—	—	—	—	—
	Oxalic acid	{ M. 7 F. 19	—	—	—	—	—	—	1	1	3	1	1	—
			—	—	—	—	—	2	6	3	5	2	1	—
	Carbolic acid	{ M. 35 F. 21	—	—	—	—	—	1	4	6	9	9	6	—
			—	—	—	—	—	—	4	4	6	5	2	—
	Opium, laudanum, morphia	{ M. 4 F. 1	—	—	—	—	—	1	—	1	1	—	—	1
			—	—	—	—	—	—	—	—	—	—	1	—
	Ammonia	{ M. 8 F. 11	—	—	—	—	—	—	2	—	1	3	1	1
			—	—	—	—	—	—	2	2	3	2	1	1
	Lysol	{ M. 180 F. 174	—	—	—	—	1	9	36	42	31	42	16	3
			—	—	—	—	5	13	34	36	42	28	14	2
	Strychnine	{ M. 1 F. 3	—	—	—	—	—	—	—	1	—	—	—	—
			—	—	—	—	—	—	1	1	1	—	—	—
	Corrosive (not stated)	{ M. 2 F. —	—	—	—	—	—	—	—	2	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—

* These deaths (i.e. those which cannot be definitely classified as suicidal, homicidal, or accidental in causation) are included under "Accident" in the detailed tables as follows :—International List No. 177, 23 M., 19 F.; No. 179, 2 F.; No. 180, 15 M., 13 F.; No. 181, 19 M., 17 F.; No. 182, 558 M., 156 F.; No. 183, 7 M.; No. 184, 1 M., 1 F.; No. 185, 28 M., 9 F.; No. 186, 19 M.; No. 188, 72 M., 7 F.; No. 201, 26 M., 5 F.; No. 202, 10 M., 26 F.; No. 203, 10 M., 3 F.

† Inquests adjourned and not resumed under Section 20 of the Coroners (Amendment) Act 1926 concerning which the available information is insufficient to admit of more definite classification of the deaths in this summary. These deaths are included under the headings of the International List as follows :—No. 179, 1 F.; No. 180, 4 F.; No. 181, 1 M.; No. 183, 2 M.; No. 184, 3 M., 1 F.; No. 185, 4 M., 1 F.; No. 188, 26 M., 6 F.; No. 202, 18 M., 4 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1930—*cont.*

Inter- national List. No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Suicide— <i>cont.</i>													
165 & 166 — <i>cont.</i>	Other solid or liquid poisons { M. (or kind not stated)* .. { F.	70 54	— —	— —	— —	— —	— 3	4 9	6 6	13 10	18 12	13 8	13 5	3 1
167	By poisonous gas { M. { F.	842 509	— —	— —	— —	1 —	10 6	31 19	109 76	138 104	208 132	193 97	119 54	33 21
	Coal gas { M. { F.	841 507	— —	— —	— —	1 —	10 5	31 19	109 76	137 104	208 131	193 97	119 54	33 21
	Others† { M. { F.	1 2	— —	— —	— —	— —	— 1	— —	— —	1 —	— 1	— —	— —	— —
168	Hanging or strangulation .. { M. { F.	629 124	— —	— —	— —	4 —	7 1	27 2	52 12	72 22	178 29	175 36	82 18	32 4
169	Drowning { M. { F.	554 333	— —	— —	— —	2 —	11 17	24 21	49 52	77 51	142 93	143 63	82 32	24 4
170	Firearms { M. { F.	254 8	— —	— —	— —	— —	8 —	36 2	39 1	40 2	53 2	47 1	24 —	7 —
171	Cutting or piercing instruments { M. { F.	535 88	— —	— —	— —	— —	2 2	4 2	45 9	79 14	128 13	149 22	98 24	30 2
172	Jumping from high places .. { M. { F.	110 67	— —	— —	— —	— —	1 2	6 4	9 11	18 7	19 23	29 11	19 8	9 1
173	Crushing { M. { F.	190 30	— —	— —	— —	— —	5 3	13 3	37 7	35 5	46 6	39 4	12 2	3 —
	On railway { M. { F.	185 29	— —	— —	— —	— —	5 3	13 3	37 7	34 5	45 6	36 3	12 2	3 —
	Other motor vehicles .. { M. { F.	5 1	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	3 1	— —	— —
174	Suicide by other means .. { M. { F.	7 56	— —	— —	— —	— —	— —	— 3	— 22	3 13	1 10	1 6	1 1	1 1
	Setting fire to clothing .. { M. { F.	2 10	— —	— —	— —	— —	— —	— —	— 3	2 2	— 4	— 1	— —	— —
	Burns (not stated) { M. { F.	— 11	— —	— —	— —	— —	— —	— —	— —	— 1	— 5	— 4	— 1	— —
	Abortion :—													
	By operation F.	24	—	—	—	—	—	2	15	6	1	—	—	—
	„ drugs F.	3	—	—	—	—	—	—	—	3	—	—	—	—
	Others (or not stated) .. F.	6	—	—	—	—	—	1	4	1	—	—	—	—
	Others (or not stated)§ .. { M. { F.	5 2	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	1 1	1 —	1 1
	Accident :—													
175	Food poisoning { M. { F.	10 6	— —	— 1	— —	1 —	1 —	1 —	1 —	2 —	2 4	2 1	— —	— —
	“ Ptomaine poisoning ” .. { M. { F.	3 2	— —	— —	— —	— —	— —	— —	— —	1 —	1 2	1 —	— —	— —
	“ Food poisoning ” .. { M. { F.	4 3	— —	— 1	— —	1 —	— —	— —	1 —	1 —	— 2	1 —	— —	— —
	Others { M. { F.	3 1	— —	— —	— —	— —	1 —	1 —	— —	— —	1 —	— 1	— —	— —

*Weed-killer (arsenic), 4 M., 3 F.; arsenic (not stated), 1 M., 1 F.; butter of antimony, 2 M.; mercury perchloride, 2 M.; mercury biniodide, 1 F.; copper sulphate, 1 F.; barium carbonate, 1 M.; zinc and hydrochloric acid, 1 M.; lime chloride, 1 F.; potassium bichromate, 1 M.; caustic potash, 1 M.; phosphorus (rat poison), 1 M., 1 F.; phosphorus (not stated), 1 M.; sulphuric acid, 2 M., 1 F.; acetic acid, 2 F.; chloroform, 2 M., 1 F.; lysol and chloroform, 1 M.; carbolic (sheep dip), 1 M.; “kerol,” 1 F.; creosote, 1 M., 1 F.; creolin, 1 M.; cresolin, 1 F.; cresol, 2 M., 1 F.; creosote and formalin, 1 M.; ozophene, 1 M.; coal tar derivative (not stated), 2 F.; cyanide (not stated), 2 M.; veronal, 1 M., 2 F.; luminal, 2 M.; dial, 1 M.; medinal, 2 F.; paraldehyde, 1 M.; aspirin, 6 M., 6 F.; chlorodyne, 1 M.; narcotic (not stated), 2 M.; hypnotic (not stated), 1 M.; aconite and chloralhydrate, 1 M.; potassium bromide and chloralhydrate, 1 F.; liniment (camphor), 2 M., 2 F.; methyl salicylate, 1 M., 2 F.; liniment (aconite, belladonna and chloroform), 2 M., 2 F.; liniment (chloroform and camphor), 1 F.; liniment (not stated), 2 F.; belladonna, 2 M., 1 F.; turpentine, 1 F.; nicotine (garden use), 2 M.; vermin killer (strychnine), 4 F.; strychnine hydrochloride 1 F.; Jeyes fluid, 4 M., 4 F.; “Elsonal” disinfectant 1 F.; “Hycol” disinfectant, 1 M.; disinfectant (carbolic solution), 1 M., 2 F.; disinfectant (corrosive nature), 1 M.; disinfectant (not stated), 2 M.; weed-killer (not stated), 4 M., 1 F.; vermin-killer (not stated), 1 F.; poison (not stated), 3 M.

† Including fumes from motor car, 1 F.

§ Exploding gelignite, 3 M.; swallowing false teeth, 1 M.; swallowing lead pencil, 1 F.; jagged glass, 1 M.; scalds of feet, 1 F.

|| Botulism, 1 M.; shrimps, 1 F.; mushrooms, 1 M.; tinned tomatoes, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1930—*cont.*

Inter-national List. No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
	Accident— <i>cont.</i>													
176	Poisoning by venomous animals {M. F.	18 14	— —	1 —	— —	4 —	1 —	2 2	5 3	— —	2 1	1 4	1 4	1 —
	“Insect” {M. F.	14 7	— —	1 —	— —	4 —	1 —	1 1	3 1	— —	1 1	1 3	1 1	1 —
	Others* {M. F.	4 7	— —	— —	— —	— —	— —	1 1	2 2	— —	1 —	— 1	— 3	— —
177	Other acute accidental poisonings {M. F.	79 66	— 1	9 8	1 —	— 3	3 3	5 3	6 7	8 10	13 18	17 6	15 4	2 3
	Carbolic acid {M. F.	5 1	— —	— —	— —	— —	1 —	— —	— —	— —	1 1	2 —	1 —	— —
	Lysol {M. F.	7 8	— —	— —	— —	— —	— —	1 2	— —	1 1	— 2	1 1	4 2	— —
	Hydrochloric acid {M. F.	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— 1	1 —	1 —	— —
	Opium, laudanum, morphia .. {M. F.	8 —	— —	— —	— —	— —	— —	— —	1 —	— —	3 —	3 —	1 —	— —
	Belladonna {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Others (or kind not stated)†.. {M. F.	57 56	— 1	9 8	1 —	— 3	2 3	4 1	5 7	7 9	9 14	10 5	8 2	2 3
178	Conflagration {M. F.	31 30	— —	— 4	5 2	1 —	2 1	1 3	2 3	5 4	5 1	3 6	5 1	2 5
179	Accidental burns (Conflagra- tion excepted) {M. F.	601 751	53 37	293 195	32 61	8 22	14 36	9 34	39 36	21 33	22 43	32 62	31 73	47 119
	1. Burns {M. F.	248 536	22 13	48 66	13 52	6 20	10 35	6 33	20 34	14 31	13 30	26 55	28 61	42 106
	By flannelette clothes‡.. {M. F.	2 14	— —	1 2	— 2	— 1	— —	— 1	1 —	— —	— —	— 2	— 3	— 3
	„ clothes (other or not {M. described)§ {F.	67 269	6 5	20 26	8 32	2 14	3 25	— 20	2 13	2 18	3 15	8 26	8 22	5 53
	„ molten metal {M. F.	7 —	— —	— —	— —	— —	2 —	— —	1 —	1 —	1 —	2 —	— —	— —
	„ playing with fire, &c. {M. F.	1 4	— —	1 3	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —
	„ falling into fire .. {M. F.	28 36	3 1	4 6	— —	— —	1 1	— 1	1 3	— —	— 3	2 5	6 7	11 9
	„ bedding {M. F.	3 8	1 1	1 —	— —	— —	— —	— —	— —	— —	— 1	— —	1 3	— 3
	„ lamp accident .. {M. F.	4 4	— —	— —	— —	— —	— —	— —	— —	1 2	— —	1 1	1 1	1 —
	Otherwise (or not stated how):—													
	Ships, docks, &c. .. {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Others {M. F.	136 201	12 6	21 29	5 17	4 5	4 9	6 11	15 18	10 11	9 11	13 21	12 25	25 38

* Gnat bite, 3 M., 4 F.; mosquito bite, 1 M.; wasp, 2 F.; Bee, 1 F.

† Sheep dip (arsenic), 2 M.; rat poison (arsenic), 1 M.; arsenic (not stated), 3 F.; corrosive sublimate, 3 M., 1 F.; barium sulphide, 1 M.; cyanide of potassium, 3 M.; zinc (not stated), 1 F.; ammonia, 2 M., 2 F.; permanganate of potash, 1 M.; caustic soda, 1 M.; iodine, 2 F.; “Rodine” rat poison (phosphorus), 1 M.; nitric acid, 1 M.; sulphuric acid, 2 M.; oxalic acid, 2 F.; cresoline, 1 M.; creosote, 1 M.; coal tar inhalant, 2 M.; chloral, 1 M.; veronal, 2 M., 2 F.; medinal, 4 M., 8 F.; sulphate of morphine and medinal, 1 M.; luminal, 1 M., 1 F.; sulphonal, 1 F.; Dial tablets, 1 M.; medinal and dial, 1 F.; aspirin and dial, 1 F.; paraldehyde, 2 M., 3 F.; formaldehyde, 1 F.; “Somnifaine,” 2 F.; “Soneryl tablets,” 1 M.; aspirin, 5 M., 3 F.; atophan, 3 M.; cocaine, 2 M., 1 F.; methyl-salicylate, 1 M.; liniment (camphor), 1 F.; aconite, belladonna, chloroform, 1 F.; Sloan’s liniment, 1 F.; tincture of camphor, 1 M.; tablets (strychnine), 1 M., 2 F.; pills (strychnine), 1 M., 1 F.; Easton’s syrup (strychnine), 1 F.; strychnine (not stated), 2 M.; quinine, 2 F.; Jeyes Fluid, 1 F.; methylated spirits, 1 F.; petrol, 2 F.; poisonous berries, 1 M.; yew, 1 F.; horse chestnuts, 1 F.; fungi, 2 M., 3 F.; corrosive poison (not stated), 2 M., 1 F.; poison (not stated) 2 M., 1 F.

‡ Including candle, 4 F.; open grate, 2 F.;

§ Including candle, 4 M.; 16 F.; open grate, 1 M.; 7 F.; electric radiator, 1 M.; 1 F.; gas stove, ring, &c., 13 F.; oil stove, 2 F.; playing with matches, 3 F.; petrol used for cleaning dress, 2 F.

|| Including aeroplane, 2 M.; motor car and motor cycle, 1 F.; motor car, 4 M., 1 F.; motor coach, 1 M., 1 F.; motor bus, 1 M.; motor cycle, 7 M.; petrol, 2 F.; hot water bottle, 5 M., 2 F.; candle, 3 M., 3 F.; unguarded grate, 1 M.; oil stove, spirit lamp, etc., 5 F.; celluloid toy, 1 F.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1930—*cont.*

Inter-national List No.	Cause or Character of Violence.	All Ages	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
179 — <i>cont.</i>	Accident— <i>cont.</i>													
	2. Scalds { M. 328 31 245 19 2 3 — 7 4 6 5 1 5 F. 212 24 129 9 2 — 1 2 2 13 7 11 12													
	By steam { M. 1 — — — — — — — 1 — — — — F. — — — — — — — — — — — — —													
	By drinking hot liquids { M. 5 — 5 — — — — — — — — — — F. 1 — 1 — — — — — — — — — —													
	In ships, docks, &c. .. { M. — — — — — — — — — — — — — F. — — — — — — — — — — — — —													
	Otherwise (or not stated how) { M. 322 31 240 19 2 3 — 7 3 6 5 1 5 F. 211 24 128 9 2 — 1 2 2 13 7 11 12													
	3. Explosions* { M. 25 — — — — 1 3 12 3 3 1 2 — F. 3 — — — — 1 — — — — — 1 1													
	In ships, docks, &c. .. { M. 2 — — — — — — 1 — — 1 — — F. — — — — — — — — — — — — —													
	Other (or not stated how)† .. { M. 23 — — — — 1 3 11 3 3 — 2 — F. 3 — — — — 1 — — — — — 1 1													
180	Accidental mechanical suffoca- tion { M. 292 228 12 3 3 4 5 2 2 8 15 6 4 F. 210 171 10 3 1 — — 3 4 4 7 2 5													
	In bed { M. 162 154 3 — — 1 — — — — 2 1 1 F. 129 125 1 — — — — — — — — 2 — 1													
	„ cot, cradle, &c. .. { M. 28 28 — — — — — — — — — — — F. 17 15 2 — — — — — — — — — — —													
	Falling on face { M. 2 — — — — — — — — — 1 1 — — F. 3 — — — — — — — — — 1 — — 1													
	Heavy substance on { M. 15 — — 1 1 — 3 2 1 4 3 — — F. 7 — 4 2 — — — — 1 — — —													
	Food, &c. { M. 62 25 9 2 2 1 2 — 1 3 9 5 3 F. 36 15 3 1 1 — — 2 3 3 4 2 2													
	Others‡ { M. 23 21 — — — 2 — — — — — — F. 18 16 — — — — — 1 — — — — 1													
181	Accidental absorption of irrespir- able or poisonous gas { M. 118 1 — — 1 7 6 8 17 27 25 18 8 F. 56 1 3 — — — 1 2 3 5 15 14 12													
	Coal gas { M. 73 1 — — 1 4 2 2 8 17 17 14 7 F. 50 — 2 — — — 1 2 3 5 13 13 11													
	Carbon monoxide§ { M. 24 — — — — 2 3 3 2 6 4 4 — F. 3 — — — — — — — — 2 1 —													
	Carbon dioxide { M. 1 — — — — — — — — — 1 — — F. — — — — — — — — — — — —													
	Others (or not stated):—													
	Ships, docks, &c. { M. 2 — — — — — 1 — 1 — — — F. — — — — — — — — — — — —													
	Others { M. 18 — — — — 1 — 3 6 4 3 — 1 F. 3 1 1 — — — — — — — — 1													

* For other deaths caused by explosions but not resulting from burns or scalds *see* No. 202.

† Including at oil cake mills, 11 M.; in military tank, 1 M.

‡ Including at breast, 1 M.

§ Motor car, 5 M.; motor bus, 1 M.; fumes in garage, 1 M.; furnace, 3 M.; iron and steel works, 2 M.; coking-hopper factory, 1 M.; stoke hole, 4 M.; gas producer, 1 M.; geyser, 2 M.; bedding, 2 M., 1 F.; coke, 1 M.; anthracite stove, 2 F.; (not stated), 1 M.

|| Fumes from motor car, 1 M.; brazier, 1 M.; bedding, 2 M., 2 F.; water gas plant, 1 M.; chemical works, 1 M.; hopper, 1 M.; beer vat, 1 M.; silo pit, 3 M.; drainage sump, 3 M.; engaged in cleaning tank, 1 M.; petrol vapour, 1 M.; ammonia, 1 M.; perambulator set on fire, 1 F.; gas (not otherwise described), 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1930—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
182	Accidental Drowning.. .. { F.	1175 273	11 7	76 33	116 25	65 9	112 27	99 11	96 26	117 33	163 40	186 35	102 19	32 8
	Bathing { F.	145 11	— —	— —	7 3	23 1	52 3	38 2	10 1	6 1	6 —	2 —	1 —	— —
	Pleasure craft.. .. { F.	21 3	— —	— —	— —	— —	5 —	6 2	6 —	1 1	— —	2 —	1 —	— —
	Other ships and boats .. { F.	47 —	— —	— —	— —	— —	3 —	7 —	12 —	7 —	6 —	9 —	2 —	1 —
	Docks, &c. { F.	13 —	— —	— —	— —	— —	2 —	2 —	2 —	1 —	3 —	2 —	1 —	— —
	Whilst attempting rescue .. { F.	10 1	— —	— —	1 —	1 —	1 —	2 —	2 1	1 —	1 —	— —	1 —	— —
	Otherwise (or not stated how)* { F.	382 102	2 3	71 30	103 22	37 7	31 6	19 —	22 3	17 7	24 10	22 8	22 5	12 1
	"Found" (open verdict) .. { F.	557 156	9 4	5 3	5 —	4 1	18 18	25 7	42 21	84 24	123 30	149 27	74 14	19 7
183	Accidental injury by firearms .. { F.	82 4	1 —	— 1	1 1	5 —	13 —	10 —	16 1	11 —	8 1	13 —	3 —	1 —
184	Accidental injury by cutting or piercing instruments { F.	10 2	— 1	1 —	— —	2 —	1 —	2 —	2 —	— —	— —	1 1	1 —	— —
185	Accidental injury by fall .. { F.	1790 1788	10 8	38 22	35 11	33 4	70 5	54 10	108 23	148 31	219 89	272 181	345 411	458 993
	In ships, docks, &c.:— .. { F.	89 —	— —	— —	— —	— —	14 —	7 —	14 —	13 —	20 —	15 —	4 —	2 —
	Down hold { F.	30 —	— —	— —	— —	— —	3 —	3 —	7 —	3 —	6 —	5 —	2 —	1 —
	Into dock { F.	12 —	— —	— —	— —	— —	1 —	2 —	1 —	2 —	2 —	3 —	1 —	— —
	Others (or not stated how) † { F.	47 —	— —	— —	— —	— —	10 —	2 —	6 —	8 —	12 —	7 —	1 —	1 —
	In building operations .. { F.	247 —	— —	— —	— —	— —	12 —	17 —	39 —	48 —	54 —	43 —	31 —	3 —
	Downstairs { F.	256 419	1 —	8 2	1 1	2 1	3 1	— 1	6 6	13 6	34 30	49 79	60 128	79 164
	From window.. .. { F.	85 50	2 —	2 2	4 1	2 —	6 2	2 4	8 4	7 7	11 8	19 8	13 6	9 8
	In house, room, &c. .. { F.	175 427	4 2	8 7	1 —	2 —	1 —	1 —	4 2	3 6	4 15	16 33	40 104	91 258
	Out of bed { F.	19 39	2 2	1 1	1 1	— —	— —	— —	1 —	— —	— 1	1 —	5 7	8 27
	In street.. .. { F.	125 96	— —	2 3	2 3	1 1	4 1	1 1	3 —	5 1	16 5	17 12	32 27	42 42
	Diving { F.	8 —	— —	— —	— —	1 —	3 —	3 —	— —	1 —	— —	— —	— —	— —
	Down area { F.	4 2	— —	— —	— —	— —	— —	— —	— 1	1 —	— —	2 —	1 1	— —
	Down lift well { F.	8 —	— —	— —	— —	— —	— —	1 —	— —	2 —	3 —	2 —	— —	— —
	From horse { F.	33 3	— —	— —	1 —	2 —	3 —	2 1	3 2	3 —	3 —	8 —	7 —	1 —
	From cliff { F.	26 5	— —	1 —	1 —	5 —	3 —	1 —	4 1	2 1	5 1	1 2	1 —	2 —
	From ladder { F.	69 5	— —	— —	— —	1 —	1 —	2 —	5 —	9 —	16 2	14 —	17 3	4 —
	Otherwise (or not stated how) ‡ { F.	646 742	1 4	16 7	24 5	17 2	20 1	17 3	21 7	41 10	53 27	85 47	134 135	217 494

* Including ice giving way, 3 M.; building operations, 1 M.

† Including fall from staging, 16 M.

‡ Including 61 M., 163 F., age 65 years and upwards, from fracture of leg; from tree, 19 M., 1 F.; from load of hay, 11 M.; from rick, 7 M.; from bridge, 4 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1930—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
186	Accidental injury in mining and quarrying. M.	961	—	—	—	11	92	68	231	194	192	137	33	3
	1. Coal mining M.	898	—	—	—	11	90	62	219	179	179	126	29	3
	Fall of coal, stone, &c. M.	492	—	—	—	3	22	25	133	107	111	76	14	1
	Crushing M.	11	—	—	—	—	5	—	2	1	2	—	1	—
	Fall down shaft M.	6	—	—	—	—	2	1	—	—	1	1	1	—
	Fall (not otherwise de- scribed). M.	13	—	—	—	1	—	1	3	—	3	5	—	—
	Machinery M.	41	—	—	—	2	7	8	8	1	8	6	1	—
	Trams M.	119	—	—	—	2	13	10	21	24	20	20	8	1
	Tubs M.	104	—	—	—	3	33	10	21	13	16	4	3	1
	Electric shock M.	7	—	—	—	—	—	—	3	3	—	1	—	—
	Shot firing M.	16	—	—	—	—	—	—	3	9	2	2	—	—
	Explosion of gas M.	44	—	—	—	—	2	5	12	12	11	2	—	—
	" Others (or not stated). M.	1	—	—	—	—	—	—	1	—	—	—	—	—
	Blow (not otherwise de- fined). M.	3	—	—	—	—	—	—	1	1	1	—	—	—
	Otherwise (or not stated how).* M.	41	—	—	—	—	6	2	11	8	4	9	1	—
	2. Other mining M.	11	—	—	—	—	—	—	2	3	2	3	1	—
	Fall of stone, &c. .. M.	6	—	—	—	—	—	—	—	1	2	2	1	—
	Others † M.	5	—	—	—	—	—	—	2	2	—	1	—	—
	3. Quarrying M.	52	—	—	—	—	2	6	10	12	11	8	3	—
	Fall of stone, &c. .. M.	22	—	—	—	—	1	4	5	5	5	2	—	—
	Fall (not otherwise de- scribed). M.	9	—	—	—	—	—	1	—	4	—	2	2	—
	Machinery M.	5	—	—	—	—	1	—	2	1	1	—	—	—
	Otherwise ‡ M.	16	—	—	—	—	—	1	3	2	5	4	1	—
187	Accidental injury by machinery { M.	178	—	3	—	12	26	20	34	28	29	17	9	—
	{ F.	3	—	1	2	—	—	—	—	—	—	—	—	—
	In ships, docks, &c. .. { M.	12	—	—	—	—	—	3	3	3	2	—	1	—
	{ F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In metal works { M.	18	—	—	—	1	4	3	4	2	2	2	—	—
	{ F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In textile factories .. { M.	20	—	—	—	1	6	2	3	4	2	2	—	—
	{ F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In other factories .. { M.	18	—	—	—	1	2	1	6	3	2	1	2	—
	{ F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Agricultural machinery { M.	19	—	2	—	3	1	3	1	4	3	2	—	—
	{ F.	1	—	—	1	—	—	—	—	—	—	—	—	—
	Lift § { M.	27	—	—	—	5	10	—	2	5	4	1	—	—
	{ F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Crane { M.	30	—	—	—	1	—	4	8	4	7	3	3	—
	{ F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In ships, docks, &c. { M.	7	—	—	—	—	—	—	2	2	2	1	—	—
	{ F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	In building opera- { M.	8	—	—	—	—	—	1	5	—	—	—	2	—
	{ F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others { M.	15	—	—	—	1	—	3	1	2	5	2	1	—
	{ F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Circular saw { M.	3	—	—	—	—	—	—	—	1	1	1	—	—
	{ F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other machinery ¶ .. { M.	31	—	1	—	—	3	4	7	2	6	5	3	—
	{ F.	2	—	1	1	—	—	—	—	—	—	—	—	—
188	Accidental injury by other forms { M.	5846	4	260	488	265	540	842	914	513	596	656	488	280
	of crushing { F.	1722	3	150	232	73	114	117	134	104	187	216	237	155
	1. Railways { M.	416	—	5	6	5	20	25	67	57	95	99	31	6
	{ F.	23	—	1	1	1	2	1	1	4	3	5	2	2
	Run over on line .. { M.	277	—	4	1	3	9	14	44	37	68	72	20	5
	{ F.	20	—	1	1	1	1	—	1	4	2	5	2	2
	Collision { M.	5	—	—	—	—	—	—	2	—	—	3	—	—
	{ F.	—	—	—	—	—	—	—	—	—	—	—	—	—

* Including Carbon monoxide, 10 M.; carbon dioxide, 2 M.; inrush of water, 5 M.; pony, 1 M.

† Including blasting operations, 1 M.

‡ Including blasting operations, 6 M.; tub waggon, &c., 5 M.

§ Including in textile factories, 2 M.; iron works, 1 M.; building operations, 1 M.

|| Including textile factories, 1 M.; metal works, 5 M.

¶ Including building operations, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1930—*cont.*

Inter-national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 — <i>cont.</i>	Accidental injury by other forms of crushing— <i>cont.</i>													
	1. Railways— <i>cont.</i>													
	Fall from carriage or engine {M. F.	43 2	— —	1 —	5 —	1 —	2 —	— 1	4 —	8 —	9 1	6 —	6 —	1 —
	Fall (not otherwise described) {M. F.	4 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	2 —	— —
	Crushing by carriage or engine {M. F.	65 —	— —	— —	— —	1 —	7 —	6 —	15 —	11 —	13 —	10 —	2 —	— —
	Striking bridge .. {M. F.	5 —	— —	— —	— —	— —	1 —	1 —	2 —	— —	— —	1 —	— —	— —
	Blow (not otherwise described) {M. F.	3 —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	— —
	Otherwise (or not stated how)* {M. F.	14 1	— —	— —	— —	— —	1 1	4 —	— —	1 —	3 —	4 —	1 —	— —
	2. Other vehicles mechanically propelled. {M. F.	4802 1602	3 2	238 138	457 223	228 63	454 108	762 112	776 129	389 98	399 173	468 200	381 213	247 143
	Motor car {M. F.	1060 583	2 2	57 36	162 82	36 15	50 18	77 25	100 35	83 41	104 69	152 92	134 95	103 73
	Motor van, lorry, &c. .. {M. F.	963 310	1 —	107 51	176 78	96 23	84 24	58 3	86 20	66 12	67 19	95 27	82 33	45 20
	Electric tramcar .. {M. F.	47 26	— —	1 2	2 2	— 1	— —	1 1	3 —	5 —	4 7	7 —	13 7	11 6
	Motor cab {M. F.	35 15	— —	3 —	2 —	2 —	— 1	3 —	1 1	3 —	3 2	7 2	8 4	3 5
	Motor omnibus .. {M. F.	465 227	— —	46 33	70 39	38 13	40 9	29 14	48 12	24 15	47 27	51 33	43 26	29 6
	Motor char-a-banc, coach, &c. {M. F.	61 40	— —	5 1	5 5	9 2	6 3	2 2	5 3	13 3	4 4	3 4	6 9	3 4
	Motor cycle {M. F.	1049 237	— —	16 12	31 14	13 3	96 27	275 31	256 25	90 10	74 25	78 31	71 32	49 27
	Aeroplane, airship .. {M. F.	57 5	— —	— —	— —	— —	3 —	23 1	25 2	2 1	3 1	1 —	— —	— —
	Motor vehicles (others or undefined)† {M. F.	19 4	— —	— —	— —	1 —	3 —	1 —	4 —	1 —	4 1	3 2	2 1	— —
	Collisions‡:— {M. F.	1046 155	— —	3 3	9 3	33 6	172 26	293 35	248 31	102 16	89 18	71 9	22 6	4 2
	Motor car and motor cycle {M. F.	306 46	— —	1 1	— —	— 2	40 9	123 14	87 10	26 5	19 2	9 1	1 2	— —
	Motor car and pedal cycle {M. F.	114 13	— —	— —	2 —	14 2	25 2	7 2	10 2	11 2	15 2	21 1	7 —	2 —
	Motor van, &c., and motor cycle {M. F.	230 8	— —	— 1	— 1	— —	40 1	77 2	65 3	25 —	14 —	6 —	2 —	1 —
	Motor van, &c., and pedal cycle {M. F.	74 9	— —	— —	4 —	9 —	27 6	10 1	5 1	5 —	4 —	8 1	2 —	— —
	Motor cycle and cycle (pedal or not stated) {M. F.	63 6	— —	— —	1 —	1 —	7 1	15 4	19 1	7 —	7 —	6 —	— —	— —
	Motor bus and motor cycle {M. F.	76 12	— —	1 —	— —	1 1	8 2	31 4	21 3	5 1	7 —	— 1	2 —	— —

* Including train out of control, 3 M; lift, 2 M.

† Including motor fire engine, 1 M., 1 F; armoured car 1 M.

‡ The collisions in these cases are those in which the information recorded in the Death register did not show which vehicle caused death.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1930—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
188 — <i>cont.</i>	Accidental injury by other forms of crushing—(<i>cont.</i>)													
	Collisions— <i>cont.</i>													
	Motor bus and pedal cycle. {M. F.	32 5	— —	— —	1 —	4 1	11 2	6 1	5 —	1 —	2 1	2 —	— —	— —
	Others* {M. F.	151 56	— —	1 1	1 2	4 —	14 3	24 7	36 11	22 8	21 13	19 5	8 4	1 2
	3. Horse drawn vehicles and horses. {M. F.	131 24	1 —	12 10	8 3	4 1	8 —	10 —	11 —	12 —	16 1	24 2	22 5	3 2
	Dogcart, trap {M. F.	4 5	— —	— —	— 1	— —	— —	— —	— —	— —	— —	2 1	2 3	— —
	Cart {M. F.	59 7	— —	4 6	3 —	2 —	5 —	4 —	3 —	5 —	7 —	12 1	13 —	1 —
	Van, waggon {M. F.	46 10	1 —	6 4	5 2	2 1	1 —	3 —	4 —	4 —	7 1	8 —	3 1	2 1
	Dray {M. F.	7 1	— —	2 —	— —	— —	— —	— —	1 —	1 —	1 —	1 —	1 1	— —
	Collisions {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Others (or kind not stated)† {M. F.	3 —	— —	— —	— —	— —	1 —	— —	1 —	1 —	— —	— —	— —	— —
	Horses {M. F.	12 1	— —	— —	— —	— —	1 —	3 —	2 —	1 —	1 —	1 —	3 —	— 1
	4. Other and undefined vehicles. {M. F.	283 63	— —	1 1	6 3	25 6	49 4	25 4	24 2	24 2	37 10	35 7	35 16	22 8
	Truck {M. F.	3 —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	1 —
	Van, waggon {M. F.	4 —	— —	— —	— —	— —	2 —	— —	— —	— —	1 —	1 —	— —	— —
	Dray {M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Pedal cycle {M. F.	258 61	— —	— 1	5 3	24 6	44 4	23 4	21 2	22 2	32 8	33 7	34 16	20 8
	Cycle, (not stated).. {M. F.	6 1	— —	— —	— —	— —	2 —	1 —	1 —	— —	— 1	1 —	— —	1 —
	Others (or kind not stated)† {M. F.	12 1	— —	1 —	1 —	1 —	— —	1 —	2 —	2 —	3 1	— —	1 —	— —
	5. Other crushing {M. F.	214 10	— 1	4 —	11 2	3 2	9 —	20 —	36 2	31 —	49 —	30 2	19 1	2 —
	Fall of heavy substance:—													
	In ships, docks, &c. {M. F.	29 —	— —	— —	— —	— —	1 —	3 —	5 —	5 —	10 —	3 —	2 —	— —
	In building operations {M. F.	20 —	— —	— —	— —	— —	— —	4 —	3 —	4 —	4 —	3 —	2 —	— —
	In excavations .. {M. F.	3 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	2 —	— —	— —
	Trees {M. F.	21 2	— —	— —	— —	— —	1 —	3 —	4 2	2 —	5 —	3 —	3 —	— —

* Motor car and:—cycle (not stated) 7 M., 1 F.; electric tram, 4 M., 3 F.; motor bus, 12 M., 10 F.; motor lorry, 24 M., 18 F.; motor coach 7 M., 4 F.; horse vehicles, 3 M., 2 F.; farm tractor, 1 M.; taxi cab, 1 M. Motor coach and motor lorry, 1 F. Motor lorry and:—cycle (not stated), 4 M.; motor bus, 6 M., 3 F.; motor coach, 5 M.; taxi cab, 1 F.; horse vehicles, 8 M.; steam roller, 1 M.; train, 2 M.; tractor, 1 M.; Electric tramcar and:—motor bus, 1 M., 1 F.; motor cycle, 8 M., 1 F.; pedal cycle, 8 M.; taxi-cab, 2 F.; horse vehicles, 1 M.; cycle (not stated), 2 M. Motor cycle and:—motor coach, 16 M., 2 F.; taxi cab, 6 M.; horse vehicles, 17 M., 3 F.; tractor, 1 M.; railway truck, 1 M.; motor vehicle (not stated), 1 M. Motor coach and:—pedal cycle, 3 M., 1 F.; chassis, 1 F. Motor bus and:—motor coach, 1 F.; horse vehicle, 1 F.

† Including horse hay rake, 2 M.

‡ Including coal trams, etc., 2 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1930—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
199 —cont.	Homicide by other means— <i>cont.</i>													
	Murder— <i>cont.</i>													
	By strangulation { M. F.	8 10	8 5	— —	— —	— 1	— 1	— 1	— —	— 1	— 1	— —	— —	— —
	Abortion:—													
	By operation F.	3	—	—	—	—	—	1	2	—	—	—	—	—
	„ drugs F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated) .. F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated how)* { M. F.	27 24	7 5	9 3	4 2	2 1	1 —	1 2	— 3	— 4	— 2	2 1	1 —	— 1
	Manslaughter { M. F.	55 25	10 7	1 —	— 3	2 1	2 —	3 3	7 3	11 2	7 2	8 1	4 3	— —
	By motor car { M. F.	27 5	— —	— —	— 1	1 —	2 —	5 —	5 —	4 1	5 —	4 1	4 2	— —
	„ blow { M. F.	11 2	— —	1 —	— —	1 1	— —	— —	2 —	5 —	1 1	1 —	— —	— —
	Abortion:—													
	By operation F.	4	—	—	—	—	—	3	1	—	—	—	—	—
	„ drugs F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated) .. F.	3	—	—	—	—	—	—	2	1	—	—	—	—
	Others (or not stated how)† .. { M. F.	17 11	10 7	— —	— 2	— —	1 —	1 —	— —	1 —	2 1	2 —	— 1	— —
	Justifiable Homicide .. { M. F.	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
201	Fracture (cause not specified) .. { M. F.	26 5	2 1	2 1	2 —	— —	1 1	1 —	4 —	2 —	— —	6 1	5 —	1 1
202	Other and unstated forms of { M. accidental violence; execution { F.	244 79	5 10	20 13	12 4	20 —	20 4	29 4	42 15	22 15	31 4	25 6	14 2	4 2
	Swallowing foreign body .. { M. F.	39 25	— 4	10 5	4 1	2 —	2 1	2 —	4 1	1 4	6 3	6 3	2 2	— 1
	Blow:—													
	In ships, docks, &c. .. { M. F.	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —
	Others { M. F.	60 10	— 1	4 1	2 3	8 —	4 1	5 —	12 1	4 1	7 1	7 1	6 —	1 —
	Football, cricket, &c. .. { M. F.	26 1	— —	— —	— —	3 —	7 —	8 —	5 —	2 —	1 —	— 1	— —	— —
	Strangulation { M. F.	16 7	5 4	— 3	— —	2 —	— —	2 —	2 —	1 —	2 —	2 —	— —	— —
	Explosions§:—													
	In ships, docks, &c. .. { M. F.	2 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —
	Others { M. F.	33 —	— —	1 —	4 —	— —	1 —	2 —	4 —	10 —	10 —	1 —	— —	— —
	Abortion:—													
	Verdict of misadventure or accident													
	By operation F.	1	—	—	—	—	—	—	1	—	—	—	—	—
	„ drugs F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (or not stated) .. F.	—	—	—	—	—	—	—	—	—	—	—	—	—
	Open verdict													
	By operation F.	19	—	—	—	—	—	4	11	4	—	—	—	—
	„ drugs F.	1	—	—	—	—	1	—	—	—	—	—	—	—
	Others (or not stated) .. F.	3	—	—	—	—	—	—	—	3	—	—	—	—

* Including coal gas, 13 M., 9 F.; suffocation, 2 M., 2 F.; blow, 7 M., 8 F.; hydrochloric acid, 1 M.; potassium cyanide, 1 F.; corrosive poison, 1 F.; want of attention, 1 F.

† Including motor lorry, 2 M., 1 F.; motor cycle, 1 M., 1 F.; fight, 2 M.; coal gas, 1 M.; suffocation, 2 F.; strangulation, 4 M., 1 F.; neglect, 2 M., 3 F.; lack of nourishment, 1 M.; untied umbilical cord, 1 F.; fracture of skull, 1 M.; thrown from window, 1 F.

§ For other deaths from explosions but resulting from burns or scalds see No. 179.

|| Including at chemical works, 17 M.; petrol drum, 3 M.; bomb, 2 M.; maroon, 2 M.; acetylene gas, 1 M.

TABLE 22.—VIOLENT DEATHS, ENGLAND AND WALES, 1930—*cont.*

Inter- national List No.	Cause or Character of Violence.	All Ages.	Under 1 year.	1—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 and upwards.
202 — <i>cont.</i>	Other accidents (otherwise or not stated how):—													
	In ships, docks, &c. .. { M. F.	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —
	Others* { M. F.	62 12	— 1	5 4	2 —	5 —	6 1	9 —	12 1	4 3	4 —	7 1	5 —	3 1
	Execution { M. F.	3 —	— —	— —	— —	— —	— —	1 —	2 —	— —	— —	— —	— —	— —
203	Violent deaths of unknown causation { M. F.	10 3	— —	— —	1 —	— —	1 —	— —	— —	2 —	1 1	3 —	2 1	— 1
	Summarized headings:—													
	Ships, docks, &c. .. { M. F.	227 —	— —	— —	— —	— —	23 —	24 —	48 —	35 —	47 —	35 —	12 —	3 —
	Building operations .. { M. F.	278 —	— —	— —	— —	— —	12 —	22 —	47 —	53 —	59 —	47 —	35 —	3 —
	Criminal abortion F.	67	—	—	—	—	1	11	36	18	1	—	—	—

* Including exposure, 1 M.; fight, 9 M. 1 F.; strain, 7 M., 1 F., boxing, 3 M.; amusement machines, 5 M., 1 F.; sea sickness, 1 M.; use of syringe for sanitary purposes, 1 F., Wounds:—on iron railings, 6 M.; other wounds, 17 M., 4 F.

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1920—1930.
ENGLAND AND WALES AND CERTAIN AGGREGATES (EXCLUDING CASES AMONG NON-CIVILIANS).

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Smallpox ..	1920	0.01	0.01	0.00	0.00	0.01	0.00	0.01	—	0.01	0.00	0.02	0.00
	1921	0.01	0.01	—	0.00	0.01	—	0.01	—	0.01	—	0.00	—
	1922	0.03	0.03	0.00	0.01	0.03	0.00	0.03	0.00	0.04	0.00	0.02	0.00
	1923	0.06	0.07	0.00	0.00	0.08	0.01	0.07	0.01	0.08	0.01	0.08	0.00
	1924	0.10	0.10	0.00	0.00	0.15	—	0.06	—	0.18	—	0.11	—
	1925	0.14	0.15	0.00	0.00	0.17	—	0.18	0.00	0.21	—	0.09	—
	1926	0.26	0.28	0.00	0.00	0.42	0.00	0.16	—	0.45	0.00	0.37	0.00
	1927	0.38	0.34	0.00	0.00	0.46	0.11	0.27	0.03	0.47	1.80	0.45	0.01
	1928	0.32	0.28	0.07	0.07	0.28	0.99	0.35	0.24	0.34	1.62	0.18	0.02
	1929	0.28	0.27	0.43	0.43	0.21	0.36	0.30	0.55	0.24	0.58	0.16	0.03
	1930	0.29	0.29	1.15	1.15	0.14	0.32	0.23	0.27	0.18	0.52	0.09	0.01
Scarlet Fever	1920	3.19	3.10	4.35	5.01	2.45	4.15	3.38	5.11	2.64	4.70	2.11	3.27
	1921	3.64	3.61	3.84	7.25	2.80	3.80	3.49	3.96	3.25	4.78	2.03	2.31
	1922	2.85	2.85	2.75	3.80	2.40	2.92	3.18	2.10	2.68	3.55	1.92	1.94
	1923	2.24	2.26	1.93	2.21	2.00	1.96	2.67	1.81	2.12	2.27	1.80	1.46
	1924	2.16	2.18	1.83	2.51	1.91	1.89	2.47	1.61	2.03	2.03	1.73	1.67
	1925	2.36	2.40	1.76	2.67	2.15	1.82	2.69	1.53	2.25	1.90	1.99	1.68
	1926	2.10	2.14	1.54	2.68	1.93	1.63	2.26	1.22	2.01	1.65	1.80	1.58
	1927	2.16	2.22	1.30	2.92	1.99	1.36	2.32	1.10	2.13	1.53	1.75	1.09
	1928	2.61	2.70	1.42	3.44	2.34	1.50	2.98	1.15	2.47	1.80	2.12	1.04
	1929	3.05	3.15	1.68	3.60	2.78	1.66	3.56	1.73	2.97	1.79	2.44	1.47
	1930	2.76	2.81	2.02	3.76	2.49	2.02	2.98	2.04	2.65	2.22	2.19	1.70
Diphtheria ..	1920	1.86	1.85	1.94	3.05	1.63	1.83	1.72	2.37	1.78	1.68	1.38	2.06
	1921	1.76	1.75	1.89	3.62	1.46	1.90	1.50	1.87	1.63	1.82	1.16	2.02
	1922	1.37	1.38	1.25	3.37	1.05	1.22	1.14	1.38	1.20	1.22	0.78	1.22
	1923	1.05	1.04	1.13	2.27	0.74	1.10	1.04	1.26	0.81	1.24	0.61	0.88
	1924	1.07	1.06	1.21	2.31	0.73	1.19	1.11	1.28	0.81	1.30	0.59	1.00
	1925	1.23	1.23	1.24	2.73	0.79	1.26	1.34	1.14	0.88	1.45	0.64	0.96
	1926	1.31	1.32	1.24	2.96	0.84	1.28	1.44	1.09	0.94	1.51	0.68	0.91
	1927	1.33	1.33	1.26	2.71	0.90	1.24	1.50	1.31	1.07	1.51	0.62	0.83
	1928	1.55	1.55	1.56	2.75	1.19	1.39	1.70	2.21	1.38	1.61	0.87	1.06
	1929	1.59	1.58	1.78	2.68	1.22	1.49	1.74	2.87	1.38	1.74	0.95	1.09
	1930	1.84	1.79	2.47	3.03	1.39	2.34	1.98	2.98	1.57	2.47	1.08	2.13

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1920—1930.
ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Enteric Fever	1920	0·08	0·08	0·06	0·09	0·09	0·07	0·07	0·03	0·09	0·08	0·09	0·05
	1921	0·10	0·10	0·10	0·07	0·12	0·11	0·08	0·07	0·14	0·12	0·09	0·09
	1922	0·06	0·06	0·05	0·06	0·07	0·05	0·05	0·03	0·08	0·05	0·06	0·05
	1923	0·08	0·08	0·07	0·07	0·10	0·08	0·07	0·02	0·09	0·08	0·10	0·08
	1924	0·11	0·10	0·09	0·09	0·12	0·10	0·09	0·04	0·13	0·10	0·10	0·11
	1925	0·07	0·07	0·08	0·09	0·07	0·08	0·06	0·08	0·07	0·08	0·07	0·08
	1926	0·07	0·07	0·05	0·07	0·08	0·05	0·06	0·04	0·08	0·06	0·07	0·03
	1927	0·09	0·09	0·04	0·07	0·12	0·05	0·06	0·02	0·12	0·05	0·11	0·04
	1928	0·09	0·09	0·05	0·13	0·10	0·05	0·06	0·03	0·10	0·05	0·10	0·05
	1929	0·07	0·07	0·04	0·08	0·08	0·04	0·06	0·05	0·08	0·03	0·08	0·05
	1930	0·07	0·07	0·05	0·07	0·08	0·05	0·07	0·05	0·08	0·05	0·08	0·04
Puerperal Fever	1920	0·08	0·08	0·05	0·10	0·06	0·05	0·10	0·07	0·06	0·05	0·05	0·04
	1921	0·06	0·06	0·04	0·08	0·04	0·05	0·08	0·04	0·05	0·05	0·03	0·04
	1922	0·06	0·06	0·05	0·07	0·04	0·04	0·08	0·08	0·04	0·04	0·03	0·04
	1923	0·06	0·06	0·06	0·08	0·04	0·04	0·08	0·10	0·04	0·05	0·04	0·04
	1924	0·06	0·06	0·05	0·06	0·04	0·04	0·08	0·07	0·05	0·04	0·03	0·04
	1925	0·06	0·06	0·06	0·07	0·04	0·05	0·09	0·09	0·05	0·05	0·04	0·04
	1926	0·07	0·07	0·07	0·07	0·05	0·05	0·09	0·12	0·05	0·06	0·05	0·05
	1927	0·05	0·05	0·04	0·06	0·04	0·04	0·07	0·07	0·03	0·04	0·04	0·03
	1928	0·06	0·06	0·07	0·07	0·05	0·05	0·08	0·15	0·05	0·05	0·04	0·05
	1929	0·06	0·06	0·06	0·07	0·05	0·04	0·08	0·12	0·04	0·05	0·05	0·03
	1930	0·06	0·06	0·07	0·07	0·05	0·05	0·09	0·14	0·05	0·04	0·05	0·05
Erysipelas	1920	0·43	0·44	0·32	0·57	0·38	0·31	0·48	0·37	0·41	0·36	0·32	0·21
	1921	0·35	0·36	0·23	0·47	0·30	0·22	0·41	0·26	0·34	0·25	0·23	0·18
	1922	0·35	0·36	0·22	0·43	0·29	0·21	0·43	0·26	0·32	0·23	0·24	0·17
	1923	0·32	0·33	0·24	0·40	0·27	0·20	0·39	0·36	0·31	0·24	0·21	0·14
	1924	0·33	0·34	0·19	0·41	0·28	0·18	0·40	0·25	0·31	0·21	0·23	0·14
	1925	0·39	0·40	0·28	0·42	0·33	0·25	0·48	0·36	0·37	0·29	0·28	0·20
	1926	0·38	0·38	0·26	0·40	0·32	0·26	0·47	0·25	0·35	0·31	0·27	0·18
	1927	0·38	0·39	0·22	0·43	0·32	0·20	0·47	0·28	0·35	0·24	0·27	0·15
	1928	0·42	0·43	0·26	0·48	0·36	0·26	0·51	0·26	0·40	0·31	0·29	0·18
	1929	0·45	0·46	0·28	0·49	0·39	0·27	0·56	0·30	0·42	0·32	0·33	0·20
	1930	0·45	0·47	0·30	0·54	0·38	0·28	0·57	0·36	0·41	0·35	0·33	0·17

TABLE 23.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED PER 1,000 POPULATION IN THE YEARS 1920—1930.
ENGLAND AND WALES AND CERTAIN AGGREGATES—*cont.*

Disease.	Year.	England and Wales (including Ports).	England.	Wales (including Monmouth).	London.	Aggregate of Administrative Counties of—		Aggregate of County Boroughs of—		Aggregate of Non-County Boroughs and Urban Districts of—		Aggregate of Rural Districts of—	
						England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).	England (excluding London).	Wales (including Monmouth).	England.	Wales (including Monmouth).
Cerebro-spinal Fever	1920	0.02	0.02	0.01	0.03	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.00
	1921	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	1922	0.01	0.01	0.00	0.02	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.00
	1923	0.01	0.01	0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.00
	1924	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00
	1925	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.00
	1926	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1927	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1928	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00
	1929	0.02	0.02	0.01	0.03	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.00
	1930	0.02	0.02	0.01	0.02	0.01	0.00	0.02	0.01	0.01	0.01	0.02	—
Poliomyelitis	1920	0.01	0.01	0.00	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.00
	1921	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01
	1922	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.00
	1923	0.02	0.01	0.03	0.02	0.01	0.01	0.01	0.13	0.01	0.01	0.01	—
	1924	0.02	0.02	0.02	0.03	0.02	0.01	0.02	0.06	0.02	0.02	0.02	0.01
	1925	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	1926	0.03	0.03	0.02	0.02	0.04	0.02	0.03	0.03	0.03	0.01	0.04	0.02
	1927	0.02	0.02	0.01	0.02	0.02	0.01	0.02	0.02	0.02	0.01	0.02	0.01
	1928	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	1929	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.02	0.01
	1930	0.01	0.01	0.01	0.01	0.02	0.00	0.01	0.01	0.01	0.00	0.02	0.00

TABLE 24.—SEASONAL INCIDENCE OF CERTAIN INFECTIOUS DISEASES.
ENGLAND AND WALES, 1930 (EXCLUDING CASES AMONG NON-CIVILIANS).

(1930) Week ended					Scarlet Fever.	Diph- theria.	Enteric Fever.	Cerebro- spinal Fever.	Polio- myelitis.	Enceph- alitis Lethar- gica.
Jan.	4	140	122	68	80	73	72
"	11	135	123	84	136	63	173
"	18	142	131	72	64	52	137
"	25	153	145	68	88	52	101
Feb.	1	145	148	61	104	21	159
"	8	130	141	59	72	126	144
"	15	128	136	72	96	136	108
"	22	122	126	52	72	42	137
March	1	125	125	68	80	94	159
"	8	124	123	65	136	73	101
"	15	120	122	84	160	63	101
"	22	116	115	92	128	31	72
"	29	122	114	84	128	10	123
April	5	116	105	93	168	10	94
"	12	106	103	140	120	21	101
"	19	97	89	138	96	42	79
"	26	90	84	122	88	73	43
May	3	87	86	147	152	52	123
"	10	95	93	140	216	31	123
"	17	92	87	115	120	31	72
"	24	90	83	118	136	21	72
"	31	93	79	135	88	42	101
June	7	83	78	120	112	10	108
"	14	68	71	88	112	21	115
"	21	76	73	95	96	31	159
"	28	78	80	149	120	52	108
July	5	84	83	117	104	84	123
"	12	85	92	151	104	115	101
"	19	87	88	196	104	126	144
"	26	84	91	208	128	178	101
Aug.	2	85	79	165	40	126	87
"	9	72	70	145	104	157	72
"	16	73	69	133	80	251	101
"	23	70	68	120	96	157	43
"	30	69	66	133	96	241	65
Sept.	6	68	77	147	56	251	72
"	13	77	87	115	64	209	144
"	20	81	92	117	72	220	130
"	27	93	95	113	56	168	72
Oct.	4	96	93	90	64	230	50
"	11	96	101	79	88	220	130
"	18	109	112	92	80	230	58
"	25	99	108	92	56	209	94
Nov.	1	110	108	75	96	94	87
"	8	99	111	97	88	105	87
"	15	114	107	74	64	126	79
"	22	110	113	50	104	105	115
"	29	104	109	63	120	126	79
Dec.	6	104	109	48	96	73	94
"	13	97	104	45	80	73	79
"	20	97	104	41	88	73	79
"	27	75	81	27	64	52	58
Jan.	3 (1931)	89	102	36	152	21	72
					100	100	100	100	100	100
Average weekly number of cases notified ..					2,096	1,395	56	13	10	14

Note.—The actual average weekly number of cases is shown at the foot of each column. The proportion of the notifications to this average taken as 100 is shown for each week. Any seasonal excess of 30 per cent. over the mean for the year being shown by black type.

TABLE 25.—NOTIFICATIONS OF TUBERCULOSIS, 1921-1930.
(Excluding cases among non-civilians.)

Tuberculosis of Respiratory System.																					
1921.		1922.		1923.		1924.		1925.		1926.		1927.		1928.		1929.		1930.			
No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.		
—																					
England and Wales (including cases notified in Port Sanitary Districts)		59,299	1·57	55,798	1·47	57,007	1·49	57,737	1·47	58,545	1·51	56,212	1·45	54,048	1·38	53,047	1·35	52,634	1·33	50,583	1·26
England (excluding London)		46,503	1·52	43,528	1·41	45,133	1·46	46,172	1·45	46,668	1·49	44,844	1·42	43,439	1·36	42,645	1·33	41,876	1·29	40,257	1·21
London		9,731	2·16	8,721	1·92	8,165	1·79	7,941	1·71	8,071	1·75	7,454	1·62	7,043	1·55	6,896	1·55	7,237	1·64	6,759	1·52
Wales (including Monmouth) ..		2,897	1·09	3,415	1·27	3,504	1·30	3,390	1·22	3,560	1·30	3,682	1·35	3,336	1·23	3,296	1·23	3,267	1·22	3,306	1·24
Other Tuberculosis.																					
1921.		1922.		1923.		1924.		1925.		1926.		1927.		1928.		1929.		1930.			
No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.	No. of cases notified.	Rate per 1000 of population.		
—																					
England and Wales (including cases notified in Port Sanitary Districts)		15,653	0·42	16,178	0·43	18,494	0·48	18,711	0·48	19,228	0·50	18,608	0·48	17,697	0·45	17,977	0·46	16,544	0·42	16,818	0·42
England (excluding London)		12,644	0·41	12,909	0·42	15,022	0·49	15,212	0·48	15,894	0·51	15,254	0·48	14,727	0·46	14,972	0·47	13,779	0·43	14,001	0·42
London		2,267	0·50	2,235	0·49	2,298	0·50	2,330	0·50	2,150	0·47	2,164	0·47	1,872	0·41	1,798	0·40	1,636	0·37	1,542	0·35
Wales (including Monmouth) ..		732	0·28	1,020	0·38	1,154	0·43	1,156	0·42	1,160	0·42	1,169	0·43	1,085	0·40	1,185	0·44	1,087	0·41	1,238	0·46

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES, IN ADMINISTRATIVE COUNTIES AND IN COUNTY BOROUGH: 53 WEEKS ENDED 4TH JANUARY, 1931.

(Excluding cases among non-civilians.)

Note.—Cases notified in Port Sanitary Districts are included only in the figures for England and Wales as a whole.

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Polio-myelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND AND WALES	111,077	2·76	73,953	1·84	2,952	0·07	2,582	0·06	5,647	0·14	18,307	0·45	11,839	—	23	664	506	735	5,481	50,583	16,818
ENGLAND	105,629	2·81	67,330	1·79	2,778	0·07	2,401	0·06	5,298	0·14	17,502	0·47	11,003	—	20	646	492	694	5,193	47,016	15,543
ENGLAND AND WALES, Administrative Counties, excluding London	54,599	2·44	33,098	1·48	1,727	0·08	1,099	0·05	2,710	0·12	8,336	0·37	3,596	—	5	303	318	441	1,882	22,395	9,235
ENGLAND, Administrative Counties, excluding London	50,352	2·49	28,177	1·39	1,632	0·08	999	0·05	2,494	0·12	7,745	0·38	2,914	—	4	295	309	404	1,671	19,943	8,252
* ALL AREAS:																					
England and Wales	111,077	2·76	73,953	1·84	2,952	0·07	2,582	0·06	5,647	0·14	18,307	0·45	11,839	—	23	664	506	735	5,481	50,583	16,818
North	40,747	3·05	20,140	1·51	919	0·07	969	0·07	1,859	0·14	7,910	0·59	1,189	—	7	330	138	280	2,128	18,715	7,615
Midlands	33,990	2·56	23,992	1·81	1,013	0·08	849	0·06	1,818	0·14	5,243	0·39	4,477	—	4	164	250	213	1,939	14,575	4,336
South†	30,892	2·81	23,198	2·11	846	0·08	583	0·05	1,621	0·15	4,349	0·40	5,337	—	9	152	104	201	1,126	13,726	3,592
Wales	5,397	2·02	6,598	2·47	121	0·05	181	0·07	349	0·13	794	0·30	834	—	1	15	14	41	288	3,306	1,238
Port Sanitary Districts.	51	—	25	—	53	—	—	—	—	—	11	—	2	—	2	3	—	—	—	261	37
LONDON	16,749	3·76	13,525	3·03	291	0·07	297	0·07	753	0·17	2,402	0·54	5,151	—	6	88	31	60	623	6,759	1,542
COUNTY BOROUGH:																					
England and Wales	39,678	2·94	27,305	2·02	881	0·07	1,186	0·09	2,184	0·16	7,558	0·56	3,090	—	10	270	157	234	2,976	21,168	6,004
North	23,679	3·32	13,438	1·88	468	0·07	653	0·09	1,119	0·16	4,696	0·66	335	—	4	170	71	154	1,539	12,431	4,080
Midlands	10,976	2·53	9,306	2·15	274	0·06	369	0·09	663	0·15	2,158	0·56	2,569	—	4	69	71	59	1,183	5,865	1,251
South	3,873	2·64	2,884	1·96	113	0·08	83	0·06	269	0·18	501	0·34	34	—	2	24	10	17	177	2,018	418
Wales	1,150	2·04	1,677	2·98	26	0·05	81	0·14	133	0·24	203	0·36	152	—	—	7	5	4	77	854	255

* For the constitution of the several areas, North, Midlands, South, and Wales, see the footnote to Table 14.

† Including London.

OTHER URBAN DISTRICTS:	England and Wales	37,270	2·62	23,512	1·65	1,105	0·08	700	0·05	1,720	0·12	5,812	0·41	2,958	—	5	167	194	279	1,299	15,226	6,131
	North ..	12,472	2·83	4,736	1·08	314	0·07	223	0·05	513	0·12	2,405	0·55	741	—	3	71	42	84	433	4,622	2,568
	Midlands ..	15,796	2·83	11,010	1·97	448	0·08	304	0·05	694	0·12	2,078	0·37	1,404	—	—	62	108	93	527	5,956	1,914
	South ..	6,139	2·07	4,579	1·54	280	0·09	115	0·04	361	0·12	876	0·29	136	—	1	26	38	74	188	3,130	957
	Wales ..	2,863	2·22	3,187	2·47	63	0·05	58	0·04	152	0·12	453	0·35	677	—	1	8	6	28	151	1,518	692
RURAL DISTRICTS:	England and Wales	17,329	2·14	9,586	1·19	622	0·08	399	0·05	990	0·12	2,524	0·31	638	—	—	136	124	162	583	7,169	3,104
	North ..	4,596	2·52	1,966	1·08	137	0·08	93	0·05	227	0·12	809	0·44	113	—	—	89	25	42	156	1,662	967
	Midlands ..	7,218	2·15	3,676	1·09	291	0·09	176	0·05	461	0·14	1,007	0·30	504	—	—	33	71	61	229	2,754	1,171
	South ..	4,131	1·98	2,210	1·06	162	0·08	88	0·04	238	0·11	570	0·27	16	—	—	14	25	50	138	1,819	675
	Wales ..	1,384	1·70	1,734	2·13	32	0·04	42	0·05	64	0·08	138	0·17	5	—	—	—	3	9	60	934	291
ENGLAND, Administrative Counties, excluding London:	Bedfordshire ..	612	2·78	349	1·58	16	0·07	9	0·04	21	0·10	73	0·33	7	—	—	4	3	10	15	253	84
	Berkshire ..	496	2·29	301	1·39	22	0·10	14	0·06	19	0·09	66	0·31	—	—	—	3	2	1	6	178	49
	Buckinghamshire ..	456	1·70	452	1·69	32	0·12	13	0·05	21	0·08	61	0·23	28	—	—	—	2	4	10	145	51
	Cambridgeshire ..	326	2·34	207	1·49	22	0·16	12	0·09	28	0·20	31	0·22	—	—	—	1	1	1	14	121	49
	Cheshire ..	1,945	2·83	973	1·41	45	0·07	34	0·05	89	0·13	279	0·41	14	—	—	9	6	8	51	540	303
..	Cornwall ..	552	1·73	236	0·74	22	0·07	5	0·02	32	0·10	44	0·14	—	—	—	2	4	11	17	280	88
	Cumberland ..	186	0·88	146	0·69	14	0·07	6	0·03	36	0·17	95	0·45	1	—	—	—	—	5	22	223	101
	Derbyshire ..	2,207	3·50	1,011	1·60	26	0·04	38	0·06	92	0·15	272	0·43	130	—	—	3	13	11	67	481	267
	Devonshire ..	575	1·27	659	1·46	49	0·11	19	0·04	46	0·10	138	0·30	—	—	—	1	4	14	29	600	200
	Dorsetshire ..	411	1·69	357	1·47	18	0·07	10	0·04	21	0·09	69	0·28	—	—	—	1	3	14	11	236	87
..	Durham ..	2,258	2·37	1,255	1·32	68	0·07	57	0·06	158	0·17	656	0·69	34	—	—	9	7	13	161	1,018	809
	Ely, Isle of ..	334	4·22	165	2·09	17	0·22	2	0·03	5	0·06	27	0·34	—	—	—	1	—	—	2	66	46
	Essex ..	3,945	3·36	3,163	2·69	117	0·10	81	0·07	116	0·10	450	0·38	610	—	—	12	7	9	96	1,132	420
	Gloucestershire ..	472	1·38	432	1·26	26	0·08	4	0·01	51	0·15	72	0·21	—	—	—	—	5	8	28	305	124
	Herefordshire ..	185	1·64	203	1·80	11	0·10	7	0·06	28	0·25	26	0·23	—	—	—	3	—	2	8	106	51
..	Hertfordshire ..	871	2·18	462	1·15	38	0·09	29	0·07	59	0·15	95	0·24	4	—	—	6	3	9	9	471	124
	Huntingdonshire ..	78	1·36	72	1·26	2	0·03	3	0·05	4	0·07	11	0·19	5	—	—	1	—	3	4	71	27
	Kent ..	3,029	2·58	1,850	1·58	98	0·08	44	0·04	100	0·09	373	0·32	106	—	—	9	17	23	81	1,301	433
	Lancashire ..	5,169	2·81	1,879	1·02	98	0·05	103	0·06	184	0·10	848	0·46	187	—	—	14	14	47	180	1,611	1,049
	Leicestershire ..	742	2·43	323	1·06	18	0·06	9	0·03	19	0·06	95	0·31	567	—	—	13	5	6	18	316	88

TABLE 26—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Polio-myelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, Administrative Counties, excluding London— <i>cont.</i>																					
Lincolnshire—																					
Holland	162	1·75	139	1·50	6	0·06	1	0·01	5	0·05	29	0·31	—	—	—	—	1	5	12	103	22
Kesteven	287	2·64	83	0·76	5	0·05	3	0·03	12	0·11	35	0·32	—	—	—	1	6	3	3	139	30
Lindsey	718	2·71	212	0·80	12	0·05	14	0·05	28	0·11	125	0·47	46	—	—	4	61	7	31	285	124
Middlesex ..	5,058	3·19	3,421	2·16	117	0·07	82	0·05	224	0·14	568	0·36	271	—	—	19	19	25	136	1,623	392
Norfolk ..	413	1·27	284	0·87	25	0·08	16	0·05	52	0·16	107	0·33	2	—	—	2	3	6	12	307	177
Northamptonshire	507	2·29	419	1·89	42	0·19	12	0·05	15	0·07	112	0·51	3	—	—	3	20	3	20	221	72
Northumberland..	587	1·41	265	0·64	55	0·13	9	0·02	53	0·13	278	0·67	—	—	—	2	4	6	23	708	261
Nottinghamshire..	1,481	3·32	427	0·96	38	0·09	15	0·03	46	0·10	175	0·39	82	—	—	4	9	4	37	546	148
Oxfordshire ..	255	1·98	78	0·61	25	0·19	2	0·02	11	0·09	31	0·24	—	—	—	1	2	3	9	99	32
Peterborough, Soke of	136	2·60	46	0·88	7	0·13	2	0·04	2	0·04	31	0·59	8	—	—	—	—	4	3	31	3
Rutlandshire ..	11	0·60	6	0·33	1	0·05	—	—	1	0·05	5	0·27	—	—	—	—	1	—	—	8	2
Shropshire ..	372	1·50	371	1·50	27	0·11	19	0·08	47	0·19	82	0·33	—	—	—	1	6	7	35	184	121
Somersetshire ..	771	1·87	786	1·91	34	0·08	17	0·04	64	0·16	139	0·34	4	—	—	2	8	12	20	510	165
Southampton ..	799	1·79	257	0·58	30	0·07	20	0·04	66	0·15	116	0·26	1	—	—	3	8	7	58	348	108
Staffordshire ..	1,264	1·75	1,120	1·55	32	0·04	51	0·07	109	0·15	286	0·40	34	—	—	6	6	7	96	792	271
Suffolk—East ..	319	1·52	215	1·02	15	0·07	11	0·05	34	0·16	50	0·24	—	—	—	—	—	3	21	163	86
Suffolk—West ..	218	2·01	106	0·98	7	0·06	1	0·01	15	0·14	14	0·13	—	—	—	—	—	3	5	71	50
Surrey ..	2,051	2·24	1,422	1·55	114	0·12	35	0·04	101	0·11	291	0·32	25	—	—	6	4	23	46	718	190
Sussex—East ..	453	1·64	157	0·57	20	0·07	13	0·05	28	0·10	66	0·24	—	—	1	2	1	4	11	292	88
Sussex—West ..	418	1·92	115	0·53	15	0·07	9	0·04	38	0·17	37	0·17	1	—	—	3	2	5	20	174	84
Warwickshire ..	843	2·29	583	1·58	39	0·11	24	0·07	45	0·12	123	0·33	111	—	—	7	7	4	36	315	125
Westmorland ..	66	1·02	34	0·52	3	0·05	3	0·05	11	0·17	39	0·60	—	—	—	—	1	2	3	55	19

TABLE 26.—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Fever Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Polio-myelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, County Boroughs	38,528	2·98	25,628	1·98	855	0·07	1,105	0·09	2,051	0·16	7,355	0·57	2,938	—	10	263	152	230	2,899	20,314	5,749
Barnsley	357	4·88	99	1·35	6	0·08	7	0·10	5	0·07	47	0·64	30	—	—	3	—	—	22	119	65
Barrow in Furness	219	3·27	30	0·45	—	—	—	—	3	0·04	47	0·70	—	—	—	—	—	—	6	69	26
Bath, City of ..	103	1·48	51	0·73	2	0·03	4	0·06	15	0·22	33	0·47	—	—	1	—	—	—	11	70	11
Birkenhead ..	296	1·91	258	1·67	17	0·11	3	0·02	33	0·21	64	0·41	4	—	—	2	—	20	203	69	
Birmingham, City of	2,593	2·57	2,363	2·35	76	0·08	120	0·12	131	0·13	586	0·58	1	—	—	15	9	11	600	1,263	242
Blackburn ..	353	2·79	135	1·07	8	0·06	7	0·06	16	0·13	56	0·44	—	—	—	4	—	4	21	156	41
Blackpool ..	183	1·82	65	0·65	3	0·03	5	0·05	6	0·06	40	0·40	1	—	—	2	—	1	3	85	14
Bolton ..	452	2·47	83	0·45	7	0·04	8	0·04	20	0·11	101	0·55	4	—	—	—	4	5	24	156	57
Bootle ..	407	5·10	255	3·20	3	0·04	4	0·05	21	0·26	59	0·74	—	—	—	2	—	—	19	172	51
Bournemouth ..	296	2·98	97	0·98	3	0·03	4	0·04	3	0·03	22	0·22	—	—	—	—	2	3	6	85	26
Bradford, City of	1,281	4·25	354	1·17	13	0·04	35	0·12	41	0·14	157	0·52	15	—	—	13	—	7	39	371	175
Brighton ..	172	1·16	163	1·10	22	0·15	1	0·01	67	0·45	69	0·47	—	—	—	2	—	1	14	175	55
Bristol, City of ..	811	2·02	1,484	3·69	22	0·05	18	0·04	71	0·18	174	0·43	—	—	—	6	1	7	19	567	84
Burnley ..	252	2·49	93	0·92	5	0·05	8	0·08	17	0·17	83	0·82	—	—	—	—	2	4	17	114	55
Burton upon Trent	394	7·83	209	4·15	8	0·16	1	0·02	6	0·12	24	0·48	—	—	—	—	—	2	14	36	28
Bury ..	104	1·81	46	0·80	4	0·07	5	0·09	5	0·09	31	0·54	2	—	—	—	—	3	7	56	27
Canterbury, City of	76	3·16	54	2·25	—	—	1	0·04	2	0·08	8	0·33	—	—	—	—	1	—	1	30	4
Carlisle, City of ..	177	3·07	40	0·69	—	—	8	0·14	14	0·24	33	0·57	—	—	—	1	—	1	6	66	21
Chester, City of ..	88	2·11	109	2·61	—	—	2	0·05	4	0·10	11	0·26	—	—	—	—	—	—	5	43	12
Coventry, City of	314	1·86	493	2·93	5	0·03	4	0·02	16	0·09	61	0·36	8	—	—	1	1	8	13	211	40
Croydon ..	706	3·04	393	1·69	15	0·06	12	0·05	25	0·11	72	0·31	24	—	—	1	2	3	21	268	55
Darlington ..	137	1·88	174	2·39	3	0·04	2	0·03	17	0·23	29	0·40	—	—	—	—	—	1	7	91	54
Derby ..	856	5·93	419	2·90	10	0·07	14	0·10	39	0·27	65	0·45	3	—	—	—	2	1	25	200	33
Dewsbury ..	196	3·58	52	0·95	1	0·02	1	0·02	3	0·05	16	0·29	30	—	—	—	—	—	12	53	25
Doncaster ..	134	2·13	45	0·72	6	0·10	5	0·08	8	0·13	24	0·38	—	—	—	2	1	—	8	77	18
Dudley ..	28	0·46	42	0·69	1	0·02	2	0·03	4	0·07	16	0·26	—	—	—	—	1	2	4	79	20
Eastbourne ..	49	0·85	47	0·81	2	0·03	3	0·05	10	0·17	20	0·35	10	—	—	—	—	1	1	61	14
East Ham ..	484	3·29	473	3·21	3	0·02	10	0·07	14	0·10	63	0·43	70	—	—	1	—	—	6	156	36
Exeter, City of ..	111	1·72	291	4·52	2	0·03	1	0·02	20	0·31	18	0·28	—	—	—	—	—	—	4	76	22
Gateshead ..	385	3·07	123	0·98	4	0·03	9	0·07	4	0·03	96	0·77	—	—	—	3	5	2	13	293	122

ENGLAND, County Boroughs— <i>cont.</i>																						
Gloucester, City of	120	2.25	41	0.77	2	0.04	2	0.04	19	0.36	12	0.22	—	—	—	—	—	1	8	56	24	
Great Yarmouth..	74	1.27	79	1.36	6	0.10	2	0.03	—	—	16	0.27	—	—	—	—	—	1	2	87	16	
Grimsby ..	332	3.56	66	0.71	7	0.07	5	0.05	16	0.17	37	0.40	1	36	—	—	—	3	12	107	87	
Halifax ..	274	2.75	100	1.00	9	0.09	5	0.05	15	0.15	41	0.41	56	—	—	—	—	1	8	124	45	
Hastings ..	93	1.47	33	0.52	4	0.06	2	0.03	25	0.40	25	0.40	—	1	—	—	—	3	10	86	24	
Huddersfield ..	236	2.04	286	2.47	9	0.08	4	0.03	17	0.15	97	0.84	76	—	—	—	—	—	18	154	72	
Ipswich ..	291	3.30	134	1.52	20	0.23	16	0.18	10	0.11	37	0.42	—	—	—	—	—	3	19	109	39	
Kingston upon Hull, City of	545	1.73	881	2.80	36	0.11	27	0.09	46	0.15	178	0.57	—	7	—	—	—	4	36	521	140	
Leeds, City of ..	2,421	4.93	1,014	2.07	4	0.01	51	0.10	47	0.10	426	0.87	42	—	—	—	—	1	50	649	254	
Leicester, City of..	443	1.79	205	0.83	5	0.02	11	0.04	51	0.21	106	0.43	1227	3	—	—	—	4	34	562	60	
Lincoln, City of ..	152	2.28	75	1.13	6	0.09	8	0.12	8	0.12	37	0.56	—	—	—	—	—	3	9	73	33	
Liverpool, City of	3,118	3.55	4,063	4.62	60	0.07	43	0.05	125	0.14	736	0.84	1	11	—	—	—	27	618	2,505	732	
Manchester, City of	3,771	4.89	1,059	1.37	42	0.05	119	0.15	89	0.12	538	0.70	2	4	—	—	—	31	151	1,275	460	
Middlesbrough ..	453	3.27	104	0.75	4	0.03	18	0.13	26	0.19	112	0.81	—	2	—	—	—	1	12	330	127	
Newcastle upon Tyne, City of	661	2.29	226	0.78	58	0.20	96	0.33	101	0.35	263	0.91	—	10	—	—	—	3	102	489	187	
Northampton ..	219	2.31	286	3.02	13	0.14	12	0.13	5	0.05	52	0.55	—	1	—	—	—	1	12	109	21	
Norwich, City of..	158	1.24	120	0.94	16	0.13	14	0.11	39	0.31	53	0.42	—	—	—	—	—	1	20	110	59	
Nottingham, City of	939	3.43	697	2.55	11	0.04	20	0.07	20	0.07	135	0.49	—	1	—	—	—	2	32	235	33	
Oldham ..	721	4.99	171	1.18	—	—	3	0.02	31	0.21	99	0.68	32	1	—	—	—	4	22	159	84	
Oxford, City of ..	222	2.82	214	2.72	11	0.14	16	0.20	38	0.48	38	0.48	—	—	—	—	—	1	19	90	14	
Plymouth ..	1,077	5.45	629	3.18	6	0.03	20	0.10	32	0.16	53	0.27	—	1	—	—	—	2	41	258	76	
Portsmouth, City of	689	2.90	605	2.55	40	0.17	15	0.06	22	0.09	76	0.32	—	2	—	—	—	4	20	417	74	
Preston ..	209	1.68	155	1.24	2	0.02	10	0.08	31	0.25	79	0.63	—	2	—	—	—	2	9	150	101	
Reading ..	156	1.58	111	1.12	3	0.03	3	0.03	4	0.04	25	0.25	—	—	—	—	—	—	11	128	16	
Rochdale ..	492	5.32	145	1.57	—	—	6	0.06	15	0.16	30	0.32	—	1	—	—	—	11	4	76	35	
Rotherham ..	204	2.85	148	2.07	3	0.04	7	0.10	11	0.15	40	0.56	2	—	—	—	—	2	2	98	44	
St. Helens ..	255	2.31	162	1.47	3	0.03	16	0.14	14	0.13	72	0.65	—	—	—	—	—	2	15	119	53	
Salford, City of ..	681	2.91	741	3.17	26	0.11	13	0.06	30	0.13	160	0.68	7	—	—	—	—	8	33	399	99	
Sheffield, City of..	2,021	3.84	706	1.34	34	0.06	59	0.11	102	0.19	305	0.58	21	6	—	—	—	2	50	1,857	132	
Smethwick ..	259	2.99	281	3.24	5	0.06	11	0.13	6	0.07	32	0.37	—	3	—	—	—	1	21	77	19	

TABLE 26.—INFECTIOUS DISEASES; CASES NOTIFIED AND RATES PER 1,000 POPULATION IN ENGLAND AND WALES—*cont.*

	Scarlet Fever.		Diphtheria.		Enteric Fever.		Puerperal Fever.		Puerperal Pyrexia.		Erysipelas.		Smallpox Cases.	Typhus Cases.	Continued Fever Cases.	Cerebro-spinal Fever Cases.	Polio-myelitis Cases.	Encephalitis Lethargica Cases.	Ophthalmia Neonatorum Cases.	Tuberculosis of Respiratory System Cases.	Other Tuberculosis Cases.
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.									
ENGLAND, County Boroughs— <i>cont.</i>																					
Southampton ..	345	1·95	410	2·32	14	0·08	17	0·10	44	0·25	80	0·45	—	—	—	1	—	1	37	364	41
Southend on Sea..	320	2·70	94	0·79	7	0·06	5	0·04	5	0·04	37	0·31	24	—	—	1	—	—	18	179	50
Southport ..	277	3·48	203	2·55	3	0·04	4	0·05	11	0·14	51	0·64	—	—	—	1	—	8	65	24	
South Shields ..	118	1·00	46	0·39	1	0·01	4	0·03	11	0·09	55	0·46	7	—	—	1	—	1	14	265	158
Stockport ..	148	1·15	235	1·82	2	0·02	8	0·06	44	0·34	85	0·66	—	—	—	3	—	4	19	192	56
Stoke on Trent, City of ..	222	0·78	260	0·91	19	0·07	31	0·11	26	0·09	164	0·58	380	—	—	2	5	—	154	575	96
Sunderland ..	244	1·29	272	1·44	18	0·10	16	0·08	52	0·27	172	0·91	—	—	2	15	5	8	76	258	139
Tynemouth ..	138	2·08	141	2·13	11	0·17	5	0·08	10	0·15	37	0·56	—	—	—	1	—	—	17	93	49
Wakefield ..	153	2·59	59	1·00	14	0·24	8	0·14	14	0·24	29	0·49	1	—	—	—	1	2	6	54	31
Wallasey ..	152	1·51	77	0·77	4	0·04	2	0·02	10	0·10	24	0·24	2	—	—	2	—	2	8	105	25
Walsall ..	107	1·03	151	1·46	4	0·04	4	0·04	19	0·18	51	0·49	4	—	—	3	—	1	23	149	27
Warrington ..	700	8·63	162	2·00	2	0·02	2	0·02	11	0·14	51	0·63	—	—	—	—	2	3	4	87	51
West Bromwich ..	294	3·55	60	0·72	5	0·06	6	0·07	14	0·17	68	0·82	—	—	—	1	—	1	8	107	28
West Ham ..	916	2·99	865	2·82	6	0·02	20	0·07	68	0·22	229	0·75	851	—	4	12	5	3	22	521	122
West Hartlepool..	130	1·85	160	2·28	25	0·36	1	0·01	11	0·16	42	0·60	—	—	—	—	—	2	11	99	63
Wigan ..	209	2·37	109	1·24	2	0·02	8	0·09	14	0·16	42	0·48	—	—	—	—	1	1	5	91	55
Wolverhampton ..	290	2·13	130	0·95	4	0·03	17	0·12	26	0·19	47	0·34	—	—	—	2	1	2	81	134	27
Worcester, City of ..	138	2·65	65	1·25	2	0·04	—	—	12	0·23	18	0·35	—	—	—	—	1	—	8	73	13
York, City of ..	327	3·79	52	0·60	16	0·19	9	0·10	14	0·16	38	0·44	—	—	—	—	5	1	12	93	32
WALES, including Monmouth, County Boroughs ..	1,150	2·04	1,677	2·98	26	0·05	81	0·14	133	0·24	203	0·36	152	—	—	7	5	4	77	854	255
Cardiff, City of ..	536	2·36	731	3·21	11	0·05	42	0·18	99	0·44	106	0·47	8	—	—	5	1	4	42	297	94
Merthyr Tydfil ..	122	1·62	227	3·01	—	—	2	0·03	5	0·07	24	0·32	44	—	—	—	—	—	10	104	38
Newport (Mon.) ..	311	3·32	234	2·50	8	0·09	3	0·03	9	0·10	38	0·41	99	—	—	2	—	—	4	141	57
Swansea ..	181	1·08	485	2·90	7	0·04	34	0·20	20	0·12	35	0·21	1	—	—	—	4	—	21	312	66

TABLE 27.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1920-1930. ENGLAND AND WALES.
(a) Civilians (excluding cases in Port Sanitary Districts).

Diseases.	Cases Notified.										
	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
Cerebro-spinal Fever	581	411	344	300	397	402	384	469	412	650	661
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued Fever	30	37	15	21	36	22	21	17	24	18	21
Diphtheria (including Membranous Group)	69,407	66,452	52,072	39,953	41,948	47,684	51,034	51,973	61,109	62,739	73,928
Dysentery	1,169	1,193	757	458	356	293	486	405	651	536	501
Encephalitis Lethargica (Acute)	889	1,470	451	1,023	5,036	2,634	2,267	1,612	1,307	1,034	735
Enteric Fever	2,994	3,776	2,365	3,139	4,051	2,703	2,665	3,469	3,398	2,774	2,899
Erysipelas	16,029	13,220	13,157	12,321	12,868	14,989	14,581	14,695	16,349	17,701	18,296
Malaria (contracted in England and Wales)	32	10	6	3	4	3	—	2	4	—	1
Ophthalmia Neonatorum	10,302	8,312	7,106	6,592	6,267	5,748	5,896	5,891	5,609	5,448	5,481
Plague	1	—	—	—	—	—	2	—	—	—	—
Pneumonia (Acute Primary and Acute Influenzal)	38,685	33,744	52,435	44,543	60,723	55,876	50,926	67,670	60,206	86,137	50,818
Polio-encephalitis (Acute)	36	51	31	57	83	51	138	94	89	91	85
Poliomylitis (Acute)	293	488	355	587	777	371	1,158	801	452	531	506
Puerperal Fever	2,898	2,211	2,134	2,190	2,183	2,396	2,611	1,989	2,380	2,359	2,582
*Puerperal Pyrexia	—	—	—	—	—	—	1,823	5,507	5,498	5,610	5,647
Relapsing Fever	7	1	—	2	—	1	—	—	—	—	—
Scarlet Fever	119,445	137,012	108,199	85,582	84,621	91,311	81,641	84,406	102,572	120,193	111,026
Small-pox	243	311	967	2,477	3,757	5,359	10,141	14,764	12,418	10,957	11,837
Trench Fever	39	15	6	3	3	4	2	2	†	†	†
Tuberculosis of Respiratory System	61,468	59,131	55,664	56,802	57,503	58,299	55,980	53,818	52,837	52,380	50,322
Tuberculosis (other forms)	15,843	15,643	16,164	18,474	18,698	19,204	18,587	17,684	17,955	16,502	16,781
Typhus Fever	—	3	13	—	8	—	1	1	3	1	—

* Notifiable since 1st October, 1926.

† Not notifiable after 31st December, 1927.

TABLE 27—*continued*.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1920–1930. ENGLAND AND WALES.

(b) Non-Civilians (including cases in Port Sanitary Districts).
The figures for the Years 1920–1925 are not available.

Diseases.	Cases Notified.				
	1926.	1927.	1928.	1929.	1930.
Cerebro-spinal Fever	9	2	1	17	10
Continued Fever	—	—	—	—	—
Diphtheria (including Membranous Croup) ..	52	183	88	66	90
Dysentery	35	25	45	11	27
Encephalitis Lethargica (Acute)	4	4	1	2	3
Enteric Fever	18	13	46	35	12
Erysipelas	8	4	5	10	7
Malaria (contracted in England and Wales) ..	—	—	—	1	—
Pneumonia (Acute Primary and Acute Influenzal) ..	40	58	59	79	52
Poliomyelitis (Acute)	1	2	4	—	4
Relapsing Fever	—	1	—	—	—
Scarlet Fever	38	102	33	90	68
Small-pox	—	—	—	1	—
Tuberculosis of Respiratory System	154	120	163	136	154
Tuberculosis (other forms)	—	—	—	—	—
Typhus Fever	—	—	—	—	—

TABLE 27—*continued*.—CASES OF CERTAIN INFECTIOUS DISEASES NOTIFIED IN EACH YEAR 1920-1930. ENGLAND AND WALES.
(c) Civilians in Port Sanitary Districts.

Diseases.	Cases Notified.										
	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.	1928.	1929.	1930.
Cerebro-spinal Fever	2	—	—	1	—	—	1	1	—	—	3
Cholera	—	—	—	—	—	—	—	—	—	—	—
Continued Fever	5	8	3	4	1	1	4	1	1	—	2
Diphtheria (including Membranous Croup)	74	54	81	56	32	36	35	38	25	35	25
Dysentery	84	30	32	26	32	52	44	35	32	37	37
Encephalitis Lethargica (Acute)	1	—	3	2	3	1	—	3	1	2	—
Enteric Fever	115	59	49	72	70	76	74	64	97	61	53
Erysipelas	22	11	14	14	11	14	16	13	10	6	11
Ophthalmia Neonatorum	2	1	1	—	—	—	—	—	—	—	—
Plague	2	—	—	—	—	—	—	—	—	—	1
Pneumonia (Acute Primary and Acute Influenzal)	174	86	78	81	71	84	84	87	92	101	71
Polio-encephalitis (Acute)	—	—	—	—	—	—	—	1	—	—	—
Poliomyelitis (Acute)	—	—	—	—	—	—	1	—	—	1	—
Puerperal Fever	—	—	—	1	—	—	—	—	—	—	—
Puerperal Pyrexia.. ..	—	—	—	—	—	—	—	1	1	—	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever	45	61	43	1	—	—	—	—	—	—	—
Small-pox	20	4	6	21	33	51	31	44	39	39	51
Tuberculosis of Respiratory System	187	168	134	8	8	6	5	3	2	10	2
Tuberculosis (other forms)	8	10	14	205	234	246	232	230	210	254	261
Typhus Fever	2	—	—	20	13	24	21	13	22	42	37
				1	—	—	—	1	—	—	—

See footnotes to page 455.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population.

(Excluding cases among non-civilians.)

Cases of Membranous Croup are included under the heading of Diphtheria.

For the populations of the several areas see Table 14.

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ENGLAND & WALES	11,839	0·29	111,077	2·76	73,953	1·84	2,952	0·07	2,582	0·06	5,647	0·14	18,307	0·45
BEDFORD* ..	7	0·03	612	2·78	349	1·58	16	0·07	9	0·04	21	0·10	73	0·33
AGGREGATE OF U.Ds.	6	0·04	415	2·91	242	1·70	8	0·06	7	0·05	17	0·12	47	0·33
AGGREGATE OF R.Ds.	1	0·01	197	2·54	107	1·38	8	0·10	2	0·03	4	0·05	26	0·33
URBAN DISTRICTS :														
Amphill ..	—	—	5	2·25	8	3·61	—	—	—	—	—	—	1	0·45
Bedford M.B. ..	—	—	59	1·43	16	0·39	3	0·07	4	0·10	4	0·10	18	0·44
Biggleswade ..	6	0·99	14	2·31	2	0·33	1	0·16	1	0·16	3	0·49	2	0·33
Dunstable M.B. ..	—	—	47	5·18	44	4·85	—	—	1	0·11	—	—	1	0·11
Kempston ..	—	—	11	2·09	2	0·38	—	—	—	—	—	—	2	0·38
Leighton Buzzard ..	—	—	12	1·74	10	1·45	—	—	—	—	1	0·14	—	—
Luton M.B. ..	—	—	263	3·84	147	2·14	4	0·06	1	0·01	9	0·13	20	0·29
Sandy ..	—	—	4	1·24	13	4·02	—	—	—	—	—	—	3	0·93
RURAL DISTRICTS :														
Amphill ..	—	—	58	2·91	37	1·86	4	0·20	—	—	1	0·05	5	0·25
Bedford ..	1	0·05	54	2·56	9	0·43	1	0·05	1	0·05	—	—	5	0·24
Biggleswade ..	—	—	36	1·83	9	0·46	2	0·10	—	—	2	0·10	11	0·56
Eaton Bray ..	—	—	11	2·80	23	5·85	1	0·25	1	0·25	—	—	—	—
Eaton Socon ..	—	—	5	1·52	3	0·91	—	—	—	—	—	—	2	0·61
Luton ..	—	—	33	3·39	26	2·67	—	—	—	—	1	0·10	3	0·31
BERKS† ..	—	—	652	2·07	412	1·31	25	0·08	17	0·05	23	0·07	91	0·29
READING C.B. ..	—	—	156	1·58	111	1·12	3	0·03	3	0·03	4	0·04	25	0·25
AGGREGATE OF U.Ds.	—	—	160	2·22	140	1·94	8	0·11	1	0·01	6	0·08	24	0·33
AGGREGATE OF R.Ds.	—	—	336	2·33	161	1·12	14	0·10	13	0·09	13	0·09	42	0·29
URBAN DISTRICTS :														
Abingdon M.B. ..	—	—	10	1·34	36	4·81	1	0·13	—	—	2	0·27	8	1·07
Maidenhead M.B. ..	—	—	30	1·69	26	1·46	—	—	—	—	3	0·17	3	0·17
Newbury M.B. ..	—	—	10	0·73	32	2·35	—	—	—	—	1	0·07	5	0·37
New Windsor M.B. ..	—	—	85	4·41	45	2·34	7	0·36	1	0·05	—	—	8	0·42
Wallingford M.B. ..	—	—	1	0·35	—	—	—	—	—	—	—	—	—	—
Wantage ..	—	—	21	5·41	—	—	—	—	—	—	—	—	—	—
Wokingham M.B. ..	—	—	3	0·41	1	0·14	—	—	—	—	—	—	—	—
RURAL DISTRICTS :														
Abingdon ..	—	—	15	1·20	8	0·64	3	0·24	1	0·08	—	—	5	0·40
Bradfield ..	—	—	39	2·62	13	0·87	—	—	2	0·13	1	0·07	8	0·54
Cookham ..	—	—	43	2·82	13	0·85	—	—	1	0·07	—	—	1	0·07
Easthampstead ..	—	—	26	1·43	30	1·65	1	0·06	—	—	—	—	2	0·11
Faringdon (part of)† ..	—	—	72	7·24	2	0·20	2	0·20	2	0·20	4	0·40	4	0·40
Hungerford ..	—	—	43	4·82	5	0·56	—	—	2	0·22	3	0·34	7	0·78
Newbury ..	—	—	29	2·38	19	1·56	1	0·08	3	0·25	2	0·16	—	—
Wallingford ..	—	—	14	1·46	6	0·63	1	0·10	—	—	1	0·10	1	0·10
Wantage ..	—	—	16	1·30	3	0·24	1	0·08	1	0·08	—	—	3	0·24
Windsor ..	—	—	10	0·99	23	2·28	—	—	—	—	—	—	9	0·89
Wokingham ..	—	—	29	1·43	39	1·93	5	0·25	1	0·05	2	0·10	2	0·10

* Administrative County.

† Administrative County with associated County Borough.

‡ The remaining part of the Rural District of Faringdon is in the Administrative County of Gloucester. The figures for the entire District are:—

|| — | — || 72 | 6·56 || 2 | 0·18 || 2 | 0·18 || 2 | 0·18 || 4 | 0·36 || 4 | 0·36

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
BUCKINGHAM* ..	28	0·10	456	1·70	452	1·69	32	0·12	13	0·05	21	0·08	61	0·23
AGGREGATE OF U.Ds.†	19	0·16	248	2·05	258	2·14	21	0·17	4	0·03	9	0·07	33	0·27
AGGREGATE OF R.Ds.†	9	0·06	208	1·42	194	1·32	11	0·07	9	0·06	12	0·08	28	0·19
URBAN DISTRICTS :														
Aylesbury M.B.	—	—	27	2·03	4	0·30	3	0·23	—	—	2	0·15	4	0·30
Beaconsfield ..	—	—	—	—	35	7·55	—	—	—	—	—	—	1	0·22
Bletchley ..	—	—	7	1·12	3	0·48	—	—	—	—	1	0·16	1	0·16
Buckingham M.B.	—	—	4	1·31	—	—	—	—	—	—	—	—	—	—
Chepping Wy-														
combe M.B. ..	18	0·64	42	1·49	51	1·81	9	0·32	1	0·04	—	—	10	0·35
Chesham ..	—	—	29	3·21	3	0·33	5	0·55	—	—	—	—	1	0·11
Eton ..	—	—	19	5·62	1	0·30	—	—	—	—	—	—	—	—
Linslade ..	1	0·41	21	8·70	6	2·49	—	—	—	—	—	—	—	—
Marlow ..	—	—	10	1·94	57	11·04	2	0·39	1	0·19	3	0·58	1	0·19
Newport Pagnell	—	—	8	2·01	14	3·51	—	—	2	0·50	—	—	1	0·25
Slough† ..	—	—	57	2·04	77	2·75	2	0·07	—	—	3	0·11	7	0·25
Wolverton ..	—	—	24	1·80	7	0·52	—	—	—	—	—	—	7	0·52
RURAL DISTRICTS :														
Amersham ..	—	—	46	1·61	19	0·67	1	0·04	—	—	3	0·11	4	0·14
Aylesbury ..	—	—	19	1·01	19	1·01	1	0·05	3	0·16	—	—	5	0·27
Buckingham ..	—	—	3	0·39	1	0·13	1	0·13	—	—	1	0·13	4	0·52
Eton† ..	—	—	61	1·87	61	1·87	3	0·09	3	0·09	4	0·12	12	0·37
Hambleden ..	—	—	3	1·53	—	—	—	—	—	—	—	—	—	—
Long Crendon ..	—	—	4	1·04	1	0·26	—	—	1	0·26	—	—	—	—
Newport Pagnell	—	—	18	1·28	10	0·71	—	—	1	0·07	2	0·14	2	0·14
Wing ..	—	—	12	2·17	1	0·18	2	0·36	—	—	—	—	—	—
Winslow ..	—	—	11	1·76	2	0·32	—	—	—	—	—	—	—	—
Wycombe ..	9	0·33	31	1·12	80	2·90	3	0·11	1	0·04	2	0·07	1	0·04
CAMBRIDGE* ..	—	—	326	2·34	207	1·49	22	0·16	12	0·09	28	0·20	31	0·22
URBAN DISTRICT ..	—	—	177	2·71	99	1·51	12	0·18	4	0·06	5	0·08	12	0·18
AGGREGATE OF R.Ds.	—	—	149	2·02	108	1·46	10	0·14	8	0·11	23	0·31	19	0·26
URBAN DISTRICT :														
Cambridge M.B.	—	—	177	2·71	99	1·51	12	0·18	4	0·06	5	0·08	12	0·18
RURAL DISTRICTS :														
Caxton and Arring-														
ton ..	—	—	14	1·86	3	0·40	—	—	—	—	3	0·40	2	0·27
Chesterton ..	—	—	85	3·17	42	1·57	6	0·22	2	0·07	9	0·34	7	0·26
Linton ..	—	—	8	0·82	6	0·61	—	—	—	—	2	0·20	—	—
Melbourn ..	—	—	22	2·75	1	0·12	—	—	1	0·12	1	0·12	3	0·37
Newmarket ..	—	—	19	0·99	56	2·91	3	0·16	5	0·26	7	0·36	7	0·36
Swavesey ..	—	—	1	0·40	—	—	1	0·40	—	—	1	0·40	—	—
CHESTER† ..	20	0·02	2,629	2·36	1,652	1·48	68	0·06	49	0·04	180	0·16	463	0·42
BIRKENHEAD C.B.	4	0·03	296	1·91	258	1·67	17	0·11	3	0·02	33	0·21	64	0·41
CHESTER C.B. ..	—	—	88	2·11	109	2·61	—	—	2	0·05	4	0·10	11	0·26
STOCKPORT C.B. ..	—	—	148	1·15	235	1·82	2	0·02	8	0·06	44	0·34	85	0·66
WALLASEY C.B. ..	2	0·02	152	1·51	77	0·77	4	0·04	2	0·02	10	0·10	24	0·24
AGGREGATE OF U.Ds.	14	0·03	1,372	2·89	688	1·45	33	0·07	20	0·04	56	0·12	209	0·44
AGGREGATE OF R.Ds.	—	—	573	2·68	285	1·33	12	0·06	14	0·07	33	0·15	70	0·33
URBAN DISTRICTS :														
Alderley Edge ..	—	—	3	0·95	5	1·59	—	—	1	0·32	—	—	3	0·95
Alsager ..	—	—	13	4·49	1	0·35	—	—	—	—	—	—	2	0·69
Altrincham ..	—	—	43	1·98	46	2·11	3	0·14	—	—	3	0·14	7	0·32
Bebington and Bromborough..	—	—	67	2·53	86	3·25	—	—	1	0·04	3	0·11	10	0·38

* Administrative County.

† Administrative County with associated County Boroughs.

‡ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CHESTER—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Bollington ..	—	—	1	0·19	1	0·19	2	0·38	—	—	—	—	2	0·38
Bowdon ..	—	—	5	1·55	11	3·41	1	0·31	—	—	—	—	1	0·31
Bredbury and Romiley ..	—	—	24	2·21	7	0·65	—	—	—	—	1	0·09	4	0·37
Buglawton ..	—	—	1	0·57	6	3·44	—	—	—	—	2	1·15	—	—
Cheadle and Gatley ..	—	—	48	2·70	6	0·34	—	—	—	—	4	0·22	9	0·51
Compstall ..	—	—	4	4·49	—	—	—	—	—	—	—	—	—	—
Congleton M.B. ..	—	—	22	1·71	16	1·25	1	0·08	2	0·16	6	0·47	10	0·78
Crewe M.B. ..	1	0·02	136	2·85	81	1·70	—	—	3	0·06	7	0·15	9	0·19
Dukinfield M.B. ..	12	0·60	64	3·23	16	0·81	1	0·05	—	—	1	0·05	23	1·16
Ellesmere Port and Whitby ..	—	—	107	5·75	71	3·82	1	0·05	2	0·11	4	0·22	9	0·48
Hale ..	—	—	10	0·95	16	1·52	—	—	—	—	—	—	4	0·38
Handforth ..	—	—	1	0·93	—	—	—	—	—	—	—	—	—	—
Hazel Grove and Bramhall ..	—	—	13	0·99	6	0·46	—	—	—	—	1	00·8	4	0·31
Hollingworth ..	—	—	10	4·21	1	0·42	—	—	—	—	—	—	2	0·84
Hoole ..	—	—	16	2·72	6	1·02	—	—	—	—	—	—	2	0·34
Hoylelake and West Kirby ..	—	—	24	1·41	26	1·53	2	0·12	—	—	2	0·12	3	0·18
Hyde M.B. ..	—	—	202	6·12	54	1·64	1	0·03	—	—	2	0·06	18	0·55
Knutsford ..	—	—	31	5·46	5	0·88	—	—	—	—	5	0·88	1	0·18
Lymm ..	—	—	7	1·21	1	0·17	—	—	1	0·17	2	0·35	1	0·17
Macclesfield M.B. ..	—	—	29	0·82	70	1·97	7	0·20	—	—	1	0·03	20	0·56
Marple ..	—	—	25	3·44	2	0·28	2	0·28	—	—	—	—	4	0·55
Middlewich ..	—	—	1	0·18	6	1·06	—	—	1	0·18	1	0·18	3	0·53
Mottram in Longdendale ..	—	—	3	1·09	2	0·73	—	—	—	—	—	—	1	0·36
Nantwich ..	—	—	7	0·97	11	1·52	—	—	4	0·55	2	0·28	3	0·42
Neston and Parkgate ..	—	—	15	2·57	2	0·34	2	0·34	—	—	—	—	2	0·34
Northwich ..	—	—	54	2·82	15	0·78	2	0·10	1	0·05	4	0·21	4	0·21
Runcorn ..	—	—	114	6·09	50	2·67	—	—	1	0·05	2	0·11	15	0·80
Sale† ..	—	—	88	3·21	16	0·58	4	0·15	1	0·04	—	—	5	0·18
Sandbach ..	—	—	2	0·31	1	0·16	—	—	1	0·16	—	—	—	—
Stalybridge M.B. ..	1	0·04	72	2·83	1	0·04	1	0·04	1	0·04	1	0·04	26	1·02
Tarporley ..	—	—	6	2·42	—	—	2	0·81	—	—	—	—	—	—
Wilmslow ..	—	—	18	1·85	2	0·21	—	—	—	—	1	0·10	1	0·10
Winsford ..	—	—	84	7·41	38	3·35	1	0·09	—	—	1	0·09	—	—
Yeardsley cum Whaley ..	—	—	2	1·15	4	2·30	—	—	—	—	—	—	1	0·58
RURAL DISTRICTS:														
Bucklow ..	—	—	63	2·35	23	0·86	—	—	1	0·04	2	0·07	11	0·41
Chester ..	—	—	25	1·57	33	2·07	1	0·06	—	—	2	0·13	7	0·44
Congleton ..	—	—	19	1·42	4	0·30	1	0·07	1	0·07	2	0·15	13	0·97
Disley ..	—	—	24	7·46	2	0·62	—	—	—	—	—	—	4	1·24
Macclesfield ..	—	—	16	0·82	9	0·46	4	0·20	4	0·20	4	0·20	6	0·31
Malpas ..	—	—	27	6·09	10	2·25	—	—	—	—	3	0·68	—	—
Nantwich ..	—	—	75	2·77	20	0·74	—	—	3	0·11	3	0·11	1	0·04
Northwich ..	—	—	97	3·61	30	1·12	2	0·07	—	—	5	0·19	6	0·22
Runcorn ..	—	—	118	3·64	72	2·22	—	—	5	0·15	4	0·12	10	0·31
Tarvin ..	—	—	38	2·82	13	0·96	—	—	—	—	1	0·07	6	0·44
Tintwistle ..	—	—	6	2·88	—	—	—	—	—	—	—	—	—	—
Wirral ..	—	—	65	2·28	69	2·42	4	0·14	—	—	7	0·25	6	0·21
CORNWALL*														
AGGREGATE OF U.Ds.	—	—	221	1·54	118	0·82	16	0·11	3	0·02	10	0·07	21	0·15
AGGREGATE OF R.Ds.	—	—	331	1·88	118	0·67	6	0·03	2	0·01	22	0·12	23	0·13
URBAN DISTRICTS:														
Bodmin M.B. ..	—	—	7	1·34	1	0·19	5	0·96	—	—	—	—	—	—
Callington ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Camborne ..	—	—	16	1·10	5	0·34	—	—	—	—	2	0·14	2	0·14
Falmouth M.B. ..	—	—	13	0·98	13	0·98	—	—	1	0·08	3	0·23	5	0·38
Fowey M.B. ..	—	—	4	1·84	1	0·46	1	0·46	—	—	—	—	—	—

* Administrative County.

† On the 1st October, 1930, the Urban Districts of Ashton-upon-Mersey and Sale were united and called Sale U.D. The figures relate to the combined district for the whole period (53 weeks).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CORNWALL—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Hayle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Helston M.B. ..	-	-	3	1·15	-	-	-	-	-	-	-	-	-	-
Launceston M.B. ..	-	-	1	0·25	-	-	1	0·25	-	-	-	-	-	-
Liskeard M.B. ..	-	-	7	1·66	-	-	1	0·24	-	-	-	-	1	0·24
Looe	-	-	1	0·35	1	0·35	1	0·35	-	-	-	-	-	-
Lostwithiel M.B. ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ludgvan	-	-	7	3·69	-	-	-	-	-	-	-	-	-	-
Madron	-	-	5	1·49	-	-	-	-	-	-	-	-	1	0·30
Newquay	-	-	3	0·52	2	0·35	-	-	-	-	-	-	-	-
Padstow	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Paul	-	-	12	2·16	-	-	-	-	-	-	-	-	1	0·18
Penryn M.B. ..	-	-	15	4·46	4	1·19	-	-	-	-	1	0·30	-	-
Penzance M.B. ..	-	-	14	1·23	13	1·14	-	-	-	-	-	-	-	-
Phillack	-	-	12	3·67	1	0·31	-	-	-	-	-	-	-	-
Redruth	-	-	22	2·27	31	3·20	1	0·10	-	-	-	-	2	0·21
St. Austell	-	-	5	0·60	8	0·96	-	-	-	-	3	0·36	1	0·12
St. Ives M.B. ..	-	-	6	0·91	-	-	-	-	1	0·15	1	0·15	-	-
St. Just	-	-	6	1·28	-	-	3	0·64	-	-	-	-	-	-
Saltash M.B. ..	-	-	1	0·28	14	3·90	-	-	-	-	-	-	-	-
Stratton and Bude ..	-	-	9	2·44	-	-	-	-	-	-	-	-	-	-
Torpoint	-	-	18	4·36	1	0·24	3	0·73	-	-	-	-	1	0·24
Truro M.B. ..	-	-	32	2·86	20	1·79	-	-	-	-	-	-	5	0·45
Wadebridge	-	-	2	0·82	3	1·22	-	-	1	0·41	-	-	2	0·82
RURAL DISTRICTS:														
Bodmin	-	-	5	0·48	7	0·67	-	-	-	-	2	0·19	1	0·10
Calstock	-	-	8	1·76	5	1·10	-	-	-	-	-	-	1	0·22
Camelford	-	-	-	-	-	-	1	0·13	-	-	3	0·39	2	0·26
East Kerrier	-	-	29	3·09	5	0·53	-	-	-	-	-	-	4	0·43
Helston	-	-	12	0·73	2	0·12	1	0·06	-	-	3	0·18	-	-
Holsworthy (part of)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Launceston	-	-	57	8·04	-	-	-	-	1	0·14	2	0·28	1	0·14
Liskeard	-	-	72	4·90	32	2·18	1	0·07	-	-	1	0·07	1	0·07
Redruth	-	-	46	2·71	6	0·35	1	0·06	-	-	3	0·18	5	0·29
St. Austell	-	-	38	1·39	4	0·15	-	-	-	-	1	0·04	4	0·15
St. Columb Major ..	-	-	5	0·40	-	-	1	0·08	-	-	2	0·16	1	0·08
St. Germans	-	-	20	1·70	8	0·68	-	-	-	-	-	-	1	0·08
Scilly, Isles of ..	-	-	-	-	-	-	-	-	-	-	2	1·18	-	-
Stratton	-	-	5	0·98	-	-	-	-	-	-	1	0·20	-	-
Truro	-	-	28	1·43	46	2·35	1	0·05	1	0·05	2	0·10	2	0·10
West Penwith	-	-	6	0·57	3	0·29	-	-	-	-	-	-	-	-
CUMBERLAND† ..														
CARLISLE C.B. ...	-	-	177	3·07	40	0·69	-	-	8	0·14	14	0·24	33	0·57
AGGREGATE OF U.Ds.	1	0·01	95	0·81	89	0·76	8	0·07	4	0·03	17	0·15	64	0·55
AGGREGATE OF R.Ds.	-	-	91	0·98	57	0·61	6	0·06	2	0·02	19	0·20	31	0·33
URBAN DISTRICTS:														
Arlecdon and Frizington ..	-	-	1	0·22	3	0·66	-	-	-	-	2	0·44	2	0·44
Aspatria	-	-	6	1·76	8	2·35	-	-	-	-	-	-	2	0·59
Cleator Moor	-	-	4	0·57	15	2·14	-	-	-	-	-	-	6	0·86
Cockermouth	-	-	1	0·21	-	-	-	-	1	0·21	1	0·21	-	-
Egremont	-	-	-	-	2	0·32	-	-	-	-	-	-	6	0·97
Harrington	-	-	5	1·17	3	0·70	2	0·47	-	-	-	-	1	0·23
Holme Cultram	-	-	-	-	-	-	-	-	-	-	-	-	3	0·62
Keswick	-	-	1	0·23	3	0·69	-	-	1	0·23	-	-	-	-
Maryport	-	-	3	0·28	10	0·94	-	-	-	-	-	-	-	-
Millom	-	-	6	0·80	6	0·80	-	-	-	-	-	-	16	2·13
Penrith	-	-	9	1·03	4	0·46	1	0·11	-	-	1	0·11	6	0·69
Whitehaven M.B. ..	1	0·05	21	0·98	28	1·30	-	-	1	0·05	9	0·42	13	0·61
Wigton	-	-	2	0·56	-	-	-	-	-	-	3	0·84	1	0·28
Workington M.B. ..	-	-	36	1·41	7	0·27	5	0·20	1	0·04	1	0·04	8	0·31

* The remaining part of the Rural District of Holsworthy is in the Administrative County of Devon.

† Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CUMBERLAND — <i>cont.</i>														
RURAL DISTRICTS:														
Alston with Garrigill	—	—	2	0·74	—	—	—	—	—	—	—	—	—	—
Bootle	—	—	4	0·73	3	0·55	1	0·18	—	—	—	—	2	0·37
Brampton	—	—	4	0·51	2	0·25	—	—	—	—	2	0·25	5	0·63
Carlisle	—	—	27	2·23	8	0·66	2	0·17	2	0·17	4	0·33	3	0·25
Cockermouth	—	—	14	0·64	20	0·91	1	0·05	—	—	2	0·09	8	0·37
Longtown	—	—	18	2·96	5	0·82	—	—	—	—	2	0·33	5	0·82
Penrith	—	—	8	0·65	2	0·16	1	0·08	—	—	3	0·25	3	0·25
Whitehaven	—	—	11	0·78	14	1·00	—	—	—	—	3	0·21	3	0·21
Wigton	—	—	3	0·28	3	0·28	1	0·09	—	—	3	0·28	2	0·19
DERBY*	133	0·17	3,063	3·95	1,430	1·84	36	0·05	52	0·07	131	0·17	337	0·43
DERBY C.B.	3	0·02	856	5·93	419	2·90	10	0·07	14	0·10	39	0·27	65	0·45
AGGREGATE OF U.Ds.	120	0·37	1,045	3·22	507	1·56	13	0·04	23	0·07	41	0·13	128	0·39
AGGREGATE OF R.Ds.	10	0·03	1,162	3·80	504	1·65	13	0·04	15	0·05	51	0·17	144	0·47
URBAN DISTRICTS:														
Alfreton	41	1·88	89	4·08	22	1·01	2	0·09	3	0·14	4	0·18	11	0·50
Alvaston and Boulton	—	—	9	3·07	13	4·44	—	—	—	—	—	—	1	0·34
Ashbourne	—	—	—	—	—	—	1	0·22	—	—	—	—	3	0·66
Bakewell	—	—	5	1·61	1	0·32	—	—	—	—	—	—	—	—
Baslow and Buxton	—	—	3	3·51	—	—	—	—	—	—	—	—	—	—
Belper	—	—	36	2·70	4	0·30	—	—	1	0·08	—	—	9	0·68
Bolsover	4	0·32	56	4·50	2	0·16	2	0·16	2	0·16	5	0·40	7	0·56
Bonsall	—	—	1	0·83	1	0·83	—	—	—	—	—	—	1	0·83
Brampton and Walton	—	—	2	0·86	1	0·43	—	—	—	—	—	—	—	—
Buxton M.B.	—	—	121	7·53	80	4·98	—	—	—	—	4	0·25	4	0·25
Chesterfield M.B.	12	0·18	265	4·02	169	2·57	4	0·06	9	0·14	8	0·12	29	0·44
Clay Cross	59	6·71	40	4·55	16	1·82	—	—	1	0·11	1	0·11	3	0·34
Dronfield	—	—	10	2·18	2	0·44	—	—	2	0·44	—	—	5	1·09
Glossop M.B.	—	—	15	0·75	27	1·35	2	0·10	—	—	—	—	6	0·30
Heage	1	0·23	2	0·47	1	0·23	—	—	—	—	1	0·23	3	0·70
Heanor	1	0·04	70	3·02	8	0·35	—	—	—	—	1	0·04	8	0·35
Ilkeston M.B.	1	0·03	103	3·05	10	0·30	—	—	—	—	5	0·15	6	0·18
Long Eaton	1	0·04	121	5·29	6	0·26	—	—	2	0·09	—	—	6	0·26
New Mills	—	—	11	1·23	2	0·22	—	—	—	—	1	0·11	4	0·45
North Darley	—	—	9	2·08	8	1·85	—	—	1	0·23	—	—	1	0·23
Ripley	—	—	11	0·79	9	0·65	1	0·07	—	—	1	0·07	9	0·65
South Darley	—	—	2	2·77	—	—	—	—	—	—	—	—	—	—
Swadlincote District	—	—	53	2·51	38	1·80	1	0·05	2	0·09	8	0·38	12	0·57
The Matlocks	—	—	2	0·20	23	2·29	—	—	—	—	—	—	—	—
Wirksworth	—	—	9	2·26	64	16·10	—	—	—	—	2	0·50	—	—
RURAL DISTRICTS:														
Ashbourne	—	—	13	1·23	12	1·14	1	0·09	1	0·09	2	0·19	10	0·95
Bakewell	—	—	33	1·76	10	0·53	2	0·11	—	—	4	0·21	5	0·27
Belper	—	—	67	2·62	21	0·82	1	0·04	—	—	3	0·12	12	0·47
Blackwell	2	0·04	346	7·78	58	1·30	1	0·02	1	0·02	8	0·18	27	0·61
Chapel en le Frith	—	—	36	2·04	10	0·57	—	—	—	—	3	0·17	6	0·34
Chesterfield	7	0·08	273	3·21	290	3·40	5	0·06	10	0·12	16	0·19	31	0·36
Clowne	—	—	104	5·62	14	0·76	—	—	—	—	5	0·27	8	0·43
Glossop Dale	—	—	2	0·50	—	—	—	—	—	—	2	0·50	1	0·25
Hartshorn and Seals	—	—	20	2·23	2	0·22	—	—	—	—	—	—	4	0·45
Hayfield	—	—	11	2·51	2	0·46	—	—	—	—	1	0·23	6	1·37

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DERBY—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Norton	-	-	15	2.40	3	0.48	1	0.16	1	0.16	-	-	4	0.64
Repton	-	-	82	4.37	16	0.85	2	0.11	1	0.05	2	0.11	8	0.43
Shardlow	1	0.03	146	3.81	61	1.59	-	-	1	0.03	5	0.13	20	0.52
Sudbury	-	-	10	3.89	5	1.94	-	-	-	-	-	-	-	-
Codnor Park and Shipley (parishes) *	-	-	4	2.17	-	-	-	-	-	-	-	-	2	1.08
DEVON†	-	-	1,763	2.47	1,579	2.21	57	0.08	40	0.06	98	0.14	209	0.29
EXETER C.B. ..	-	-	111	1.72	291	4.52	2	0.03	1	0.02	20	0.31	18	0.28
PLYMOUTH C.B. ..	-	-	1,077	5.45	629	3.18	6	0.03	20	0.10	32	0.16	53	0.27
AGGREGATE OF U.Ds.	-	-	225	1.00	297	1.32	33	0.15	8	0.04	17	0.08	78	0.35
AGGREGATE OF R.Ds.	-	-	350	1.54	362	1.59	16	0.07	11	0.05	29	0.13	60	0.26
URBAN DISTRICTS:														
Ashburton	-	-	5	1.98	3	1.19	-	-	-	-	1	0.40	1	0.40
Axminster	-	-	-	-	1	0.42	-	-	-	-	-	-	-	-
Bampton	-	-	6	4.19	-	-	-	-	-	-	-	-	1	0.70
Barnstaple M.B. ..	-	-	14	0.96	38	2.60	6	0.41	-	-	2	0.14	9	0.62
Bideford M.B. ..	-	-	20	2.20	90	9.89	-	-	-	-	-	-	9	0.99
Brixham	-	-	1	0.12	-	-	5	0.61	-	-	-	-	5	0.61
Buckfastleigh ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Budleigh Salterton	-	-	2	0.67	-	-	-	-	-	-	-	-	-	-
Crediton	-	-	1	0.28	2	0.56	-	-	-	-	1	0.28	-	-
Dartmouth M.B. ..	-	-	1	0.16	1	0.16	1	0.16	1	0.16	-	-	3	0.47
Dawlish	-	-	1	0.22	-	-	1	0.22	-	-	-	-	1	0.22
Exmouth	-	-	17	1.16	11	0.75	-	-	-	-	-	-	2	0.14
Great Torrington M.B. ..	-	-	1	0.34	1	0.34	-	-	-	-	-	-	-	-
Holsworthy	-	-	1	0.71	-	-	-	-	-	-	1	0.71	-	-
Honiton M.B. ..	-	-	6	1.90	8	2.53	-	-	1	0.32	-	-	-	-
Ilfracombe	-	-	18	2.02	48	5.38	1	0.11	-	-	1	0.11	1	0.11
Ivybridge	-	-	2	1.20	2	1.20	1	0.60	-	-	1	0.60	1	0.60
Kingsbridge	-	-	8	2.69	-	-	-	-	-	-	-	-	1	0.34
Lynton	-	-	1	0.56	-	-	-	-	-	-	-	-	-	-
Newton Abbot ..	-	-	5	0.33	5	0.33	-	-	-	-	-	-	3	0.20
Northam	-	-	4	0.70	16	2.79	2	0.35	-	-	1	0.17	-	-
Okehampton M.B. ..	-	-	-	-	-	-	-	-	-	-	-	-	3	0.88
Ottery St. Mary ..	-	-	2	0.54	3	0.81	-	-	-	-	-	-	2	0.54
Paignton	-	-	10	0.57	3	0.17	1	0.06	2	0.11	1	0.06	8	0.45
Salcombe	-	-	1	0.44	-	-	1	0.44	-	-	-	-	1	0.44
Seaton	-	-	-	-	-	-	2	0.90	-	-	-	-	1	0.45
Sidmouth	-	-	1	0.18	12	2.13	3	0.53	-	-	-	-	1	0.18
South Molton M.B. ..	-	-	2	0.72	18	6.46	2	0.72	-	-	2	0.72	-	-
Tavistock	-	-	3	0.66	2	0.44	1	0.22	-	-	-	-	-	-
Teignmouth	-	-	3	0.30	3	0.30	-	-	-	-	-	-	6	0.60
Tiverton M.B. ..	-	-	55	5.63	12	1.23	5	0.51	-	-	2	0.20	2	0.20
Torquay M.B. ..	-	-	27	0.64	18	0.43	-	-	4	0.10	3	0.07	15	0.36
Totnes M.B. ..	-	-	7	1.60	-	-	1	0.23	-	-	1	0.23	2	0.46
RURAL DISTRICTS:														
Axminster	-	-	4	0.38	28	2.65	-	-	-	-	-	-	1	0.09
Barnstaple	-	-	37	1.99	81	4.36	-	-	-	-	4	0.22	7	0.38
Bideford	-	-	14	2.46	6	1.05	1	0.18	1	0.18	1	0.18	5	0.88
Broadwood Widger	-	-	15	6.84	-	-	1	0.46	-	-	2	0.91	-	-
Crediton	-	-	11	1.08	9	0.88	-	-	-	-	2	0.20	3	0.29
Culmstock	-	-	2	0.62	5	1.55	-	-	-	-	1	0.31	6	1.86
Holsworthy (part of)†	-	-	3	0.44	3	0.44	-	-	-	-	1	0.15	2	0.29
Honiton	-	-	9	0.94	5	0.52	1	0.10	1	0.10	1	0.10	3	0.31
Kingsbridge	-	-	14	1.25	20	1.78	4	0.36	1	0.09	2	0.18	-	-
Newton Abbot ..	-	-	44	2.04	11	0.51	2	0.09	-	-	1	0.05	2	0.09

* These Parishes are administered by the Rural District Council of Basford (Notts).

† Administrative County with associated County Boroughs.

‡ The remaining part of the Rural District of Holsworthy is in the Administrative County of Cornwall. The figures for the entire District are:—

|| - || - || 3 || 0.42 || 3 || 0.42 || - || - || - || - || 1 || 0.14 || 2 || 0.28

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DEVON—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Okehampton ..	-	-	12	0·93	1	0·08	-	-	-	-	3	0·23	6	0·46
Plympton St. Mary	-	-	43	1·65	26	0·99	2	0·08	3	0·11	4	0·15	11	0·42
St. Thomas ..	-	-	69	2·45	90	3·20	1	0·04	1	0·04	3	0·11	6	0·21
South Molton ..	-	-	8	0·80	14	1·41	-	-	-	-	2	0·20	2	0·20
Tavistock ..	-	-	22	1·40	31	1·98	-	-	2	0·13	-	-	1	0·06
Tiverton ..	-	-	33	2·22	23	1·55	-	-	-	-	1	0·07	2	0·13
Torrington ..	-	-	1	0·12	6	0·72	1	0·12	-	-	1	0·12	-	-
Totnes ..	-	-	9	0·73	3	0·24	3	0·24	2	0·16	-	-	3	0·24
DORSET* ..														
AGGREGATE OF U.Ds.†														
AGGREGATE OF R.Ds.†														
URBAN DISTRICTS :														
Blandford Forum M.B.† ..	-	-	8	2·62	-	-	-	-	-	-	1	0·33	-	-
Bridport M.B. ..	-	-	1	0·17	-	-	-	-	1	0·17	-	-	-	-
Dorchester M.B. ..	-	-	30	3·05	17	1·73	2	0·20	1	0·10	-	-	6	0·61
Lyme Regis M.B. ..	-	-	1	0·41	-	-	1	0·41	1	0·41	-	-	-	-
Poole M.B. ..	-	-	67	1·19	183	3·25	5	0·09	3	0·05	2	0·04	11	0·20
Portland ..	-	-	1	0·11	22	2·46	-	-	-	-	1	0·11	2	0·22
Shaftesbury M.B. ..	-	-	11	4·50	1	0·41	-	-	-	-	1	0·41	2	0·82
Sherborne ..	-	-	45	6·46	9	1·29	-	-	-	-	2	0·29	2	0·29
Swanage ..	-	-	1	0·17	-	-	-	-	1	0·17	-	-	1	0·17
Wareham M.B. ..	-	-	16	7·70	-	-	-	-	-	-	-	-	-	-
Weymouth and Melcombe Regis M.B. ..	-	-	12	0·55	11	0·51	2	0·09	-	-	3	0·14	7	0·32
Wimborne Minster	-	-	12	3·12	3	0·78	-	-	-	-	-	-	-	-
RURAL DISTRICTS :														
Beaminster ..	-	-	17	2·07	5	0·61	-	-	-	-	1	0·12	1	0·12
Blandford† ..	-	-	10	1·25	1	0·12	-	-	1	0·12	1	0·12	4	0·50
Bridport ..	-	-	1	0·14	16	2·30	-	-	-	-	3	0·43	3	0·43
Cerne ..	-	-	12	2·81	7	1·64	-	-	-	-	2	0·47	4	0·94
Dorchester ..	-	-	20	2·24	6	0·67	2	0·22	1	0·11	-	-	2	0·22
Poole† ..	-	-	39	2·96	24	1·82	1	0·08	-	-	-	-	1	0·08
Shaftesbury ..	-	-	21	2·24	14	1·50	1	0·11	-	-	3	0·32	5	0·53
Sherborne ..	-	-	15	2·89	2	0·39	-	-	-	-	-	-	5	0·96
Sturminster ..	-	-	11	1·37	1	0·12	-	-	-	-	1	0·12	2	0·25
Wareham and Purbeck ..	-	-	31	2·33	7	0·53	1	0·08	1	0·08	-	-	5	0·38
Weymouth ..	-	-	6	0·55	7	0·64	2	0·18	-	-	-	-	2	0·18
Wimborne and Cranborne† ..	-	-	23	1·38	21	1·26	1	0·06	-	-	-	-	4	0·24

* Administrative County.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
DURHAM*.. ..	41	0·03	3,272	2·14	2,030	1·33	119	0·08	89	0·06	253	0·17	1,050	0·69
DARLINGTON C.B.†	—	—	137	1·88	174	2·39	3	0·04	2	0·03	17	0·23	29	0·40
GATESHEAD C.B. ..	—	—	385	3·07	123	0·98	4	0·03	9	0·07	4	0·03	96	0·77
SOUTH SHIELDS C.B.	7	0·06	118	1·00	46	0·39	1	0·01	4	0·03	11	0·09	55	0·46
SUNDERLAND C.B.	—	—	244	1·29	272	1·44	18	0·10	16	0·08	52	0·27	172	0·91
WEST HARTLEPOOL C.B.	—	—	130	1·85	160	2·28	25	0·36	1	0·01	11	0·16	42	0·60
AGGREGATE OF U.Ds.	33	0·06	1,292	2·42	735	1·38	37	0·07	36	0·07	90	0·17	375	0·70
AGGREGATE OF R.Ds.†	1	0·00	966	2·31	520	1·24	31	0·07	21	0·05	68	0·16	281	0·67
URBAN DISTRICTS:														
Annfield Plain ..	1	0·06	48	2·97	86	5·31	1	0·06	—	—	2	0·12	11	0·68
Barnard Castle ..	—	—	4	0·92	—	—	—	—	—	—	—	—	1	0·23
Benfieldside ..	—	—	19	2·07	35	3·81	1	0·11	2	0·22	1	0·11	5	0·54
Billingham ..	—	—	42	2·67	10	0·64	—	—	—	—	7	0·44	5	0·32
Bishop Auckland	—	—	20	1·58	4	0·32	—	—	1	0·08	4	0·32	1	0·08
Blaydon	—	—	37	1·11	21	0·63	2	0·06	—	—	6	0·18	23	0·69
Brandon and Byshottles ..	—	—	23	1·30	16	0·90	3	0·17	—	—	1	0·06	14	0·79
Chester le Street..	—	—	74	4·41	30	1·79	1	0·06	1	0·06	3	0·18	26	1·55
Consett	—	—	14	1·10	45	3·55	1	0·08	—	—	1	0·08	8	0·63
Crook	2	0·16	11	0·90	24	1·96	1	0·08	1	0·08	3	0·25	5	0·41
Durham M.B. ..	—	—	24	1·41	20	1·18	2	0·12	1	0·06	4	0·24	12	0·71
Felling	—	—	275	9·80	8	0·29	1	0·04	4	0·14	4	0·14	14	0·50
Hartlepool M.B.	—	—	15	0·72	8	0·38	2	0·10	3	0·14	1	0·05	3	0·14
Hebburn	1	0·04	47	1·90	39	1·58	—	—	1	0·04	3	0·12	18	0·73
Hetton	—	—	35	1·92	3	0·16	2	0·11	1	0·05	5	0·27	20	1·10
Houghton le Spring	—	—	10	0·92	4	0·37	1	0·09	—	—	3	0·28	4	0·37
Jarrow M.B. ..	29	0·88	39	1·18	12	0·36	—	—	2	0·06	10	0·30	51	1·54
Leadgate.. ..	—	—	15	2·31	27	4·15	1	0·15	1	0·15	2	0·31	3	0·46
Ryton	—	—	5	0·34	5	0·34	3	0·20	—	—	1	0·07	5	0·34
Seaham Harbour	—	—	28	1·43	29	1·48	2	0·10	1	0·05	2	0·10	9	0·46
Sildon	—	—	48	3·61	21	1·58	1	0·08	—	—	1	0·08	11	0·83
Spennymoor ..	—	—	71	4·16	10	0·59	—	—	6	0·35	3	0·18	19	1·11
Stanhope ..	—	—	1	0·54	1	0·54	—	—	—	—	1	0·54	—	—
Stanley	—	—	100	3·91	133	5·20	—	—	2	0·08	3	0·12	20	0·78
Stockton on Tees M.B.	—	—	109	1·58	38	0·55	3	0·04	4	0·06	11	0·16	38	0·55
Tanfield	—	—	25	2·60	34	3·54	—	—	—	—	—	—	5	0·52
Tow Law	—	—	9	2·42	10	2·69	1	0·27	2	0·54	—	—	9	2·42
Washington ..	—	—	11	0·63	10	0·58	4	0·23	2	0·12	—	—	7	0·40
Whickham ..	—	—	117	5·50	19	0·89	4	0·19	1	0·05	1	0·05	24	1·13
Willington ..	—	—	16	1·67	33	3·45	—	—	—	—	7	0·73	4	0·42
RURAL DISTRICTS:														
Auckland	—	—	176	3·16	102	1·83	4	0·07	1	0·02	8	0·14	16	0·29
Barnard Castle ..	—	—	12	1·11	8	0·74	—	—	1	0·09	—	—	3	0·28
Chester le Street..	1	0·02	162	2·98	46	0·84	7	0·13	1	0·02	8	0·15	48	0·88
Darlington† ..	—	—	18	1·68	35	3·26	—	—	—	—	—	—	3	0·28
Durham	—	—	76	2·33	31	0·95	2	0·06	1	0·03	4	0·12	11	0·34
Easington	—	—	248	2·77	148	1·65	2	0·02	6	0·07	19	0·21	76	0·85
Hartlepool	—	—	6	1·45	17	4·11	3	0·72	1	0·24	—	—	3	0·72
Houghton le Spring	—	—	35	1·22	11	0·38	—	—	1	0·03	4	0·14	13	0·45
Lanchester ..	—	—	70	2·00	50	1·43	4	0·11	7	0·20	4	0·11	25	0·71
Sedgefield ..	—	—	65	1·75	28	0·75	5	0·13	—	—	7	0·19	24	0·65
South Shields ..	—	—	39	1·86	6	0·29	1	0·05	—	—	2	0·10	23	1·10
Stockton	—	—	16	2·43	1	0·15	—	—	—	—	—	—	1	0·15
Sunderland ..	—	—	27	1·19	29	1·28	2	0·09	1	0·04	11	0·49	28	1·24
Weardale	—	—	16	1·76	8	0·88	1	0·11	1	0·11	1	0·11	7	0·77

* Administrative County with associated County Boroughs.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ELY, ISLE OF* ..	-	-	334	4·22	165	2·09	17	0·22	2	0·03	5	0·06	27	0·34
AGGREGATE OF U.Ds.	-	-	176	3·90	135	2·99	12	0·27	1	0·02	1	0·02	16	0·35
AGGREGATE OF R.Ds.	-	-	158	4·65	30	0·88	5	0·15	1	0·03	4	0·12	11	0·32
URBAN DISTRICTS:														
Chatteris ..	-	-	3	0·58	3	0·58	2	0·39	-	-	-	-	1	0·19
Ely ..	-	-	8	0·97	18	2·18	1	0·12	1	0·12	1	0·12	6	0·73
March ..	-	-	3	0·27	1	0·09	-	-	-	-	-	-	2	0·18
Whittlesey ..	-	-	2	0·24	100	12·00	-	-	-	-	-	-	2	0·24
Wisbech M.B. ..	-	-	160	13·22	13	1·07	9	0·74	-	-	-	-	5	0·41
RURAL DISTRICTS:														
Ely ..	-	-	46	3·35	21	1·53	1	0·07	-	-	1	0·07	5	0·36
North Witchford ..	-	-	7	1·34	1	0·19	-	-	1	0·19	1	0·19	2	0·38
Thorney ..	-	-	-	-	-	-	-	-	-	-	1	0·42	-	-
Wisbech ..	-	-	105	8·28	8	0·63	4	0·32	-	-	1	0·03	4	0·32
ESSEX†	1,555	0·89	5,665	3·24	4,595	2·63	133	0·08	116	0·07	203	0·12	779	0·45
EAST HAM C.B. ..	70	0·48	484	3·29	473	3·21	3	0·02	10	0·07	14	0·10	63	0·43
SOUTHEAST ON SEA C.B. ..	24	0·20	320	2·70	94	0·79	7	0·06	5	0·04	5	0·04	37	0·31
WEST HAM C.B. ..	851	2·78	916	2·99	865	2·82	6	0·02	20	0·07	68	0·22	229	0·75
AGGREGATE OF U.Ds.	562	0·63	3,182	3·54	2,792	3·11	86	0·10	57	0·06	91	0·10	372	0·41
AGGREGATE OF R.Ds.	48	0·17	763	2·76	371	1·34	31	0·11	24	0·09	25	0·09	78	0·28
URBAN DISTRICTS:														
Barking Town ..	46	0·95	184	3·80	364	7·52	5	0·10	2	0·04	11	0·23	44	0·91
Benfleet ..	3	0·25	34	2·80	23	1·90	-	-	-	-	1	0·08	2	0·16
Braintree ..	-	-	38	4·26	6	0·67	2	0·22	1	0·11	1	0·11	-	-
Brentwood ..	-	-	34	4·66	20	2·74	-	-	1	0·14	1	0·14	6	0·82
Brightlingsea ..	-	-	1	0·24	-	-	1	0·24	-	-	-	-	1	0·24
Buckhurst Hill ..	-	-	6	1·08	14	2·52	2	0·36	-	-	-	-	2	0·36
Burnham on Crouch ..	-	-	6	1·69	3	0·84	-	-	-	-	-	-	-	-
Canvey Island ..	2	0·43	10	2·16	7	1·51	1	0·22	-	-	-	-	1	0·22
Chelmsford M.B.	4	0·15	112	4·32	37	1·43	15	0·58	6	0·23	5	0·19	5	0·19
Chingford ..	4	0·20	67	3·38	37	1·87	2	0·10	3	0·15	1	0·05	9	0·45
Clacton ..	1	0·06	29	1·88	16	1·04	1	0·06	-	-	-	-	4	0·26
Colchester M.B.	-	-	141	3·10	65	1·43	13	0·29	7	0·15	5	0·11	13	0·29
Dagenham ..	63	0·74	513	6·00	383	4·48	4	0·05	8	0·09	8	0·09	33	0·39
Epping ..	-	-	33	6·42	16	3·12	-	-	2	0·39	1	0·19	3	0·58
Frinton on Sea ..	-	-	2	0·95	1	0·48	-	-	-	-	-	-	-	-
Grays Thurrock	2	0·11	49	2·63	59	3·16	2	0·11	-	-	3	0·16	13	0·70
Halstead ..	-	-	-	-	2	0·33	1	0·17	-	-	1	0·17	1	0·17
Harwich M.B. ..	-	-	13	1·08	72	5·96	1	0·08	-	-	1	0·08	3	0·25
Hornchurch ..	13	0·54	75	3·13	63	2·63	2	0·08	3	0·13	1	0·04	6	0·25
Ilford M.B. ..	25	0·20	298	2·35	344	2·71	10	0·08	-	-	10	0·08	59	0·46
Leyton M.B. ..	137	1·05	474	3·63	317	2·43	10	0·08	6	0·05	14	0·11	73	0·56
Loughton ..	-	-	6	0·82	2	0·27	-	-	-	-	-	-	-	-
Maldon M.B. ..	4	0·60	18	2·70	4	0·60	-	-	-	-	-	-	2	0·30
Purfleet ..	1	0·11	25	2·81	21	2·36	-	-	-	-	-	-	1	0·11
Rayleigh ..	-	-	19	3·09	1	0·16	-	-	-	-	-	-	-	-
Romford ..	13	0·39	110	3·32	147	4·44	2	0·06	2	0·06	1	0·03	5	0·15
Saffron Walden M.B. ..	-	-	2	0·33	9	1·50	-	-	-	-	1	0·17	1	0·17
Shoeburyness ..	-	-	31	5·24	10	1·69	-	-	-	-	-	-	1	0·17
Tilbury ..	50	2·93	71	4·16	139	8·14	1	0·06	-	-	3	0·18	3	0·18
Waltham Holy Cross ..	1	0·14	21	2·96	4	0·56	1	0·14	1	0·14	2	0·28	5	1·71
Walthamstow M.B.	191	1·44	617	4·66	505	3·81	5	0·04	14	0·11	8	0·06	58	0·44
Walton on the Naze ..	-	-	7	2·33	-	-	-	-	-	-	3	1·00	2	0·66
Wanstead ..	2	0·11	63	3·32	30	1·58	1	0·05	-	-	2	0·11	7	0·37
West Mersea ..	-	-	1	0·47	2	0·94	3	1·41	-	-	1	0·47	-	-
Witham ..	-	-	10	2·26	3	0·68	-	-	-	-	2	0·45	1	0·23
Wivenhoe ..	-	-	22	9·68	-	-	-	-	-	-	-	-	-	-
Woodford ..	-	-	40	1·68	66	2·77	1	0·04	1	0·04	4	0·17	8	0·34

* Administrative County.
 Administrative County with associated County Boroughs.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
ESSEX—<i>cont.</i>														
RURAL DISTRICTS:														
Belchamp ..	—	—	11	2·70	1	0·25	—	—	1	0·25	1	0·25	2	0·49
Billericay ..	23	0·61	174	4·58	59	1·55	2	0·05	9	0·24	4	0·11	9	0·24
Braintree ..	—	—	42	1·95	20	0·93	—	—	—	—	2	0·09	5	0·23
Bumpstead ..	—	—	9	3·84	10	4·27	—	—	—	—	—	—	2	0·85
Chelmsford ..	—	—	95	3·28	29	1·00	4	0·14	1	0·03	4	0·14	6	0·21
Dunmow ..	—	—	42	2·65	6	0·38	4	0·25	3	0·19	3	0·19	5	0·31
Epping ..	—	—	25	1·44	35	2·02	2	0·12	1	0·06	—	—	4	0·23
Halstead ..	—	—	—	—	2	0·20	1	0·10	—	—	2	0·20	1	0·10
Lexden and Winstree ..	—	—	59	3·10	15	0·79	6	0·32	2	0·11	2	0·11	7	0·37
Maldon ..	—	—	25	1·50	7	0·42	3	0·18	—	—	1	0·06	4	0·24
Ongar ..	—	—	58	5·16	10	0·89	—	—	—	—	1	0·09	1	0·09
Orsett ..	19	0·97	47	2·39	60	3·05	1	0·05	—	—	1	0·05	13	0·66
Rochford ..	—	—	45	2·78	20	1·23	—	—	1	0·06	1	0·06	7	0·43
Romford ..	6	0·40	43	2·89	26	1·75	5	0·34	2	0·13	—	—	3	0·20
Saffron Walden ..	—	—	19	1·94	3	0·31	1	0·10	1	0·10	1	0·10	2	0·20
Stansted ..	—	—	3	0·43	25	3·56	—	—	1	0·14	1	0·14	3	0·43
Tendring ..	—	—	66	2·73	43	1·78	2	0·08	2	0·08	1	0·04	4	0·17
GLOUCESTER*† ..														
BRISTOL C.B.† ..	—	—	811	2·02	1,484	3·69	22	0·05	18	0·04	71	0·18	174	0·43
GLOUCESTER C.B. ..	—	—	120	2·25	41	0·77	2	0·04	2	0·04	19	0·36	12	0·22
AGGREGATE OF U.Ds.	—	—	160	1·39	217	1·88	8	0·07	1	0·01	15	0·13	30	0·26
AGGREGATE OF R.Ds.†	—	—	312	1·37	215	0·94	18	0·08	3	0·01	36	0·16	42	0·18
URBAN DISTRICTS:														
Awre ..	—	—	—	—	11	10·01	—	—	—	—	—	—	—	—
Charlton Kings ..	—	—	6	1·26	5	1·05	1	0·21	—	—	—	—	1	0·21
Cheltenham M.B.	—	—	37	0·72	62	1·21	2	0·04	1	0·02	7	0·14	14	0·27
Cirencester ..	—	—	13	1·76	1	0·14	—	—	—	—	1	0·14	—	—
Coleford ..	—	—	4	1·42	1	0·36	1	0·36	—	—	2	0·71	1	0·36
Kingswood ..	—	—	31	2·24	68	4·91	2	0·14	—	—	5	0·36	4	0·29
Mangotsfield ..	—	—	22	1·91	45	3·90	1	0·09	—	—	—	—	4	0·35
Nailsworth ..	—	—	8	2·41	1	0·30	—	—	—	—	—	—	—	—
Newnham ..	—	—	3	2·63	7	6·14	—	—	—	—	—	—	—	—
Stow on the Wold ..	—	—	12	9·65	—	—	—	—	—	—	—	—	2	1·61
Stroud ..	—	—	12	1·44	4	0·48	—	—	—	—	—	—	—	—
Tetbury ..	—	—	2	0·89	7	3·11	—	—	—	—	—	—	3	1·33
Tewkesbury M.B.	—	—	9	2·00	3	0·67	1	0·22	—	—	—	—	1	0·22
Westbury on Severn ..	—	—	1	0·56	2	1·12	—	—	—	—	—	—	—	—
RURAL DISTRICTS:														
Campden ..	—	—	10	1·82	4	0·73	—	—	—	—	—	—	—	—
Cheltenham ..	—	—	4	0·69	3	0·52	—	—	—	—	1	0·17	—	—
Chipping Sodbury	—	—	27	1·10	27	1·10	1	0·04	—	—	4	0·16	5	0·20
Cirencester ..	—	—	26	2·12	7	0·57	1	0·08	—	—	3	0·24	3	0·24
Dursley ..	—	—	7	0·53	—	—	1	0·08	—	—	3	0·23	1	0·08
East Dean and United Parishes	—	—	15	0·73	49	2·38	—	—	—	—	5	0·24	5	0·24
Faringdon(part of)†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gloucester ..	—	—	33	2·23	11	0·74	4	0·27	1	0·07	—	—	7	0·47
Lydney ..	—	—	3	0·30	1	0·10	1	0·10	1	0·10	—	—	2	0·20
Marston Sicca ..	—	—	11	6·43	—	—	—	—	—	—	—	—	—	—

* Administrative County with associated County Boroughs.

† The remaining part of the Rural District of Faringdon is in the Administrative County of Berks.

‡ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
GLOUCESTER—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Newent ..	-	-	3	0·46	6	0·92	-	-	-	-	2	0·31	-	-
Northleach ..	-	-	4	0·55	2	0·28	-	-	-	-	-	-	-	-
Pebworth ..	-	-	9	2·76	-	-	-	-	-	-	-	-	-	-
Stow on the Wold (part of)*	-	-	27	4·49	-	-	-	-	-	-	1	0·17	1	0·17
Stroud ..	-	-	37	1·31	19	0·68	3	0·11	-	-	5	0·18	4	0·14
Tetbury (part of)*†	-	-	3	0·85	2	0·56	1	0·28	-	-	-	-	-	-
Tewkesbury (part of)* ..	-	-	4	0·87	2	0·44	-	-	1	0·22	2	0·44	1	0·22
Thornbury ..	-	-	21	1·07	9	0·46	1	0·05	-	-	4	0·20	4	0·20
Warmley ..	-	-	12	1·31	49	5·33	3	0·33	-	-	-	-	1	0·11
West Dean ..	-	-	8	0·54	14	0·94	-	-	-	-	2	0·13	2	0·13
Wheatenhurst ..	-	-	15	2·34	7	1·09	1	0·16	-	-	1	0·16	2	0·31
Winchcomb (part of)* ..	-	-	33	3·82	3	0·35	1	0·12	-	-	3	0·35	4	0·46
HEREFORD‡ ..	-	-	185	1·64	203	1·80	11	0·10	7	0·06	28	0·25	26	0·23
AGGREGATE OF U.Ds.	-	-	62	1·51	158	3·84	1	0·02	4	0·10	8	0·19	13	0·32
AGGREGATE OF R.Ds.	-	-	123	1·72	45	0·63	10	0·14	3	0·04	20	0·28	13	0·18
URBAN DISTRICTS:														
Bromyard ..	-	-	2	1·27	1	0·63	-	-	1	0·63	1	0·63	2	1·27
Hereford M.B. ..	-	-	36	1·49	80	3·31	-	-	-	-	6	0·25	8	0·33
Kington ..	-	-	-	-	-	-	1	0·57	-	-	-	-	-	-
Ledbury ..	-	-	3	0·89	1	0·30	-	-	-	-	-	-	1	0·30
Leominster M.B. ..	-	-	3	0·53	70	12·38	-	-	2	0·35	-	-	2	0·35
Ross ..	-	-	18	3·87	6	1·29	-	-	1	0·21	1	0·21	-	-
RURAL DISTRICTS:														
Bredwardine ..	-	-	3	1·57	2	1·04	-	-	-	-	-	-	-	-
Bromyard ..	-	-	9	1·19	2	0·26	-	-	1	0·13	2	0·26	4	0·53
Dore ..	-	-	8	1·32	4	0·66	-	-	-	-	2	0·33	1	0·16
Hereford ..	-	-	26	1·93	6	0·45	7	0·52	-	-	4	0·30	5	0·37
Kington ..	-	-	10	2·11	-	-	1	0·21	-	-	-	-	-	-
Ledbury ..	-	-	20	2·24	4	0·45	-	-	1	0·11	4	0·45	-	-
Leominster and Wigmore§	-	-	7	0·65	12	1·11	1	0·09	1	0·09	5	0·46	2	0·18
Ross ..	-	-	25	2·51	11	1·11	-	-	-	-	-	-	-	-
Weobley ..	-	-	11	1·79	4	0·65	1	0·16	-	-	3	0·49	1	0·16
Whitchurch ..	-	-	4	2·25	-	-	-	-	-	-	-	-	-	-
HERTFORD‡ ..	4	0·01	871	2·18	462	1·15	38	0·09	29	0·07	59	0·15	95	0·24
AGGREGATE OF U.Ds.	4	0·01	605	2·16	343	1·23	22	0·08	28	0·10	47	0·17	72	0·26
AGGREGATE OF R.Ds.	-	-	266	2·21	119	0·99	16	0·13	1	0·08	12	0·10	23	0·19
URBAN DISTRICTS:														
Baldock ..	-	-	3	0·95	2	0·64	-	-	1	0·32	1	0·32	-	-
Barnet ..	1	0·07	31	2·12	21	1·44	2	0·14	7	0·48	20	1·37	9	0·62
Bishop's Stortford	-	-	11	1·11	3	0·30	1	0·10	-	-	1	0·10	2	0·20
Bushey ..	-	-	25	2·25	21	1·89	1	0·09	-	-	-	-	2	0·18
Cheshunt ..	-	-	14	0·94	15	1·01	2	0·13	1	0·07	3	0·20	12	0·81

* The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Worcester, and the remaining part of the Rural District of Tetbury was, prior to the 31st March 1930, in the Administrative County of Wilts. The figures for the entire Districts are:—

Stow on the Wold	-	-	28	4·44	-	-	-	-	-	-	1	0·16	1	0·16
Tetbury ..	-	-	4	1·10	3	0·82	1	0·27	-	-	-	-	-	-
Tewkesbury ..	-	-	10	1·50	4	0·60	-	-	1	0·15	2	0·30	2	0·30
Winchcomb ..	-	-	33	3·77	3	0·34	1	0·11	-	-	3	0·34	4	0·46

† Rates adjusted to allow for changes in boundary during the year.

‡ Administrative County.

§ On the 31st March 1930, the Rural Districts of Leominster and Wigmore were united and called Leominster and Wigmore R.D. The figures relate to the combined district for the whole period (53 weeks).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small- pox.		Scarlet fever.		Diph- theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery- sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
HERTFORD—cont.														
URBAN DISTRICTS— cont.														
Chorleywood ..	-	-	4	1·24	2	0·62	-	-	-	-	-	-	-	-
East Barnet Valley	1	0·06	61	3·43	37	2·08	-	-	5	0·28	1	0·06	4	0·23
Great Berkham- stead ..	-	-	42	5·08	2	0·24	-	-	1	0·12	-	-	-	-
Harpenden ..	-	-	12	1·44	3	0·36	-	-	-	-	-	-	1	0·12
Hemel Hempstead M.B. ..	1	0·07	88	5·74	11	0·72	2	0·13	1	0·07	2	0·13	4	0·26
Hertford M.B. ..	-	-	9	0·76	1	0·08	-	-	2	0·17	4	0·34	1	0·08
Hitchin ..	-	-	22	1·54	2	0·14	-	-	1	0·07	-	-	3	0·21
Hoddesdon ..	-	-	8	1·25	2	0·31	2	0·31	-	-	-	-	-	-
Letchworth ..	-	-	27	1·92	2	0·14	2	0·14	1	0·07	3	0·21	8	0·57
Rickmansworth ..	-	-	30	2·87	18	1·72	1	0·10	-	-	-	-	1	0·10
Royston ..	-	-	12	3·10	-	-	-	-	-	-	-	-	-	-
St. Albans M.B. .	-	-	26	0·91	12	0·42	2	0·07	2	0·07	5	0·18	3	0·11
Sawbridgeworth ..	-	-	3	1·15	1	0·38	-	-	-	-	-	-	-	-
Stevenage ..	-	-	2	0·35	-	-	1	0·18	-	-	-	-	1	0·18
Tring ..	-	-	32	7·35	-	-	-	-	-	-	-	-	1	0·23
Ware ..	-	-	4	0·64	3	0·48	1	0·16	2	0·32	-	-	-	-
Watford M.B. ..	1	0·02	118	2·09	178	3·15	5	0·09	2	0·04	6	0·11	20	0·35
Welwyn Garden City ..	-	-	21	2·49	7	0·83	-	-	2	0·24	1	0·12	-	-
RURAL DISTRICTS:														
Ashwell ..	-	-	10	2·81	-	-	-	-	-	-	-	-	2	0·56
Barnet ..	-	-	26	4·30	3	0·50	-	-	1	0·17	2	0·33	1	0·17
Berkhamstead ..	-	-	25	4·75	10	1·90	-	-	-	-	1	0·19	-	-
Buntingford ..	-	-	-	-	11	2·32	-	-	-	-	-	-	2	0·42
Hadham ..	-	-	7	1·27	3	0·54	1	0·18	-	-	2	0·36	1	0·18
Hatfield ..	-	-	37	3·36	7	0·64	-	-	-	-	-	-	1	0·09
Hemel Hempstead ..	-	-	36	4·36	14	1·69	2	0·24	-	-	1	0·12	-	-
Hertford ..	-	-	7	0·91	1	0·13	1	0·13	-	-	1	0·13	-	-
Hitchin ..	-	-	27	1·84	10	0·68	2	0·14	-	-	1	0·07	3	0·20
St. Albans ..	-	-	47	2·43	17	0·88	4	0·21	-	-	-	-	3	0·16
Ware ..	-	-	20	1·63	10	0·82	2	0·16	-	-	2	0·16	2	0·16
Watford ..	-	-	22	1·20	32	1·74	4	0·22	-	-	2	0·11	8	0·44
Welwyn ..	-	-	2	0·55	1	0·27	-	-	-	-	-	-	-	-
HUNTINGDON† ..														
5	0·09	78	1·36	72	1·26	2	0·03	3	0·05	4	0·07	11	0·19	
AGGREGATE OF U.Ds.														
3	1·12	43	1·65	33	1·27	-	-	-	-	3	0·12	6	0·23	
AGGREGATE OF R.Ds.														
2	0·06	35	1·12	39	1·25	2	0·06	3	0·10	1	0·03	5	0·16	
URBAN DISTRICTS:														
Godmanchester M.B. ..	-	-	4	1·95	1	0·49	-	-	-	-	-	-	1	0·49
Huntingdon M.B. .	-	-	2	0·49	3	0·73	-	-	-	-	1	0·24	1	0·24
Old Fletton ..	3	0·40	27	3·60	24	3·20	-	-	-	-	1	0·13	1	0·13
Ramsey ..	-	-	8	1·51	1	0·19	-	-	-	-	-	-	1	0·19
St. Ives M.B. ..	-	-	1	0·36	-	-	-	-	-	-	1	0·36	-	-
St. Neots ..	-	-	1	0·23	4	0·91	-	-	-	-	-	-	2	0·46
RURAL DISTRICTS:														
Huntingdon ..	-	-	2	0·30	3	0·46	-	-	-	-	-	-	2	0·30
Norman Cross ..	2	0·33	13	2·18	26	4·35	2	0·33	-	-	-	-	1	0·17
Oundle (part of)†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Ives ..	-	-	8	0·83	10	1·04	-	-	1	0·10	1	0·10	2	0·21
St. Neots ..	-	-	5	0·74	-	-	-	-	1	0·15	-	-	-	-
Thrapston(part of)†	-	-	4	5·23	-	-	-	-	1	1·31	-	-	-	-
Sibson cum Stib- ington (parish)§	-	-	3	6·32	-	-	-	-	-	-	-	-	-	-

† Administrative County.

‡ The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Northampton.

§ This Parish is administered by the Rural District Council of Barnack (Soke of Peterborough).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
KENT*	106	0·09	3,105	2·59	1,904	1·59	98	0·08	45	0·04	102	0·09	381	0·32
CANTERBURY C.B.	-	-	76	3·16	54	2·25	-	-	1	0·04	2	0·08	8	0·33
AGGREGATE OF U.Ds.†	97	0·12	2,144	2·57	1,337	1·60	66	0·08	31	0·04	76	0·09	263	0·32
AGGREGATE OF R.Ds.†	9	0·03	885	2·61	513	1·51	32	0·09	13	0·04	24	0·07	110	0·32
URBAN DISTRICTS:														
Ashford	-	-	40	2·70	12	0·81	1	0·07	-	-	-	-	5	0·34
Beckenham ..	8	0·19	64	1·52	27	0·64	10	0·24	2	0·05	10	0·24	16	0·38
Bexley	-	-	74	2·35	46	1·46	1	0·03	-	-	-	-	6	0·19
Broadstairs and St. Peter's ..	-	-	59	4·62	25	1·96	-	-	1	0·08	-	-	5	0·39
Bromley M.B. ..	52	1·17	164	3·68	55	1·23	4	0·09	1	0·02	11	0·25	11	0·25
Chatham M.B. ..	-	-	85	2·03	45	1·07	2	0·05	2	0·05	1	0·02	23	0·55
Cheriton	-	-	7	1·14	19	3·08	-	-	-	-	-	-	1	0·16
Chislehurst ..	-	-	12	1·25	31	3·24	1	0·10	-	-	-	-	4	0·42
Crayford	9	0·59	43	2·80	32	2·09	-	-	-	-	2	0·13	3	0·20
Dartford	8	0·28	89	3·06	64	2·20	-	-	1	0·03	1	0·03	15	0·52
Deal M.B.	-	-	43	3·28	5	0·38	-	-	2	0·15	3	0·23	1	0·08
Dover M.B. .. .	-	-	42	1·05	61	1·52	2	0·05	-	-	6	0·15	17	0·42
Erith	6	0·18	55	1·63	63	1·87	1	0·03	2	0·06	10	0·30	12	0·36
Faversham M.B.	-	-	15	1·45	6	0·58	1	0·10	-	-	-	-	1	0·10
Folkestone M.B.	-	-	35	0·99	153	4·34	1	0·03	1	0·03	-	-	12	0·34
Gillingham M.B.	1	0·02	173	3·22	43	0·80	2	0·04	4	0·07	8	0·15	13	0·24
Gravesend M.B...	4	0·11	107	3·06	20	0·57	3	0·09	-	-	2	0·06	15	0·43
Herne Bay .. .	-	-	22	1·94	11	0·97	-	-	-	-	-	-	4	0·35
Hythe M.B. .. .	-	-	26	3·16	4	0·49	-	-	-	-	-	-	-	-
Lydd M.B. .. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maidstone M.B.	-	-	50	1·19	118	2·81	5	0·12	1	0·02	2	0·05	14	0·33
Margate M.B. ..	8	0·26	78	2·54	35	1·14	2	0·07	1	0·03	2	0·07	7	0·23
Milton Regis†† ..	-	-	44	21·06	24	11·49	-	-	-	-	-	-	1	0·48
New Romney M.B.	-	-	2	1·22	3	1·83	-	-	1	0·61	-	-	1	0·61
Northfleet .. .	-	-	57	3·36	25	1·47	6	0·35	-	-	-	-	12	0·71
Penge	-	-	76	2·71	50	1·78	1	0·04	1	0·04	3	0·11	8	0·29
Queenborough M.B.	-	-	4	1·29	-	-	-	-	-	-	-	-	-	-
Ramsgate M.B. ...	-	-	84	2·54	50	1·51	1	0·03	5	0·15	2	0·06	4	0·12
Rochester M.B. ...	-	-	104	3·32	43	1·37	-	-	-	-	3	0·10	8	0·26
Royal Tunbridge Wells M.B. ..	-	-	53	1·50	29	0·82	9	0·25	2	0·06	5	0·14	13	0·37
Sandgate	-	-	3	1·29	2	0·86	-	-	-	-	-	-	-	-
Sandwich M.B. ..	-	-	9	2·64	1	0·29	-	-	-	-	-	-	1	0·29
Sevenoaks .. .	-	-	61	5·87	-	-	4	0·39	2	0·19	-	-	1	0·10
Sheerness .. .	-	-	39	2·31	36	2·14	-	-	1	0·06	-	-	2	0·12
Sidcup	1	0·09	33	2·83	21	1·80	-	-	-	-	1	0·09	5	0·43
Sittingbourne†† ..	-	-	41	17·81	26	11·29	-	-	-	-	-	-	1	0·43
Sittingbourne and Milton‡ ..	-	-	132	8·66	95	6·24	3	0·20	-	-	1	0·07	3	0·20
Southborough ..	-	-	5	0·68	9	1·22	1	0·14	-	-	-	-	-	-
Swanscombe .. .	-	-	32	3·53	6	0·66	-	-	-	-	1	0·11	-	-
Tenterden M.B. ..	-	-	6	1·73	-	-	-	-	-	-	1	0·29	-	-
Tonbridge .. .	-	-	37	2·19	28	1·66	3	0·18	-	-	-	-	11	0·65
Walmer	-	-	18	4·00	6	1·33	-	-	-	-	-	-	-	-
Whitstable .. .	-	-	6	0·55	7	0·64	2	0·18	1	0·09	-	-	7	0·64
Wrotham .. .	-	-	15	3·29	1	0·22	-	-	-	-	1	0·22	-	-
RURAL DISTRICTS:														
Blean	-	-	15	1·39	16	1·48	2	0·19	-	-	-	-	3	0·28
Bridge	-	-	32	2·59	4	0·32	1	0·08	-	-	-	-	2	0·16
Bromley	4	0·11	95	2·58	58	1·58	6	0·16	-	-	5	0·14	16	0·44
Cranbrook .. .	2	0·15	15	1·11	8	0·59	1	0·07	-	-	1	0·07	4	0·30
Dartford	1	0·03	145	4·47	101	3·11	-	-	-	-	2	0·06	20	0·62
Dover	-	-	22	2·52	2	0·23	-	-	-	-	1	0·11	1	0·11
East Ashford ..	-	-	28	1·76	11	0·69	1	0·06	-	-	-	-	4	0·25
Eastry	-	-	65	3·71	53	3·03	2	0·11	2	0·11	1	0·06	5	0·29
Elham	-	-	15	1·71	-	-	-	-	1	0·11	4	0·46	1	0·11
Faversham† .. .	-	-	45	3·24	33	2·38	1	0·07	-	-	1	0·07	4	0·29

* Administ ative County with associated County Borough.

† Rates adjusted to allow for changes in boundary during the year.

‡ Abolished 31st March, 1930.

§ Created 31st March, 1930.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
KENT—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Hollingbourne ..	—	—	29	2·02	11	0·76	1	0·07	2	0·14	—	—	8	0·56
Hoo ..	—	—	26	5·58	—	—	—	—	—	—	—	—	—	—
Isle of Thanet ..	—	—	26	2·01	20	1·54	—	—	—	—	1	0·08	4	0·31
Maidstone ..	2	0·11	38	2·16	21	1·20	1	0·06	—	—	2	0·11	3	0·17
Malling ..	—	—	61	2·35	52	2·00	4	0·15	5	0·19	—	—	8	0·31
Milton† ..	—	—	56	7·12	32	4·07	2	0·25	—	—	—	—	1	0·13
Romney Marsh ..	—	—	4	1·29	—	—	1	0·32	—	—	—	—	1	0·32
Sevenoaks ..	—	—	55	2·05	19	0·71	6	0·22	2	0·07	3	0·11	6	0·22
Sheppey ..	—	—	13	2·39	10	1·83	2	0·37	—	—	—	—	1	0·18
Strood ..	—	—	50	3·12	12	0·75	—	—	—	—	1	0·06	2	0·12
Tenterden ..	—	—	11	1·75	4	0·64	—	—	1	0·16	—	—	1	0·16
Tonbridge ..	—	—	31	1·63	43	2·26	1	0·05	—	—	2	0·10	12	0·63
West Ashford ..	—	—	8	0·97	3	0·36	—	—	—	—	—	—	3	0·36
LANCASTER*														
LANCASTER* ..	236	0·05	17,572	3·41	9,556	1·85	268	0·05	364	0·07	643	0·12	3,123	0·61
BARROW IN FURNESS C.B.														
BARROW IN FURNESS C.B. ..	—	—	219	3·27	30	0·45	—	—	—	—	3	0·04	47	0·70
BLACKBURN C.B.														
BLACKBURN C.B. ..	—	—	353	2·79	135	1·07	8	0·06	7	0·06	16	0·13	56	0·44
BLACKPOOL C.B.														
BLACKPOOL C.B. ..	1	0·01	183	1·82	65	0·65	3	0·03	5	0·05	6	0·06	40	0·40
BOLTON C.B.														
BOLTON C.B. ..	4	0·02	452	2·47	83	0·45	7	0·04	8	0·04	20	0·11	101	0·55
BOOTLE C.B.														
BOOTLE C.B. ..	—	—	407	5·10	255	3·20	3	0·04	4	0·05	21	0·26	59	0·74
BURNLEY C.B.														
BURNLEY C.B. ..	—	—	252	2·49	93	0·92	5	0·05	8	0·08	17	0·17	83	0·82
BURY C.B.														
BURY C.B. ..	2	0·03	104	1·81	46	0·80	4	0·07	5	0·09	5	0·09	31	0·54
LIVERPOOL C.B.														
LIVERPOOL C.B. ..	1	0·00	3,118	3·55	4,063	4·62	60	0·07	43	0·05	125	0·14	736	0·84
MANCHESTER C.B.														
MANCHESTER C.B. ..	2	0·00	3,771	4·89	1,059	1·37	42	0·05	119	0·15	89	0·12	538	0·70
OLDHAM C.B.														
OLDHAM C.B. ..	32	0·22	721	4·99	171	1·18	—	—	3	0·02	31	0·21	99	0·68
PRESTON C.B.														
PRESTON C.B. ..	—	—	209	1·68	155	1·24	2	0·02	10	0·08	31	0·25	79	0·63
ROCHDALE C.B.														
ROCHDALE C.B. ..	—	—	492	5·32	145	1·57	—	—	6	0·06	15	0·16	30	0·32
ST. HELENS C.B.														
ST. HELENS C.B. ..	—	—	255	2·31	162	1·47	3	0·03	16	0·14	14	0·13	72	0·65
SALFORD C.B.														
SALFORD C.B. ..	7	0·03	681	2·91	741	3·17	26	0·11	13	0·06	30	0·13	160	0·68
SOUTHPORT C.B.														
SOUTHPORT C.B. ..	—	—	277	3·48	203	2·55	3	0·04	4	0·05	11	0·14	51	0·64
WARRINGTON C.B.														
WARRINGTON C.B. ..	—	—	700	8·63	162	2·00	2	0·02	2	0·02	11	0·14	51	0·63
WIGAN C.B.														
WIGAN C.B. ..	—	—	209	2·37	109	1·24	2	0·02	8	0·09	14	0·16	42	0·48
AGGREGATE OF U.Ds.														
AGGREGATE OF U.Ds. ..	184	0·12	4,501	2·87	1,669	1·06	84	0·05	87	0·06	164	0·10	765	0·49
AGGREGATE OF R.Ds.														
AGGREGATE OF R.Ds. ..	3	0·01	668	2·48	210	0·78	14	0·05	16	0·06	20	0·07	83	0·31
URBAN DISTRICTS:														
Abram ..														
Abram ..	—	—	7	1·01	4	0·58	1	0·14	1	0·14	—	—	5	0·72
Accrington M.B.														
Accrington M.B. ..	—	—	109	2·45	19	0·43	—	—	2	0·04	—	—	16	0·36
Adlington ..														
Adlington ..	—	—	7	1·61	13	2·98	—	—	—	—	—	—	4	0·92
Ashton in Makerfield ..														
Ashton in Makerfield ..	—	—	35	1·60	18	0·82	—	—	—	—	3	0·14	8	0·36
Ashton under Lyne M.B.														
Ashton under Lyne M.B. ..	99	1·88	359	6·82	36	0·68	3	0·06	—	—	2	0·04	25	0·47
Aspull ..														
Aspull ..	1	0·13	17	2·26	5	0·67	—	—	1	0·13	—	—	11	1·46
Atherton ..														
Atherton ..	17	0·83	41	2·00	9	0·44	1	0·05	—	—	5	0·24	18	0·88
Audenshaw ..														
Audenshaw ..	2	0·23	21	2·42	7	0·81	—	—	—	—	—	—	4	0·46
Bacup M.B.														
Bacup M.B. ..	1	0·05	151	7·15	26	1·23	—	—	—	—	1	0·05	15	0·71
Barrowford ..														
Barrowford ..	—	—	3	0·55	4	0·73	—	—	—	—	—	—	2	0·37
Billinge and Winstanley ..														
Billinge and Winstanley ..	—	—	7	1·33	—	—	—	—	—	—	1	0·19	2	0·38
Blackrod ..														
Blackrod ..	—	—	9	2·38	1	0·26	—	—	—	—	—	—	—	—
Brierfield ..														
Brierfield ..	—	—	13	1·61	2	0·25	—	—	—	—	—	—	4	0·50
Carnforth ..														
Carnforth ..	—	—	6	1·87	16	4·98	—	—	—	—	—	—	—	—
Chadderton ..														
Chadderton ..	15	0·53	102	3·58	22	0·77	—	—	1	0·04	4	0·14	20	0·70

* Administrative County with associated County Boroughs.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small- pox.		Scarlet fever.		Diph- theria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Ery- sipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LANCASTER—cont.														
URBAN DISTRICTS— cont.														
Chorley M.B. ..	-	-	137	4·30	31	0·97	-	-	3	0·09	1	0·03	15	0·47
Church ..	-	-	28	4·32	22	3·39	-	-	-	-	-	-	1	0·15
Clayton le Moors ..	-	-	11	1·32	2	0·24	-	-	-	-	1	0·12	1	0·12
Clitheroe M.B. ..	-	-	12	0·97	10	0·81	1	0·08	-	-	1	0·08	4	0·32
Colne M.B. ..	-	-	105	4·24	21	0·85	3	0·12	1	0·04	1	0·04	30	1·21
Crompton ..	-	-	88	5·76	5	0·33	2	0·13	2	0·13	-	-	9	0·59
Croston ..	-	-	7	3·48	-	-	-	-	-	-	-	-	-	-
Dalton in Furness ..	-	-	9	0·85	1	0·09	-	-	-	-	-	-	3	0·28
Darwen M.B. ..	-	-	103	2·74	103	2·74	-	-	3	0·08	11	0·29	13	0·35
Denton ..	1	0·06	86	4·79	10	0·56	1	0·06	2	0·11	1	0·06	13	0·72
Droylsden ..	2	0·15	37	2·69	25	1·82	-	-	2	0·15	1	0·07	3	0·22
Eccles M.B. ..	-	-	70	1·53	72	1·58	4	0·09	2	0·04	2	0·04	15	0·33
Failsworth ..	-	-	92	5·54	18	1·08	-	-	5	0·30	3	0·18	9	0·54
Farnworth ..	1	0·03	20	0·68	18	0·61	-	-	1	0·03	27	0·92	39	1·32
Fleetwood ..	-	-	29	1·25	12	0·52	1	0·04	1	0·04	-	-	9	0·39
Formby ..	-	-	16	2·03	25	3·17	2	0·25	-	-	-	-	1	0·13
Fulwood ..	-	-	11	1·57	6	0·85	-	-	1	0·14	5	0·71	1	0·14
Golborne ..	-	-	13	1·72	13	1·72	-	-	1	0·13	-	-	1	0·13
Grange ..	-	-	2	0·87	1	0·43	-	-	-	-	-	-	1	0·43
Great Crosby ..	-	-	45	2·50	38	2·11	2	0·11	-	-	1	0·06	8	0·44
Great Harwood ..	-	-	16	1·18	2	0·15	-	-	1	0·07	1	0·07	1	0·07
Haslingden M.B. ..	-	-	25	1·45	-	-	2	0·12	1	0·06	2	0·12	7	0·41
Haydock ..	-	-	15	1·40	9	0·84	-	-	-	-	2	0·19	14	1·31
Heywood M.B. ..	-	-	21	0·79	23	0·86	2	0·07	-	-	3	0·11	10	0·37
Hindley ..	2	0·09	29	1·26	21	0·91	2	0·09	1	0·04	1	0·04	11	0·48
Horwich ..	-	-	25	1·52	5	0·30	-	-	1	0·06	-	-	4	0·24
Huyton with Roby ..	-	-	10	1·86	3	0·56	-	-	-	-	-	-	-	-
Ince in Makerfield ..	-	-	37	1·60	14	0·61	-	-	2	0·09	1	0·04	16	0·69
Irlam ..	-	-	11	0·86	14	1·09	-	-	1	0·08	2	0·16	4	0·31
Kearsley ..	-	-	13	1·28	5	0·49	1	0·10	2	0·20	1	0·10	4	0·40
Kirkham ..	-	-	6	1·43	17	4·05	-	-	1	0·24	-	-	-	-
Lancaster M.B. ..	-	-	106	2·44	20	0·46	20	0·46	1	0·02	3	0·07	27	0·62
Lathom and Burs- cough ..	1	0·13	28	3·54	9	1·14	-	-	-	-	2	0·25	3	0·38
Lees ..	2	0·40	8	1·61	10	2·02	-	-	-	-	-	-	1	0·20
Leigh M.B. ..	-	-	42	0·89	29	0·62	-	-	3	0·06	5	0·11	17	0·36
Leyland ..	-	-	85	7·93	31	2·89	-	-	1	0·09	-	-	-	-
Litherland ..	-	-	63	3·80	59	3·56	-	-	2	0·12	2	0·12	16	0·97
Littleborough ..	-	-	43	3·55	44	3·63	-	-	-	-	-	-	3	0·25
Little Crosby ..	-	-	1	0·88	6	5·26	-	-	-	-	-	-	-	-
Little Hulton ..	-	-	1	0·12	1	0·12	-	-	-	-	2	0·24	4	0·49
Little Lever ..	1	0·19	1	0·19	-	-	-	-	-	-	1	0·19	1	0·19
Longridge ..	-	-	20	4·69	3	0·70	-	-	-	-	-	-	-	-
Lytham St. Anne's M.B. ..	-	-	40	1·55	18	0·70	-	-	-	-	-	-	3	0·12
Middleton M.B. ..	-	-	99	3·30	22	0·73	1	0·03	1	0·03	1	0·03	12	0·40
Milnrow ..	-	-	13	1·47	17	1·92	-	-	-	-	-	-	4	0·45
Morecambe and Heysham M.B. ..	-	-	39	1·65	21	0·89	2	0·08	-	-	2	0·08	8	0·34
Mossley M.B. ..	-	-	158	12·73	3	0·24	-	-	-	-	1	0·08	6	0·48
Nelson M.B. ..	-	-	37	0·93	14	0·35	-	-	2	0·05	2	0·05	20	0·50
Newton in Maker- field ..	-	-	44	2·14	42	2·05	3	0·15	2	0·10	5	0·24	15	0·73
Norden ..	-	-	34	7·71	8	1·82	-	-	-	-	2	0·45	1	0·23
Ormskirk ..	-	-	19	2·49	10	1·31	2	0·26	-	-	-	-	3	0·39
Orrell ..	-	-	22	3·04	12	1·66	-	-	1	0·14	-	-	2	0·28
Oswaldtwistle ..	-	-	45	3·03	5	0·34	-	-	1	0·07	-	-	8	0·54
Padiham ..	-	-	35	2·91	7	0·58	-	-	-	-	1	0·08	7	0·58
Poulton le Fylde ..	-	-	4	1·22	-	-	-	-	-	-	-	-	1	0·31

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LANCASTER—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Preesall	—	—	—	—	—	—	—	—	—	—	1	0·49	2	0·98
Prescot	—	—	39	3·96	8	0·81	—	—	—	—	—	—	6	0·61
Prestwich	—	—	121	5·19	27	1·16	10	0·43	2	0·09	4	0·17	12	0·51
Radcliffe	—	—	48	1·88	15	0·59	1	0·04	3	0·12	3	0·12	6	0·23
Rainford	—	—	11	3·01	—	—	—	—	—	—	1	0·27	2	0·55
Ramsbottom ..	—	—	35	2·31	11	0·73	—	—	4	0·26	—	—	8	0·53
Rawtenstall M.B.	1	0·03	48	1·64	43	1·47	2	0·07	3	0·10	3	0·10	17	0·58
Rishton	—	—	5	0·72	—	—	2	0·29	—	—	—	—	1	0·14
Royton	1	0·06	66	3·80	9	0·52	—	—	2	0·12	1	0·06	7	0·40
Skelmersdale ..	34	5·17	13	1·98	28	4·26	—	—	—	—	1	0·15	1	0·15
Standish with Langtree ..	—	—	49	6·50	3	0·40	—	—	—	—	—	—	3	0·40
Stretford	—	—	207	3·71	94	1·69	—	—	2	0·04	11	0·20	28	0·50
Swinton and Pendlebury ..	—	—	47	1·39	34	1·00	2	0·06	—	—	4	0·12	24	0·71
Thornton Cleveleys ..	—	—	11	1·10	3	0·30	—	—	1	0·10	1	0·10	1	0·10
Tottington	—	—	17	2·53	10	1·49	2	0·30	1	0·15	—	—	4	0·60
Trawden	—	—	—	—	2	0·75	1	0·37	—	—	—	—	—	—
Turton	—	—	13	1·06	13	1·06	1	0·08	—	—	2	0·16	7	0·57
Tyldesley with Shakerley ..	—	—	21	1·36	10	0·65	1	0·06	1	0·06	1	0·06	8	0·52
Ulverston	—	—	52	5·62	30	3·24	1	0·11	1	0·11	1	0·11	8	0·86
Upholland	—	—	17	2·96	16	2·78	—	—	—	—	2	0·35	6	1·04
Urmston	3	0·33	39	4·32	9	1·00	—	—	1	0·11	1	0·11	3	0·33
Walton le Dale ..	—	—	24	1·86	6	0·46	1	0·08	—	—	—	—	4	0·31
Wardle	—	—	10	2·18	19	4·14	—	—	6	1·31	3	0·65	1	0·22
Waterloo with Seaforth ..	—	—	119	3·74	90	2·83	2	0·06	—	—	1	0·03	17	0·53
Westhoughton ..	—	—	25	1·48	21	1·24	1	0·06	—	—	1	0·06	17	1·00
Whitefield	—	—	53	5·92	1	0·11	—	—	1	0·11	—	—	5	0·56
Whitworth	—	—	7	0·81	5	0·58	—	—	—	—	—	—	7	0·81
Widnes M.B. ..	—	—	375	9·01	32	0·77	1	0·02	1	0·02	5	0·12	16	0·38
Withnell	—	—	3	0·93	8	2·48	—	—	1	0·31	1	0·31	—	—
Worsley	—	—	23	1·54	3	0·20	—	—	4	0·27	1	0·07	1	0·07
RURAL DISTRICTS—														
Barton upon Irwell ..	1	0·07	62	4·16	23	1·54	1	0·07	—	—	1	0·07	3	0·20
Blackburn	—	—	25	2·18	6	0·52	—	—	—	—	—	—	—	—
Burnley	—	—	41	2·26	9	0·50	1	0·06	1	0·06	5	0·28	7	0·39
Bury	—	—	7	0·76	6	0·65	1	0·11	—	—	—	—	3	0·32
Chorley	—	—	61	2·69	25	1·10	1	0·04	1	0·04	4	0·18	7	0·31
Clitheroe	—	—	5	0·55	2	0·22	—	—	1	0·11	—	—	3	0·33
Fylde	—	—	20	1·24	14	0·87	—	—	2	0·12	1	0·06	6	0·37
Garstang	—	—	39	3·34	20	1·71	—	—	1	0·09	—	—	2	0·17
Lancaster	—	—	8	0·83	5	0·52	2	0·21	2	0·21	1	0·10	—	—
Leigh	—	—	25	2·10	19	1·59	—	—	—	—	1	0·08	5	0·42
Limehurst	—	—	43	4·78	2	0·22	1	0·11	1	0·11	—	—	2	0·22
Lunesdale	1	0·15	21	3·19	2	0·30	2	0·30	—	—	—	—	1	0·15
Preston	—	—	60	2·03	12	0·41	—	—	—	—	2	0·07	8	0·27
Sefton	—	—	2	0·80	4	1·61	—	—	—	—	—	—	2	0·80
Ulverston	—	—	26	1·55	5	0·30	3	0·18	2	0·12	—	—	10	0·60
Warrington	—	—	48	2·93	9	0·55	—	—	1	0·06	1	0·06	7	0·43
West Lancashire ..	1	0·04	82	3·42	24	1·00	1	0·04	4	0·17	2	0·08	7	0·29
Whiston	—	—	71	3·09	17	0·74	1	0·04	—	—	2	0·09	5	0·22
Wigan	—	—	22	3·43	6	0·94	—	—	—	—	—	—	5	0·78

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LEICESTER* ..	1794	3·35	1185	2·15	528	0·96	23	0·04	20	0·04	70	0·13	201	0·36
LEICESTER C.B. ..	1227	4·97	443	1·79	205	0·83	5	0·02	11	0·04	51	0·21	106	0·43
AGGREGATE OF U.Ds.§	209	1·70	413	3·35	132	1·07	7	0·06	5	0·04	10	0·08	32	0·26
AGGREGATE OF R.Ds.§	358	1·97	329	1·81	191	1·05	11	0·06	4	0·02	9	0·05	63	0·35
URBAN DISTRICTS :														
Ashby de la Zouch ..	—	—	6	1·14	20	3·80	4	0·76	1	0·19	1	0·19	1	0·19
Ashby Wolds ..	—	—	13	3·70	5	1·42	—	—	—	—	—	—	3	0·85
Coalville ..	43	1·89	38	1·67	30	1·32	—	—	—	—	3	0·13	8	0·35
Hinckley ..	31	1·91	8	0·49	14	0·86	2	0·12	1	0·06	2	0·12	3	0·19
Loughborough M.B.	55	2·03	258	9·50	4	0·15	—	—	3	0·11	3	0·11	4	0·15
Market Harborough	—	—	5	0·53	2	0·21	—	—	—	—	—	—	3	0·32
Melton Mowbray§	—	—	18	1·71	20	1·90	—	—	—	—	—	—	5	0·48
Oadby ..	4	0·86	9	1·94	3	0·65	—	—	—	—	—	—	—	—
Quorndon ..	—	—	5	1·88	—	—	—	—	—	—	—	—	—	—
Shepshed ..	8	1·35	8	1·35	1	0·17	—	—	—	—	—	—	3	0·51
Thurmaston ..	28	7·31	5	1·30	4	1·04	—	—	—	—	—	—	1	0·26
Wigston Magna	40	3·50	40	3·50	29	2·54	1	0·09	—	—	1	0·09	1	0·09
RURAL DISTRICTS :														
Ashby de la Zouch	43	2·41	19	1·06	31	1·74	3	0·17	1	0·06	1	0·06	9	0·50
Barrow upon Soar	13	0·42	39	1·27	24	0·78	2	0·07	1	0·03	1	0·03	13	0·42
Belvoir ..	—	—	19	6·06	2	0·64	—	—	—	—	—	—	—	—
Billesdon ..	7	0·65	13	1·21	3	0·28	—	—	—	—	—	—	—	—
Blaby ..	70	2·27	84	2·72	39	1·26	1	0·03	1	0·03	1	0·03	10	0·32
Castle Donington	12	1·81	42	6·32	20	3·01	—	—	—	—	1	0·15	5	0·75
Hallaton ..	—	—	1	0·59	—	—	—	—	—	—	—	—	—	—
Hinckley ..	44	2·55	37	2·14	39	2·26	—	—	—	—	2	0·12	13	0·75
Loughborough ..	1	0·20	6	1·22	1	0·20	—	—	—	—	—	—	1	0·20
Lutterworth ..	15	1·40	8	0·75	12	1·12	1	0·09	—	—	—	—	1	0·09
Market Bosworth	132	5·42	18	0·74	14	0·58	1	0·04	1	0·04	3	0·12	8	0·33
Market Harborough	21	2·76	20	2·63	1	0·13	2	0·26	—	—	—	—	1	0·13
Melton Mowbray§	—	—	23	1·53	5	0·33	1	0·07	—	—	—	—	2	0·13
LINCOLN, PARTS OF HOLLAND†§	—	—	162	1·75	139	1·50	6	0·06	1	0·01	5	0·05	29	0·31
AGGREGATE OF U.Ds.	—	—	64	1·57	68	1·67	4	0·10	—	—	2	0·05	18	0·44
AGGREGATE OF R.Ds.§	—	—	98	1·89	71	1·37	2	0·04	1	0·02	3	0·06	11	0·21
URBAN DISTRICTS :														
Boston M.B. ..	—	—	25	1·51	30	1·81	1	0·06	—	—	2	0·12	11	0·66
Holbeach ..	—	—	32	5·28	3	0·49	3	0·49	—	—	—	—	2	0·33
Long Sutton ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spalding ..	—	—	6	0·48	34	2·73	—	—	—	—	—	—	5	0·40
Sutton Bridge ..	—	—	1	0·39	1	0·39	—	—	—	—	—	—	—	—
RURAL DISTRICTS :														
Boston ..	—	—	52	2·17	56	2·34	1	0·04	—	—	1	0·04	9	0·38
Crowland ..	—	—	4	1·41	—	—	—	—	1	0·35	—	—	1	0·35
East Elloe ..	—	—	18	1·73	7	0·67	1	0·10	—	—	—	—	1	0·10
Spalding (part of)†§	—	—	24	1·64	8	0·55	—	—	—	—	2	0·14	—	—

* Administrative County with associated County Borough.

† Administrative County.

‡ The remaining part of the Rural District of Spalding was, prior to the 31st March 1930, in the Administrative County of Lincoln, Parts of Kesteven.

The figures for the entire District are :—

|| — | — || 24 | 1·62 || 8 | 0·54 || — | — || — | — || 2 | 0·14 || — | —

§ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LINCOLN, PARTS OF KESTEVEN*	—	—	287	2·64	83	0·76	5	0·05	3	0·03	12	0·11	35	0·32
AGGREGATE OF U.Ds.	—	—	174	4·08	47	1·10	2	0·05	2	0·05	3	0·07	16	0·37
AGGREGATE OF R.Ds.	—	—	113	1·71	36	0·55	3	0·05	1	0·02	9	0·14	19	0·29
URBAN DISTRICTS:														
Bourne ..	—	—	15	3·13	3	0·63	—	—	—	—	—	—	4	0·84
Grantham M.B.	—	—	140	7·24	33	1·71	—	—	2	0·10	3	0·16	6	0·31
Ruskington ..	—	—	2	1·63	—	—	—	—	—	—	—	—	—	—
Sleaford ..	—	—	8	1·11	3	0·42	2	0·28	—	—	—	—	6	0·84
Stamford M.B. ..	—	—	9	0·89	8	0·79	—	—	—	—	—	—	—	—
RURAL DISTRICTS:														
Bourne ..	—	—	10	0·77	4	0·31	1	0·08	—	—	2	0·15	5	0·39
Branston ..	—	—	24	1·60	3	0·20	—	—	—	—	—	—	3	0·20
Claypole ..	—	—	18	2·29	7	0·89	—	—	—	—	1	0·13	2	0·25
Grantham	—	—	29	2·50	6	0·52	—	—	1	0·09	3	0·26	5	0·43
Sleaford ..	—	—	24	1·40	13	0·76	2	0·12	—	—	3	0·17	4	0·23
Spalding (part of)†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uffington ..	—	—	8	5·79	3	2·17	—	—	—	—	—	—	—	—
LINCOLN, PARTS OF LINDSEY† ..	47	0·11	1202	2·83	353	0·83	25	0·06	27	0·06	52	0·12	199	0·47
GRIMSBY C.B. ..	1	0·01	332	3·56	66	0·71	7	0·07	5	0·05	16	0·17	37	0·40
LINCOLN C.B. ..	—	—	152	2·28	75	1·13	6	0·09	8	0·12	8	0·12	37	0·56
AGGREGATE OF U.Ds.	3	0·02	533	4·15	151	1·18	5	0·04	6	0·05	15	0·12	83	0·65
AGGREGATE OF R.Ds.	43	0·32	185	1·36	61	0·45	7	0·05	8	0·06	13	0·10	42	0·31
URBAN DISTRICTS:														
Alford ..	—	—	2	0·89	1	0·45	—	—	—	—	—	—	—	—
Barton upon Humber ..	—	—	9	1·40	38	5·89	—	—	1	0·16	—	—	—	—
Brigg ..	—	—	5	1·27	1	0·25	—	—	—	—	—	—	7	1·78
Cleethorpes ..	—	—	81	2·78	15	0·51	2	0·07	1	0·03	1	0·03	16	0·55
Crowle ..	—	—	4	1·40	4	1·40	—	—	—	—	—	—	1	0·35
Gainsborough ..	—	—	121	6·36	5	0·26	—	—	—	—	2	0·11	18	0·95
Horncastle ..	1	0·29	25	7·21	2	0·58	—	—	1	0·29	—	—	1	0·29
Louth M.B. ..	—	—	16	1·65	6	0·62	—	—	—	—	1	0·10	4	0·41
Mablethorpe and Sutton ..	2	0·48	3	0·71	4	0·95	—	—	—	—	—	—	1	0·24
Market Rasen ..	—	—	3	1·43	1	0·48	1	0·48	—	—	—	—	—	—
Roxby cum Risby Scunthorpe and Frodingham ..	—	—	4	7·04	—	—	1	1·76	—	—	—	—	—	—
Skegness ..	—	—	229	6·81	57	1·70	—	—	1	0·03	10	0·30	32	0·95
Winterton ..	—	—	19	2·45	5	0·64	1	0·13	2	0·26	1	0·13	2	0·26
Woodhall Spa ..	—	—	11	5·59	—	—	—	—	—	—	—	—	—	—
Woodhall Spa ..	—	—	1	0·71	12	8·53	—	—	—	—	—	—	1	0·71
RURAL DISTRICTS:														
Caistor ..	43	3·33	19	1·47	5	0·39	3	0·23	—	—	—	—	4	0·31
Gainsborough ..	—	—	30	2·11	1	0·07	—	—	2	0·14	—	—	4	0·28
Glanford Brigg ..	—	—	43	1·50	27	0·94	—	—	3	0·10	2	0·07	11	0·38
Grimsby ..	—	—	32	3·03	6	0·57	1	0·09	1	0·09	2	0·19	3	0·28
Horncastle ..	—	—	13	1·09	2	0·17	—	—	2	0·17	—	—	2	0·17
Isle of Axholme..	—	—	3	0·46	6	0·91	—	—	—	—	1	0·15	6	0·91
Louth ..	—	—	4	0·24	4	0·24	2	0·12	—	—	5	0·30	4	0·24
Sibsey ..	—	—	13	4·22	2	0·65	—	—	—	—	—	—	2	0·65
Spilsby ..	—	—	19	0·96	6	0·30	—	—	—	—	3	0·15	4	0·20
Welton ..	—	—	9	0·78	2	0·17	1	0·09	—	—	—	—	2	0·17

* Administrative County.

† Administrative County with associated County Boroughs.

‡ Since 31st March 1930, the whole of the Rural District of Spalding is in the Administrative County of Lincoln, Parts of Holland.

|| Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
LONDON†	5,151	1·15	16,749	3·76	13,525	3·03	291	0·07	297	0·07	753	0·17	2,402	0·54
CITY OF LONDON ..	11	1·09	23	2·27	19	1·87	2	0·20	1	0·10	—	—	6	0·59
Inner and Middle Temples ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
METROPOLITAN BOROUGHES:														
Battersea ..	9	0·06	608	3·72	538	3·29	6	0·04	9	0·06	21	0·13	78	0·48
Bermondsey ..	47	0·41	514	4·47	468	4·07	5	0·04	14	0·12	20	0·17	41	0·36
Bethnal Green ..	951	8·52	543	4·87	448	4·01	5	0·04	6	0·05	15	0·13	90	0·81
Camberwell ..	306	1·18	1,012	3·92	611	2·36	5	0·02	18	0·07	38	0·15	137	0·53
Chelsea ..	—	—	136	2·25	118	1·95	4	0·07	7	0·12	9	0·15	32	0·53
Deptford ..	48	0·43	571	5·16	425	3·84	2	0·02	9	0·08	10	0·09	52	0·47
Finsbury ..	193	2·69	316	4·41	333	4·64	5	0·07	6	0·08	16	0·22	63	0·88
Fulham ..	7	0·05	604	3·90	409	2·64	13	0·08	17	0·11	35	0·23	75	0·48
Greenwich ..	28	0·28	527	5·20	355	3·50	7	0·07	5	0·05	12	0·12	62	0·61
Hackney ..	493	2·25	984	4·48	732	3·33	5	0·02	5	0·02	67	0·31	106	0·48
Hammersmith ..	21	0·15	497	3·60	386	2·80	6	0·04	8	0·06	26	0·19	67	0·49
Hampstead ..	3	0·03	216	2·46	100	1·14	12	0·14	8	0·09	13	0·15	29	0·33
Holborn ..	14	0·38	96	2·61	104	2·83	5	0·14	3	0·08	6	0·16	32	0·87
Islington ..	242	0·74	1,313	4·00	1,247	3·80	31	0·09	35	0·11	89	0·27	191	0·58
Kensington ..	4	0·02	442	2·48	357	2·00	34	0·19	8	0·04	24	0·13	68	0·38
Lambeth ..	46	0·15	1,146	3·82	979	3·26	14	0·05	19	0·06	46	0·15	156	0·52
Lewisham ..	11	0·05	1,085	4·96	448	2·05	15	0·07	12	0·05	19	0·09	67	0·31
Paddington ..	3	0·02	377	2·62	395	2·75	11	0·08	5	0·03	39	0·27	77	0·54
Poplar ..	631	3·93	639	3·98	598	3·73	6	0·04	9	0·06	8	0·05	109	0·68
St. Marylebone ..	6	0·06	231	2·34	281	2·84	15	0·15	8	0·08	26	0·26	68	0·69
St. Pancras ..	175	0·87	657	3·25	566	2·80	8	0·04	19	0·09	50	0·25	120	0·59
Shoreditch ..	788	7·83	434	4·31	346	3·44	4	0·04	6	0·06	23	0·23	68	0·68
Southwark ..	106	0·59	763	4·28	677	3·80	2	0·01	15	0·08	41	0·23	111	0·62
Stepney ..	958	4·05	964	4·08	768	3·25	13	0·05	13	0·05	18	0·08	188	0·79
Stoke Newington ..	29	0·56	159	3·08	128	2·48	5	0·10	4	0·08	7	0·14	35	0·68
Wandsworth ..	8	0·02	1,004	2·82	925	2·60	26	0·07	17	0·05	26	0·07	161	0·45
Westminster, City of ..	3	0·02	256	2·09	260	2·12	17	0·14	6	0·05	16	0·13	38	0·31
Woolwich ..	10	0·07	632	4·38	504	3·50	8	0·06	5	0·03	33	0·23	75	0·52
MIDDLESEX† ..	271	0·17	5,058	3·19	3,421	2·16	117	0·07	82	0·05	224	0·14	568	0·36
AGGREGATE OF U.Ds.†	270	0·18	4,878	3·19	3,327	2·17	115	0·08	81	0·05	215	0·14	555	0·36
AGGREGATE OF R.Ds.†	1	0·02	180	3·25	94	1·70	2	0·04	1	0·02	9	0·16	13	0·24
URBAN DISTRICTS:														
Acton M.B. ..	7	0·10	216	3·11	103	1·49	3	0·04	4	0·06	10	0·14	20	0·29
Brentford and Chiswick ..	9	0·14	132	2·12	127	2·04	4	0·06	—	—	5	0·08	19	0·31
Ealing M.B. ..	1	0·01	270	2·38	128	1·13	4	0·04	7	0·06	26	0·23	35	0·31
Edmonton ..	3	0·04	324	4·17	229	2·95	3	0·04	4	0·05	7	0·09	25	0·32
Enfield ..	30	0·44	270	3·97	237	3·49	11	0·16	2	0·03	2	0·03	19	0·28
Feltham† ..	—	—	14	1·03	30	2·21	1	0·07	2	0·15	1	0·07	—	—
Finchley ..	4	0·07	214	3·69	99	1·71	5	0·09	4	0·07	4	0·07	26	0·45
Friern Barnet ..	—	—	72	3·16	51	2·24	3	0·13	4	0·18	4	0·18	12	0·53
Hampton ..	—	—	53	4·14	18	1·40	2	0·16	—	—	—	—	1	0·08
Hampton Wick ..	—	—	2	0·66	6	1·99	1	0·33	—	—	—	—	—	—
Harrow on the Hill ..	—	—	66	2·51	12	0·46	1	0·04	1	0·04	12	0·46	11	0·42
Hayes and Harlington‡ ..	—	—	73	3·54	34	1·65	3	0·15	—	—	5	0·24	4	0·19
Hendon ..	47	0·47	347	3·48	191	1·91	22	0·22	6	0·06	17	0·17	38	0·38
Heston and Isleworth ..	16	0·23	211	2·98	172	2·43	7	0·10	12	0·17	11	0·16	43	0·61
Hornsey M.B. ..	3	0·03	354	3·76	118	1·25	9	0·10	4	0·04	15	0·16	40	0·43

† Administrative County.

‡ Rates adjusted to allow for changes in boundary during the year.

§ On the 31st March, 1930, Hayes U.D. was extended and renamed Hayes and Harlington U.D.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MIDDLESEX— <i>cont.</i>														
URBAN DISTRICTS— <i>cont.</i>														
Kingsbury ..	—	—	23	1·73	41	3·09	5	0·38	—	—	1	0·08	2	0·15
Ruislip Northwood	—	—	27	1·84	17	1·16	1	0·07	—	—	2	0·14	9	0·61
Southall Norwood	1	0·03	116	3·04	64	1·68	—	—	—	—	1	0·03	19	0·50
Southgate ..	—	—	122	2·27	79	1·47	5	0·09	1	0·02	3	0·06	11	0·20
Staines† ..	—	—	50	2·87	37	2·13	—	—	2	0·11	5	0·29	6	0·34
Sunbury-on-Thames†	—	—	24	2·03	44	3·71	—	—	1	0·08	3	0·25	3	0·25
Teddington ..	—	—	46	1·97	32	1·37	—	—	1	0·04	4	0·17	6	0·26
Tottenham ..	131	0·82	578	3·61	550	3·44	6	0·04	13	0·08	9	0·06	52	0·33
Twickenham M.B.	—	—	175	4·50	134	3·44	2	0·05	2	0·05	3	0·08	11	0·28
Uxbridge ..	1	0·03	142	4·92	79	2·74	1	0·03	3	0·10	9	0·31	17	0·59
Wealdstone ..	2	0·08	60	2·43	19	0·77	1	0·04	—	—	4	0·16	6	0·24
Wembley ..	—	—	120	2·76	52	1·20	3	0·07	3	0·07	13	0·30	21	0·48
Willesden ..	9	0·05	518	2·83	491	2·68	10	0·05	5	0·03	34	0·19	81	0·44
Wood Green ..	6	0·11	236	4·30	98	1·78	2	0·04	—	—	3	0·05	15	0·27
Viewsley and West Drayton†	—	—	23	1·97	35	2·99	—	—	—	—	2	0·17	3	0·26
RURAL DISTRICTS:														
Hendon ..	1	0·02	131	3·10	70	1·66	2	0·05	1	0·02	6	0·14	7	0·17
South Mimms ..	—	—	23	4·44	4	0·77	—	—	—	—	1	0·19	—	—
Staines†† ..	—	—	26	3·29	20	2·53	—	—	—	—	2	0·25	6	0·76
NORFOLK* ..	2	0·00	645	1·26	483	0·94	47	0·09	32	0·06	91	0·18	176	0·34
GREAT YARMOUTH C.B. ..	—	—	74	1·27	79	1·36	6	0·10	2	0·03	—	—	16	0·27
NORWICH C.B. ..	—	—	158	1·24	120	0·94	16	0·13	14	0·11	39	0·31	53	0·42
AGGREGATE OF U.Ds.	2	0·03	100	1·61	123	1·99	9	0·15	4	0·06	6	0·10	26	0·42
AGGREGATE OF R.Ds.	—	—	313	1·18	161	0·61	16	0·06	12	0·05	46	0·17	81	0·31
URBAN DISTRICTS:														
Cromer ..	—	—	7	1·68	1	0·24	4	0·96	—	—	—	—	1	0·24
Diss ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Downham Market	—	—	2	0·80	6	2·41	3	1·20	—	—	1	0·40	—	—
East Dereham ..	—	—	2	0·35	5	0·88	—	—	—	—	1	0·18	2	0·35
King's Lynn M.B.	1	0·05	28	1·36	87	4·21	1	0·05	1	0·05	3	0·15	12	0·58
New Hunstanton	—	—	1	0·29	11	3·23	1	0·29	—	—	—	—	2	0·59
North Walsham ..	—	—	1	0·23	5	1·17	—	—	—	—	—	—	2	0·47
Sheringham ..	—	—	9	2·20	1	0·24	—	—	—	—	—	—	1	0·24
Swaffham ..	—	—	1	0·36	—	—	—	—	1	0·36	—	—	2	0·72
Thetford M.B. ..	1	0·23	10	2·33	—	—	—	—	1	0·23	—	—	1	0·23
Walsoken ..	—	—	28	6·93	7	1·73	—	—	—	—	1	0·25	1	0·25
Wells ..	—	—	11	4·20	—	—	—	—	1	0·38	—	—	2	0·76
RURAL DISTRICTS:														
Aylsham ..	—	—	5	0·30	2	0·12	1	0·06	1	0·06	2	0·12	3	0·18
Blofield ..	—	—	13	0·90	9	0·62	5	0·34	—	—	1	0·07	2	0·14
Depwade ..	—	—	33	1·81	6	0·33	—	—	—	—	8	0·44	6	0·33
Docking ..	—	—	10	0·62	10	0·62	—	—	1	0·06	—	—	—	—
Downham† ..	—	—	13	0·85	3	0·20	—	—	1	0·07	—	—	11	0·72
East and West Flegg ..	—	—	6	0·58	13	1·25	—	—	—	—	3	0·29	—	—
Erpingham ..	—	—	20	1·15	1	0·06	4	0·23	1	0·06	1	0·06	4	0·23
Forehoe ..	—	—	15	1·16	4	0·31	—	—	—	—	2	0·15	9	0·69
Freebridge Lynn	—	—	13	1·05	4	0·32	1	0·08	—	—	1	0·08	7	0·56
Henstead ..	—	—	12	1·11	1	0·09	1	0·09	—	—	4	0·37	4	0·37

* Administrative County with associated County Boroughs.

† Rates adjusted to allow for changes in boundary during the year.

† Abolished 31st March, 1930.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NORFOLK—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
King's Lynn ..	-	-	3	3.18	2	2.12	-	-	-	-	-	-	1	1.06
Loddon and Claver- ing ..	-	-	20	1.65	4	0.33	-	-	1	0.08	4	0.33	8	0.66
Marshland† ..	-	-	49	3.30	31	2.09	-	-	-	-	1	0.07	4	0.27
Mitford and Laun- ditch ..	-	-	9	0.52	3	0.17	1	0.06	1	0.06	2	0.11	5	0.29
St. Faith's ..	-	-	24	1.71	1	0.07	1	0.07	-	-	-	-	1	0.07
Smallburgh ..	-	-	9	0.64	4	0.28	2	0.14	-	-	1	0.07	2	0.14
Swaffham ..	-	-	8	1.15	-	-	-	-	1	0.14	1	0.14	-	-
Thetford ..	-	-	8	0.85	57	6.05	-	-	1	0.11	3	0.32	1	0.11
Walsingham ..	-	-	12	0.74	4	0.25	-	-	-	-	7	0.43	6	0.37
Wayland ..	-	-	31	2.34	2	0.15	-	-	4	0.30	5	0.38	7	0.53
NORTHAMPTON*..														
	3	0.01	726	2.30	705	2.23	55	0.17	24	0.08	20	0.06	164	0.52
NORTHAMPTON C.B.														
	-	-	219	2.31	286	3.02	13	0.14	12	0.13	5	0.05	52	0.55
AGGREGATE OF U.Ds.														
	3	0.03	293	2.79	313	2.98	26	0.25	5	0.05	3	0.03	66	0.63
AGGREGATE OF R.Ds.														
	-	-	214	1.84	106	0.91	16	0.14	7	0.06	12	0.10	46	0.40
URBAN DISTRICTS :														
Brackley M.B. ..	-	-	-	-	1	0.44	-	-	-	-	-	-	2	0.88
Burton Latimer..	-	-	7	1.94	22	6.09	1	0.28	-	-	-	-	2	0.55
Daventry M.B. ..	1	0.28	3	0.83	2	0.55	15	4.14	-	-	-	-	2	0.55
Desborough ..	-	-	13	2.85	6	1.32	-	-	1	0.22	-	-	3	0.66
Finedon ..	-	-	13	3.11	47	11.26	6	1.44	-	-	-	-	7	1.68
Higham Ferrers M.B. ..	-	-	13	4.27	15	4.93	-	-	-	-	-	-	-	-
Irthlingborough ..	-	-	33	6.71	16	3.25	-	-	-	-	-	-	1	0.20
Kettering ..	-	-	110	3.46	140	4.41	1	0.03	2	0.06	2	0.06	16	0.50
Oundle ..	-	-	11	4.17	-	-	2	0.76	-	-	-	-	2	0.76
Raunds ..	-	-	12	3.18	3	0.79	1	0.26	-	-	-	-	3	0.79
Rothwell ..	1	0.21	32	6.86	38	8.14	-	-	-	-	-	-	1	0.21
Rushden ..	1	0.07	28	1.94	7	0.49	-	-	2	0.14	-	-	12	0.83
Wellingborough..	-	-	18	0.83	16	0.74	-	-	-	-	1	0.05	15	0.69
RURAL DISTRICTS :														
Brackley ..	-	-	5	0.79	-	-	1	0.16	-	-	1	0.16	1	0.16
Brixworth ..	-	-	30	2.50	14	1.17	1	0.08	1	0.08	2	0.17	3	0.25
Crick ..	-	-	2	0.81	-	-	-	-	-	-	-	-	-	-
Daventry ..	-	-	19	1.38	16	1.16	-	-	1	0.07	1	0.07	1	0.07
Easton on the Hill	-	-	-	-	2	1.37	-	-	-	-	-	-	-	-
Gretton ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hardingstone ..	-	-	15	2.01	5	0.67	1	0.13	-	-	-	-	9	1.21
Kettering ..	-	-	39	4.01	23	2.36	1	0.10	-	-	2	0.21	2	0.21
Middleton Cheney	-	-	3	1.25	-	-	-	-	-	-	-	-	-	-
Northampton ..	-	-	36	3.21	9	0.80	8	0.71	3	0.27	-	-	11	0.98
Oundle (part of)†	-	-	4	0.63	4	0.63	2	0.32	-	-	3	0.48	1	0.16
Oxendon ..	-	-	7	1.71	5	1.22	-	-	-	-	-	-	1	0.24
Potterspury ..	-	-	1	0.21	3	0.63	-	-	-	-	-	-	2	0.42
Thrapston (part of)† ..	-	-	16	1.57	5	0.49	1	0.10	1	0.10	-	-	4	0.39
Towcester ..	-	-	21	2.21	16	1.68	-	-	-	-	2	0.21	6	0.63
Wellingborough	-	-	16	1.24	4	0.31	1	0.08	1	0.08	1	0.08	5	0.39

* Administrative County with associated County Borough.

† The remaining parts of the Rural Districts of Oundle and Thrapston are in the Administrative County of Huntingdon. The figures for the entire Districts are:—

Oundle ..	-	-	4	0.55	4	0.55	2	0.27	-	-	3	0.41	1	0.14
Thrapston ..	-	-	20	1.82	5	0.46	1	0.09	2	0.18	-	-	4	0.36

‡ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NORTHUMBER- LAND*	-	-	1,386	1·80	632	0·82	124	0·16	110	0·14	164	0·21	578	0·75
NEWCASTLE UPON TYNE C.B. ..	-	-	661	2·29	226	0·78	58	0·20	96	0·33	101	0·35	263	0·91
TYNEMOUTH C.B. ..	-	-	138	2·08	141	2·13	11	0·17	5	0·08	10	0·15	37	0·56
AGGREGATE OF U.Ds.	-	-	444	1·43	182	0·59	38	0·12	8	0·03	40	0·13	224	0·72
AGGREGATE OF R.Ds.	-	-	143	1·36	83	0·79	17	0·16	1	0·01	13	0·12	54	0·51
URBAN DISTRICTS														
Alnwick	-	-	6	0·86	1	0·14	-	-	1	0·14	3	0·43	1	0·14
Amble	-	-	-	-	4	0·94	-	-	-	-	-	-	2	0·47
Ashington	-	-	56	1·88	11	0·37	8	0·27	-	-	7	0·23	21	0·70
Bedlingtonshire	-	-	9	0·32	9	0·32	2	0·07	2	0·07	2	0·07	25	0·89
Berwick upon Tweed M.B. ..	-	-	5	0·41	2	0·16	1	0·08	-	-	-	-	12	0·98
Blyth M.B. ..	-	-	27	0·84	13	0·40	1	0·03	-	-	6	0·19	26	0·81
Cramlington ..	-	-	2	0·23	2	0·23	-	-	-	-	-	-	4	0·46
Earsdon	-	-	28	2·09	19	1·42	2	0·15	2	0·15	3	0·22	5	0·37
Gosforth	-	-	27	1·52	7	0·39	9	0·51	-	-	-	-	8	0·45
Hexham	-	-	20	2·27	3	0·34	-	-	-	-	1	0·11	10	1·14
Longbenton ..	-	-	13	0·91	14	0·98	-	-	-	-	5	0·35	10	0·70
Morpeth M.B. ..	-	-	-	-	-	-	4	0·53	-	-	-	-	-	-
Newbiggin by the Sea	-	-	6	0·84	10	1·41	1	0·14	-	-	2	0·28	18	2·53
Newburn	-	-	31	1·53	5	0·25	4	0·20	-	-	3	0·15	7	0·34
Prudhoe	-	-	1	0·10	16	1·68	1	0·10	1	0·10	1	0·10	9	0·94
Rothbury	-	-	2	1·60	1	0·80	-	-	-	-	-	-	3	2·41
Seaton Delaval	-	-	5	0·66	3	0·39	-	-	-	-	2	0·26	13	1·71
Seghill	-	-	1	0·39	3	1·16	-	-	-	-	-	-	-	-
Wallsend M.B. ..	-	-	155	3·40	39	0·86	4	0·09	1	0·02	4	0·09	33	0·72
Weetslade	-	-	8	1·01	4	0·51	-	-	-	-	1	0·13	6	0·76
Whitley and Monk- seaton	-	-	42	1·74	16	0·66	1	0·04	1	0·04	-	-	11	0·45
RURAL DISTRICTS:														
Alnwick	-	-	10	0·78	3	0·23	1	0·08	-	-	1	0·08	10	0·78
Belford	-	-	4	0·86	1	0·21	-	-	-	-	-	-	2	0·43
Bellingham	-	-	33	6·16	4	0·75	-	-	-	-	1	0·19	-	-
Castle Ward	-	-	32	2·23	29	2·02	5	0·35	-	-	3	0·21	11	0·77
Glendale	-	-	8	0·99	10	1·23	-	-	-	-	-	-	4	0·49
Haltwhistle ..	-	-	9	0·99	16	1·76	-	-	-	-	-	-	-	-
Hexham	-	-	17	0·79	10	0·47	3	0·14	1	0·05	5	0·23	14	0·65
Morpeth	-	-	15	0·76	7	0·36	8	0·41	-	-	2	0·10	9	0·46
Newcastle upon Tyne (Moot Hall and Precincts) †	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Norham and Island shires	-	-	8	1·56	2	0·39	-	-	-	-	-	-	3	0·59
Rothbury	-	-	7	1·53	1	0·22	-	-	-	-	1	0·22	1	0·22
NOTTINGHAM* ..	82	0·11	2,420	3·36	1,124	1·56	49	0·07	35	0·05	66	0·09	310	0·43
NOTTINGHAM C.B.	-	-	939	3·43	697	2·55	11	0·04	20	0·07	20	0·07	135	0·49
AGGREGATE OF U.Ds.	73	0·27	991	3·61	297	1·08	32	0·12	9	0·03	26	0·09	110	0·40
AGGREGATE OF R.Ds.	9	0·05	490	2·85	130	0·76	6	0·03	6	0·03	20	0·12	65	0·38
URBAN DISTRICTS:														
Arnold	-	-	38	2·65	3	0·21	-	-	-	-	-	-	4	0·28
Beeston	-	-	54	3·32	49	3·01	-	-	1	0·06	-	-	8	0·49
Carlton	-	-	31	1·38	43	1·92	-	-	-	-	3	0·13	10	0·45
East Retford M.B.	-	-	107	7·53	2	0·14	-	-	-	-	-	-	5	0·35
Eastwood	-	-	20	3·64	1	0·18	-	-	-	-	-	-	3	0·55

* Administrative County with associated County Boroughs.

† Cases, if any, are included with those for Newcastle upon Tyne C.B.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
NOTTINGHAM — <i>cont.</i>														
URBAN DISTRICTS— <i>cont.</i>														
Hucknall.. ..	—	—	64	3·60	84	4·73	2	0·11	—	—	2	0·11	11	0·62
Huthwaite ..	38	7·04	13	2·41	2	0·37	—	—	—	—	—	—	4	0·74
Kirkby in Ashfield ..	20	1·08	88	4·74	1	0·05	1	0·05	—	—	2	0·11	11	0·59
Mansfield M.B. ..	—	—	169	3·57	33	0·70	18	0·38	2	0·04	7	0·15	20	0·42
Mansfield Woodhouse	—	—	17	1·18	6	0·42	—	—	—	—	—	—	10	0·69
Newark M.B. ..	—	—	103	5·71	21	1·16	1	0·06	2	0·11	—	—	2	0·11
Sutton in Ashfield ..	13	0·51	103	4·04	22	0·86	8	0·31	—	—	1	0·04	7	0·27
Warsop	—	—	6	0·54	3	0·27	—	—	—	—	5	0·45	7	0·64
West Bridgford ..	—	—	44	2·54	10	0·58	2	0·12	—	—	1	0·06	5	0·29
Worksop.. ..	2	0·07	134	5·01	17	0·64	—	—	4	0·15	5	0·19	3	0·11
RURAL DISTRICTS:														
Basford	8	0·16	198	3·85	51	0·99	2	0·04	1	0·02	8	0·16	27	0·53
Bingham	—	—	13	0·84	12	0·78	1	0·06	—	—	—	—	12	0·78
East Retford ..	—	—	28	1·79	2	0·13	—	—	—	—	2	0·13	1	0·06
Leake	—	—	9	1·99	5	1·10	—	—	—	—	—	—	—	—
Misterton	—	—	5	1·23	—	—	—	—	—	—	—	—	1	0·25
Newark	—	—	39	4·11	10	1·05	—	—	1	0·11	—	—	3	0·32
Nottingham (Shire Hall)†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skegby	1	0·07	22	1·62	3	0·22	1	0·07	—	—	2	0·15	5	0·37
Southwell	—	—	113	3·65	20	0·65	2	0·06	3	0·10	4	0·13	4	0·13
Stapleford	—	—	26	1·98	21	1·60	—	—	1	0·08	—	—	11	0·84
Worksop.. ..	—	—	37	2·73	6	0·44	—	—	—	—	4	0·30	1	0·07
OXFORDSHIRE* ..														
OXFORD C.B. ..	—	—	222	2·82	214	2·72	11	0·14	16	0·20	38	0·48	38	0·48
AGGREGATE OF U.Ds.	—	—	52	1·43	18	0·49	2	0·05	1	0·03	3	0·08	7	0·19
AGGREGATE OF R.Ds.	—	—	203	2·20	60	0·65	23	0·25	1	0·01	8	0·09	24	0·26
URBAN DISTRICTS:														
Banbury M.B. ..	—	—	39	2·81	5	0·36	1	0·07	—	—	—	—	4	0·29
Bicester	—	—	—	—	1	0·32	—	—	1	0·32	1	0·32	—	—
Chipping Norton M.B.	—	—	—	—	1	0·29	—	—	—	—	—	—	—	—
Henley on Thames M.B.	—	—	6	0·90	5	0·75	1	0·15	—	—	1	0·15	1	0·15
Thame	—	—	2	0·64	1	0·32	—	—	—	—	—	—	1	0·32
Wheatley	—	—	—	—	4	3·30	—	—	—	—	—	—	—	—
Witney	—	—	5	1·44	1	0·29	—	—	—	—	—	—	—	—
Woodstock M.B.	—	—	—	—	—	—	—	—	—	—	1	0·65	1	0·65
RURAL DISTRICTS:														
Banbury	—	—	24	2·18	1	0·09	—	—	—	—	2	0·18	1	0·09
Bicester	—	—	3	0·33	11	1·23	—	—	—	—	2	0·22	1	0·11
Chipping Norton ..	—	—	13	1·25	1	0·10	1	0·10	—	—	—	—	1	0·10
Crowmarsh	—	—	3	0·57	1	0·19	2	0·38	—	—	2	0·38	—	—
Culham	—	—	6	2·22	4	1·48	—	—	—	—	—	—	—	—
Goring	—	—	9	2·63	—	—	—	—	—	—	—	—	1	0·29
Headington	—	—	6	0·96	15	2·40	19	3·04	—	—	—	—	1	0·16
Henley	—	—	52	4·32	12	1·00	—	—	—	—	—	—	—	—
Thame	—	—	21	3·84	6	1·10	—	—	1	0·18	—	—	1	0·18
Witney	—	—	43	2·54	5	0·30	1	0·06	—	—	1	0·06	5	0·30
Woodstock	—	—	23	2·36	4	0·41	—	—	—	—	1	0·10	13	1·33

* Administrative County with associated County Borough.

† Cases, if any, are included with those for Nottingham C.B.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
PETERBOROUGH, SOKE OF* ..	8	0·15	136	2·60	46	0·88	7	0·13	2	0·04	2	0·04	31	0·59
URBAN DISTRICT	7	0·16	123	2·79	41	0·93	2	0·05	2	0·05	2	0·05	26	0·59
AGGREGATE OF R.Ds.	1	0·12	13	1·58	5	0·61	5	0·61	—	—	—	—	5	0·61
URBAN DISTRICT : Peterborough M.B.	7	0·16	123	2·79	41	0·93	2	0·05	2	0·05	2	0·05	26	0·59
RURAL DISTRICTS : Barnack ..	—	—	3	1·42	3	1·42	1	0·47	—	—	—	—	1	0·47
Peterborough ..	1	0·16	10	1·64	2	0·33	4	0·66	—	—	—	—	4	0·66
RUTLANDSHIRE*	—	—	11	0·60	6	0·33	1	0·05	—	—	1	0·05	5	0·27
URBAN DISTRICT ..	—	—	2	0·59	1	0·30	—	—	—	—	1	0·30	—	—
AGGREGATE OF R.Ds.	—	—	9	0·60	5	0·33	1	0·07	—	—	—	—	5	0·33
URBAN DISTRICT : Oakham ..	—	—	2	0·59	1	0·30	—	—	—	—	1	0·30	—	—
RURAL DISTRICTS : Ketton ..	—	—	4	1·42	1	0·36	1	0·36	—	—	—	—	1	0·36
Oakham ..	—	—	5	0·82	2	0·33	—	—	—	—	—	—	3	0·49
Uppingham ..	—	—	—	—	2	0·33	—	—	—	—	—	—	1	0·17
SHROPSHIRE* ..	—	—	372	1·50	371	1·50	27	0·11	19	0·08	47	0·19	82	0·33
AGGREGATE OF U.Ds.	—	—	185	1·59	194	1·67	10	0·09	7	0·06	23	0·20	42	0·36
AGGREGATE OF R.Ds.	—	—	187	1·43	177	1·35	17	0·13	12	0·09	24	0·18	40	0·31
URBAN DISTRICTS : Bishop's Castle M.B. ..	—	—	—	—	2	1·49	1	0·74	—	—	—	—	—	—
Bridgnorth M.B. ..	—	—	9	1·77	1	0·20	1	0·20	—	—	1	0·20	—	—
Church Stretton ..	—	—	1	0·59	3	1·76	—	—	—	—	1	0·59	1	0·59
Dawley ..	—	—	3	0·40	33	4·40	—	—	—	—	4	0·53	3	0·40
Ellesmere ..	—	—	2	1·06	—	—	—	—	—	—	—	—	—	—
Ludlow M.B. ..	—	—	5	0·89	14	2·49	—	—	—	—	—	—	6	1·07
Market Drayton ..	—	—	21	4·41	6	1·26	—	—	—	—	—	—	2	0·42
Newport ..	—	—	6	1·80	7	2·10	—	—	—	—	2	0·60	1	0·30
Oakengates ..	—	—	6	0·52	1	0·09	—	—	—	—	—	—	3	0·26
Oswestry M.B. ..	—	—	24	2·42	34	3·43	5	0·50	1	0·10	4	0·40	2	0·20
Shrewsbury M.B. ..	—	—	63	1·93	51	1·56	2	0·06	4	0·12	7	0·21	10	0·31
Wellington ..	—	—	26	2·95	8	0·91	1	0·11	1	0·11	4	0·45	4	0·45
Wem ..	—	—	1	0·46	2	0·92	—	—	—	—	—	—	—	—
Wenlock M.B. ..	—	—	12	0·85	9	0·64	—	—	1	0·07	—	—	7	0·49
Whitchurch ..	—	—	6	1·02	23	3·90	—	—	—	—	—	—	3	0·51
RURAL DISTRICTS : Atcham ..	—	—	54	2·35	14	0·61	5	0·22	3	0·13	5	0·22	7	0·31
Bridgnorth ..	—	—	13	1·54	42	4·98	—	—	—	—	2	0·24	2	0·24
Burford ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chirbury ..	—	—	—	—	3	0·97	—	—	—	—	1	0·32	3	0·97
Church Stretton ..	—	—	5	1·11	—	—	—	—	—	—	1	0·22	1	0·22
Cleobury Mortimer ..	—	—	12	1·67	19	2·65	2	0·28	—	—	—	—	1	0·14
Clun ..	—	—	14	2·27	2	0·32	1	0·16	—	—	1	0·16	—	—
Drayton ..	—	—	11	1·47	8	1·07	—	—	—	—	—	—	1	0·13
Ellesmere ..	—	—	10	1·29	7	0·90	—	—	1	0·13	2	0·26	3	0·39
Ludlow ..	—	—	7	0·80	1	0·11	—	—	—	—	2	0·23	4	0·46

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SALOP—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Newport ..	-	-	17	3·04	3	0·54	-	-	-	-	1	0·18	1	0·18
Oswestry..	-	-	14	0·85	39	2·36	1	0·06	4	0·24	3	0·18	6	0·36
Shifnal ..	-	-	9	1·16	5	0·64	-	-	1	0·13	2	0·26	5	0·64
Teme ..	-	-	1	0·62	1	0·62	-	-	-	-	1	0·62	-	-
Wellington	-	-	13	1·15	24	2·12	7	0·62	2	0·18	2	0·18	5	0·44
Wem ..	-	-	5	0·58	1	0·12	1	0·12	1	0·12	1	0·12	1	0·12
Whitchurch	-	-	2	0·95	8	3·81	-	-	-	-	-	-	-	-
SOMERSET* † ..														
BATH C.B. ..	-	-	103	1·48	51	0·73	2	0·03	4	0·06	15	0·22	33	0·47
AGGREGATE OF U.Ds.†	4	0·02	262	1·49	459	2·62	12	0·07	6	0·03	33	0·19	50	0·28
AGGREGATE OF R.Ds.†	-	-	509	2·16	327	1·39	22	0·09	11	0·05	31	0·13	89	0·38
URBAN DISTRICTS:														
Bridgwater M.B.	-	-	39	2·26	18	1·04	1	0·06	-	-	8	0·46	2	0·12
Burnham on Sea	-	-	3	0·55	1	0·18	-	-	-	-	-	-	2	0·37
Chard M.B. ..	-	-	-	-	9	2·16	-	-	-	-	1	0·24	-	-
Clevedon ..	-	-	-	-	8	1·15	1	0·14	-	-	-	-	-	-
Crewkerne ..	-	-	3	0·83	30	8·34	-	-	-	-	-	-	1	0·28
Frome ..	4	0·37	19	1·76	20	1·86	1	0·09	-	-	2	0·19	4	0·37
Glastonbury M.B.	-	-	3	0·66	48	10·59	-	-	1	0·22	1	0·22	1	0·22
Highbridge ..	-	-	17	6·42	-	-	-	-	-	-	-	-	-	-
Ilminster..	-	-	3	1·29	-	-	-	-	-	-	-	-	5	2·16
Midsomer Norton	-	-	53	6·63	46	5·75	3	0·38	1	0·13	-	-	1	0·13
Minehead ..	-	-	3	0·49	1	0·16	-	-	-	-	2	0·33	-	-
Portishead ..	-	-	5	1·26	1	0·25	-	-	-	-	-	-	-	-
Radstock ..	-	-	4	1·06	6	1·59	-	-	-	-	-	-	2	0·53
Shepton Mallet Street ..	-	-	4	0·94	2	0·47	-	-	-	-	3	0·71	2	0·47
Street ..	-	-	2	0·44	65	14·19	-	-	-	-	-	-	-	-
Taunton M.B. ..	-	-	30	1·17	13	0·51	2	0·08	1	0·04	9	0·35	4	0·16
Watchet ..	-	-	4	2·04	1	0·51	1	0·51	-	-	-	-	-	-
Wellington ..	-	-	1	0·13	5	0·67	-	-	1	0·13	-	-	-	-
Wells M.B. ..	-	-	4	0·85	14	2·97	-	-	-	-	1	0·21	2	0·42
Weston super Mare	-	-	32	1·15	55	1·97	3	0·11	1	0·04	3	0·11	15	0·54
Wiveliscombe ..	-	-	2	1·56	-	-	-	-	-	-	-	-	1	0·78
Yeovil M.B.† ..	-	-	31	1·70	116	6·37	-	-	1	0·05	3	0·16	8	0·44
RURAL DISTRICTS:														
Axbridge..	-	-	20	0·79	95	3·76	6	0·24	1	0·04	5	0·20	23	0·91
Bath ..	-	-	17	1·17	4	0·27	-	-	-	-	2	0·14	5	0·34
Bridgwater ..	-	-	33	1·91	6	0·35	-	-	-	-	4	0·23	1	0·06
Chard ..	-	-	9	0·73	24	1·95	1	0·08	1	0·08	-	-	3	0·24
Clutton ..	-	-	33	2·07	39	2·45	1	0·06	1	0·06	-	-	7	0·44
Dulverton ..	-	-	10	2·12	-	-	-	-	1	0·21	1	0·21	-	-
Frome ..	-	-	30	2·79	16	1·49	2	0·19	-	-	4	0·37	3	0·28
Keynsham† ..	-	-	32	2·51	14	1·10	1	0·08	3	0·24	-	-	7	0·55
Langport ..	-	-	24	1·86	11	0·85	-	-	-	-	1	0·08	3	0·23
Long Ashton ..	-	-	39	1·89	25	1·21	7	0·34	1	0·05	1	0·05	7	0·34
Shepton Mallet ..	-	-	34	3·56	1	0·10	-	-	-	-	1	0·10	3	0·31
Taunton ..	-	-	39	2·28	5	0·29	1	0·06	1	0·06	4	0·23	7	0·41
Wellington ..	-	-	6	1·02	2	0·34	-	-	-	-	-	-	1	0·17
Wells ..	-	-	23	2·23	27	2·62	2	0·19	-	-	1	0·10	1	0·10
Williton ..	-	-	37	3·00	5	0·41	-	-	-	-	2	0·16	1	0·08
Wincanton ..	-	-	85	5·16	18	1·09	1	0·06	1	0·06	1	0·06	12	0·73
Yeovil† ..	-	-	38	2·23	35	2·05	-	-	1	0·06	4	0·23	5	0·29

* Administrative County with associated County Borough.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SOUTHAMPTON*..	1	0.00	2,129	2.22	1,369	1.43	87	0.09	56	0.06	135	0.14	294	0.31
BOURNEMOUTH C.B.	-	-	296	2.98	97	0.98	3	0.03	4	0.04	3	0.03	22	0.22
PORTSMOUTH C.B.	-	-	689	2.90	605	2.55	40	0.17	15	0.06	22	0.09	76	0.32
SOUTHAMPTON C.B.	-	-	345	1.95	410	2.32	14	0.08	17	0.10	44	0.25	80	0.45
AGGREGATE OF U.Ds †	-	-	353	1.82	116	0.60	15	0.08	10	0.05	27	0.14	45	0.23
AGGREGATE OF R.Ds †	1	0.00	446	1.77	141	0.56	15	0.06	10	0.04	39	0.16	71	0.28
URBAN DISTRICTS:														
Aldershot M.B. ..	-	-	62	2.60	22	0.92	-	-	2	0.08	6	0.25	5	0.21
Alton	-	-	19	3.20	4	0.67	-	-	-	-	1	0.17	8	1.35
Andover M.B. ..	-	-	5	0.53	-	-	1	0.11	-	-	4	0.42	2	0.21
Basingstoke M.B.	-	-	45	3.26	12	0.87	1	0.07	1	0.07	1	0.07	2	0.14
Christchurch M.B.	-	-	8	0.89	2	0.22	-	-	-	-	3	0.33	1	0.11
Eastleigh and Bishopstoke ..	-	-	31	1.71	13	0.72	-	-	-	-	1	0.06	5	0.28
Fareham	-	-	20	1.74	1	0.09	3	0.26	-	-	1	0.09	6	0.52
Farnborough ..	-	-	23	1.90	3	0.25	-	-	-	-	2	0.17	-	-
Fleet	-	-	5	1.11	-	-	1	0.22	-	-	-	-	4	0.89
Gosport M.B.† ..	-	-	71	2.12	22	0.66	-	-	4	0.12	1	0.03	4	0.12
Havant	-	-	1	0.23	2	0.46	-	-	-	-	-	-	2	0.46
Lymington M.B.	-	-	2	0.40	3	0.60	2	0.40	-	-	-	-	-	-
Milton	-	-	1	0.19	-	-	1	0.19	-	-	-	-	-	-
Petersfield ..	-	-	15	3.35	-	-	2	0.45	-	-	1	0.22	3	0.67
Romsey M.B. ..	-	-	5	1.04	1	0.21	-	-	1	0.21	3	0.62	2	0.41
Warblington ..	-	-	3	0.70	-	-	1	0.23	-	-	-	-	-	-
Winchester M.B.	-	-	37	1.55	31	1.29	3	0.13	2	0.08	3	0.13	1	0.04
RURAL DISTRICTS:														
Alresford	-	-	13	1.76	-	-	-	-	-	-	-	-	-	-
Alton†	-	-	30	1.89	10	0.63	-	-	2	0.13	4	0.25	5	0.31
Andover	-	-	34	2.86	7	0.59	2	0.17	-	-	3	0.25	6	0.50
Basingstoke ..	-	-	25	1.67	1	0.07	1	0.07	-	-	3	0.20	4	0.27
Catherington ..	-	-	12	1.86	3	0.46	-	-	1	0.15	2	0.31	1	0.15
Christchurch ..	-	-	11	1.46	-	-	-	-	1	0.13	-	-	1	0.13
Droxford	-	-	45	3.26	2	0.14	1	0.07	-	-	-	-	10	0.72
Fareham†	-	-	12	0.72	10	0.60	-	-	3	0.18	3	0.18	7	0.42
Fordingbridge ..	-	-	9	1.37	2	0.30	1	0.15	1	0.15	2	0.30	2	0.30
Hartley Wintney	-	-	41	1.90	16	0.74	2	0.09	1	0.05	5	0.23	7	0.32
Havant	-	-	11	0.98	7	0.62	2	0.18	1	0.09	5	0.45	1	0.09
Hursley	-	-	7	1.12	6	0.96	-	-	-	-	1	0.16	3	0.48
Kingsclere ..	-	-	6	0.70	15	1.75	-	-	-	-	-	-	-	-
Lymington ..	-	-	10	0.87	16	1.39	3	0.26	-	-	-	-	-	-
New Forest ..	1	0.04	29	1.29	8	0.36	-	-	-	-	3	0.13	1	0.04
Petersfield ..	-	-	31	2.68	-	-	2	0.17	-	-	1	0.09	6	0.52
Ringwood	-	-	31	3.70	10	1.19	-	-	-	-	1	0.12	6	0.72
Romsey	-	-	10	1.29	6	0.77	-	-	-	-	1	0.13	-	-
South Stoneham	-	-	29	1.96	10	0.68	-	-	-	-	2	0.14	4	0.27
Stockbridge ..	-	-	5	0.81	2	0.32	-	-	-	-	1	0.16	1	0.16
Whitchurch ..	-	-	8	1.24	1	0.16	-	-	-	-	1	0.16	1	0.16
Winchester ..	-	-	37	2.74	9	0.67	1	0.07	-	-	1	0.07	5	0.37
STAFFORD* † ..	418	0.29	2,830	1.93	2,211	1.51	77	0.05	121	0.08	206	0.14	672	0.46
BURTON UPON TRENT C.B. ..	-	-	394	7.83	209	4.15	8	0.16	1	0.02	6	0.12	24	0.48
SMETHWICK C.B. ..	-	-	259	2.99	281	3.24	5	0.06	11	0.13	6	0.07	32	0.37
STOKE ON TRENT C.B.†	380	1.34	222	0.78	260	0.91	19	0.07	31	0.11	26	0.09	164	0.58
WALSALL C.B. ..	4	0.04	107	1.03	151	1.46	4	0.04	4	0.04	19	0.18	51	0.49
WEST BROMWICH C.B. ..	-	-	294	3.55	60	0.72	5	0.06	6	0.07	14	0.17	68	0.82
WOLVERHAMPTON C.B. ..	-	-	290	2.13	130	0.95	4	0.03	17	0.12	26	0.19	47	0.34
AGGREGATE OF U.Ds.	30	0.06	744	1.47	801	1.58	18	0.04	22	0.04	72	0.14	196	0.39
AGGREGATE OF R.Ds.†	4	0.02	520	2.41	319	1.48	14	0.06	29	0.13	37	0.17	90	0.42

* Administrative County with associated County Boroughs.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
STAFFORD—<i>cont.</i>														
URBAN DISTRICTS:														
Amblecote ..	—	—	3	0·92	13	3·98	—	—	—	—	—	—	—	—
Audley ..	1	0·07	24	1·65	19	1·31	—	—	1	0·07	6	0·41	10	0·69
Biddulph ..	—	—	19	2·19	60	6·93	—	—	—	—	2	0·23	3	0·35
Bilston ..	—	—	20	0·63	43	1·34	—	—	2	0·06	5	0·16	10	0·31
Brierley Hill ..	—	—	21	1·45	53	3·66	1	0·07	—	—	1	0·07	2	0·14
Brownhills ..	—	—	12	0·60	25	1·26	1	0·05	4	0·20	2	0·10	10	0·50
Cannock ..	1	0·03	51	1·43	28	0·79	—	—	2	0·06	2	0·06	20	0·56
Coseley † ..	—	—	4	0·16	27	1·05	3	0·12	—	—	8	0·31	6	0·23
Darlaston ..	—	—	29	1·44	60	2·97	—	—	1	0·05	2	0·10	3	0·15
Kidsgrove ..	3	0·29	13	1·26	20	1·93	—	—	—	—	4	0·39	6	0·58
Leek ..	6	0·32	18	0·96	7	0·37	—	—	1	0·05	2	0·11	10	0·53
Lichfield M.B. ..	1	0·12	21	2·43	24	2·78	—	—	—	—	2	0·23	2	0·23
Newcastle under Lyme M.B. ..	—	—	19	0·81	47	2·00	1	0·04	—	—	—	—	5	0·21
Quarry Bank ..	—	—	14	1·65	12	1·42	5	0·59	—	—	1	0·12	5	0·59
Rowley Regis ..	—	—	69	1·60	51	1·18	—	—	3	0·07	4	0·09	9	0·21
Rugeley ..	—	—	7	1·30	66	12·24	—	—	—	—	1	0·19	—	—
Sedgley ..	—	—	15	0·75	21	1·05	—	—	2	0·10	2	0·10	6	0·30
Short Heath ..	—	—	10	1·94	16	3·10	—	—	1	0·19	1	0·19	5	0·97
Stafford M.B. ..	—	—	76	2·57	18	0·61	—	—	2	0·07	5	0·17	17	0·57
Stone ..	—	—	7	1·15	1	0·16	—	—	—	—	—	—	4	0·66
Tamworth M.B. ...	—	—	11	1·40	12	1·53	—	—	—	—	—	—	2	0·26
Tettenhall ..	—	—	2	0·34	21	3·57	2	0·34	—	—	1	0·17	3	0·51
Tipton ..	—	—	63	1·71	34	0·92	2	0·05	1	0·03	9	0·24	20	0·54
Uttoxeter ..	—	—	9	1·56	1	0·17	—	—	—	—	1	0·17	2	0·35
Wednesbury M.B. ..	—	—	51	1·54	33	1·00	1	0·03	1	0·03	3	0·09	19	0·57
Wednesfield ..	—	—	28	2·96	3	0·32	—	—	—	—	3	0·32	1	0·11
Willenhall ..	3	0·14	108	4·90	45	2·04	—	—	1	0·05	4	0·18	12	0·54
Wolstanton United	15	0·48	20	0·64	41	1·32	2	0·06	—	—	1	0·03	4	0·13
RURAL DISTRICTS:														
Blore Heath ..	—	—	2	0·70	8	2·80	—	—	—	—	—	—	2	0·70
Cannock ..	3	0·14	42	1·97	43	2·02	1	0·05	5	0·23	7	0·33	8	0·38
Cheadle ..	1	0·04	114	4·10	27	0·97	1	0·04	6	0·22	4	0·14	18	0·65
Gnosall ..	—	—	5	1·06	2	0·42	—	—	—	—	2	0·42	1	0·21
Kingswinford ..	—	—	27	1·16	31	1·34	—	—	4	0·17	—	—	2	0·09
Leek ..	—	—	22	1·43	27	1·76	3	0·20	3	0·20	—	—	8	0·52
Lichfield ..	—	—	45	1·52	56	1·90	3	0·10	2	0·07	9	0·30	14	0·47
Mayfield ..	—	—	6	1·56	1	0·26	—	—	3	0·78	—	—	—	—
Newcastle under Lyme ..	—	—	13	2·09	2	0·32	—	—	2	0·32	1	0·16	2	0·32
Seisdon ..	—	—	54	3·09	31	1·77	2	0·11	2	0·11	4	0·23	9	0·51
Stafford ..	—	—	35	3·60	10	1·03	1	0·10	—	—	2	0·21	1	0·10
Stone† ..	—	—	14	1·10	14	1·10	—	—	—	—	4	0·31	2	0·16
Tamworth (pt. of)¶	—	—	63	9·03	16	2·29	—	—	—	—	—	—	6	0·86
Tutbury ..	—	—	34	3·62	11	1·17	—	—	—	—	1	0·11	4	0·43
Uttoxeter ..	—	—	8	1·00	3	0·38	—	—	1	0·13	—	—	3	0·38
Walsall ..	—	—	34	2·15	37	2·34	3	0·19	1	0·06	3	0·19	10	0·63
Blymhill and Weston under Lizard (parishes)** ..	—	—	2	2·93	—	—	—	—	—	—	—	—	—	—
SUFFOLK, EAST*														
Ipswich C.B. ..	—	—	291	3·30	134	1·52	20	0·23	16	0·18	10	0·11	37	0·42
AGGREGATE OF U.Ds.	—	—	97	1·09	98	1·10	6	0·07	5	0·06	11	0·12	26	0·29
AGGREGATE OF R.Ds.	—	—	222	1·83	117	0·97	9	0·07	6	0·05	23	0·19	24	0·20

* Administrative County with associated County Borough.

† Rates adjusted to allow for change in boundary during the year.

¶ The remaining part of the Rural District of Tamworth is in the Administrative County of Warwick.

** These Parishes are administered by the Rural District Council of Shifnal (Salop).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SUFFOLK EAST — <i>cont.</i>														
URBAN DISTRICTS :														
Aldeburgh M.B. . .	-	-	3	1·15	1	0·38	-	-	1	0·38	1	0·38	-	-
Beccles M.B. . .	-	-	6	0·89	1	0·15	-	-	1	0·15	2	0·30	-	-
Bungay . .	-	-	-	-	1	0·32	-	-	-	-	-	-	2	0·64
Eye M.B. . .	-	-	4	2·24	-	-	-	-	-	-	1	0·56	1	0·56
Felixstowe . .	-	-	3	0·26	3	0·26	-	-	-	-	-	-	-	-
Halesworth . .	-	-	-	-	1	0·49	-	-	-	-	-	-	1	0·49
Leiston cum Sizewell . .	-	-	9	2·06	-	-	-	-	-	-	2	0·46	7	1·60
Lowestoft M.B. . .	-	-	39	0·90	90	2·07	5	0·11	2	0·05	4	0·09	8	0·18
Saxmundham . .	-	-	-	-	1	0·76	-	-	-	-	-	-	1	0·76
Southwold M.B. .	-	-	2	0·71	-	-	1	0·36	-	-	1	0·36	-	-
Stowmarket . .	-	-	8	1·81	-	-	-	-	1	0·23	-	-	4	0·90
Woodbridge . .	-	-	23	4·81	-	-	-	-	-	-	-	-	2	0·42
RURAL DISTRICTS :														
Blything . .	-	-	9	0·53	-	-	1	0·06	2	0·12	4	0·23	1	0·06
Bosmere and Claydon . .	-	-	47	3·18	20	1·35	1	0·07	2	0·14	4	0·27	2	0·14
East Stow . .	-	-	7	0·98	2	0·28	3	0·42	-	-	4	0·56	2	0·28
Hartismere . .	-	-	12	1·12	18	1·68	1	0·09	-	-	2	0·19	5	0·47
Hoxne . .	-	-	11	1·20	1	0·11	-	-	-	-	4	0·43	3	0·33
Mutford and Loth- ingland . .	-	-	43	3·51	33	2·69	-	-	-	-	3	0·24	4	0·33
Plomesgate . .	-	-	41	2·80	29	1·98	-	-	1	0·07	1	0·07	5	0·34
Samford . .	-	-	13	0·99	3	0·23	1	0·08	-	-	-	-	-	-
Wangford . .	-	-	7	1·58	-	-	-	-	-	-	1	0·23	2	0·45
Woodbridge . .	-	-	32	1·78	11	0·61	2	0·11	1	0·06	-	-	-	-
SUFFOLK, WEST*														
AGGREGATE OF U.Ds.	-	-	115	2·75	63	1·50	4	0·10	1	0·02	3	0·07	6	0·14
AGGREGATE OF R.Ds.	-	-	103	1·55	43	0·65	3	0·05	-	-	12	0·18	8	0·12
URBAN DISTRICTS :														
Bury St. Edmunds M.B. . .	-	-	33	2·00	22	1·33	-	-	1	0·06	1	0·06	2	0·12
Glemsford . .	-	-	-	-	-	-	-	-	-	-	1	0·76	-	-
Hadleigh . .	-	-	5	1·66	13	4·31	-	-	-	-	-	-	1	0·33
Haverhill . .	-	-	24	6·05	5	1·26	-	-	-	-	-	-	2	0·50
Newmarket . .	-	-	15	1·51	12	1·20	4	0·40	-	-	1	0·10	1	0·10
Sudbury M.B. . .	-	-	38	5·35	11	1·55	-	-	-	-	-	-	-	-
RURAL DISTRICTS :														
Brandon . .	-	-	4	0·69	1	0·17	1	0·17	-	-	-	-	-	-
Clare . .	-	-	11	1·55	6	0·84	-	-	-	-	4	0·56	3	0·42
Cosford . .	-	-	32	3·22	5	0·50	1	0·10	-	-	2	0·20	1	0·10
Melford . .	-	-	25	2·12	1	0·08	1	0·08	-	-	2	0·17	3	0·25
Mildenhall . .	-	-	18	2·21	5	0·61	-	-	-	-	1	0·12	1	0·12
Moulton . .	-	-	2	0·96	1	0·48	-	-	-	-	-	-	-	-
Thedwastre . .	-	-	4	0·48	10	1·20	-	-	-	-	1	0·12	-	-
Thingoe . .	-	-	7	0·53	14	1·06	-	-	-	-	2	0·15	-	-

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SURREY*	49	0·04	2,757	2·40	1,815	1·58	129	0·11	47	0·04	126	0·11	363	0·32
CROYDON C.B. ..	24	0·10	706	3·04	393	1·69	15	0·06	12	0·05	25	0·11	72	0·31
AGGREGATE OF U.Ds.	22	0·03	1,736	2·35	1,273	1·73	96	0·13	25	0·03	83	0·11	251	0·34
AGGREGATE OF R.Ds.	3	0·02	315	1·78	149	0·84	18	0·10	10	0·06	18	0·10	40	0·23
URBAN DISTRICTS :														
Barnes	—	—	74	1·77	41	0·98	45	1·08	—	—	2	0·05	8	0·19
Beddington and Wallington ..	—	—	65	2·63	11	0·45	1	0·04	—	—	2	0·08	15	0·61
Carshalton ..	—	—	91	3·40	71	2·65	2	0·07	1	0·04	2	0·07	4	0·15
Caterham and Warlingham ..	—	—	76	4·32	8	0·46	2	0·11	—	—	—	—	7	0·40
Chertsey	—	—	51	2·97	25	1·46	1	0·06	—	—	3	0·17	5	0·29
Coulsdon and Purley ..	2	0·06	71	1·99	17	0·48	4	0·11	—	—	1	0·03	11	0·31
Dorking	—	—	13	1·31	—	—	3	0·30	1	0·10	—	—	—	—
East and West Molesey ..	—	—	23	2·75	53	6·33	—	—	—	—	—	—	—	—
Egham	—	—	67	4·20	23	1·44	—	—	—	—	1	0·06	9	0·56
Epsom	—	—	55	2·02	26	0·95	—	—	—	—	1	0·04	19	0·70
Esher and the Dittons ..	—	—	30	1·81	14	0·84	2	0·12	3	0·18	1	0·06	3	0·18
Farnham	—	—	8	0·44	1	0·06	—	—	—	—	5	0·28	4	0·22
Frimley and Camberley ..	—	—	27	1·98	34	2·49	2	0·15	—	—	1	0·07	9	0·66
Godalming M.B.	—	—	13	1·20	1	0·09	1	0·09	—	—	—	—	1	0·09
Guildford M.B. ..	8	0·26	22	0·73	17	0·56	6	0·20	5	0·17	2	0·07	8	0·26
Ham	—	—	9	4·01	1	0·45	—	—	—	—	1	0·45	—	—
Haslemere ..	—	—	1	0·23	—	—	—	—	—	—	—	—	—	—
Kingston on Thames M.B...	1	0·03	78	1·99	100	2·55	5	0·13	1	0·03	10	0·25	21	0·53
Leatherhead ..	—	—	20	2·83	3	0·42	1	0·14	1	0·14	—	—	—	—
Merton and Morden	6	0·17	109	3·03	72	2·00	1	0·03	1	0·03	1	0·03	15	0·42
Mitcham	—	—	116	2·11	127	2·32	9	0·16	1	0·02	6	0·11	19	0·35
Reigate M.B. ..	—	—	128	4·18	87	2·84	1	0·03	1	0·03	2	0·07	8	0·26
Richmond M.B.	2	0·05	73	1·95	159	4·24	2	0·05	2	0·05	5	0·13	16	0·43
Surbiton	—	—	86	3·17	32	1·18	—	—	1	0·04	5	0·18	9	0·33
Sutton and Cheam	1	0·02	110	2·57	85	1·98	4	0·09	1	0·02	7	0·16	7	0·16
The Maldens and Coombe ..	—	—	31	1·40	11	0·50	1	0·05	—	—	5	0·23	4	0·18
Walton upon Thames ..	—	—	17	0·99	15	0·87	1	0·06	—	—	—	—	2	0·12
Weybridge ..	—	—	14	1·99	3	0·43	—	—	—	—	1	0·14	5	0·71
Wimbledon M.B.	2	0·03	132	2·20	141	2·35	2	0·03	4	0·07	9	0·15	29	0·48
Windlesham ..	—	—	51	9·81	14	2·69	—	—	—	—	3	0·58	3	0·58
Woking	—	—	75	2·53	81	2·73	—	—	2	0·07	7	0·24	10	0·34
RURAL DISTRICTS :														
Chertsey	—	—	30	2·25	15	1·13	—	—	1	0·08	—	—	1	0·08
Dorking	—	—	21	1·89	—	—	1	0·09	1	0·09	1	0·09	2	0·18
Epsom	1	0·03	57	1·46	38	0·97	7	0·18	1	0·03	7	0·18	12	0·31
Farnham	—	—	35	2·27	12	0·78	2	0·13	—	—	1	0·06	2	0·13
Godstone	—	—	38	1·64	5	0·22	3	0·13	—	—	3	0·13	3	0·13
Guildford	—	—	42	1·86	11	0·49	—	—	3	0·13	—	—	6	0·27
Hambleton ..	—	—	15	0·61	14	0·57	—	—	1	0·04	4	0·16	8	0·33
Reigate	2	0·07	77	2·74	54	1·92	5	0·18	3	0·11	2	0·07	6	0·21

* Administrative County with associated County Borough.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
SUSSEX, EAST* ..	10	0·02	767	1·41	400	0·73	48	0·09	19	0·03	130	0·24	180	0·33
BRIGHTON C.B. ..	—	—	172	1·16	163	1·10	22	0·15	1	0·01	67	0·45	69	0·47
EASTBOURNE C.B. ..	10	0·17	49	0·85	47	0·81	2	0·03	3	0·05	10	0·17	20	0·35
HASTINGS C.B. ..	—	—	93	1·47	33	0·52	4	0·06	2	0·03	25	0·40	25	0·40
AGGREGATE OF U.Ds.	—	—	274	1·93	110	0·78	9	0·06	8	0·06	16	0·11	33	0·23
AGGREGATE OF R.Ds.	—	—	179	1·33	47	0·35	11	0·08	5	0·04	12	0·09	33	0·25
URBAN DISTRICTS:														
Battle ..	—	—	1	0·29	7	2·03	—	—	—	—	—	—	—	—
Bexhill M.B. ..	—	—	25	1·19	12	0·57	1	0·05	2	0·10	3	0·14	5	0·24
Burgess Hill ..	—	—	4	0·65	1	0·16	—	—	2	0·32	1	0·16	—	—
Cuckfield ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
East Grinstead ..	—	—	36	4·39	9	1·10	1	0·12	—	—	—	—	3	0·37
Haywards Heath ..	—	—	1	0·19	—	—	—	—	—	—	—	—	1	0·19
Hove M.B. ..	—	—	95	1·77	38	0·71	5	0·09	4	0·07	5	0·09	14	0·26
Lewes M.B. ..	—	—	49	4·41	4	0·36	—	—	—	—	6	0·54	—	—
Newhaven ..	—	—	12	1·85	4	0·62	1	0·15	—	—	1	0·15	5	0·77
Portslade by Sea ..	—	—	7	0·74	34	3·57	—	—	—	—	—	—	4	0·42
Rye M.B. ..	—	—	10	2·56	—	—	—	—	—	—	—	—	—	—
Seaford ..	—	—	32	4·31	1	0·13	1	0·13	—	—	—	—	1	0·13
Uckfield ..	—	—	2	0·56	—	—	—	—	—	—	—	—	—	—
RURAL DISTRICTS:														
Battle ..	—	—	6	0·89	1	0·15	—	—	—	—	2	0·30	1	0·15
Chailey ..	—	—	7	0·51	—	—	5	0·36	—	—	—	—	8	0·58
Cuckfield ..	—	—	23	1·26	2	0·11	—	—	—	—	—	—	1	0·05
Eastbourne ..	—	—	9	1·36	2	0·30	2	0·30	1	0·15	—	—	5	0·75
East Grinstead ..	—	—	43	2·80	7	0·46	1	0·07	—	—	3	0·20	5	0·33
Hailsham ..	—	—	35	1·77	7	0·35	—	—	2	0·10	3	0·15	5	0·25
Hastings ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Newhaven ..	—	—	6	1·11	9	1·67	1	0·19	—	—	—	—	1	0·19
Rye ..	—	—	7	0·95	2	0·27	1	0·14	1	0·14	—	—	1	0·14
Ticehurst ..	—	—	18	1·37	12	0·92	—	—	1	0·08	3	0·23	3	0·23
Uckfield ..	—	—	25	0·98	5	0·20	1	0·04	—	—	1	0·04	3	0·12
SUSSEX, WEST†..														
SUSSEX, WEST†..	1	0·00	418	1·92	115	0·53	15	0·07	9	0·04	38	0·17	37	0·17
AGGREGATE OF U.Ds.	—	—	218	1·95	55	0·49	5	0·04	4	0·04	25	0·22	26	0·23
AGGREGATE OF R.Ds.	1	0·01	200	1·88	60	0·56	10	0·09	5	0·05	13	0·12	11	0·10
URBAN DISTRICTS:														
Arundel M.B. ..	—	—	2	0·80	—	—	—	—	—	—	—	—	—	—
Bognor Regis ..	—	—	25	1·85	15	1·11	—	—	—	—	—	—	1	0·07
Chichester M.B. ..	—	—	37	2·66	8	0·58	—	—	—	—	5	0·36	7	0·50
Horsham ..	—	—	28	2·11	—	—	1	0·08	1	0·08	9	0·68	2	0·15
Littlehampton ..	—	—	19	1·93	3	0·30	—	—	—	—	—	—	1	0·10
Shoreham by Sea ..	—	—	32	3·75	3	0·35	—	—	2	0·23	2	0·23	2	0·23
Southwick ..	—	—	23	3·88	15	2·53	—	—	1	0·17	—	—	2	0·34
Worthing M.B. ..	—	—	52	1·18	11	0·25	4	0·09	—	—	9	0·20	11	0·25
RURAL DISTRICTS:														
East Preston ..	—	—	12	1·52	11	1·39	1	0·13	—	—	—	—	2	0·25
Horsham ..	—	—	33	1·54	8	0·37	2	0·09	1	0·05	1	0·05	—	—
Midhurst ..	—	—	22	1·46	11	0·73	1	0·07	—	—	3	0·20	1	0·07
Petworth ..	—	—	14	1·69	8	0·96	2	0·24	1	0·12	—	—	—	—
Stevington West ..	1	0·08	20	1·63	4	0·33	3	0·24	1	0·08	1	0·08	4	0·33
Thakeham ..	—	—	35	3·69	—	—	—	—	—	—	3	0·32	2	0·21
Westbourne ..	—	—	26	2·68	1	0·10	—	—	1	0·10	3	0·31	1	0·10
Westhampnett ..	—	—	38	1·70	17	0·76	1	0·04	1	0·04	2	0·09	1	0·04

* Administrative County with associated County Boroughs.

† Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WARWICK* ..	120	0·08	3,750	2·43	3,439	2·23	120	0·08	148	0·10	192	0·12	770	0·50
BIRMINGHAM C.B.	1	0·00	2,593	2·57	2,363	2·35	76	0·08	120	0·12	131	0·13	586	0·58
COVENTRY C.B. ..	8	0·05	314	1·86	493	2·93	5	0·03	4	0·02	16	0·09	61	0·36
AGGREGATE OF U.Ds.	93	0·52	419	2·35	277	1·55	13	0·07	10	0·06	23	0·13	68	0·38
AGGREGATE OF R.Ds.	18	0·09	424	2·23	306	1·61	26	0·14	14	0·07	22	0·12	55	0·29
URBAN DISTRICTS:														
Bedworth ..	1	0·08	16	1·26	7	0·55	—	—	1	0·08	5	0·39	8	0·63
Bulkington ..	—	—	3	1·09	16	5·84	—	—	—	—	1	0·36	3	1·09
Kenilworth ..	—	—	26	3·34	21	2·70	1	0·13	1	0·13	—	—	1	0·13
Nuneaton M.B. ..	92	1·97	69	1·48	115	2·47	3	0·06	1	0·02	6	0·13	12	0·26
Royal Leamington	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Spa M.B. ..	—	—	54	1·80	14	0·47	2	0·07	—	—	4	0·13	14	0·47
Rugby ..	—	—	50	2·02	68	2·75	3	0·12	5	0·20	4	0·16	6	0·24
Stratford on Avon	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ..	—	—	117	10·42	2	0·18	—	—	1	0·09	—	—	6	0·53
Sutton Coldfield	—	—	—	—	—	—	—	—	—	—	—	—	—	—
M.B. ..	—	—	64	2·24	28	0·98	4	0·14	—	—	1	0·03	13	0·45
Warwick M.B. ..	—	—	20	1·43	6	0·43	—	—	1	0·07	2	0·14	5	0·36
RURAL DISTRICTS:														
Alcester ..	—	—	30	2·34	20	1·56	—	—	—	—	3	0·23	2	0·16
Atherstone ..	10	0·45	51	2·27	31	1·38	2	0·09	5	0·22	4	0·18	11	0·49
Brailes ..	—	—	11	1·96	5	0·89	—	—	—	—	1	0·18	—	—
Farnborough ..	—	—	2	1·43	—	—	—	—	—	—	—	—	—	—
Foleshill ..	—	—	51	3·06	34	2·04	1	0·06	1	0·06	1	0·06	7	0·42
Meriden ..	—	—	27	1·24	43	1·97	8	0·37	1	0·05	4	0·18	6	0·28
Monks Kirby ..	—	—	1	0·68	3	2·03	—	—	—	—	—	—	—	—
Nuneaton ..	1	0·16	14	2·29	43	7·03	1	0·16	—	—	—	—	1	0·16
Rugby ..	7	0·32	67	3·05	48	2·19	7	0·32	1	0·05	2	0·09	10	0·46
Solihull ..	—	—	62	2·08	26	0·87	4	0·13	2	0·07	3	0·10	4	0·13
Southam ..	—	—	19	1·91	22	2·21	1	0·10	—	—	1	0·10	5	0·50
Stratford on Avon	—	—	40	3·81	3	0·29	—	—	3	0·29	2	0·19	1	0·10
Tamworth (pt. of)†	—	—	34	1·95	24	1·38	—	—	1	0·06	—	—	3	0·17
Warwick ..	—	—	15	1·21	4	0·32	2	0·16	—	—	1	0·08	5	0·40
WESTMORLAND†	—	—	66	1·02	34	0·52	3	0·05	3	0·05	11	0·17	39	0·60
AGGREGATE OF U.Ds.	—	—	23	0·82	24	0·85	3	0·11	2	0·07	6	0·21	13	0·46
AGGREGATE OF R.Ds.	—	—	43	1·17	10	0·27	—	—	1	0·03	5	0·14	26	0·71
URBAN DISTRICTS:														
Ambleside ..	—	—	—	—	1	0·43	—	—	—	—	1	0·43	—	—
Appleby M.B. ..	—	—	2	1·23	1	0·61	—	—	—	—	2	1·23	1	0·61
Grasmere ..	—	—	1	1·19	—	—	—	—	—	—	—	—	—	—
Kendal M.B. ..	—	—	17	1·10	7	0·45	3	0·19	2	0·13	3	0·19	9	0·58
Kirkby Lonsdale	—	—	1	0·76	—	—	—	—	—	—	—	—	1	0·76
Shap ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Windermere ..	—	—	2	0·37	15	2·74	—	—	—	—	—	—	2	0·37
RURAL DISTRICTS:														
East Westmorland	—	—	10	0·92	1	0·09	—	—	—	—	4	0·37	11	1·01
South Westmorland	—	—	29	1·52	8	0·42	—	—	1	0·05	—	—	12	0·63
West Ward ..	—	—	4	0·60	1	0·15	—	—	—	—	1	0·15	3	0·45

* Administrative County with associated Boroughs.

† The remaining part of the Rural District of Tamworth is in the Administrative County of Stafford. The figures for the entire District are:—

	—		—		97		3·97		40		1·64		—		—		1		0·04		—		—		9		0·37
--	---	--	---	--	----	--	------	--	----	--	------	--	---	--	---	--	---	--	------	--	---	--	---	--	---	--	------

‡ Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WIGHT, ISLE OF*	1	0·01	66	0·76	68	0·78	9	0·10	1	0·01	16	0·18	25	0·29
AGGREGATE OF U.Ds.	1	0·02	36	0·62	55	0·95	6	0·10	1	0·02	11	0·19	17	0·30
RURAL DISTRICT ..	-	-	30	1·03	13	0·45	3	0·10	-	-	5	0·17	8	0·27
URBAN DISTRICTS:														
Cowes ..	-	-	4	0·39	5	0·49	3	0·29	-	-	-	-	2	0·19
East Cowes ..	-	-	-	-	13	2·80	-	-	-	-	1	0·22	2	0·43
Newport M.B. ..	-	-	5	0·44	27	2·35	-	-	-	-	4	0·35	3	0·26
Ryde M.B. ..	-	-	4	0·33	2	0·19	1	0·09	1	0·09	5	0·47	5	0·47
St. Helens ..	-	-	2	0·37	-	-	1	0·19	-	-	1	0·19	3	0·56
Sandown ..	1	0·17	12	2·07	6	1·03	-	-	-	-	-	-	2	0·34
Shanklin ..	-	-	1	0·22	-	-	1	0·22	-	-	-	-	-	-
Ventnor ..	-	-	8	1·64	2	0·41	-	-	-	-	-	-	-	-
RURAL DISTRICT: Isle of Wight ..	-	-	30	1·03	13	0·45	3	0·10	-	-	5	0·17	8	0·27
WILTS*§ ..	14	0·05	649	2·15	581	1·93	11	0·04	16	0·05	68	0·23	82	0·27
AGGREGATE OF U.Ds.	12	0·08	305	2·06	373	2·53	4	0·03	11	0·07	47	0·32	37	0·25
AGGREGATE OF R.Ds.§	2	0·01	344	2·24	208	1·35	7	0·05	5	0·03	21	0·14	45	0·29
URBAN DISTRICTS:														
Bradford on Avon ..	-	-	11	2·26	8	1·64	-	-	2	0·41	-	-	3	0·62
Calne M.B. ..	-	-	4	1·12	-	-	-	-	1	0·28	1	0·28	-	-
Chippenham M.B. ..	4	0·46	22	2·55	1	0·12	-	-	-	-	1	0·12	4	0·46
Devizes M.B. ..	-	-	14	2·33	5	0·83	-	-	-	-	-	-	-	-
Malmesbury M.B. ..	-	-	1	0·43	-	-	-	-	-	-	-	-	-	-
Marlborough M.B. ..	-	-	4	0·93	-	-	-	-	-	-	-	-	2	0·47
Melksham ..	1	0·25	4	1·01	11	2·78	-	-	-	-	-	-	2	0·51
Salisbury M.B. ..	-	-	35	1·31	61	2·28	2	0·07	4	0·15	10	0·37	9	0·34
Swindon M.B. ..	-	-	108	1·70	115	1·81	-	-	1	0·02	30	0·47	13	0·21
Trowbridge ..	6	0·49	61	4·97	161	13·12	2	0·16	3	0·24	2	0·16	2	0·16
Warminster ..	-	-	36	6·68	3	0·56	-	-	-	-	1	0·19	1	0·19
Westbury ..	1	0·25	4	0·98	8	1·96	-	-	-	-	1	0·25	1	0·25
Wilton M.B. ..	-	-	1	0·46	-	-	-	-	-	-	1	0·46	-	-
RURAL DISTRICTS:														
Amesbury ..	-	-	38	2·83	48	3·57	-	-	2	0·15	1	0·07	4	0·30
Bradford on Avon ..	-	-	18	3·23	28	5·03	2	0·36	-	-	-	-	3	0·54
Calne ..	-	-	16	3·29	-	-	-	-	1	0·21	1	0·21	1	0·21
Chippenham ..	-	-	64	4·36	-	-	1	0·07	-	-	5	0·34	6	0·41
Cricklade and Wootton Bassett	-	-	24	2·08	4	0·35	-	-	-	-	1	0·09	5	0·43
Devizes ..	-	-	23	1·80	13	1·02	1	0·08	-	-	1	0·08	-	-
Highworth ..	-	-	19	1·24	17	1·11	-	-	1	0·07	4	0·26	1	0·07
Malmesbury ..	-	-	8	0·94	2	0·24	-	-	1	0·12	1	0·12	-	-
Marlborough ..	-	-	12	2·79	-	-	-	-	-	-	-	-	2	0·46
Melksham ..	1	0·19	11	2·12	12	2·32	-	-	-	-	1	0·19	1	0·19
Mere ..	-	-	2	0·44	4	0·88	-	-	-	-	-	-	1	0·22
Pewsey ..	1	0·08	17	1·44	18	1·53	-	-	-	-	4	0·34	6	0·51
Ramsbury ..	-	-	9	1·40	1	0·16	1	0·16	-	-	-	-	2	0·31
Salisbury ..	-	-	22	2·22	18	1·82	-	-	-	-	1	0·10	4	0·40
Tetbury(part of)†‡§	-	-	1	9·84	1	9·84	-	-	-	-	-	-	-	-
Tisbury ..	-	-	13	1·92	13	1·92	1	0·15	-	-	1	0·15	4	0·59
Warminster ..	-	-	24	4·33	1	0·18	-	-	-	-	-	-	-	-
Westbury and Whorwellsdown	-	-	17	2·55	25	3·74	1	0·15	-	-	-	-	3	0·45
Wilton ..	-	-	6	1·01	3	0·50	-	-	-	-	-	-	2	0·34

* Administrative County.

† Abolished 31st March, 1930.

‡ The remaining part of the Rural District of Tetbury is in the Administrative County of Gloucester.

§ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
WORCESTER*	-	-	908	2.12	444	1.04	19	0.04	22	0.05	81	0.19	133	0.31
DUDLEY C.B. ..	-	-	28	0.46	42	0.69	1	0.02	2	0.03	4	0.07	16	0.26
WORCESTER C.B. ..	-	-	138	2.65	65	1.25	2	0.04	-	-	12	0.23	18	0.35
AGGREGATE OF U.Ds.§	-	-	500	2.43	275	1.33	10	0.05	15	0.07	39	0.19	72	0.35
AGGREGATE OF R.Ds.§	-	-	242	2.20	62	0.56	6	0.05	5	0.05	26	0.24	27	0.25
URBAN DISTRICTS:														
Bewdley M.B. ..	-	-	1	0.36	6	2.18	-	-	1	0.36	2	0.73	-	-
Bromsgrove ..	-	-	6	0.61	3	0.31	-	-	-	-	-	-	1	0.10
Droitwich M.B. ..	-	-	3	0.73	1	0.24	-	-	-	-	1	0.24	-	-
Evesham M.B. ..	-	-	25	2.82	-	-	-	-	-	-	-	-	-	-
Halesowen ..	-	-	60	1.92	53	1.69	-	-	7	0.22	6	0.19	21	0.67
Kidderminster M.B.	-	-	118	4.07	32	1.10	4	0.14	1	0.03	10	0.35	14	0.48
Lye and Wollescote	-	-	19	1.51	70	5.58	1	0.08	-	-	1	0.08	8	0.64
Malvern ..	-	-	15	0.88	18	1.05	1	0.06	-	-	1	0.06	6	0.35
North Bromsgrove	-	-	26	2.42	4	0.37	-	-	4	0.37	-	-	-	-
Oldbury ..	-	-	168	4.67	46	1.28	1	0.03	-	-	6	0.17	6	0.17
Redditch§	-	-	4	0.22	2	0.11	3	0.17	1	0.06	3	0.17	6	0.33
Stourbridge M.B.	-	-	40	2.00	39	1.95	-	-	1	0.05	4	0.20	7	0.35
Stourport ..	-	-	15	2.60	1	0.17	-	-	-	-	5	0.87	3	0.52
RURAL DISTRICTS:														
Bromsgrove§	-	-	18	0.89	8	0.40	1	0.05	1	0.05	2	0.10	5	0.25
Droitwich ..	-	-	25	2.03	2	0.16	-	-	1	0.08	1	0.08	-	-
Evesham ..	-	-	50	4.49	2	0.18	2	0.18	1	0.09	1	0.09	1	0.09
Feckenham§	-	-	3	0.70	1	0.23	-	-	1	0.23	-	-	2	0.47
Kidderminster ..	-	-	11	1.40	13	1.65	-	-	-	-	2	0.25	6	0.76
Martley ..	-	-	33	2.57	12	0.93	2	0.16	-	-	5	0.39	5	0.39
Pershore ..	-	-	43	3.29	6	0.46	-	-	-	-	5	0.38	2	0.15
Rock ..	-	-	5	2.22	3	1.33	-	-	-	-	1	0.44	-	-
Shipston on Stour	-	-	16	3.61	1	0.23	-	-	-	-	3	0.68	-	-
Stow on the Wold (part of)†	-	-	1	3.45	-	-	-	-	-	-	-	-	-	-
Tenbury ..	-	-	7	1.61	2	0.46	-	-	-	-	1	0.23	-	-
Tewkesbury (part of)†	-	-	6	2.90	2	0.97	-	-	-	-	-	-	1	0.48
Upton on Severn	-	-	24	1.75	9	0.66	1	0.07	1	0.07	5	0.36	5	0.36
Winchcomb (part of)†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Redmarley d'Abitôt and Staunton (parishes)‡	-	-	-	-	1	0.93	-	-	-	-	-	-	-	-
YORKS, EAST RIDING*	1	0.00	824	1.69	1,037	2.13	45	0.09	36	0.07	61	0.13	222	0.45
KINGSTON UPON HULL C.B.§	-	-	545	1.73	881	2.80	36	0.11	27	0.09	46	0.15	178	0.57
AGGREGATE OF U.Ds.§	-	-	68	0.92	94	1.27	5	0.07	4	0.05	6	0.08	22	0.30
AGGREGATE OF R.Ds.§	1	0.01	211	2.12	62	0.62	4	0.04	5	0.05	9	0.09	22	0.22
URBAN DISTRICTS:														
Beverley M.B. ..	-	-	8	0.57	18	1.28	-	-	1	0.07	2	0.14	10	0.71
Bridlington M.B.	-	-	15	0.78	21	1.10	4	0.21	1	0.05	3	0.16	5	0.26
Cottingham§	-	-	10	1.45	13	1.89	1	0.15	-	-	-	-	-	-
Filey ..	-	-	1	0.27	4	1.07	-	-	1	0.27	-	-	2	0.53
Great Driffield ..	-	-	2	0.33	6	0.99	-	-	-	-	1	0.16	3	0.49

* Administrative County with associated County Boroughs.

† The remaining parts of the Rural Districts of Stow on the Wold, Tewkesbury, and Winchcomb are in the Administrative County of Gloucester.

‡ These Parishes are administered by the Rural District Council of Newent (Glos.).

§ Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January, 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, EAST RIDING—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Hedon M.B. ..	—	—	2	1·31	5	3·27	—	—	—	—	—	—	—	—
Hessle† ..	—	—	12	1·78	18	2·67	—	—	—	—	—	—	1	0·15
Hornsea ..	—	—	—	—	6	1·34	—	—	—	—	—	—	—	—
Norton ..	—	—	3	0·77	—	—	—	—	—	—	—	—	—	—
Pocklington ..	—	—	7	2·51	2	0·72	—	—	—	—	—	—	—	—
Withernsea ..	—	—	8	1·78	1	0·22	—	—	1	0·22	—	—	1	0·22
RURAL DISTRICTS:														
Beverley ..	—	—	11	0·90	11	0·90	—	—	1	0·08	2	0·16	2	0·16
Bridlington ..	—	—	7	0·88	13	1·63	—	—	—	—	—	—	3	0·38
Driffield ..	—	—	12	1·05	7	0·61	1	0·09	—	—	—	—	4	0·35
Escrick ..	—	—	17	2·84	—	—	—	—	—	—	1	0·17	1	0·17
Howden ..	—	—	56	4·38	4	0·31	—	—	—	—	1	0·08	1	0·08
Norton ..	—	—	22	3·97	2	0·36	—	—	—	—	—	—	1	0·18
Patrington ..	1	0·13	29	3·88	6	0·80	—	—	1	0·13	2	0·27	7	0·94
Pocklington ..	—	—	26	2·40	9	0·83	1	0·09	3	0·28	—	—	1	0·09
Riccall ..	—	—	10	1·86	—	—	—	—	—	—	—	—	1	0·19
Sculcoates† ..	—	—	10	0·95	4	0·38	1	0·10	—	—	—	—	1	0·10
Sherburn ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skirlaugh† ..	—	—	11	1·51	6	0·82	1	0·14	—	—	3	0·41	—	—
YORKS, NORTH RIDING*..	—	—	1,242	2·68	397	0·86	18	0·04	27	0·06	56	0·12	325	0·70
MIDDLESBROUGH C.B.	—	—	453	3·27	104	0·75	4	0·03	18	0·13	26	0·19	112	0·81
AGGREGATE OF U.Ds.	—	—	455	2·48	163	0·89	7	0·04	4	0·02	24	0·13	157	0·86
AGGREGATE OF R.Ds.	—	—	334	2·35	130	0·92	7	0·05	5	0·04	6	0·04	56	0·39
URBAN DISTRICTS:														
Eston ..	—	—	73	2·25	27	0·83	1	0·03	1	0·03	1	0·03	25	0·77
Guisborough ..	—	—	6	0·95	1	0·16	—	—	—	—	—	—	17	2·70
Hinderwell ..	—	—	6	2·64	2	0·88	—	—	—	—	—	—	1	0·44
Kirklington cum Upland ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Loftus ..	—	—	22	2·76	9	1·13	—	—	—	—	1	0·13	16	2·00
Malton ..	—	—	—	—	1	0·22	—	—	—	—	—	—	—	—
Masham ..	—	—	3	1·45	—	—	—	—	—	—	—	—	3	1·45
Northallerton ..	—	—	11	2·27	3	0·62	1	0·21	—	—	1	0·21	—	—
Pickering ..	—	—	9	2·47	—	—	—	—	—	—	—	—	—	—
Redcar M.B. ..	—	—	30	1·52	15	0·76	1	0·05	—	—	2	0·10	15	0·76
Richmond M.B... Saltburn by the Sea ..	—	—	7	1·55	2	0·44	—	—	—	—	—	—	3	0·66
Scalby ..	—	—	5	1·25	1	0·25	—	—	—	—	1	0·25	8	1·99
Scarborough M.B. Skelton and Brotton ..	—	—	2	0·81	3	1·22	—	—	—	—	—	—	—	—
Thornaby on Tees M.B. ..	—	—	139	3·41	67	1·64	3	0·07	2	0·05	12	0·29	14	0·34
Whitby ..	—	—	53	3·81	13	0·94	1	0·07	—	—	—	—	18	1·30
Thornaby on Tees M.B. ..	—	—	35	1·60	16	0·73	—	—	—	—	2	0·09	26	1·19
Whitby ..	—	—	54	4·58	3	0·25	—	—	1	0·08	4	0·34	11	0·93
RURAL DISTRICTS:														
Aysgarth..	—	—	31	7·21	1	0·23	—	—	—	—	—	—	—	—
Bedale ..	—	—	17	2·55	1	0·15	1	0·15	—	—	—	—	—	—
Croft ..	—	—	6	2·68	10	4·46	—	—	—	—	—	—	—	—
Easingwold ..	—	—	16	1·64	5	0·51	1	0·10	1	0·10	—	—	12	1·23
Flaxton ..	—	—	42	3·23	7	0·54	1	0·08	1	0·08	1	0·08	11	0·85

* Administrative County with associated County Borough.

† Rates adjusted to allow for changes in boundary during the year.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, NORTH RIDING—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Guisborough ..	—	—	16	2·13	5	0·66	—	—	—	—	—	—	2	0·27
Helmsley ..	—	—	5	0·99	2	0·39	—	—	—	—	—	—	1	0·20
Kirkby Moorside ..	—	—	3	0·62	1	0·21	—	—	—	—	—	—	1	0·21
Leyburn ..	—	—	4	0·59	3	0·44	1	0·15	—	—	—	—	3	0·44
Malton ..	—	—	12	2·03	—	—	—	—	—	—	1	0·17	1	0·17
Middlesbrough ..	—	—	8	2·71	2	0·68	—	—	2	0·68	1	0·34	1	0·34
Northallerton ..	—	—	33	4·24	2	0·26	—	—	—	—	—	—	—	—
Pickering ..	—	—	23	3·93	—	—	1	0·17	—	—	1	0·17	—	—
Reeth ..	—	—	—	—	1	0·42	1	0·42	—	—	—	—	2	0·84
Richmond ..	—	—	26	2·62	13	1·31	—	—	1	0·10	—	—	3	0·30
Scarborough ..	—	—	4	0·59	—	—	—	—	—	—	—	—	—	—
Startforth ..	—	—	8	1·77	—	—	—	—	—	—	—	—	4	0·88
Stokesley ..	—	—	20	1·62	47	3·80	1	0·08	—	—	1	0·08	8	0·65
Thirsk ..	—	—	16	1·29	2	0·16	—	—	—	—	—	—	6	0·48
Wath ..	—	—	9	4·39	2	0·98	—	—	—	—	1	0·49	—	—
Whitby ..	—	—	35	4·02	26	2·99	—	—	—	—	—	—	1	0·11
YORKS, WEST RIDING*..	890	0·26	13,066	3·83	4,564	1·34	244	0·07	268	0·08	427	0·13	1,944	0·57
BARNESLEY C.B. ..	30	0·41	357	4·88	99	1·35	6	0·08	7	0·10	5	0·07	47	0·64
BRADFORD C.B.† ..	15	0·05	1,281	4·25	354	1·17	13	0·04	35	0·12	41	0·14	157	0·52
DEWSBURY C.B. ..	30	0·55	196	3·58	52	0·95	1	0·02	1	0·02	3	0·05	16	0·29
DONCASTER C.B. ..	—	—	134	2·13	45	0·72	6	0·10	5	0·08	8	0·13	24	0·38
HALIFAX C.B. ..	56	0·56	274	2·75	100	1·00	9	0·09	5	0·05	15	0·15	41	0·41
Huddersfield C.B. ..	76	0·66	236	2·04	286	2·47	9	0·08	4	0·03	17	0·15	97	0·84
LEEDS C.B. ..	42	0·09	2,421	4·93	1,014	2·07	4	0·01	51	0·10	47	0·10	426	0·87
ROTHERHAM C.B. ..	2	0·03	204	2·85	148	2·07	3	0·04	7	0·10	11	0·15	40	0·56
SHEFFIELD C.B. ..	21	0·04	2,021	3·84	706	1·34	34	0·06	59	0·11	102	0·19	305	0·58
WAKEFIELD C.B. ..	1	0·02	153	2·59	59	1·00	14	0·24	8	0·14	14	0·24	29	0·49
AGGREGATE OF U.D.s†	509	0·46	4,222	3·78	1,092	0·98	99	0·09	58	0·05	110	0·10	576	0·52
AGGREGATE OF R.D.s.	108	0·24	1,567	3·53	609	1·37	46	0·10	28	0·06	54	0·12	186	0·42
URBAN DISTRICTS :														
Adwick le Street ..	—	—	64	3·16	60	2·96	4	0·20	6	0·30	7	0·35	11	0·54
Altofts ..	—	—	29	5·59	6	1·16	—	—	—	—	1	0·19	3	0·58
Ardley, East and West ..	13	1·38	19	2·01	1	0·11	—	—	1	0·11	—	—	1	0·11
Baildon ..	—	—	59	7·57	4	0·51	—	—	—	—	—	—	2	0·26
Barkisland ..	—	—	—	—	1	0·62	—	—	—	—	—	—	1	0·62
Barnoldswick ..	—	—	178	14·21	2	0·16	2	0·16	—	—	1	0·08	12	0·96
Batley M.B. ..	44	1·24	77	2·18	39	1·10	3	0·08	1	0·03	4	0·11	12	0·34
Bentley with Arksey ..	—	—	46	2·74	13	0·78	1	0·06	—	—	5	0·30	4	0·24
Bingley ..	4	0·19	74	3·54	80	3·82	4	0·19	—	—	—	—	8	0·38
Birkenshaw ..	5	1·72	15	5·15	1	0·34	—	—	—	—	—	—	2	0·69
Birstal ..	32	4·34	12	1·63	5	0·68	—	—	—	—	—	—	2	0·27
Bolton upon Dearne ..	—	—	64	4·28	4	0·27	1	0·07	—	—	5	0·33	9	0·60
Brighouse M.B. ..	5	0·25	179	8·89	24	1·19	1	0·05	1	0·05	1	0·05	7	0·35
Burley in Wharfedale ..	—	—	4	0·96	4	0·96	—	—	—	—	2	0·48	2	0·48
Calverley ..	—	—	14	3·77	2	0·54	—	—	—	—	1	0·27	1	0·27
Castleford ..	—	—	130	5·68	21	0·92	—	—	2	0·09	—	—	15	0·66
Clayton† ..	—	—	5	3·51	2	1·41	—	—	—	—	—	—	—	—
Clayton West ..	—	—	17	8·66	—	—	—	—	2	1·02	—	—	—	—
Conisbrough ..	—	—	80	4·29	23	1·23	5	0·27	1	0·05	—	—	7	0·38
Cudworth ..	—	—	30	3·11	14	1·45	1	1·10	—	—	1	0·10	9	0·93

* Administrative County with associated County Boroughs.

† Rates adjusted to allow for change in boundary during the year.

‡ Abolished 1st April, 1930.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Darfield	—	—	33	6·03	11	2·01	1	0·18	—	—	—	—	3	0·55
Darton	—	—	103	8·11	16	1·26	1	0·08	3	0·24	1	0·08	18	1·42
Denby and Cum- berworth	—	—	14	3·95	—	—	1	0·28	—	—	—	—	4	1·13
Denholme	—	—	12	4·26	—	—	—	—	—	—	1	0·35	1	0·35
Dodworth	1	0·23	9	2·08	1	0·23	2	0·46	—	—	—	—	—	—
Drighlington ..	—	—	19	4·56	1	0·24	—	—	—	—	—	—	3	0·72
Earby	—	—	23	3·93	—	—	—	—	—	—	—	—	6	1·03
Elland	4	0·37	28	2·62	5	0·47	—	—	—	—	1	0·09	13	1·21
Emley	—	—	1	0·57	1	0·57	1	0·57	—	—	—	—	—	—
Farsley	—	—	42	6·56	2	0·31	1	0·16	—	—	1	0·16	3	0·47
Featherstone ..	1	0·06	35	2·27	19	1·23	1	0·06	1	0·06	1	0·06	4	0·26
Flockton	1	0·68	5	3·39	—	—	3	2·03	—	—	—	—	1	0·68
Garforth	—	—	21	5·30	1	0·25	—	—	—	—	—	—	4	1·01
Gildersome	—	—	15	4·93	2	0·66	—	—	—	—	1	0·33	4	1·31
Golcar	—	—	24	2·34	6	0·59	1	0·10	—	—	—	—	1	0·10
Goole	—	—	45	2·22	7	0·35	—	—	—	—	3	0·15	11	0·54
Greasbrough ..	—	—	13	3·52	10	2·71	—	—	—	—	—	—	3	0·81
Greetland	—	—	1	0·23	4	0·91	—	—	—	—	—	—	2	0·46
Guiseley	—	—	8	1·41	—	—	—	—	—	—	—	—	1	0·18
Gunthwaite and Ingbirchworth	—	—	2	5·87	—	—	—	—	—	—	—	—	—	—
Harrogate M.B.	—	—	162	4·18	10	0·26	1	0·03	—	—	2	0·05	13	0·34
Haworth	—	—	5	0·80	1	0·16	1	0·16	—	—	—	—	—	—
Hebden Bridge ..	—	—	32	5·06	3	0·47	1	0·16	—	—	1	0·16	3	0·47
Heckmondwike ..	33	3·62	22	2·41	6	0·66	—	—	2	0·22	—	—	5	0·55
Hemsworth	2	0·15	112	8·29	19	1·41	1	0·07	—	—	—	—	10	0·74
Hipperholme ..	5	0·94	12	2·25	1	0·19	—	—	—	—	1	0·19	3	0·56
Holme	—	—	—	—	—	—	—	—	—	—	—	—	1	2·50
Holmfirth	—	—	31	2·92	16	1·51	2	0·19	2	0·19	—	—	6	0·57
Honley	—	—	4	0·87	1	0·22	11	2·38	—	—	—	—	—	—
Horbury	—	—	46	5·78	8	1·01	—	—	2	0·25	1	0·13	5	0·63
Horsforth	—	—	48	4·09	3	0·26	—	—	1	0·09	3	0·26	5	0·43
Hoyland Nether ..	3	0·19	44	2·78	39	2·46	—	—	1	0·06	5	0·32	17	1·07
Hoyland Swaine ..	—	—	4	4·78	—	—	—	—	—	—	—	—	—	—
Hunsworth	—	—	7	5·17	2	1·48	—	—	—	—	—	—	2	1·48
Ilkley	—	—	7	0·71	59	6·03	1	0·10	1	0·10	2	0·20	6	0·61
Keighley M.B. ..	8	0·19	110	2·66	41	0·99	2	0·05	1	0·02	3	0·07	14	0·34
Kirkburton	—	—	4	1·18	13	3·85	—	—	—	—	—	—	4	1·18
Kirkheaton	6	2·20	3	1·10	1	0·37	—	—	—	—	—	—	1	0·37
Knareborough ..	—	—	20	3·35	—	—	1	0·17	—	—	1	0·17	—	—
Knottingley	—	—	12	1·71	1	0·14	1	0·14	—	—	—	—	1	0·14
Lepton	20	5·97	1	0·30	8	2·39	—	—	1	0·30	—	—	2	0·60
Linthwaite	—	—	23	2·32	4	0·40	2	0·20	—	—	—	—	5	0·50
Luddenden Foot ..	—	—	15	5·09	2	0·68	1	0·34	—	—	—	—	3	1·02
Maltby	88	8·72	29	2·87	8	0·79	—	—	2	0·20	—	—	8	0·79
Marsden	—	—	37	6·37	12	2·07	—	—	1	0·17	—	—	7	1·20
Meltham	21	3·97	2	0·38	—	—	1	0·19	—	—	—	—	—	—
Methley	—	—	48	10·22	3	0·64	—	—	—	—	1	0·21	3	0·64
Mexborough	1	0·06	23	1·41	22	1·35	—	—	—	—	4	0·24	9	0·55
Midgley	—	—	13	6·83	2	1·05	1	0·53	—	—	—	—	2	1·05
Mirfield	5	0·40	74	5·90	5	0·40	—	—	—	—	1	0·08	1	0·08
Morley M.B. ..	—	—	68	2·83	30	1·25	3	0·13	1	0·04	2	0·08	10	0·42
Mytholmroyd ..	—	—	4	0·89	1	0·22	—	—	—	—	—	—	2	0·45
New Mill	—	—	15	3·20	4	0·85	2	0·43	1	0·21	—	—	1	0·21
Normanton	2	0·12	46	2·81	22	1·35	—	—	1	0·06	4	0·24	14	0·86
Oakworth	—	—	10	2·42	4	0·97	1	0·24	—	—	—	—	3	0·73
Ossett M.B. ..	14	0·92	54	3·55	12	0·79	—	—	—	—	—	—	4	0·26
Otley	—	—	114	10·33	9	0·82	1	0·09	—	—	3	0·27	3	0·27
Oxenhope	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Penistone	—	—	31	8·79	6	1·70	—	—	—	—	1	0·28	—	—
Pontefract M.B.	—	—	39	2·09	4	0·21	1	0·05	—	—	1	0·05	21	1·13

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—<i>cont.</i>														
URBAN DISTRICTS—<i>cont.</i>														
Pudsey M.B. ..	—	—	54	3·58	24	1·59	2	0·13	1	0·07	—	—	9	0·60
Queensbury ..	8	1·36	45	7·63	15	2·54	2	0·34	—	—	2	0·34	5	0·85
Rawdon ..	—	—	13	2·81	2	0·43	—	—	—	—	—	—	2	0·43
Rawmarsh ..	—	—	31	1·63	5	0·26	1	0·05	3	0·16	7	0·37	22	1·16
Ripon M.B. ..	—	—	37	4·30	—	—	—	—	—	—	1	0·12	1	0·12
Rishworth ..	—	—	12	12·83	—	—	—	—	—	—	—	—	—	—
Rothwell ..	102	6·36	62	3·87	27	1·68	—	—	—	—	—	—	11	0·69
Royston ..	19	2·55	32	4·30	4	0·54	—	—	1	0·13	—	—	—	—
Saddleworth ..	—	—	45	3·51	3	0·23	—	—	—	—	1	0·08	6	0·47
Scammonden ..	—	—	—	—	1	2·52	—	—	—	—	—	—	—	—
Selby ..	—	—	28	2·78	4	0·40	1	0·10	2	0·20	3	0·30	4	0·40
Shelf ..	—	—	13	4·96	—	—	—	—	1	0·38	—	—	—	—
Shelley ..	—	—	5	3·04	—	—	—	—	—	—	—	—	3	1·82
Shepley ..	—	—	5	2·97	—	—	—	—	—	—	—	—	1	0·59
Shipley ..	—	—	156	5·11	24	0·79	—	—	—	—	—	—	6	0·20
Silsden ..	—	—	14	2·79	1	0·20	2	0·40	—	—	—	—	1	0·20
Skelmanthorpe ..	—	—	26	6·74	2	0·52	2	0·52	—	—	1	0·26	5	1·30
Skipton ..	—	—	53	4·21	6	0·48	3	0·24	—	—	4	0·32	2	0·16
Slaithwaite ..	1	0·19	17	3·19	12	2·25	—	—	—	—	—	—	3	0·56
South Crosland ..	1	0·33	14	4·59	1	0·33	1	0·33	—	—	—	—	1	0·33
Southowram ..	—	—	2	0·73	6	2·20	—	—	1	0·37	—	—	—	—
Sowerby ..	1	0·07	27	1·81	6	0·40	1	0·07	—	—	—	—	1	0·07
Soyland ..	—	—	2	0·65	—	—	—	—	—	—	1	0·33	—	—
Spenborough ..	54	1·71	82	2·60	18	0·57	8	0·25	3	0·10	2	0·06	14	0·44
Springhead ..	—	—	48	9·53	8	1·59	1	0·20	1	0·20	—	—	7	1·39
Stainland ..	—	—	10	2·28	9	2·05	—	—	—	—	—	—	1	0·23
Stanley ..	—	—	90	5·99	13	0·87	1	0·07	1	0·07	1	0·07	7	0·47
Stocksbridge ..	1	0·10	27	2·81	3	0·31	—	—	4	0·42	2	0·21	5	0·52
Swinton ..	1	0·07	12	0·85	5	0·35	1	0·07	2	0·14	—	—	14	0·99
Thurlstone ..	—	—	20	7·52	1	0·38	—	—	—	—	—	—	—	—
Thurnscoe ..	—	—	30	2·84	18	1·71	—	—	1	0·09	1	0·09	13	1·23
Thurstonland and Farnley Tyas..	—	—	4	1·00	—	—	—	—	—	—	—	—	1	0·25
Tickhill ..	—	—	4	1·75	—	—	—	—	—	—	—	—	3	1·31
Todmorden M.B.	—	—	109	4·75	56	2·44	—	—	—	—	3	0·13	8	0·35
Wath upon Dearne	—	—	27	1·92	6	0·43	—	—	—	—	2	0·14	4	0·28
Whitley Upper ..	—	—	1	1·06	—	—	—	—	—	—	—	—	1	1·06
Whitwood ..	1	0·16	35	5·49	2	0·31	1	0·16	—	—	1	0·16	2	0·31
Wombwell ..	—	—	58	2·98	17	0·87	2	0·10	2	0·10	5	0·26	20	1·03
Worsborough ..	2	0·16	67	5·28	14	1·10	—	—	—	—	—	—	6	0·47
Yeadon ..	—	—	25	3·26	5	0·65	1	0·13	—	—	—	—	3	0·39
RURAL DISTRICTS:														
Barnsley ..	5	1·07	26	5·59	1	0·21	1	0·21	—	—	1	0·21	1	0·21
Bishopthorpe ..	—	—	4	1·41	1	0·35	—	—	—	—	—	—	—	—
Bowland ..	—	—	2	0·36	5	0·91	—	—	—	—	1	0·18	1	0·18
Doncaster ..	—	—	97	2·02	41	0·85	3	0·06	5	0·10	7	0·15	17	0·35
Goole ..	—	—	8	0·90	3	0·34	1	0·11	—	—	—	—	3	0·34
Great Ouseburn	1	0·08	33	2·51	—	—	—	—	2	0·15	9	0·68	—	—
Halifax ..	2	0·32	22	3·57	4	0·65	—	—	1	0·16	1	0·16	1	0·16
Hemsworth ..	19	0·40	282	5·94	53	1·12	12	0·25	—	—	13	0·27	45	0·95
Hunslet ..	2	0·46	8	1·83	11	2·52	—	—	—	—	—	—	2	0·46
Keighley ..	—	—	10	1·17	5	0·58	1	0·12	—	—	—	—	1	0·12
Kiveton Park ..	77	4·36	56	3·17	72	4·08	2	0·11	1	0·06	3	0·17	8	0·45
Knaresborough ..	—	—	39	4·01	1	0·10	—	—	—	—	1	0·10	6	0·62
Pateley Bridge ..	—	—	11	1·46	—	—	—	—	—	—	—	—	—	—
Penistone ..	—	—	37	6·59	6	1·07	1	0·18	1	0·18	1	0·18	—	—
Pontefract ..	—	—	203	8·34	14	0·57	1	0·04	—	—	2	0·08	7	0·2

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
YORKS, WEST RIDING—<i>cont.</i>														
RURAL DISTRICTS—<i>cont.</i>														
Ripon	-	-	4	0·78	1	0·19	1	0·19	-	-	-	-	1	0·19
Rotherham ..	-	-	152	3·83	177	4·46	4	0·10	4	0·10	5	0·13	16	0·40
Sedburgh.. ..	-	-	6	1·46	1	0·24	-	-	-	-	-	-	-	-
Selby	-	-	10	1·65	2	0·33	1	0·17	-	-	-	-	1	0·17
Settle	-	-	28	1·85	9	0·59	-	-	2	0·13	1	0·07	1	0·07
Skipton	-	-	37	1·94	24	1·26	3	0·16	2	0·10	1	0·05	1	0·05
Tadcaster ..	-	-	218	7·01	92	2·96	-	-	3	0·10	3	0·10	17	0·55
Thorne	-	-	44	1·51	14	0·48	-	-	4	0·14	3	0·10	11	0·38
Todmorden ..	-	-	21	4·40	2	0·42	2	0·42	-	-	-	-	2	0·42
Wakefield ..	1	0·05	49	2·61	42	2·24	7	0·37	1	0·05	-	-	18	0·96
Wetherby	-	-	74	4·56	12	0·74	1	0·06	-	-	1	0·06	7	0·43
Wharfedale (North Division) ..	-	-	8	2·11	1	0·26	-	-	-	-	-	-	1	0·26
Wharfedale (South Division) ..	-	-	5	0·81	1	0·16	-	-	-	-	-	-	5	0·81
Wortley	1	0·03	73	2·44	14	0·47	5	0·17	2	0·07	1	0·03	13	0·43
YORK, CITY OF ..	-	-	327	3·79	52	0·60	16	0·19	9	0·10	14	0·16	38	0·44
YORK C.B. . . .	-	-	327	3·79	52	0·60	16	0·19	9	0·10	14	0·16	38	0·44
ANGLESEY* ..	-	-	19	0·38	34	0·67	1	0·02	1	0·02	2	0·04	11	0·22
AGGREGATE OF U.Ds.	-	-	5	0·26	24	1·27	-	-	-	-	1	0·05	4	0·21
AGGREGATE OF R.Ds.	-	-	14	0·44	10	0·32	1	0·03	1	0·03	1	0·03	7	0·22
URBAN DISTRICTS:														
Amlwch	-	-	-	-	5	1·90	-	-	-	-	-	-	-	-
Beaumaris M.B.	-	-	1	0·59	1	0·59	-	-	-	-	-	-	-	-
Holyhead	-	-	3	0·27	14	1·26	-	-	-	-	1	00·9	4	0·36
Llangefni	-	-	-	-	2	1·13	-	-	-	-	-	-	-	-
Menai Bridge ..	-	-	1	0·59	2	1·19	-	-	-	-	-	-	-	-
RURAL DISTRICTS:														
Aethwy	-	-	2	0·24	4	0·48	-	-	-	-	-	-	-	-
Dwyran	-	-	-	-	1	0·35	-	-	-	-	1	0·35	-	-
Twrcelyn	-	-	5	0·56	1	0·11	-	-	-	-	-	-	4	0·45
Valley	-	-	7	0·61	4	0·35	1	0·09	1	0·09	-	-	3	0·26
BRECKNOCK* ..	15	0·25	67	1·14	191	3·24	2	0·34	2	0·34	9	0·15	10	0·17
AGGREGATE OF U.Ds.	14	0·83	8	0·48	53	3·15	1	0·06	-	-	2	0·12	7	0·42
AGGREGATE OF R.Ds.	1	0·02	59	1·40	138	3·27	1	0·02	2	0·05	7	0·17	3	0·07
URBAN DISTRICTS:														
Brecknock M.B.	-	-	1	0·19	42	7·86	-	-	-	-	-	-	2	0·37
Brynmawr	14	1·84	4	0·53	3	0·40	1	0·13	-	-	1	0·13	3	0·40
Builth Wells ..	-	-	3	1·84	1	0·61	-	-	-	-	-	-	-	-
Hay	-	-	-	-	7	4·62	-	-	-	-	1	0·66	2	1·32
Llanwrtyd	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Administrative County.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
BRECKNOCK—<i>cont.</i>														
RURAL DISTRICTS:—														
Brecknock (Defynnock and Llangorse Div.) ..	-	-	7	1·11	21	3·32	-	-	-	-	-	-	-	-
Brecknock (Merthyr Cynog Div.) ..	-	-	4	1·91	-	-	-	-	-	-	1	0·48	-	-
Builth ..	-	-	8	2·05	4	1·02	-	-	1	0·26	1	0·26	-	-
Crickhowell ..	-	-	14	1·88	5	0·67	-	-	-	-	-	-	-	-
Hay ..	-	-	1	0·25	12	3·03	-	-	-	-	-	-	-	-
Vaynor and Penderyn ..	1	0·19	10	1·91	14	2·67	-	-	1	0·19	2	0·38	-	-
Ystradgynlais ..	-	-	15	1·23	79	6·49	1	0·08	-	-	3	0·25	2	0·16
Llanwrthwl (parish)*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ystradfellte(parish) †	-	-	-	-	3	4·56	-	-	-	-	-	-	1	1·52
CAERNARVON† ..	-	-	70	0·57	96	0·78	13	0·11	3	0·02	10	0·08	26	0·21
AGGREGATE OF U.Ds.	-	-	42	0·66	55	0·86	8	0·12	1	0·02	6	0·09	17	0·27
AGGREGATE OF R.Ds.	-	-	28	0·48	41	0·70	5	0·09	2	0·03	4	0·07	9	0·15
URBAN DISTRICTS:														
Bangor M.B. ..	-	-	6	0·54	5	0·45	4	0·36	-	-	1	0·09	3	0·27
Bethesda..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bettws y Coed ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caernarvon M.B.	-	-	18	2·13	5	0·59	1	0·12	-	-	-	-	3	0·35
Conway M.B. ..	-	-	12	1·39	24	2·78	-	-	-	-	2	0·23	7	0·81
Criccieth ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Llandudno ..	-	-	4	0·29	12	0·86	-	-	-	-	1	0·07	2	0·14
Llanfairfechan ..	-	-	-	-	1	0·31	2	0·63	1	0·31	1	0·31	1	0·31
Penmaenmawr ..	-	-	2	0·49	6	1·48	-	-	-	-	1	0·25	-	-
Portmadoc ..	-	-	-	-	2	0·48	-	-	-	-	-	-	-	-
Pwllheli M.B. ..	-	-	-	-	-	-	1	0·27	-	-	-	-	1	0·27
RURAL DISTRICTS:														
Conway ..	-	-	2	0·42	5	1·06	1	0·21	-	-	1	0·21	1	0·21
Geirionydd ..	-	-	3	0·72	2	0·48	-	-	1	0·24	-	-	1	0·24
Glaslyn ..	-	-	1	0·36	-	-	-	-	-	-	-	-	1	0·36
Gwyrfaï ..	-	-	9	0·37	9	0·37	2	0·08	1	0·04	1	0·04	3	0·12
Lleyn ..	-	-	7	0·42	23	1·37	2	0·12	-	-	2	0·12	3	0·18
Ogwen ..	-	-	6	1·04	2	0·35	-	-	-	-	-	-	-	-
CARDIGAN† ..	-	-	47	0·84	57	1·01	6	0·11	-	-	1	0·02	10	0·18
AGGREGATE OF U.Ds.	-	-	18	1·09	30	1·81	5	0·30	-	-	1	0·06	8	0·48
AGGREGATE OF R.Ds.	-	-	29	0·73	27	0·68	1	0·03	-	-	-	-	2	0·05
URBAN DISTRICTS:														
Aberayron ..	-	-	-	-	1	0·82	-	-	-	-	-	-	-	-
Aberystwyth M.B.	-	-	17	1·87	28	3·08	3	0·33	-	-	-	-	6	0·66
Cardigan M.B. ..	-	-	1	0·30	1	0·30	1	0·30	-	-	-	-	-	-
Lampeter M.B. ..	-	-	-	-	-	-	-	-	-	-	1	0·53	2	1·06
New Quay ..	-	-	-	-	-	-	1	0·92	-	-	-	-	-	-
RURAL DISTRICTS:														
Aberayron ..	-	-	-	-	2	0·28	-	-	-	-	-	-	-	-
Aberystwyth(North Div.) ..	-	-	20	2·99	3	0·45	-	-	-	-	-	-	-	-
Aberystwyth(South Div.) ..	-	-	6	1·24	1	0·21	1	0·21	-	-	-	-	1	0·21
Cardigan ..	-	-	2	0·65	6	1·96	-	-	-	-	-	-	1	0·33
Lampeter ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Llandyssil ..	-	-	1	0·13	12	1·56	-	-	-	-	-	-	-	-
Tregaron ..	-	-	-	-	3	0·46	-	-	-	-	-	-	-	-
Ysgubor y Coed (parish)§	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This Parish is administered by the Rural District Council of Rhayader (Radnor).

† This Parish is administered by the Rural District Council of Neath (Glamorgan).

‡ Administrative County.

§ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
CARMARTHEN* ..	-	-	252	1·37	358	1·95	6	0·03	4	0·02	18	0·10	33	0·18
AGGREGATE OF U.Ds.	-	-	122	1·60	168	2·20	5	0·07	1	0·01	6	0·08	19	0·25
AGGREGATE OF R.Ds.	-	-	130	1·21	190	1·77	1	0·01	3	0·03	12	0·11	14	0·13
URBAN DISTRICTS:														
Ammanford ..	-	-	32	4·27	25	3·34	1	0·13	-	-	1	0·13	2	0·27
Burry Port ..	-	-	1	0·17	58	9·77	-	-	-	-	-	-	1	0·17
Carmarthen M.B.	-	-	33	3·21	7	0·68	-	-	-	-	1	0·10	-	-
Cwmamman ..	-	-	11	1·98	8	1·44	-	-	-	-	-	-	3	0·54
Kidwelly M.B. ..	-	-	6	1·85	39	12·03	-	-	-	-	-	-	4	1·23
Llandilo ..	-	-	2	1·03	-	-	-	-	-	-	-	-	1	0·52
Llandovery M.B.	-	-	1	0·48	-	-	-	-	-	-	-	-	-	-
Llanelly M.B. ..	-	-	36	0·92	31	0·80	4	0·10	1	0·03	4	0·10	8	0·21
Newcastle Emlyn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RURAL DISTRICTS:														
Carmarthen ..	-	-	37	1·50	29	1·18	-	-	1	0·04	-	-	3	0·12
Llandilo Fawr ..	-	-	27	1·17	56	2·43	1	0·04	-	-	11	0·48	4	0·17
Llandovery ..	-	-	9	1·37	2	0·30	-	-	-	-	-	-	-	-
Llanelly ..	-	-	57	1·48	79	2·05	-	-	1	0·03	1	0·03	6	0·16
Llanybyther ..	-	-	-	-	2	0·59	-	-	-	-	-	-	1	0·29
Newcastle in Emlyn	-	-	-	-	-	-	-	-	1	0·17	-	-	-	-
Whitland ..	-	-	-	-	22	4·34	-	-	-	-	-	-	-	-
DENBIGH*.. ..	-	-	763	4·76	931	5·80	5	0·03	7	0·04	12	0·07	45	0·28
AGGREGATE OF U.Ds.	-	-	240	4·14	202	3·48	3	0·05	1	0·02	4	0·07	17	0·29
AGGREGATE OF R.Ds.	-	-	523	5·11	729	7·12	2	0·02	6	0·06	8	0·08	28	0·27
URBAN DISTRICTS:														
Abergele and Pensarn ..	-	-	-	-	-	-	1	0·38	-	-	-	-	-	-
Colwyn Bay ..	-	-	24	1·13	14	0·66	1	0·05	-	-	-	-	8	0·38
Denbigh M.B. ..	-	-	7	0·94	13	1·74	1	0·13	-	-	-	-	3	0·40
Llangollen ..	-	-	2	0·68	10	3·38	-	-	-	-	-	-	1	0·34
Llanrwst ..	-	-	1	0·41	3	1·24	-	-	1	0·41	-	-	-	-
Ruthin M.B. ..	-	-	49	17·06	55	19·15	-	-	-	-	2	0·70	1	0·35
Wrexham M.B. ..	-	-	157	8·49	107	5·78	-	-	-	-	2	0·11	4	0·22
RURAL DISTRICTS:														
Chirk ..	-	-	1	0·20	9	1·82	-	-	-	-	2	0·40	-	-
Llangollen ..	-	-	12	3·33	6	1·66	-	-	-	-	1	0·28	-	-
Llanrwst ..	-	-	8	1·94	4	0·97	-	-	-	-	1	0·24	1	0·24
Llansilin ..	-	-	3	1·07	5	1·78	-	-	-	-	-	-	2	0·71
Ruthin ..	-	-	48	5·19	83	8·98	-	-	-	-	-	-	1	0·11
St. Asaph (Denbigh) ..	-	-	25	3·44	4	0·55	-	-	-	-	1	0·14	2	0·28
Uwchaled ..	-	-	1	0·50	1	0·50	-	-	-	-	-	-	-	-
Wrexham ..	-	-	423	6·36	617	9·27	2	0·03	6	0·09	3	0·05	22	0·33
Llanelian yn Rhôs and Llansantffraid Glan Conway (parishes)†	-	-	2	1·06	-	-	-	-	-	-	-	-	-	-

* Administrative County.

† These Parishes are administered by the Rural District Council of Conway (Caernarvon).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
FLINT*	-	-	219	1·93	192	1·69	2	0·02	10	0·09	19	0·17	25	0·22
AGGREGATE OF U.Ds.	-	-	82	1·74	69	1·46	-	-	3	0·06	5	0·11	7	0·15
AGGREGATE OF R.Ds.	-	-	137	2·06	123	1·85	2	0·03	7	0·11	14	0·21	18	0·27
URBAN DISTRICTS:														
Buckley	-	-	9	1·28	8	0·13	-	-	-	-	1	0·14	2	0·28
Connah's Quay ..	-	-	11	1·80	-	-	-	-	-	-	1	0·16	-	-
Flint M.B.	-	-	6	0·78	1	0·13	-	-	2	0·26	-	-	1	0·13
Holywell	-	-	5	1·48	15	4·45	-	-	-	-	-	-	1	0·30
Mold	-	-	7	1·34	2	0·38	-	-	-	-	1	0·19	-	-
Prestatyn	-	-	16	3·47	3	0·65	-	-	-	-	-	-	1	0·22
Rhyl	-	-	28	2·13	40	3·04	-	-	1	0·08	2	0·15	2	0·15
RURAL DISTRICTS:														
Hawarden	-	-	63	2·37	45	1·70	1	0·04	6	0·23	7	0·26	11	0·41
Holywell	-	-	36	1·34	37	1·37	1	0·04	-	-	7	0·26	6	0·22
Overton	-	-	3	0·61	20	4·08	-	-	-	-	-	-	-	-
St. Asaph (Flint)	-	-	35	4·35	21	2·61	-	-	1	0·12	-	-	1	0·12
GLAMORGAN† ..	314	0·25	2,588	2·04	3,630	2·86	51	0·04	124	0·10	226	0·18	448	0·35
CARDIFF C.B. ..	8	0·04	536	2·36	731	3·21	11	0·05	42	0·18	99	0·44	106	0·47
MERTHYR TYDFIL C.B. ..	44	0·58	122	1·62	227	3·01	-	-	2	0·03	5	0·07	24	0·32
SWANSEA C.B. ..	1	0·01	181	1·08	485	2·90	7	0·04	34	0·20	20	0·12	35	0·21
AGGREGATE OF U.Ds.†	261	0·43	1,496	2·47	1,911	3·15	20	0·03	36	0·06	92	0·15	254	0·42
AGGREGATE OF R.Ds.†	-	-	253	1·31	276	1·43	13	0·07	10	0·05	10	0·05	29	0·15
URBAN DISTRICTS:														
Aberdare	3	0·06	65	1·26	155	3·01	1	0·02	-	-	1	0·02	31	0·60
Barry	-	-	70	1·77	77	1·95	-	-	2	0·05	2	0·05	17	0·43
Bridgend	-	-	20	2·00	2	0·20	-	-	-	-	-	-	1	0·10
Caerphilly	40	1·05	132	3·46	164	4·30	-	-	-	-	4	0·10	13	0·34
Cowbridge M.B. ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gelligaer	123	2·84	122	2·82	114	2·64	10	0·23	3	0·07	8	0·18	31	0·72
Glyncorwg	-	-	25	2·36	26	2·45	-	-	-	-	-	-	4	0·38
Llwchwr†§	-	-	10	0·48	27	1·29	-	-	-	-	3	0·14	1	0·05
Maesteg	-	-	72	2·69	208	7·78	-	-	2	0·07	5	0·19	8	0·30
Mountain Ash ..	41	1·01	50	1·23	155	3·82	3	0·07	2	0·05	20	0·49	11	0·27
Neath M.B.	-	-	14	0·41	101	2·93	-	-	1	0·03	5	0·15	8	0·23
Ogmore and Garw	-	-	164	5·76	28	0·98	-	-	-	-	2	0·07	23	0·81
Penarth	-	-	21	1·15	4	0·22	-	-	-	-	3	0·16	8	0·44
Pontypridd	1	0·02	113	2·53	166	3·71	1	0·02	7	0·16	7	0·16	22	0·49
Porthcawl	-	-	26	4·03	15	2·33	1	0·16	1	0·16	-	-	3	0·47
Port Talbot M.B.	-	-	37	0·89	167	3·99	-	-	-	-	1	0·02	5	0·12
Rhondda	53	0·35	555	3·71	502	3·36	4	0·03	18	0·12	31	0·21	68	0·46
RURAL DISTRICTS:														
Cardiff	-	-	66	2·25	29	0·99	7	0·24	1	0·03	2	0·07	3	0·10
Cowbridge	-	-	11	1·00	4	0·36	1	0·09	1	0·09	-	-	4	0·36
Gower	-	-	1	0·10	8	0·80	3	0·30	-	-	-	-	1	0·10
Llantrisant and Llantwitfardre	-	-	51	1·95	36	1·38	2	0·08	1	0·04	1	0·04	5	0·19
Neath	-	-	75	1·80	77	1·85	-	-	4	0·10	5	0·12	5	0·12
Penybont	-	-	34	1·11	21	0·69	-	-	2	0·07	-	-	1	0·03
Pontardawe	-	-	12	0·32	87	2·29	-	-	1	0·03	2	0·05	5	0·13
Swansea† 	-	-	3	0·43	14	2·00	-	-	-	-	-	-	5	0·71

* Administrative County.

† Administrative County with associated County Boroughs.

‡ Rates adjusted to allow for changes in boundary during the year.

§ Created 31st March, 1930.

|| Abolished 31st March, 1930.

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MERIONETH* ..	-	-	40	0·92	104	2·38	-	-	-	-	3	0·07	6	0·14
AGGREGATE OF U.Ds.	-	-	15	0·76	44	2·22	-	-	-	-	2	0·10	3	0·15
AGGREGATE OF R.Ds.	-	-	25	1·05	60	2·52	-	-	-	-	1	0·04	3	0·13
URBAN DISTRICTS:														
Bala ..	-	-	1	0·68	-	-	-	-	-	-	1	0·68	-	-
Barmouth ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dolgelley ..	-	-	3	1·25	4	1·67	-	-	-	-	1	0·42	-	-
Ffestiniog ..	-	-	10	1·09	37	4·02	-	-	-	-	-	-	1	0·11
Mallwyd ..	-	-	-	-	2	0·42	-	-	-	-	-	-	-	-
Towyn ..	-	-	1	0·26	3	0·78	-	-	-	-	-	-	2	0·52
RURAL DISTRICTS:														
Deudraeth ..	-	-	6	0·81	50	6·74	-	-	-	-	-	-	3	0·40
Dolgelley ..	-	-	13	1·73	5	0·66	-	-	-	-	-	-	-	-
Edeirnion ..	-	-	2	0·42	-	-	-	-	-	-	-	-	-	-
Penllyn ..	-	-	4	1·08	3	0·81	-	-	-	-	1	0·27	-	-
Pennal (parish)† ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONMOUTH† ..	504	1·11	1,262	2·79	767	1·70	27	0·06	17	0·04	32	0·07	150	0·33
NEWPORT C.B. ..	99	1·06	311	3·32	234	2·50	8	0·09	3	0·03	9	0·10	38	0·41
AGGREGATE OF U.Ds.	401	1·32	809	2·66	488	1·61	16	0·05	11	0·04	0	0·07	101	0·33
AGGREGATE OF R.Ds.	4	0·07	142	2·60	45	0·82	3	0·05	3	0·05	3	0·05	11	0·20
URBAN DISTRICTS:														
Abercarn ..	2	0·09	45	2·13	10	0·47	-	-	-	-	-	-	6	0·28
Abergavenny M.B.	1	0·11	7	0·80	2	0·23	1	0·11	-	-	1	0·11	1	0·11
Abersychan ..	15	0·55	38	1·39	25	0·91	-	-	2	0·07	-	-	5	0·18
Abertillery ..	6	0·18	268	8·14	119	3·61	-	-	2	0·06	-	-	5	0·15
Bedwas and Machen ..	10	1·04	15	1·57	30	3·13	2	0·21	1	0·10	-	-	3	0·31
Bedwellty ..	148	4·71	75	2·38	78	2·48	2	0·06	-	-	4	0·13	19	0·60
Blaenavon ..	8	0·68	5	0·43	6	0·51	-	-	-	-	-	-	-	-
Caerleon ..	-	-	1	0·39	1	0·39	-	-	-	-	-	-	1	0·39
Chepstow ..	-	-	7	1·62	1	0·23	-	-	-	-	-	-	-	-
Ebbw Vale ..	124	3·73	55	1·65	56	1·68	7	0·21	-	-	2	0·06	12	0·36
Llanfrechfa Upper	-	-	11	2·36	21	4·51	-	-	-	-	-	-	1	0·21
Llantarnam ..	-	-	27	3·51	3	0·39	-	-	-	-	-	-	3	0·39
Monmouth M.B.	-	-	2	0·40	1	0·20	-	-	1	0·20	1	0·20	1	0·20
Mynyddislwyn ..	49	2·93	18	1·07	30	1·79	-	-	-	-	1	0·06	4	0·24
Nantyglo and Blaina ..	-	-	12	0·85	6	0·42	-	-	1	0·07	2	0·14	10	0·71
Panteg ..	8	0·68	5	0·42	17	1·44	3	0·25	-	-	2	0·17	-	-
Pontypool ..	16	2·25	19	2·68	2	0·28	-	-	1	0·14	-	-	4	0·56
Rhymney ..	6	0·54	93	8·40	21	1·90	1	0·09	3	0·27	1	0·09	6	0·54
Risca ..	-	-	16	0·93	12	0·70	-	-	-	-	-	-	7	0·41
Tredegar ..	8	0·33	90	3·73	46	1·90	-	-	-	-	6	0·25	12	0·50
Usk ..	-	-	-	-	1	0·74	-	-	-	-	-	-	1	0·74
RURAL DISTRICTS:														
Abergavenny ..	-	-	10	1·10	3	0·33	2	0·22	-	-	-	-	1	0·11
Chepstow ..	-	-	7	0·79	3	0·34	-	-	-	-	-	-	1	0·11
Magor ..	-	-	20	2·97	8	1·19	-	-	1	0·15	1	0·15	-	-
Monmouth ..	-	-	4	0·61	8	1·22	-	-	2	0·30	-	-	-	-
Pontypool ..	-	-	7	1·34	2	0·38	-	-	-	-	-	-	4	0·77
St. Mellons ..	4	0·22	94	5·19	21	1·16	1	0·06	-	-	2	0·11	5	0·28

* Administrative County.

† Administrative County with associated County Borough.

‡ This Parish is administered by the Rural District Council of Machynlleth (Montgomery).

TABLE 28.—Number of cases of INFECTIOUS DISEASES notified during the 53 weeks ended 4th January 1931, and the ATTACK-RATE per 1,000 of the civilian population—*cont.*

ADMINISTRATIVE AREA.	Small-pox.		Scarlet fever.		Diphtheria.		Enteric fever.		Puerperal fever.		Puerperal pyrexia.		Erysipelas.	
	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.	Cases.	Rate.
MONTGOMERY* ..	-	-	14	0.28	33	0.66	2	0.04	7	0.14	5	0.10	18	0.36
AGGREGATE OF U.Ds.	-	-	1	0.06	8	0.45	1	0.06	2	0.11	2	0.11	10	0.56
AGGREGATE OF R.Ds.	-	-	13	0.41	25	0.79	1	0.03	5	0.16	3	0.09	8	0.25
URBAN DISTRICTS:														
Llanfyllin M.B. ..	-	-	-	-	2	1.31	-	-	-	-	1	0.66	-	-
Llanidloes M.B. ..	-	-	-	-	1	0.41	-	-	-	-	-	-	-	-
Machynlleth ..	-	-	1	0.53	-	-	-	-	1	0.53	-	-	1	0.53
Montgomery M.B. ..	-	-	-	-	-	-	-	-	-	-	-	-	6	6.34
Newtown and Llanllwchaiarn	-	-	-	-	5	0.94	-	-	1	0.19	1	0.19	-	-
Welshpool M.B. ..	-	-	-	-	-	-	1	0.17	-	-	-	-	3	0.52
RURAL DISTRICTS:														
Forden ..	-	-	-	-	6	1.10	-	-	1	0.18	1	0.18	5	0.92
Llanfyllin ..	-	-	3	0.25	11	0.92	1	0.08	4	0.33	2	0.17	1	0.08
Machynlleth ..	-	-	6	1.63	-	-	-	-	-	-	-	-	-	-
Newtown and Llanidloes ..	-	-	4	0.57	8	0.74	-	-	-	-	-	-	2	0.19
PEMBROKE* ..	1	0.01	42	0.48	204	2.33	6	0.07	4	0.05	10	0.11	8	0.09
AGGREGATE OF U.Ds.	1	0.02	24	0.60	134	3.34	4	0.10	2	0.05	10	0.25	3	0.07
AGGREGATE OF R.Ds.	-	-	18	0.38	70	1.48	2	0.04	2	0.04	-	-	5	0.11
URBAN DISTRICTS:														
Fishguard ..	-	-	-	-	4	1.34	-	-	-	-	-	-	-	-
Goodwick ..	-	-	-	-	14	6.05	-	-	-	-	1	0.43	1	0.43
Haverfordwest M.B. ..	1	0.16	4	0.66	2	0.33	2	0.33	1	0.16	6	0.99	1	0.16
Milford Haven ..	-	-	10	1.08	62	6.72	1	0.11	-	-	-	-	-	-
Narberth ..	-	-	-	-	1	0.91	-	-	-	-	-	-	-	-
Neyland ..	-	-	-	-	10	4.49	-	-	-	-	1	0.45	-	-
Pembroke M.B. ..	-	-	6	0.49	39	3.21	1	0.08	1	0.08	2	0.16	1	0.08
Tenby M.B. ..	-	-	4	0.98	2	0.49	-	-	-	-	-	-	-	-
RURAL DISTRICTS:														
Haverfordwest ..	-	-	4	0.21	37	1.96	1	0.05	1	0.05	-	-	2	0.11
Llanfyrnach ..	-	-	-	-	2	0.91	1	0.46	-	-	-	-	-	-
Narberth ..	-	-	7	0.65	2	0.19	-	-	-	-	-	-	2	0.19
Pembroke ..	-	-	6	0.75	26	3.25	-	-	1	0.12	-	-	-	-
St. Dogmells ..	-	-	1	0.13	3	0.40	-	-	-	-	-	-	1	0.13
RADNOR* ..	-	-	14	0.65	1	0.05	-	-	2	0.09	2	0.09	4	0.19
AGGREGATE OF U.Ds.	-	-	1	0.17	1	0.17	-	-	1	0.17	1	0.17	3	0.52
AGGREGATE OF R.Ds.	-	-	13	0.83	-	-	-	-	1	0.06	1	0.06	1	0.06
URBAN DISTRICTS:														
Knighton ..	-	-	1	0.56	1	0.56	-	-	-	-	-	-	1	0.56
Llandrindod Wells	-	-	-	-	-	-	-	-	-	-	-	-	2	0.71
Presteigne ..	-	-	-	-	-	-	-	-	1	0.90	1	0.90	-	-
RURAL DISTRICTS:														
Colwyn ..	-	-	1	0.49	-	-	-	-	-	-	-	-	-	-
Knighton ..	-	-	6	1.49	-	-	-	-	-	-	-	-	-	-
New Radnor ..	-	-	1	0.39	-	-	-	-	1	0.39	1	0.39	-	-
Paincastle ..	-	-	2	0.90	-	-	-	-	-	-	-	-	-	-
Rhayader ..	-	-	3	0.62	-	-	-	-	-	-	-	-	1	0.21

* Administrative County.

TABLE 29.—AIR TEMPERATURE, RAINFALL AND SUNSHINE, ENGLAND AND WALES,
DURING THE YEAR 1930*

District.	Air Temperature.			Rainfall.		Sun- shine	Normal Values, 1881-1915.			
	Highest.	Lowest.	Deviation from Normal Daily Mean.	Percentage of Normal.	Number of Days Deviation from Normal.	Percentage of Normal Duration.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
	Year 1930.						Year 1881-1915.			
	° F.	° F.	° F.	%		%	° F.	mm.		hr.
England N.E. ..	90	10	+0·6	125	+ 7	94	47·3	645	188	3·93
England E. ..	93	13	+1·2	115	— 5	96	48·4	610	181	4·32
Midland Counties	‡92	3	+0·8	121	+12	90	47·9	686	181	3·82
England S.E. ..	94	13	+0·9	114	+13	99	49·5	709	175	4·49
England N.W.†.	91	‡14	+0·3	119	+25	94	48·2	901	201	3·89
England S.W.†..	88	13	+0·7	115	+22	90	49·5	1001	199	4·28
Mean	94	3	+0·7	118	+13	94	48·5	759	187	4·12

* For similar values for each month and quarter, *see* the Registrar-General's Quarterly Returns.

† The district known as England N.W. includes the Northern half of Wales, whilst England S.W. includes the southern half.

‡ Amended values.

TABLE 30.—QUARTERLY METEOROLOGICAL ELEMENTS. GREENWICH, 1930.

	Temperature of								Vapour Pressure in Millibars.		Mass of Vapour in a Cubic Metre of Air.		Degree of Humidity.		Mean Air Pressure at Station Level* in Millibars.		Mass of a Cubic Metre of Air.		Rain.		Readings of Thermometer on Grass.												
	Air.		Dew Point.		Air Daily Range.		Mean.														Difference from Normal		Mean.		Difference from Normal		Mean.		Difference from Normal		At or below 30° F.		Between 30° and 40° F.
			Mean of Maximum and Minimum.	Difference from Normal of 130 years.	Difference from Normal of 60 years.	Mean of "Wet Bulb" Readings at 9h. and 21h.			Difference from Normal of 60 years.	Mean.	Difference from Normal of 60 years.	Mean.	Difference from Normal of 60 years.	Mean.	Difference from Normal of 60 years.	Mean.	Difference from Normal of 60 years.	Mean.	Difference from Normal of 60 years.	Amount in Millimetres.	Difference from Normal of 86 years.	At or below 30° F.	Between 30° and 40° F.	Above 40° F.	Lowest Reading at Night.	Highest Reading at Night.							
	° F.	° F.					° F.	° F.																			° F.	° F.	° F.	° F.	° F.	° F.	° F.
1st Quarter : Jan., Feb., Mar.	2nd "	3rd "	4th "	Oct., Nov., Dec.	1930	51.2	+2.5	+1.8	47.6	+1.1	45.2	+1.7	15.1	-0.7	10.3	+0.4	7.8	+0.1	79	-3	1009.2	+0.3	1235	-	6	696	+	66	99	132	134	12	60
Year	1st Quarter	2nd "	3rd "	4th "	Year	42.0	+3.1	+2.2	39.1	+1.3	36.1	+0.9	11.4	-0.4	7.4	+0.4	5.8	+0.3	81	-3	1008.6	-0.2	1259	-	5	122	-	3	51	37	2	15	41
	1st Quarter	2nd "	3rd "	4th "		55.0	+2.6	+2.1	50.4	+1.3	46.6	+1.4	18.4	-1.6	10.8	+0.4	8.2	+0.4	75	-2	1010.1	+0.9	1227	-	5	203	+	60	13	41	37	20	56
	1st Quarter	2nd "	3rd "	4th "		61.8	+2.0	+1.4	56.8	+0.3	55.0	+2.0	18.0	-1.7	14.1	+0.6	10.6	+0.1	77	0	1010.2	+0.6	1210	-	4	195	+	13	0	15	77	33	60
	1st Quarter	2nd "	3rd "	4th "		45.9	+2.1	+1.4	44.0	+1.4	42.6	+2.0	12.6	+0.9	8.9	+0.2	6.8	-0.3	85	-4	1008.0	-0.1	1245	-	8	177	-	3	35	39	18	12	52

* Height of barometer cistern above mean sea level=152 feet (average correction to sea level +5.6 mb.).
In this table + and - respectively signify that the numbers in the preceding column are above or below the average to the amount of the quantities to which the signs are affixed.
Pressure is expressed in millibars (1,000 mb. = 29.531 mercury inches).
Density is expressed in grams per cubic metre (2.294 grams per cubic metre=1 grain per cubic foot).

TABLE 31.—METEOROLOGICAL

Year.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861-1910).	Fall of Rain in Inches and in Millimetres.		Departure from Average of 50 Years (1861-1910).	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years (1861-1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861-1910)
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1881 ..	2030	+ 79	25.7	653	+ 43	81	0	48.7	- 0.8
1882 ..	2151	+200	25.2	640	+ 30	84	+ 3	49.7	+ 0.2
1883 ..	2058	+107	21.9	557	- 53	82	+ 1	49.4	- 0.1
1884 ..	2034	+ 83	18.1	458	-152	80	- 1	50.7	+ 1.2
1885 ..	2008	+ 57	24.0	610	0	81	0	48.6	- 0.9
1886 ..	1962	+ 11	24.2	615	+ 5	81	0	48.7	- 0.8
1887 ..	1927	- 24	19.9	504	-106	79	- 2	47.8	- 1.7
1888 ..	2049	+ 98	27.5	699	+ 89	82	+ 1	47.7	- 1.8
1889 ..	1934	- 17	23.3	591	- 19	83	+ 2	48.8	- 0.7
1890 ..	1946	- 5	21.9	555	- 55	81	0	48.6	- 0.9
1891 ..	1945	- 6	25.0	636	+ 26	82	+ 1	48.4	- 1.1
1892 ..	1863	- 88	22.3	567	- 43	80	- 1	48.1	- 1.4
1893 ..	1909	- 42	20.1	511	- 99	76	- 5	51.1	+ 1.6
1894 ..	2019	+ 68	26.9	683	+ 73	81	0	49.9	+ 0.4
1895 ..	1951	0	19.7	501	-109	78	- 3	49.3	- 0.2
1896 ..	1932	- 19	22.4	569	- 41	79	- 2	50.2	+ 0.7
1897 ..	2033	+ 82	22.1	562	- 48	79	- 2	50.3	+ 0.8
1898 ..	1956	+ 5	18.9	479	-131	78	- 3	51.3	+ 1.8
1899 ..	1911	- 40	22.3	567	- 43	77	- 4	50.6	+ 1.1
1900 ..	2050	+ 99	22.3	567	- 43	79	- 2	50.4	+ 0.9
1901 ..	1970	+ 19	20.3	515	- 95	78	- 3	49.2	- 0.3
1902 ..	1933	- 18	19.3	491	-119	80	- 1	49.2	- 0.3
1903 ..	2226	+275	35.5	903	+293	80	- 1	50.1	+ 0.6
1904 ..	1913	- 38	20.7	525	- 85	82	+ 1	49.8	+ 0.3
1905 ..	2063	+112	23.0	585	- 25	81	0	49.9	+ 0.4
1906 ..	2093	+142	24.7	628	+ 18	79	- 2	50.7	+ 1.2
1907 ..	1977	+ 26	22.3	565	- 45	81	0	49.7	+ 0.2
1908 ..	1932	- 19	23.8	604	- 6	83	+ 2	50.1	+ 0.6
1909 ..	2041	+ 90	25.7	653	+ 43	83	+ 2	48.9	- 0.6
1910 ..	2155	+204	28.1	713	+103	84	+ 3	50.2	+ 0.7
1911 ..	2140	+189	23.7	601	- 9	79	- 2	51.8	+ 2.3
1912 ..	2085	+134	24.9	632	+ 22	83	+ 2	51.0	+ 1.5
1913 ..	2030	+ 79	22.4	570	- 40	83	+ 2	51.3	+ 1.8
1914 ..	2087	+136	23.9	606	- 4	81	0	51.5	+ 2.0
1915 ..	1932	- 19	30.6	776	+166	82	+ 1	49.9	+ 0.4
1916 ..	2040	+ 89	29.8	757	+147	84	+ 3	49.9	+ 0.4
1917 ..	2059	+108	26.0	660	+ 50	82	+ 1	48.9	- 0.6
1918 ..	1993	+ 42	28.4	722	+112	82	+ 1	50.6	+ 1.1
1919 ..	1940	- 11	23.0	586	- 24	81	0	48.8	- 0.7
1920 ..	1918	- 33	21.5	546	- 64	82	+ 1	51.1	+ 1.6
1921 ..	1855	- 96	12.8	318	-292	77	- 4	52.7	+ 3.2
1922 ..	2043	+ 92	23.2	589	- 21	80	- 1	49.4	- 0.1
1923 ..	2055	+104	24.0	610	0	81	0	50.3	+ 0.8
1924 ..	1947	- 4	30.6	779	+169	83	+ 2	50.6	+ 1.1
1925 ..	1957	+ 6	23.4	594	- 16	81	0	50.5	+ 1.0
1926 ..	1948	- 3	28.1	714	+104	82	+ 1	51.1	+ 1.6
1927 ..	†2003	+ 52	29.4	746	+136	83	+ 2	50.2	+ 0.7
1928 ..	2086	+135	25.3	643	+ 33	80	- 1	51.1	+ 1.6
1929 ..	1846	-105	21.7	551	- 59	78	- 3	50.1	+ 0.6
1930 ..	1979	+ 28	27.4	696	+ 86	79	- 2	51.2	+ 1.7
Average 50 years (1861-1910)	1951	—	24.0	610	—	81	—	49.5	—

† Mean of 52 weeks only (50th week—defective record).

Corresponding values from the year 1849 are

ELEMENTS, GREENWICH, 1881-1930.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861-1910).	June.	Departure from Average of 50 Years (1861-1910).	September.	Departure from Average of 50 Years (1861-1910).	December.	Departure from Average of 50 Years (1861-1910).	
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
37.3	— 2.7	52.9	— 0.1	60.0	— 0.5	44.6	+ 0.3	1881
42.3	+ 2.3	53.0	0.0	58.1	— 2.4	44.7	+ 0.4	1882
40.0	0.0	53.0	0.0	59.5	— 1.0	44.9	+ 0.6	1883
43.4	+ 3.4	52.5	— 0.5	62.7	+ 2.2	44.1	— 0.2	1884
40.3	+ 0.3	52.4	— 0.6	59.1	— 1.4	42.8	— 1.5	1885
36.5	— 3.5	52.5	— 0.5	61.2	+ 0.7	44.6	+ 0.3	1886
37.3	— 2.7	51.6	— 1.4	61.0	+ 0.5	41.3	— 3.0	1887
36.9	— 3.1	51.6	— 1.4	57.6	— 2.9	44.6	+ 0.3	1888
38.2	— 1.8	54.5	+ 1.5	58.9	— 1.6	43.5	— 0.8	1889
41.4	— 1.4	52.8	— 0.2	58.4	— 2.1	40.8	— 3.5	1890
37.6	— 2.4	51.6	— 1.4	59.3	— 1.2	45.0	+ 0.7	1891
37.5	— 2.5	53.4	+ 0.4	59.2	— 1.3	42.3	— 2.0	1892
40.9	+ 0.9	57.0	+ 4.0	61.9	+ 1.4	44.6	+ 0.3	1893
41.4	+ 1.4	53.3	+ 0.3	58.6	— 1.9	46.4	+ 2.1	1894
35.2	— 4.8	55.1	+ 2.1	62.3	+ 1.8	44.7	+ 0.4	1895
42.2	+ 2.2	55.6	+ 2.6	60.4	— 0.1	42.4	— 1.9	1896
41.1	+ 1.1	53.1	+ 0.1	60.9	+ 0.4	46.0	+ 1.7	1897
41.5	+ 1.5	52.4	— 0.6	62.7	+ 2.2	48.5	+ 4.2	1898
41.8	+ 1.8	52.8	— 0.2	63.0	+ 2.5	44.7	+ 0.4	1899
39.2	— 0.8	52.8	— 0.2	61.8	+ 1.3	47.6	+ 3.3	1900
37.8	— 2.2	53.4	+ 0.4	61.7	+ 1.2	43.9	— 0.4	1901
40.5	+ 0.5	51.0	— 2.0	59.6	— 0.9	45.2	+ 0.9	1902
43.9	+ 3.9	51.2	— 1.8	60.0	— 0.5	45.2	+ 0.9	1903
39.5	— 0.5	53.8	+ 0.8	61.5	+ 1.0	44.3	0.0	1904
41.9	+ 1.9	53.8	+ 0.8	61.7	+ 1.2	42.2	— 2.1	1905
41.1	+ 1.1	52.8	— 0.2	63.2	+ 2.7	45.8	+ 1.5	1906
40.0	0.0	52.9	— 0.1	60.1	— 0.4	45.8	+ 1.5	1907
39.5	— 0.5	53.8	+ 0.8	60.3	— 0.2	46.6	+ 2.3	1908
38.4	— 1.6	52.5	— 0.5	59.7	— 0.8	44.8	+ 0.5	1909
41.5	+ 1.5	54.2	+ 1.2	59.3	— 1.2	45.6	+ 1.3	1910
40.3	+ 0.3	54.9	+ 1.9	65.7	+ 5.2	46.2	+ 1.9	1911
43.6	+ 3.6	55.3	+ 2.3	58.9	— 1.6	45.9	+ 1.6	1912
42.4	+ 2.4	54.5	+ 1.5	60.2	— 0.3	47.8	+ 3.5	1913
42.5	+ 2.5	54.9	+ 1.9	62.2	+ 1.7	46.5	+ 2.2	1914
40.8	+ 0.8	53.4	+ 0.4	60.9	+ 0.4	44.3	0.0	1915
41.5	+ 1.5	53.0	0.0	60.4	— 0.1	44.7	+ 0.4	1916
36.4	— 3.6	54.5	+ 1.5	61.7	+ 1.2	43.1	— 1.2	1917
42.3	+ 2.3	53.2	+ 0.2	60.7	+ 0.2	46.1	+ 1.8	1918
38.1	— 1.9	54.3	+ 1.3	60.2	— 0.3	42.5	— 1.8	1919
44.3	+ 4.3	55.3	+ 2.3	59.1	— 1.4	45.4	+ 1.1	1920
44.5	+ 4.5	54.9	+ 1.9	64.2	+ 3.7	47.2	+ 2.9	1921
41.2	+ 1.2	54.2	+ 1.2	58.1	— 2.4	44.2	— 0.1	1922
44.8	+ 4.8	51.4	— 1.6	61.8	+ 1.3	43.0	— 1.3	1923
39.8	— 0.2	54.6	+ 1.6	60.8	+ 0.3	47.1	+ 2.8	1924
42.2	+ 2.2	55.0	+ 2.0	60.9	+ 0.4	44.0	— 0.3	1925
43.8	+ 3.8	53.9	+ 0.9	63.0	+ 2.5	43.9	— 0.4	1926
42.8	+ 2.8	53.8	+ 0.8	60.6	+ 0.1	43.6	— 0.7	1927
43.4	+ 3.4	53.1	+ 0.1	62.2	+ 1.7	45.9	+ 1.6	1928
37.0	— 3.0	53.0	0.0	64.0	+ 3.5	46.4	+ 2.1	1929
42.0	+ 2.0	55.0	+ 2.0	61.8	+ 1.3	45.9	+ 1.6	1930
40.0	—	53.0	—	60.5	—	44.3	—	Average 50 years (1861-1910)

published in previous Annual Reports.

APPENDIX TABLES.

- A1. Infant Mortality by Sex, Age, Cause and Legitimacy, England and Wales, 1926-1930.
- A2. Infant Mortality by Age, Cause and Legitimacy, and by Class of Administrative Area, 1926-1930.
- B. Deaths by Cause and Place of Occurrence, and by Class of Administrative Area, 1926-1930.

Proportion of Deaths to 1,000 Births.

Cause of Death.	All Infants.							Legitimate Infants.							Illegitimate Infants.						
	Sex.	All Infants.						Legitimate Infants.						Illegitimate Infants.							
		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.		
All Causes	M	35.94	12.66	10.89	9.05	8.10	76.65	34.63	12.09	10.44	8.86	7.99	74.01	64.08	25.03	20.60	13.15	10.46	133.33		
	F	27.47	8.96	8.22	7.18	6.91	58.74	26.33	8.58	7.87	7.01	6.84	56.62	51.89	17.15	15.63	10.85	8.43	103.95		
	P	31.80	10.85	9.58	8.13	7.52	67.88	30.57	10.37	9.18	7.95	7.43	65.50	58.10	21.17	18.16	12.02	9.46	118.92		
I. Common Infectious Diseases (6-10, 25 : 2)	M	0.08	0.54	0.69	1.13	1.56	4.01	0.08	0.54	0.68	1.13	1.54	3.96	0.08	0.61	0.96	1.31	2.01	4.97		
	F	0.10	0.56	0.70	1.11	1.62	4.09	0.10	0.57	0.69	1.10	1.61	4.05	0.08	0.46	0.91	1.51	1.92	4.89		
	P	0.09	0.55	0.69	1.12	1.59	4.05	0.09	0.55	0.68	1.11	1.57	4.01	0.08	0.54	0.94	1.41	1.97	4.93		
II. Tuberculous Diseases (31-37)	M	0.02	0.10	0.30	0.36	0.41	1.20	0.02	0.10	0.30	0.36	0.41	1.17	0.03	0.23	0.43	0.48	0.56	1.72		
	F	0.01	0.07	0.23	0.30	0.33	0.94	0.01	0.07	0.23	0.29	0.33	0.92	0.04	0.12	0.32	0.42	0.35	1.25		
	P	0.01	0.09	0.27	0.33	0.37	1.07	0.01	0.08	0.26	0.32	0.37	1.05	0.03	0.18	0.37	0.45	0.45	1.49		
III. Diarrhoea and Enteritis (113)	M	0.80	2.05	2.48	1.38	0.81	7.52	0.77	1.91	2.31	1.31	0.78	7.09	1.49	5.01	6.00	2.70	1.53	16.73		
	F	0.51	1.26	1.80	1.11	0.69	5.37	0.49	1.16	1.68	1.05	0.67	5.05	0.93	3.43	4.37	2.42	1.02	12.18		
	P	0.66	1.66	2.15	1.25	0.75	6.47	0.63	1.54	2.00	1.19	0.73	6.09	1.22	4.24	5.20	2.57	1.28	14.50		
IV. Developmental and Wasting Diseases (159, 160, 161 : 1, 162 : 2)	M	26.70	4.25	1.29	0.41	0.20	32.85	26.03	4.00	1.20	0.38	0.19	31.80	41.25	9.54	3.21	0.95	0.43	55.37		
	F	20.82	2.97	1.07	0.36	0.20	25.42	20.23	2.81	1.00	0.33	0.19	24.56	33.55	6.56	2.51	0.89	0.32	43.82		
	P	23.82	3.63	1.18	0.38	0.20	29.21	23.19	3.42	1.10	0.36	0.19	28.26	37.47	8.08	2.86	0.92	0.37	49.71		
V. Miscellaneous Diseases (Remainder)	M	8.33	5.72	6.13	5.77	5.12	31.08	7.73	5.54	5.95	5.68	5.08	29.99	21.24	9.65	10.01	7.71	5.93	54.53		
	F	6.03	4.09	4.42	4.30	4.07	22.91	5.51	3.98	4.28	4.23	4.03	22.03	17.29	6.57	7.52	5.62	4.82	41.81		
	P	7.21	4.92	5.29	5.05	4.61	27.08	6.64	4.77	5.13	4.97	4.57	26.09	19.30	8.14	8.78	6.69	5.38	48.29		

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Other tuberculous diseases (31, 34-37)	M	0.01	0.03	0.09	0.11	0.14	0.37	0.01	0.03	0.09	0.10	0.14	0.36	—	0.07	0.15	0.17	0.53
	F	0.01	0.02	0.07	0.09	0.10	0.28	0.00	0.02	0.07	0.09	0.09	0.28	0.04	0.04	0.10	0.14	0.39
	P	0.01	0.02	0.08	0.10	0.12	0.33	0.00	0.02	0.08	0.10	0.12	0.32	0.02	0.05	0.11	0.16	0.46
Syphilis (38) ..	M	0.33	0.28	0.13	0.05	0.03	0.82	0.28	0.23	0.11	0.04	0.02	0.69	1.51	1.19	0.71	0.07	3.70
	F	0.23	0.20	0.09	0.04	0.03	0.59	0.20	0.16	0.07	0.03	0.02	0.49	0.83	0.91	0.55	0.21	2.70
	P	0.28	0.24	0.12	0.04	0.03	0.71	0.24	0.20	0.09	0.04	0.02	0.59	1.17	1.05	0.63	0.14	3.21
Meningitis (71) ..	M	0.03	0.07	0.15	0.14	0.14	0.53	0.03	0.07	0.14	0.14	0.14	0.52	0.05	0.09	0.20	0.12	0.67
	F	0.03	0.05	0.11	0.11	0.09	0.39	0.03	0.05	0.11	0.11	0.09	0.39	0.03	0.03	0.11	0.08	0.33
	P	0.03	0.06	0.13	0.12	0.12	0.46	0.03	0.06	0.13	0.12	0.12	0.46	0.04	0.06	0.16	0.14	0.50
Convulsions (80) ..	M	1.73	0.65	0.44	0.27	0.19	3.27	1.72	0.62	0.42	0.26	0.19	3.21	1.97	1.21	0.79	0.36	4.60
	F	1.12	0.45	0.32	0.23	0.17	2.29	1.12	0.44	0.29	0.23	0.16	2.24	1.15	0.80	0.82	0.22	3.24
	P	1.43	0.55	0.38	0.25	0.18	2.79	1.43	0.53	0.36	0.25	0.18	2.74	1.57	1.01	0.80	0.26	3.93
Bronchitis (99) ..	M	0.60	1.22	1.06	0.82	0.58	4.28	0.60	1.21	1.03	0.81	0.58	4.23	0.60	1.40	1.59	1.09	5.26
	F	0.42	0.88	0.82	0.62	0.49	3.24	0.43	0.87	0.80	0.62	0.49	3.21	0.37	0.98	1.23	0.79	3.93
	P	0.52	1.05	0.94	0.72	0.54	3.77	0.52	1.05	0.92	0.71	0.53	3.73	0.49	1.19	1.41	0.94	4.61
Pneumonia (100, 101) ..	M	0.82	2.05	2.83	3.20	3.08	11.98	0.80	2.01	2.76	3.16	3.06	11.78	1.15	3.05	4.25	4.22	16.25
	F	0.64	1.50	2.06	2.33	2.41	8.95	0.64	1.48	2.02	2.30	2.39	8.83	0.65	1.92	2.92	3.09	11.43
	P	0.73	1.78	2.45	2.78	2.75	10.50	0.72	1.75	2.40	2.74	2.73	10.34	0.90	2.50	3.60	3.67	13.89
Other respiratory diseases (97, 98, 102-107) ..	M	0.08	0.06	0.06	0.06	0.06	0.31	0.08	0.06	0.06	0.05	0.05	0.30	0.12	0.13	0.13	0.08	0.55
	F	0.06	0.05	0.05	0.05	0.05	0.26	0.06	0.05	0.05	0.05	0.05	0.25	0.14	0.11	0.08	0.10	0.47
	P	0.07	0.06	0.06	0.05	0.05	0.29	0.07	0.05	0.05	0.05	0.05	0.27	0.13	0.12	0.11	0.09	0.51
Inflammation of the stomach (112:1)	M	0.12	0.20	0.14	0.06	0.04	0.56	0.12	0.19	0.14	0.06	0.04	0.55	0.11	0.40	0.12	0.08	0.75
	F	0.07	0.12	0.09	0.06	0.04	0.38	0.07	0.12	0.08	0.05	0.04	0.36	0.06	0.21	0.21	0.10	0.65
	P	0.10	0.16	0.11	0.06	0.04	0.47	0.10	0.16	0.11	0.06	0.04	0.46	0.08	0.31	0.16	0.09	0.70
Diarrhoea and enteritis (113) }	M	0.80	2.05	2.48	1.38	0.81	7.52	0.77	1.91	2.31	1.31	0.78	7.09	1.49	5.01	6.00	2.70	16.73
	F	0.51	1.26	1.80	1.11	0.69	5.37	0.49	1.16	1.68	1.05	0.67	5.05	0.93	3.43	4.37	2.42	12.18
	P	0.66	1.66	2.15	1.25	0.75	6.47	0.63	1.54	2.00	1.19	0.73	6.09	1.22	4.24	5.20	2.57	14.50
Hernia, intestinal obstruc- tion (118) .. }	M	0.11	0.09	0.27	0.23	0.12	0.83	0.11	0.10	0.27	0.24	0.12	0.84	0.13	0.07	0.27	0.11	0.61
	F	0.07	0.03	0.13	0.11	0.05	0.40	0.07	0.03	0.12	0.12	0.06	0.40	0.10	0.03	0.21	0.07	0.42
	P	0.09	0.06	0.20	0.17	0.09	0.62	0.09	0.06	0.20	0.18	0.09	0.62	0.12	0.05	0.24	0.09	0.52

		Proportion of Deaths to 1,000 Births.																	
Cause of Death.	Sex.	All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks— 3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
Congenital (159)	M	3.35	1.30	0.46	0.19	0.11	5.42	3.35	1.28	0.46	0.19	0.11	5.39	3.38	1.80	0.51	0.24	0.16	6.09
	F	2.86	0.84	0.44	0.19	0.12	4.45	2.86	0.82	0.44	0.19	0.12	4.42	2.81	1.29	0.47	0.28	0.12	4.97
	P	3.11	1.07	0.45	0.19	0.11	4.94	3.11	1.05	0.45	0.19	0.11	4.92	3.10	1.55	0.49	0.26	0.14	5.54
Congenital sclerema (160 : 1)	M	2.74	1.26	0.65	0.18	0.08	4.91	2.64	1.12	0.57	0.16	0.07	4.56	5.02	4.25	2.30	0.63	0.27	12.47
	F	1.95	0.75	0.45	0.14	0.08	3.37	1.88	0.67	0.40	0.12	0.07	3.14	3.42	2.41	1.56	0.53	0.18	8.10
	P	2.36	1.01	0.55	0.16	0.08	4.15	2.27	0.90	0.49	0.14	0.07	3.87	4.24	3.35	1.94	0.58	0.22	10.33
Icterus (160 : 2)	M	0.63	0.08	0.01	0.01	0.00	0.73	0.63	0.08	0.01	0.00	0.00	0.72	0.76	0.11	0.01	0.01	—	0.89
	F	0.36	0.06	0.01	0.00	0.00	0.43	0.36	0.06	0.01	0.00	0.00	0.43	0.47	0.07	0.01	—	—	0.55
	P	0.50	0.07	0.01	0.00	0.00	0.58	0.49	0.07	0.01	0.00	0.00	0.58	0.62	0.09	0.01	0.01	—	0.73
Premature birth (161 : 1)	M	18.23	1.56	0.17	0.02	0.00	19.99	17.70	1.48	0.16	0.02	0.00	19.37	29.66	3.29	0.39	0.07	—	33.40
	F	14.35	1.29	0.16	0.03	0.01	15.84	13.85	1.23	0.15	0.02	0.01	15.26	24.97	2.71	0.46	0.08	0.01	28.24
	P	16.33	1.43	0.17	0.03	0.01	17.96	15.82	1.36	0.16	0.02	0.01	17.36	27.36	3.01	0.42	0.07	0.01	30.87
Injury at birth (161 : 2)	M	2.22	0.04	0.01	0.00	0.00	2.27	2.17	0.04	0.01	0.00	0.00	2.22	3.13	0.08	—	—	—	3.21
	F	1.46	0.02	0.00	0.00	0.00	1.49	1.42	0.02	0.00	0.00	0.00	1.45	2.34	0.04	—	—	—	2.38
	P	1.85	0.03	0.01	0.00	0.00	1.89	1.80	0.03	0.01	0.00	0.00	1.84	2.74	0.06	—	—	—	2.80
Disease of umbilicus (162 : 1)	M	0.14	0.02	—	—	—	0.16	0.13	0.02	—	—	—	0.16	0.25	0.01	—	—	—	0.27
	F	0.11	0.02	—	—	—	0.13	0.11	0.02	—	—	—	0.13	0.18	—	—	—	—	0.18
	P	0.12	0.02	—	—	—	0.15	0.12	0.02	—	—	—	0.14	0.22	0.01	—	—	—	0.22
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Atelectasis (162 : 2) ..	M	1.75	0.05	—	—	1.80	1.71	0.05	—	—	—	1.76	2.42	0.09	—	—	—	2.52
	F	1.30	0.03	—	—	1.33	1.27	0.03	—	—	—	1.30	1.88	0.08	—	—	—	1.97
	P	1.53	0.04	—	—	1.57	1.50	0.04	—	—	—	1.54	2.16	0.09	—	—	—	2.25
Suffocation—in bed or stated how (180 pt.)	M	0.28	0.18	0.11	0.02	0.01	0.25	0.17	0.09	0.02	0.01	0.55	1.04	0.39	0.33	0.09	—	1.85
	F	0.24	0.17	0.10	0.02	0.01	0.21	0.16	0.10	0.02	0.01	0.50	0.82	0.40	0.21	0.06	0.03	1.51
	P	0.26	0.17	0.10	0.02	0.01	0.23	0.16	0.10	0.02	0.01	0.52	0.93	0.39	0.27	0.07	0.01	1.68
Other causes ..	M	1.81	0.73	0.78	0.72	0.73	1.38	0.70	0.75	0.70	0.72	4.25	11.14	1.48	1.36	1.05	0.96	15.99
	F	1.53	0.51	0.53	0.60	0.58	1.11	0.48	0.50	0.59	0.58	3.26	10.59	1.07	1.00	0.78	0.57	13.99
	P	1.67	0.62	0.65	0.66	0.66	1.24	0.59	0.63	0.65	0.65	3.76	10.87	1.28	1.18	0.92	0.77	15.01

Proportion of Deaths to 1,000 Births.

Cause of Death.	All Infants.							Legitimate Infants.							Illegitimate Infants.					
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.		Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.
All Causes—																				
London	24.91	10.45	11.44	9.28	8.23	64.31	23.32	9.58	10.67	9.00	8.14	60.71	55.91	27.45	26.60	14.74	10.00	134.69		
County Boroughs ..	33.82	12.71	11.85	9.95	9.47	77.81	32.64	12.16	11.37	9.68	9.32	75.18	59.35	24.70	22.27	15.70	12.69	134.71		
Other Urban Districts ..	32.02	9.98	8.20	7.23	6.59	64.02	30.92	9.63	7.92	7.12	6.53	62.11	57.55	18.10	14.64	9.85	8.11	108.25		
Rural Districts ..	31.68	9.31	6.96	5.88	5.30	59.13	30.33	8.94	6.69	5.78	5.27	57.00	58.13	16.57	12.13	7.87	6.03	100.74		
All Urban Districts ..	31.83	11.24	10.25	8.71	8.08	70.11	30.63	10.73	9.81	8.50	7.98	67.65	58.10	22.48	19.88	13.20	10.44	124.09		
I.—Common Infectious Diseases (6-10, 25 : 2)—																				
London	0.06	0.47	0.84	1.68	2.44	5.48	0.06	0.44	0.79	1.67	2.42	5.38	0.06	0.96	1.64	1.98	2.82	7.45		
County Boroughs ..	0.07	0.56	0.77	1.36	1.99	4.76	0.07	0.56	0.76	1.33	1.96	4.68	0.10	0.71	1.10	1.88	2.67	6.45		
Other Urban Districts ..	0.10	0.53	0.62	0.93	1.30	3.47	0.11	0.53	0.61	0.92	1.28	3.45	0.04	0.37	0.85	1.09	1.63	3.98		
Rural Districts ..	0.12	0.61	0.59	0.75	0.93	3.00	0.12	0.63	0.60	0.75	0.93	3.03	0.12	0.28	0.43	0.80	0.89	2.51		
All Urban Districts ..	0.08	0.54	0.72	1.22	1.76	4.31	0.08	0.53	0.70	1.20	1.73	4.25	0.07	0.61	1.08	1.58	2.28	5.62		
II.—Tuberculous Diseases (31-37)—																				
London	0.01	0.06	0.28	0.32	0.27	0.94	0.01	0.06	0.27	0.31	0.27	0.92	0.06	0.06	0.40	0.56	0.17	1.24		
County Boroughs ..	0.02	0.11	0.33	0.39	0.46	1.31	0.02	0.11	0.33	0.38	0.45	1.27	—	0.26	0.43	0.65	0.65	1.98		
Other Urban Districts ..	0.02	0.08	0.23	0.31	0.36	1.00	0.01	0.08	0.23	0.31	0.35	0.98	0.07	0.20	0.28	0.24	0.46	1.24		
Rural Districts ..	0.01	0.07	0.21	0.28	0.31	0.86	0.01	0.06	0.20	0.27	0.31	0.85	0.03	0.09	0.40	0.37	0.31	1.19		
All Urban Districts ..	0.01	0.09	0.28	0.34	0.39	1.12	0.01	0.09	0.28	0.34	0.38	1.10	0.03	0.20	0.37	0.47	0.50	1.57		
III.—Diarrhoea and Enteritis (113)—																				
London	0.42	2.03	3.69	2.02	1.12	9.28	0.40	1.75	3.33	1.92	1.09	8.49	0.68	7.51	10.67	3.95	1.75	24.57		
County Boroughs ..	0.85	2.21	3.03	1.70	1.07	8.86	0.82	2.06	2.83	1.61	1.03	8.34	1.39	5.51	7.34	3.87	2.10	20.21		
Other Urban Districts ..	0.63	1.36	1.42	0.90	0.50	4.81	0.60	1.28	1.35	0.86	0.49	4.59	1.26	3.13	2.89	1.83	0.76	9.87		
Rural Districts ..	0.53	1.02	1.00	0.61	0.42	3.57	0.50	0.96	0.94	0.60	0.42	3.41	1.16	2.02	2.14	0.83	0.49	6.65		
All Urban Districts ..	0.69	1.83	2.44	1.41	0.84	7.21	0.67	1.69	2.27	1.34	0.81	6.77	1.23	4.87	6.07	3.06	1.51	16.74		
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)		

IV.—Developmental and Wasting
Diseases (159, 160, 161 : 1
162 : 2)—

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
London	18.17	3.42	1.24	0.36	0.19	23.38	17.50	3.08	1.09	0.31	0.19	22.17	31.34	10.11	4.07	1.30	0.23	47.04
County Boroughs ..	25.05	4.15	1.39	0.43	0.19	31.21	24.37	3.94	1.30	0.39	0.18	30.18	39.71	8.77	3.34	1.24	0.39	53.44
Other Urban Districts ..	24.24	3.33	1.06	0.37	0.20	29.20	23.67	3.17	0.99	0.36	0.19	28.39	37.30	7.07	2.63	0.59	0.48	48.07
Rural Districts ..	24.11	3.32	1.00	0.34	0.20	28.96	23.42	3.11	0.95	0.32	0.20	28.01	37.55	7.32	1.81	0.67	0.28	47.63
All Urban Districts ..	23.75	3.70	1.23	0.39	0.20	29.28	23.13	3.50	1.14	0.37	0.19	28.32	37.45	8.29	3.17	0.99	0.40	50.30

V.—Miscellaneous Diseases (Re-
mainder)—

London	6.25	4.47	5.40	4.90	4.21	25.24	5.36	4.25	5.18	4.79	4.17	23.75	23.78	8.81	9.83	6.95	5.03	54.39
County Boroughs ..	7.84	5.67	6.32	6.07	5.76	31.67	7.37	5.50	6.15	5.98	5.70	30.70	18.15	9.46	10.06	8.06	6.89	52.62
Other Urban Districts ..	7.04	4.68	4.87	4.72	4.24	25.54	6.53	4.56	4.73	4.66	4.21	24.70	18.88	7.33	7.98	6.11	4.78	45.09
Rural Districts ..	6.92	4.30	4.16	3.91	3.45	22.73	6.29	4.16	4.00	3.84	3.42	21.71	19.27	6.86	7.35	5.21	4.07	42.76
All Urban Districts ..	7.28	5.09	5.58	5.34	4.90	28.19	6.73	4.93	5.42	5.26	4.86	27.20	19.31	8.50	9.19	7.11	5.76	49.87

Measles (7)—

London	0.01	0.04	0.10	0.68	1.42	2.24	0.01	0.03	0.09	0.68	1.40	2.22	—	0.23	0.23	0.56	1.81	2.82
County Boroughs ..	0.01	0.05	0.12	0.52	0.97	1.67	0.01	0.04	0.12	0.50	0.96	1.63	0.02	0.08	0.16	0.86	1.28	2.39
Other Urban Districts ..	0.01	0.03	0.07	0.26	0.52	0.89	0.01	0.03	0.07	0.25	0.51	0.88	—	0.04	0.09	0.41	0.70	1.24
Rural Districts ..	0.01	0.03	0.05	0.12	0.28	0.48	0.01	0.03	0.04	0.12	0.27	0.47	—	0.03	0.12	0.12	0.43	0.70
All Urban Districts ..	0.01	0.04	0.10	0.43	0.84	1.42	0.01	0.04	0.09	0.42	0.83	1.39	0.01	0.09	0.14	0.64	1.13	2.00

Whooping cough (9)—

London	0.04	0.37	0.66	0.86	0.82	2.74	0.04	0.36	0.63	0.84	0.82	2.69	—	0.51	1.19	1.30	0.73	3.73
County Boroughs ..	0.05	0.48	0.60	0.76	0.86	2.74	0.05	0.48	0.59	0.75	0.85	2.71	0.04	0.55	0.78	0.86	1.14	3.37
Other Urban Districts ..	0.07	0.47	0.53	0.63	0.69	2.39	0.08	0.48	0.52	0.63	0.69	2.39	0.04	0.30	0.70	0.57	0.80	2.41
Rural Districts ..	0.09	0.56	0.52	0.59	0.60	2.37	0.10	0.58	0.54	0.59	0.61	2.41	0.06	0.25	0.31	0.64	0.40	1.65
All Urban Districts ..	0.06	0.46	0.58	0.72	0.78	2.60	0.06	0.46	0.57	0.71	0.78	2.58	0.03	0.44	0.81	0.81	0.94	3.04

Diphtheria (10)—

London	0.01	0.05	0.07	0.11	0.16	0.40	0.01	0.04	0.06	0.11	0.16	0.38	—	0.23	0.23	0.06	0.23	0.73
County Boroughs ..	0.01	0.03	0.04	0.06	0.12	0.25	0.01	0.03	0.03	0.05	0.11	0.23	0.04	0.06	0.12	0.14	0.22	0.57
Other Urban Districts ..	0.00	0.01	0.02	0.03	0.06	0.13	0.00	0.01	0.02	0.03	0.06	0.12	—	0.02	0.07	0.07	0.11	0.26
Rural Districts ..	0.01	0.01	0.01	0.02	0.04	0.09	0.01	0.01	0.01	0.02	0.04	0.09	0.06	—	—	0.03	0.06	0.15
All Urban Districts ..	0.01	0.03	0.03	0.05	0.10	0.22	0.01	0.02	0.03	0.05	0.10	0.21	0.02	0.07	0.11	0.10	0.17	0.47

Influenza (11)—

London	0.03	0.05	0.11	0.12	0.14	0.45	0.02	0.05	0.11	0.12	0.14	0.46	0.11	0.06	0.06	—	0.06	0.28
County Boroughs ..	0.05	0.11	0.15	0.20	0.18	0.70	0.05	0.11	0.14	0.20	0.18	0.69	—	0.14	0.27	0.29	0.22	0.92
Other Urban Districts ..	0.06	0.10	0.16	0.15	0.19	0.66	0.06	0.10	0.16	0.15	0.19	0.66	0.04	0.17	0.17	0.17	0.22	0.78
Rural Districts ..	0.07	0.17	0.17	0.23	0.17	0.81	0.07	0.18	0.16	0.23	0.17	0.81	0.09	0.03	0.37	0.18	0.18	0.86
All Urban Districts ..	0.05	0.10	0.15	0.17	0.18	0.65	0.05	0.10	0.15	0.17	0.18	0.64	0.03	0.14	0.20	0.20	0.19	0.77

Proportion of Deaths to 1,000 Births.

Cause of Death.	All Infants.						Legitimate Infants.						Illegitimate Infants.									
	Under 4 Weeks—	4 Weeks.	3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks—	4 Weeks.	3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks—	4 Weeks.	3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	
Tuberculosis of nervous system (32)—																						
London	—	0.03	0.11	0.14	0.15	0.43	0.43	—	0.03	0.11	0.13	0.15	0.43	0.43	—	0.06	0.22	0.28	0.11	0.45	0.11	0.45
County Boroughs ..	0.01	0.04	0.17	0.22	0.24	0.67	0.67	0.01	0.04	0.16	0.22	0.24	0.67	0.67	—	0.06	0.22	0.31	0.26	0.84	0.26	0.84
Other Urban Districts ..	0.00	0.04	0.13	0.17	0.20	0.55	0.55	0.00	0.04	0.13	0.17	0.20	0.54	0.54	0.02	0.04	0.15	0.17	0.22	0.61	0.22	0.61
Rural Districts ..	0.01	0.02	0.10	0.13	0.17	0.43	0.43	0.01	0.02	0.09	0.13	0.17	0.42	0.42	—	0.03	0.21	0.21	0.21	0.67	0.21	0.67
All Urban Districts ..	0.01	0.04	0.15	0.19	0.21	0.59	0.59	0.01	0.04	0.14	0.19	0.21	0.58	0.58	0.01	0.04	0.17	0.25	0.22	0.69	0.22	0.69
Tuberculosis of intestines and peritoneum (33)—																						
London	0.01	0.01	0.02	0.05	—	0.08	0.08	0.00	0.01	0.02	0.04	—	0.07	0.07	0.06	—	0.11	0.17	—	0.34	—	0.34
County Boroughs ..	—	0.04	0.07	0.05	0.06	0.21	0.21	—	0.03	0.07	0.05	0.06	0.21	0.21	—	0.12	0.10	0.10	0.10	0.41	0.10	0.41
Other Urban Districts ..	0.01	0.03	0.04	0.06	0.06	0.20	0.20	0.01	0.03	0.05	0.06	0.06	0.20	0.20	—	0.11	0.02	0.07	0.11	0.30	0.11	0.30
Rural Districts ..	—	0.03	0.05	0.05	0.06	0.19	0.19	—	0.03	0.04	0.05	0.06	0.18	0.18	—	0.03	0.15	0.03	0.06	0.28	0.06	0.28
All Urban Districts ..	0.00	0.03	0.05	0.05	0.05	0.19	0.19	0.00	0.03	0.05	0.05	0.05	0.18	0.18	0.01	0.10	0.07	0.10	0.09	0.36	0.09	0.36
Other tuberculous diseases (31, 34-37)—																						
London	0.00	0.02	0.15	0.13	0.12	0.42	0.42	0.00	0.02	0.14	0.14	0.12	0.42	0.42	—	0.06	0.23	0.11	0.06	0.45	0.06	0.45
County Boroughs ..	0.01	0.04	0.10	0.12	0.16	0.42	0.42	0.01	0.03	0.10	0.11	0.15	0.40	0.40	—	0.08	0.12	0.24	0.29	0.73	0.29	0.73
Other Urban Districts ..	0.01	0.01	0.05	0.08	0.10	0.25	0.25	0.00	0.01	0.05	0.08	0.10	0.24	0.24	0.04	0.04	0.11	—	0.13	0.33	0.13	0.33
Rural Districts ..	0.00	0.02	0.06	0.09	0.08	0.25	0.25	0.00	0.02	0.06	0.09	0.08	0.25	0.25	0.03	0.03	0.03	0.12	0.03	0.25	0.03	0.25
All Urban Districts ..	0.01	0.02	0.09	0.10	0.13	0.35	0.35	0.01	0.02	0.08	0.10	0.13	0.34	0.34	0.02	0.06	0.13	0.11	0.19	0.51	0.19	0.51
Syphilis (38)—																						
London	0.24	0.20	0.10	0.04	0.03	0.60	0.60	0.21	0.15	0.08	0.03	0.02	0.50	0.50	0.68	1.19	0.51	0.11	0.23	2.71	0.23	2.71
County Boroughs ..	0.38	0.35	0.16	0.06	0.04	0.99	0.99	0.33	0.30	0.13	0.05	0.03	0.84	0.84	1.57	1.39	0.92	0.31	0.16	4.36	0.16	4.36
Other Urban Districts ..	0.26	0.18	0.11	0.04	0.02	0.61	0.61	0.23	0.15	0.09	0.03	0.02	0.52	0.52	1.04	0.91	0.54	0.22	0.13	2.85	0.13	2.85
Rural Districts ..	0.17	0.15	0.05	0.03	0.02	0.43	0.43	0.13	0.13	0.04	0.03	0.02	0.34	0.34	1.01	0.64	0.37	0.12	0.06	2.21	0.06	2.21
All Urban Districts ..	0.31	0.26	0.13	0.05	0.03	0.78	0.78	0.27	0.22	0.10	0.04	0.02	0.65	0.65	1.22	1.17	0.71	0.24	0.16	3.50	0.16	3.50
	(1)	(2)	(3)	(4)	(5)	(6)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(17)	(18)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Meningitis (71)—																		
London ..	0.04	0.09	0.15	0.12	0.08	0.47	0.04	0.09	0.14	0.12	0.08	0.47	—	0.06	0.23	—	0.06	0.34
County Boroughs ..	0.03	0.06	0.13	0.12	0.13	0.48	0.03	0.06	0.13	0.13	0.13	0.48	0.04	0.10	0.12	0.12	0.12	0.49
Other Urban Districts	0.03	0.06	0.13	0.14	0.13	0.48	0.03	0.06	0.12	0.13	0.13	0.47	0.04	0.04	0.24	0.20	0.13	0.65
Rural Districts ..	0.03	0.05	0.11	0.11	0.10	0.39	0.02	0.05	0.11	0.10	0.10	0.39	0.06	0.03	0.06	0.18	0.06	0.40
All Urban Districts	0.03	0.06	0.13	0.13	0.12	0.48	0.03	0.06	0.13	0.13	0.12	0.47	0.03	0.07	0.18	0.13	0.11	0.53
Convulsions (80)—																		
London ..	0.67	0.17	0.14	0.08	0.07	1.13	0.68	0.17	0.14	0.08	0.06	1.13	0.40	0.28	0.11	0.17	0.11	1.07
County Boroughs ..	1.56	0.58	0.40	0.25	0.21	2.99	1.56	0.55	0.38	0.25	0.21	2.94	1.53	1.12	0.80	0.33	0.20	3.98
Other Urban Districts	1.51	0.58	0.41	0.27	0.17	2.94	1.50	0.56	0.39	0.27	0.17	2.89	1.54	1.02	0.96	0.37	0.26	4.15
Rural Districts ..	1.51	0.67	0.43	0.29	0.21	3.11	1.47	0.64	0.41	0.29	0.20	3.01	2.30	1.23	0.95	0.18	0.43	5.08
All Urban Districts	1.41	0.52	0.37	0.24	0.17	2.71	1.41	0.50	0.35	0.23	0.17	2.67	1.36	0.95	0.76	0.32	0.21	3.60
Bronchitis (99)—																		
London ..	0.33	0.75	0.63	0.42	0.24	2.36	0.33	0.72	0.60	0.38	0.24	2.28	0.23	1.19	1.24	1.13	0.11	3.90
County Boroughs ..	0.58	1.20	1.11	0.87	0.66	4.43	0.59	1.20	1.10	0.86	0.65	4.40	0.49	1.26	1.43	1.06	0.82	5.06
Other Urban Districts	0.53	1.08	0.91	0.74	0.54	3.80	0.53	1.08	0.90	0.73	0.54	3.78	0.52	1.13	1.26	0.87	0.46	4.24
Rural Districts ..	0.47	0.92	0.87	0.62	0.48	3.37	0.47	0.90	0.83	0.61	0.48	3.29	0.58	1.19	1.68	0.77	0.58	4.81
All Urban Districts	0.53	1.09	0.96	0.75	0.55	3.88	0.53	1.08	0.94	0.74	0.55	3.84	0.46	1.19	1.33	0.99	0.57	4.55
Pneumonia (100, 101)—																		
London ..	1.00	2.13	2.98	3.00	2.68	11.78	1.01	2.06	2.86	2.94	2.63	11.50	0.90	3.44	5.31	4.07	3.56	17.28
County Boroughs	0.89	2.13	3.08	3.50	3.65	13.25	0.88	2.09	3.03	3.45	3.61	13.06	0.98	2.83	4.26	4.59	4.51	17.17
Other Urban Districts	0.59	1.57	2.16	2.54	2.44	9.31	0.57	1.55	2.12	2.51	2.43	9.19	0.96	2.11	3.07	3.22	2.68	12.03
Rural Districts ..	0.56	1.35	1.58	1.80	1.76	7.05	0.55	1.32	1.54	1.76	1.76	6.92	0.70	2.02	2.39	2.63	1.81	9.56
All Urban Districts	0.78	1.89	2.68	3.03	3.00	11.38	0.77	1.86	2.62	2.98	2.97	11.21	0.96	2.63	3.94	3.96	3.63	15.12
Other respiratory diseases (97, 98, 102-107)—																		
London ..	0.04	0.05	0.06	0.04	0.04	0.23	0.04	0.05	0.06	0.04	0.04	0.23	0.11	0.06	0.06	0.06	—	0.28
County Boroughs ..	0.07	0.06	0.06	0.05	0.05	0.30	0.07	0.06	0.06	0.05	0.05	0.28	0.14	0.18	0.16	0.12	0.04	0.63
Other Urban Districts	0.08	0.05	0.05	0.06	0.05	0.29	0.08	0.05	0.05	0.06	0.05	0.28	0.11	0.11	0.07	0.11	0.13	0.52
Rural Districts ..	0.07	0.06	0.05	0.05	0.05	0.28	0.07	0.06	0.05	0.05	0.05	0.27	0.15	0.09	0.12	0.03	0.03	0.43
All Urban Districts	0.07	0.05	0.06	0.05	0.05	0.29	0.07	0.05	0.06	0.05	0.05	0.28	0.12	0.13	0.10	0.10	0.07	0.53
Inflammation of the stomach (112:1)—																		
London ..	0.03	0.05	0.06	0.02	0.02	0.18	0.03	0.04	0.05	0.02	0.02	0.17	—	0.23	0.17	—	—	0.40
County Boroughs ..	0.13	0.19	0.12	0.07	0.04	0.55	0.14	0.18	0.12	0.07	0.04	0.55	0.06	0.35	0.14	0.12	0.04	0.71
Other Urban Districts	0.10	0.18	0.10	0.06	0.04	0.48	0.10	0.18	0.10	0.06	0.04	0.47	0.11	0.28	0.15	0.04	0.13	0.72
Rural Districts ..	0.08	0.15	0.14	0.07	0.03	0.46	0.07	0.14	0.13	0.07	0.03	0.44	0.12	0.31	0.21	0.15	0.03	0.83
All Urban Districts	0.10	0.17	0.11	0.06	0.04	0.47	0.11	0.16	0.10	0.06	0.04	0.46	0.07	0.31	0.15	0.07	0.07	0.66

Proportion of Deaths to 1,000 Births.

Cause of Death.	All Infants.						Legitimate Infants.						Illegitimate Infants.						
	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	Under 4 Weeks.	4 Weeks—3 Months.	3-6 Months.	6-9 Months.	9-12 Months.	Total under 1 Year.	
Diarrhoea and enteritis (113)—																			
London ..	0.42	2.03	3.69	2.02	1.12	9.28	0.40	1.75	3.33	1.92	1.09	8.49	0.68	7.51	10.67	3.95	1.75	24.57	
County Boroughs ..	0.85	2.21	3.03	1.70	1.07	8.86	0.82	2.06	2.83	1.61	1.03	8.34	1.39	5.51	7.34	3.87	2.10	20.21	
Other Urban Districts ..	0.63	1.36	1.42	0.90	0.50	4.81	0.60	1.28	1.35	0.86	0.49	4.59	1.26	3.13	2.89	1.83	0.76	9.87	
Rural Districts ..	0.53	1.02	1.00	0.61	0.42	3.57	0.50	0.96	0.94	0.60	0.42	3.41	1.16	2.02	2.14	0.83	0.49	6.65	
All Urban Districts ..	0.69	1.83	2.44	1.41	0.84	7.21	0.67	1.69	2.27	1.34	0.81	6.77	1.23	4.87	6.07	3.06	1.51	16.74	
Hernia, intestinal obstruction (118)—																			
London ..	0.07	0.05	0.18	0.18	0.12	0.61	0.07	0.05	0.17	0.18	0.13	0.60	0.11	0.11	0.40	0.11	—	0.73	
County Boroughs ..	0.09	0.05	0.24	0.19	0.08	0.65	0.09	0.05	0.24	0.19	0.08	0.65	0.10	0.04	0.29	0.10	0.04	0.57	
Other Urban Districts ..	0.09	0.08	0.20	0.18	0.08	0.63	0.09	0.08	0.20	0.18	0.08	0.64	0.04	0.04	0.13	0.11	0.04	0.37	
Rural Districts ..	0.12	0.06	0.15	0.14	0.08	0.55	0.11	0.06	0.15	0.15	0.08	0.55	0.25	0.03	0.21	0.03	—	0.52	
All Urban Districts ..	0.09	0.06	0.21	0.18	0.09	0.63	0.09	0.06	0.21	0.18	0.09	0.64	0.08	0.05	0.24	0.10	0.03	0.51	
Congenital malformations(159)																			
London ..	2.45	1.12	0.39	0.14	0.10	4.19	2.43	1.03	0.37	0.14	0.10	4.07	2.82	2.77	0.73	0.23	0.06	6.61	
County Boroughs ..	3.13	1.15	0.45	0.18	0.09	5.00	3.13	1.13	0.45	0.18	0.09	4.99	3.00	1.55	0.37	0.24	0.10	5.26	
Other Urban Districts ..	3.24	1.03	0.46	0.21	0.13	5.08	3.24	1.02	0.46	0.21	0.13	5.06	3.20	1.26	0.52	0.24	0.24	5.46	
Rural Districts ..	3.23	0.99	0.48	0.21	0.13	5.04	3.23	0.97	0.48	0.20	0.13	5.01	3.28	1.29	0.49	0.34	0.12	5.51	
All Urban Districts ..	3.08	1.10	0.45	0.19	0.11	4.92	3.08	1.07	0.44	0.19	0.11	4.89	3.05	1.62	0.49	0.24	0.15	5.55	
Congenital debility and sclerema (160 : 1)—																			
London ..	1.07	0.89	0.68	0.19	0.09	2.92	1.02	0.76	0.57	0.15	0.08	2.58	2.15	3.39	2.82	0.96	0.17	9.49	
County Boroughs ..	2.22	1.17	0.74	0.21	0.10	4.43	2.13	1.05	0.65	0.18	0.09	4.10	4.12	3.65	2.49	0.90	0.29	11.46	
Other Urban Districts ..	2.71	0.93	0.44	0.13	0.07	4.27	2.62	0.83	0.38	0.12	0.06	4.02	4.61	3.24	1.72	0.30	0.22	10.09	
Rural Districts ..	2.71	0.93	0.35	0.10	0.07	4.17	2.59	0.83	0.32	0.10	0.06	3.90	5.02	3.00	0.92	0.25	0.15	9.34	
All Urban Districts ..	2.27	1.03	0.60	0.17	0.08	4.15	2.19	0.92	0.53	0.15	0.07	3.86	4.01	3.45	2.23	0.67	0.24	10.61	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
Icterus (160 : 2)—																		
London	0.36	0.06	0.01	0.00	0.00	0.43	0.36	0.06	0.01	0.00	0.00	0.44	0.28	0.06	—	—	—	0.34
County Boroughs ..	0.50	0.08	0.01	0.00	—	0.60	0.50	0.08	0.01	0.00	—	0.59	0.63	0.08	0.02	0.02	—	0.75
Other Urban Districts	0.50	0.06	0.02	0.00	0.00	0.58	0.49	0.06	0.02	0.00	0.00	0.57	0.61	0.07	—	—	—	0.67
Rural Districts ..	0.57	0.07	0.01	0.01	—	0.66	0.56	0.07	0.01	0.01	—	0.65	0.80	0.15	0.03	—	—	0.98
All Urban Districts	0.48	0.07	0.01	0.00	0.00	0.56	0.48	0.07	0.01	0.00	0.00	0.56	0.57	0.07	0.01	0.01	—	0.65
Premature birth (161 : 1)—																		
London	12.67	1.29	0.16	0.02	0.01	14.15	12.10	1.16	0.15	0.02	0.01	13.43	23.83	3.78	0.51	0.11	—	28.24
County Boroughs ..	17.57	1.71	0.20	0.03	0.01	19.52	17.01	1.64	0.19	0.03	0.01	18.87	29.72	3.34	0.45	0.08	—	33.59
Other Urban Districts	16.32	1.28	0.14	0.02	0.01	17.77	15.86	1.23	0.13	0.02	0.01	17.25	26.93	2.48	0.39	0.04	0.02	29.86
Rural Districts ..	16.21	1.27	0.15	0.02	0.00	17.67	15.70	1.19	0.14	0.02	0.00	17.06	26.19	2.82	0.37	0.09	—	29.46
All Urban Districts	16.36	1.47	0.17	0.03	0.01	18.04	15.85	1.40	0.16	0.02	0.01	17.43	27.69	3.06	0.44	0.07	0.01	31.27
Injury at birth (161 : 2)—																		
London	1.81	0.03	0.01	0.00	0.01	1.85	1.69	0.03	0.01	0.00	0.01	1.74	4.07	0.06	—	—	—	4.12
County Boroughs ..	1.94	0.03	0.00	0.00	0.00	1.98	1.90	0.03	0.00	0.00	0.00	1.94	2.69	0.06	—	—	—	2.75
Other Urban Districts	1.77	0.03	0.00	—	0.00	1.80	1.74	0.03	0.00	—	0.00	1.77	2.46	0.09	—	—	—	2.54
Rural Districts ..	1.84	0.04	0.01	0.00	0.00	1.89	1.81	0.04	0.01	0.00	0.00	1.86	2.51	0.03	—	—	—	2.54
All Urban Districts	1.85	0.03	0.00	0.00	0.00	1.89	1.80	0.03	0.01	0.00	0.00	1.84	2.81	0.07	—	—	—	2.88
Disease of umbilicus (162 : 1)—																		
London	0.13	0.04	—	—	—	0.16	0.11	0.04	—	—	—	0.15	0.51	—	—	—	—	0.51
County Boroughs ..	0.12	0.02	—	—	—	0.14	0.11	0.02	—	—	—	0.13	0.20	—	—	—	—	0.20
Other Urban Districts	0.12	0.02	—	—	—	0.14	0.12	0.02	—	—	—	0.14	0.13	0.02	—	—	—	0.15
Rural Districts ..	0.14	0.02	—	—	—	0.16	0.13	0.02	—	—	—	0.16	0.21	—	—	—	—	0.21
All Urban Districts	0.12	0.02	—	—	—	0.14	0.12	0.02	—	—	—	0.14	0.22	0.01	—	—	—	0.23
Atelectasis (162 : 2)—																		
London	1.62	0.07	—	—	—	1.68	1.58	0.06	—	—	—	1.65	2.26	0.11	—	—	—	2.37
County Boroughs ..	1.63	0.04	—	—	—	1.67	1.60	0.03	—	—	—	1.64	2.24	0.16	—	—	—	2.39
Other Urban Districts	1.48	0.04	—	—	—	1.52	1.46	0.04	—	—	—	1.50	1.96	0.02	—	—	—	1.98
Rural Districts ..	1.38	0.05	—	—	—	1.43	1.33	0.05	—	—	—	1.38	2.27	0.06	—	—	—	2.33
All Urban Districts	1.56	0.04	—	—	—	1.61	1.54	0.04	—	—	—	1.58	2.13	0.10	—	—	—	2.22
Suffocation—in bed or not stated how (180 pt.)—																		
London	0.26	0.20	0.17	0.03	0.02	0.67	0.21	0.18	0.14	0.03	0.02	0.57	1.36	0.56	0.62	0.17	—	2.71
County Boroughs ..	0.31	0.18	0.11	0.02	0.01	0.63	0.27	0.17	0.10	0.02	0.02	0.58	1.02	0.51	0.24	0.06	—	1.82
Other Urban Districts	0.24	0.17	0.09	0.02	0.01	0.54	0.22	0.17	0.08	0.02	0.01	0.50	0.85	0.30	0.24	0.07	—	1.46
Rural Districts ..	0.22	0.14	0.09	0.02	0.01	0.48	0.19	0.14	0.08	0.02	0.01	0.44	0.67	0.25	0.18	0.06	0.06	1.23
All Urban Districts	0.27	0.18	0.11	0.02	0.01	0.60	0.24	0.17	0.10	0.02	0.01	0.54	1.00	0.44	0.30	0.08	—	1.81
Other causes—																		
London	1.62	0.67	0.84	0.88	0.82	4.84	0.92	0.62	0.82	0.87	0.82	4.05	15.36	1.58	1.13	1.19	0.96	20.22
County Boroughs ..	1.70	0.71	0.78	0.76	0.75	4.70	1.35	0.67	0.74	0.75	0.75	4.26	9.34	1.51	1.47	0.98	0.78	14.09
Other Urban Districts	1.67	0.57	0.55	0.54	0.58	3.91	1.27	0.55	0.52	0.53	0.58	3.45	11.03	1.09	1.15	0.78	0.63	14.68
Rural Districts ..	1.66	0.53	0.51	0.56	0.54	3.80	1.20	0.50	0.50	0.55	0.53	3.27	10.60	1.01	0.80	0.86	0.83	14.09
All Urban Districts	1.68	0.65	0.69	0.68	0.69	4.39	1.26	0.62	0.66	0.67	0.68	3.89	10.95	1.35	1.29	0.93	0.75	15.27

APPENDIX B.—DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-1930.

Note.—In this, as in all other tables, deaths occurring away from home are transferred to the area of residence of the deceased person. In the third column, the letters P.L. denote Poor Law Institutions; M., Institutions under the Lunacy and Mental Treatment Acts, 1890 to 1930, or under the Mental Deficiency Act, 1913; H., Hospitals and Nursing Homes; and E., elsewhere.

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
1 (a)	Typhoid fever ..	P.L.	—	9	47	15	4	75	12	38	12	2	64
		M.	—	12	18	23	15	68	25	34	46	35	140
		H.	5	37	150	181	84	457	38	108	159	69	374
		E.	1	8	38	94	60	201	9	39	75	59	182
1 (b)	Paratyphoid fever ..	P.L.	—	3	8	2	1	14	6	3	—	—	9
		M.	—	—	—	4	—	4	2	—	4	5	11
		H.	2	7	18	26	22	75	8	15	32	24	79
		E.	—	3	16	17	15	51	4	8	34	17	63
2	Typhus	M.	—	—	—	—	—	—	—	1	—	—	1
		H.	—	—	—	—	1	1	—	1	—	—	1
4	Mediterranean fever	H.	—	—	—	—	—	—	—	1	1	—	2
		E.	—	—	—	—	2	2	—	—	—	—	—
5	Malaria	P.L.	—	2	16	6	—	24	—	—	—	—	—
		M.	—	—	1	2	—	3	—	—	1	—	1
		H.	2	5	15	16	6	44	4	3	1	—	8
		E.	—	6	44	54	31	135	2	3	4	5	14
6	Small-pox	P.L.	—	—	5	6	2	13	—	—	2	—	2
		H.	—	9	17	40	15	81	12	18	25	9	64
		E.	—	1	3	4	2	10	—	—	11	4	15
7	Measles	P.L.	—	664	874	194	35	1,767	540	744	165	22	1,471
		M.	—	15	6	3	4	28	9	1	5	9	24
		H.	6	760	753	178	65	1,762	658	607	144	43	1,452
		E.	—	541	2,941	2,150	843	6,475	518	2,720	1,946	820	6,004
8	Scarlet fever.. ..	P.L.	—	—	11	3	—	14	2	13	3	1	19
		M.	—	3	—	2	1	6	3	—	3	3	9
		H.	7	192	442	389	191	1,221	185	446	389	194	1,214
		E.	1	15	119	131	105	371	14	137	167	121	439
9	Whooping cough ..	P.L.	—	304	683	118	21	1,126	352	781	156	32	1,321
		H.	—	507	259	93	25	884	518	301	102	27	948
		E.	—	330	2,446	2,454	1,324	6,554	442	3,162	3,059	1,648	8,311
10	Diphtheria	P.L.	—	67	118	28	2	215	64	96	40	10	210
		M.	—	1	2	2	3	8	1	—	4	3	8
		H.	5	951	2,441	1,741	712	5,850	957	2,648	1,836	766	6,207
		E.	—	52	431	724	417	1,624	52	455	812	419	1,738
11	Influenza	P.L.	1	670	1,308	867	492	3,338	569	977	610	340	2,496
		M.	4	59	145	136	116	460	154	248	279	174	855
		H.	54	211	506	596	285	1,652	237	396	493	242	1,368
		E.	3	2,150	10,123	10,847	7,464	30,587	2,645	10,865	11,423	7,367	32,300
11(a) : 1	With pneumonic complications.	P.L.	—	496	877	389	188	1,950	426	578	265	110	1,379
		M.	3	49	95	80	64	291	119	138	156	86	499
		H.	44	141	362	366	185	1,098	140	236	285	134	795
		E.	1	1,089	5,203	5,376	3,221	14,890	1,199	4,644	4,408	2,521	12,772
11(a) : 2	With other pulmonary complications.	P.L.	—	88	138	158	119	503	61	118	116	82	377
		M.	—	4	12	5	8	29	9	22	21	16	68
		H.	4	23	41	52	23	143	30	48	42	17	137
		E.	—	572	2,395	2,355	1,679	7,001	850	3,123	3,033	1,921	8,927
11(b) : 1	With non - pulmonary complications.	P.L.	1	55	170	156	74	456	50	144	106	68	368
		M.	—	5	19	34	29	87	18	62	61	40	181
		H.	6	35	93	155	71	360	52	94	145	81	372
		E.	2	316	1,632	1,996	1,558	5,504	386	1,929	2,470	1,733	6,518
11(b) : 2	Without stated complication.	P.L.	—	31	123	164	111	429	32	137	123	80	372
		M.	1	1	19	17	15	53	8	26	41	32	107
		H.	—	12	10	23	6	51	15	18	21	10	64
		E.	—	173	893	1,120	1,006	3,192	210	1,169	1,512	1,192	4,083
13	Mumps	P.L.	—	1	2	1	2	6	1	3	—	2	6
		M.	—	—	—	1	—	1	—	—	1	1	2
		H.	—	—	3	3	1	7	—	4	1	1	6
		E.	—	3	13	30	20	66	3	17	20	12	52
15	Cholera nostras ..	E.	—	—	—	—	1	1	—	—	—	—	—
16(a)	Dysentery—Amoebic	P.L.	—	1	3	1	1	6	—	—	—	—	—
		M.	—	1	—	—	—	1	—	—	—	—	—
		H.	4	9	9	7	5	34	—	4	2	—	6
		E.	—	1	1	4	4	10	—	1	1	1	3

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
16 (b)	Dysentery—Bacillary	P.L. M. H. E.	— — — —	— 2 5 1	5 3 16 6	— 4 4 9	1 3 1 —	6 12 26 16	1 2 2 2	8 11 5 2	— 6 4 5	— 4 2 2	9 23 13 11
16 (c)	Dysentery—Other or unspecified.	P.L. M. H. E.	— 1 3 —	1 11 4 2	10 24 10 33	3 32 11 28	3 28 10 11	17 96 38 74	— 7 — 1	— 58 4 6	1 51 5 11	— 37 3 2	1 153 12 20
17 (a)	Plague—Bubonic ..	H.	—	—	1	—	—	1	—	—	—	—	—
18	Yellow fever.. ..	H.	—	1	—	—	—	1	—	—	—	—	—
19	Spirochætosis ictero- hæmorrhagica.	P.L. H. E.	— — —	1 1 —	— — 1	— 1 2	— 4 —	1 6 3	— — —	— — —	— — —	— 1 1	— 1 1
20	Leprosy	P.L. H. E.	— — —	— — —	1 — 2	— — —	— 2 2	1 2 4	1 1 1	— — —	— — —	— — —	1 1 1
21	Erysipelas	P.L. M. H. E.	— — 7 —	223 9 45 29	404 19 275 297	205 19 131 386	57 14 73 217	889 61 531 929	221 23 39 44	367 29 197 294	158 13 111 357	53 12 49 212	799 77 396 907
22 : 1	Acute poliomyelitis ..	P.L. H. E.	— 3 —	2 4 8	12 34 49	7 22 81	2 35 76	23 98 214	7 8 9	17 21 43	5 24 63	1 15 45	30 68 160
22 : 2	Acute polioencephali- tis.	P.L. H. E.	— 1 —	3 8 4	6 27 20	4 15 36	— 10 33	13 61 93	6 7 2	3 21 17	1 17 29	— 12 13	10 57 61
23	Encephalitis lethargica.	P.L. M. H. E.	— — 12 1	67 16 45 44	266 42 198 438	168 24 201 614	36 18 118 400	537 100 574 1,497	66 14 34 66	305 31 225 489	156 14 244 608	54 10 118 363	581 69 621 1,526
24	Meningococcal meningitis.	P.L. M. H. E.	— — 43 1	45 — 153 11	116 — 294 134	41 — 210 163	7 — 118 95	209 — 818 404	45 1 105 5	73 — 214 104	40 1 142 131	3 — 65 93	161 2 526 333
25 : 1	German measles ..	P.L. M. H. E.	— — 1 —	10 1 3 4	8 — 1 15	2 — 2 20	— — — 9	20 1 7 48	4 — 1 3	3 2 1 12	— — 2 16	— — — 5	7 2 4 36
25 : 2	Varicella	P.L. M. H. E.	— — — —	11 — 4 2	31 — 8 33	4 — 1 27	4 — — 22	50 — 13 84	9 — 4 4	21 1 4 28	4 — 3 28	1 — 1 12	35 1 12 72
25 : 3	Other diseases in- cluded under 25.	P.L. H. E.	— 2 —	— 6 —	1 12 4	— 10 4	— 3 6	1 33 14	— 1 —	— 5 1	— 4 3	— 1 2	— 11 6
26	Glanders	H. E.	— —	— —	— —	1 1	— —	1 1	— —	— —	— —	— —	— —
27	Anthrax	P.L. M. H. E.	— — — —	2 — 2 —	3 1 14 1	1 — 4 1	— — 3 —	6 1 23 2	— — — 1	— — 5 —	— — 1 —	— — — —	— — 6 1
29	Tetanus	P.L. M. H. E.	— — 2 —	17 — 18 2	36 — 90 13	23 1 138 24	15 1 159 33	91 2 407 72	10 — 11 1	8 — 23 6	7 — 39 8	3 1 44 15	28 1 117 30
30 : 1	Actinomycosis ..	P.L. H. E.	— — —	9 21 9	12 18 16	6 24 15	2 10 15	29 73 55	1 7 6	— 10 9	1 14 21	— 4 10	2 35 46
30 : 2	Other mycoses ..	P.L. H. E.	— 1 —	3 6 7	8 6 27	— 11 32	1 4 20	12 28 86	3 3 3	6 5 12	3 4 27	1 4 17	13 16 59
31-37	Tuberculosis (all forms).	P.L. M. H. E.	1 44 266 25	5,440 348 3,428 4,590	9,192 786 10,469 21,676	3,348 684 6,961 20,497	810 457 2,933 10,859	18,791 2,319 24,057 57,647	3,200 352 2,116 3,853	5,320 691 6,805 19,502	2,384 727 4,667 19,258	673 466 2,222 11,006	11,577 2,236 15,810 53,619

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued*.

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
31	Respiratory system..	P.L. M. H. E.	1 41 224 23	4,794 313 2,746 4,325	7,422 701 8,166 18,888	2,662 609 5,083 17,047	617 395 1,958 8,804	15,496 2,059 18,177 49,087	2,678 307 1,512 3,572	3,916 607 4,790 16,733	1,770 624 3,101 16,001	480 404 1,416 9,082	8,844 1,942 10,819 45,388
32	Nervous system ...	P.L. M. H. E.	— — 10 —	274 4 304 89	586 2 1,098 1,118	201 3 760 1,402	48 6 382 665	1,109 15 2,554 3,274	259 2 308 89	552 3 1,032 992	207 6 687 1,178	43 2 338 639	1,061 13 2,365 2,898
33	Intestines and peritoneum.	P.L. M. H. E.	— — 11 —	60 7 73 45	283 24 352 562	139 9 386 662	34 8 178 383	516 48 1,000 1,652	54 13 52 48	243 31 355 663	124 29 318 768	35 16 170 462	456 89 895 1,941
34	Vertebral column ...	P.L. M. H. E.	— — 2 —	67 4 37 25	166 3 117 215	66 8 132 223	27 3 93 202	326 18 381 665	37 — 25 20	118 5 73 189	62 7 82 250	23 3 52 152	240 15 232 611
35	Joints	P.L. M. H. E.	— — — —	44 3 17 10	88 6 50 80	39 7 64 114	22 2 35 88	193 18 166 292	17 2 8 13	41 5 31 69	36 5 29 87	21 2 17 45	115 14 85 214
36 (a)	Skin and subcutaneous tissue.	P.L. M. H. E.	— — — —	4 — — 5	16 2 3 16	8 — 2 13	4 — 1 22	32 2 6 56	10 1 3 7	32 3 4 50	23 1 3 43	12 — 1 32	77 5 11 132
36 (b)	Bones (vertebral column excepted).	P.L. M. H. E.	— — — —	11 5 2 2	32 3 26 29	17 3 18 38	9 1 12 27	69 12 58 96	1 — 3 5	16 2 12 22	16 — 19 27	5 — 9 23	38 2 43 77
36 (c)	Lymphatic system (abdominal glands excepted).	P.L. M. H. E.	— — — —	7 — 7 3	25 — 23 33	8 2 27 34	5 1 10 25	45 3 67 95	10 1 4 3	14 1 16 24	9 1 23 43	3 1 12 22	36 4 55 92
36 (d)	Genito-urinary system.	P.L. M. H. E.	— — 4 —	34 1 23 27	51 3 82 130	18 5 62 142	8 7 43 105	111 16 214 404	15 5 22 23	35 2 75 79	11 9 56 92	2 6 35 56	63 22 188 250
36 (e)	Others in 36 ..	P.L. H. E.	— — —	2 — —	2 4 4	— 7 3	— 1 1	4 12 8	— 2 2	— 7 5	— 7 5	1 2 5	1 18 17
37 (a)	Disseminated tuberculosis, acute.	P.L. M. H. E.	— — 8 1	81 3 101 21	140 14 256 234	55 9 164 275	10 11 81 175	286 37 610 706	78 9 93 28	104 14 219 289	34 10 159 307	11 11 75 181	227 44 546 805
37 (b)	Disseminated tuberculosis, chronic or unstated.	P.L. M. H. E.	— 3 7 1	62 8 118 38	381 28 292 367	135 29 256 544	26 23 139 362	604 91 812 1,312	41 12 84 43	249 18 191 387	92 35 183 457	37 21 95 307	419 86 553 1,194
38	Syphilis	P.L. M. H. E.	— 1 4 1	286 38 205 150	840 43 367 751	298 31 205 684	97 12 115 324	1,521 125 896 1,910	142 16 73 59	525 36 183 407	192 11 126 404	78 6 68 217	937 69 450 1,087
40 : 1	Gonococcal infection (ophthalmia excepted).	P.L. M. H. E.	— — 4 —	7 — 9 2	22 — 28 18	13 — 28 12	2 1 8 9	44 1 77 41	2 — — 1	13 1 8 4	3 — 6 5	1 — 1 —	19 1 15 10
40 : 2	Gonococcal or purulent ophthalmia.	P.L. H. E.	— — —	2 5 —	10 10 14	5 11 9	1 8 3	18 34 26	— 2 —	7 7 1	1 5 8	2 9 7	10 23 16
41	Purulent infection, septicæmia.	P.L. M. H. E.	1 — 15 —	123 3 101 32	204 11 403 157	112 7 434 229	45 2 288 182	485 23 1,241 600	67 4 83 28	137 6 200 150	64 16 194 184	25 5 131 142	293 31 608 504
42 : 1	Vaccinia	P.L. H. E.	— 1 —	1 4 —	— 2 1	— 5 2	— — 2	1 12 5	3 3 1	1 1 4	— 1 1	— 4 1	4 9 7
42 : 2	Other diseases included under 42.	H. E.	— —	1 —	— —	4 3	— 3	5 6	1 —	4 1	3 1	1 —	9 2

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
43-49	Cancer, malignant disease.	P.L. M. H. E.	1 7 96 15	6,490 208 3,776 5,720	10,718 265 7,029 25,247	6,105 234 7,291 29,293	2,427 161 3,894 19,721	25,741 875 22,086 79,996	5,348 397 3,729 8,372	8,213 368 6,029 34,986	5,039 356 7,022 39,504	1,821 189 3,331 24,928	20,421 1,310 20,111 107,790
43	Buccal cavity ..	P.L. M. H. E.	— — 6 —	807 14 330 424	1,882 22 541 2,595	1,040 18 475 2,743	386 21 256 1,683	4,115 75 1,608 7,445	99 4 54 94	169 7 67 472	117 6 85 540	41 3 28 370	426 20 234 1,476
44	Pharynx, œsophagus, stomach, liver and annexa.	P.L. M. H. E.	— 3 22 4	2,115 77 1,188 2,317	3,189 91 2,199 10,178	1,835 78 2,215 11,666	716 64 1,158 7,735	7,855 313 6,782 31,900	1,069 104 688 2,252	1,586 94 1,200 9,822	983 90 1,422 11,074	364 52 666 7,583	4,002 340 3,976 30,731
45	Peritoneum, intestines and rectum.	P.L. M. H. E.	— 2 17 2	1,331 30 857 1,253	2,250 63 1,995 5,707	1,323 44 2,236 6,904	553 27 1,263 5,057	5,457 166 6,368 18,923	1,113 57 838 1,772	1,648 45 1,669 6,738	1,025 48 1,961 8,009	339 21 927 5,177	4,125 171 5,395 21,696
46	Female genital organs	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	1,242 86 842 1,468	2,318 70 1,367 6,971	1,308 58 1,434 7,299	467 32 723 4,007	5,335 246 4,366 19,745
47	Breast	P.L. M. H. E.	— — 1 —	8 — 12 13	25 1 4 50	12 1 7 47	2 1 5 52	47 3 29 162	1,065 82 637 1,802	1,463 72 803 7,054	984 82 1,048 8,056	364 49 453 4,834	3,876 285 2,941 21,746
48	Skin	P.L. M. H. E.	— — 1 1	192 9 50 94	584 9 156 637	373 11 128 913	205 7 74 802	1,354 36 409 2,447	79 6 42 59	196 7 53 494	168 7 68 582	86 1 22 475	529 21 185 1,610
49	Other or unspecified organs.	P.L. M. H. E.	1 2 49 8	2,037 78 1,339 1,619	2,788 79 2,134 6,080	1,522 82 2,230 7,020	565 41 1,138 4,392	6,913 282 6,890 19,119	681 58 628 925	833 73 870 3,435	454 65 1,004 3,944	160 31 512 2,482	2,128 227 3,014 10,786
50	Tumours not returned as malignant (brain and female genital organs excepted).	P.L. M. H. E.	— — 7 —	62 6 92 94	125 5 229 412	85 4 257 438	26 — 118 257	298 15 703 1,201	53 2 73 68	75 2 168 354	43 7 193 416	27 3 117 296	198 14 551 1,134
51	Rheumatic fever ..	P.L. M. H. E.	— — 6 2	107 2 135 136	185 3 218 822	97 3 202 937	27 2 86 511	416 10 647 2,408	113 4 172 180	263 6 291 1,042	109 5 253 1,150	30 4 104 549	515 19 820 2,921
52 : 1	Chronic rheumatism	P.L. M. H. E.	— — — —	7 — — 15	26 — 2 117	37 — — 134	21 — — 116	91 — 2 382	7 — — 29	38 — — 139	55 — 2 189	28 2 2 144	128 2 4 501
52 : 2	Rheumatoid and osteo-arthritis.	P.L. M. H. E.	— — — —	182 — 28 197	317 4 54 827	234 — 47 983	135 3 30 771	868 7 159 2,778	442 7 90 550	684 11 150 2,185	573 13 129 2,623	265 7 72 1,716	1,964 38 441 7,074
52 : 3	Gout	P.L. H. E.	— — —	34 4 98	30 11 330	31 12 377	12 2 204	107 29 1,009	7 2 29	7 4 73	7 — 76	2 4 26	23 10 204
53	Scurvy	P.L. M. H. E.	— — — —	1 — 5 1	11 — 12 5	2 — 6 6	— — 5 8	14 — 28 20	1 — 2 2	3 1 7 3	— — 6 5	— — 3 —	4 1 18 10
54	Pellagra	P.L. M. H. E.	— — — —	— 1 — —	— 1 — 1	— — — —	— — — —	— 2 — 1	— 2 — 1	2 3 1 2	— 5 2 2	— 1 — 2	2 11 3 7
55	Beri-beri	H. E.	1 —	— —	1 1	— —	— —	2 1	— —	— —	— —	— —	— —
56	Rickets	P.L. M. H. E.	— — — —	35 — 36 34	142 1 92 294	33 — 53 271	3 — 28 184	213 1 209 783	29 — 9 11	109 — 61 224	21 — 29 185	9 — 14 116	168 — 113 536

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued*.

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs	Other Urban Districts.	Rural Districts.	England and Wales.
57	Diabetes	P.L. M. H. E.	2 — 8 1	355 10 209 469	635 24 687 2,186	387 32 709 2,705	158 19 414 1,829	1,537 85 2,027 7,190	530 28 242 742	939 37 804 3,281	527 29 806 4,009	194 16 462 2,438	2,190 110 2,314 10,470
58 (a)	Pernicious anæmia ..	P.L. M. H. E.	— 1 3 1	94 11 78 139	252 17 188 1,044	146 20 196 1,416	80 12 91 881	572 61 556 3,481	105 12 84 225	278 26 267 1,646	192 28 231 2,066	117 15 195 1,237	692 81 777 5,174
58 (b)	Other anæmias and chlorosis.	P.L. M. H. E.	— — 2 —	15 — 27 15	29 3 67 125	19 — 61 152	5 1 29 68	68 4 186 360	20 1 23 29	31 2 69 161	17 4 70 203	6 — 46 153	74 7 208 546
59	Diseases of the pit- uitary gland.	P.L. M. H. E.	— — — —	2 — — 5	9 1 3 10	3 1 3 16	1 — 1 14	15 2 7 45	6 1 — 6	7 — 5 22	3 1 2 26	1 — 1 16	17 2 8 70
60 (a)	Exophthalmic goitre	P.L. M. H. E.	— — — —	6 — 16 13	12 2 56 94	8 4 54 131	3 1 35 99	29 7 161 337	72 13 173 133	132 29 367 843	99 24 431 1,151	39 19 247 806	342 85 1,218 2,933
60(b) : 1	Myxœdema	P.L. M. H. E.	— — — —	6 — 2 4	1 2 2 25	3 2 — 35	3 — — 14	13 4 4 78	57 2 7 65	87 5 18 241	51 5 10 252	18 — 7 121	213 12 42 679
60(b) : 2	Cretinism	P.L. M. H. E.	— — — —	1 1 1 2	7 1 1 35	4 1 4 34	3 — 1 26	15 3 7 97	1 — — 8	5 — 2 33	8 1 9 33	8 — 3 31	22 1 14 105
60(b) : 3	Other diseases of the thyroid gland.	P.L. M. H. E.	— — 1 —	— — 3 3	1 — 10 18	3 1 14 22	1 — 6 21	5 1 34 64	2 2 6 12	5 4 27 82	10 2 35 154	6 2 29 160	23 10 97 408
61	Diseases of the para- thyroid glands.	P.L. M. H. E.	— — — —	2 — 1 2	2 — 10 22	1 — 8 25	1 — 3 12	6 — 22 61	1 — 1 2	5 — 6 9	2 — 6 31	— 1 6 14	8 1 19 56
62	Diseases of the thymus.	P.L. M. H. E.	— — 1 2	13 1 17 39	11 — 40 130	7 — 18 142	3 2 13 69	34 3 89 382	6 2 10 28	8 1 8 68	4 — 9 114	— — 9 57	18 3 36 267
63	Diseases of the adrenals.	P.L. M. H. E.	— — — —	16 1 17 13	32 — 26 99	16 2 34 111	9 2 20 67	73 5 97 290	17 2 31 36	19 5 36 136	16 3 51 213	10 5 40 132	62 15 158 517
64	Diseases of the spleen	P.L. M. H. E.	— — — —	2 1 3 2	4 — 7 18	3 — 7 20	1 — 1 15	10 1 18 55	— 1 4 9	— — 11 14	1 1 9 22	2 — 7 14	3 2 31 59
65 (a)	Leukæmia	P.L. M. H. E.	— — 6 1	57 1 115 54	63 1 238 253	31 — 230 329	4 2 144 190	155 4 733 827	48 — 95 57	51 7 157 286	30 2 160 318	7 3 90 180	136 12 502 841
65 (b)	Lymphadenoma (Hodgkin's disease).	P.L. M. H. E.	— — 3 —	39 1 63 67	82 3 118 277	46 3 103 368	14 1 56 216	181 8 343 928	32 — 35 50	31 1 46 172	11 1 55 240	5 2 19 146	79 4 155 608
66	Alcoholism (acute or chronic).	P.L. M. H. E.	— — 1 —	17 1 6 15	28 — 17 85	16 — 10 99	11 — 6 56	72 1 40 255	15 1 4 10	23 1 3 35	14 — 10 43	1 — 1 30	53 2 18 118
67 : 1	Occupational lead poisoning.	P.L. H. E.	— — —	6 2 6	18 19 79	1 8 59	— 4 18	25 33 162	— — —	3 2 6	— — —	— — —	3 2 6
67 : 2	Other chronic poison- ing by mineral substances.	P.L. H. E.	— — —	— — —	2 1 5	— — 4	1 1 3	3 2 12	— — —	— 1 —	— — 1	1 — 2	1 1 3

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
68	Chronic poisoning by organic substances.	P.L. H. E.	— — —	1 — 2	— 1 7	2 1 8	— — 3	3 2 20	1 — 3	1 2 3	1 2 1	1 — 2	4 4 9
69 : 1	Purpura	P.L. M. H. E.	— — 1 —	23 3 28 13	44 — 82 96	17 2 67 139	6 2 51 82	90 7 229 330	15 3 29 25	45 4 89 141	25 — 75 154	4 — 34 91	89 7 227 411
69 : 2	Hæmophilia	P.L. H. E.	— 1 —	9 15 9	14 53 60	10 47 84	2 28 48	35 144 201	1 3 2	1 21 39	3 11 50	1 6 34	6 41 125
69 : 3	Other diseases in- cluded under 69.	P.L. M. H. E.	— — — 1	11 1 15 23	13 — 46 57	9 — 36 118	2 — 18 66	35 1 115 265	17 — 11 48	31 1 46 133	14 — 29 186	5 — 27 83	67 1 113 450
70 : 1	Cerebral abscess ..	P.L. M. H. E.	— 1 4 1	39 5 38 9	43 4 108 37	21 4 100 48	3 3 44 24	106 17 294 119	17 2 24 5	23 2 53 35	6 1 52 54	3 1 26 34	49 6 155 128
70 : 2	Other diseases in- cluded under 70.	P.L. M. H. E.	— 1 — —	7 1 16 5	21 1 40 38	16 4 39 67	4 2 15 34	48 9 110 144	8 — 13 8	17 3 22 39	16 1 25 72	2 — 19 49	43 4 79 168
71	Meningitis	P.L. M. H. E.	1 — — 14 1	129 2 150 72	242 10 406 643	111 9 352 820	32 7 197 472	515 28 1,119 2,008	95 5 99 60	163 4 318 589	83 9 252 761	27 6 133 431	368 24 802 1,841
72	Tabes dorsalis (locomotor ataxy).	P.L. M. H. E.	— — — 1	298 8 45 168	518 19 80 660	304 25 78 636	91 7 20 288	1,211 59 223 1,753	66 8 7 25	117 5 9 138	60 4 10 106	20 3 8 55	263 20 34 324
73	Other diseases of the spinal cord.	P.L. M. H. E.	— 1 5 —	149 3 51 152	327 6 136 744	260 9 141 993	100 7 89 691	836 26 422 2,580	110 2 41 138	220 10 108 632	203 4 122 840	66 8 60 560	599 24 331 2,170
74(a) : 1	Cerebral hæmorrhage, so returned.	P.L. M. H. E.	— 2 11 6	1,418 61 266 1,564	3,543 80 943 9,837	2,847 107 562 11,983	1,223 72 200 8,032	9,031 322 1,982 31,422	1,561 89 230 2,747	3,209 107 763 14,072	2,543 138 581 16,716	1,010 65 223 10,590	8,323 399 1,797 44,125
74(a) : 2	Apoplexy, lesion un- stated.	P.L. M. H. E.	— — — 1	9 2 21 105	122 4 25 942	84 4 33 1,306	76 5 8 958	291 15 87 3,312	6 6 16 206	128 6 13 1,224	72 5 37 1,675	65 11 7 1,151	271 28 73 4,256
74(b) : 1	Cerebral embolism ..	P.L. M. H. E.	— — 1 —	28 — 6 46	67 3 22 239	68 1 19 371	25 1 4 319	188 5 52 975	26 2 12 97	58 4 21 402	66 4 25 614	31 5 9 404	181 15 67 1,517
74(b) : 2	Cerebral thrombosis	P.L. M. H. E.	— — — 1	731 16 74 219	974 37 147 1,203	558 15 118 1,554	195 17 40 1,076	2,458 85 379 4,053	879 33 95 475	1,037 46 141 1,992	509 26 153 2,637	192 27 78 1,528	2,617 132 467 6,632
75 (a)	Hemiplegia	P.L. M. H. E.	— — — —	65 — 8 118	281 3 37 670	300 1 18 821	157 1 8 616	803 5 71 2,225	100 4 21 202	255 2 38 966	277 2 38 1,144	147 5 7 872	779 13 104 3,184
75 (b)	Other forms of paralysis.	P.L. H. E.	— — —	9 3 12	62 4 62	41 2 99	26 1 87	138 10 260	8 6 19	52 7 60	35 8 125	20 3 93	115 24 297
76	General paralysis of the insane.	P.L. M. H. E.	— 17 3 —	61 793 33 37	321 1,753 55 158	169 1,211 58 203	47 411 23 118	598 4,185 172 516	14 194 6 15	61 432 11 38	38 289 6 52	16 106 3 25	129 1,021 26 130
77	Other forms of in- sanity.	P.L. M. H. E.	— 4 1 —	31 163 5 17	704 266 9 99	189 348 11 147	58 185 9 124	982 966 35 387	64 285 17 33	552 554 20 191	252 591 31 346	80 278 17 256	948 1,708 85 826

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued.*

International. List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
78	Epilepsy	P.L. M. H. E.	— 8 1 2	111 243 30 145	617 465 71 794	385 412 60 1,049	186 265 32 790	1,299 1,393 194 2,780	135 179 24 155	478 366 50 766	383 293 56 1,095	201 181 29 774	1,197 1,019 159 2,790
79 & 80	Convulsions (non- puerperal).	P.L. M. H. E.	— — — 1	28 — 45 189	106 2 168 2,111	49 — 110 2,137	19 — 49 1,414	202 2 372 5,852	15 — 32 154	67 1 111 1,500	49 1 73 1,487	19 — 32 945	150 2 248 4,086
81	Chorea	P.L. M. H. E.	— — — —	2 — 1 4	8 2 9 18	7 1 9 28	1 2 5 9	18 5 24 59	11 2 8 4	35 1 38 59	23 1 41 82	11 1 9 40	80 5 96 185
82	Hysteria and Neuritis	P.L. M. H. E.	— — — —	6 1 12 22	17 1 27 86	16 — 18 92	3 — 10 76	42 2 67 276	17 1 14 32	33 1 31 171	22 2 34 191	6 2 13 96	78 6 92 490
83	Cerebral softening ..	P.L. M. H. E.	— — — —	5 20 3 15	80 45 3 148	61 65 7 228	46 35 1 186	192 165 14 577	16 40 3 34	73 47 10 213	62 85 10 327	55 42 2 205	206 214 25 779
84 : 1	Idiocy, imbecility ..	P.L. M. H. E.	— — — —	16 26 18 28	112 26 24 137	58 25 24 158	33 19 12 138	219 96 78 461	15 18 23 28	90 37 22 135	55 35 22 193	35 18 8 140	195 108 75 496
84 : 2	Cerebral tumour ..	P.L. M. H. E.	— — 11 2	140 25 165 91	155 22 326 392	133 23 385 547	61 11 228 374	489 81 1,115 1,406	120 18 140 130	136 14 270 500	111 18 273 605	41 15 165 387	408 65 848 1,622
84 : 3	Disseminated sclerosis	P.L. M. H. E.	— — 2 1	69 2 26 58	175 8 47 403	132 5 60 533	61 1 17 295	437 16 152 1,290	73 11 28 73	198 5 50 418	130 9 69 621	52 7 23 356	453 32 170 1,468
84 : 4	Paralysis agitans ..	P.L. M. H. E.	— — — —	201 10 17 123	300 8 34 571	198 5 38 819	74 12 15 586	773 35 104 2,099	143 2 30 142	186 8 32 594	162 6 40 740	66 4 20 454	557 20 122 1,930
84 : 5	Other diseases in- cluded under 84.	P.L. M. H. E.	— — — —	16 25 7 26	86 70 23 150	62 32 24 234	24 18 15 126	188 145 69 536	15 21 11 37	58 65 16 190	69 24 23 240	18 28 11 132	160 138 61 599
85	Diseases of the eye and annexa.	P.L. M. H. E.	— — — —	9 — 12 6	16 1 34 18	8 — 36 27	2 1 16 23	35 2 98 74	9 — 7 7	9 1 33 31	8 — 33 35	1 — 18 32	27 1 91 105
86 : 1	Diseases of the mas- toid sinus.	P.L. M. H. E.	— — 3 —	74 1 134 5	92 1 350 21	47 — 326 34	7 — 171 16	220 2 984 76	46 — 103 7	62 1 296 30	32 2 236 37	5 — 118 17	145 3 753 91
86 : 2	Diseases of the ear ..	P.L. M. H. E.	— — 21 1	176 2 170 30	204 4 502 198	71 5 499 270	14 8 215 137	465 19 1,407 636	136 8 125 28	159 10 332 178	48 2 297 220	5 1 156 108	348 21 910 534
87	Pericarditis	P.L. M. H. E.	— — 3 1	37 6 29 51	72 7 72 159	25 12 41 159	3 4 27 120	137 29 172 490	34 5 23 41	38 11 45 121	17 5 33 121	6 9 20 80	95 30 121 363
88 : 1	Infective endocarditis	P.L. M. H. E.	— — 17 —	140 7 192 101	166 3 306 313	62 8 288 451	13 5 131 238	381 23 934 1,103	156 10 210 119	166 5 280 400	76 11 274 474	14 6 112 266	412 32 876 1,259
88 : 2	Other acute endo- carditis.	P.L. M. H. E.	— — 2 —	28 4 20 36	63 1 60 240	30 6 41 291	4 2 20 118	125 13 143 685	29 6 24 41	70 4 59 368	47 13 58 406	6 4 30 146	152 27 171 961
88 : 3	Acute myocarditis ..	P.L. M. H. E.	1 — 1 —	48 1 21 63	111 7 38 306	50 3 37 310	11 2 18 129	221 13 115 808	25 3 9 63	80 7 51 320	40 4 35 356	8 2 18 160	153 16 113 899

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued.*

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
89	Angina pectoris ..	P.L. M. H. E.	— — 5 11	145 19 205 1,691	140 16 237 4,042	79 16 169 4,254	40 16 52 2,205	404 67 668 12,203	68 30 54 735	49 13 69 1,760	35 14 66 1,838	9 9 30 946	161 66 219 5,279
90 : 1	Aortic valve disease. .	P.L. M. H. E.	— — 2 1	418 18 118 900	621 62 280 2,881	326 58 190 3,110	125 36 70 1,959	1,490 174 660 8,851	158 25 36 531	211 59 80 1,396	113 24 60 1,584	39 23 27 890	521 131 203 4,401
90 : 2	Mitral valve disease. .	P.L. M. H. E.	— — 1 3	588 19 177 985	1,388 78 355 4,257	854 56 310 5,033	423 51 118 3,874	3,253 204 961 14,152	965 82 394 2,028	1,863 197 682 8,127	1,040 162 565 8,828	407 69 228 6,038	4,275 510 1,869 25,021
90 : 3	Aortic and mitral valve disease.	P.L. M. H. E.	— — 1 —	88 14 79 284	155 18 113 733	74 21 67 786	23 10 26 513	340 63 286 2,316	61 26 59 280	98 21 69 678	44 23 57 811	19 14 9 400	222 84 194 2,169
90 : 4	Other or unspecified valve disease.	P.L. M. H. E.	— 5 1 5	507 79 119 1,609	1,133 213 344 7,072	947 215 241 7,907	427 178 131 5,285	3,014 690 836 21,878	515 126 159 2,284	1,107 324 316 9,561	935 318 334 10,340	360 175 139 6,448	2,917 943 948 28,633
90 : 5	Fatty heart	P.L. M. H. E.	— 2 3 5	107 36 40 843	93 126 73 1,501	85 137 51 1,916	50 84 25 1,109	335 385 192 5,374	110 120 42 1,022	126 232 69 2,021	89 189 79 2,486	52 127 32 1,425	377 668 222 6,954
90 : 6	Cardiac dilatation, cause unspecified.	P.L. M. H. E.	— — — 2	20 1 4 62	26 8 11 280	37 17 6 417	32 18 2 341	115 44 23 1,102	13 7 4 83	13 23 9 295	40 15 10 407	29 28 5 315	95 73 28 1,100
90 : 7	Other or unspecified myocardial disease.	P.L. M. H. E.	— 7 2 6	6,367 500 475 4,887	9,220 500 1,036 17,444	4,833 558 772 19,131	1,827 357 348 12,578	22,247 1,922 2,633 54,046	6,558 580 435 6,342	8,141 618 960 22,975	4,579 668 828 23,658	1,465 451 318 14,136	20,743 2,317 2,541 67,111
90 : 8	Disordered action of the heart.	P.L. M. H. E.	— — — —	173 2 49 205	341 1 108 766	157 4 75 956	59 2 45 729	730 9 277 2,656	323 — 66 371	537 1 137 1,458	226 6 120 1,667	66 1 63 1,108	1,152 8 386 4,604
90 : 9	Heart disease .. (undefined).	P.L. M. H. E.	— 1 2 2	417 64 65 819	843 18 118 3,353	1,045 29 124 5,190	611 31 47 4,373	2,916 143 356 13,737	375 74 50 1,264	736 24 97 4,632	896 26 155 6,534	414 26 73 4,827	2,421 150 375 17,257
91 (a)	Aneurysm	P.L. M. H. E.	— — 4 5	203 12 159 481	236 21 307 1,165	113 11 186 1,025	39 6 69 519	591 50 725 3,195	68 14 60 230	54 17 60 355	22 11 50 307	5 6 15 139	149 48 185 1,031
91(b) : 1	Arterio-sclerosis with record of cerebral vascular lesion.	P.L. M. H. E.	— — 1 2	821 73 140 1,126	1,988 159 415 5,896	1,011 123 311 6,826	523 115 108 4,368	4,343 470 975 18,218	656 79 174 1,480	1,329 167 253 5,957	721 122 303 6,729	325 76 107 3,994	3,031 444 837 18,160
91(b) : 2	Arterio-sclerosis with- out record of cere- bral vascular lesion.	P.L. M. H. E.	— 2 1 5	1,843 274 175 1,649	4,724 570 351 6,944	2,254 443 314 8,048	1,149 298 143 5,707	9,970 1,587 984 22,353	1,441 345 113 1,372	3,430 502 171 5,463	1,410 345 214 6,209	642 210 82 3,915	6,923 1,402 580 16,959
91 (c)	Other diseases of the arteries.	P.L. M. H. E.	— — — —	49 — 9 37	21 — 19 111	20 — 17 126	9 1 7 96	99 1 52 370	40 2 5 27	10 — 9 99	13 1 16 147	4 — 7 75	67 3 37 348
92	Embolism and throm- bosis (not cerebral).	P.L. M. H. E.	— — 4 1	30 — 29 55	36 4 80 138	25 4 88 207	6 2 44 128	97 10 245 529	27 — 30 38	37 2 74 169	20 2 96 239	7 3 38 151	91 7 238 597
93	Diseases of the veins (varices, hæmorr- hoids, phlebitis, etc.).	P.L. M. H. E.	— — — 1	30 1 11 44	58 2 49 178	42 2 45 213	18 — 26 158	148 5 131 594	39 2 14 93	74 3 41 370	49 — 71 484	24 2 44 332	186 7 170 1,279
94	Diseases of the lym- phatic system (lymphangitis, etc.).	P.L. M. H. E.	— — — —	13 — 6 8	22 — 31 26	8 1 34 32	7 1 20 19	50 2 91 85	11 — 6 5	25 2 20 37	7 — 33 42	4 2 11 18	47 4 70 102

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued*.

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non-civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
95	Hæmorrhage without stated cause.	P.L. M. H. E.	— — — —	1 — 3 3	1 — 4 12	3 — 3 19	1 — 2 14	6 — 12 48	— 1 2 2	1 — 2 10	— — 4 15	— — 4 10	1 1 12 37
96	Other diseases of the circulatory system.	P.L. H. E.	— 1 —	9 13 23	19 17 97	11 13 131	4 5 66	43 49 317	5 11 36	5 14 80	3 9 123	3 2 65	16 36 304
97 : 1	Diseases of the nose . .	P.L. M. H. E.	— — 1 —	7 — 9 8	5 — 14 19	1 — 25 23	— — 10 15	13 — 59 65	3 1 8 3	3 — 15 15	3 — 11 18	1 — 6 25	10 1 40 61
97 : 2	Diseases of the accessory nasal sinuses.	P.L. M. H. E.	— — 8 —	26 — 45 6	26 5 109 24	8 1 116 28	3 — 65 20	63 6 343 78	15 2 35 4	8 7 75 27	5 4 73 31	1 — 38 21	29 13 221 83
98 : 1	Laryngismus stridulus	P.L. H. E.	— — —	— 1 3	2 6 55	1 5 54	— 2 57	3 14 169	— — 5	2 2 50	1 6 45	— 1 18	3 9 118
98 : 2	Laryngitis	P.L. M. H. E.	— — — —	10 — 18 28	25 — 43 164	12 — 32 240	5 — 17 145	52 — 110 577	8 — 12 19	16 1 26 155	10 — 24 188	1 — 9 115	35 1 71 477
98 : 3	Other diseases of the larynx.	P.L. M. H. E.	— — — —	2 — 2 1	3 — 2 2	— 1 3 4	1 — — 2	6 1 7 9	— — 3 1	2 — — —	— — — 2	1 — — 1	3 — 3 4
99 (a)	Bronchitis—acute . .	P.L. M. H. E.	— — 7 —	483 10 61 983	592 22 122 4,665	476 25 105 4,790	232 14 36 2,659	1,783 71 331 13,097	356 36 69 1,538	502 30 118 6,211	301 44 91 6,264	152 32 33 3,263	1,311 142 311 17,276
99 (b)	Bronchitis—chronic	P.L. M. H. E.	— 1 4 3	1,710 26 208 1,917	2,844 54 418 7,247	1,252 37 233 6,816	457 52 94 3,607	6,263 170 957 19,590	1,107 37 73 1,724	1,589 60 194 6,294	673 63 103 5,307	209 29 47 2,710	3,578 189 417 16,035
99 (c & d)	Bronchitis — not stated whether acute or chronic.	P.L. M. H. E.	— 1 2 —	898 6 111 1,740	1,667 — 199 8,538	1,278 5 159 7,655	569 3 51 4,702	4,412 15 522 22,635	742 5 100 2,338	1,190 5 143 10,392	986 9 110 9,005	296 2 33 5,079	3,214 21 386 26,814
100	Broncho-pneumonia	P.L. M. H. E.	1 — 32 4	3,041 159 1,093 2,597	4,641 152 2,605 13,775	1,459 166 1,377 11,633	310 129 553 5,648	9,452 606 5,660 33,657	2,283 260 785 2,692	3,258 212 1,777 12,744	1,032 256 977 10,211	224 150 396 4,850	6,797 878 3,935 30,497
101 (a)	Lobar pneumonia . .	P.L. M. H. E.	2 7 89 13	1,788 74 703 1,543	4,071 303 2,383 7,665	1,293 288 1,679 7,132	314 237 792 3,690	7,468 909 5,646 20,043	815 189 364 1,243	1,645 315 1,013 4,844	462 338 770 4,505	131 249 386 2,432	3,053 1,091 2,533 13,024
101 (b)	Pneumonia, not otherwise defined.	P.L. M. H. E.	— — 20 8	594 45 204 767	830 16 698 4,419	593 16 505 4,400	196 15 224 2,536	2,213 92 1,651 12,130	281 45 134 700	423 28 320 3,200	258 24 305 3,129	82 21 136 1,744	1,044 118 895 8,773
102 : 1	Empyema	P.L. M. H. E.	— — 12 —	83 6 120 12	157 2 293 89	39 3 293 89	8 — 175 61	287 11 893 251	40 4 46 8	62 3 150 25	11 5 148 33	2 17 52 23	115 29 396 89
102 : 2	Other pleurisy . .	P.L. M. H. E.	— — 1 —	78 10 31 110	134 7 93 474	53 3 78 590	17 6 44 341	282 26 247 1,515	32 12 22 93	48 6 55 376	28 10 65 478	15 8 24 270	123 36 166 1,217
103	Congestion and hæmorrhagic infarct of lung.	P.L. M. H. E.	— — — 1	243 54 15 124	133 12 52 496	116 18 29 630	42 16 9 408	534 100 105 1,659	323 118 12 207	186 21 42 770	142 21 34 916	33 19 12 522	684 179 100 2,415
104	Gangrene of lung . .	P.L. M. H. E.	— — — —	8 7 2 —	13 3 10 8	4 6 10 15	1 3 5 5	26 19 27 28	— 2 — 1	3 4 — 4	6 2 1 3	1 2 2 6	10 10 3 14

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE 1926-30—*continued.*

International. List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
105	Asthma	P.L. M. H. E.	— 1 4 1	122 4 43 533	169 5 67 1,534	177 6 58 1,774	72 2 25 1,078	540 18 197 4,920	75 4 19 409	91 5 40 1,347	55 7 47 1,451	38 4 19 829	259 20 125 4,036
106	Pulmonary emphy- sema.	P.L. M. H. E.	— — 1 —	38 — 5 32	17 1 8 62	7 1 11 116	9 1 8 59	71 3 33 269	9 — — 6	4 — — 28	3 1 3 35	3 — 2 17	19 1 5 86
107 (a)	Chronic interstitial pneumonia.	P.L. M. H. E.	— — 2 —	57 — 16 43	41 1 33 257	20 — 23 295	6 5 11 253	124 6 85 848	18 — 8 34	11 2 8 75	12 1 5 98	4 1 4 42	45 4 25 249
107 (b)	Diseases of the media- stinum.	P.L. H. E.	— — —	1 — —	1 2 5	— 3 4	— 2 4	2 7 13	1 1 1	1 2 2	1 2 2	— 1 —	3 6 5
107 (c)	Other diseases in- cluded under 107.	P.L. M. H. E.	— — 1 —	11 1 12 9	20 2 36 56	13 1 33 58	5 2 18 28	49 6 100 151	1 1 5 3	12 2 12 28	2 4 9 31	2 3 5 21	17 10 31 83
108 : 1	Diseases of the teeth and gums.	P.L. M. H. E.	— — 4 —	45 2 45 38	81 8 98 226	47 4 119 278	10 — 70 194	183 14 336 736	42 2 16 56	54 10 70 147	25 3 65 227	10 5 43 158	131 20 194 588
108 : 2	Ludwig's angina ..	P.L. M. H. E.	— — 3 —	22 — 10 7	30 1 42 27	16 — 38 31	3 — 25 32	71 1 118 97	11 2 4 4	19 3 40 22	14 1 29 35	3 — 12 19	47 6 85 80
108 : 3	Other diseases in- cluded under 108.	P.L. M. H. E.	— — — —	9 1 13 3	25 3 20 12	9 1 23 22	6 1 7 17	49 6 63 54	9 3 6 9	28 7 14 28	18 11 11 38	5 5 10 21	60 26 41 96
109 : 1	Tonsillitis, etc., ade- noid vegetations.	P.L. M. H. E.	— — 15 4	47 2 76 65	73 3 195 334	29 1 191 427	6 3 107 274	155 9 584 1,104	49 6 62 73	71 8 133 403	32 3 175 595	8 9 95 345	160 26 465 1,416
109 : 2	Other diseases in- cluded under 109.	P.L. M. H. E.	— — 5 1	19 — 17 11	26 — 47 60	14 1 46 87	1 — 26 75	60 1 141 234	15 1 15 20	13 2 57 64	10 1 35 98	2 1 14 72	40 5 121 254
110	Diseases of the œso- phagus.	P.L. M. H. E.	— — — —	4 1 1 7	4 1 18 22	2 — 14 28	4 — 10 14	14 2 43 71	— — 4 3	3 1 7 18	3 — 7 27	— — 4 17	6 1 22 65
111(a)	Ulcer of the stomach	P.L. M. H. E.	— 1 32 2	576 13 695 216	556 20 1,872 823	294 12 1,922 928	57 15 938 546	1,483 61 5,459 2,515	224 9 254 168	216 6 555 615	98 11 578 712	28 11 291 441	566 37 1,678 1,936
111(b)	Ulcer of the duo- denum.	P.L. M. H. E.	— — 15 3	245 7 345 112	273 11 1,194 365	111 11 1,191 422	20 5 553 327	649 34 3,298 1,229	28 2 32 33	29 1 126 103	12 8 136 146	3 3 70 89	72 14 364 371
112 : 1	Inflammation of the stomach.	P.L. M. H. E.	— — — 2	18 — 17 133	49 2 51 1,034	52 3 40 1,049	30 1 13 616	149 6 121 2,834	20 — 13 183	45 2 40 1,152	40 5 28 1,234	18 2 13 760	123 9 94 3,329
112 : 2	Other diseases in- cluded under 112.	P.L. M. H. E.	— — — 1	8 — 20 16	17 — 43 158	12 1 46 195	7 — 19 146	44 1 128 516	3 1 14 12	11 3 34 120	2 — 30 149	2 1 13 108	18 5 91 389
113 & 114 : 1	Ulceration of the intestines.	P.L. M. H. E.	— — 1 —	25 4 38 12	29 4 86 64	19 6 116 80	4 3 74 51	77 17 315 207	35 3 75 16	41 5 120 111	25 9 164 125	7 5 78 81	108 22 437 333
113 & 114 : 2	Colitis	P.L. M. H. E.	— 1 1 —	108 2 39 26	98 6 48 131	29 7 37 190	5 6 18 134	240 22 143 481	77 11 43 42	67 9 38 224	32 10 51 240	19 23 26 148	195 53 158 654

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued*.

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
113 & 114 : 3	Other diseases in- cluded under 113 and 114.	P.L. M. H. E.	— — 2 1	1,077 5 739 391	2,641 1 1,240 4,042	487 8 648 3,295	94 4 194 1,890	4,299 18 2,823 9,619	793 8 520 355	1,850 11 839 3,395	350 8 436 2,996	73 7 149 1,625	3,066 34 1,944 8,371
115	Ankylostomiasis ..	P.L. H.	— —	— 1	1 —	— —	— —	1 1	— —	— —	— —	— —	— —
116 (a)	Cestodes (hydatids of the liver excepted).	P.L. M. H. E.	— — — —	— — 1 —	1 — 4 4	4 1 4 1	— — 1 1	5 1 10 6	— — 1 —	— — 2 4	2 — 5 1	— 1 4 6	2 1 12 11
116 (b)	Trematodes	H.	—	—	2	—	—	2	—	—	—	—	—
116 (c)	Nematodes	P.L. H. E.	— — —	— 1 —	— — 2	— 1 6	1 3 10	1 5 18	— — —	1 — 3	— 1 6	— 3 9	1 4 18
116 (f)	Undefined parasites	P.L. E.	— —	— —	— 2	— 2	— 1	— 5	— —	1 3	— 7	— 3	1 13
117	Appendicitis and typhlitis.	P.L. M. H. E.	— — 60 2	336 4 541 40	403 10 1,961 170	221 17 2,325 220	44 7 1,516 155	1,004 38 6,403 587	254 9 381 51	313 9 1,411 214	142 11 1,814 267	27 6 995 169	736 35 4,601 701
118 (a)	Hernia	P.L. M. H. E.	— — 2 —	263 3 223 112	307 14 842 395	223 11 915 477	55 9 585 396	848 37 2,567 1,380	327 8 182 111	363 5 890 519	188 6 852 622	29 5 481 358	907 24 2,405 1,610
118 (b)	Intestinal obstruction	P.L. M. H. E.	— 1 23 —	270 11 379 116	341 12 1,427 424	189 18 1,520 553	43 12 901 481	843 54 4,250 1,574	204 19 329 169	254 18 1,020 610	147 19 1,194 838	34 10 632 524	639 66 3,175 2,141
119	Other diseases of the Intestines	P.L. M. H. E.	— — 1 —	71 6 76 30	113 6 224 142	56 8 209 168	11 6 116 128	251 26 626 468	68 4 66 61	69 4 143 206	40 4 177 253	11 4 100 164	188 16 486 684
120	Acute yellow atrophy of the liver.	P.L. M. H. E.	1 — 2 —	8 — 6 2	7 — 10 7	2 — 16 13	1 — 7 13	19 — 41 35	17 — 28 10	24 — 55 27	10 2 47 43	3 — 21 23	54 2 151 103
121	Hydatid tumour of the liver.	P.L. M. H. E.	— — — —	3 — 3 1	9 1 15 6	1 — 9 4	— — 9 1	13 1 36 12	2 — 6 —	4 1 8 4	2 — 15 9	— — 6 6	8 1 35 19
122 (a)	Cirrhosis of the liver returned as alco- holic	P.L. M. H. E.	— — — —	44 — 21 69	44 1 33 148	24 1 30 221	8 1 12 116	120 3 96 554	26 — 23 59	16 — 11 91	11 — 17 109	1 — 6 45	54 — 57 304
122 (b)	Cirrhosis of the liver not returned as alcoholic.	P.L. M. H. E.	— 1 3 —	268 5 153 332	292 6 237 1,095	187 21 265 1,306	79 9 99 777	826 42 757 3,510	158 10 95 238	132 9 127 615	82 5 156 685	22 3 59 330	394 27 437 1,868
123	Biliary calculi ..	P.L. M. H. E.	— — 3 —	63 1 67 39	58 5 280 190	26 4 296 256	6 2 141 165	153 12 787 650	102 8 163 113	147 7 604 659	59 7 736 848	10 5 340 501	318 27 1,843 2,121
124	Other diseases of the liver.	P.L. M. H. E.	— — 12 —	80 6 88 67	84 9 315 301	45 6 273 387	9 3 144 266	218 24 832 1,021	96 9 112 121	136 18 442 729	80 10 463 821	13 9 210 478	325 46 1,227 2,149
125	Diseases of the pancreas.	P.L. M. H. E.	— — 1 —	38 6 44 24	51 1 149 92	25 3 181 121	1 2 101 67	115 12 476 304	60 8 51 19	66 9 226 94	23 10 210 164	6 3 118 64	155 30 605 341
126	Peritonitis of un- stated origin.	P.L. M. H. E.	— — 3 —	31 1 36 8	28 4 104 41	19 1 130 61	2 4 65 51	80 10 338 161	82 — 98 13	88 2 289 53	52 2 254 76	11 1 180 50	233 5 821 192

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued*.

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
128	Acute nephritis (in- cluding unspecified under 10 years of age).	P.L. M. H. E.	— — 20 1	122 5 72 64	230 15 219 644	129 8 232 835	20 5 122 437	501 33 665 1,981	95 10 56 84	210 16 177 687	103 17 188 849	30 11 86 433	438 54 507 2,053
129	Chronic nephritis (in- cluding unspecified over 10 years of age).	P.L. M. H. E.	— 4 36 6	1,947 129 608 1,642	2,666 295 1,511 7,030	1,419 288 1,209 8,161	552 198 602 5,538	6,584 914 3,966 22,377	1,532 212 434 1,897	2,070 413 1,121 7,778	942 459 1,024 8,484	380 255 435 5,099	4,924 1,339 3,014 23,258
130	Chyluria	P.L. H. E.	— — —	— 1 —	— — 1	— — 2	— — —	— 1 3	— — 1	— — —	1 — —	— — —	1 — 1
131	Other diseases of the kidneys and an- nexa.	P.L. M. H. E.	— — 3 —	132 12 86 54	139 23 256 213	71 12 215 247	21 11 104 164	363 58 664 678	121 22 119 94	167 21 235 282	55 21 258 423	14 10 125 238	357 74 737 1,037
132	Calculi of the urinary passages.	P.L. M. H. E.	— — 4 —	40 5 78 28	58 2 216 114	22 5 244 141	9 1 127 93	129 13 669 376	31 2 45 26	36 5 104 69	12 2 97 117	6 1 56 57	85 10 302 269
133 : 1	Cystitis	P.L. M. H. E.	— — — —	139 13 37 107	310 13 113 454	237 17 149 593	86 13 83 534	772 56 382 1,688	60 4 27 89	152 4 49 290	71 7 61 432	21 7 33 258	304 22 170 1,069
133 : 2	Other diseases of the bladder.	P.L. M. H. E.	— — — —	8 — 12 3	13 1 15 12	16 — 17 22	3 1 10 23	40 2 54 60	— — 5 3	5 1 6 6	4 1 7 15	2 — 2 12	11 2 20 36
134 (a)	Stricture of the urethra.	P.L. M. H. E.	— — 3 —	207 4 57 23	344 2 324 126	105 3 300 132	46 2 145 97	702 11 829 378	1 — — —	— — — —	— — — 2	— — — —	1 — — 2
134 (b)	Other diseases of the urethra, etc. ..	P.L. M. H. E.	— — — —	9 — 1 4	19 — 13 15	21 1 18 15	5 1 9 8	54 2 41 42	2 — 3 1	— — 9 6	2 — 9 13	— — 4 2	4 — 25 22
135	Diseases of the prostate.	P.L. M. H. E.	— — 2 —	887 17 568 377	1,425 14 1,855 1,851	889 18 2,140 2,666	386 10 1,428 2,314	3,587 59 5,993 7,208	— — — —	— — — —	— — — —	— — — —	— — — —
136	Non-venereal disease of the male genital organs.	P.L. M. H. E.	— — 1 —	9 — 22 6	27 1 63 51	12 1 50 39	3 — 18 27	51 2 154 123	— — — —	— — — —	— — — —	— — — —	— — — —
137	Cysts and other tumours of the ovary not returned as malignant.	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	59 2 62 48	77 6 214 166	59 3 259 249	10 1 127 161	205 12 662 624
138 : 1	Salpingitis	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	48 3 67 8	91 1 249 34	36 1 247 36	7 — 133 19	182 5 696 97
138 : 2	Pelvic abscess in females.	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	9 1 7 1	15 — 26 13	5 1 25 24	— 1 13 9	29 3 71 47
139	Tumours of the uterus not returned as malignant.	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	59 3 149 41	75 4 429 167	29 5 473 202	15 7 253 149	178 19 1,304 559
140	Non-puerperal uter- ine hæmorrhage.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	1 7 2	4 16 16	— 16 18	— 5 12	5 44 48
141 : 1	Other diseases of the uterus.	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	24 1 37 9	34 3 112 61	38 4 142 84	6 1 75 50	102 9 366 204

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued*.

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
141 : 2	Diseases of the other female genital or- gans not included in other headings.	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	8 — 24 1	3 — 33 17	5 1 50 20	— 1 16 12	16 2 123 50
142	Non-puerperal dis- eases of the breast.	P.L. H. E.	— — —	— — —	2 — 8	— — —	— — 2	2 — 10	1 3 2	4 4 12	1 10 13	— 3 7	6 20 34
143-150	The puerperal state . .	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	565 4 481 171	1,376 18 2,477 1,205	736 19 2,270 1,833	189 16 1,407 1,344	2,866 57 6,635 4,553
143 (a)	Abortion	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	21 5 11	39 47 53	17 60 62	3 24 35	80 136 161
143 (b)	Ectopic gestation .	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	23 — 18 12	35 — 85 28	9 1 135 26	— — 50 15	67 1 288 81
143 (c)	Other accidents of pregnancy.	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	18 — 18 3	70 — 130 67	34 1 104 88	5 — 61 71	127 1 313 229
144	Puerperal hæmorr- hage.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	44 36 42	116 243 236	62 190 339	17 102 231	239 571 848
145	Other accidents of childbirth.	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	35 — 55 22	102 — 311 160	60 — 272 213	16 1 170 128	213 1 808 523
146	Puerperal sepsis . .	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	305 2 271 26	740 8 1,157 254	368 8 1,001 448	96 9 678 348	1,509 27 3,107 1,076
147 : 1	Puerperal phlegmasia alba dolens not re- turned as septic.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	3 1 1	5 7 30	1 4 44	2 1 29	11 13 104
147 : 2	Puerperal embolism and sudden death.	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	8 1 12 31	27 2 54 170	21 — 35 242	2 — 40 193	58 3 141 636
148	Puerpera albuminuria and convulsions.	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	98 — 65 23	214 4 432 201	150 4 462 351	46 1 276 282	508 9 1,235 857
149	Childbirth not assign- able to other headings (puerperal insanity).	P.L. M. H. E.	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	8 1 — —	27 4 3 1	14 5 — 12	2 5 4 9	51 15 7 22
150	Puerperal diseases of the breast.	P.L. H. E.	— — —	— — —	— — —	— — —	— — —	— — —	2 — —	1 8 5	— 7 8	— 1 3	3 16 16
151 : 1	Senile gangrene . .	P.L. M. H. E.	— — — —	129 12 18 36	364 6 78 277	354 7 76 405	228 4 52 448	1,075 29 224 1,166	113 13 14 63	266 4 51 347	249 7 36 525	152 5 31 388	780 29 132 1,323
151 : 2	Other gangrene . .	P.L. M. H. E.	— — — —	8 — 1 5	31 — 31 26	29 1 13 34	7 — 12 12	75 1 57 77	7 — 5 4	19 1 10 33	9 1 22 33	6 — 16 21	41 2 53 91
152	Carbuncle, boil . .	P.L. M. H. E.	— — — —	106 8 51 30	178 8 162 168	100 10 188 223	28 8 79 112	412 34 485 533	63 4 27 6	85 14 85 90	43 12 78 127	13 9 44 60	204 39 234 283
153 : 1	Cellulitis	P.L. M. H. E.	— — — —	123 13 34 15	244 8 192 106	147 10 212 134	54 8 139 104	568 39 584 359	91 23 17 18	174 18 130 107	94 30 129 125	34 16 95 76	393 87 371 326

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued.*

International. List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
153 : 2	Acute abscess ..	P.L. M. H. E.	— — — —	22 — 18 6	33 — 56 42	19 2 60 51	12 1 48 46	86 3 182 145	15 1 7 4	38 2 42 36	17 1 37 62	7 4 26 43	77 8 112 145
154 : 1	Ulcer, bed sore ..	P.L. M. H. E.	— — — —	22 — — 14	51 — 11 58	55 — 6 49	34 1 1 55	162 1 18 176	29 — 1 31	88 — 11 138	84 1 8 175	54 2 11 149	255 3 31 493
154 : 2	Eczema	P.L. H. E.	— — —	18 9 7	38 31 35	24 24 49	16 21 37	96 85 128	6 2 4	22 10 24	12 13 36	4 7 24	44 32 88
154 : 3	Pemphigus	P.L. M. H. E.	— — 1 —	17 — 12 10	78 — 50 94	22 — 35 98	8 — 20 33	125 — 118 235	13 — 11 8	61 — 44 77	20 — 25 76	5 9 5 36	99 9 85 197
154 : 4	Other diseases in- cluded under 154.	P.L. M. H. E.	— — — —	49 1 17 16	99 — 89 111	56 3 63 132	25 3 31 88	229 7 200 347	38 1 13 32	74 2 46 137	41 4 41 195	12 — 27 126	165 7 127 490
155 : 1	Acute infective osteo- myelitis and perio- stitis.	P.L. M. H. E.	— — 4 —	99 2 109 8	157 3 367 33	61 — 394 49	15 1 260 30	332 6 1,134 120	49 — 58 2	65 2 233 24	21 1 200 24	4 — 99 27	139 3 590 77
155 : 2	Other diseases of the bones.	P.L. M. H. E.	— — 2 —	46 2 20 22	64 1 60 86	39 3 63 83	12 1 35 76	161 7 180 267	20 3 13 19	36 1 24 101	31 1 41 112	15 — 14 68	102 5 92 300
156	Diseases of the joints	P.L. M. H. E.	1 — 1 —	30 — 23 5	63 — 90 22	36 2 91 34	5 2 58 17	135 4 263 78	18 1 13 10	41 — 47 24	15 1 60 41	5 1 27 23	79 3 147 98
157	Amputation ..	P.L.	—	—	—	1	—	1	—	—	—	—	—
158	Other diseases of the organs of loco- motion.	P.L. M. H. E.	— — — —	9 — 6 3	8 — 15 20	6 1 11 29	1 1 12 15	24 2 44 67	5 — 5 6	7 — 8 19	5 1 7 20	1 1 10 17	18 2 30 62
159 : 1	Congenital hydro- cephalus.	P.L. M. H. E.	— — — —	22 6 26 12	35 4 50 184	39 2 43 160	3 3 22 125	99 15 141 481	24 1 20 13	30 2 32 110	18 5 34 142	7 — 18 88	79 8 104 353
159 : 2	Congenital malforma- tion of heart.	P.L. M. H. E.	— — — —	42 — 146 230	103 1 183 1,061	61 — 158 1,230	16 1 77 746	222 2 564 3,267	51 2 104 170	69 3 186 831	46 — 134 887	18 2 47 598	184 7 471 2,486
159 : 3	Other congenital mal- formations.	P.L. M. H. E.	— — — —	107 — 305 110	252 4 896 877	106 3 706 1,113	24 3 350 764	489 10 2,257 2,864	79 3 178 98	244 — 507 898	108 2 372 1,129	35 3 206 758	466 8 1,263 2,883
160 : 1	Congenital debility and sclerema.	P.L. M. H. E.	— — — —	290 — 182 190	775 — 615 1,710	320 1 371 2,127	110 — 155 1,430	1,495 1 1,323 5,457	180 — 105 116	468 — 346 1,200	194 1 225 1,503	56 — 86 959	898 1 762 3,778
160 : 2	Icterus neonatorum	P.L. H. E.	— — —	14 33 50	15 81 351	8 33 368	6 24 246	43 171 1,015	13 18 29	13 39 189	9 18 204	5 13 151	40 88 573
161 : 1	Premature birth ..	P.L. M. H. E.	— — — —	702 — 794 1,425	1,501 2 1,965 9,352	612 2 1,384 9,256	204 2 713 5,777	3,019 6 4,856 25,810	580 — 619 1,032	1,224 1 1,643 6,856	480 — 1,124 6,890	150 1 531 4,479	2,434 2 3,917 19,257
161 : 2	Injury at birth ..	P.L. H. E.	— — —	56 156 191	129 405 858	50 260 920	20 127 654	255 948 2,623	39 112 121	81 250 565	27 188 560	8 81 380	155 631 1,626
162 : 1	Diseases of the um- bilicus.	P.L. H. E.	— — —	11 20 10	13 29 40	3 32 56	2 2 55	29 83 161	5 5 9	7 22 48	2 16 52	1 5 41	15 48 150

DEATHS TABULATED BY CAUSE AND PLACE OF OCCURRENCE, 1926-30—*continued*.

International List No.	Cause of Death.	Place of Occurrence.	Males.						Females.				
			Non- civilians.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
162 : 2	Atelectasis	P.L. H. E.	— — —	59 106 177	91 224 807	40 152 810	10 60 494	200 542 2,288	56 70 144	74 163 569	36 111 535	10 36 347	176 380 1,595
162 : 3	Other diseases in- cluded under 162.	P.L. H. E.	— — —	8 25 15	20 68 135	11 53 153	2 23 109	41 169 412	6 20 16	17 91 129	7 45 178	3 26 113	33 182 436
163	Lack of care ..	P.L. H. E.	— — —	1 — 113	1 1 197	2 — 202	3 1 111	7 2 623	3 — 103	2 4 188	1 1 203	1 — 120	7 5 614
164 : 1	Senile dementia ..	P.L. M. H. E.	— — — —	68 1 3 35	1,874 44 17 247	635 90 8 374	281 39 9 272	2,858 174 37 928	104 5 23 126	2,043 104 21 476	966 88 42 664	342 58 20 540	3,455 255 106 1,806
164 : 2	Other forms of senile decay.	P.L. M. H. E.	— — — —	951 716 33 1,000	3,241 236 170 6,577	3,633 340 121 10,121	2,271 297 41 9,257	10,096 1,589 365 26,955	1,420 1,153 122 2,199	3,849 347 264 11,390	4,497 548 233 16,408	2,368 363 64 12,515	12,134 2,411 683 42,512
165-174	Suicide	P.L. M. H. E.	— — 19 98	266 17 201 1,592	347 30 655 4,703	279 51 414 4,971	100 17 204 3,009	992 115 1,493 14,373	171 11 128 718	141 22 383 2,098	124 39 210 2,096	34 11 92 1,022	470 83 813 5,934
175-203	Violence excluding suicide.	P.L. M. H. E.	7 — 261 343	1,833 29 2,078 2,096	1,682 37 8,058 7,236	1,414 45 7,501 9,859	502 27 4,767 7,321	5,468 138 22,665 26,855	1,505 72 923 1,091	1,685 39 3,314 3,593	1,126 52 2,682 4,056	368 21 1,391 2,832	4,684 184 8,310 11,572
204 & 205	Ill-defined diseases ..	P.L. M. H. E.	— — 1 1	11 1 7 32	34 4 36 708	34 1 34 1,054	16 2 18 895	95 8 96 2,690	9 1 3 18	42 3 25 506	19 1 27 709	12 1 8 633	82 6 63 1,866
All causes.	Poor Law Institutions	20	53,003	95,531	51,185	20,474	220,213	43,801	74,642	42,509	15,965	176,917
	Mental Institutions	127	4,782	7,557	6,969	4,433	23,868	5,957	7,536	7,452	4,571	25,516
	Hospitals	1431	25,427	66,968	55,642	28,923	178,391	18,764	46,893	40,322	20,217	126,196
	Nursing Homes	26	1,897	4,322	4,552	2,308	13,105	2,755	5,272	5,908	2,388	16,323
	Total in Institutions	1604	85,109	174,378	118,348	56,138	435,577	71,277	134,343	96,191	43,141	344,952
	Elsewhere than Institu- tions.	..	619	56,521	257,466	283,757	183,670	782,033	63,515	275,105	300,661	184,878	824,159
	Total	2223	141,630	431,844	402,105	239,808	1217610	134,792	409,448	396,852	228,019	1169111